

**2016**  
**Alaska Fire Weather Program**  
**Annual Operating Plan**  
**for**  
**National Weather Service, Alaska Region (NWS)**  
**Alaska Wildland Fire Coordinating Group (AWFCG)**

A. **Purpose.**

To describe the roles, responsibilities and operational procedures of the NWS, Alaska Fire Service (AFS), US Forest Service (USFS), State of Alaska Division of Forestry (DOF) and the AWFCG membership in support of the 2016 Alaska Fire Weather Program, to ensure effective use of NWS fire weather products, and establish responsibilities of the Alaska Interagency Coordination Center (AICC) fire weather meteorologist.

Authorities. This Plan is maintained and coordinated by the Fire Weather Committee of the Alaska Wildland Fire Coordinating Group (Appendix A).

B. **Operational Guidelines**

**The Principal operating period for the Alaska Fire Weather Program runs from** April 1 through September 1, however, the exact operating periods are subject to the fire weather threat. The roles described in the Operating Plan are intended to be flexible and allow for changing conditions of personnel, workload and weather hazards.

WFOs may request a delay or early end of routine fire weather forecasts if excessive snowpack, rain and/or continued winter weather is expected for the scheduled start date(s), or excessive cool and moist weather is imminent prior to the regular end of the fire weather forecast season. WFOs will contact the AICC meteorologists who will, in turn, canvas the appropriate Protection Agency Fire Management Officers (FMOs) to coordinate any changes to their regular season schedule.

Conversely, the Protection Agency FMOs may request an early issuance or extension of routine fire weather forecast if the seasonal threat for fire danger is likely to fall outside scheduled date(s). Protection Agency FMOs should coordinate any date changes requests with the AICC Meteorologist(s). The AICC Meteorologist will then coordinate the change in service with the WFO Management Teams. WFOs will notify the NWS Regional Fire Weather Program Manager of any changes.

Coordination of schedule changes may result in a transition of services such as additional information in the Area Forecast Discussion product in lieu of the daily fire weather forecast products. Such coordination should begin no later than five (5) days in advance of the regular season start or end dates listed in Appendix C.

Unless wildfire conditions exist or are anticipated, fire weather products will not be provided for Anchorage forecast zones 131, 135, 171, 181, 185, 187, 191, 195, and Fairbanks forecast zones 201-207, 211 and 213 (see Appendix E for zone listings and map).

C. **NWS Responsibilities**

1. The NWS will provide a Regional Fire Weather Program Manager at Alaska Region Headquarters, and fire weather focal points at the Anchorage, Fairbanks, and Juneau Weather Forecast Offices (WFO). The fire weather focal points and Lead Forecasters will be responsible for timely delivery and quality of fire weather products and services from their WFOs.

2. Consistent with the Interagency Agreement for Meteorological Services, the NWS also will provide the following:

a. **Red Flag Warnings and Fire Weather Watches.**

The notification and issuance of Red Flag Warnings and Fire Weather Watches will be the number one priority of the fire weather program. Red Flag Warnings and Fire Weather Watches will be issued in accordance to National Weather Service Instruction 10-401, Fire Weather Products Specification, with Red Flag Event criteria defined below.

A Fire Weather Watch should be issued 24 to 96 hours in advance of the expected onset of criteria. The intent of a Fire Weather Watch is to alert users to the potential for Red Flag Event conditions a day (or more) in advance.

A Red Flag Warning warns of an impending, or occurring, Red Flag Event. Its issuance denotes a high degree of confidence that weather and fuel conditions consistent with Red Flag Event criteria will occur in 48 hours or less.

**Red Flag Warning/Fire Weather Watch Criteria:**

There are two types of Red Flag Warning Criteria: convective and non-convective. Non-convective criteria must be met in all categories (temperature, RH, and wind) for at least three observations either at one station or a combination such as one hour at three stations or two hours at one station plus one hour at another. As always, fuel conditions must be coordinated with AICC Predictive Services.

**General non-convective Red Flag Warning criteria:**

Temp $\geq$ 75°F	RH $\leq$ 25%	Wind $\geq$ 15 mph (sustained)
------------------	---------------	--------------------------------

**Exceptions to the non-convective Red Flag Warning criteria:**

223 – Deltana and Tanana Flats 226 – Eastern Alaska Range	No temperature criteria	RH $\leq$ 25%	Wind $\geq$ 30 mph (sustained)
<b>Pre-green-up*</b> in zones: 101- Anchorage 111- Matanuska Valley 121- Western Kenai 125- Western PWS	Temp $\geq$ 65°F	RH $\leq$ 25%	Wind $\geq$ 15 mph (sustained)

\*Green-up will be discussed with local fire managers each spring to ensure an appropriate change date for South Central zones.

**Lightning Criteria**

Forecast LAL $\geq$ 4	Very dry fuels using adjective ratings with guidance from Predictive Services.
-----------------------	--

Headlines:

Headlines for Red Flag Warnings or Fire Weather Watches will appear in the RFW product as well as the FWF for the appropriate zone(s). The headline will contain the phrase “FOR LIGHTNING” if convective criteria are forecast to be met. Headlines will also specify distinct areas of the fire weather zone if the entirety of the geographic area is not expected to be impacted.

Coordination with AICC Predictive Services:

WFOs will make every effort to consult the AICC Predictive Services (356-5691/5671) when Red Flag Warnings or Fire Weather Watches are considered. The AICC or its designated Regional Area Contact is responsible for determining if fuel conditions are consistent with issuing the Warning/Watch. This determination is made based on recent precipitation and drying events, the type and amount of fuel available, and a review of available current and forecast fire indices, among other factors. Fuel conditions are critical to the Warning/Watch issuance decision. **If fuel condition consultation with the AICC is not possible, forecasters will use the fuels conditions posted by AICC Predictive services as the basis for issuing a Warning or Watch when Red Flag Event**

**conditions are anticipated.** AICC posts fuel conditions on a non-public webpage, the link to which should be included in WFO documentation as appropriate (example, Station Duty Manual).

AICC Predictive Services will be telephoned at 356-5691 (backup 356-5671) upon initial issuance of or changes (including cancellation) to the Warning/Watch. If AICC Predictive Services cannot be reached, WFOs will call Initial Attack (IA) at xxx-xxxx. If neither Predictives Services nor IA can be reached, a paper copy of the Warning/Watch will be faxed to 356-5678, but only when the warning is initiated or extended. The phone number for Initial Attack is not publicly published, but should be included in WFO documentation as appropriate (example, Station Duty Manual).

b. Spot forecasts.

WFO spot forecast issuance should take priority over routine fire weather forecasts.

Incidents will submit requests for spot forecasts via the Alaska Region NWS Spot website for wildland fires or for managed ignited fires planned within 24 hours. When requesting a Spot forecast, select the geographic area corresponding to the spot location. Spot forecast requests must include accurate and updated latitude and longitude coordinates for the site of concern during the period covered by the spot forecast. Spot requests will also include observations relevant to the area of concern. For ongoing fires or prescribed burns requiring multiple spot forecasts, Incidents will submit individual requests containing current/updated information and observations. Once a Spot forecast is requested, the Incident will phone the WFO to verify receipt of the request. WFO forecasters should not submit requests on behalf of the Incident requesting the spot forecast. Completed forecasts will be posted to the Alaska Region NWS Spot website. Other dissemination means may be provided, but only when a back-up method is necessary. The WFO forecaster will call the requesting agency's contact to verify receipt of the forecast. Incidents are encouraged to notify NWS forecasters in advance of prescribed spot requests and/or conduct preliminary coordination as needed to meet regulatory mandates. Such notification/coordination may be accomplished by contacting the appropriate NWS forecast office by phone. This does not preclude the use of the NWS Spot website within 24 hrs of the planned ignition.

c. Routine daily fire weather forecasts, outlooks and discussions.

Production of routine fire weather forecasts should follow the schedule in Appendix C.

i. The Fire Weather Forecast (FWF).

This product will include information (as described below) for the first three 12-hour periods for morning forecasts and first four periods for afternoon forecasts. The forecast also will include information for days 3 through 5. [Note: the Fire Weather Program Time Line for Products and Services is listed in Appendix C, the Daily Schedule for Products and Services is listed in Appendix D, and an example of the Fire Weather Forecast is included as Appendix H]. Details about product format are provided below:

- Morning and afternoon Fire Weather Forecasts will include information on sky condition and weather, relative humidity, wind speed and direction, chance of wetting rain (defined as  $\geq 0.10$ " of liquid precipitation in 12-hours), and potential for wet and/or dry thunderstorms.
- Red Flag Warnings and Fire Weather Watches will be headlined at the top of the corresponding fire weather zone forecast. The headline will specify the time period, area and conditions covered by the watch/warning.

ii. FDI

The FDI is a snapshot of the maximum temperature, minimum relative humidity, and wind speed as predicted for 2:00 PM local time that afternoon (for morning issuances), or 2:00 PM the following day (for evening issuances).

Morning FDI products will be produced by WFOs Anchorage, Fairbanks and Juneau. The Morning FDI will include official forecaster quality-controlled data for selected RAWS and aviation observations points. The official data will be followed by unofficial raw forecast data for the remaining observation points in respective AORs as listed in Appendix I. A space will clearly separate the official from the unofficial FDI forecast points.

Evening FDI products will be produced by WFOs Anchorage and Fairbanks only. The Evening FDI will contain the same data points as noted above, but all points will be unofficial and contain raw forecast data.

Transmission time of the FDI should coincide with the transmission of the FWF product, though issuance may extend beyond the FWF issuance as coordinated at the end of the fire weather season.

Fire Weather Indices derived from raw FDI points should be noted as such when distributed by AICC.

Changes to the FDI, including addition and deletion of forecast points, will be coordinated through the NWS Regional Fire Weather Program Manager, the local Fire Weather Program Leaders, and the local WFO Management Teams.

d. Web Services.

The NWS will maintain, and update daily, the Alaska Fire Weather section on the NWS Alaska Region Headquarters website (linked from <http://www.weather.gov/Alaska> and all WFO websites). The Fire Weather section will include daily fire weather forecasts, graphic display of Red Flag Warnings and Fire Weather Watches, the public version of this Annual Operating

Plan, and the Spot forecast interface access. Any changes to the content or display of the website information should be coordinated with the AICC.

- e. Weather observations.  
Daily/hourly observations for ASOS/AWOS stations will be available from a file transfer protocol (FTP) location determined by local procedures.
- f. Smoke management forecasts and information.  
The transport wind and the mixing height, required information for smoke management, will be included in spot forecasts upon request.
- g. Consultation and technical advice.  
The WFO should provide requested information and advice as urgency of situation and operational time constraints dictate.
- h. Amendments/updates.  
Forecasts, Red Flag Warnings, and Fire Weather Watches will be updated according to the criteria listed in Appendix F. The spot forecast is a one-time site specific product which is not routinely updated. Spot forecasts will be re-issued when representative observations or other weather information are available to the forecaster, and he/she is confident that an update could affect fire suppression or prescribed burning operations and/or the safety of personnel. Upon reissuance of a Spot forecast, the WFO will call the originator of the Spot request to inform them of the changes. Incident/Jurisdictional Agency personnel may contact the appropriate WFO for a spot update if forecast conditions appear unrepresentative of the actual weather conditions.
- i. Fire weather training.  
Upon the request of the AICC, NWS staff should assist in teaching sessions containing fire weather modules as staffing and office outreach funding (when applicable) allows.
- j. Special meteorological services.  
Any additional meteorological services not explicitly described in this Plan may be requested by the AICC through the Regional Fire Weather Program Manager. During emergency situations outside of administrative duty hours (7:30am to 4:00pm Monday through Friday), requests should be directed to the WFO Management team (see Appendix B).

D. **Alaska Interagency Coordination Center Meteorologist (AICC)**

The AICC Fire Weather Meteorologist is based at the AICC in Fairbanks. Her/his duties are to add value to the products and services furnished by the NWS. The AICC Meteorologist will be available to all federal and state agencies to consult regarding fire weather and fire potential and other long range weather issues.

Her/his duties will include, but are not limited to:

- 1. Monthly Fire Weather and Fire Danger Outlooks.

AICC will prepare monthly reports and post them to the AICC website.

2. Daily 7-day Outlook

AICC will prepare a 7-day outlook including fire weather, fire potential, and resource allocation. This product will be issued Monday through Friday; weekend forecasts are issued based on severity of weather and/or fire activity.

3. Air Quality: The AICC meteorologist will coordinate with the Alaska Department of Environmental Conservation (ADEC) Air Quality Meteorologist regarding air quality hazards and information.

4. Research.

The AICC meteorologist will pursue and or participate in research on Fire Weather and Fire Potential in Alaska.

5. Statewide Briefings.

- a. Statewide Briefings will be conducted by the AICC Meteorologist. These briefings will be held Monday through Friday. Interested agencies will dial in. The briefing will discuss statewide conditions and refer to graphic products displayed on the NWS and AICC maintained websites. Weekend briefings will be provided upon request, depending on the weather and severity of the fire season. Additional briefings will be conducted when significant weather changes warrant, or during severe fire conditions, as requested by user agencies.
- b. The AICC Meteorologist will coordinate conference calls between the AICC and NWS WFO's when significant weather or fire conditions exist.

6. Pre-Season and Post-Seasonal Assessments.

- a. Pre-season assessment for 2016 will be prepared in the spring.
- b. Post-season assessment will be prepared for the Interagency Fall Fire Review Meeting.
- c. Pre and post-season reviews will include historical climate and weather analysis

7. Risk Assessments for fire behavior and fire danger potential.

- a. AICC Meteorologist will gather current fuels condition information from local areas and suppression FMOs, and coordinate with NWS on Red Flag Warnings and Fire Weather Watches.
- b. Fuel conditions for each forecast zone will be provided on the AICC website and updated, with a time/date stamp. Updates will be provided daily or as conditions warrant.
- c. Fuel and Fire Behavior Advisories will be issued by Predictive Services when a significant area is indicating very dry fuels and has potential for exceptional or extreme fire behavior. These advisories will be updated every 14 days or as conditions change. There is a standard national format and protocols that will be followed, and the advisories will be posted on the AICC homepage and the

National Map. Additionally, the meteorologist on duty will contact the appropriate National Weather Service Office(s)

d. Drought information will be routinely assessed by the AICC meteorologist.

8. Liaison between federal and state agencies and the NWS.

9. Team member for collaborative planning efforts.

Develop Alaska Fire Danger Operating Plan.

10. Team leader for RAWs coordination.

11. WIMS.

The AICC Predictive Services will ensure pertinent observations from their stations of interest are archived into WIMS in a timely fashion.

**E. Alaska Fire Service (AFS), U.S. Forest Service (USFS), Division of Forestry (DOF), and the Alaska Wildland Fire Coordinating Group (AWFCG).**

1. In concurrence with the National Agreement, the agencies will provide:

- a. Fire weather observations. Observations from all RAWs are posted on the AFS website.
- b. Provide pertinent weather information, and observations, in support of spot forecast requests.
- c. On-site meteorological support. On an as needed basis (typically, but not limited to support of Type I or Type II Incident Management Teams), a request for an Fire Weather Incident Meteorologist (IMET) for on-site support will be initiated by the Incident using an overhead resource order and follow established dispatch procedures. For IMETs based in the Alaska Region, the sending office will provide travel arrangements upon request, driving directions, incident contact numbers and other relevant reporting instructions for IMETs and IMET trainees. Logistical support for all NWS personnel assigned to wildland fires will be supplied by the Incident to which he/she is assigned. On an as needed basis, an AICC resource order can be filed to request a Fire Weather IMET to augment the staffing at Alaska WFOs, the AICC, or for on-site fire assignments. WFO staff supplementation must be coordinated and in agreement with the local office management team.
- d. NFMD (National Fuel Moisture Database) is the warehouse for fuel moisture sampling data. It is encouraged that all agencies post fuel moisture data at this website. The AICC meteorologist can provide contact information regarding the Geographic Area Administrator, so new users can setup an account. The national NFMD website is located at [http://www.wfas.net/nfmd/add\\_data/add\\_site\\_data\\_index.php](http://www.wfas.net/nfmd/add_data/add_site_data_index.php).
- e. Training. NWS is welcome to nominate personnel to attend fire training sessions offered in Alaska. Acceptance is based on completion of prerequisite training requirements and space availability. Upon request, the NWS Alaska Region will be guaranteed training for S390 each year offered, as this is a required course for IMET Certification.



- f. Other special services. A multi-port teleconference line will be available for briefings and conferences.
- g. The AICC (<http://fire.ak.blm.gov>) and DOF (<http://www.dnr.state.ak.us/forestry>) also will maintain websites with links to NWS fire weather information.
- h. The AFS will retrieve selected ASOS/AWOS observations and post them in the Weather section of the AICC website.
- i. The AFS will provide real-time lightning data to the NWS.
- j. Spot forecast requests will include a voice contact phone number of the requesting agency. Spot forecast requests sent through the web spot program will be followed up by a phone call to the appropriate NWS forecast office to verify receipt.

F. **Administration**

1. **Operating Period.**

The principal operating period for the Alaska Fire Weather Program will be from March 30, through August 31, 2016. During other times, the National Weather Service will provide Fire Weather Forecast and Warning product(s), as requested by the agencies, based on the severity of fire conditions. Agencies may request earlier or later dates for weather forecasting as outlined in Section C.2.a. above.

2. **Annual Meetings.**

During the fall of each year, the chair of the Fire Weather Committee will coordinate a joint meeting of the Fire Weather Committee for the purpose of reviewing the previous season's weather operations and preparing for the next fire weather season. If requested by one of the agencies, additional meetings may be arranged.

3. **Annual Operating Plan.**

This document fulfills the National Agreement for Meteorological Services in Support of Agencies with Land Management and Fire Protection Responsibilities, which establishes requirements for an Annual Operating Plan.

4. **Modification of Fire Weather Operating Procedures.**

Terms of this Operating Plan may be modified at any time. Agencies participating in this Operating Plan will provide reasonable advance notification of any operationally significant changes to other Alaska state fire weather stakeholder agencies, as listed in Section F.2 above.

5. **Effective Date.**

This Operating Plan is effective beginning March 30, 2016 and will be reviewed annually.

---

Jeffrey Osiensky  
Acting Chief, Environmental and Scientific Services  
NOAA/NWS Alaska Region

---

Date

---

Sue Rodman  
Chair, Alaska Wildland Fire Coordinating Group

---

Date

<<*Signatures on file*>>

## Appendix A

### Alaska Wildland Fire Coordination Group Fire Weather Committee 2016

#### **Liaison to AWFCG**

Tami DeFries  
Phone: 356-5506  
Fax: 356-5517  
Email: tdefries@blm.gov

#### **Chair-AICC Meteorologist-NPS**

Sharon Alden  
Phone: 356-5691  
Fax: 356-5678  
Email: salden@blm.gov

Heidi Strader  
Phone: 356-5691  
Fax: 356-5678  
Email: hstrader@blm.gov

#### **State of Alaska - Division of Forestry**

Tom Kurth  
Phone: 451-2675  
Fax: 451-2690  
Email: tom.kurth@alaska.gov

#### **National Park Service**

Larry Weddle  
Phone: 683-9548  
Fax: 683-9624  
Email: larry\_weddle@nps.gov

Keith Mitchell (Back-up member)  
Phone: 683-9549  
Fax: 683-9624  
Email: keith\_mitchell@nps.gov

#### **Tanana Chiefs Conference**

Clinton Northway  
Phone: 452-8521 x3379  
Fax: 459-3852  
Email: clinton.northway@tananachiefs.org

#### **U.S. Fish and Wildlife**

Kristi Bulock  
Phone: 524-2033  
Cell: 360-1006  
Fax: 524-3141  
Email: kristi\_bulock@fws.gov

Jan Passek  
Phone: 786-3654  
Cell: 947-9556  
Fax: 786-3905  
Email: jan\_passek@fws.gov

#### **Bureau of Land Management - Alaska Fire Service**

Tami DeFries  
Phone: 356-5875  
Fax: 356-5556  
Email: tdefries@blm.gov

Kato Howard (Back-up member)  
Phone: 356-5862  
Fax: 356-5517  
Email: khoward@blm.gov

**U.S. Forest Service**

Gary Lehnhausen

Phone: 743-94  
Fax: 743-9479  
Email: glehnhausen@fs.fed.us

**National Weather Service**

Regional Program Manager (acting)  
Eddie Zingone

Phone: 271-3507  
Fax: 271-3711  
Email: Eddie.Zingone@noaa.gov



	Fax: 356-5556
	Email: jdollard@blm.gov
Upper Yukon Zone FMO Steve Theisen	Phone: 356-5558 Fax: 356-5556 Email: satheisen@blm.gov
Tanana Zone FMO Mike Butteri	Phone: 356-5574 Fax: 356-5556 Email: mbutteri@blm.gov
Galena Zone FMO Tom St. Clair	Phone: 356-5623/656-1222 Fax: 356-5556/656-1702 Email: tstclair@blm.gov
<b>National Park Service</b>	
AICC Meteorologists Sharon Alden	Phone: 356-5691 Fax: 356-5678 Email: salden@blm.gov
Heidi Strader	Phone: 356-5691 Fax: 356-5678 Email: hstrader@blm.gov
Regional Fire Officer Dan Warthin	Phone: 644-3409 Fax: 644-3809 Email: dan_warthin@nps.gov
Western Parks FMO Larry Weddle	Phone: 683-9548 Fax: 683-9624 Email: larry_weddle@nps.gov
Eastern Parks FMO James Sullivan	Phone: 455-0651 Fax: 455-0601 Email: james_sullivan@nps.gov
<b>U.S. Forest Service:</b>	
Tongass National Forest Seth Ross	Phone: 945-1204 Cell: 209-3029 Email: sross@fs.fed.us
Chugach National Forest Gary Lehnhausen	Phone: 743-94 Fax: 743-9479 Email: glehnhausen@fs.fed.us
<b>U.S. Fish &amp; Wildlife Service:</b>	
Regional Fire Management Coordinator Doug Alexander	Phone: 786-3497 Fax: 786-3905 Email: doug_alexander@fws.gov
Jan Passek (planner)	Phone: 786-3654

Fax: 786-3905  
Email: jan\_passek@fws.gov

Koyukuk/Nowitna/Selawik NWR

Ben Pratt

Phone: 656-1231  
Fax: 656-1708  
Email: benjamin\_pratt@fws.gov

Kenai/Kodiak NWR

Doug Newbould

Phone: 260-2844  
Fax: 260-4735  
Email: doug\_newbould@fws.gov

Yukon Flats, Kanuti, Tetlin, Arctic NWR

Peter Butteri

Phone: 456-0361  
Fax: 456-0428  
Email: peter\_butteri@fws.gov

SW Area Refuges

Kristi Bulock

Phone: 524-2033  
Fax: 524-3141  
Email: kristi\_bulock@fws.gov

**NOAA National Weather Service :**

NWS Alaska Region Headquarters

Regional Fire Weather Program Manager (acting)

Eddie Zingone

Phone: 271-3507  
Fax: 271-3711  
Email: Eddie.Zingone@noaa.gov

Fairbanks Weather Forecast Office

Focal Point

Scotty Berg  
Phone: 458-3705  
Fax: 458-3703  
Email: scotty.berg@noaa.gov

Forecast Office

Phone: 458-3705

Meteorologist-in- Charge

Michael Mercer  
Phone: 458-3704  
Email: Michael.Mercer@noaa.gov

Incident Meteorologists

Scotty Berg  
Phone: 458-3705  
Fax: 458-3703  
Email: scotty.berg@noaa.gov

Anchorage Weather Forecast Office

Focal Point

Christian Cassell  
Phone: 266-5105  
Fax: 266-5188  
Email: christian.cassell@noaa.gov

Forecast Office

Phone: 266-5105

Meteorologist-in-Charge

Sam Albanese  
Phone: 266-5120  
Email: sam.albanese@noaa.gov

Incident Meteorologists

Christian Cassell  
Phone: 266-5115  
Email: christian.cassell@noaa.gov

Julia Ruthford  
Phone: 266-5115  
Email: julia.ruthford@noaa.gov

Juneau Weather Forecast Office  
Focal Point

Peter Boyd  
Phone: 790-6824  
Fax: 790-6827  
Email: peter.boyd@noaa.gov

Forecast Office Phone: 790-6824

Meteorologist-in-Charge

Tom Ainsworth  
Phone: 790-6804  
Email: tom.ainsworth@noaa.gov

Incident Meteorologist

Joel Curtis  
Phone: 790-6803  
Email: joel.curtis@noaa.gov

**Fire Weather Indices and WIMS:**

AICC Meteorologists

Sharon Alden

Phone: 356-5691  
Fax: 356-5678  
Email: salden@blm.gov

Heidi Strader

Phone: 356-5691  
Fax: 356-5678  
Email: hstrader@blm.gov

State of Alaska Fire Planner

Marsha Henderson

Phone: 356-5858  
Fax: 356-5678  
Email: marsha.henderson@alaska.gov



## **Appendix C**

### **PRODUCT AND SERVICE TIME LINE**

*Dates may be appropriately altered based on weather and fire danger*

#### **March 23 through March 30**

All NWS WFO's: Spin-up operations and training for daily forecast issuance. During this period, forecasts, watches and warnings will be issued if weather and fuel conditions warrant, as requested by Protection and Jurisdictional Agencies.

NWS Alaska Region Headquarters: Ensures NWS Alaska Region Fire Weather Internet Home Page is operating and providing current products.

#### **March 30**

Anchorage WFO: Begin production of daily written forecasts (morning and afternoon) for zones: 101, 111, 121, and 125

AICC: Begin Monday through Friday written statewide weather summary

#### **April 13**

Anchorage WFO: Begin production of daily written forecasts (morning and afternoon) for zones: 141, 145, 152, 155, and 161

Fairbanks WFO: Begin production of daily written forecasts (morning and afternoon) for zones 221-227.

#### **Apr 27**

Fairbanks WFO: Begin production of daily written forecasts (morning and afternoon) for zones 212, 214-216, 219 and 220.

Juneau WFO: Begin production of daily written forecasts (morning)

AICC: Begin Monday through Friday statewide stand-up/teleconference briefing at the Alaska Interagency Coordination Center. Weekend briefings will be provided as needed.

#### **May 4**

Fairbanks WFO: Begin production of daily written forecasts (morning and afternoon) for zones 208-210, 217 and 218.

#### **August 9**

Juneau WFO: End production daily written forecasts

Anchorage WFO: End production of daily written forecasts for zones: 125, 155, and 161

#### **August 16**

Anchorage WFO: End production of daily written forecasts for zones: 101, 111, 121, 141, 145, and 152

#### **August 31**

Fairbanks WFO: End production of daily written forecasts

End of Principal Operating Period

Note: FDIs likely to be requested longer:

#### **September 1 - March 31**

Services of NWS and AICC meteorologist provided upon request. During this period, forecasts, watches and warnings will be issued if weather and fuel conditions warrant, as requested Protection and Jurisdictional Agencies.

## Appendix D

### PRODUCT AND SERVICE DAILY SCHEDULE

<u>LOCAL TIME</u>	<u>ITEM</u>
0800	Forecasted Fire Weather Indices available on the AFS website.
0800	Juneau WFO: Morning Fire Weather Forecasts and FDI disseminated and published to the Internet. Anchorage WFO: Fire Weather Forecasts and FDI disseminated and published to the Internet. Fairbanks WFO: FDI and also Fire Weather Forecasts for zones 218-227 disseminated and published to Internet.
0830	Fairbanks WFO: Morning Fire Weather Forecast for zones 208-210, 212 and 214-217 disseminated and published to Internet.
0945	Statewide AICC Meteorologist Briefing.
1100	7-day Outlook published on AICC Website.
1200	Podcast of AICC Meteorologist Briefing will be posted to the AICC Website
1500	Fuel Conditions and actual Fire Weather Indices are posted on the AICC Website. Indices are automatically calculated and posted when the 1400 hr observation for each station is received by the AFS server.
1500	State manual weather stations transmit their weather observations into NWS Anchorage and Fairbanks Forecast Offices and AICC via Google Documents.
1600	Afternoon Fire Weather Forecast and FDI from Anchorage and Fairbanks disseminated and published to the Internet.
Anytime	Spot forecast as needed. Contact as early as possible.

## Appendix E

### Tables of Fire Weather Zone Titles and WFO Responsibility

#### WFO Juneau

Zone Number	Zone Name
017	CAPE FAIRWEATHER TO CAPE SUCKLING COASTAL AREA
018	TAIYA INLET AND KLONDIKE HIGHWAY
019	HAINES BOROUGH AND LYNN CANAL
020	GLACIER BAY
021	EASTERN CHICHAGOF ISLAND
022	SALISBURY SOUND TO CAPE FAIRWEATHER COASTAL AREA
023	CAPE DECISION TO SALISBURY SOUND COASTAL AREA
024	EASTERN BARANOF ISLAND AND SOUTHERN ADMIRALTY ISLAND
025	JUNEAU BOROUGH AND NORTHERN ADMIRALTY ISLAND
026	INNER CHANNELS FROM KUPREANOF ISLAND TO ETOLIN ISLAND
027	DIXON ENTRANCE TO CAPE DECISION COASTAL AREA
028	SOUTHERN INNER CHANNELS
029	MISTY FJORDS

WFO Anchorage


Zone Number	Zone Name
101	ANCHORAGE
111	MATANUSKA VALLEY
121	WESTERN KENAI PENINSULA
125	WESTERN PRINCE WILLIAM SOUND
131	NORTHEAST PRINCE WILLIAM SOUND
135	SOUTHEAST PRINCE WILLIAM SOUND
141	COPPER RIVER BASIN
145	SUSITNA VALLEY
153	MIDDLE KUSKOKWIM VALLEY
155	KUSKOKWIM DELTA
162	GREATER BRISTOL BAY
163	WESTERN ALASKA RANGE
171	KODIAK ISLAND
181	ALASKA PENINSULA
185	EASTERN ALEUTIANS
187	CENTRAL ALEUTIANS
191	WESTERN ALEUTIANS
195	PRIBILOF ISLANDS

WFO Fairbanks

Zone Number	Zone Name
201	WESTERN ARCTIC COAST
202	NORTHERN ARCTIC COAST
203	CENTRAL BEAUFORT SEA COAST
204	EASTERN BEAUFORT SEA COAST
205	NORTHWESTERN BROOKS RANGE
206	NORTHEASTERN BROOKS RANGE
207	CHUKCHI SEA COAST
208	LOWER KOBUK AND NOATAK VALLEYS
209	BALDWIN PENINSULA AND SELAWIK VALLEY
210	NORTHERN AND INTERIOR SEWARD PENINSULA
211	SOUTHERN SEWARD PENINSULA COAST
212	EASTERN NORTON SOUND AND NULATO HILLS
213	ST LAWRENCE ISLAND AND BERING STRAIT COAST
214	YUKON DELTA
215	LOWER YUKON VALLEY
216	LOWER KOYUKUK AND MIDDLE YUKON VALLEYS
217	UPPER KOBUK AND NOATAK VALLEYS
218	SOUTHEASTERN BROOKS RANGE
219	UPPER KOYUKUK VALLEY
220	YUKON FLATS AND SURROUNDING UPLANDS
221	CENTRAL INTERIOR
222	MIDDLE TANANA VALLEY
223	DELTANA AND TANANA FLATS
224	UPPER TANANA VALLEY AND THE FORTYMILE COUNTRY
225	DENALI
226	EASTERN ALASKA RANGE
227	UPPER KUSKOKWIM VALLEY



# NWS Zone Map



## Appendix F

### Amendment Criteria for Red Flag Warnings Fire Weather Watches Fire Weather Forecasts

Update when:

- A. Forecasted wind direction differs from observed wind direction by 90 degrees or greater when the observed sustained wind speed is greater than 10 mph.
- B. Observed sustained wind speed differs from forecasted wind speed by 10 mph or more.
- C. The observed relative humidity ( $RH_{\text{observed}}$ ) is less than 50% and the forecast relative humidity ( $RH_{\text{forecast}}$ ) minus the observed relative humidity is greater than 10%,

$$RH_{\text{observed}} < 50\% \text{ and } RH_{\text{forecast}} - RH_{\text{observed}} > 10\%$$

$$\text{where: } RH_{\text{forecast}} - RH_{\text{observed}} = RH \text{ forecast error}$$

- D. No thunderstorms are forecast but thunderstorms develop.
- E. The timing of the Red Flag Warning or Fire Weather Watch valid time changes.
- F. The areal extent or “location” of the Red Flag Warning or Fire Weather Watch changes.
- G. A Red Flag Warning or Fire Weather Watch is issued or cancelled.



## **Appendix H**

### **NWS Fire Weather Product Examples**

The following are examples of fire weather products produced by the NWS Alaska Region. Remember that there may be slight variations in products due to each WFO's own procedures and policies. For national fire weather product specifications please see the fire weather section of the NWS Directives, located at <http://www.nws.noaa.gov/directives> under the Fire Weather section (10-4 series).

# 1. Routine Daily Fire Weather Forecast for One Fire Weather Zone.

FNAK51 PAFK 081446  
FWFAER

FIRE WEATHER PLANNING FORECAST FOR ALASKA  
NATIONAL WEATHER SERVICE ANCHORAGE AK  
645 AM AKDT FRI AUG 8 2015

.DISCUSSION...A COLD UPPER LEVEL LOW WILL REMAIN OVER SOUTH CENTRAL ALASKA THROUGH SATURDAY. SHOWERS AND ISOLATED WET THUNDERSTORMS ARE POSSIBLE DUE TO THE INSTABILITY THIS LOW BRINGS.

AKZ101-090200-  
ANCHORAGE-  
INCLUDING...ANCHORAGE...EAGLE RIVER...INDIAN...EKLUTNA  
645 AM AKDT FRI AUG 8 2008

.ABOVE 1500 FT...

	TODAY	TONIGHT	SAT
CLOUD COVER	MCLDY	MCLDY	MCLDY
PRECIP TYPE	TSTMS	TSTMS	SHOWERS
CHANCE PRECIP	40	40	40
TEMP (24H TREND)	51-58 (-4)	44 (-2)	50-56
RH % (24H TREND)	50-65 (+1)	90 (+5)	63-72
20FTWND(MPH)	LGT/VAR	LGT/VAR	SW 6-6
CWR	20	20	20
LAL	2	2	1

REMARKS...ISOLATED WET THUNDERSTORMS POSSIBLE IN THE LATE AFTERNOON AND EARLY EVENING. WINDS GUSTING TO 30 MPH NEAR STORMS.

.BELOW 1500 FT...

	TODAY	TONIGHT	SAT
CLOUD COVER	PCLDY	MCLDY	MCLDY
PRECIP TYPE	TSTMS	TSTMS	SHOWERS
CHANCE PRECIP	20	40	40
TEMP (24H TREND)	65 (-1)	46 (-2)	63
RH % (24H TREND)	45-55 (+1)	93 (0)	52-64
20FTWND(MPH)	LGT/VAR	LGT/VAR	SW 6-7
CWR	10	20	10
LAL	2	2	1

REMARKS...ISOLATED WET THUNDERSTORMS POSSIBLE IN THE LATE AFTERNOON AND EARLY EVENING. WINDS GUSTING TO 30 MPH NEAR STORMS.

.FORECAST FOR DAYS 3 THROUGH 5...

.SUNDAY...MOSTLY CLOUDY. SCATTERED SHOWERS. LOWS IN THE MID 40S. HIGHS IN THE UPPER 50S. SOUTH WINDS AROUND 5 MPH.

.MONDAY...MOSTLY CLOUDY. LOWS IN THE MID 40S. HIGHS IN THE UPPER 50S. SOUTHWEST WINDS AROUND 5 MPH.

.TUESDAY...MOSTLY CLOUDY. CHANCE OF RAIN. LOWS IN THE UPPER 40S. HIGHS IN THE UPPER 50S. SOUTHEAST WINDS AROUND 5 MPH.

\$\$

## 2. Red Flag Warning

WWAK61 PAFK 232355  
RFAER

URGENT - FIRE WEATHER MESSAGE  
NATIONAL WEATHER SERVICE ANCHORAGE AK  
355 PM AKDT SAT JUL 23 2015

A SURFACE RIDGE WILL BUILD OVER SOUTHCENTRAL AHEAD OF A FRONT MOVING OUT OF THE BERING SEA. THE TIGHTER PRESSURE GRADIENT IS GENERATING STRONG WINDS ALONG THE COPPER RIVER AND IS COMBINING WITH RELATIVE HUMIDITIES LESS THAN 30 PERCENT TO PRODUCE RED FLAG CONDITIONS.

AKZ141-240600-  
/X.CON.PAFC.FW.W.0015.000000T0000Z-110724T0600Z/  
COPPER RIVER BASIN-  
355 PM AKDT SAT JUL 23 2011

...RED FLAG WARNING REMAINS IN EFFECT UNTIL 10 PM AKDT THIS EVENING FOR THE COPPER RIVER...

A RED FLAG WARNING REMAINS IN EFFECT UNTIL 10 PM AKDT THIS EVENING.

\* LOCATION... ALONG THE COPPER RIVER

\* 20 FT WINDS...SOUTH 10 TO 20 MPH WITH GUSTS UP TO 30 MPH.

\* RELATIVE HUMIDITY...25 TO 35 PERCENT.

\* TIMING... WIND WILL BE STRONGEST THIS EVENING.

PRECAUTIONARY/PREPAREDNESS ACTIONS...

A RED FLAG WARNING MEANS THAT CRITICAL FIRE WEATHER CONDITIONS ARE IMMINENT OR OCCURRING NOW...OR WILL SHORTLY. IT IS DIRECTED TOWARD FIRE AGENCIES...AND THROUGH THEM TO THE PUBLIC.

&&

\$\$

### 3. Fire Weather Watch

WWAK61 PAFK 222341  
RFWAER

URGENT - FIRE WEATHER MESSAGE  
NATIONAL WEATHER SERVICE ANCHORAGE AK  
341 PM AKDT FRI JUL 22 2015

.AN UPPER LEVEL RIDGE WILL MOVE OVERHEAD OF THE COPPER RIVER BASIN SATURDAY PROVIDING FOR WARM AND DRY CONDITIONS. AT THE SAME TIME A SURFACE RIDGE WILL BUILD OVER SOUTHCENTRAL AHEAD OF A FRONT MOVING OUT OF THE BERING SEA. THE TIGHTER PRESSURE GRADIENT WILL LIKELY GENERATE STRONG WINDS IN THE COPPER RIVER BASIN AND COMBINE WITH RELATIVE HUMIDITIES LESS THAN 30 PERCENT TO PRODUCE RED FLAG CONDITIONS.

AKZ141-231545-  
/X.CON.PAFC.FW.A.0004.110723T2200Z-110724T0400Z/  
COPPER RIVER BASIN-  
341 PM AKDT FRI JUL 22 2011

...FIRE WEATHER WATCH REMAINS IN EFFECT FROM SATURDAY AFTERNOON THROUGH SATURDAY EVENING FOR THE COPPER RIVER BASIN...

A FIRE WEATHER WATCH REMAINS IN EFFECT FROM SATURDAY AFTERNOON THROUGH SATURDAY EVENING.

- \* LOCATION...ALONG THE COPPER RIVER
- \* 20 FT WINDS...SOUTH 10 TO 20 MPH WITH GUSTS UP TO 30 MPH.
- \* RELATIVE HUMIDITY...AS LOW AS 30 PERCENT.
- \* TEMPERATURES...IN THE UPPER 50S.
- \* TIMING...EARLY AFTERNOON THROUGH EARLY EVENING.

PRECAUTIONARY/PREPAREDNESS ACTIONS...

A FIRE WEATHER WATCH MEANS THAT CRITICAL FIRE WEATHER CONDITIONS ARE FORECAST TO OCCUR. IT IS DIRECTED TOWARD FIRE AGENCIES...AND THROUGH THEM TO THE PUBLIC.

&&

#### 4. Spot Forecast Request for Wildfire/Managed Ignited Fires\*

FNAK71 PAFC 280218  
FWSAER

SPOT FORECAST FOR EMERALD...KKAO  
NATIONAL WEATHER SERVICE ANCHORAGE AK  
618 PM ADT TUE MAY 27 2015

FORECAST IS BASED ON REQUEST TIME OF 1754 ADT ON MAY 27.  
IF CONDITIONS BECOME UNREPRESENTATIVE...CONTACT THE NATIONAL WEATHER  
SERVICE.

.DISCUSSION...  
HIGH PRESSURE OVER WESTERN ALASKA WILL KEEP THE KENAI PENINSULA UNDER  
A DRY NORTHERN FLOW FOR THE NEXT FEW DAYS. WEST WINDS NEAR THE COAST WILL  
INCREASE TO 10 TO 15 MPH DURING THE LATE AFTERNOON AND EVENING HOURS.

.TONIGHT...

SKY/WEATHER.....MOSTLY CLEAR.  
MIN TEMPERATURE.....AROUND 38.  
MAX HUMIDITY.....75 PERCENT.  
WIND (20 FT).....WEST WIND 5 TO 15 MPH BECOMING LIGHT BY MIDNIGHT.  
CWR.....0 PERCENT.  
LAL.....1.

.WEDNESDAY...

SKY/WEATHER.....MOSTLY SUNNY.  
MAX TEMPERATURE.....AROUND 61.  
MIN HUMIDITY.....30 PERCENT.  
WIND (20 FT).....LIGHT WINDS BECOMING WEST 5 TO 15 MPH IN THE AFTERNOON.  
CWR.....0 PERCENT.  
LAL.....1.

\$\$

FORECASTER...MURAKAMI  
REQUESTED BY...CAROL PRIOR  
TYPE OF REQUEST...WILDFIRE  
.TAG 20080527.EMERA.01/AER

*\*Note: Incidents should use the Alaska Region NWS Spot website to request spot forecasts for wildland fires or for managed ignited fires planned within 24 hours. Incidents are encouraged to contact the appropriate NWS Weather Forecast Office*

## 5. Fire Danger Indices (FDI)

FNAK49 PAFG 011544  
FDIAFG

IAN	55	66	6	200
QRZ	49	87	13	140
HAY	52	79	15	190
PAUN	52	79	10	210
RDR	51	77	10	230
INK	53	71	6	250
KAI	60	58	5	250
PAGA	59	53	5	260
PAFM	57	52	3	210
HOG	58	57	5	250
KAN	63	49	5	270
PABT	62	41	3	240
BIR	62	46	5	350
FYR	65	38	5	000
CIK	64	40	6	010
WBQ	65	41	2	000
CHT	57	41	5	330
LIV	65	35	6	000
PATA	64	40	5	290
WNL	64	55	5	270
PAFA	65	35	3	290
PAEI	62	39	5	280
PABI	59	43	7	300
EAG	61	45	6	000
TOK	56	58	12	330
PAOR	54	68	6	330
PAHV	61	45	7	320
PAMC	60	55	7	290
FAR	60	61	6	290
FLT	49	69	8	290
TEL	61	60	2	270
KEL	55	64	7	180
SRK	55	66	6	200
PASK	54	72	7	210
HDO	46	89	15	160
COT	53	60	5	250
KOY	57	54	6	260
PMN	58	57	7	270
KAV	56	58	5	190
KTZ	56	53	7	200
AWR	54	56	5	070
NRU	62	50	5	250
GRF	63	42	7	040
HOZ	64	36	3	170
LBK	61	51	3	310
LST	63	35	5	020
PCK	62	48	5	320
SMI	66	33	1	330

SMT	54	57	5 080
VNK	65	41	3 110
LMH	62	53	3 260
MKL	62	47	5 260
RND	61	48	5 270
AGL	63	43	5 000
CPK	63	39	5 350
FRB	65	36	3 300
MAN	62	39	5 280
SRG	65	36	3 290
STU	62	42	6 300
GEC	59	50	8 310
OKL	59	43	7 310
BEN	55	64	5 330
CKN	56	64	6 000
EGY	58	50	5 010
GDP	59	48	5 280
TEE	56	54	8 320
TET	55	67	6 330
DVC	61	46	9 330
WON	58	50	5 320
BTA	59	43	8 320
CSN	48	60	5 260
DOY	57	45	6 320
TKR	55	60	7 340
TTL	60	44	7 300
FWL	60	61	6 290

## Appendix I

### Weather Data Collection Sites in Alaska Sorted by Weather Forecast Zone (WXZONE)

<u>FULL NAME</u>	<u>TYPE*</u>	<u>WIMS ID</u>	<u>LAT</u>	<u>LON</u>	<u>ELEV</u>	<u>ZONE**</u>	<u>WXZONE</u>
SKAGWAY	MAN	-----	59.46	-135.3	44	HNS	AKZ018
HAINES	MAN	-----	59.24389	-135.5169	15	HNS	AKZ019
HOONAH	RAWS	501013	57.81333	-135.1356	450	TNF	AKZ021
SITKA	MAN	-----	57.05	-135.3667	26	TNF	AKZ023
JUNEAU	MAN	501005	58.355	-134.5764	19	TNF	AKZ025
KAKE	RAWS	501026	56.98278	-133.6608	400	TNF	AKZ026
ZAREMBO	RAWS	501028	56.305	-132.8472	900	TNF	AKZ026
HAIDA	RAWS	501044	55.32195	-132.6778	671	TNF	AKZ027
KETCHIKAN	MAN	501007	55.35556	-131.7136	88	TNF	AKZ028
SHELTER COVE	RAWS	501042	55.52528	-131.3558	492	TNF	AKZ028
THORNE RIVER	RAWS	501040	55.74556	-132.7625	600	TNF	AKZ028
ANCHORAGE	MAN	500961	61.17445	-149.99609	114	MMS	AKZ101
CAMPBELL CREEK	RAWS	500972	61.1525	-149.7964	157	MMS	AKZ101
EAGLE RIVER	RAWS	500970	61.27111	-149.3558	372	MMS	AKZ101
GIRDWOOD	RAWS	500969	60.98278	-149.11861	175	MMS	AKZ101
GRAZELKA RANGE	RAWS	500968	61.28806	-149.62691	453	MID	AKZ101
JBER	RAWS	500974	61.38192	-149.65014	262	MID	AKZ101
RABBIT CREEK	RAWS	500942	61.08472	-149.72861	1480	MMS	AKZ101
BIG LAKE	RAWS	500939	61.52528	-149.91499	100	MMS	AKZ111
PALMER	MAN	500952	61.59389	-149.09109	232	MMS	AKZ111
PT MAC	RAWS	500973	61.42361	-150.0847	200	MMS	AKZ111
HOMER	RAWS	500965	59.74556	-151.20329	78	KKS	AKZ121
HOMER MAN (East End)	MAN	500951	59.645	-151.4781	854	KKS	AKZ121
KENAI	MAN	500941	60.57139	-151.2478	92	KKS	AKZ121
KENAI NWR	RAWS	500963	60.59306	-150.3219	400	CGF	AKZ121
NINILCHIK	RAWS	500962	60.03389	-151.6608	130	KKS	AKZ121



SKILAK GUARD STATION	RAWS	500967	60.49139	-150.4575	590	KKS	AKZ121
SOLDOTNA	MAN	500929	60.475	-151.1667	150	KKS	AKZ121
SOLDOTNA AKKKS	RAWS	500	60.49658	-151.01407	155	KKS	AKZ121
SWANSON RIVER	RAWS	500924	60.72861	-150.8811	280	KKS	AKZ121
BROADVIEW	RAWS	500902	60.49139	-149.7794	625	CGF	AKZ125
GRANITE	RAWS	500964	60.72861	-149.2881	512	CGF	AKZ125
KENAI LAKE	RAWS	500908	60.37278	-149.40669	475	CGF	AKZ125
CHISTOCHINA	RAWS	500949	62.55917	-144.6608	2300	CRS	AKZ141
CHITNA	RAWS	500945	61.52528	-144.4406	581	CRS	AKZ141
GULKANA	MAN	500905	62.15472	-145.4567	1579	CRS	AKZ141
KENNY LAKE	MAN	500925	61.73333	-145	1280	CRS	AKZ141
KLAWASI	RAWS	500958	62.13556	-144.9319	3100	CRS	AKZ141
MAY CREEK	RAWS	500957	61.33889	-142.593	1600	CRS	AKZ141
PAXSON	RAWS	500931	62.94889	-145.5083	2670	CRS	AKZ141
RENEE	RAWS	-----	62.71167	-146.62691	3050	CRS	AKZ141
SLANA	MAN	500954	62.71667	-143.9667	2190	CRS	AKZ141
TAZLINA LODGE	MAN	500955	62.05	-146.5333	2160	CRS	AKZ141
TAZLINA VILLAGE	MAN	500947	62.04167	-145.4333	1225	CRS	AKZ141
BENTALIT	RAWS	500966	61.94889	-150.99969	150	MMS	AKZ145
TALKEETNA	MAN	500915	62.32167	-150.0939	358	MID	AKZ145
WILLOW	RAWS	500971	61.7625	-150.0508	210	MMS	AKZ145
ANIAK	MAN	500601	61.58167	-159.54311	88	SWS	AKZ152
STONEY	RAWS	500956	61	-153.8981	1250	SWS	AKZ152
STONEY RIVER	RAWS	500621	61.64389	-156.4406	265	SWS	AKZ152
BETHEL	MAN	500501	60.77972	-161.8381	123	SWS	AKZ155
DILLINGHAM	MAN	500809	59.04556	-158.5033	86	SWS	AKZ161
ILIAMNA	MAN	500805	59.75278	-154.91721	207	SWS	AKZ161
KILBUCK	RAWS	500735	60.32195	-160.20329	1910	SWS	AKZ161
PORT ALSWORTH	RAWS	500810	60.18639	-154.3219	321	SWS	AKZ161
BOOTH LAKE	RAWS	500811	57.27111	-154.5592	171	KKS	AKZ171

CAPE KIAVAK	RAWS	-----	56.99972	-153.54221	100	KKS	AKZ171
KODIAK	MAN	500959	57.75	-152.4939	73	KKS	AKZ171
BARROW	MAN	500103	71.28555	-156.7661	44	GAD	AKZ202
UMIAT AIRFIELD	RAWS	500104	69.37278	-152.1356	289	TAD	AKZ206
KELLY	RAWS	500934	67.93195	-162.2881	382	GAD	AKZ208
KIANA	RAWS	500206	66.98278	-160.4406	150	GAD	AKZ208
KOTZEBUE	MAN	500212	66.88445	-162.5989	11	GAD	AKZ209
BUCKLAND UPLANDS	RAWS	500218	65.90803	-160.87428	400	GAD	AKZ210
HAYCOCK	RAWS	500214	65.20333	-161.1525	177	GAD	AKZ210
HOODOO HILL	RAWS	500730	65.59306	-163.40669	1495	GAD	AKZ210
QUARTZ CREEK	RAWS	500215	65.40667	-164.6608	427	GAD	AKZ210
NOME	MAN	500211	64.51222	-165.4453	37	GAD	AKZ211
SHAKTOOLIK RVR	RAWS	500220	64.63268	-159.90213	1850	GAD	AKZ212
UNALAKLEET	MAN	500203	63.88806	-160.7986	21	GAD	AKZ212
REINDEER RIVER	RAWS	500505	61.71167	-162.6608	140	GAD	AKZ214
INNOKO FLATS	RAWS	500615	63.38972	-158.83031	930	GAD	AKZ215
BOX RIVER	RAWS	500219	65.299	-158.90522	1150	GAD	AKZ216
COTTONWOOD	RAWS	500733	65.33889	-155.9489	1310	GAD	AKZ216
GALENA AWOS	MAN	500302	64.73611	-156.9372	152	GAD	AKZ216
HOGATZA RIVER	RAWS	500309	66.22028	-155.6778	685	GAD	AKZ216
KAIYUH	RAWS	500322	64.42361	-158.1017	110	GAD	AKZ216
KOYUKUK NWR	RAWS	500319	66	-157.5761	100	GAD	AKZ216
POORMAN	RAWS	500618	64.10167	-155.5592	935	TAD	AKZ216
TAG MTN	RAWS	500216	66.1808	-158.66	2017	GAD	AKZ216
AMBLER	MAN	500205	67.10611	-157.8536	289	GAD	AKZ217
KAVET CREEK	RAWS	500217	67.13556	-159.03391	235	GAD	AKZ217
NOATAK	RAWS	500102	68.06778	-158.7117	985	GAD	AKZ217
SELAWIK	RAWS	500734	66.61	-159.1017	105	GAD	AKZ217
HELMUT MTN.	RAWS	500731	67.74555	-144.11861	2800	UYD	AKZ218
BETTLES	MAN	500301	66.91528	-151.528	643	TAD	AKZ219
KANUTI NWR	RAWS	500321	66.08472	-152.1694	825	TAD	AKZ219

NORUTAK LAKE	RAWS	500317	66.84722	-154.3389	800	TAD	AKZ219
BEAVER (WBQ)	RAWS	500418	66.27111	-146.5253	483	UYD	AKZ220
BIRCH CREEK	RAWS	500423	65.59306	-144.3558	850	UYD	AKZ220
CHALKYITSIK	RAWS	500421	66.59306	-144.3389	450	UYD	AKZ220
FORT YUKON	MAN	500404	66.57139	-145.2505	433	UYD	AKZ220
FT. YUKON	RAWS	500426	66.57611	-145.2542	465	UYD	AKZ220
GRAPHITE LAKE	RAWS	500416	67.03389	-143.2881	850	UYD	AKZ220
HODZANA	RAWS	500417	66.74555	-148.6778	1075	UYD	AKZ220
LITTLE BLACK	RAWS	500424	66.08472	-143.3728	1300	UYD	AKZ220
LOST CREEK	RAWS	500425	66.03389	-147.9828	700	UYD	AKZ220
PREACHER CREEK	RAWS	500738	65.93195	-145.01691	1038	UYD	AKZ220
SALMON TROUT	RAWS	500412	66.81333	-141.62691	2210	UYD	AKZ220
SEVEN MILE	RAWS	500405	65.94889	-149.8642	823	TAD	AKZ220
VUNZIK LAKE	RAWS	500420	66.79639	-146.7117	525	UYD	AKZ220
CHATANIKA	RAWS	500721	65.01694	-148.593	1450	FAS	AKZ221
LAKE MINCHUMINA	RAWS	500623	63.89806	-152.30499	740	TAD	AKZ221
LIVENGOOD	RAWS	500745	65.42361	-148.72861	450	TAD	AKZ221
MCKINLEY RIVER	RAWS	500724	63.64389	-151.64391	863	TAD	AKZ221
ROUND LAKE	RAWS	500736	64.69473	-153.9489	570	TAD	AKZ221
TANANA	MAN	500305	65.17444	-152.1095	227	TAD	AKZ221
WEIN LAKE	RAWS	500715	64.305	-151.0847	1050	TAD	AKZ221
ANGEL CREEK	RAWS	500742	65.01694	-146.22031	1100	FAS	AKZ222
CARIBOU PEAK	RAWS	500740	65.18639	-147.5083	2517	FAS	AKZ222
FAIRBANKS	RAWS	500741	64.84722	-147.61	454	FAS	AKZ222
FAIRBANKS AIRPORT	MAN	500702	64.81583	-147.85809	434	FAS	AKZ222
MANCHU	RAWS	500753	64.71167	-147.01691	671	NRS	AKZ222
NENANA ASOS	MAN	500703	64.5475	-148.92641	362	FAS	AKZ222
SALCHA	RAWS	500744	64.59306	-146.1356	1000	FAS	AKZ222
SMALL ARMS RANGE	RAWS	500754	64.81333	-147.62691	490	MID	AKZ222
STUART CREEK	RAWS	500756	64.72861	-146.5083	1543	MID	AKZ222
BLAIR LAKES	RAWS	500758	64.38972	-147.6947	790	MID	AKZ223

FORT GREELY	MAN	500701	63.99472	-145.72031	1277	MID	AKZ223
GEORGE CREEK RAWS	RAWS	500748	63.84722	-144.3558	1525	DAS	AKZ223
GOLD KING	RAWS	500746	64.18639	-147.9319	1700	FAS	AKZ223
JARVIS CREEK	RAWS	500759	63.94889	-145.62691	1426	MID	AKZ223
OKLAHOMA	RAWS	500755	64.01694	-146.2542	1587	MID	AKZ223
ALCAN HWY MI-1244	RAWS	500726	62.83028	-141.4744	1800	TAS	AKZ224
BEN CREEK	RAWS	500414	65.28806	-143.0508	1850	UYD	AKZ224
CHICKEN	RAWS	500747	64.05083	-141.9319	2860	UYD	AKZ224
EAGLE	RAWS	500725	64.77944	-141.1525	880	UYD	AKZ224
GOODPASTURE	RAWS	500743	64.23722	-145.2711	1520	FAS	AKZ224
JATAHMUND LAKE	RAWS	500936	62.61	-142.0847	2300	TAS	AKZ224
NORTHWAY	MAN	500704	62.96139	-141.9292	1716	TAS	AKZ224
T LAKE	RAWS	500723	63.7625	-143.83031	2073	TAS	AKZ224
TOK	MAN	500720	63.32833	-142.9944	1637	TAS	AKZ224
TOK AKTAS	RAWS	500750	63.32528	-143.00167	1702	TAS	AKZ224
DENALI VISITOR CENTER	RAWS	500626	63.72861	-148.91499	1800	TAD	AKZ225
HEALY	MAN	500727	63.88334	-149.01669	1480	FAS	AKZ225
WONDER LAKE	RAWS	500710	63.49139	-150.8811	2120	TAD	AKZ225
BOLIO	RAWS	500751	63.88111	-145.8811	1631	MID	AKZ226
CHISANA	RAWS	500933	62.06778	-142.0508	3284	CRS	AKZ226
DONNELLY	RAWS	500752	63.84722	-145.72861	1360	MID	AKZ226
DRY CREEK	MAN	500737	63.66667	-144.53329	1200	TAS	AKZ226
TOK RIVER VALLEY	RAWS	500749	62.96583	-143.3389	2300	TAS	AKZ226
FAREWELL	RAWS	500624	62.72861	-154.06779	775	SWS	AKZ227
FLAT	RAWS	500625	62.83028	-156.61	1480	SWS	AKZ227
MCGRATH	MAN	500606	62.95278	-155.6058	337	SWS	AKZ227
TELIDA	RAWS	500620	63.44056	-153.3558	650	SWS	AKZ227

\*RAWS are Remote Automated Weather Stations, owned by the Jurisdictional or Fire Protection Agencies. Communications are through a GOES satellite. MAN are a combination of aviation observation (usually automated and owned by NWS or FAA) and manual observations taken by Alaska State Forestry. Communications are through an FTP site with the NWS or by FAX from Alaska State Forestry.

**\*\*Fire Management Zones (ZONE)**

CGF	USFS	Chugach National Forest	MMS	AK Forestry	Anchorage/Mat-Su
DAS	AK Forestry	Delta Area	SWS	AK Forestry	Southwest Area
FAS	AK Forestry	Fairbanks Area	TAS	AK Forestry	Tok Area
GAD	AFS	Galena Zone	TAD	AFS	Tanana Zone
HNS	AK Forestry	Haines Area	TNF	USFS	Tongass National Forest
KKS	AK Forestry	Kenai-Kodiak Area	UYD	AFS Upper	Upper Yukon Zone
MID	AFS	Military Zone	CRS	AK Forestry	Copper River Area

## Appendix J

### Preparedness Level Description

Levels of preparedness will be determined daily throughout the Alaska fire season in the Coastal Region. Criteria used to determine daily level of preparedness include:

1. The current and forecasted weather.
2. Wildland fire activity statewide.
3. Resources committed, demand for resources, and predicted demand. Types include:
  - a. Tactical resources include smokejumpers, air tankers, air attack, and lead planes.
  - b. Non-tactical resources include helicopters, engines, overhead, and crews.
  - c. Critical resources include radio systems, equipment and supply.
4. Historical high-risk periods.
5. All risk incident support.
6. Planned and ongoing prescribed fire operations.

These levels are based on the existing wildland fire activity, probability of new wildland fire starts, burning conditions, prescribed fire activities and the commitment of resources. The Coastal Regional Fire Management Officer will be responsible for daily monitoring of preparedness criteria in each of the Coastal Region Areas to determine the appropriate level of preparedness for the Region.

#### PREPAREDNESS LEVELS

- I. Preparedness Level I - No significant fire activity, most units having low to moderate probability of ignition and low burning condition in all fuel types. Resistance to extinguishment by initial attack forces is low.
- II. Preparedness level II - Multiple units experiencing fire starts or one unit experiencing multiple starts. Probability of ignition is low to moderate and burning conditions generally low to moderate in all fuel types. Resistance to extinguishment by initial attack forces is low to moderate. Minimal mobilization of local unit resources with no shortages of tactical resources.
- III. Preparedness level III - Multiple units experiencing fire starts and/or one (1) project fire. Probability of ignition is high, burning conditions of moderate to high in all fuel types. Resistance to control is moderate to high; resistance to extinguishment is moderate. Up to 50% of non-tactical resources being mobilized, up to 75% of tactical resources committed to new ignitions. Existing weather pattern supporting fire activity is forecasted to remain for the next 48 hours.
- IV. Preparedness level IV - Multiple units experiencing fire starts and/or two (2) project fires. Probability of ignition is high and burning conditions of high to extreme in all fuel types. Resistance to control is high to extreme and resistance to extinguishment is high. Over 50% of non-tactical resources are committed, over 75% of tactical resources are committed to new ignitions. Existing weather pattern supporting fire activity is forecasted to remain for the next 3 to 5 days.
- V. Preparedness level V - Multiple units experiencing fire starts and/or three (3) or more project fires. Probability of ignition is high and burning conditions of extreme in all fuel types. Resistance to control is high to extreme and resistance to extinguishment is high. Over 75% of non-tactical resources are committed, over 75% of tactical resources are committed to new ignitions. Existing weather pattern supporting fire activity is forecasted to remain for the next 3 to 5 days.

## **Appendix K**

Interagency Agreement is attached in a separate PDF file.