184 FGUS73 KFGF 082007 ESFFGF

MNC005-007-027-029-051-057-069-077-087-089-107-111-113-119-125-135-159-167-NDC003-005-017-019-027-035-039-063-067-071-073-077-081-091-095-097-099-281200-

Probabalistic Hydrologic Outlook National Weather Service Eastern North Dakota/Grand Forks ND 0158 PM CST Wed Mar 08 2017

- ... RED RIVER BASIN OUTLOOK FOR RIVER FLOOD POTENTIAL...
- ...Outlook Updated to Reflect Better Model Initialization...

This outlook covers the Red River of the North and its Minnesota and North Dakota tributaries.

.Discussion

The most significant changes for this outlook are in the Red Lake River Basin in Minnesota and the Goose River Basin in North Dakota.

Satellite imagery over the weekend confirmed that much of the snowpack in the Goose, Elm, and Maple River Basins was virtually gone. Based on modeled snow accumulation and runoff this winter, our models are indicating that there is still water in the drainage networks of these basins. While this may be true, that water will likely appear in the rivers over a longer time scale as baseflow and not as rapid runoff as we have been simulating in our previous outlooks.

Model adjustments have been made to account for this, and this update reflects those changes.

The outlook for the Red Lake River at High Landing MN, and to a lesser extent, Crookston MN, has also been updated. The model simulating Red Lake Dam upstream of High Landing was modified to better represent the operating plan for the dam. As a result, the chances for flooding at High Landing have been greatly reduced.

The outlooks for forecast points along the mainstem Red River of the North downstream of these sites have also changed and indicate lower chances for flooding than the previous outlooks.

Probabilistic Hydrologic Outlooks now use 64 years (1949-2012) of past weather...temperature and precipitation...for the ensemble predictive hydrographs used in calculating the probabilities of exceeding a river level for the valid period of the outlook.

Outlook Schedule - The National Weather Service in Grand Forks, North Dakota will be providing the Advanced Hydrologic Prediction Services (AHPS) Long-Range Probabilistic Hydrologic Outlooks for the Red River of the North and its Minnesota and North Dakota tributaries according to the following schedule:

- near the end of the month throughout the year, except for...
- The Spring Flood and Water Resources Outlooks that will be issued at least twice a month during the spring snow-melt season beginning in mid-to-late February or early-March.

The following message has three river data sections...

- The first (Table 1) gives the current and normal/historical chances of river locations reaching their Minor...Moderate and Major flood category.
- The second (Table 2) gives the current chances of river locations rising above the river stages listed.
- The third (Table 3) gives the current chances of river locations falling below the river stages listed.
- .Red River Long-Range Probabilistic Outlook by Flood Category... Valid from March 15, 2017 to June 13, 2017.
- In Table 1 below...the current (CS) and historical (HS) or normal probabilities of exceeding minor...moderate...and major flood stages are listed for the valid time period.
 - CS values indicate the probability of reaching a flood category based on current conditions.
 - HS values indicate the probability of reaching a flood category based on historical or normal conditions.
 - When the value of CS is more than HS...the probability of exceeding that level is higher than normal. When the value of CS is less than HS...the probability of exceeding that level is lower than normal.
- ...Table 1--Probabilities for minor...moderate and major flooding Valid Period: 03/15/2017 06/13/2017

: Current and Historical: Chances of Exceeding: Flood Categories: as s Percentage (%)

Categorical

	Categorical			•						
	Flood	Stages	(ft)	:	Min	or	Mode	rate	Maj	or
Location	Minor	Mod	Major	:	CS	HS	CS	HS	CS	HS
				:						
Red River of the No:	rth									
WAHPETON	11.0	13.0	15.0	:	52	60	20	28	<5	14
HICKSON	30.0	34.0	38.0	:	14	26	<5	13	<5	<5
FARGO	18.0	25.0	30.0	:	78	81	33	40	11	25
HALSTAD	26.0	32.0	37.5	:	25	35	8	19	<5	9

GRAND FORKS	28.0	40.0	46.0	:	55	60	22	34	<5	10
OSLO	26.0	30.0	36.0	:	66	65	49	56	8	20
DRAYTON	32.0	38.0	42.0	:	69	51	46	35	6	11
PEMBINA	39.0	44.0	49.0	:	>95	56	86	43	39	23
Minnesota Tributarie	es									
SABIN	13.0	15.0	19.0	:	49	51	9	15	<5	<5
HAWLEY	8.0	9.0	11.0	:	16	38	9	26	<5	<5
DILWORTH	13.0	20.0	26.0	:	59	67	9	21	<5	<5
TWIN VALLEY	10.0	12.0	14.0	:	11	18	<5	6	<5	<5
HENDRUM	20.0	28.0	32.0	:	46	56	11	23	<5	6
SHELLY	14.0	20.0	23.0	:	14	32	<5	11	<5	6
CLIMAX	20.0	25.0	30.0	:	9	24	<5	11	<5	7
HIGH LANDING	12.0	12.5	13.0	:	8	18	<5	18	<5	16
CROOKSTON	15.0	23.0	25.0	:	72	53	7	12	<5	7
ABOVE WARREN	67.0	71.0	75.0	:	15	14	<5	<5	<5	<5
ALVARADO	106.0	108.0	110.0	:	48	21	24	16	<5	<5
HALLOCK	802.0	806.0	810.0	:	>95	66	>95	46	25	15
ROSEAU	16.0	18.0	19.0	:	24	21	<5	7	<5	<5
Note: The Roseau	numbers	consid	er the	f	low t	hru	its d	liver	sion	
North Dakota Tributa	aries									
ABERCROMBIE	10.0	12.0	18.0	:	36	37	26	34	<5	20
VALLEY CITY	15.0	16.0	17.0	:	35	9	28	8	25	<5
LISBON	15.0	17.0	19.0	:	28	10	18	8	13	6
KINDRED	16.0	19.0	20.5	:	48	18	28	10	17	9
WEST FARGO DVRSN	18.0	20.0	21.0	:		21	31	16	28	11
HARWOOD	884.0	886.0	891.0	:	32	23	24	21	7	10
ENDERLIN	9.5	12.0	14.0	:	15	21	7	10	<5	<5
MAPLETON	905.0	908.0	910.0	:	36	33	9	14	<5	<5
HILLSBORO	10.0	13.0	16.0	:	6	17	<5	10	<5	<5
MINTO	6.0	8.0	11.0	:	86	26	6	8	<5	<5
GRAFTON	12.0	13.5	14.5	:	>95	18	>95	6	92	<5
WALHALLA	11.0	16.0	18.0	:	>95	19	10	<5	<5	<5
NECHE	18.0	19.0	20.5	:	>95	30	>95	26	>95	19
T DODNO.										

LEGEND:

CS = Conditional Simulation (Outlook for current conditions) ft = feet (above gage zero datum)

.Probabilities for Rising Above Listed River Stages... from 03/15/2017 to 06/13/2017

In Table 2 below...the 95 through 5 percent columns indicate the probability of exceeding the listed stage levels (FT) for the valid time period at the location listed.

Interpretation Aid ...The flood stage for Wahpeton on the Red River of the North is 11 feet. There is a 50 percent chance that it will rise above 11.3 feet and only a 10 percent chance that it will rise above 14.6 feet.

... Table 2--Exceedance Probabilities...

Chance of Exceeding Stages at Specific Locations Valid Period: 03/15/2017 - 06/13/2017

LOCATION	95%	90%	75%	50%	25%	10%	05%				
Red River of the North											
WAHPETON	7 3	7 7	9 /	11 3	12 7	14.2	14.6				
WAHPETON HICKSON	13 7	14 2	19 1	22 2	27 1	31.2					
FARGO	16.2	16 3	19.1 18.5	21 3	26 1	31.3	33.0				
HALSTAD	10.2 11 A	11 7	15.2	19 7	26.1	30 5	35.3				
GRAND FORKS	20 4	21 2	23.9	30 6	30 0	12 0	15 2				
OSLO			23.2								
			31.1								
PEMBINA											
IEMDINA	41.7	13.1	13.1	1/ . 1	4 0.0	J1.1	32.9				
Minnesota Tribs:						10%	05%				
South Fork Buffalo R			40 =	400	400	4.4.0	4 = 0				
SABIN	7.9	8.6	10.7	12.8	13.9	14.8	15.3				
Buffalo River	4 0	4 0	- 4	6 0		0 0	0 5				
HAWLEY			5.4								
		7.4	10.9	13.9	18.2	19.7	21.2				
Wild Rice River			- 4				4.0				
TWIN VALLEY	3.9	4.0	5.1	6.3	8.4	10.1	10.8				
HENDRUM	9.5	9.8	14.2	18.6	24.9	28.2	29.9				
Marsh River		- 0			44.0	45.0	4				
SHELLY		5.0	6.1	8.9	11.8	15.0	17.9				
Sand Hill River											
CLIMAX		7.0	7.8	9.6	13.9	19.9	23.2				
Red Lake river											
HIGH LANDING											
	12.6	13.2	14.3	17.2	20.1	22.7	24.3				
Snake River											
ABOVE WARREN	63.6	63.8	64.2	64.8	65.9	67.4	69.1				
ALVARADO	103.5	103.8	104.5	106.0	107.7	109.5	110.0				
Two Rivers River											
			808.1								
Roseau River co											
ROSEAU	12.2	12.5	13.1	14.4	15.9	16.9	17.2				
North Dakota Tribs:	95%	90%	75%	50%	25%	10%	05%				
Wild Rice River											
		2.2	4.2	7.9	13.0	16.9	17.7				
Sheyenne River											
	10.6	11.3	11.7	12.6	16.9	19.9	21.7				
LISBON	10.2				16.5		21.9				
KINDRED	12.4				20.2		21.1				
WEST FARGO DVRSN							23.1				
HARWOOD	876 4	876 9	878.2	880 3	885.4		891.2				
Maple River	J. J. 1	S. O. S	0.0.2	000.0		000.0	~~·~				
ENDERLIN	2.9	3.6	5.8	7 0	8 8	10.2	12 5				
			898.9				908.8				
Goose River	550.1	550.1	550.5	332.0	200.0	20,.0	330.0				
HILLSBORO	2.4	2.4	3.0	4.2	5.8	8.6	11.8				
Forest River			J. J		J • 0	J • J	3				

MINTO	5.7	5.8	6.2	6.7	7.1	7.8	8.3
Park River							
GRAFTON	14.3	14.6	16.2	17.1	18.1	19.2	19.7
Pembina River							
WALHALLA	12.4	12.7	13.7	14.3	15.0	16.0	16.5
NECHE	21.1	21.2	21.4	21.4	21.5	21.6	21.6

.Probabilities for Falling Below Listed River Stages... from 03/15/2017 to 06/13/2017

In Table 3 below...the 95 through 5 percent columns indicate the probability of falling below the listed stage levels (FT) for the valid time period at the location listed.

Interpretation Aid...The flood stage for Wahpeton on the Red River of the North is 11 feet. There is a 50 percent chance that it will fall below 5.4 feet and only a 10 percent chance that it will fall below 4.5 feet.

... Table 3--Non-Exceedance Probabilities...

Chance of Not Exceeding Stages at Specific Locations Valid Period: 03/15/2017 - 06/13/2017

LOCATION	95%					10%	05%
Red River of the North	· -h						
WAHPETON		6 1	6 0	5 /	/1 Q	15	13
HICKSON							
						14.6	
						5.2	
						16.2	
OSLO						7.8	
						12.6	
						14.0	
PEMBINA	23.0	23.0	21.1	10.5	10.5	14.0	13.3
Minnesota Tribs:						10%	05%
South Fork Buffalo R: SABIN			E 0	E	E 2	E 0	5.0
Buffalo River	0.5	0.2	5.0	5.5	5.2	5.0	5.0
HAWLEY	1 1	3.9	2 0	2 7	2 6	3.5	3.4
DILWORTH	5.4	5.1	4./	4.4	4.0	3.7	3.7
Wild Rice River	2 2	2 0	2 0	0 0	0 0	0 6	0 6
TWIN VALLEY						2.6	
HENDRUM	6.5	6.0	5.2	3.8	3.0	2.7	2.5
Marsh River	4 6	4 -	4 0	4 1	4 0	2 0	2 0
SHELLY	4.6	4.5	4.3	4.⊥	4.0	3.9	3.9
Sand Hill River							
CLIMAX	5.4	5.3	5.1	4.9	4.8	4.6	4.6
Red Lake river							
HIGH LANDING							
	6.6	6.4	6.1	5.6	5.2	4.7	4.5
Snake River							

ABOVE WARREN							
ALVARADO		98.8	98.4	98.2	97.9	97.6	97.5
Two Rivers River							
HALLOCK							
Roseau River c							
ROSEAU	6.2	6.1	6.0	5.9	5.8	5.8	5.8
North Dakota Tribs:							
Wild Rice River							
ABERCROMBIE		1.1	0.8	0.5	0.2	0.0	-0.0
Sheyenne River							
VALLEY CITY							
	4.2						
KINDRED							
WEST FARGO DVRSN	11.6	11.4	10.7	10.2	9.8	9.7	9.6
HARWOOD	872.0	871.5	870.7	869.3	868.2	867.4	867.3
Maple River							
ENDERLIN							
MAPLETON	895.6	895.4	895.2	894.9	894.8	894.7	894.7
Goose River							
Goose River HILLSBORO	2.2	2.2	2.1	2.0	1.8	1.8	1.8
Forest River							
MINTO	1.9	1.8	1.8	1.7	1.6	1.6	1.6
Park River							
GRAFTON	7.7	7.7	7.6	7.5	7.3	7.2	7.2
Pembina River							
WALHALLA	1.8	1.8	1.8	1.8	1.8	1.8	1.8
NECHE	2.9	2.9	2.9	2.9	2.9	2.7	2.7

.THE OUTLOOK PRODUCTION PROCESS...

This long range probabilistic outlook is based on a series of peak river levels or crests taken from the forecast hydrograph results of the NWS Community Hydrologic Prediction System (CHPS). The model is run for multiple scenarios starting at current river, low and soil conditions and using over 60 years of past precipitation and temperature conditions that were experienced for those past years during the time-frame of the outlook period. These crests can then be ranked from lowest to highest, and then be assigned an exceedance probability. For example, For a series of 50 years, the lowest ranked crest has 49 crests above it and since 95 percent of the crests are above it, it is assigned a 95 percent probability of exceedance (POE).

A YouTube video on "How to Interpret River Outlook Products" is at:

www.youtube.com/watch?v=pSoEgvsnpv4

The probabilities can be used for risk management by using them as an indication of the range of crests that may be expected during the valid period of the outlook.

By providing a range of peak river level probabilities, the NWS is

contributing to the area's Decision Support Services that help with long-range flood planning and response readiness. This outlook is a part of NOAA/S National Weather Service's AHPS (Advanced Hydrologic Prediction Services).

This outlook was produced using precipitation and temperatures for the years 1949 through 2012.

.ADDITIONAL INFORMATION SOURCES...

The AHPS long-range Probabilistic Hydrologic Outlooks are issued each month typically between the first and second Friday after mid-month However, spring flood and water resources outlooks are issued several times during the critical spring melt period, usually on Thursdays beginning in late February or early March and ending in early April, depending on the spring flooding conditions.

This outlook is also presented as graphs of the probability of stage exceedance for the full period and for weekly intervals during the period. These graphs, together with explanations that help in interpreting them are available from the NWS Grand Forks AHPS web page on the internet at:

www.weather.gov/grandforks or weather.gov/fgf

then click on the "Rivers and Lakes" on the tab above the map.

Current river conditions for all river forecast points in the Red River of the North and Devils/Stump Lake conditions are also available on our web site, as well as the 7-day forecasts when the river at the forecast point is in or near flood.

If you have any questions, contact the NWS at 701-772-0720.

Also, 7-day deterministic forecasts will be issued at least once a day when the river forecast locations will be at flood during that period.

Probabilistic Hydrologic Outlooks will be issued monthly throughout the rest of the year during the later part of the month or as conditions warrant.

Refer to the separate Devils Lake Probabilistic Hydrologic Outlook for Devils and Stump Lakes probability of exceedance levels and low-water non-exceedance levels.

You can follow us on Facebook at: www.facebook.com/NWSGrandForks and on Twitter at: @NWSGrandForks.

\$\$

weather.gov/fgf

NNNN