RHINELANDER WEATHER RECORDS
(BOOK 2 OF 2)

PAGE # TEMPERATURE / PRECIPITATION DATA

114-122	MONTHLY TEMPERATURES (MAX / MIN / MEAN)
123	WINTER TEMPERATURES (MAX / MIN / MEAN)
124	SPRING TEMPERATURES (MAX / MIN /MEAN)
125	SUMMER TEMPERATURES (MAX / MIN / MEAN)
126	FALL TEMPERATURES (MAX / MIN / MEAN)
127	YEARLY TEMPERATURES (MAX / MIN / MEAN)
128-136	MONTHLY / YEARLY TEMPERATURE EXTREMES

PAGE # HEATING AND COOLING DEGREE DAYS

137-140	MONTHLY / SEASONAL HEATING DEGREE DAYS
141-143	HEATING DEGREE DAYS BY SEASON
144-147	MONTHLY / YEARLY COOLING DEGREE DAYS
148-150	COOLING DEGREE DAYS BY SEASON

PAGE # PRECIPITATION / SNOWFALL & SNOW DEPTH DATA

151-154	MONTHLY / YEAR PRECIPITATION TOTALS
155-157	SEASONAL PRECIPITATION TOTALS
158-161	GREATEST CALENDAR DAY PRECIPITATION
162	TOP 25 SEASONAL SNOWFALL TOTALS (SEPTEMBER TO MAY)
163-166	SNOWFALL TOTALS BY SEASON (SEPTEMBER TO MAY)
167-170	SNOWFALL TOTALS BY CALENDAR YEAR
171-173	SNOWFALL TOTALS BY SEASON (FALL / WINTER / SPRING)
174-180	GREATEST CALENDAR DAY SNOWFALL TOTALS
181-187	GREATEST SNOWSTORMS IN HISTORY (1-2 DAY TOTALS)
188-194	GREATEST SNOW DEPTH ON RECORD
195-198	GREATEST CONSECUTIVE DAYS - SNOW ON THE GROUND (1-6-12-24-36 INCHES)
199-202	NUMBER OF DAYS WITH (1-6-12-18-24-36 INCHES) OF SNOW ON THE GROUND
203-205	RECORD NUMBER OF DAYS (1-6-12-18-24-36 INCHES) OF SNOW ON THE GROUND
206-211	EARLIEST / LATEST MEASUREABLE SNOWFALL – (TRACE / 0.1 / 1.0)

PAGE # WIND DATA

212-219	RHINELANDER WIND DATA

PAGE # PRESSURE DATA

220-226	ALL – TIME MONTHLY & YEARLY PRESSURE RECORDS
227-229	MAX/MIN PRESSURE BY MONTH / YEAR

PAGE # HOLIDAY / HALLOWEEN STATS

230-231	NEW YEAR'S DAY
232-233	MEMORIAL DAY
234-235	4TH OF JULY
236-237	LABOR DAY
238-239	HALLOWEEN STATS
240-241	THANKSGIVING
242-243	CHRISTMAS DAY STATS

RHINELANDER MONTHLY TEMPERATURES

Normal	ME	12.2	16.4	27.1	41.6	52.9	62.3		66.8	64.9	55.5	43.7	30.3	16.8		41.0
		Jan	Feb	Mar	Apr	May	Jun		Jul	Aug	Sep	Oct	Nov	Dec		YEAR
1908	HI	27.6	27.6	36.9	56.6	65.8	76.0		79.1	78.3	78.4	58.5	40.0	25.6		54.2
	LO	7.0	8.7	15.5	30.3	42.3	49.1		55.6	53.3	50.5	38.7	25.2	8.6		32.1
	ME	17.3	18.2	26.2	43.5	54.1	62.6		67.4	65.8	64.5	48.6	32.6	17.1		43.2
1909	HI	25.4	26.3	35.2	44.1	64.2	78.7		80.2	79.5	69.3	53.4	45.3	23.3		52.1
	LO	5.3	8.8	14.8	23.6	38.9	51.7		52.9	56.1	45.5	32.6	28.7	9.3		30.7
	ME	15.4	17.6	25.0	33.9	51.6	65.2		66.6	67.8	57.4	43.0	37.0	16.3		41.4
1910	HI	23.9	23.5	54.7	61.6	62.5	82.0		84.7	78.8	68.7	60.9	31.5	24.1		54.7
	LO	3.7	-0.7	25.4	33.3	36.0	49.4		53.6	52.7	43.7	36.6	19.9	7.7		30.1
	ME	13.8	11.4	40.1	47.5	49.3	65.7		69.2	65.8	56.2	48.8	25.7	15.9		42.4
1911	HI	23.7	30.4	40.7	52.9	73.2	83.2		80.9	75.9	68.0	52.8	33.2	32.3		53.9
	LO	1.2	10.3	19.9	31.1	45.6	56.1		54.6	51.6	45.1	34.0	15.6	17.5		31.9
	ME	12.5	20.4	30.3	42.0	59.4	69.7		67.8	63.8	56.6	43.4	24.4	24.9		42.9
1912	HI	5.0	21.6	33.5	55.9	68.2	75.9		79.1	72.0	69.0	60.1	42.6	30.9		51.2
	LO	-15.7	1.3	6.2	28.3	42.2	47.2		55.1	51.6	47.8	35.9	23.6	12.4		28.0
	ME	-5.4	11.5	19.9	42.1	55.2	61.6		67.1	61.8	58.4	48.0	33.1	21.7		39.6
1913	HI	24.6	19.5	33.6	56.3	64.9	79.4		77.9	79.4	69.8	55.0	45.5	38.2		53.7
	LO	3.5	-2.8	9.8	31.3	39.1	52.3		53.2	53.3	44.0	34.4	28.0	18.4		30.4
	ME	14.1	8.4	21.7	43.8	52.0	65.9		65.6	66.4	56.9	44.7	36.8	28.3		42.1
1914	HI	28.0	20.5	35.8	50.3	69.7	74.6		83.3	76.4	70.5	64.7	41.3	21.0		53.0
	LO	11.5	-7.2	13.2	26.7	43.3	48.9		58.9	52.9	46.0	38.9	22.1	3.3		29.9
	ME	19.8	6.7	24.5	38.5	56.5	61.8		71.1	64.7	58.3	51.8	31.7	12.2		41.5
1915	HI	21.9	32.8	36.5	64.9	62.2	71.0		76.4	73.9	69.6	57.9	40.1	28.8		53.0
	LO	2.9	16.1	13.3	37.2	37.3	46.0		51.0	45.9	45.0	35.9	24.8	10.2		30.5
	ME	12.4	24.5	24.9	51.1	49.8	58.5		63.7	59.9	57.3	46.9	32.5	19.5		41.5
1916	HI	23.5	22.2	34.3	48.3	63.5	69.1		87.5	80.4	65.7	54.7	37.4	21.4		50.7
	LO	0.6	-0.3	9.3	28.7	38.5	47.6		59.4	59.4	43.5	32.9	19.1	0.2		28.2
	ME	12.1	11.0	21.8	38.5	51.0	58.4		73.5	69.9	54.6	43.8	28.3	10.8		39.5
1917	HI	17.4	13.0	33.8	48.0	63.2	69.8		80.0	72.3	68.5	43.0	43.3	18.1		47.5
	LO	-7.7	-10.5	11.2	26.0	33.3	45.0		54.2	48.7	43.5	27.5	22.6	-2.2		24.3
	ME	4.9	1.3	22.5	37.0	48.3	57.4		67.1	60.5	56.0	35.3	33.0	8.0		35.9
1918	HI	10.6	24.2	45.1	52.6	69.2	73.1		77.7	78.4	62.0	55.2	40.4	32.1		51.7
	LO	-8.9	-4.1	17.6	23.8	38.1	46.5		52.8	51.5	37.3	33.7	25.6	15.8		27.5
	ME	0.9	10.1	31.4	38.2	53.7	59.8		65.3	65.0	49.7	44.6	33.0	24.0		39.6
1919	HI	28.0	24.4	37.0	51.1	66.0	78.8		79.5	74.0	69.6	50.5	33.3	15.0		50.6
	LO	9.7	5.2	14.2	28.9	38.9	56.9		54.5	50.4	43.8	31.1	18.2	-4.7		28.9
	ME	18.9	14.8	25.6	40.0	52.5	67.9		67.0	62.2	56.7	40.8	25.8	5.2		39.8
1920	HI	12.5	22.3	38.2	43.8	67.5	76.2		76.3	75.8	71.9	64.9	34.1	26.8		50.9
	LO	-9.3	0.8	13.0	23.8	38.1	50.3		51.1	49.9	44.8	40.3	21.2	13.1		28.1
	ME	1.6	11.6	25.6	33.8	52.8	63.3		63.7	62.9	58.4	52.6	27.7	20.0		39.5
1921	HI	25.6	28.5	36.1	58.5	69.3	80.8		84.8	77.2	71.3	55.5	31.1	24.0		53.6
	LO	8.9	8.6	17.3	33.9	42.6	55.2		61.0	52.9	48.8	36.1	16.7	7.8		32.5
	ME	17.3	18.6	26.7	46.2	56.0	68.0		72.9	65.1	60.1	45.8	23.9	15.9		43.1

RHINELANDER MONTHLY TEMPERATURES

Normal	ME	12.2	16.4	27.1	41.6	52.9	62.3		66.8	64.9	55.5	43.7	30.3	16.8		41.0
1922	HI	18.7	20.2	37.7	51.0	72.7	74.9		76.6	77.6	72.3	57.4	40.5	21.5		51.8
	LO	-3.5	-2.7	13.7	29.3	48.0	51.2		52.7	52.6	46.1	33.1	27.8	1.2		29.1
	ME	7.6	8.8	25.7	40.2	60.4	63.1		64.7	65.1	59.2	45.3	34.2	11.4		40.5
1923	HI	22.7	16.3	26.8	48.3	67.9	78.4		81.2	73.0	70.0	54.7	42.8	33.4		51.3
	LO	1.5	-10.0	1.0	22.8	38.3	54.5		57.3	48.9	45.5	29.7	22.6	16.0		27.3
	ME	12.1	3.2	13.9	35.6	53.1	66.5		69.3	61.0	57.8	42.2	32.7	24.7		39.3
1924	HI	13.6	26.2	33.1	46.9	55.8	71.2		75.8	73.8	64.0	64.5	37.8	14.6		48.1
	LO	-10.9	2.8	13.5	27.1	33.3	44.9		51.5	50.7	40.6	37.6	20.6	-4.6		25.6
	ME	1.4	14.5	23.3	37.0	44.6	58.1		63.7	62.3	52.3	51.1	29.2	5.0		36.9
1925	HI	21.1	25.9	39.3	60.3	62.4	74.6		78.2	80.0	69.8	42.4	36.7	21.7		51.0
	LO	0.5	5.5	14.3	32.0	35.0	52.8		53.6	53.0	46.2	26.5	16.4	5.9		28.5
	ME	10.8	15.7	26.8	46.2	48.7	63.7		65.9	66.5	58.0	34.5	26.6	13.8		39.8
1926	HI	20.9	25.6	29.6	48.1	68.8	71.0		78.4	74.7	62.9	50.1	32.2	22.5		48.7
	LO	-0.3	4.3	7.3	22.6	39.3	45.4		53.6	52.5	41.4	31.9	15.5	0.8		26.2
	ME	10.3	15.0	18.5	35.4	54.1	58.2		66.0	63.6	52.2	41.0	23.9	11.7		37.5
1927	HI	19.5	30.1	42.3	52.2	58.8	73.0		77.4	73.4	70.3	58.1	35.6	18.3		50.8
	LO	-6.5	4.9	20.4	27.4	38.4	46.2		51.3	45.8	45.5	34.0	19.0	-3.3		26.9
	ME	6.5	17.5	31.4	39.8	48.6	59.6		64.4	59.6	57.9	46.1	27.3	7.5		38.9
1928	HI	22.4	26.4	37.7	44.9	67.9	69.0		79.5	76.9	64.5	56.1	40.1	29.5		51.2
	LO	1.8	0.4	9.3	22.0	40.4	45.4		55.5	52.9	40.1	34.0	24.1	11.9		28.2
	ME	12.1	13.4	23.5	33.5	54.2	57.2		67.5	64.9	52.3	45.1	32.1	20.7		39.7
1929	HI	9.2	19.6	39.1	54.9	61.8	73.2		81.2	76.1	68.7	55.1	33.9	24.9		49.8
	LO	-14.4	-7.1	17.8	29.2	37.7	46.9		56.2	51.5	42.4	30.9	16.7	7.8		26.3
	ME	-2.6	6.3	28.5	42.1	49.8	60.1		68.7	63.8	55.6	43.0	25.3	16.4		38.1
1930	HI	14.1	32.1	36.3	59.0	70.9	MSG		81.4	79.8	64.6	53.0	48.2	29.9		47.4
	LO	-5.9	8.1	15.2	28.3	45.6	MSG		53.9	51.7	44.2	34.2	24.0	11.3		25.9
	ME	4.1	20.1	25.8	43.7	58.3	MSG		67.7	65.8	54.4	43.6	36.1	20.6		36.7
1931	HI	31.5	37.5	38.7	61.3	63.0	78.1		81.9	74.5	73.3	58.8	44.6	32.1		56.3
	LO	8.8	9.9	16.6	29.3	38.4	54.3		57.3	51.5	50.6	41.0	28.9	19.1		33.8
	ME	20.2	23.7	27.7	45.3	50.7	66.2		69.6	63.0	62.0	49.9	36.8	25.6		45.1
1932	HI	26.4	26.9	29.0	50.9	65.3	79.1		80.6	78.5	69.7	50.8	34.1	23.1		51.2
	LO	11.5	2.2	7.7	26.5	41.1	53.7		56.0	53.2	41.2	31.1	16.2	3.2		28.6
	ME	19.0	14.6	18.4	38.7	53.2	66.4		68.3	65.9	55.5	41.0	25.2	13.2		39.9
1933	HI	27.2	17.4	31.8	48.1	66.6	84.6		83.9	80.2	75.4	53.5	33.6	19.2		51.8
	LO	7.8	-6.1	15.0	28.1	43.3	57.1		56.8	47.8	46.3	30.0	18.1	0.9		28.8
	ME	17.5	5.7	23.4	38.1	55.0	70.9		70.4	64.0	60.9	41.7	25.9	10.1		40.3
1934	HI	29.7	20.8	33.9	48.5	75.4	78.5		82.5	76.6	66.2	59.5	41.9	25.8		53.3
	LO	13.2	-4.0	9.6	29.0	44.9	52.5		55.4	49.4	44.6	37.1	27.3	5.8		30.4
	ME	21.5	8.4	21.8	38.8	60.2	65.5		69.0	63.0	55.4	48.3	34.6	15.8		41.9
1935	HI	20.2	30.2	42.4	53.5	63.4	71.9		85.3	79.5	67.2	56.3	35.2	23.9		52.4
	LO	-4.1	5.8	19.5	29.5	38.2	47.3		62.0	56.1	44.2	37.1	21.6	9.1		30.5
	ME	8.1	18.0	31.0	41.5	50.8	59.6		73.7	67.8	55.7	46.7	28.4	16.5		41.5
1936	HI	16.4	13.1	36.7	43.7	69.9	73.9		88.6	79.1	72.1	50.1	35.2	29.3		50.7
	LO	-1.6	-14.7	16.5	23.7	44.8	46.9		58.0	53.9	49.1	31.3	17.1	9.5		27.9
	ME	7.4	-0.8	26.6	33.7	57.4	60.4		73.3	66.5	60.6	40.7	26.2	19.4		39.3

RHINELANDER MONTHLY TEMPERATURES

Normal	ME	12.2	16.4	27.1	41.6	52.9	62.3		66.8	64.9	55.5	43.7	30.3	16.8		41.0
1937	HI	19.1	23.8	33.9	47.4	67.5	75.8		83.8	83.1	68.8	49.4	36.1	22.5		50.9
	LO	-6.3	2.2	7.9	27.8	41.2	50.4		58.1	58.0	45.1	32.2	21.1	4.8		28.5
	ME	6.4	13.0	20.9	37.6	54.4	63.1		71.0	70.6	57.0	40.8	28.6	13.7		39.7
1938	HI	16.6	29.0	43.7	52.5	63.6	72.3		78.3	78.2	65.9	59.7	37.6	24.5		51.8
	LO	1.3	7.8	19.0	31.2	42.5	50.0		57.2	56.3	45.1	38.9	24.0	9.2		31.9
	ME	9.0	18.4	31.4	41.9	53.1	61.2		67.8	67.3	55.5	49.3	30.8	16.9		41.9
1939	HI	25.3	21.1	34.1	46.8	69.5	72.3		81.4	78.0	70.0	56.0	45.2	34.0		52.8
	LO	6.9	-4.0	12.2	24.8	43.5	53.4		56.5	54.6	45.9	35.1	22.5	19.0		30.9
	ME	16.1	8.6	23.2	35.8	56.5	62.9		69.0	66.3	58.0	45.6	33.9	26.5		41.9
1940	HI	17.5	27.2	29.2	47.3	60.8	71.8		79.8	72.8	70.1	56.6	34.6	27.1		49.6
	LO	-1.2	10.9	7.8	25.4	38.9	51.0		56.7	55.1	48.1	38.1	20.4	11.8		30.3
	ME	8.2	19.1	18.5	36.4	49.9	61.4		68.3	64.0	59.1	47.4	27.5	19.5		40.0
1941	HI	23.5	25.8	33.7	59.7	68.3	76.2		78.7	75.7	68.0	54.2	40.2	31.5		53.0
	LO	5.5	3.7	10.1	34.9	45.5	53.4		57.2	51.5	49.0	36.9	26.3	18.2		32.7
	ME	14.5	14.8	21.9	47.3	56.9	64.8		68.0	63.6	58.5	45.6	33.3	24.9		42.9
1942	HI	23.8	24.3	38.3	59.7	61.5	72.1		76.0	74.5	62.8	58.6	38.8	20.5		50.9
	LO	6.5	4.3	19.9	33.9	40.6	51.2		54.6	53.9	44.6	35.2	20.7	7.5		31.1
	ME	15.2	14.3	29.1	46.8	51.1	61.7		65.3	64.2	53.7	46.9	29.8	14.0		41.0
1943	HI	17.7	27.6	29.3	47.4	63.2	75.2		81.4	76.1	62.6	56.8	34.0	29.4		50.1
	LO	-1.5	1.9	7.1	26.1	41.2	54.3		57.8	56.0	42.7	35.8	20.2	11.0		29.4
	ME	8.1	14.8	18.2	36.8	52.2	64.8		69.6	66.1	52.7	46.3	27.1	20.2		39.8
1944	HI	32.4	27.7	31.8	50.0	69.5	74.7		77.0	78.7	66.5	57.5	42.8	23.6		52.7
	LO	15.2	9.1	13.4	26.4	46.2	53.5		55.7	55.4	48.2	35.4	30.6	8.9		33.2
	ME	23.8	18.4	22.6	38.2	57.9	64.1		66.4	67.1	57.4	46.5	36.7	16.3		43.0
1945	HI	17.9	28.0	49.6	54.1	61.0	70.7		75.6	77.7	67.5	55.5	37.6	21.9		51.4
	LO	0.1	3.5	24.1	30.7	37.2	47.2		53.7	54.4	45.3	33.8	22.7	5.9		29.9
	ME	9.0	15.8	36.9	42.4	49.1	59.0		64.7	66.1	56.4	44.7	30.2	13.9		40.7
1946	HI	24.3	25.3	49.8	57.3	65.0	73.3		78.3	74.8	69.0	59.9	40.9	28.0		53.8
	LO	5.8	2.8	26.9	31.7	38.6	50.5		55.5	51.7	44.6	38.4	23.2	9.4		31.6
	ME	15.1	14.1	38.4	44.5	51.8	61.9		66.9	63.3	56.8	49.2	32.1	18.7		42.7
1947	HI	27.1	23.4	34.0	48.6	60.1	72.4		79.1	85.3	69.9	68.1	33.8	26.5		52.4
	LO	6.7	3.3	11.7	27.5	38.0	48.2		55.7	60.6	48.1	45.4	20.5	10.5		31.4
	ME	16.9	13.4	22.9	38.1	49.1	60.3		67.4	73.0	59.0	56.8	27.2	18.5		41.9
1948	HI	20.0	26.0	36.8	60.1	66.2	74.0		78.4	79.3	75.5	58.2	38.9	27.6		53.4
	LO	-7.0	0.4	11.3	33.2	39.6	50.2		55.7	55.1	46.9	34.1	27.0	8.8		29.6
	ME	6.5	13.2	24.1	46.7	52.9	62.1		67.1	67.2	61.2	46.2	33.0	18.2		41.5
1949	HI	26.0	25.5	35.0	56.7	69.1	78.6		79.3	79.7	65.6	60.5	38.7	26.3		53.4
	LO	6.5	2.4	15.8	30.1	41.1	54.6		58.7	54.5	43.6	38.1	23.2	9.5		31.5
	ME	16.3	14.0	25.4	43.4	55.1	66.6		69.0	67.1	54.6	49.3	31.0	17.9		42.5
1950	HI	21.7	25.7	30.3	40.0	64.0	74.6		74.8	73.1	67.3	60.8	33.5	20.6		48.9
	LO	-5.2	1.0	7.7	20.9	38.4	50.0		53.3	47.9	46.1	38.7	17.5	2.4		26.6
	ME	8.3	13.4	19.0	30.5	51.2	62.3		64.1	60.5	56.7	49.8	25.5	11.5		37.8

RHINELANDER MONTHLY TEMPERATURES

Normal	ME	12.2	16.4	27.1	41.6	52.9	62.3		66.8	64.9	55.5	43.7	30.3	16.8		41.0
1951	HI	19.9	25.1	31.3	49.6	68.9	71.0		76.2	71.2	64.6	52.2	32.5	22.5		48.8
	LO	-2.2	1.8	12.2	29.8	44.6	47.9		55.1	50.1	42.0	34.3	15.4	6.3		28.1
	ME	8.9	13.5	21.8	39.7	56.8	59.5		65.7	60.7	53.3	43.3	24.0	14.4		38.5
1952	HI	24.2	32.2	33.9	58.4	65.0	76.0		78.8	74.3	69.4	51.5	41.5	29.4		52.9
	LO	1.7	10.3	15.0	31.1	40.0	53.6		57.5	52.1	45.1	27.8	24.1	17.0		31.3
	ME	13.0	21.3	24.5	44.8	52.5	64.8		68.2	63.2	57.3	39.7	32.8	23.2		42.1
1953	HI	25.2	25.6	36.7	47.8	69.8	76.7		75.8	77.5	67.1	63.0	44.5	29.0		53.2
	LO	8.9	5.9	19.7	28.2	40.3	52.2		54.5	55.9	45.4	38.7	27.1	11.9		32.4
	ME	17.1	15.8	28.2	38.0	55.1	64.5		65.2	66.7	56.3	50.9	35.8	20.5		42.8
1954	HI	20.5	34.4	32.1	52.6	57.1	74.8		77.8	73.8	62.9	53.0	40.8	26.8		50.6
	LO	0.7	13.6	12.6	29.8	36.7	54.4		56.1	52.1	45.4	36.2	27.8	13.1		31.5
	ME	10.6	24.0	22.4	41.2	46.9	64.6		67.0	63.0	54.2	44.6	34.3	20.0		41.1
1955	HI	21.1	24.8	34.7	61.7	73.1	75.8		85.9	82.0	69.4	58.5	34.1	22.2		53.6
	LO	1.4	5.0	11.7	37.0	45.0	52.7		62.0	59.2	47.1	38.4	18.1	5.0		31.9
	ME	11.3	14.9	23.2	49.4	59.1	64.3		74.0	70.6	58.3	48.5	26.1	13.6		42.8
1956	HI	26.3	27.0	35.2	49.8	67.5	79.3		75.7	76.8	66.5	65.3	39.0	29.1		53.1
	LO	4.3	2.9	12.0	29.0	41.0	55.0		54.0	55.5	43.2	41.1	24.3	12.6		31.2
	ME	15.3	15.0	23.6	39.4	54.3	67.2		64.9	66.2	54.9	53.2	31.7	20.9		42.2
1957	HI	15.9	28.5	38.2	55.5	67.9	75.7		82.7	78.1	67.9	56.4	36.6	28.3		52.6
	LO	-1.9	6.2	15.5	31.9	41.3	52.4		58.6	54.7	44.3	36.3	24.7	12.0		31.3
	ME	7.0	17.4	26.9	43.7	54.6	64.1		70.7	66.4	56.1	46.4	30.7	20.2		42.0
1958	HI	25.9	23.1	38.4	57.1	68.9	72.1		78.2	78.5	69.5	57.5	40.8	20.0		52.5
	LO	11.7	3.1	17.3	31.8	40.4	46.9		54.9	54.3	49.0	40.0	25.5	1.0		31.3
	ME	18.8	13.1	27.9	44.5	54.7	59.5		66.6	66.4	59.3	48.8	33.2	10.5		41.9
1959	HI	16.5	24.7	38.2	53.5	72.6	77.6		79.9	80.9	71.3	50.6	30.1	32.2		52.3
	LO	-4.2	0.6	15.4	31.7	46.1	54.1		56.7	59.9	48.3	34.7	15.6	19.9		31.6
	ME	6.2	12.7	26.8	42.6	59.4	65.9		68.3	70.4	59.8	42.7	22.9	26.1		42.0
1960	HI	23.6	27.1	33.7	53.2	65.0	74.7		80.4	80.1	69.7	57.3	41.8	24.7		52.6
	LO	7.5	7.6	4.0	33.2	42.6	49.4		54.2	56.5	48.6	36.6	26.9	7.4		31.2
	ME	15.6	17.4	18.9	43.2	53.8	62.1		67.3	68.3	59.2	47.0	34.4	16.1		41.9
1961	HI	22.1	33.3	40.4	50.0	65.2	79.1		79.7	79.9	69.0	59.3	38.2	24.4		53.4
	LO	2.7	11.3	21.1	28.6	38.3	52.2		57.0	56.3	49.0	39.2	23.9	8.9		32.4
	ME	12.4	22.3	30.8	39.3	51.8	65.7		68.4	68.1	59.0	49.3	31.1	16.7		42.9
1962	HI	17.5	22.8	39.3	52.3	70.4	75.7		78.0	78.9	65.5	58.3	39.3	24.7		51.9
	LO	0.7	1.5	17.6	29.6	48.1	50.7		53.8	53.9	44.4	39.5	27.1	8.5		31.3
	ME	9.1	12.2	28.5	41.0	59.3	63.2		65.9	66.4	55.0	48.9	33.2	16.6		41.6
1963	HI	11.2	20.1	41.0	57.7	65.4	79.9		82.8	77.3	71.0	68.8	45.5	20.5		53.4
	LO	-4.5	-4.1	17.7	32.0	40.5	52.8		56.3	52.3	47.7	45.0	29.3	2.9		30.7
	ME	3.4	8.0	29.4	44.9	53.0	66.4		69.6	64.8	59.4	56.9	37.4	11.7		42.1
1964	HI	28.6	30.7	35.3	56.4	73.0	78.0		83.6	74.7	66.5	55.2	43.8	22.6		54.0
	LO	10.2	5.6	14.7	31.0	46.9	51.2		58.3	52.4	46.8	35.6	26.8	4.9		32.0
	ME	19.4	18.2	25.0	43.7	60.0	64.6		71.0	63.6	56.7	45.4	35.3	13.8		43.0

RHINELANDER MONTHLY TEMPERATURES

Normal	ME	12.2	16.4	27.1	41.6	52.9	62.3		66.8	64.9	55.5	43.7	30.3	16.8		41.0
1965	HI	20.5	24.1	30.7	49.2	72.4	76.1		78.1	75.8	62.1	58.0	38.6	30.4		51.3
	LO	0.4	-0.4	9.1	29.2	46.1	50.5		54.0	53.8	43.2	37.5	24.3	18.6		30.5
	ME	10.5	11.9	19.9	39.2	59.3	63.3		66.1	64.8	52.7	47.8	31.5	24.5		40.9
1966	HI	17.9	26.8	40.4	48.3	62.9	79.7		85.4	74.3	69.8	56.5	37.0	26.2		52.1
	LO	-5.4	7.7	21.3	29.1	37.6	53.5		58.9	53.0	45.7	35.3	24.3	10.6		31.0
	ME	6.3	17.3	30.9	38.7	50.3	66.6		72.2	63.7	57.8	45.9	30.7	18.4		41.5
1967	HI	25.5	21.6	38.7	54.4	63.0	76.6		78.4	75.9	70.1	54.9	34.6	27.8		51.8
	LO	8.1	-2.2	16.7	30.7	36.0	53.4		53.9	50.7	44.7	36.7	21.2	10.8		30.1
	ME	16.8	9.7	27.7	42.6	49.5	65.0		66.2	63.3	57.4	45.8	27.9	19.3		41.0
1968	HI	22.4	24.3	47.1	58.6	65.3	74.4		79.0	79.6	68.5	58.9	38.9	25.7		53.6
	LO	2.8	1.4	23.3	33.6	40.3	52.2		56.2	54.3	49.3	40.9	25.7	10.0		32.5
	ME	12.6	12.9	35.2	46.1	52.8	63.3		67.6	67.0	58.9	49.9	32.3	17.9		43.1
1969	HI	22.2	29.0	35.7	57.6	69.5	66.8		80.2	83.4	70.1	50.0	38.1	26.5		52.4
	LO	4.6	6.3	10.3	32.9	43.5	46.8		55.6	56.9	47.4	34.3	20.6	8.6		30.7
	ME	13.4	17.7	23.0	45.3	56.5	56.8		67.9	70.2	58.8	42.2	29.4	17.6		41.6
1970	HI	16.7	24.5	35.2	52.5	62.0	76.3		80.2	78.8	66.5	55.9	36.9	25.3		50.9
	LO	-6.8	-2.7	10.0	30.9	41.7	52.9		57.5	53.6	46.7	38.0	22.4	6.7		29.2
	ME	5.0	10.9	22.6	41.7	51.9	64.6		68.9	66.2	56.6	47.0	29.7	16.0		40.1
1971	HI	14.2	24.8	33.5	52.4	61.8	77.7		74.5	74.1	67.6	59.4	38.4	26.3		50.4
	LO	-6.1	1.8	11.7	27.5	37.5	55.1		52.6	51.1	48.0	44.0	25.1	8.9		29.8
	ME	4.1	13.3	22.6	40.0	49.7	66.4		63.6	62.6	57.8	51.7	31.8	17.6		40.1
1972	HI	16.4	21.7	34.2	47.6	71.8	73.7		75.4	75.2	64.8	49.1	34.9	20.1		48.7
	LO	-10.8	-3.8	10.6	25.2	43.9	48.6		54.8	54.7	44.2	32.5	23.2	3.6		27.2
	ME	2.8	9.0	22.4	36.4	57.9	61.2		65.1	65.0	54.5	40.8	29.1	11.9		38.0
1973	HI	26.2	27.6	44.9	48.5	58.6	74.8		78.9	77.7	65.6	59.8	37.3	24.1		52.0
	LO	3.1	4.8	25.7	30.2	38.6	52.1		54.7	55.9	44.7	40.3	23.6	6.5		31.7
	ME	14.7	16.2	35.3	39.4	48.6	63.5		66.8	66.8	55.2	50.1	30.5	15.3		41.9
1974	HI	20.9	25.6	34.6	52.1	60.4	70.5		81.0	74.7	60.3	53.3	40.7	31.7		50.5
	LO	0.2	-6.1	15.0	28.6	37.3	46.6		55.7	51.0	37.6	32.5	24.3	11.8		27.9
	ME	10.6	9.8	24.8	40.4	48.9	58.6		68.4	62.9	49.0	42.9	32.5	21.8		39.2
1975	HI	24.0	26.7	33.1	47.5	70.4	73.3		82.2	78.1	63.4	61.1	46.7	26.0		52.7
	LO	1.8	4.0	8.0	22.6	43.9	53.2		58.3	53.7	41.4	36.5	25.9	6.6		29.7
	ME	12.9	15.4	20.6	35.1	57.2	63.3		70.3	65.9	52.4	48.8	36.3	16.3		41.2
1976	HI	21.0	34.1	35.9	57.4	66.2	79.3		84.5	80.3	70.8	52.4	33.1	19.7		52.9
	LO	-3.5	10.9	13.6	31.4	37.6	51.8		54.1	50.8	39.7	27.8	13.3	-6.5		26.8
	ME	8.8	22.5	24.8	44.4	51.9	65.6		69.3	65.6	55.3	40.1	23.2	6.6		39.9
1977	HI	14.2	30.3	44.2	60.1	78.0	74.3		81.4	72.1	63.9	55.6	38.8	23.8		53.1
	LO	-10.9	4.9	22.7	32.1	48.4	49.0		57.7	48.7	48.1	33.9	22.1	5.6		30.2
	ME	1.7	17.6	33.5	46.1	63.2	61.7		69.6	60.4	56.0	44.8	30.5	14.7		41.7
1978	HI	20.7	24.2	38.1	49.3	69.0	73.5		75.0	77.5	69.8	53.7	38.2	22.4		51.0
	LO	-1.5	-5.2	9.6	26.3	42.8	49.3		54.1	54.4	48.2	35.7	20.0	2.7		28.0
	ME	9.6	9.5	23.9	37.8	55.9	61.4		64.6	66.0	59.0	44.7	29.1	12.6		39.5
1979	HI	13.8	21.5	37.4	48.1	60.6	73.6		79.6	74.2	69.4	50.7	36.8	31.4		49.8
	LO	-7.3	-3.9	16.7	26.0	38.1	47.4		55.4	53.1	46.5	33.2	20.9	12.6		28.2
	ME	3.3	8.8	27.1	37.1	49.4	60.5		67.5	63.7	58.0	42.0	28.9	22.0		39.0

RHINELANDER MONTHLY TEMPERATURES

Normal	ME	JAN	FEB	MAR	APR	MAY	JUN		JUL	AUG	SEP	OCT	NOV	DEC		YEAR
	ME	12.2	16.4	27.1	41.6	52.9	62.3		66.8	64.9	55.5	43.7	30.3	16.8		41.0
1980	HI	22.1	24.7	35.0	56.3	71.4	73.1		80.3	74.7	65.1	49.9	39.7	23.8		51.3
	LO	0.9	-0.3	12.1	31.0	42.5	49.8		56.3	55.2	43.7	29.7	23.0	2.9		28.9
	ME	11.5	12.2	23.6	43.7	57.0	61.5		68.3	65.0	54.4	39.8	31.4	13.4		40.1
1981	HI	24.6	29.7	41.3	55.2	65.6	73.1		77.1	77.7	65.8	51.6	44.4	26.4		52.7
	LO	-2.5	7.7	18.4	30.2	38.3	51.4		54.7	55.5	41.4	29.8	24.3	5.4		29.6
	ME	11.1	18.7	29.9	42.7	52.0	62.3		65.9	66.6	53.6	40.7	34.4	15.9		41.2
1982	HI	15.7	25.4	34.9	48.2	70.8	70.3		80.2	73.3	64.7	56.5	37.2	30.9		50.7
	LO	-12.6	-0.4	13.6	25.0	46.9	44.3		57.6	51.1	45.4	36.4	21.6	14.3		28.6
	ME	1.6	12.5	24.3	36.6	58.9	57.3		68.9	62.2	55.1	46.5	29.4	22.6		39.7
1983	HI	26.6	32.1	38.0	47.6	59.7	75.8		83.2	81.3	68.9	55.0	39.7	14.7		51.9
	LO	6.4	16.2	21.0	27.9	36.9	50.4		59.6	57.5	46.9	33.3	21.9	-8.3		30.8
	ME	16.5	24.2	29.5	37.8	48.3	63.1		71.4	69.4	57.9	44.2	30.8	3.2		41.4
1984	HI	19.1	35.0	32.9	55.3	63.5	72.6		79.2	79.0	65.0	57.2	39.1	25.9		52.0
	LO	-5.2	13.3	7.3	32.9	37.8	53.6		54.7	56.5	42.0	39.2	18.1	6.1		29.7
	ME	7.0	24.2	20.1	44.1	50.7	63.1		67.0	67.8	53.5	48.2	28.6	16.0		40.9
1985	HI	19.4	25.0	42.1	56.6	68.8	72.1		78.6	74.0	65.1	55.2	31.5	16.0		50.4
	LO	-3.9	-1.8	19.2	33.1	44.0	47.6		52.1	52.0	43.2	31.1	13.4	-7.9		26.8
	ME	7.8	11.6	30.7	44.9	56.4	59.9		65.4	63.0	54.2	43.2	22.5	4.1		38.6
1986	HI	24.0	25.1	41.0	57.4	70.4	73.6		79.1	72.9	65.0	53.2	34.7	27.5		52.0
	LO	-3.2	-1.4	15.8	34.4	43.8	48.0		56.7	50.0	44.8	32.5	14.7	8.4		29.7
	ME	10.4	11.9	28.4	45.9	57.1	60.8		67.9	61.5	54.9	42.9	24.7	18.0		40.9
1987	HI	27.3	36.4	45.8	62.5	71.3	79.1		82.1	76.6	70.8	48.8	42.5	29.9		56.1
	LO	5.9	8.1	19.7	31.9	41.1	51.8		58.1	52.9	44.1	28.6	23.0	15.6		31.7
	ME	16.6	22.3	32.8	47.2	56.2	65.5		70.1	64.8	57.5	38.7	32.8	22.8		43.9
1988	HI	20.0	22.9	37.8	55.6	74.0	80.4		84.4	79.4	67.4	48.3	37.5	26.1		52.8
	LO	-10.2	-4.2	16.9	29.0	42.6	51.5		57.0	58.1	47.2	30.6	26.3	7.0		29.3
	ME	4.9	9.4	27.4	42.3	58.3	66.0		70.7	68.8	57.3	39.5	31.9	16.6		41.1
1989	HI	29.4	20.0	32.7	51.0	MSG	72.8		82.2	77.9	69.6	58.8	33.7	15.3		MSG
	LO	8.3	-4.8	9.9	27.0	MSG	49.0		56.5	54.8	43.8	34.8	17.7	-4.5		MSG
	ME	18.9	7.6	21.3	39.0	MSG	60.9		69.4	66.4	56.7	46.8	25.7	5.4		MSG
1990	HI	32.0	29.6	41.1	56.2	63.5	73.5		76.7	75.4	68.7	54.5	43.9	25.8		53.4
	LO	11.6	4.5	17.0	33.6	38.7	51.0		54.9	54.1	48.3	32.5	26.4	6.8		31.6
	ME	21.8	17.1	29.1	44.9	51.1	62.3		65.8	64.8	58.5	43.5	35.2	16.3		42.5
1991	HI	19.0	31.4	40.0	57.1	69.2	78.7		76.5	78.2	65.1	53.4	33.6	27.6		52.5
	LO	-1.7	8.4	18.2	33.0	48.0	55.7		56.3	56.4	44.6	32.7	17.6	9.9		31.6
	ME	8.7	19.9	29.1	45.1	58.6	67.2		66.4	67.3	54.9	43.1	25.6	18.8		42.1
1992	HI	25.4	30.3	37.1	46.5	69.0	71.4		72.2	73.6	64.9	53.6	33.2	26.0		50.3
	LO	6.8	11.4	15.1	29.3	42.1	47.5		51.1	50.4	45.8	33.8	21.7	11.6		30.6
	ME	16.1	20.9	26.1	37.9	55.6	59.5		61.7	62.0	55.4	43.7	27.5	18.8		40.5
1993	HI	23.7	25.4	40.3	47.9	63.5	70.5		76.0	76.4	61.9	52.1	34.3	26.8		49.9
	LO	3.5	3.1	14.6	27.5	42.6	49.6		56.5	56.9	41.0	32.3	19.3	13.2		30.0
	ME	13.6	14.3	27.5	37.7	53.1	60.1		66.3	66.7	51.5	42.2	26.8	20.0		40.0

RHINELANDER MONTHLY TEMPERATURES

Normal	ME	JAN	FEB	MAR	APR	MAY	JUN		JUL	AUG	SEP	OCT	NOV	DEC		YEAR
	ME	12.2	16.4	27.1	41.6	52.9	62.3		66.8	64.9	55.5	43.7	30.3	16.8		41.0
1994	HI	11.8	21.8	41.0	52.8	68.8	76.8		74.7	72.8	69.7	58.0	43.0	33.1		52.0
	LO	-9.0	-0.5	18.9	28.5	40.9	53.5		56.0	53.2	49.7	39.0	26.1	14.8		30.9
	ME	1.4	10.7	30.0	40.7	54.9	65.2		65.4	63.0	59.7	48.5	34.6	24.0		41.5
1995	HI	24.4	24.7	41.2	45.7	65.1	81.1		79.5	78.6	67.2	54.0	29.1	22.2		51.1
	LO	7.3	5.3	20.0	25.4	41.1	54.8		57.5	60.4	42.7	36.9	12.7	4.3		30.7
	ME	15.9	15.0	30.6	35.6	53.1	68.0		68.5	69.5	55.0	45.5	20.9	13.3		40.9
1996	HI	19.2	24.8	30.9	46.2	63.3	73.3		73.2	78.2	66.2	55.9	32.2	23.6		48.9
	LO	-6.7	0.7	8.9	23.6	38.6	52.9		53.2	54.5	47.1	32.7	18.3	10.7		27.9
	ME	6.3	12.8	19.9	34.9	51.0	63.1		63.2	66.4	56.7	44.3	25.3	17.2		38.4
1997	HI	19.7	28.4	35.0	51.7	59.2	77.8		76.5	72.6	68.4	56.9	34.9	31.7		51.1
	LO	0.2	7.0	15.0	26.2	36.7	53.8		55.9	53.4	48.4	36.1	21.9	18.6		31.1
	ME	10.0	17.7	25.0	39.0	48.0	65.8		66.2	63.0	58.4	46.5	28.4	25.2		41.1
1998	HI	25.3	38.2	38.4	60.4	73.8	72.8		81.0	80.7	76.4	59.3	42.6	34.0		56.9
	LO	11.3	21.8	18.9	33.7	47.5	51.9		56.1	57.4	50.2	37.9	28.5	13.1		35.7
	ME	18.3	30.0	28.7	47.1	60.7	62.4		68.6	69.1	63.3	48.6	35.6	23.6		46.3
1999	HI	20.4	33.5	42.6	57.7	68.8	75.5		82.8	75.9	68.6	54.9	48.3	30.0		54.9
	LO	1.5	12.6	17.9	33.8	45.2	53.8		61.2	55.4	46.5	34.8	28.8	11.2		33.6
	ME	11.0	23.1	30.3	45.8	57.0	64.7		72.0	65.7	57.6	44.9	38.6	20.6		44.3
2000	HI	24.1	34.5	48.3	52.8	67.8	71.7		75.2	75.7	65.7	57.9	35.4	15.9		52.1
	LO	0.7	11.4	26.1	29.3	45.0	50.8		53.0	51.6	42.8	35.3	23.3	-4.2		30.4
	ME	12.4	23.0	37.2	41.1	56.4	61.3		64.1	63.7	54.3	46.6	29.4	5.9		41.3
2001	HI	27.0	21.4	34.8	55.3	66.1	74.0		79.2	78.0	65.2	53.2	48.3	31.1		52.8
	LO	8.3	1.5	15.8	32.8	42.5	51.5		53.9	53.7	43.2	32.4	30.5	16.1		31.9
	ME	17.7	11.5	25.3	44.1	54.3	62.8		66.6	65.9	54.2	42.8	39.4	23.6		42.4
2002	HI	29.2	31.7	29.0	48.1	59.2	73.7		81.5	75.7	68.2	45.8	35.3	28.9		50.5
	LO	13.1	12.3	8.6	27.5	35.6	53.2		57.3	52.7	47.8	28.7	19.1	13.1		30.8
	ME	21.2	22.0	18.8	37.8	47.4	63.5		69.4	64.2	58.0	37.3	27.2	21.0		40.7
2003	HI	19.2	20.9	36.1	50.1	63.4	73.0		78.6	79.5	67.3	54.1	36.4	29.9		50.7
	LO	0.3	-3.1	13.6	26.3	37.0	47.0		52.0	54.1	45.6	32.3	22.7	12.7		28.4
	ME	9.8	8.9	24.9	38.2	50.2	60.0		65.3	66.8	56.5	43.2	29.6	21.3		39.6
2004	HI	15.4	29.3	37.4	52.7	61.6	71.8		76.3	70.5	73.5	54.8	41.9	25.0		50.9
	LO	-2.7	7.8	20.2	29.7	38.7	48.3		52.2	48.2	48.5	36.0	25.5	8.2		30.1
	ME	6.4	18.6	28.8	41.2	50.2	60.1		64.3	59.4	61.0	45.4	33.7	16.6		40.5
2005	HI	19.4	30.0	35.2	58.1	62.1	79.7		82.7	78.1	74.0	57.8	39.8	23.7		53.4
	LO	2.8	10.5	11.8	32.8	40.7	56.0		56.1	54.6	47.5	38.1	23.5	10.4		32.1
	ME	11.1	20.3	23.5	45.5	51.4	67.9		69.4	66.4	60.8	48.0	31.7	17.1		42.8
2006	HI	30.6	23.9	38.2	59.6	65.5	76.7		85.4	76.7	64.9	49.7	41.1	30.7		53.6
	LO	17.4	2.8	17.7	34.1	44.2	48.8		56.6	53.0	42.6	30.1	26.9	16.9		32.6
	ME	24.0	13.4	28.0	46.9	54.9	62.8		71.0	64.9	53.8	39.9	34.0	23.8		43.1

RHINELANDER MONTHLY TEMPERATURES

Normal	ME	JAN	FEB	MAR	APR	MAY	JUN		JUL	AUG	SEP	OCT	NOV	DEC		YEAR
	ME	12.2	16.4	27.1	41.6	52.9	62.3		66.8	64.9	55.5	43.7	30.3	16.8		41.0
2006	HI	30.6	23.9	38.2	59.6	65.5	76.7		85.4	76.7	64.9	49.7	41.1	30.7		53.6
	LO	17.4	2.8	17.7	34.1	44.2	48.8		56.6	53.0	42.6	30.1	26.9	16.9		32.6
	ME	24.0	13.4	28.0	46.9	54.9	62.8		71.0	64.9	53.8	39.9	34.0	23.8		43.1
2007	HI	24.2	18.0	41.7	51.4	69.8	78.2		79.5	77.4	70.0	59.5	36.6	23.5		52.5
	LO	8.8	-0.5	21.1	29.5	43.7	51.9		55.4	54.4	49.3	40.9	22.2	6.9		32.0
	ME	16.5	8.8	31.4	40.5	56.8	65.1		67.5	65.9	59.7	50.2	29.4	15.2		42.3
2008	HI	21.4	22.4	33.2	50.4	62.6	73.5		79.4	78.6	68.8	54.3	37.4	20.8		50.2
	LO	4.3	0.7	11.8	30.0	35.6	51.6		54.7	49.5	47.8	34.6	22.8	0.8		28.7
	ME	12.9	11.6	22.5	40.2	49.1	62.6		67.1	64.1	58.3	44.5	30.1	10.8		39.5
2009	HI	15.6	27.0	37.8	51.3	64.9	72.8		73.9	74.4	73.2	46.8	47.1	23.1		50.7
	LO	-6.5	8.0	17.9	30.1	40.2	48.8		49.1	50.9	45.8	33.1	29.3	8.0		29.6
	ME	4.6	17.0	27.9	40.7	52.6	60.8		61.5	62.7	59.5	40.0	38.2	15.6		40.2
2010	HI	22.3	28.4	50.1	61.2	69.3	72.2		79.9	79.9	64.6	58.6	40.3	23.3		54.2
	LO	7.4	10.6	23.6	35.7	43.3	52.2		58.9	58.2	41.9	34.3	23.2	9.5		33.2
	ME	14.9	19.5	36.9	48.5	56.3	62.2		69.4	69.1	53.3	46.5	31.8	16.4		43.7
2011	HI	17.8	26.2	35.4	48.0	63.5	73.8		82.6	77.6	65.8	58.7	41.6	28.9		51.7
	LO	2.6	8.5	14.2	28.1	41.7	49.4		58.7	53.5	43.9	38.0	26.8	14.1		31.6
	ME	10.2	17.4	24.8	38.1	52.6	61.6		70.7	65.6	54.9	48.4	34.2	21.5		41.7
2012	HI	27.0	31.6	52.7	54.4	70.3	77.3		83.7	77.5	68.0	52.2	39.7	29.1		55.3
	LO	8.0	12.8	33.0	30.1	42.2	51.3		57.2	50.7	39.7	32.8	23.2	15.9		33.1
	ME	17.5	22.2	42.9	42.3	56.3	64.3		70.5	64.1	53.9	42.5	31.5	22.5		44.2
2013	HI	23.4	24.0	31.7	44.2	66.9	71.4		77.5	76.7	69.6	53.1	34.9	16.4		48.9
	LO	4.7	5.6	12.1	26.6	45.7	49.1		55.1	51.1	43.5	34.4	19.7	-1.5		28.4
	ME	14.1	14.8	21.9	35.4	56.3	60.3		66.3	63.9	56.6	43.8	27.3	7.5		38.7
2014	HI	11.9	15.4	29.7	45.3	65.4	74.4		73.6	74.4	66.5	51.3	28.2	25.6		46.8
	LO	-7.3	-6.8	7.4	24.2	40.6	53.0		51.1	52.1	42.0	34.0	13.1	11.5		26.2
	ME	2.3	4.3	18.3	34.8	53.0	63.7		62.4	63.2	54.3	42.6	20.6	18.5		36.5
2015	HI	18.9	14.0	39.4	54.2	67.2	72.7		79.4	73.8	73.0	55.7	46.0	34.0		52.4
	LO	3.5	-8.0	17.3	29.8	42.1	48.2		53.1	53.8	51.5	35.9	27.1	24.1		31.5
	ME	11.2	3.0	28.3	42.0	54.6	60.4		66.2	63.8	62.2	45.8	36.5	29.0		41.9
2016	HI	22.5	27.9	43.8	50.6	67.8	75.6		79.5	78.2	70.3	58.5	49.5	24.6		54.1
	LO	7.2	11.3	25.0	29.8	40.6	51.3		56.2	56.6	49.5	37.7	30.3	11.5		33.9
	ME	14.8	19.6	34.4	40.2	54.2	63.4		67.9	67.4	59.9	48.1	39.9	18.0		44.0
2017	HI															
	LO															
	ME															
2018	HI															
	LO															
	ME															
2019	HI															
	LO															
	ME															

RHINELANDER MONTHLY TEMPERATURES

Normal	ME	JAN	FEB	MAR	APR	MAY	JUN		JUL	AUG	SEP	OCT	NOV	DEC		YEAR
	ME	12.2	16.4	27.1	41.6	52.9	62.3		66.8	64.9	55.5	43.7	30.3	16.8		41.0
2020	HI															
	LO															
	ME															
2021	HI															
	LO															
	ME															
2022	HI															
	LO															
	ME															
2023	HI															
	LO															
	ME															
2024	HI															
	LO															
	ME															
2025	HI															
	LO															
	ME															
2026	HI															
	LO															
	ME															
2027	HI															
	LO															
	ME															
2028	HI															
	LO															
	ME															
2029	HI															
	LO															
	ME															
2030	HI															
	LO															
	ME															
2030	HI															
	LO															
	ME															
2031	HI															
	LO															
	ME															
2032	HI															
	LO															
	ME															

RHINELANDER WINTER TEMPERATURES

Normal High 24.2 Normal Low 6.0 Normal Mean 15.1

WINTER	AVE HIGH	AVE LOW	MEAN		WINTER	AVE HIGH	AVE LOW	MEAN		WINTER	AVE HIGH	AVE LOW	MEAN
1908-09	25.8	7.6	16.7										
1909-10	23.6	4.1	13.9										
1910-11	26.1	6.4	16.3		1950-51	21.9	0.7	11.3		1990-91	25.4	4.5	15.0
1911-12	19.6	1.0	10.3		1951-52	26.3	6.1	16.2		1991-92	27.8	9.4	18.6
1912-13	25.0	4.4	14.7		1952-53	26.7	10.6	18.7		1992-93	25.0	6.1	15.6
1913-14	28.9	7.6	18.3		1953-54	28.0	8.8	18.4		1993-94	20.1	1.2	10.7
1914-15	25.2	7.4	16.3		1954-55	24.2	6.5	15.4		1994-95	27.4	9.1	18.3
1915-16	24.8	3.5	14.2		1955-56	25.2	4.1	14.7		1995-96	22.1	-0.6	10.8
1916-17	17.3	-6.0	5.7		1956-57	24.5	5.6	15.1		1996-97	23.9	6.0	15.5
1917-18	17.6	-5.1	6.3		1957-58	25.8	8.9	17.4		1997-98	31.7	17.2	24.5
1918-19	28.2	10.2	19.2		1958-59	20.4	-0.9	9.8		1998-99	29.3	9.1	19.2
1919-20	16.6	-4.4	6.1		1959-60	27.6	11.7	19.7		1999-00	29.5	7.8	18.7
1920-21	27.0	10.2	18.6		1960-61	26.7	7.1	16.9		2000-01	21.4	1.9	11.7
1921-22	21.0	0.5	10.8		1961-62	21.6	3.7	12.7		2001-02	30.7	13.8	22.3
1922-23	20.2	-2.4	8.9		1962-63	18.7	0.0	9.4		2002-03	23.0	3.4	13.2
1923-24	24.4	2.6	13.5		1963-64	26.6	6.2	16.4		2003-04	24.9	5.9	15.4
1924-25	20.5	0.5	10.5		1964-65	22.4	1.6	12.0		2004-05	24.8	7.2	16.0
1925-26	22.7	3.3	13.0		1965-66	25.0	7.0	16.0		2005-06	26.1	10.2	18.2
1926-27	24.0	-0.3	11.9		1966-67	24.4	5.5	15.5		2006-07	24.3	8.4	16.4
1927-28	22.4	-0.4	11.0		1967-68	24.8	5.0	14.9		2007-08	22.4	4.0	13.2
1928-29	19.4	-3.2	8.1		1968-69	25.6	7.0	16.3		2008-09	21.1	0.8	11.0
1929-30	23.7	3.3	13.5		1969-70	22.6	-0.3	11.2		2009-10	24.6	8.7	16.7
1930-31	33.0	10.0	21.5		1970-71	21.4	0.8	11.1		2010-11	22.4	6.9	14.7
1931-32	28.5	10.9	19.7		1971-72	21.5	-1.9	9.8		2011-12	29.2	11.6	20.4
1932-33	22.6	1.6	12.1		1972-73	24.6	3.8	14.2		2012-13	25.5	8.7	17.1
1933-34	23.2	3.4	13.3		1973-74	23.5	0.2	11.9		2013-14	14.5	-5.1	4.7
1934-35	25.4	2.5	14.0		1974-75	27.5	5.9	16.7		2014-15	19.5	2.3	10.9
1935-36	17.8	-2.4	7.7		1975-76	27.0	4.7	15.9		2015-16	28.1	14.2	21.2
1936-37	24.1	1.8	13.0		1976-77	21.4	-4.2	8.6		2016-17			
1937-38	22.7	4.6	13.7		1977-78	22.9	-0.4	12.3		2017-18			
1938-39	23.6	4.0	13.8		1978-79	19.2	-2.8	8.2		2018-19			
1939-40	26.2	9.6	17.9		1979-80	26.1	4.4	15.3		2019-20			
1940-41	25.5	7.0	16.3		1980-81	26.0	2.7	14.4		2020-21			
1941-42	26.5	9.7	18.1		1981-82	22.5	-2.5	10.0		2021-22			
1942-43	21.9	2.6	12.3		1982-83	29.9	12.3	21.1		2022-23			
1943-44	29.8	11.8	20.8		1983-84	22.9	-0.1	11.4		2023-24			
1944-45	23.2	4.2	13.7		1984-85	23.4	0.1	11.8		2024-25			
1945-46	23.8	4.8	14.3		1985-86	21.7	-4.2	8.8		2025-26			
1946-47	26.2	6.5	16.4		1986-87	30.4	7.5	19.0		2026-27			
1947-48	24.2	1.3	12.8		1987-88	24.3	0.4	12.4		2027-28			
1948-49	26.4	5.9	16.2		1988-89	25.2	3.5	14.4		2028-29			
1949-50	24.6	1.8	13.2		1989-90	25.6	3.9	14.8		2029-30			

RHINELANDER SPRING TEMPERATURES

Normal High 51.9 Normal Low 29.1 Normal Mean 40.5

	AVE	AVE				AVE	AVE				AVE	AVE	
SPRING	HIGH	LOW	MEAN		SPRING	HIGH	LOW	MEAN		SPRING	HIGH	LOW	MEAN
1908	53.1	29.4	41.3										
1909	47.8	25.8	36.8										
1910	59.6	31.6	45.6		1950	44.8	22.3	33.6		1990	53.6	29.8	41.7
1911	55.6	35.2	45.4		1951	49.9	28.9	39.4		1991	55.4	33.1	44.3
1912	52.5	25.6	39.1		1952	52.4	28.7	40.6		1992	50.9	28.8	39.9
1913	51.6	26.7	39.2		1953	51.4	29.4	40.4		1993	50.6	28.2	39.4
1914	51.9	27.7	39.8		1954	47.3	26.4	36.9		1994	54.2	29.4	41.8
1915	54.5	29.3	41.9		1955	56.5	31.2	43.9		1995	50.7	28.8	39.8
1916	48.7	25.5	37.1		1956	50.8	27.3	39.1		1996	46.8	23.7	35.3
1917	48.3	23.5	35.9		1957	53.9	29.6	41.8		1997	48.6	26.0	37.3
1918	55.6	26.5	41.1		1958	54.8	29.8	42.3		1998	57.5	33.4	45.5
1919	51.4	27.3	39.4		1959	54.8	31.1	43.0		1999	56.4	32.3	44.4
1920	49.8	25.0	37.4		1960	50.6	26.6	38.6		2000	56.3	33.5	44.9
1921	54.6	31.3	43.0		1961	51.9	29.3	40.6		2001	52.1	30.4	41.3
1922	53.8	30.3	42.1		1962	54.0	31.8	42.9		2002	45.4	23.9	34.7
1923	47.7	20.7	34.2		1963	54.7	30.1	42.4		2003	49.9	25.6	37.8
1924	45.3	24.6	35.0		1964	54.9	30.9	42.9		2004	50.6	29.5	40.1
1925	54.0	27.1	40.6		1965	50.8	28.1	39.5		2005	51.8	28.4	40.1
1926	48.8	23.1	36.0		1966	50.5	29.3	39.9		2006	54.4	32.0	43.2
1927	51.1	28.7	39.9		1967	52.0	27.8	39.9		2007	54.3	31.4	42.9
1928	50.2	23.9	37.1		1968	57.0	32.4	44.7		2008	48.7	25.8	37.3
1929	51.9	28.2	40.1		1969	54.3	28.9	41.6		2009	51.3	29.4	40.4
1930	55.4	29.7	42.6		1970	49.9	27.5	38.7		2010	60.2	34.2	47.2
1931	54.3	28.1	41.2		1971	49.2	25.6	37.4		2011	49.0	28.0	38.5
1932	48.4	25.1	36.8		1972	51.2	26.6	38.9		2012	59.1	35.1	47.1
1933	48.8	28.8	38.8		1973	50.7	31.5	41.1		2013	46.8	26.2	36.5
1934	52.6	27.8	40.2		1974	49.0	27.0	38.0		2014	46.7	24.1	35.4
1935	53.1	29.1	42.6		1975	50.3	24.8	37.6		2015	53.6	29.7	41.7
1936	50.1	28.3	41.2		1976	53.2	27.5	40.4		2016	54.1	31.8	42.9
1937	49.6	25.6	36.8		1977	60.8	34.4	47.6		2017			
1938	53.3	30.9	38.8		1978	52.1	26.2	39.2		2018			
1939	50.1	26.8	40.2		1979	48.7	26.9	37.8		2019			
1940	45.8	24.0	34.9		1980	54.2	28.5	41.4		2020			
1941	53.9	30.2	42.1		1981	54.0	29.0	41.5		2021			
1942	53.2	31.5	42.4		1982	51.3	28.5	39.9		2022			
1943	46.6	24.8	35.7		1983	48.4	28.6	38.5		2023			
1944	50.4	28.7	39.6		1984	50.6	26.0	38.3		2024			
1945	54.9	30.7	42.8		1985	55.8	32.1	44.0		2025			
1946	57.4	32.4	44.9		1986	56.3	31.3	43.8		2026			
1947	47.6	25.7	36.7		1987	59.9	30.9	45.4		2027			
1948	54.4	28.0	41.2		1988	55.8	29.5	42.7		2028			
1949	53.6	29.0	41.3		1989	MSG	MSG	MSG		2029			

RHINELANDER SUMMER TEMPERATURES

Normal High 76.8 Normal Low 52.8 Normal Mean 64.9

	AVE	AVE				AVE	AVE				AVE	AVE	
SUMMER	HIGH	LOW	MEAN		SUMMER	HIGH	LOW	MEAN		SUMMER	HIGH	LOW	MEAN
1908	77.8	52.7	65.3										
1909	79.5	53.6	66.6										
1910	81.8	51.9	66.9		1950	74.2	50.4	62.3		1990	75.2	53.3	64.3
1911	80.0	54.1	67.1		1951	72.8	51.0	61.9		1991	77.8	56.1	67.0
1912	75.7	51.3	63.5		1952	76.4	54.4	65.4		1992	72.4	49.7	61.1
1913	78.9	52.9	65.9		1953	76.7	54.2	65.5		1993	74.3	54.3	64.3
1914	78.1	53.6	65.9		1954	75.5	54.2	64.9		1994	74.8	54.2	64.5
1915	73.8	47.6	60.7		1955	81.2	58.0	69.6		1995	79.7	54	66.9
1916	79.0	55.5	67.3		1956	77.3	54.8	66.1		1996	74.9	53.5	64.2
1917	74.0	49.3	61.7		1957	78.8	55.2	67.0		1997	75.6	54.4	65.0
1918	76.4	50.3	63.4		1958	76.3	52.0	64.2		1998	78.2	55.1	66.7
1919	77.4	53.9	65.7		1959	79.5	56.9	68.2		1999	78.1	56.8	67.5
1920	76.1	50.4	63.3		1960	78.4	53.4	65.9		2000	74.2	51.8	63.0
1921	80.9	56.4	68.7		1961	79.6	55.2	67.4		2001	77.1	53.0	65.1
1922	76.4	52.2	64.3		1962	77.5	52.8	65.2		2002	77.0	54.4	65.7
1923	77.5	53.6	65.6		1963	80.0	53.8	66.9		2003	77.0	51.0	64.0
1924	73.6	49.0	61.3		1964	78.9	54.0	66.5		2004	72.9	49.6	61.3
1925	77.6	53.1	65.4		1965	76.7	52.8	64.8		2005	80.2	55.6	67.9
1926	74.7	50.5	62.6		1966	79.8	55.1	67.5		2006	79.6	52.8	66.2
1927	74.6	47.8	61.2		1967	77.0	52.7	64.9		2007	78.4	53.9	66.2
1928	75.1	51.3	63.2		1968	77.7	54.2	66.0		2008	77.2	51.9	64.6
1929	76.8	51.5	64.2		1969	76.8	53.1	65.0		2009	73.7	49.6	61.7
1930	MSG	MSG	MSG		1970	78.4	54.7	66.6		2010	77.3	56.4	66.9
1931	78.2	54.4	66.3		1971	75.4	52.9	64.2		2011	78.0	53.9	66.0
1932	79.4	54.3	66.9		1972	74.8	52.7	63.8		2012	79.5	53.1	66.3
1933	82.9	53.9	68.4		1973	77.1	54.2	65.7		2013	75.2	51.8	63.5
1934	79.2	52.4	65.8		1974	75.4	51.1	63.3		2014	74.1	52.1	63.1
1935	78.9	55.1	67.0		1975	77.9	55.1	66.5		2015	75.3	51.7	63.5
1936	80.5	52.9	66.7		1976	81.4	52.2	66.8		2016	77.8	54.7	66.2
1937	80.9	55.5	68.2		1977	75.9	51.8	63.9		2017			
1938	76.3	54.5	65.4		1978	75.3	52.6	64.0		2018			
1939	77.2	54.8	66.0		1979	75.8	52.0	63.9		2019			
1940	74.8	54.3	64.6		1980	76.0	53.8	64.9		2020			
1941	76.9	54.0	65.5		1981	76.0	53.9	65.0		2021			
1942	74.7	53.2	64.0		1982	74.6	51.0	62.8		2022			
1943	77.6	56.0	66.8		1983	80.1	55.8	68.0		2023			
1944	76.8	54.9	65.9		1984	76.9	54.9	65.9		2024			
1945	74.7	51.8	63.3		1985	74.9	50.6	62.8		2025			
1946	75.5	52.6	64.1		1986	75.2	51.6	63.4		2026			
1947	78.9	54.8	66.9		1987	79.3	54.3	66.8		2027			
1948	77.2	54.7	66.0		1988	81.4	55.5	68.5		2028			
1949	79.2	55.9	67.6		1989	77.6	53.4	65.5		2029			

RHINELANDER FALL TEMPERATURES

Normal High 52.7 Normal Low 33.6 Normal Mean 43.2													
	AVE	AVE				AVE	AVE				AVE	AVE	
FALL	HIGH	LOW	MEAN		FALL	HIGH	LOW	MEAN		FALL	HIGH	LOW	MEAN
1908	58.9	38.1	48.5										
1909	56.0	35.6	45.8										
1910	53.7	33.4	43.6		1950	53.9	34.1	44.0		1990	55.7	35.7	45.7
1911	51.3	31.6	41.5		1951	49.8	30.6	40.2		1991	50.7	31.6	48.5
1912	57.2	35.8	46.5		1952	54.1	32.3	43.2		1992	50.6	33.8	42.2
1913	56.8	35.5	46.2		1953	58.2	37.1	47.7		1993	49.4	30.9	40.2
1914	58.8	35.7	47.3		1954	52.2	36.5	44.4		1994	56.9	38.3	47.6
1915	55.9	35.2	45.6		1955	54.0	34.5	44.3		1995	50.1	30.8	40.5
1916	52.6	31.8	42.2		1956	56.9	36.2	46.6		1996	51.4	32.7	42.1
1917	51.6	31.2	41.4		1957	53.6	35.1	44.4		1997	53.4	35.5	44.5
1918	52.5	32.2	42.4		1958	55.9	38.2	47.1		1998	59.4	38.9	49.2
1919	51.1	31.0	41.1		1959	50.7	32.9	41.8		1999	57.3	36.7	47.0
1920	57.0	35.4	46.2		1960	56.3	37.4	46.9		2000	53.0	33.8	43.4
1921	52.6	33.9	43.3		1961	55.5	37.4	46.5		2001	55.6	35.4	45.5
1922	56.7	35.7	46.2		1962	54.4	37.0	45.7		2002	49.8	31.9	40.9
1923	55.8	32.6	44.2		1963	61.8	40.7	51.3		2003	52.6	33.5	43.1
1924	55.4	32.9	442		1964	55.2	36.4	45.8		2004	56.7	36.7	46.7
1925	49.6	29.7	39.7		1965	52.9	35.0	44.0		2005	57.2	36.4	46.8
1926	48.4	29.6	39.0		1966	54.4	35.1	44.8		2006	51.9	33.2	42.6
1927	54.7	32.8	43.8		1967	53.2	34.2	43.7		2007	55.4	37.5	46.5
1928	53.6	32.7	43.2		1968	55.4	38.6	47.0		2008	53.5	35.1	44.3
1929	52.6	30.0	41.3		1969	52.7	34.1	43.4		2009	55.7	36.1	45.9
1930	55.3	34.1	44.7		1970	53.1	35.7	44.4		2010	54.5	33.1	43.8
1931	58.9	40.2	49.6		1971	55.2	39.0	47.1		2011	55.4	36.2	45.8
1932	51.5	29.5	40.5		1972	49.6	33.3	41.5		2012	53.3	31.9	42.6
1933	54.2	31.5	42.9		1973	54.2	36.2	45.2		2013	52.5	32.5	42.5
1934	55.9	36.3	46.1		1974	51.4	31.5	41.5		2014	48.7	29.7	39.2
1935	52.9	34.3	43.6		1975	57.1	34.6	45.9		2015	58.2	38.2	48.2
1936	52.5	32.5	42.5		1976	52.1	26.9	39.5		2016			
1937	51.4	32.8	42.1		1977	52.8	34.7	43.8		2017			
1938	54.4	36.0	45.2		1978	53.9	34.6	44.3		2018			
1939	57.1	34.5	45.8		1979	52.3	33.5	42.9		2019			
1940	53.8	35.5	44.7		1980	51.6	32.1	41.9		2020			
1941	54.1	37.4	45.8		1981	53.9	31.8	42.9		2021			
1942	53.4	33.5	43.5		1982	52.8	34.5	43.7		2022			
1943	51.1	32.9	42.0		1983	54.5	34.	44.3		2023			
1944	55.6	38.1	46.9		1984	53.8	33.1	43.5		2024			
1945	53.5	33.9	43.7		1985	50.6	29.2	39.9		2025			
1946	56.6	35.4	46.0		1986	51.0	30.7	40.9		2026			
1947	57.3	38.0	47.7		1987	54.0	31.9	43.0		2027			
1948	57.5	36.0	46.8		1988	51.1	34.7	42.9		2028			
1949	54.9	35.0	45.0		1989	54.0	32.1	43.1		2029			

RHINELANDER YEARLY TEMPERATURES

Normal High 51.5 Normal Low 30.4 Normal Mean 41.0

YEAR	AVE HIGH	AVE LOW	MEAN		FALL	AVE HIGH	AVE LOW	MEAN		FALL	AVE HIGH	AVE LOW	MEAN
1908	54.2	32.1	43.2										
1909	52.1	30.7	41.4										
1910	54.7	30.1	42.4		1950	48.9	26.6	37.8		1990	53.4	31.6	42.5
1911	53.9	31.9	42.9		1951	48.8	28.1	38.5		1991	52.5	31.6	42.1
1912	51.2	28.0	39.6		1952	52.9	31.3	42.1		1992	50.3	30.6	40.5
1913	53.7	30.4	42.1		1953	53.2	32.4	42.8		1993	49.9	30.0	40.0
1914	53.0	29.9	41.5		1954	50.6	31.5	41.1		1994	52.0	30.9	41.5
1915	53.0	30.5	41.5		1955	53.6	31.9	42.8		1995	51.1	30.7	40.9
1916	50.7	28.2	39.5		1956	53.1	31.2	42.2		1996	48.9	27.9	38.4
1917	47.5	24.3	35.9		1957	52.6	31.3	42.0		1997	51.1	31.1	41.1
1918	51.7	27.5	39.6		1958	52.5	31.3	41.9		1998	56.9	35.7	46.3
1919	50.6	28.9	39.8		1959	52.3	31.6	42.0		1999	54.9	33.6	44.3
1920	50.9	28.1	39.5		1960	52.6	31.2	41.9		2000	52.1	30.4	41.3
1921	53.6	32.5	43.1		1961	53.4	32.4	42.9		2001	52.8	31.9	42.4
1922	51.8	29.1	40.5		1962	51.9	31.3	41.6		2002	50.5	30.8	40.7
1923	51.3	27.3	39.3		1963	53.4	30.7	42.1		2003	50.7	28.4	39.6
1924	48.1	25.6	36.9		1964	54.0	32.0	43.0		2004	50.9	30.1	40.5
1925	51.0	28.5	39.8		1965	51.3	30.5	40.9		2005	53.4	32.1	42.8
1926	48.7	26.2	37.5		1966	52.1	31.0	41.5		2006	53.6	32.6	43.1
1927	50.8	26.9	38.9		1967	51.8	30.1	41.0		2007	52.5	32.0	42.3
1928	51.2	28.2	39.7		1968	53.6	32.5	43.1		2008	50.2	28.7	39.5
1929	49.8	26.3	38.1		1969	52.4	30.7	41.6		2009	50.7	29.6	40.2
1930	47.4	25.9	36.7		1970	50.9	29.2	40.1		2010	54.2	33.2	43.7
1931	56.3	33.8	45.1		1971	50.4	29.8	40.1		2011	51.7	31.6	41.7
1932	51.2	28.6	39.9		1972	48.7	27.2	38.0		2012	55.3	33.1	44.2
1933	51.8	28.8	40.3		1973	52.0	31.7	41.9		2013	48.9	28.4	38.7
1934	53.3	30.4	41.9		1974	50.5	27.9	39.2		2014	46.8	26.2	36.5
1935	52.4	30.5	41.5		1975	52.7	29.7	41.2		2015	52.4	31.5	41.9
1936	50.7	27.9	39.3		1976	52.9	26.8	39.9		2016	54.1	33.9	44.0
1937	50.9	28.5	39.7		1977	53.1	30.2	41.7		2017			
1938	51.8	31.9	41.9		1978	51.0	28.0	39.5		2018			
1939	52.8	30.9	41.9		1979	49.8	28.2	39.0		2019			
1940	49.6	30.3	40.0		1980	51.3	28.9	40.1		2020			
1941	53.0	32.7	42.9		1981	52.7	29.6	41.2		2021			
1942	50.9	31.1	41.0		1982	50.7	28.6	39.7		2022			
1943	50.1	29.4	39.8		1983	51.9	30.8	41.4		2023			
1944	52.7	33.2	43.0		1984	52.0	29.7	40.9		2024			
1945	51.4	29.9	40.7		1985	50.4	26.8	38.6		2025			
1946	53.8	31.6	42.7		1986	52.0	29.7	40.9		2026			
1947	52.4	31.4	41.9		1987	56.1	31.7	43.9		2027			
1948	53.4	29.6	41.5		1988	52.8	29.3	41.1		2028			
1949	53.4	31.5	42.5		1989	MSG	MSG	MSG		2029			

RHINELANDER MONTHLY EXTREMES

		Jan	Feb	Mar	Apr	May	Jun		Jul	Aug	Sep	Oct	Nov	Dec		YEAR
1908	MAX	51	47	58	83	82	87		92	88	98	79	58	38		98
1908	MIN	-31	-25	-6	10	22	31		40	34	29	23	8	-8		-31
1909	MAX	43	44	48	58	83	91		88	92	82	80	61	52		92
1909	MIN	-37	-16	-13	1	19	36		40	43	27	23	8	-12		-37
1910	MAX	38	40	79	74	76	98		96	89	81	81	45	40		98
1910	MIN	-23	-27	-1	20	22	33		39	40	35	16	13	-10		-27
1911	MAX	41	46	67	75	90	98		98	88	82	71	58	47		98
1911	MIN	-29	-15	-4	5	18	40		41	35	30	15	-5	-12		-29
1912	MAX	31	43	54	72	84	93		93	88	92	82	61	44		93
1912	MIN	-40	-33	-18	14	28	31		36	35	26	19	6	-12		-40
1913	MAX	42	40	52	80	83	93		90	91	91	78	58	54		93
1913	MIN	-18	-23	-27	17	24	30		40	40	26	14	9	2		-27
1914	MAX	42	47	56	71	89	88		92	88	86	79	62	48		92
1914	MIN	-18	-31	-10	10	26	37		44	37	30	18	-1	-19		-31
1915	MAX	38	45	52	85	80	84		88	84	88	70	62	39		88
1915	MIN	-41	-6	-10	18	25	33		37	28	30	25	7	-12		-41
1916	MAX	45	49	63	67	80	81		95	94	82	83	64	56		95
1916	MIN	-34	-20	-21	11	25	34		48	35	26	16	-3	-23		-34
1917	MAX	38	38	53	72	84	86		98	87	82	67	68	40		98
1917	MIN	-30	-32	-31	10	22	33		37	31	25	14	12	-29		-32
1918	MAX	21	50	67	76	88	85		93	88	81	78	57	45		93
1918	MIN	-30	-29	-5	9	21	30		39	41	21	24	7	-5		-30
1919	MAX	45	37	57	74	92	88		91	84	86	80	57	35		92
1919	MIN	-25	-23	-16	11	28	40		40	40	29	16	-4	-28		-28
1920	MAX	35	34	69	62	85	91		85	85	89	77	50	47		91
1920	MIN	-26	-23	-21	2	22	38		41	35	34	16	5	-23		-26
1921	MAX	43	50	61	81	88	93		96	87	88	68	47	38		96
1921	MIN	-12	-10	-7	18	24	30		46	37	34	26	-10	-21		-21

RHINELANDER MONTHLY EXTREMES

		Jan	Feb	Mar	Apr	May	Jun		Jul	Aug	Sep	Oct	Nov	Dec		YEAR
1922	MAX	36	39	55	72	89	91		85	93	89	84	58	37		93
1922	MIN	-37	-24	-15	17	39	37		44	37	29	17	17	-24		-37
1923	MAX	38	41	59	76	86	89		92	84	83	76	60	45		92
1923	MIN	-15	-31	-17	-3	25	39		45	35	27	15	7	2		-31
1924	MAX	40	44	42	65	67	82		86	87	79	77	65	35		87
1924	MIN	-30	-19	-7	-11	22	30		37	36	27	21	5	-34		-34
1925	MAX	35	50	66	84	89	89		92	89	88	64	59	37		92
1925	MIN	-30	-23	-20	15	23	33		39	41	28	2	-4	-14		-30
1926	MAX	41	38	54	78	87	85		92	87	80	73	49	35		92
1926	MIN	-24	-12	-21	6	19	32		39	44	23	12	-3	-27		-27
1927	MAX	41	44	68	77	77	90		88	83	90	78	54	37		90
1927	MIN	-34	-13	-7	18	25	28		38	36	30	22	4	-26		-34
1928	MAX	44	40	64	77	87	82		89	92	77	81	54	45		92
1928	MIN	-23	-35	-14	-3	28	32		32	37	26	10	8	-14		-35
1929	MAX	31	44	58	76	86	83		93	88	92	79	53	46		93
1929	MIN	-30	-37	-5	17	22	36		37	41	29	19	-13	-11		-37
1930	MAX	41	58	62	79	93	MSG		92	92	81	81	70	50		93
1930	MIN	-30	-26	-3	14	25	MSG		31	37	28	14	-7	-8		-30
1931	MAX	46	60	58	83	84	104		96	92	93	77	69	45		104
1931	MIN	-10	-17	2	17	23	38		43	36	33	24	11	-11		-17
1932	MAX	40	52	49	74	88	89		96	89	83	78	57	47		96
1932	MIN	-23	-20	-16	14	24	41		43	41	29	20	-9	-25		-25
1933	MAX	41	41	45	68	83	95		96	88	90	70	74	41		96
1933	MIN	-16	-36	-15	15	24	33		45	39	30	9	-6	-31		-36
1934	MAX	44	42	47	85	99	92		99	96	79	81	59	46		99
1934	MIN	-17	-31	-11	20	28	37		44	33	33	21	16	-17		-31

RHINELANDER MONTHLY EXTREMES

		Jan	Feb	Mar	Apr	May	Jun		Jul	Aug	Sep	Oct	Nov	Dec		YEAR
1935	MAX	40	47	65	84	81	89		95	92	87	75	68	35		95
1935	MIN	-38	-30	3	15	26	34		50	37	31	25	8	-17		-38
1936	MAX	33	54	56	69	88	87		108	93	86	75	65	48		108
1936	MIN	-31	-41	-12	5	29	36		47	40	34	11	-7	-23		-41
1937	MAX	33	42	57	62	86	95		100	94	90	71	60	44		100
1937	MIN	-29	-28	-10	13	23	33		47	37	32	21	-1	-19		-29
1938	MAX	44	42	67	78	79	91		86	89	78	81	68	33		91
1938	MIN	-29	-37	-8	13	26	40		46	43	33	26	0	-24		-37
1939	MAX	43	38	65	80	90	88		92	88	90	80	67	61		92
1939	MIN	-24	-31	-28	7	25	41		40	44	26	21	12	-8		-31
1940	MAX	28	42	42	65	81	88		93	86	85	75	53	43		93
1940	MIN	-24	-11	-20	8	24	36		42	36	31	28	-2	-20		-24
1941	MAX	33	45	53	77	81	89		92	87	83	70	64	51		92
1941	MIN	-20	-16	-16	20	26	35		43	36	31	21	8	-4		-20
1942	MAX	52	36	50	80	80	82		90	90	83	76	57	30		90
1942	MIN	-28	-32	-9	19	32	37		44	36	24	16	-1	-14		-32
1943	MAX	33	47	66	71	78	87		89	87	80	76	45	41		89
1943	MIN	-23	-29	-27	10	27	39		47	42	28	22	1	-15		-29
1944	MAX	51	45	48	71	85	88		85	91	81	69	72	35		91
1944	MIN	-7	-10	-24	7	27	36		47	39	31	20	18	-17		-24
1945	MAX	31	40	72	75	76	84		91	86	87	77	58	40		91
1945	MIN	-24	-23	-24	20	26	30		41	39	24	22	8	-24		-24
1946	MAX	42	45	74	75	81	86		86	87	80	76	55	54		87
1946	MIN	-24	-30	8	15	29	32		39	39	29	20	4	-26		-30
1947	MAX	44	44	49	75	76	85		90	96	88	85	60	39		96
1947	MIN	-34	-21	-8	13	20	34		40	43	24	29	-6	-16		-34
1948	MAX	39	45	58	82	86	89		90	93	86	73	65	50		93
1948	MIN	-36	-29	-34	16	26	36		37	44	33	17	12	-16		-36

RHINELANDER MONTHLY EXTREMES

		Jan	Feb	Mar	Apr	May	Jun		Jul	Aug	Sep	Oct	Nov	Dec		YEAR
1949	MAX	42	42	51	80	86	89		89	90	77	74	65	43		90
1949	MIN	-18	-20	-3	16	27	32		47	40	27	23	9	-20		-20
1950	MAX	37	37	49	63	83	86		89	85	78	79	51	32		89
1950	MIN	-36	-23	-22	-2	24	37		44	36	30	28	-11	-18		-36
1951	MAX	44	44	51	78	81	80		85	83	79	69	50	52		85
1951	MIN	-34	-40	-7	19	27	36		45	37	29	19	-9	-20		-40
1952	MAX	46	42	50	92	87	89		87	85	87	66	59	46		92
1952	MIN	-20	-10	-8	6	29	38		39	37	29	15	2	-2		-20
1953	MAX	35	40	56	66	86	89		89	92	90	86	65	48		92
1953	MIN	-19	-19	-13	17	26	37		41	44	33	19	7	-17		-19
1954	MAX	32	48	51	68	83	88		89	84	79	70	60	38		89
1954	MIN	-30	-13	-1	-1	21	34		45	40	31	20	19	-5		-30
1955	MAX	36	41	61	77	86	87		98	92	86	78	51	35		98
1955	MIN	-21	-19	-14	22	30	41		50	45	32	28	-10	-17		-21
1956	MAX	36	38	47	62	79	95		85	84	79	81	68	42		95
1956	MIN	-20	-19	-15	19	26	34		44	41	28	25	-5	-12		-20
1957	MAX	38	44	51	83	82	88		94	91	85	70	55	45		94
1957	MIN	-21	-18	-10	12	27	34		47	41	28	25	-1	-7		-21
1958	MAX	35	56	53	78	82	86		86	90	81	75	62	40		90
1958	MIN	-8	-22	5	16	27	35		43	40	34	29	-9	-22		-22
1959	MAX	35	40	57	70	90	87		88	91	88	74	49	43		91
1959	MIN	-23	-30	-9	22	28	40		44	50	29	23	-6	5		-30
1960	MAX	36	40	55	80	80	83		89	87	89	78	54	50		89
1960	MIN	-17	-14	-19	16	29	40		43	41	32	20	14	-16		-19
1961	MAX	42	51	54	67	83	92		90	88	86	80	61	52		92
1961	MIN	-18	-22	-1	15	25	40		42	47	27	22	7	-17		-22
1962	MAX	38	39	60	85	87	87		89	86	77	79	54	56		89
1962	MIN	-28	-30	-36	15	33	34		45	40	31	15	15	-22		-36

RHINELANDER MONTHLY EXTREMES

		Jan	Feb	Mar	Apr	May	Jun		Jul	Aug	Sep	Oct	Nov	Dec		YEAR
1963	MAX	36	35	68	72	81	97		96	86	79	84	58	38		97
1963	MIN	-34	-30	-10	18	23	35		43	37	30	31	14	-17		-34
1964	MAX	44	47	48	81	89	91		94	97	79	73	69	35		97
1964	MIN	-15	-29	-5	11	32	34		49	38	28	19	-5	-18		-29
1965	MAX	40	42	45	76	83	89		90	90	82	78	64	46		90
1965	MIN	-27	-26	-20	12	30	37		43	36	28	24	9	-5		-27
1966	MAX	35	45	69	62	85	95		93	87	86	78	52	40		95
1966	MIN	-30	-20	-1	17	20	36		45	41	31	20	9	-15		-30
1967	MAX	44	39	68	69	87	84		87	84	80	83	57	49		87
1967	MIN	-30	-33	-14	15	21	42		37	37	28	24	-1	-27		-33
1968	MAX	39	42	67	77	84	90		89	93	79	81	53	45		93
1968	MIN	-28	-19	3	15	24	39		39	36	37	24	14	-19		-28
1969	MAX	39	41	55	71	90	80		90	90	84	73	60	42		90
1969	MIN	-20	-15	-11	17	30	36		41	42	34	12	-2	-19		-20
1970	MAX	34	43	51	86	85	93		93	89	85	72	55	48		93
1970	MIN	-26	-29	-5	16	23	39		43	40	33	25	-2	-15		-29
1971	MAX	31	44	48	75	79	93		83	85	85	77	55	36		93
1971	MIN	-25	-34	-16	5	26	36		44	41	32	28	3	-9		-34
1972	MAX	38	37	53	67	88	86		88	88	78	68	49	34		88
1972	MIN	-39	-27	-23	2	30	31		37	39	28	13	4	-24		-39
1973	MAX	51	41	59	71	75	82		93	92	85	73	50	44		93
1973	MIN	-26	-15	16	17	28	45		47	46	29	28	9	-27		-27
1974	MAX	41	45	56	77	85	82		96	83	75	72	61	42		96
1974	MIN	-30	-19	-15	10	24	38		47	40	25	24	9	-4		-30
1975	MAX	41	41	53	64	90	88		94	92	77	79	73	47		94
1975	MIN	-25	-28	-11	5	31	38		40	41	30	23	0	-17		-28
1976	MAX	31	59	63	81	81	89		92	92	95	92	54	42		95
1976	MIN	-24	-23	-9	18	24	43		43	37	24	11	-16	-27		-27

RHINELANDER MONTHLY EXTREMES

		Jan	Feb	Mar	Apr	May	Jun		Jul	Aug	Sep	Oct	Nov	Dec		Year
1977	MAX	32	52	62	82	90	87		98	87	75	67	60	38		98
1977	MIN	-37	-22	-1	5	26	33		47	36	37	27	-7	-25		-37
1978	MAX	32	35	54	73	88	87		86	88	89	72	70	37		89
1978	MIN	-19	-25	-19	12	24	33		42	44	33	25	-12	-19		-25
1979	MAX	29	46	51	71	82	82		89	85	82	69	58	45		89
1979	MIN	-33	-33	-9	5	27	37		41	37	32	20	1	-10		-33
1980	MAX	46	36	54	89	86	87		93	86	82	76	57	37		93
1980	MIN	-23	-20	-17	21	30	33		45	46	30	16	10	-22		-23
1981	MAX	53	55	63	70	79	83		89	88	81	65	68	37		89
1981	MIN	-29	-23	0	18	25	43		41	39	31	15	10	-15		-29
1982	MAX	29	48	52	72	82	82		90	86	82	74	59	60		90
1982	MIN	-40	-26	-15	-4	31	32		48	38	31	21	3	-7		-40
1983	MAX	38	45	51	75	74	87		98	90	90	76	57	32		98
1983	MIN	-21	-21	-1	12	22	37		41	47	32	25	7	-34		-34
1984	MAX	37	55	49	74	77	80		89	92	83	69	55	48		92
1984	MIN	-32	-6	-21	22	25	46		47	42	27	18	5	-15		-32
1985	MAX	35	48	60	82	80	87		89	86	88	68	50	29		89
1985	MIN	-29	-32	-14	12	31	34		44	45	29	26	-11	-24		-32
1986	MAX	45	35	75	83	89	89		94	86	82	73	53	39		94
1986	MIN	-21	-21	-15	19	27	32		39	36	31	26	-6	-16		-21
1987	MAX	49	46	65	89	87	93		91	90	86	71	57	42		93
1987	MIN	-23	-6	-1	4	29	38		47	40	32	19	7	-13		-23
1988	MAX	40	45	51	72	88	92		95	97	82	74	59	49		97
1988	MIN	-29	-28	-8	22	28	36		38	44	35	11	16	-13		-29
1989	MAX	46	35	69	74	M	85		92	91	79	78	45	34		92
1989	MIN	-18	-25	-20	11	M	35		48	44	28	20	-6	-26		-26
1990	MAX	45	43	63	84	81	87		89	84	84	76	70	51		89
1990	MIN	-9	-22	-13	14	24	30		42	44	35	25	14	-25		-25

RHINELANDER MONTHLY EXTREMES

		Jan	Feb	Mar	Apr	May	Jun		Jul	Aug	Sep	Oct	Nov	Dec		YEAR
1991	MAX	37	55	63	80	87	90		87	90	80	72	52	41		90
1991	MIN	-25	-17	0	19	30	42		42	44	27	19	-4	-16		-25
1992	MAX	39	46	52	70	85	90		81	89	78	85	51	35		90
1992	MIN	-21	-23	-13	12	26	35		39	39	29	16	7	-14		-23
1993	MAX	42	46	67	69	83	85		83	89	76	73	50	48		89
1993	MIN	-18	-19	-13	14	30	33		46	43	26	19	-4	-21		-21
1994	MAX	28	54	62	78	89	88		87	88	84	71	54	50		89
1994	MIN	-33	-29	0	10	26	34		46	42	35	27	7	-3		-33
1995	MAX	40	45	67	59	82	98		100	88	84	81	37	38		100
1995	MIN	-15	-18	-18	1	30	30		46	50	27	25	-12	-17		-18
1996	MAX	46	48	56	70	83	91		84	87	83	75	51	34		91
1996	MIN	-33	-42	-20	4	27	42		42	43	25	13	-3	-21		-42
1997	MAX	38	53	63	69	82	87		88	88	80	80	53	47		88
1997	MIN	-31	-21	-18	6	28	41		43	43	37	22	-5	-1		-31
1998	MAX	42	47	65	77	87	86		90	90	93	73	62	62		93
1998	MIN	-17	0	-8	25	34	33		48	46	33	26	15	-18		-18
1999	MAX	44	48	69	79	86	90		98	92	88	73	71	51		98
1999	MIN	-23	-8	-9	25	31	39		50	42	31	24	12	-17		-23
2000	MAX	41	59	74	76	86	91		85	90	83	74	64	29		91
2000	MIN	-20	-24	5	18	28	37		36	37	23	23	4	-24		-24
2001	MAX	39	37	47	81	82	88		91	93	80	73	65	57		93
2001	MIN	-12	-22	4	19	26	39		37	37	30	19	20	-2		-22
2002	MAX	48	43	46	84	84	90		92	86	88	76	52	46		92
2002	MIN	-9	-9	-19	-1	22	38		45	41	32	14	5	-13		-19
2003	MAX	48	43	64	83	76	85		87	91	87	77	52	44		91
2003	MIN	-24	-25	-20	-4	23	27		41	38	25	19	0	-13		-25
2004	MAX	33	54	52	77	82	87		86	86	85	77	61	45		87
2004	MIN	-20	-19	-8	17	19	35		42	34	26	24	9	-29		-29

RHINELANDER MONTHLY EXTREMES

		Jan	Feb	Mar	Apr	May	Jun		Jul	Aug	Sep	Oct	Nov	Dec		YEAR
2005	MAX	34	50	62	79	77	92		95	93	91	79	58	37		95
2005	MIN	-22	-10	-10	23	24	42		42	40	33	24	-4	-10		-22
2006	MAX	46	35	55	75	89	91		100	83	81	81	57	41		100
2006	MIN	0	-28	-7	17	26	34		43	41	30	18	7	-6		-28
2007	MAX	40	46	73	84	87	90		93	89	88	83	53	35		93
2007	MIN	-13	-27	-16	12	28	42		42	39	24	22	-4	-16		-27
2008	MAX	41	40	45	75	73	85		86	88	85	76	70	44		88
2008	MIN	-26	-19	-16	11	26	37		45	34	34	20	-4	-17		-26
2009	MAX	35	44	60	80	87	95		86	87	83	64	65	40		95
2009	MIN	-26	-22	-23	18	29	31		40	33	23	20	17	-14		-26
2010	MAX	39	37	72	77	90	86		86	89	75	82	63	43		90
2010	MIN	-17	-10	5	18	22	35		47	40	31	20	5	-20		-20
2011	MAX	36	52	50	72	79	93		93	84	84	81	57	41		93
2011	MIN	-23	-21	-7	20	22	33		48	43	27	22	11	-5		-23
2012	MAX	44	44	78	72	86	87		93	92	85	71	60	55		93
2012	MIN	-24	-4	1	19	29	31		46	39	26	16	2	-5		-24
2013	MAX	44	35	48	81	82	83		90	92	84	75	52	36		92
2013	MIN	-19	-17	-10	6	19	32		40	34	29	20	-4	-25		-25
2014	MAX	34	39	54	69	84	85		84	84	79	63	49	43		85
2014	MIN	-30	-25	-28	-2	24	37		39	37	29	18	-11	-21		-30
2015	MAX	36	26	58	74	82	81		88	89	87	79	70	49		89
2015	MIN	-24	-24	-20	17	24	35		37	39	29	20	5	7		-24
2016	MAX	41	52	68	79	89	88		91	88	79	70	70	40		91
	MIN	-20	-20	2	11	25	32		44	45	38	26	10	-14		-20
2017	MAX															
	MIN															
2018	MAX															
	MIN															

RHINELANDER MONTHLY EXTREMES

		Jan	Feb	Mar	Apr	May	Jun		Jul	Aug	Sep	Oct	Nov	Dec		YEAR
2019	MAX															
2019	MIN															
2020	MAX															
2020	MIN															
2021	MAX															
2021	MIN															
2022	MAX															
2022	MIN															
2023	MAX															
2023	MIN															
2024	MAX															
2024	MIN															
2025	MAX															
2025	MIN															
2026	MAX															
2026	MIN															

RHINELANDER MONTHLY HEATING DEGREE DAYS

Normal	51	76	305	661	1,041	1,492		1,635	1,361	1,173	705	386	134	9,020		9,020
														TOTAL		TOTAL
Season	JUL	AUG	SEP	OCT	NOV	DEC		JAN	FEB	MAR	APR	MAY	JUN	SEASON	YEAR	YEAR
1907-08	M	M	M	M	M	M		1,469	1,353	1,195	643	342	130	MSG	1908	8,327
1908-09	44	71	136	502	963	1479		1,534	1,321	1,232	925	409	88	8,707	1909	8,821
1909-10	28	38	238	675	832	1501		1,584	1,496	769	519	480	126	8,286	1910	8,497
1910-11	16	58	262	501	1,172	1,514		1,623	1,243	1,068	684	228	30	8,399	1911	8,383
1911-12	58	83	255	661	1,213	1,237		2,184	1,550	1,393	681	312	141	9,768	1912	9,502
1912-13	51	125	260	518	949	1,338		1,570	1,583	1,337	633	409	99	8,872	1913	8,630
1913-14	64	49	293	624	838	1,131		1,396	1,633	1,249	786	282	139	8,484	1914	8,832
1914-15	12	81	228	401	993	1,632		1,626	1,128	1,233	421	469	213	8,437	1915	8,520
1915-16	86	175	244	552	969	1,404		1,636	1,565	1,332	787	429	195	9,374	1916	9,766
1916-17	0	76	321	651	1,096	1,678		1,865	1,786	1,313	834	516	227	10,363	1917	10,684
1917-18	75	158	273	917	955	1,765		1,990	1,536	1,037	797	353	160	10,016	1918	9,290
1918-19	69	49	456	629	950	1,264		1,325	1,403	1,214	742	414	30	8,545	1919	9,290
1919-20	28	105	264	740	1,169	1,856		1,964	1,542	1,213	930	369	127	10,307	1920	9,424
1920-21	86	95	217	380	1,113	1,388		1,470	1,295	1,181	557	314	79	8,175	1921	8,451
1921-22	3	56	165	588	1,228	1,515		1,774	1,568	1,210	738	170	92	9,107	1922	9,107
1922-23	45	91	221	622	917	1,659		1,631	1,731	1,578	876	365	72	9,808	1923	9,538
1923-24	9	141	227	707	963	1,238		1,973	1,459	1,285	834	627	207	9,670	1924	10,324
1924-25	83	135	376	425	1,062	1,858		1,677	1,377	1,179	564	515	123	9,374	1925	9,429
1925-26	61	44	229	937	1,144	1,579		1,690	1,394	1,433	884	341	209	9,945	1926	10,056
1926-27	49	73	376	733	1,226	1,648		1,811	1,323	1,037	750	501	203	9,730	1927	9,609
1927-28	72	163	265	580	1,125	1,779		1,635	1,493	1,282	939	331	232	9,896	1928	9,357
1928-29	29	81	373	612	979	1,371		2,095	1,642	1,124	680	492	161	9,639	1929	9,929
1929-30	27	59	289	675	1,184	1,501		1,889	1,252	1,213	634	246	M	MSG	1930	8,550
1930-31	41	62	321	664	859	1,369		1,384	1,148	1,152	585	436	87	8,108	1931	7,613
1931-32	33	109	168	461	839	1,211		1,418	1,457	1,444	780	370	43	8,333	1932	9,406
1932-33	31	54	280	738	1,188	1,603		1,464	1,661	1,282	799	313	38	9,451	1933	9,357
1933-34	6	62	155	713	1,166	1,698		1,345	1,581	1,332	784	215	74	9,131	1934	8,724
1934-35	23	150	285	512	906	1,517		1,758	1,310	1,048	705	435	187	8,836	1935	8,960
1935-36	4	74	290	562	1,092	1,495		1,787	1,913	1,186	932	248	152	9,735	1936	9,774
1936-37	6	66	175	745	1,157	1,407		1,813	1,453	1,358	817	339	116	9,452	1937	9,639
1937-38	20	25	285	743	1,084	1,586		1,734	1,297	1,036	690	364	145	9,009	1938	8,595
1938-39	17	43	282	481	1,020	1,486		1,508	1,578	1,291	868	279	125	8,978	1939	8,695
1939-40	26	50	266	595	927	1,182		1,756	1,283	1,436	851	464	135	8,971	1940	9,369

RHINELANDER MONTHLY HEATING DEGREE DAYS

Normal	51	76	305	661	1,041	1,492		1,635	1,361	1,173	705	386	134	9,020		9,020
														TOTAL		TOTAL
Season	JUL	AUG	SEP	OCT	NOV	DEC		JAN	FEB	MAR	APR	MAY	JUN	SEASON	YEAR	YEAR
1940-41	46	119	217	541	1,117	1,404		1,558	1,400	1,330	524	263	106	8,625	1941	8,336
1941-42	63	96	216	594	946	1,240		1,538	1,416	1,105	540	428	136	8,318	1942	8,831
1942-43	69	80	344	552	1,049	1,574		1,759	1,401	1,445	840	395	106	9,614	1943	9,471
1943-44	10	53	374	572	1,133	1,383		1,268	1,341	1309	797	246	101	8,587	1944	8,304
1944-45	27	68	235	567	839	1,506		1,734	1,374	867	673	485	201	8,576	1945	8,995
1945-46	77	44	299	623	1,040	1,578		1,543	1,425	818	609	403	152	8,611	1946	8,238
1946-47	33	106	251	485	982	1,431		1,485	1,440	1,300	802	485	162	8,962	1947	8,833
1947-48	50	29	248	269	1,128	1,435		1,811	1,500	1,265	549	371	107	8,762	1948	8,820
1948-49	40	43	160	577	953	1,444		1,506	1,424	1,220	641	320	52	8,380	1949	8,478
1949-50	17	48	306	479	1,015	1,450		1,756	1,440	1,420	1,028	426	132	9,517	1950	9,980
1950-51	80	157	246	467	1,177	1,651		1,737	1,441	1,331	750	255	167	9,459	1951	9,681
1951-52	56	150	345	665	1,221	1,563		1,607	1,260	1,249	613	383	78	9,190	1952	8,610
1952-53	37	89	267	778	960	1,289		1,480	1,374	1,134	805	319	76	8,608	1953	8,261
1953-54	61	49	284	439	868	1,372		1,684	1,141	1,313	707	556	102	8,576	1954	8,879
1954-55	37	90	319	625	914	1,391		1,663	1,399	1,288	460	203	79	8,468	1955	8,594
1955-56	1	26	222	506	1,160	1,587		1,536	1,443	1,276	760	337	62	8,916	1956	8,537
1956-57	56	51	301	362	992	1,361		1,796	1,326	1,177	633	321	87	8,463	1957	8,662
1957-58	9	55	282	569	1,023	1,384		1,424	1,448	1,144	612	320	183	8,453	1958	8,540
1958-59	31	68	187	493	947	1,683		1,819	1,461	1,177	665	217	70	8,818	1959	8,794
1959-60	38	11	195	685	1,256	1,200		1,526	1,374	1,421	647	342	101	8,796	1960	8,689
1960-61	43	22	241	552	912	1,508		1,627	1,186	1,052	760	409	73	8,385	1961	8,369
1961-62	18	16	239	484	1,013	1,492		1,730	1,478	1,127	718	237	95	8,647	1962	8,701
1962-63	27	46	306	496	948	1,493		1,911	1,591	1,099	596	371	92	8,976	1963	8,661
1963-64	21	77	176	260	821	1,646		1,406	1,351	1,229	632	188	110	7,917	1964	8,377
1964-65	15	125	259	600	882	1,580		1,691	1,484	1,393	766	200	88	9,083	1965	8,896
1965-66	42	83	367	533	1,001	1,248		1,818	1,332	1,051	782	454	71	8,782	1966	8,903
1966-67	8	105	243	584	1,021	1,434		1,485	1,543	1,148	663	483	41	8,758	1967	8,872
1967-68	63	102	234	592	1,105	1,413		1,620	1,507	914	561	370	136	8,617	1968	8,352
1968-69	48	87	191	485	976	1,457		1,594	1,318	1,293	585	289	246	8,569	1969	8,829
1969-70	40	9	228	702	1,063	1,462		1,862	1,511	1,307	700	406	91	9,381	1970	9,354
1970-71	39	49	272	550	1,053	1,514		1,888	1,444	1,307	745	472	79	9,412	1971	9,244
1971-72	79	106	255	408	999	1,462		1,928	1,623	1,311	851	246	137	9,405	1972	10,016
1972-73	77	77	311	741	1,073	1,641		1,559	1,360	911	762	502	60	9,074	1973	8,567
1973-74	20	52	324	454	1,028	1,535		1,686	1,538	1,239	733	500	195	9,304	1974	9,457
1974-75	25	86	474	678	969	1,334		1,611	1,384	1,370	891	278	133	9,233	1975	9,000

RHINELANDER MONTHLY HEATING DEGREE DAYS

Normal	51	76	305	661	1,041	1,492		1,635	1,361	1,173	705	386	134	9,020		9,020
														TOTAL		TOTAL
Season	JUL	AUG	SEP	OCT	NOV	DEC		JAN	FEB	MAR	APR	MAY	JUN	SEASON	YEAR	YEAR
1975-76	45	63	373	494	854	1,504		1,741	1,229	1,241	616	397	50	8,607	1976	9,500
1976-77	10	84	314	764	1,247	1,807		1,961	1,320	970	561	135	126	9,299	1977	8,723
1977-78	25	159	264	623	1,027	1,552		1,712	1,549	1,269	809	304	149	9,442	1978	9,468
1978-79	76	52	239	619	1,070	1,620		1,916	1,569	1,168	828	477	142	9,776	1979	9,557
1979-80	31	92	223	707	1,078	1,326		1,652	1,525	1,277	640	265	150	8,966	1980	9,287
1980-81	29	62	313	774	1,004	1,596		1,668	1,294	1,084	662	397	96	8,979	1981	8,806
1981-82	66	33	336	742	911	1,517		1,966	1,464	1,256	845	201	228	9,565	1982	9,343
1982-83	9	133	310	567	1,059	1,305		1,495	1,139	1,090	811	510	120	8,548	1983	9,030
1983-84	25	15	254	639	1,018	1,914		1,796	1,176	1,387	620	436	73	9,353	1984	8,992
1984-85	28	33	336	512	1,084	1,511		1,769	1,493	1,060	603	265	175	8,869	1985	9,672
1985-86	34	94	350	669	1,271	1,889		1,685	1,482	1,128	572	263	145	9,582	1986	9,051
1986-87	14	125	307	681	1,201	1,448		1,496	1,191	992	534	290	89	8,368	1987	8,005
1987-88	25	83	234	808	960	1,303		1,862	1,612	1,160	671	231	82	9,031	1988	9,192
1988-89	12	55	240	788	985	1,494		1,425	1,600	1,349	772	M	154	MSG	1989	MSG
1989-90	17	42	254	559	1,169	1,842		1,329	1,336	1,104	612	423	121	8,808	1990	8,294
1990-91	47	53	215	660	888	1,506		1,746	1,252	1,105	589	246	35	8,342	1991	8,662
1991-92	50	47	318	673	1,176	1,425		1,513	1,268	1,201	808	298	191	8,968	1992	9,010
1992-93	118	132	282	653	1,118	1,428		1,589	1,415	1,155	811	375	167	9,243	1993	9,214
1993-94	24	53	398	699	1,137	1,391		1,969	1,517	1,078	726	325	85	9,402	1994	8,704
1994-95	51	103	175	505	907	1,263		1,516	1,394	1,061	877	360	77	8,289	1995	9,156
1995-96	29	12	313	602	1,316	1,599		1,819	1,511	1,388	895	432	108	10,024	1996	9,838
1996-97	87	25	273	633	1,186	1,481		1,703	1,315	1,234	775	524	51	9,287	1997	8,857
1997-98	58	106	199	570	1,092	1,230		1,442	972	1,119	532	160	158	7,638	1998	7,177
1998-99	11	8	119	502	878	1,276		1,672	1,169	1,069	571	252	107	7,634	1999	7,920
1999-00	9	40	261	616	784	1,370		1,624	1,212	854	712	290	137	7,909	2000	8,771
2000-01	83	77	324	563	1,064	1,831		1,459	1,492	1,224	627	323	152	9,219	2001	8,471
2001-02	77	75	326	681	760	1,275		1,353	1,196	1,425	817	544	126	8,655	2002	9,107
2002-03	20	57	235	854	1,125	1,355		1,707	1,568	1,238	801	451	172	9,583	2003	9,400
2003-04	52	47	292	668	1,056	1,348		1,816	1,342	1,117	708	460	178	9,084	2004	9,070
2004-05	74	196	149	602	933	1,495		1,665	1,245	1,280	579	417	29	8,664	2005	8,490
2005-06	36	49	184	536	991	1,479		1,263	1,442	1,140	539	350	113	8,122	2006	8,207
2006-07	13	44	337	772	923	1,271		1,497	1,570	1,036	731	273	67	8,534	2007	8,576
2007-08	55	66	211	472	1,061	1,537		1,611	1,544	1,310	739	483	101	9,190	2008	9,445
2008-09	21	75	219	629	1,039	1,674		1,868	1,324	1,143	724	386	185	9,287	2009	9,135
2009-10	118	128	167	769	797	1,526		1,548	1,266	863	491	310	124	8,107	2010	8,035

RHINELANDER MONTHLY HEATING DEGREE DAYS

Normal	51	76	305	661	1,041	1,492		1,635	1,361	1,173	705	386	134	9,020		9,020
														TOTAL		TOTAL
Season	JUL	AUG	SEP	OCT	NOV	DEC		JAN	FEB	MAR	APR	MAY	JUN	SEASON	YEAR	YEAR
2010-11	3	28	347	566	989	1,500		1,694	1,327	12,40	799	385	131	9,009	2011	8,707
2011-12	9	31	314	518	919	1,340		1,469	1,235	684	676	281	99	7,575	2012	7,872
2012-13	3	79	348	691	999	1,310		1,573	1,397	1,329	882	400	174	9,185	2013	9,753
2013-14	84	106	262	650	1,125	1,778		1,933	1,691	1,439	899	371	93	10,431	2014	10,379
2014-15	124	76	314	685	1,322	1,432		1,659	1,729	1,130	685	317	132	9,605	2015	8,478
2015-16	49	88	144	588	848	1,109		1,550	1,307	939	736	343	92	7,794	2016	7,899
2016-17	33	28	160	517	744	1,450									2017	
2017-18															2018	
2018-19															2019	
2019-20															2020	
2020-21															2021	
2021-22															2022	

RHINELANDER HEATING DEGREE DAYS BY SEASON

Normal	4488	Normal	2264	Normal	261	Normal	2007
WINTER	TOTAL	SPRING	TOTAL	SUMMER	TOTAL	FALL	TOTAL
1906-07	MSG	1907	MSG	1907	MSG	1907	MSG
1907-08	MSG	1908	2,180	1908	245	1908	1,601
1908-09	4,334	1909	2,566	1909	154	1909	1,745
1909-10	4,581	1910	1,768	1910	200	1910	1,935
1910-11	4,380	1911	1,980	1911	171	1911	2,129
1911-12	4,971	1912	2,386	1912	317	1912	1,727
1912-13	4,491	1913	2,379	1913	212	1913	1,755
1913-14	4,160	1914	2,317	1914	232	1914	1,622
1914-15	4,386	1915	2,123	1915	474	1915	1,765
1915-16	4,605	1916	2,548	1916	271	1916	2,068
1916-17	5,329	1917	2,663	1917	460	1917	2,145
1917-18	5,291	1918	2,187	1918	278	1918	2,035
1918-19	3,992	1919	2,370	1919	163	1919	2,173
1919-20	5,362	1920	2,512	1920	308	1920	1,710
			,				
1920-21	4,153	1921	2,052	1921	138	1921	1,981
1921-22	4,857	1922	2,118	1922	228	1922	1,760
1922-23	5,021	1923	2,819	1923	222	1923	1,897
1923-24	4,670	1924	2,746	1924	425	1924	1,863
1924-25	4,912	1925	2,258	1925	228	1925	2,310
1925-26	4,663	1926	2,658	1926	331	1926	2,335
1926-27	4,782	1927	2,288	1927	438	1927	1,970
1927-28	4,907	1928	2,552	1928	342	1928	1,964
1928-29	5,108	1929	2,296	1929	247	1929	2,148
1929-30	4,642	1930	2,093	1930	103	1930	1,844
1930-31	3,901	1931	2,173	1931	229	1931	1,468
1931-32	4,086	1932	2,594	1932	128	1932	2,206
1932-33	4,728	1933	2,394	1933	106	1933	2,034
1933-34	4,624	1934	2,331	1934	247	1934	1,703
1934-35	4,585	1935	2,188	1935	265	1935	1,944
1935-36	5,195	1936	2,366	1936	224	1936	2,077
1936-37	4,673	1937	2,514	1937	161	1937	2,112
1937-38	4,617	1938	2,090	1938	205	1938	1,783
1938-39	4,572	1939	2,438	1939	201	1939	1,788
1939-40	4,221	1940	2,751	1940	300	1940	1,875
1940-41	4,362	1941	2,117	1941	265	1941	1,756
1941-42	4,194	1942	2,073	1942	285	1942	1,945
1942-43	4,734	1943	2,680	1943	169	1943	2,079
1943-44	3,992	1944	2,352	1944	196	1944	1,641
1944-45	4,614	1945	2,025	1945	322	1945	1,962
1945-46	4,546	1946	1,830	1946	291	1946	1,718
1946-47	4,356	1947	2,587	1947	241	1947	1,645
1947-48	4,746	1948	2,185	1948	190	1948	1,690
1948-49	4,374	1949	2,181	1949	117	1949	1,800
1949-50	4,646	1950	2,874	1950	369	1950	1,890

RHINELANDER HEATING DEGREE DAYS BY SEASON

Normal	4488	Normal	2264	Normal	261	Normal	2007
WINTER	TOTAL	SPRING	TOTAL	SUMMER	TOTAL	FALL	TOTAL
1950-51	4,829	1951	2,336	1951	373	1951	2,231
1951-52	4,430	1952	2,248	1952	204	1952	2,005
1952-53	4,143	1953	2,258	1953	186	1953	1,591
1953-54	4,197	1954	2,576	1954	229	1954	1,858
1954-55	4,453	1955	1,951	1955	106	1955	1,888
1955-56	4,566	1956	2,373	1956	169	1956	1,655
1956-57	4,483	1957	2,131	1957	151	1957	1,874
1957-58	4,256	1958	2,076	1958	282	1958	1,627
1958-59	4,963	1959	2,059	1959	119	1959	2,136
1959-60	4,100	1960	2,410	1960	166	1960	1,705
1960-61	4,321	1961	2,221	1961	107	1961	1,736
1961-62	4,700	1962	2,082	1962	168	1962	1,750
1962-63	4,995	1963	2,066	1963	190	1963	1,257
1963-64	4,403	1964	2,049	1964	250	1964	1,741
1964-65	4,755	1965	2,359	1965	213	1965	1,901
1965-66	4,398	1966	2,287	1966	184	1966	1,848
1966-67	4,462	1967	2,294	1967	206	1967	1,931
1967-68	4,540	1968	1,845	1968	271	1968	1,652
1968-69	4,369	1969	2,167	1969	295	1969	1,993
1969-70	4,835	1970	2,413	1970	179	1970	1,875
1970-71	4,846	1971	2,524	1971	264	1971	1,662
1971-72	5,013	1972	2,408	1972	291	1972	2,125
1972-73	4,560	1973	2,175	1973	132	1973	1,806
1973-74	4,759	1974	2,472	1974	306	1974	2,121
1974-75	4,329	1975	2,539	1975	241	1975	1,721
1975-76	4,474	1976	2,254	1976	144	1976	2,325
1976-77	5,088	1977	1,666	1977	310	1977	1,914
1977-78	4,813	1978	2,382	1978	277	1978	1,928
1978-79	5,105	1979	2,473	1979	265	1979	2,008
1979-80	4,503	1980	2,182	1980	241	1980	2,091
1980-81	4,558	1981	2,143	1981	195	1981	1,989
1981-82	4,947	1982	2,302	1982	370	1982	1,936
1982-83	3,939	1983	2,411	1983	160	1983	1,911
1983-84	4,886	1984	2,443	1984	134	1984	1,932
1984-85	4,773	1985	1,928	1985	303	1985	2,290
1985-86	5,056	1986	1,963	1986	284	1986	2,189
1986-87	4,135	1987	1,816	1987	197	1987	2,002
1987-88	4,777	1988	2,062	1988	149	1988	2,013
1988-89	4,519	1989	MSG	1989	213	1989	1,982
1989-90	4,507	1990	2,139	1990	221	1990	1,763
							,
1990-91	4,504	1991	1,940	1991	132	1991	2,167
1991-92	4,206	1992	2,307	1992	441	1992	2,053
1992-93	4,432	1993	2,341	1993	244	1993	2,234
1993-94	4,877	1994	2,129	1994	239	1994	1,587
1994-95	4,173	1995	2,298	1995	118	1995	2,231

RHINELANDER HEATING DEGREE DAYS BY SEASON

Normal	4488	Normal	2264	Normal	261	Normal	2007
WINTER	TOTAL	SPRING	TOTAL	SUMMER	TOTAL	FALL	TOTAL
1995-96	4,929	1996	2,715	1996	220	1996	2,092
1996-97	4,499	1997	2,533	1997	215	1997	1,861
1997-98	3,644	1998	1,811	1998	177	1998	1,499
1998-99	4,117	1999	1,892	1999	156	1999	1,661
1999-00	4,206	2000	1,856	2000	297	2000	1,951
2000-01	4,782	2001	2,174	2001	304	2001	1,767
2001-02	3,824	2002	2,786	2002	203	2002	2,214
2002-03	4,630	2003	2,490	2003	271	2003	2,016
2003-04	4,506	2004	2,285	2004	448	2004	1,684
2004-05	4,405	2005	2,276	2005	114	2005	1,711
2005-06	4,184	2006	2,029	2006	170	2006	2,032
2006-07	4,338	2007	2,040	2007	188	2007	1,744
2007-08	4,692	2008	2,532	2008	197	2008	1,887
2008-09	4,866	2009	2,253	2009	431	2009	1,733
2009-10	4,340	2010	1,664	2010	155	2010	1,902
2010-11	4,521	2011	2,424	2011	171	2011	1,751
2011-12	4,044	2012	1,641	2012	181	2012	2,038
2012-13	4,280	2013	2,611	2013	364	2013	2,037
2013-14	5,395	2014	2,709	2014	293	2014	2,321
2014-15	4,820	2015	2,132	2015	269	2015	1,580
2015-16	3,966	2016	2,018	2016	153	2016	1,421
2016-17		2017		2017		2017	
2017-18		2018		2018		2018	
2018-19		2019		2019		2019	
2019-20		2020		2020		2020	

RHINELANDER MONTHLY COOLING DEGREE DAYS

Normal	0	0	0	1	11	53		105	71	18	2	0	0		261
Year	Jan	Feb	Mar	Apr	May	Jun		Jul	Aug	Sep	Oct	Nov	Dec		Annual
1908	0	0	0	4	9	63		129	103	126	3	0	0		437
1909	0	0	0	0	2	102		83	132	18	0	0	0		337
1910	0	0	2	0	0	157		153	91	5	5	0	0		413
1911	0	0	0	0	62	176		152	52	8	0	0	0		450
1912	0	0	0	0	15	47		124	32	68	1	0	0		287
1913	0	0	0	4	10	135		88	97	55	2	0	0		391
1914	0	0	0	0	25	51		208	77	33	1	0	0		395
1915	0	0	0	10	2	24		51	22	19	0	0	0		128
1916	0	0	0	0	0	4		271	140	15	2	0	0		432
1917	0	0	0	0	4	10		146	23	8	0	0	0		191
1918	0	0	0	0	7	7		86	54	2	0	0	0		156
1919	0	0	0	0	32	124		96	24	24	0	0	0		300
1920	0	0	0	0	1	82		52	38	25	3	0	0		201
1921	0	0	0	0	42	176		254	64	22	0	0	0		558
1922	0	0	0	0	33	39		44	100	55	15	0	0		286
1923	0	0	0	0	3	124		147	23	16	0	0	0		313
1924	0	0	0	0	0	4		51	58	1	0	0	0		114
1925	0	0	0	5	16	93		99	99	27	0	0	0		339
1926	0	0	0	0	5	15		89	39	1	0	0	0		149
1927	0	0	0	0	0	49		56	3	57	0	0	0		165
1928	0	0	0	0	4	4		117	83	0	0	0	0		209
1929	0	0	0	0	28	20		149	30	15	0	0	0		242
1930	0	0	0	0	43	MSG		133	92	11	8	0	0		MSG
1931	0	0	0	0	3	131		184	56	84	2	0	0		460
1932	0	0	0	0	9	92		144	87	1	0	0	0		333
1933	0	0	0	0	11	221		180	35	37	0	0	0		484
1934	0	0	0	6	72	97		156	95	4	3	0	0		433
1935	0	0	0	6	2	34		278	169	19	0	0	0		508
1936	0	0	0	0	22	20		269	120	48	0	0	0		479
1937	0	0	0	0	15	66		212	206	52	0	0	0		551
1938	0	0	0	3	2	38		107	119	4	2	0	0		275
1939	0	0	0	1	25	70		156	96	61	0	0	0		409

RHINELANDER MONTHLY COOLING DEGREE DAYS

Normal	0	0	0	1	11	53		105	71	18	2	0	0		261
Year	Jan	Feb	Mar	Apr	May	Jun		Jul	Aug	Sep	Oct	Nov	Dec		Annual
1940	0	0	0	0	2	34		150	93	47	0	0	0		326
1941	0	0	0	0	19	109		162	62	31	0	0	0		383
1942	0	0	0	1	3	42		89	63	14	0	0	0		212
1943	0	0	0	0	3	106		161	94	11	0	0	0		375
1944	0	0	0	0	30	81		78	138	13	0	0	0		340
1945	0	0	0	1	0	29		73	83	50	0	0	0		236
1946	0	0	0	0	1	70		102	61	13	2	0	0		249
1947	0	0	0	0	2	32		130	281	73	19	0	0		537
1948	0	0	0	6	5	30		112	120	53	0	0	0		326
1949	0	0	0	0	22	110		151	117	1	2	0	0		403
1950	0	0	0	0	7	60		58	27	5	0	0	0		157
1951	0	0	0	0	7	9		82	24	1	0	0	0		123
1952	0	0	0	11	4	82		143	41	43	0	0	0		324
1953	0	0	0	0	16	67		74	106	30	7	0	0		300
1954	0	0	0	0	3	98		105	35	2	0	0	0		243
1955	0	0	0	0	25	63		287	206	28	2	0	0		611
1956	0	0	0	0	11	134		60	96	7	6	0	0		314
1957	0	0	0	0	5	65		194	108	22	0	0	0		394
1958	0	0	0	3	8	26		87	121	19	0	0	0		264
1959	0	0	0	0	50	103		147	187	44	0	0	0		531
1960	0	0	0	0	0	21		122	131	73	0	0	0		347
1961	0	0	0	0	4	100		132	121	65	1	0	0		423
1962	0	0	0	6	66	48		62	96	10	7	0	0		295
1963	0	0	0	0	5	139		171	79	11	15	0	0		420
1964	0	0	0	0	37	104		209	88	15	0	0	0		453
1965	0	0	0	0	31	44		83	85	4	5	0	0		252
1966	0	0	0	0	8	126		235	71	33	0	0	0		473
1967	0	0	0	0	11	49		106	57	14	3	0	0		240
1968	0	0	0	1	1	91		136	155	16	23	0	0		423
1969	0	0	0	0	35	9		136	175	46	0	0	0		401

RHINELANDER MONTHLY COOLING DEGREE DAYS

Normal	0	0	0	1	11	53		105	71	18	2	0	0		261
Year	Jan	Feb	Mar	Apr	May	Jun		Jul	Aug	Sep	Oct	Nov	Dec		Annual
1970	0	0	0	6	9	86		167	92	29	0	0	0		389
1971	0	0	0	0	0	125		46	40	44	3	0	0		258
1972	0	0	0	0	33	26		87	84	0	0	0	0		230
1973	0	0	0	0	0	23		86	115	33	1	0	0		258
1974	0	0	0	0	5	10		138	26	0	0	0	0		179
1975	0	0	0	0	43	87		215	96	2	1	0	0		444
1976	0	0	0	5	0	74		150	111	29	1	0	0		370
1977	0	0	0	0	85	35		174	23	1	0	0	0		318
1978	0	0	0	0	30	48		70	90	66	0	0	0		304
1979	0	0	0	0	1	13		113	56	18	0	0	0		201
1980	0	0	0	4	23	51		137	66	2	0	0	0		283
1981	0	0	0	0	2	22		100	92	1	0	0	0		217
1982	0	0	0	0	20	5		139	53	19	0	0	0		236
1983	0	0	0	0	0	72		232	161	49	0	0	0		514
1984	0	0	0	0	0	23		96	125	0	0	0	0		244
1985	0	0	0	7	5	29		54	40	34	0	0	0		169
1986	0	0	0	6	25	28		109	25	11	0	0	0		204
1987	0	0	0	7	25	111		190	84	12	0	0	0		429
1988	0	0	0	0	32	120		197	180	16	0	0	0		545
1989	0	0	0	0	MSG	38		162	94	14	3	0	0		MSG
1990	0	0	0	19	0	45		79	52	29	0	0	0		224
1991	0	0	0	0	55	105		105	125	22	0	0	0		412
1992	0	0	0	0	13	32		21	47	2	0	0	0		115
1993	0	0	0	0	12	23		70	113	1	0	0	0		219
1994	0	0	0	0	20	97		70	50	23	0	0	0		260
1995	0	0	0	0	0	174		145	156	28	5	0	0		508
1996	0	0	0	0	4	58		39	76	29	0	0	0		206
1997	0	0	0	0	0	84		102	51	8	4	0	0		249
1998	0	0	0	0	33	84		129	138	75	0	0	0		459
1999	0	0	0	0	9	104		231	69	43	0	0	0		456

RHINELANDER MONTHLY COOLING DEGREE

Normal	0	0	0	1	11	53		105	71	18	2	0	0		261
Year	Jan	Feb	Mar	Apr	May	Jun		Jul	Aug	Sep	Oct	Nov	Dec		Annual
2000	0	0	0	0	30	31		62	44	8	0	0	0		175
2001	0	0	0	5	1	89		130	109	10	0	0	0		344
2002	0	0	0	10	6	87		163	41	34	0	0	0		341
2003	0	0	0	3	0	28		69	109	42	0	0	0		251
2004	0	0	0	0	5	37		59	30	39	0	0	0		170
2005	0	0	0	0	0	121		178	98	63	15	0	0		475
2006	0	0	0	0	42	53		204	49	6	1	0	0		355
2007	0	0	0	4	25	76		137	102	58	19	0	0		421
2008	0	0	0	0	0	34		89	53	25	0	0	0		201
2009	0	0	0	0	7	67		15	64	8	0	0	0		161
2010	0	0	0	0	48	47		148	160	1	0	0	0		404
2011	0	0	0	0	7	37		193	55	19	10	0	0		321
2012	0	0	8	0	15	85		183	60	22	0	0	0		373
2013	0	0	0	0	14	40		132	78	17	0	0	0		281
2014	0	0	0	0	7	62		49	29	1	0	0	0		148
2015	0	0	0	0	5	3		95	59	71	0	0	0		233
2016	0	0	0	0	15	53		129	111	13	0	0	0		321
2017	0	0	0									0	0		
2018	0	0	0									0	0		
2019	0	0	0									0	0		
2020	0	0	0									0	0		
2021	0	0	0									0	0		
2022	0	0	0									0	0		
2023	0	0	0									0	0		
2024	0	0	0									0	0		
2025	0	0	0									0	0		
2026	0	0	0									0	0		
2027	0	0	0									0	0		
2028	0	0	0									0	0		
2029	0	0	0									0	0		

RHINELANDER COOLING DEGREE DAYS BY SEASON

Normal	0	Normal	12	Normal	229	Normal	20
WINTER	TOTAL	SPRING	TOTAL	SUMMER	TOTAL	FALL	TOTAL
1907-08	0	1908	13	1908	295	1908	129
1908-09	0	1909	2	1909	317	1909	18
1909-10	0	1910	2	1910	401	1910	10
1910-11	0	1911	62	1911	380	1911	8
1911-12	0	1912	15	1912	203	1912	69
1912-13	0	1913	14	1913	320	1913	57
1913-14	0	1914	25	1914	336	1914	34
1914-15	0	1915	12	1915	97	1915	19
1915-16	0	1916	0	1916	415	1916	17
1916-17	0	1917	4	1917	179	1917	8
1917-18	0	1918	7	1918	147	1918	0
1918-19	0	1919	32	1919	244	1919	24
1919-20	0	1920	1	1920	172	1920	28
1920-21	0	1921	42	1921	494	1921	22
1921-22	0	1922	33	1922	183	1922	70
1922-23	0	1923	3	1923	294	1923	16
1923-24	0	1924	0	1924	113	1924	1
1924-25	0	1925	21	1925	291	1925	27
1925-26	0	1926	5	1926	143	1926	1
1926-27	0	1927	0	1927	108	1927	57
1927-28	0	1928	4	1928	204	1928	0
1928-29	0	1929	28	1929	199	1929	15
1929-30	0	1930	43	1930	225	1930	19
1930-31	0	1931	3	1931	371	1931	86
1931-32	0	1932	9	1932	323	1932	1
1932-33	0	1933	11	1933	436	1933	37
1933-34	0	1934	78	1934	348	1934	7
1934-35	0	1935	8	1935	481	1935	19
1935-36	0	1936	22	1936	409	1936	48
1936-37	0	1937	15	1937	484	1937	52
1937-38	0	1938	5	1938	264	1938	6
1938-39	0	1939	26	1939	322	1939	61
1939-40	0	1940	2	1940	277	1940	47
1940-41	0	1941	19	1941	333	1941	31
1941-42	0	1942	4	1942	194	1942	14
1942-43	0	1943	3	1943	361	1943	11
1943-44	0	1944	30	1944	297	1944	13
1944-45	0	1945	1	1945	185	1945	50
1945-46	0	1946	1	1946	233	1946	15
1946-47	0	1947	2	1947	443	1947	92
1947-48	0	1948	11	1948	262	1948	53
1948-49	0	1949	22	1949	378	1949	3
1949-50	0	1950	7	1950	145	1950	5

RHINELANDER COOLING DEGREE DAYS BY SEASON

Normal	0	Normal	12	Normal	229	Normal	20
WINTER	TOTAL	SPRING	TOTAL	SUMMER	TOTAL	FALL	TOTAL
1950-51	0	1951	7	1951	115	1951	1
1951-52	0	1952	15	1952	266	1952	43
1952-53	0	1953	16	1953	247	1953	37
1953-54	0	1954	3	1954	238	1954	2
1954-55	0	1955	25	1955	556	1955	30
1955-56	0	1956	11	1956	290	1956	13
1956-57	0	1957	5	1957	367	1957	22
1957-58	0	1958	11	1958	234	1958	19
1958-59	0	1959	50	1959	437	1959	44
1959-60	0	1960	0	1960	274	1960	73
1960-61	0	1961	4	1961	353	1961	66
1961-62	0	1962	72	1962	206	1962	17
1962-63	0	1963	5	1963	389	1963	26
1963-64	0	1964	37	1964	401	1964	15
1964-65	0	1965	31	1965	212	1965	9
1965-66	0	1966	8	1966	432	1966	33
1966-67	0	1967	11	1967	212	1967	17
1967-68	0	1968	2	1968	382	1968	39
1968-69	0	1969	35	1969	320	1969	46
1969-70	0	1970	15	1970	345	1970	29
1970-71	0	1971	0	1971	211	1971	47
1971-72	0	1972	33	1972	197	1972	0
1972-73	0	1973	0	1973	224	1973	34
1973-74	0	1974	5	1974	174	1974	0
1974-75	0	1975	43	1975	398	1975	3
1975-76	0	1976	5	1976	335	1976	30
1976-77	0	1977	85	1977	232	1977	1
1977-78	0	1978	30	1978	208	1978	66
1978-79	0	1979	1	1979	182	1979	18
1979-80	0	1980	27	1980	254	1980	2
1980-81	0	1981	2	1981	214	1981	1
1981-82	0	1982	20	1982	197	1982	19
1982-83	0	1983	0	1983	465	1983	49
1983-84	0	1984	0	1984	244	1984	0
1984-85	0	1985	12	1985	123	1985	34
1985-86	0	1986	31	1986	162	1986	11
1986-87	0	1987	32	1987	385	1987	12
1987-88	0	1988	32	1988	497	1988	16
1988-89	0	1989	0	1989	294	1989	17
1989-90	0	1990	19	1990	176	1990	29
1990-91	0	1991	55	1991	335	1991	22
1991-92	0	1992	13	1992	100	1992	2
1992-93	0	1993	12	1993	206	1993	1
1993-94	0	1994	20	1994	217	1994	23
1994-95	0	1995	0	1995	475	1995	33

RHINELANDER COOLING DEGREE DAYS BY SEASON

Normal	0	Normal	12	Normal	229	Normal	20
WINTER	TOTAL	SPRING	TOTAL	SUMMER	TOTAL	FALL	TOTAL
1995-96	0	1996	4	1996	173	1996	29
1996-97	0	1997	0	1997	237	1997	12
1997-98	0	1998	33	1998	351	1998	75
1998-99	0	1999	9	1999	404	1999	43
1999-00	0	2000	30	2000	137	2000	8
2000-01	0	2001	6	2001	328	2001	10
2001-02	0	2002	16	2002	291	2002	34
2002-03	0	2003	3	2003	206	2003	42
2003-04	0	2004	5	2004	126	2004	39
2004-05	0	2005	0	2005	397	2005	78
2005-06	0	2006	42	2006	306	2006	7
2006-07	0	2007	29	2007	315	2007	77
2007-08	0	2008	0	2008	176	2008	25
2008-09	0	2009	7	2009	146	2009	8
2009-10	0	2010	48	2010	355	2010	1
2010-11	0	2011	7	2011	285	2011	29
2011-12	0	2012	23	2012	328	2012	22
2012-13	0	2013	14	2013	250	2013	17
2013-14	0	2014	7	2014	140	2014	1
2014-15	0	2015	5	2015	157	2015	71
2015-16	0	2016	15	2016	293	2016	13
2016-17	0	2017		2017		2017	
2017-18	0	2018		2018		2018	
2018-19	0	2019		2019		2019	
2019-20	0	2020		2020		2020	
2020-21	0	2021		2021		2021	
2021-22	0	2022		2022		2022	
2022-23	0	2023		2023		2023	
2023-24	0	2024		2024		2024	
2024-25	0	2025		2025		2025	

RHINELANDER MONTHLY PRECIPITATION

Normal	1.11	0.93	1.57	2.58	3.49	3.89		4.02	3.29	4.20	3.04	1.84	1.44		31.40
Year	Jan	Feb	Mar	Apr	May	Jun		Jul	Aug	Sep	Oct	Nov	Dec		Annual
1908	0.34	1.46	1.48	3.38	2.44	4.12		3.76	1.35	4.49	0.95	1.37	0.80		25.94
1909	0.49	0.76	0.76	3.12	2.43	4.01		4.11	3.83	2.90	1.15	5.32	1.27		30.15
1910	0.48	0.54	0.38	2.82	2.46	0.53		1.44	3.40	2.49	1.99	1.11	0.52		18.16
1911	0.66	1.17	1.46	1.18	5.89	2.45		9.31	3.29	4.45	8.87	1.72	1.97		42.42
1912	0.36	0.17	0.58	3.28	7.31	1.28		4.09	8.32	4.58	2.23	0.85	2.02		35.07
1913	0.42	0.64	2.62	1.60	4.68	3.66		6.47	1.83	5.17	3.76	1.23	0.03		32.11
1914	1.26	0.45	1.30	3.48	2.12	6.84		7.03	5.91	2.70	1.06	1.08	0.23		33.46
1915	1.39	0.98	0.32	1.45	3.79	3.43		4.52	4.17	3.06	2.37	4.39	0.97		30.84
1916	2.47	0.46	2.38	3.46	3.56	7.55		4.40	2.13	7.79	2.99	1.97	0.63		39.79
1917	0.55	0.72	1.81	1.84	0.98	4.87		0.99	3.86	1.87	3.56	0.37	0.71		22.13
1918	1.26	1.59	1.24	1.65	7.30	1.82		3.22	7.91	2.54	2.16	2.48	1.46		34.63
1919	0.41	1.53	1.32	2.64	1.91	8.88		5.34	2.83	2.94	3.35	3.13	0.21		34.49
1920	1.46	0.73	3.43	1.70	1.52	6.54		2.97	1.83	1.61	3.05	0.95	1.76		27.55
1921	0.84	0.84	3.53	5.13	1.93	2.07		3.46	4.26	3.81	1.18	0.87	1.37		29.29
1922	0.57	2.94	0.82	2.17	2.65	3.46		4.20	1.42	4.04	1.58	2.44	0.57		26.86
1923	1.37	0.30	1.57	2.60	2.09	9.06		4.13	2.88	2.02	0.76	0.48	0.80		28.06
1924	0.86	0.49	0.82	3.54	3.64	4.63		2.97	6.27	2.65	0.74	0.94	0.85		28.40
1925	0.49	0.98	0.60	1.74	1.27	6.02		2.88	3.02	3.98	1.68	1.19	0.74		24.59
1926	0.59	1.31	1.56	1.65	3.22	3.82		4.27	7.91	5.22	3.32	2.59	1.20		36.66
1927	0.67	0.61	1.88	1.77	3.42	3.70		8.16	0.99	3.33	3.74	2.21	2.04		32.52
1928	0.78	1.10	0.97	2.62	2.22	2.93		6.28	4.41	7.26	4.87	0.57	0.18		34.19
1929	1.19	0.90	0.85	3.05	3.80	7.93		8.83	2.71	3.04	0.84	1.33	0.37		34.84
1930	0.56	0.97	0.57	1.47	3.12	5.45		2.03	3.10	4.01	1.93	1.63	0.14		24.98
1931	0.50	0.50	0.64	0.57	1.07	8.84		3.90	4.24	5.50	3.41	4.59	1.03		34.79
1932	1.67	2.27	0.75	1.82	2.36	2.00		3.53	4.34	1.49	0.92	1.43	2.21		24.79
1933	1.09	1.66	0.50	2.70	4.63	4.93		1.50	1.41	2.47	2.03	1.08	1.36		25.36
1934	0.39	0.32	2.14	2.39	2.11	3.51		2.04	4.21	8.90	2.86	5.71	1.25		35.83
1935	3.48	0.83	0.79	1.55	2.12	5.08		4.63	5.84	4.59	3.25	0.61	0.43		33.20
1936	1.47	1.43	1.74	0.97	3.71	1.67		2.14	8.51	2.55	2.54	0.73	1.18		28.64
1937	1.90	3.36	0.17	1.87	3.63	1.13		3.65	2.38	3.17	3.18	1.65	0.64		26.73
1938	2.09	1.75	2.73	3.65	5.85	4.46		5.93	4.53	3.88	2.34	2.63	1.67		41.51
1939	3.04	2.48	2.48	2.61	3.91	8.22		1.39	1.94	1.80	1.66	0.12	1.91		31.56

RHINELANDER MONTHLY PRECIPITATION

Normal	1.11	0.93	1.57	2.58	3.49	3.89		4.02	3.29	4.20	3.04	1.84	1.44		31.40
Year	Jan	Feb	Mar	Apr	May	Jun		Jul	Aug	Sep	Oct	Nov	Dec		Annual
1940	0.67	2.40	1.06	2.09	3.74	7.65		4.76	4.49	1.49	2.04	3.25	1.90		35.54
1941	0.77	0.45	0.58	1.89	3.22	2.18		4.36	6.99	6.12	5.94	1.23	0.91		34.64
1942	0.89	0.45	5.75	1.83	6.57	2.67		4.68	2.37	8.54	2.26	1.88	1.62		39.51
1943	1.06	0.30	1.95	1.37	3.96	8.56		1.11	4.85	1.74	2.04	2.34	0.03		29.31
1944	1.06	0.59	2.13	1.33	3.96	6.49		1.82	1.88	3.46	0.70	2.00	0.46		25.88
1945	0.61	2.78	2.06	4.37	4.00	3.22		4.33	4.24	2.19	1.54	3.30	1.86		34.50
1946	2.18	0.69	0.65	0.33	2.59	11.72		2.49	2.48	4.14	2.98	2.48	1.34		34.07
1947	0.41	0.46	0.75	3.50	2.83	4.00		2.29	4.15	1.81	1.47	2.37	0.93		24.97
1948	0.46	1.32	0.94	1.61	0.73	3.00		4.38	2.00	2.91	0.97	3.60	0.53		22.45
1949	1.35	0.65	1.35	0.87	3.00	5.28		6.36	1.58	4.52	2.67	1.33	1.07		30.03
1950	3.54	0.69	2.45	2.62	3.60	2.32		4.69	3.07	1.52	2.48	1.59	1.95		30.52
1951	0.52	2.10	3.03	2.85	4.39	3.92		8.62	4.83	4.26	3.45	1.28	1.11		40.36
1952	1.64	0.49	1.58	1.95	3.28	3.87		5.75	4.88	0.70	0.23	1.47	1.33		27.17
1953	0.69	2.09	1.43	2.42	3.17	8.87		3.80	2.10	1.41	0.29	1.10	1.69		29.06
1954	0.67	0.65	1.24	4.79	3.09	4.04		2.79	1.56	6.02	3.66	0.90	0.42		29.83
1955	0.58	0.72	1.72	2.35	3.50	2.61		4.09	4.89	2.35	3.58	1.40	1.14		28.93
1956	0.58	0.21	1.00	1.31	2.47	6.05		3.88	5.55	1.61	0.58	3.25	0.45		26.94
1957	0.31	0.70	0.99	1.33	3.04	3.19		2.13	4.66	2.88	0.93	2.26	0.41		22.83
1958	0.49	0.03	0.68	1.30	5.52	3.11		4.81	4.56	3.62	2.34	1.89	0.33		28.68
1959	0.42	0.43	0.80	1.99	3.37	2.99		4.83	8.89	7.32	3.71	0.58	2.40		37.73
1960	1.05	0.33	0.18	3.06	5.62	4.91		2.24	5.80	3.22	2.67	1.33	0.40		30.81
1961	0.21	1.27	2.07	1.70	2.67	3.54		4.47	3.50	4.34	3.17	2.66	0.95		30.55
1962	0.67	1.69	0.40	2.12	4.59	2.93		2.71	3.12	3.20	1.55	0.74	0.66		24.38
1963	0.30	0.46	1.09	1.36	2.86	2.49		2.10	3.43	3.81	0.74	0.72	0.82		20.18
1964	0.72	0.22	0.83	3.58	3.29	2.60		3.36	5.87	3.62	0.44	3.02	1.65		29.20
1965	0.44	0.82	1.64	2.91	4.50	3.25		2.99	2.82	4.73	1.68	3.55	1.40		30.73
1966	0.87	0.43	3.14	1.24	0.77	2.47		1.50	6.86	2.63	3.29	1.28	1.13		25.61
1967	2.68	0.60	1.39	4.32	1.67	5.70		2.68	3.48	3.13	3.27	0.72	0.39		30.03
1968	0.99	0.19	1.25	2.49	5.10	9.89		4.67	1.94	7.47	2.34	0.52	2.74		39.59
1969	2.79	0.12	0.60	1.30	3.58	4.76		2.44	0.82	2.40	4.27	1.56	2.00		26.64
1970	0.92	0.35	0.87	1.04	4.90	2.05		3.63	0.69	8.38	3.44	2.95	1.90		31.12
1971	2.50	2.82	1.04	0.65	4.05	5.27		3.32	3.36	5.71	3.14	2.05	2.27		36.18
1972	1.13	1.12	2.39	3.11	2.13	2.86		3.22	6.69	4.96	2.69	2.76	2.62		35.68
1973	0.92	0.72	4.09	3.25	6.86	2.29		4.41	7.42	3.20	2.05	1.29	1.55		38.05
1974	0.50	0.83	0.61	3.41	2.59	3.03		2.97	6.33	3.21	1.18	2.72	0.79		28.17

RHINELANDER MONTHLY PRECIPITATION

Normal	1.11	0.93	1.57	2.58	3.49	3.89		4.02	3.29	4.20	3.04	1.84	1.44		31.40
Year	Jan	Feb	Mar	Apr	May	Jun		Jul	Aug	Sep	Oct	Nov	Dec		Annual
1975	1.90	1.35	1.21	3.33	2.22	4.33		1.05	4.06	4.44	1.25	4.21	1.12		30.47
1976	1.70	0.98	2.54	2.63	1.55	1.71		1.53	3.43	0.40	0.43	0.28	0.45		17.63
1977	0.58	0.44	3.28	3.81	2.87	4.21		2.97	7.01	5.41	2.49	4.09	1.85		39.01
1978	0.55	0.38	0.15	2.75	4.66	4.48		7.70	9.15	5.70	1.42	1.54	1.44		39.92
1979	1.65	1.57	3.11	0.82	3.92	3.19		3.98	4.54	0.84	5.90	1.90	0.59		32.01
1980	1.81	0.23	0.37	1.49	1.93	4.58		4.65	8.58	5.03	1.62	0.74	1.03		32.06
1981	0.43	1.95	0.62	3.49	4.01	10.22		1.18	0.82	2.24	2.19	0.27	1.16		28.58
1982	1.40	0.23	1.03	4.09	3.15	2.13		5.57	2.86	6.10	3.45	2.44	2.60		35.05
1983	1.49	0.81	1.60	1.39	4.36	3.86		1.95	3.12	4.72	3.81	3.81	1.13		32.05
1984	0.51	1.39	1.26	3.59	1.07	4.60		2.55	3.24	4.32	4.65	0.53	2.33		30.04
1985	0.14	0.88	2.21	1.57	4.85	2.39		4.66	4.80	6.42	4.31	3.70	1.05		36.98
1986	0.89	0.44	0.86	2.28	0.56	3.01		8.88	2.79	7.73	3.03	0.87	0.47		31.81
1987	0.79	0.10	0.63	1.02	2.81	1.70		3.82	1.65	2.59	1.79	2.45	1.66		21.01
1988	1.18	0.24	1.50	1.28	1.19	2.32		2.99	4.11	3.78	1.83	1.30	1.01		22.73
1989	1.26	0.41	1.41	0.85	2.53	2.27		0.63	4.25	0.57	1.45	0.66	0.61		16.90
1990	0.57	0.32	0.73	3.10	4.97	7.06		4.69	7.91	6.43	3.72	1.35	0.77		41.62
1991	0.70	0.97	3.04	4.33	7.50	4.27		4.99	2.32	3.46	3.03	4.87	1.23		40.71
1992	0.70	1.39	1.76	2.87	2.66	2.52		2.23	3.17	6.71	2.17	3.49	1.80		31.47
1993	1.45	0.04	0.47	2.60	4.53	5.81		2.77	3.42	3.62	2.17	1.76	0.59		29.23
1994	0.90	0.94	0.75	2.91	3.97	4.40		3.94	4.76	8.51	1.77	1.49	0.35		34.69
1995	0.39	0.51	1.41	1.94	4.07	0.85		5.40	5.74	2.58	5.44	2.03	1.35		31.71
1996	2.53	0.56	2.16	2.16	0.97	4.42		5.43	3.45	2.60	4.23	2.66	2.03		33.20
1997	3.15	0.11	1.78	1.04	2.53	6.31		4.58	3.79	4.31	3.91	0.73	0.59		32.83
1998	1.84	1.06	3.24	1.16	4.43	5.25		1.04	1.82	1.87	1.57	2.09	0.84		26.21
1999	2.30	1.46	0.46	1.87	7.25	2.99		7.88	2.79	1.78	1.94	1.55	0.76		33.03
2000	1.60	1.86	2.30	2.51	2.46	5.00		10.24	3.24	4.10	0.73	2.32	1.18		37.54
2001	0.92	1.24	0.69	4.69	4.49	4.01		4.65	2.13	6.38	2.53	2.76	1.93		36.42
2002	0.61	1.88	2.42	6.33	2.86	4.18		5.69	3.60	6.03	4.21	0.43	0.65		38.89
2003	0.28	1.17	2.41	4.57	3.23	2.46		4.63	1.31	2.84	1.43	2.03	1.17		27.53
2004	1.33	2.06	3.89	2.20	4.52	3.13		3.05	3.16	3.15	4.13	1.40	2.17		34.19
2005	1.34	4.43	1.71	1.98	1.73	2.96		1.79	2.34	3.17	4.31	2.90	1.28		29.94
2006	1.15	0.81	2.70	0.57	6.68	0.47		4.48	3.88	2.64	2.03	1.68	2.57		29.66
2007	0.73	0.86	2.27	0.98	3.43	3.77		4.60	2.48	3.97	5.15	0.62	2.29		31.15
2008	1.17	1.14	1.50	3.62	3.28	3.59		3.67	1.47	2.10	1.60	1.30	2.06		26.50
2009	0.68	0.76	1.49	3.05	2.29	1.54		1.92	3.85	0.64	4.75	0.44	2.10		23.51

RHINELANDER MONTHLY PRECIPITATION

Normal	1.11	0.93	1.57	2.58	3.49	3.89		4.02	3.29	4.20	3.04	1.84	1.44		31.40
Year	Jan	Feb	Mar	Apr	May	Jun		Jul	Aug	Sep	Oct	Nov	Dec		Annual
2010	0.70	0.60	0.46	1.61	1.44	6.60		5.26	4.31	7.56	1.95	1.58	1.62		33.69
2011	1.00	0.42	2.63	3.20	4.52	3.79		2.36	2.64	2.60	1.30	1.73	1.62		27.81
2012	1.33	2.45	0.96	1.93	4.84	3.74		5.97	1.49	1.65	3.47	1.41	0.88		30.12
2013	1.19	1.61	2.01	4.62	3.90	5.30		2.74	5.47	2.12	4.15	2.10	1.66		36.87
2014	1.38	1.23	0.76	4.86	2.88	6.73		3.99	4.63	6.38	3.44	3.32	2.02		41.62
2015	0.68	0.21	0.77	3.25	3.69	3.56		3.06	3.46	2.76	3.58	2.40	3.96		31.38
2016	0.76	0.97	3.67	2.78	2.90	7.02		3.82	5.67	5.62	5.64	2.03	2.07		42.86
2017															
2018															
2019															
2020															
2021															
2022															
2023															
2024															
2025															
2026															
2027															
2028															
2029															

RHINELANDER PRECIPITATION TOTALS BY SEASON

Normal	3.48	Normal	7.64	Normal	11.20	Normal	9.08
WINTER	TOTAL	SPRING	TOTAL	SUMMER	TOTAL	FALL	TOTAL
1907-08	1.80	1908	7.30	1908	9.23	1908	6.81
1908-09	2.05	1909	6.31	1909	11.95	1909	9.37
1909-10	2.29	1910	5.66	1910	5.37	1910	5.59
1910-11	2.35	1911	8.53	1911	15.05	1911	15.04
1911-12	2.50	1912	11.17	1912	13.69	1912	7.66
1912-13	3.08	1913	8.90	1913	11.96	1913	10.16
1913-14	1.74	1914	6.90	1914	19.78	1914	4.84
1914-15	2.60	1915	5.56	1915	12.12	1915	9.82
1915-16	3.90	1916	9.40	1916	14.08	1916	12.75
1916-17	1.90	1917	4.63	1917	9.72	1917	5.80
1917-18	3.56	1918	10.19	1918	12.95	1918	7.18
1918-19	3.40	1919	5.87	1919	17.05	1919	9.42
1919-20	2.40	1920	6.65	1920	11.34	1920	5.61
1920-21	3.44	1921	10.59	1921	9.79	1921	5.86
1921-22	4.88	1922	5.64	1922	9.08	1922	8.06
1922-23	2.24	1923	6.26	1923	16.07	1923	3.26
1923-24	2.15	1924	8.00	1924	13.87	1924	4.33
1924-25	2.32	1925	3.61	1925	11.92	1925	6.85
1925-26	2.64	1926	6.43	1926	16.00	1926	11.13
1926-27	2.48	1927	7.07	1927	12.85	1927	9.28
1927-28	3.92	1928	5.81	1928	13.62	1928	12.70
1928-29	2.27	1929	7.70	1929	19.47	1929	5.21
1929-30	1.90	1930	5.16	1930	10.58	1930	7.57
1930-31	1.14	1931	2.28	1931	16.98	1931	13.50
1931-32	4.97	1932	4.93	1932	9.87	1932	3.84
1932-33	4.96	1933	7.83	1933	7.84	1933	5.58
1933-34	2.07	1934	6.64	1934	9.76	1934	17.47
1934-35	5.56	1935	4.46	1935	15.55	1935	8.45
1935-36	3.33	1936	6.42	1936	12.32	1936	5.82
1936-37	6.44	1937	5.67	1937	7.16	1937	8.00
1937-38	4.48	1938	12.23	1938	14.92	1938	8.85
1938-39	7.19	1939	9.00	1939	11.55	1939	3.58
1939-40	4.98	1940	6.89	1940	16.90	1940	6.78
1940-41	3.12	1941	5.69	1941	13.53	1941	13.29
1941-42	2.25	1942	14.15	1942	9.72	1942	12.68
1942-43	2.98	1943	7.28	1943	14.52	1943	6.12
1943-44	1.68	1944	7.42	1944	10.19	1944	6.16
1944-45	3.85	1945	10.43	1945	11.79	1945	7.03
1945-46	4.73	1946	3.57	1946	16.69	1946	9.60
1946-47	2.21	1947	7.08	1947	10.44	1947	5.65
1947-48	2.71	1948	3.28	1948	9.38	1948	7.48
1948-49	2.53	1949	5.22	1949	13.22	1949	8.52
1949-50	5.30	1950	8.67	1950	10.08	1950	5.59

RHINELANDER PRECIPITATION TOTALS BY SEASON

Normal	3.48	Normal	7.64	Normal	11.20	Normal	9.08
WINTER	TOTAL	SPRING	TOTAL	SUMMER	TOTAL	FALL	TOTAL
1950-51	4.57	1951	10.27	1951	17.37	1951	8.99
1951-52	3.24	1952	6.81	1952	14.50	1952	2.40
1952-53	4.11	1953	7.02	1953	14.77	1953	2.80
1953-54	3.01	1954	9.12	1954	8.39	1954	10.58
1954-55	1.72	1955	7.57	1955	11.59	1955	7.33
1955-56	1.93	1956	4.78	1956	15.48	1956	5.44
1956-57	1.46	1957	5.36	1957	9.98	1957	6.07
1957-58	0.93	1958	7.50	1958	12.48	1958	7.85
1958-59	1.18	1959	6.16	1959	16.71	1959	11.61
1959-60	3.78	1960	8.86	1960	12.95	1960	7.22
1960-61	1.88	1961	6.44	1961	11.51	1961	10.17
1961-62	3.31	1962	7.11	1962	8.76	1962	5.49
1962-63	1.42	1963	5.31	1963	8.02	1963	5.27
1963-64	1.76	1964	7.70	1964	11.83	1964	7.08
1964-65	2.91	1965	9.05	1965	9.06	1965	9.96
1965-66	2.70	1966	5.15	1966	10.83	1966	7.20
1966-67	4.41	1967	7.38	1967	11.86	1967	7.12
1967-68	1.57	1968	8.84	1968	16.50	1968	10.33
1968-69	5.65	1969	5.48	1969	8.02	1969	8.23
1969-70	3.27	1970	6.81	1970	6.37	1970	14.77
1970-71	7.22	1971	5.74	1971	11.95	1971	10.90
1971-72	4.52	1972	7.63	1972	12.77	1972	10.41
1972-73	4.26	1973	14.20	1973	14.12	1973	6.54
1973-74	2.88	1974	6.61	1974	12.33	1974	7.11
1974-75	4.04	1975	6.76	1975	9.44	1975	9.90
1975-76	3.80	1976	6.72	1976	6.67	1976	1.11
1976-77	1.47	1977	9.96	1977	14.19	1977	11.99
1977-78	2.78	1978	7.56	1978	21.33	1978	8.66
1978-79	4.66	1979	7.85	1979	11.71	1979	8.64
1979-80	2.63	1980	3.79	1980	17.81	1980	7.39
1980-81	3.41	1981	8.12	1981	12.22	1981	4.70
1981-82	2.79	1982	8.27	1982	10.56	1982	11.99
1982-83	4.90	1983	7.35	1983	8.93	1983	12.34
1983-84	3.03	1984	5.92	1984	10.39	1984	9.50
1984-85	3.35	1985	8.63	1985	11.85	1985	14.43
1985-86	2.38	1986	3.70	1986	14.68	1986	11.63
1986-87	1.36	1987	4.46	1987	7.17	1987	6.83
1987-88	3.08	1988	3.97	1988	9.42	1988	6.91
1988-89	2.68	1989	4.79	1989	7.15	1989	2.68
1989-90	1.50	1990	8.80	1990	19.66	1990	11.50
1990-91	2.44	1991	14.87	1991	11.58	1991	11.36
1991-92	3.32	1992	7.29	1992	7.92	1992	12.37
1992-93	3.29	1993	7.60	1993	12.00	1993	7.55
1993-94	2.43	1994	7.63	1994	13.10	1994	11.77
1994-95	1.25	1995	7.42	1995	11.99	1995	10.05

RHINELANDER PRECIPITATION TOTALS BY SEASON

Normal	3.48	Normal	7.64	Normal	11.20	Normal	9.08
WINTER	TOTAL	SPRING	TOTAL	SUMMER	TOTAL	FALL	TOTAL
1995-96	4.44	1996	5.29	1996	13.30	1996	9.49
1996-97	5.29	1997	5.35	1997	14.68	1997	8.95
1997-98	3.49	1998	8.83	1998	8.11	1998	5.53
1998-99	4.60	1999	9.58	1999	13.66	1999	5.27
1999-00	4.22	2000	7.27	2000	18.48	2000	7.15
2000-01	3.34	2001	9.87	2001	10.79	2001	11.67
2001-02	4.42	2002	11.61	2002	13.47	2002	10.67
2002-03	2.10	2003	10.21	2003	8.40	2003	6.30
2003-04	4.56	2004	10.61	2004	9.34	2004	8.68
2004-05	7.94	2005	5.42	2005	7.09	2005	10.38
2005-06	3.24	2006	9.95	2006	8.83	2006	6.35
2006-07	4.16	2007	6.68	2007	10.85	2007	9.74
2007-08	4.60	2008	8.40	2008	8.73	2008	5.00
2008-09	3.50	2009	6.83	2009	7.31	2009	5.83
2009-10	3.40	2010	3.51	2010	16.17	2010	11.09
2010/11	3.04	2011	10.35	2011	8.79	2011	5.63
2011/12	5.40	2012	7.73	2012	11.20	2012	6.53
2012/13	3.68	2013	10.53	2013	13.51	2013	8.37
2013/14	4.27	2014	8.50	2014	15.35	2014	13.14
2014/15	2.91	2015	7.71	2015	10.08	2015	8.74
2015-16	5.69	2016	9.35	2016	16.51	2016	9.24
2016-17		2017		2017		2017	
2017-18		2018		2018		2018	
2018-19		2019		2019		2019	
2019-20		2020		2020		2020	
2020-21		2021		2021		2021	
2021-22		2022		2022		2022	
2022-23		2023		2023		2023	
2023-24		2024		2024		2024	
2024-25		2025		2025		2025	

RHINELANDER – GREATEST CALENDAR DAY PRECIPITATION

JANUARY

AMOUNT (INCHES)	DATE (S) / YEARS
1.45	13/1950
1.36	18/1996
1.12	04/1939
1.00	05/1946
0.98	04/1997
0.96	17/1935
0.83	02/2000
0.82	25/1967
0.75	19/1935, 05/1939

FEBRUARY

AMOUNT (INCHES)	DATE(S) / YEAR(S)
1.75	21/1937
1.54	11/1932
1.26	20/2002
0.99	28/1939
0.98	03/2003
0.91	27/1948
0.88	23/1922
0.83	15/1945
0.82	05/1971

MARCH

AMOUNT (INCHES)	DATE (S) / YEARS
2.06	16/2016
1.87	20/1921
1.80	15/1939
1.75	07/1973
1.44	11/1973
1.27	23/1979
1.24	15/1942
1.06	23/2011
1.03	29/1938
1.00	10/1918

APRIL

AMOUNT (INCHES)	DATE(S) / YEAR(S)
3.05	18/2002
2.00	29/1984
1.77	03/1934
1.70	03/1981
1.65	16/2003
1.60	05/1947
1.46	17/1959
1.42	21/1912
1.40	08/1991

RHINELANDER – GREATEST CALENDAR DAY PRECIPITATION

MAY

AMOUNT	
(INCHES)	DATE (S) / YEARS
3.26	31/1958
2.51	29/1994
2.26	12/2011
2.16	22/1912
2.07	17/1960
1.96	15/1911
1.90	26/1991
1.86	16/1951
1.79	24/2006

JUNE

AMOUNT	
(INCHES)	DATE(S) / YEAR(S)
4.64	13/1981
3.97	21/1968
3.87	12/1990
3.70	24/1919
3.00	15/1997
2.92	06/1923
2.81	06/1946
2.75	08/1971
2.40	24/1946
2.12	26-27/2013

JULY

AMOUNT	
(INCHES)	DATE (S) / YEARS
8.27	08/2000
3.86	08/1999
3.78	24/1929
2.90	26/1916
2.87	15/1951
2.82	26/2003
2.80	06/1929
2.75	01/1958
2.71	04/1949

AUGUST

AMOUNT	
(INCHES)	DATE(S) / YEAR(S)
4.06	20/1926
3.48	15/1978
3.00	23/1943
2.78	17/1973
2.66	31/1977
2.65	09/1912
2.62	22/2016
2.47	22/1936
2.40	29/1941
2.30	29/1941, 02/1955

RHINELANDER – GREATEST CALENDAR DAY PRECIPITATION

SEPTEMBER

AMOUNT	
(INCHES)	DATE (S) / YEARS
3.41	13/1994
2.98	27/1908
2.70	27/1916
2.65	04/1949
2.63	03/1934
2.46	06/
2.45	30/1971
2.43	06/2001
2.37	23/2010
2.34	01/1948

OCTOBER

AMOUNT	
(INCHES)	DATE(S) / YEAR(S)
4.64	17/2016
2.80	06/1911
2.47	22/1979
2.24	04/2005
2.03	15/1966, 25/2012
1.91	06/1995
1.88	11/1986
1.85	14/1954
1.82	16/1911
1.65	19/1937

NOVEMBER

AMOUNT	
(INCHES)	DATE (S) / YEARS
2.14	07/1977
1.73	06/1956
1.49	09/1975
1.42	23/1999
1.41	13/1909
1.40	01/1945
1.39	10/1919
1.37	03/1972
1.36	07/1918

DECEMBER

AMOUNT	
(INCHES)	DATE(S) / YEAR(S)
1.59	05/2001
1.16	19/1939
1.12	24/1932
1.10	22/1933
1.06	16/1940
1.01	23/2015
0.92	23/2007
0.90	22/2006
0.89	04/1970
0.87	27/1946, 28/1959

RHINELANDER – GREATEST CALENDAR DAY PRECIPITATION

YEAR

	AMOUNT	
RANK	(INCHES)	DATE (S) / YEARS
1	8.27	07/08/2000
2	4.64	06/13/1981, 10/17/2016
3	4.06	08/20/1926
4	3.97	06/21/1968
5	3.87	06/12/1990
6	3.86	07/08/1999
7	3.78	07/24/1929
8	3.70	06/24/1919
9	3.48	08/15/1978
10	3.41	09/13/1994
11	3.26	05/31/1958
12	3.05	04/18/2002
13T	3.00	08/23/1943, 06/15/1997
15	2.98	09/27/1908
16	2.92	06/06/1923
17	2.90	07/26/1916
18	2.87	07/15/1951

RHINELANDER SEASONAL SNOWFALL RECORDS
(SEPTEMBER-MAY ESTIMATED AVERAGE - 67.1)

SEASON RANK	SNOWIEST	YEAR(S)
1	110.3	2013-14
2	107.0	1938-39
3	91.3	1949-50
4	91.2	2010-11
5	89.3	2014-15
6	89.2	1936-37
7	87.0	1968-69
8	86.0	1966-67
9	85.9	1950-51
10	83.8	2012-13
11	83.3	2007-08
12	82.5	1964-65
13	81.0	1927-28
14	79.0	1922-23
15	78.8	2003-04
16	76.8	2011-12
17	76.1	1934-35
18	74.7	2006-07
19	72.0	2008-09
20	70.5	1908-09
21	69.8	1961-62
22T	69.0	1937-38, 1970-71
24	66.9	1933-34
SEASONS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE SEASON. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS		
	E91.0	1978-79
	E80.4	1996-97
	E75.8	1995-96
	E75.2	1985-86
	E72.5	1991-92
	E67.7	1984-85

SEASON RANK	LEAST SNOWIEST	YEAR(S)
1	20.2	1913-14
2	24.9	1930-31
3	30.5	1914-15
4	30.6	1948-49
5	30.7	1967-68
6	31.5	1929-30
7	34.2	1924-25
8	35.1	1920-21
9	35.5	1918-19
10	36.1	1941-42
11	37.0	1943-44
12	37.1	1963-64
13	39.0	1958-59
14	39.9	1946-47
15	41.0	1931-32
16	41.3	1928-29
17	41.5	1923-24
18	42.5	1947-48
19	45.3	1945-46
20	45.6	1960-61
SEASONS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE SEASON. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS		
	E31.8	1989-90
	E35.2	1986-87
	E38.3	1980-81
	E40.3	1994-95
	E40.9	1973-74
	E41.5	1976-77
	E45.4	1999-00
	E45.6	1990/91

RHINELANDER SEASONAL SNOWFALL (JUL TO JUN)

Est. Average	0.0	0.0	Trace	1.4	7.2	15.7	15.9	9.6	10.8	6.1	0.4	0		67.1
Season	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun		Season
1907-08	M	M	M	M	M	M	6.2	7.6	20.4	4.0	T	0.0		MSG
1908-09	0.0	0.0	T	0.0	2.0	15.7	6.0	13.9	12.8	18.6	1.5	0.0		70.5
1909-10	0.0	0.0	0.0	4.5	11.6	11.2	9.9	9.4	4.5	4.6	0.0	0.0		55.7
1910-11	0.0	0.0	0.0	1.5	11.1	10.2	12.4	10.9	6.7	1.0	T	0.0		53.8
1911-12	0.0	0.0	0.0	T	19.0	19.4	5.7	4.6	4.0	0.0	0.0	0.0		52.7
1912-13	0.0	0.0	T	0.0	7.3	6.4	10.3	8.6	12.6	2.0	0.0	0.0		47.2
1913-14	0.0	0.0	0.5	0.5	1.5	T	6.7	8.0	3.0	T	T	0.0		20.2
1914-15	0.0	0.0	0.0	T	6.5	2.4	15.4	3.2	3.0	0.0	T	0.0		30.5
1915-16	0.0	0.0	0.0	T	6.5	7.5	12.0	8.0	16.5	T	T	0.0		50.5
1916-17	0.0	0.0	T	T	5.5	5.0	12.0	13.0	17.5	9.0	1.0	0.0		63.0
1917-18	0.0	0.0	0.0	4.0	2.0	7.4	12.5	13.5	12.0	T	0.0	0.0		51.4
1918-19	0.0	0.0	0.0	0.0	6.5	10.5	4.0	14.5	T	T	0.0	0.0		35.5
1919-20	0.0	0.0	0.0	2.0	17.5	1.5	16.1	10.4	7.3	0.1	0.0	0.0		54.9
1920-21	0.0	0.0	0.0	T	5.0	12.0	5.0	9.1	4.0	T	0.0	0.0		35.1
1921-22	0.0	0.0	0.0	T	7.0	15.4	4.0	21.0	1.5	3.5	0.0	0.0		52.4
1922-23	0.0	0.0	0.0	T	2.0	6.0	17.0	7.0	20.0	21.0	6.0	0.0		79.0
1923-24	0.0	0.0	0.0	T	1.5	5.0	10.0	6.0	12.0	7.0	0.0	0.0		41.5
1924-25	0.0	0.0	0.0	0.0	1.5	7.0	8.7	10.0	2.0	5.0	0.0	0.0		34.2
1925-26	0.0	0.0	0.0	8.0	1.0	5.0	6.0	15.0	20.0	T	T	0.0		55.0
1926-27	0.0	0.0	0.0	T	11.0	11.0	9.0	7.0	10.5	T	0.0	0.0		48.5
1927-28	0.0	0.0	T	0.0	4.1	31.7	11.2	10.0	10.0	14.0	0.0	0.0		81.0
1928-29	0.0	0.0	T	0.0	4.2	2.0	18.0	11.1	4.0	2.0	T	0.0		41.3
1929-30	0.0	0.0	0.0	T	5.4	8.0	9.0	8.0	1.1	0.0	0.0	0.0		31.5
1930-31	0.0	0.0	0.0	0.1	1.0	3.0	7.3	7.0	6.5	0.0	0.0	0.0		24.9
1931-32	0.0	0.0	0.0	0.0	T	6.0	14.0	8.5	5.5	7.0	0.0	0.0		41.0
1932-33	0.0	0.0	0.0	4.2	4.0	8.5	5.5	21.9	5.0	6.0	0.0	0.0		55.1
1933-34	0.0	0.0	0.0	1.8	10.6	14.6	3.5	5.3	22.6	8.5	T	0.0		66.9
1934-35	0.0	0.0	0.0	0.2	12.0	14.7	31.5	11.6	3.2	2.9	T	0.0		76.1
1935-36	0.0	0.0	0.0	1.0	4.8	5.5	15.8	14.1	13.7	7.0	0.0	0.0		61.9
1936-37	0.0	0.0	0.0	0.5	3.0	10.0	24.0	39.5	6.2	6.0	T	0.0		89.2
1937-38	0.0	0.0	0.0	T	6.0	11.0	26.0	19.0	7.0	T	T	0.0		69.0
1938-39	0.0	0.0	0.0	6.0	10.0	27.0	14.0	25.0	22.0	3.0	0.0	0.0		107.0

RHINELANDER SEASONAL SNOWFALL (JUL TO JUN)

Est. Average	0.0	0.0	Trace	1.4	7.2	15.7	15.9	9.6	10.8	6.1	0.4	0.0		67.1
Season	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun		Season
1939-40	0.0	0.0	0.0	1.3	0.0	8.0	8.0	28.0	11.0	3.0	T	0.0		59.3
1940-41	0.0	0.0	0.0	0.0	10.2	15.0	8.8	6.5	7.0	T	0.0	0.0		47.5
1941-42	0.0	0.0	0.0	T	0.5	5.7	3.7	6.4	14.4	5.4	T	0.0		36.1
1942-43	0.0	0.0	0.5	1.5	5.5	14.6	9.9	0.8	18.6	3.0	T	0.0		54.4
1943-44	0.0	0.0	0.0	T	3.9	0.5	5.5	1.7	23.4	2.0	T	0.0		37.0
1944-45	0.0	0.0	0.0	0.0	4.8	5.4	10.6	24.1	6.5	13.7	T	T		65.1
1945-46	0.0	0.0	T	T	5.0	16.8	16.5	5.7	T	0.8	0.5	0.0		45.3
1946-47	0.0	0.0	0.0	1.0	8.4	15.3	3.0	3.5	1.7	7.0	T	0.0		39.9
1947-48	0.0	0.0	T	0.0	9.5	9.7	5.3	16.0	2.0	0.0	0.0	0.0		42.5
1948-49	0.0	0.0	0.0	0.0	14.4	3.3	6.1	6.0	0.8	T	0.0	0.0		30.6
1949-50	0.0	0.0	0.0	T	11.0	6.0	30.7	10.2	27.4	6.0	T	0.0		91.3
1950-51	0.0	0.0	0.0	T	4.9	29.0	13.9	10.8	25.3	2.0	0.0	0.0		85.9
1951-52	0.0	0.0	0.0	T	1.8	10.6	17.0	9.5	14.0	5.0	0.0	0.0		57.9
1952-53	0.0	0.0	0.0	T	2.0	E14.1	4.6	24.8	3.3	E2.0	0.0	0.0		E50.8
1953-54	0.0	0.0	T	0.0	E2.3	E12.5	E9.7	12.3	9.1	0.2	E1.7	0.0		E47.8
1954-55	0.0	0.0	0.0	0.0	E8.2	4.7	10.9	3.6	19.0	0.0	T	0.0		E46.4
1955-56	0.0	0.0	0.0	T	14.4	10.3	5.5	3.6	10.3	2.0	0.0	0.0		46.1
1956-57	0.0	0.0	0.0	0.0	12.5	4.1	4.1	10.7	6.0	8.5	0.0	0.0		45.9
1957-58	0.0	0.0	0.0	0.0	21.5	2.5	6.4	1.0	10.0	12.0	0.0	0.0		53.4
1958-59	0.0	0.0	0.0	0.0	1.0	5.4	8.5	8.5	15.5	0.1	0.0	0.0		39.0
1959-60	0.0	0.0	0.0	T	8.0	22.5	12.9	8.5	1.2	2.0	11.0	0.0		66.1
1960-61	0.0	0.0	0.0	T	1.0	1.0	6.5	17.6	15.5	2.5	1.5	0.0		45.6
1961-62	0.0	0.0	0.0	0.0	9.3	19.0	13.0	21.5	7.0	T	T	0.0		69.8
1962-63	0.0	0.0	0.0	T	7.5	13.5	6.5	9.6	10.0	0.2	0.0	0.0		47.3
1963-64	0.0	0.0	0.0	0.0	T	10.2	8.7	7.6	8.3	2.3	0.0	0.0		37.1
1964-65	0.0	0.0	0.0	T	4.0	17.3	13.3	15.0	21.9	11.0	T	0.0		82.5
1965-66	0.0	0.0	0.0	T	10.5	5.0	12.3	2.0	15.0	4.0	0.5	0.0		49.3
1966-67	0.0	0.0	0.0	T	10.5	14.5	31.0	19.0	10.0	1.0	T	0.0		86.0
1967-68	0.0	0.0	0.0	T	2.6	7.1	15.7	3.0	2.0	0.3	0.0	0.0		30.7
1968-69	0.0	0.0	0.0	0.0	7.0	46.0	29.0	4.0	1.0	0.0	0.0	0.0		87.0
1969-70	0.0	0.0	0.0	0.9	6.5	19.4	6.6	6.0	4.5	2.9	0.0	0.0		46.8
1970-71	0.0	0.0	0.0	0.0	11.0	9.0	24.0	17.0	6.0	2.0	0.0	0.0		69.0
1971-72	0.0	0.0	0.0	0.0	8.4	13.5	11.0	11.5	14.3	7.5	0.0	0.0		66.2
1972-73	0.0	0.0	0.0	E1.9	1.0	21.5	7.5	5.0	0.0	E6.5	E3.5	0.0		E46.9
1973-74	0.0	0.0	0.0	E(T)	E2.3	16.4	2.1	9.0	E6.1	5.0	E(T)	0.0		E40.9

RHINELANDER SEASONAL SNOWFALL (JUL TO JUN)

Est. Average	0.0	0.0	Trace	1.4	7.2	15.7	15.9	9.6	10.8	6.1	0.4	0.0		67.1
Season	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun		Season
1974-75	0.0	0.0	0.0	E(T)	3.6	10.0	16.0	13.0	9.0	T	0.0	0.0		E51.6
1975-76	0.0	0.0	0.0	0.0	E10.3	6.0	E22.1	E4.9	14.0	E(T)	T	0.0		E57.3
1976-77	0.0	0.0	0.0	E0.7	E4.4	6.0	6.0	E1.4	E14.4	E8.6	0.0	0.0		E41.5
1977-78	0.0	0.0	0.0	T	E9.2	E23.1	E8.2	E6.8	E1.0	T	0.0	0.0		E48.3
1978-79	0.0	0.0	0.0	T	E11.8	E17.4	E24.0	E16.0	E13.7	E3.1	5.0	0.0		E91.0
1979-80	0.0	0.0	0.0	2.0	E15.1	E4.9	E16.9	E5.2	E7.5	E6.8	0.0	0.0		E58.4
1980-81	0.0	0.0	0.0	E2.3	E1.3	E15.2	E6.8	E10.5	E1.7	E0.5	0.0	0.0		E38.3
1981-82	0.0	0.0	0.0	E0.8	E2.5	E16.7	E18.3	E4.1	E6.5	E7.0	0.0	0.0		E55.9
1982-83	0.0	0.0	0.0	1.0	E8.2	9.0	E15.5	E9.3	8.3	2.5	0.0	0.0		E53.8
1983-84	0.0	0.0	0.0	E(T)	E11.1	E15.8	E7.4	E5.4	E9.9	E1.3	E(T)	0.0		E50.9
1984-85	0.0	0.0	0.0	0.0	E2.7	E25.4	E5.8	E8.5	E22.3	E3.3	0.0	0.0		E68.0
1985-86	0.0	0.0	0.5	0.0	E30.4	E15.6	E13.1	E6.5	E9.1	E(T)	0.0	0.0		E75.2
1986-87	0.0	0.0	0.0	0.5	E8.9	E7.4	E11.1	E0.8	6.0	0.5	0.0	0.0		E35.2
1987-88	0.0	0.0	0.0	E2.1	4.8	E17.2	11.3	E3.0	3.5	E6.2	0.0	0.0		E48.1
1988-89	0.0	0.0	0.0	E2.3	E3.2	7.0	E13.6	E5.9	E22.2	E0.5	0.0	0.0		E54.7
1989-90	0.0	0.0	0.0	T	E4.0	E10.4	E7.8	E7.1	2.5	T	T	0.0		E31.8
1990-91	0.0	0.0	0.0	E2.4	T	E11.9	E8.0	E14.5	E7.5	E1.3	0.0	0.0		E45.6
1991-92	0.0	0.0	0.0	E(T)	E23.6	E9.2	E8.2	E12.2	E13.1	E6.2	0.0	0.0		E72.5
1992-93	0.0	0.0	0.0	E2.0	E11.1	13.7	E13.0	0.5	E4.5	E8.3	0.0	0.0		E53.1
1993-94	0.0	0.0	E(T)	T	E14.1	E5.2	15.0	7.0	E5.9	5.0	0.0	0.0		E52.2
1994-95	0.0	0.0	0.0	E(T)	E5.2	5.0	E7.8	E5.5	11.0	5.8	0.0	0.0		E40.3
1995-96	0.0	0.0	E(T)	E2.5	E10.6	E19.1	E20.0	E5.6	E14.5	3.5	0.0	0.0		E75.8
1996-97	0.0	0.0	0.0	E(T)	E3.6	31.0	E23.6	3.0	18.2	0.5	0.5	0.0		E80.4
1997-98	0.0	0.0	0.0	E(T)	E3.5	7.4	20.6	E4.0	15.0	2.0	0.0	0.0		E52.5
1998-99	0.0	0.0	0.0	0.0	4.5	8.5	E27.6	7.6	E4.9	E(T)	0.0	0.0		E53.1
1999-00	0.0	0.0	0.0	E(T)	E0.5	E7.2	15.1	18.1	1.5	3.0	0.0	0.0		E45.1
2000-01	0.0	0.0	0.0	2.0	10.3	18.5	9.7	13.2	11.1	2.0	0.0	0.0		66.8
2001-02	0.0	0.0	0.0	3.0	7.1	3.8	9.2	12.1	12.1	13.8	T	0.0		61.1
2002-03	0.0	0.0	0.0	9.3	2.2	1.9	6.1	10.7	17.6	7.0	0.0	0.0		54.8
2003-04	0.0	0.0	T	4.0	2.7	11.4	17.0	24.5	19.0	0.2	0.0	0.0		78.8
2004-05	0.0	0.0	0.0	T	5.1	18.2	16.2	14.5	11.5	T	0.1	0.0		65.6
2005-06	0.0	0.0	0.0	0.0	10.9	16.3	10.0	10.5	16.2	0.0	1.0	0.0		64.9
2006-07	0.0	0.0	0.0	3.6	13.5	14.1	10.8	11.5	16.6	4.6	0.0	0.0		74.7
2007-08	0.0	0.0	0.0	T	4.6	23.5	13.2	14.1	14.2	13.7	0.0	0.0		83.3
2008-09	0.0	0.0	0.0	2.0	7.0	27.2	10.2	10.4	4.5	10.7	0.0	0.0		72.0

RHINELANDER SEASONAL SNOWFALL (JUL TO JUN)

Est. Average	0.0	0.0	Trace	1.4	7.2	15.7	15.9	9.6	10.8	6.1	0.4	0.0		67.1
Season	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun		Season
2009-10	0.0	0.0	0.0	3.1	1.6	23.0	6.2	8.4	0.0	0.1	6.0	0.0		48.4
2010-11	0.0	0.0	0.0	T	7.2	26.6	16.5	5.6	27.6	7.5	0.2	0.0		91.2
2011-12	0.0	0.0	T	T	14.3	12.2	19.8	28.5	2.0	T	0.0	0.0		76.8
2012-13	0.0	0.0	0.0	T	5.5	12.2	12.9	22.0	16.2	14.8	0.2	0.0		83.8
2013-14	0.0	0.0	0.0	2.2	7.6	23.1	21.9	17.7	9.6	28.1	0.1	0.0		110.3
2014-15	0.0	0.0	T	2.7	32.4	19.0	9.4	5.4	6.5	13.9	T	0.0		89.3
2015-16	0.0	0.0	0.0	1.0	3.1	12.5	7.4	10.5	9.3	11.9	T	0.0		55.7
2016-17	0.0	0.0	0.0	0.0	6.6	19.6						0.0		
2017-18	0.0	0.0										0.0		
2018-19	0.0	0.0										0.0		
2019-20														
2020-21														
2021-22														
2022-23														
2023-24														
2024-25														
2025-26														
2026-27														
2027-28														
2028-29														
2029-30														
2030-31														
2031-32														
2032-33														
2033-34														

RHINELANDER CALENDAR YEAR SNOWFALL (JAN TO DEC)

Ave	15.9	9.6	10.8	6.1	0.4	0.0		0.0	0.0	Trace	1.4	7.2	15.7		67.1
YEAR	JAN	FEB	MAR	APR	MAY	JUN		JUL	AUG	SEP	OCT	NOV	DEC		YEAR
1908	6.2	7.6	20.4	4.0	T	0.0		0.0	0.0	T	0.0	2.0	15.7		55.9
1909	6.0	13.9	12.8	18.6	1.5	0.0		0.0	0.0	0.0	4.5	11.6	11.2		80.1
1910	9.9	9.4	4.5	4.6	0.0	0.0		0.0	0.0	0.0	1.5	11.1	10.2		51.2
1911	12.4	10.9	6.7	1.0	T	0.0		0.0	0.0	0.0	T	19.0	19.4		69.4
1912	5.7	4.6	4.0	0.0	0.0	0.0		0.0	0.0	T	0.0	7.3	6.4		28.0
1913	10.3	8.6	12.6	2.0	0.0	0.0		0.0	0.0	0.5	0.5	1.5	T		36.0
1914	6.7	8.0	3.0	T	T	0.0		0.0	0.0	0.0	T	6.5	2.4		26.6
1915	15.4	3.2	3.0	0.0	T	0.0		0.0	0.0	0.0	T	6.5	7.5		35.6
1916	12.0	8.0	16.5	T	T	0.0		0.0	0.0	T	T	5.5	5.0		47.0
1917	12.0	13.0	17.5	9.0	1.0	0.0		0.0	0.0	0.0	4.0	2.0	7.4		65.9
1918	12.5	13.5	12.0	T	0.0	0.0		0.0	0.0	0.0	0.0	6.5	10.5		55.0
1919	4.0	14.5	T	T	0.0	0.0		0.0	0.0	0.0	2.0	17.5	1.5		39.5
1920	16.1	10.4	7.3	0.1	0.0	0.0		0.0	0.0	0.0	T	5.0	12.0		50.9
1921	5.0	9.1	4.0	T	0.0	0.0		0.0	0.0	0.0	T	7.0	15.4		40.5
1922	4.0	21.0	1.5	3.5	0.0	0.0		0.0	0.0	0.0	T	2.0	6.0		38.0
1923	17.0	7.0	20.0	21.0	6.0	0.0		0.0	0.0	0.0	T	1.5	5.0		77.5
1924	10.0	6.0	12.0	7.0	0.0	0.0		0.0	0.0	0.0	0.0	1.5	7.0		43.5
1925	8.7	10.0	2.0	5.0	0.0	0.0		0.0	0.0	0.0	8.0	1.0	5.0		39.7
1926	6.0	15.0	20.0	T	T	0.0		0.0	0.0	0.0	T	11.0	11.0		63.0
1927	9.0	7.0	10.5	T	0.0	0.0		0.0	0.0	T	0.0	4.1	31.7		62.3
1928	11.2	10.0	10.0	14.0	0.0	0.0		0.0	0.0	T	0.0	4.2	2.0		51.4
1929	18.0	11.1	4.0	2.0	T	0.0		0.0	0.0	0.0	T	5.4	8.0		48.5
1930	9.0	8.0	1.1	0.0	0.0	0.0		0.0	0.0	0.0	0.1	1.0	3.0		22.2
1931	7.3	7.0	6.5	0.0	0.0	0.0		0.0	0.0	0.0	0.0	T	6.0		26.8
1932	14.0	8.5	5.5	7.0	0.0	0.0		0.0	0.0	0.0	4.2	4.0	8.5		51.7
1933	5.5	21.9	5.0	6.0	0.0	0.0		0.0	0.0	0.0	1.8	10.6	14.6		65.4
1934	3.5	5.3	22.6	8.5	T	0.0		0.0	0.0	0.0	0.2	12.0	14.7		66.8
1935	31.5	11.6	3.2	2.9	T	0.0		0.0	0.0	0.0	1.0	4.8	5.5		60.5
1936	15.8	14.1	13.7	7.0	0.0	0.0		0.0	0.0	0.0	0.5	3.0	10.0		64.1
1937	24.0	39.5	6.2	6.0	T	0.0		0.0	0.0	0.0	T	6.0	11.0		92.7
1938	26.0	19.0	7.0	T	T	0.0		0.0	0.0	0.0	6.0	10.0	27.0		95.0
1939	14.0	25.0	22.0	3.0	0.0	0.0		0.0	0.0	0.0	1.3	0.0	8.0		73.3

RHINELANDER CALENDAR YEAR SNOWFALL (JAN TO DEC)

AVE	15.9	9.6	10.8	6.1	0.4	0.0		0.0	0.0	Trace	1.4	7.2	15.7		67.1
YEAR	JAN	FEB	MAR	APR	MAY	JUN		JUL	AUG	SEP	OCT	NOV	DEC		YEAR
1940	8.0	28.0	11.0	3.0	T	0.0		0.0	0.0	0.0	0.0	10.2	15.0		75.2
1941	8.8	6.5	7.0	T	0.0	0.0		0.0	0.0	0.0	T	0.5	5.7		28.5
1942	3.7	6.4	14.4	5.4	T	0.0		0.0	0.0	0.5	1.5	5.5	14.6		52.0
1943	9.9	0.8	18.6	3.0	T	0.0		0.0	0.0	0.0	T	3.9	0.5		36.7
1944	5.5	1.7	23.4	2.0	T	0.0		0.0	0.0	0.0	0.0	4.8	5.4		42.8
1945	10.6	24.1	6.5	13.7	T	T		0.0	0.0	T	T	5.0	16.8		76.7
1946	16.5	5.7	T	0.8	0.5	0.0		0.0	0.0	0.0	1.0	8.4	15.3		48.2
1947	3.0	3.5	1.7	7.0	T	0.0		0.0	0.0	T	0.0	9.5	9.7		34.4
1948	5.3	16.0	2.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	14.4	3.3		41.0
1949	6.1	6.0	0.8	T	0.0	0.0		0.0	0.0	0.0	T	11.0	6.0		29.9
1950	30.7	10.2	27.4	6.0	T	0.0		0.0	0.0	0.0	T	4.9	29.0		108.2
1951	13.9	10.8	25.3	2.0	0.0	0.0		0.0	0.0	0.0	T	1.8	10.6		64.4
1952	17.0	9.5	14.0	5.0	0.0	0.0		0.0	0.0	0.0	T	2.0	E14.1		61.6
1953	4.6	24.8	3.3	E2.0	0.0	0.0		0.0	0.0	T	0.0	E2.3	E12.5		E49.5
1954	E9.7	12.3	9.1	0.2	E1.7	0.0		0.0	0.0	0.0	0.0	E8.2	4.7		E45.9
1955	10.9	3.6	19.0	0.0	T	0.0		0.0	0.0	0.0	T	14.4	10.3		58.2
1956	5.5	3.6	10.3	2.0	0.0	0.0		0.0	0.0	0.0	0.0	12.5	4.1		38.0
1957	4.1	10.7	6.0	8.5	0.0	0.0		0.0	0.0	0.0	0.0	21.5	2.5		53.3
1958	6.4	1.0	10.0	12.0	0.0	0.0		0.0	0.0	0.0	0.0	1.0	5.4		35.8
1959	8.5	8.5	15.5	0.1	0.0	0.0		0.0	0.0	0.0	T	8.0	22.5		63.1
1960	12.9	8.5	1.2	2.0	11.0	0.0		0.0	0.0	0.0	T	1.0	1.0		37.6
1961	6.5	17.6	15.5	2.5	1.5	0.0		0.0	0.0	0.0	0.0	9.3	19.0		71.9
1962	13.0	21.5	7.0	T	T	0.0		0.0	0.0	0.0	T	7.5	13.5		62.5
1963	6.5	9.6	10.0	0.2	0.0	0.0		0.0	0.0	0.0	0.0	T	10.2		36.5
1964	8.7	7.6	8.3	2.3	0.0	0.0		0.0	0.0	0.0	T	4.0	17.3		48.2
1965	13.3	15.0	21.9	11.0	T	0.0		0.0	0.0	0.0	T	10.5	5.0		76.7
1966	12.3	2.0	15.0	4.0	0.5	0.0		0.0	0.0	0.0	T	10.5	14.5		58.8
1967	31.0	19.0	10.0	1.0	T	0.0		0.0	0.0	0.0	T	2.6	7.1		70.7
1968	15.7	3.0	2.0	0.3	0.0	0.0		0.0	0.0	0.0	0.0	7.0	46.0		74.0
1969	29.0	4.0	1.0	0.0	0.0	0.0		0.0	0.0	0.0	0.9	6.5	19.4		60.8
1970	6.6	6.0	4.5	2.9	0.0	0.0		0.0	0.0	0.0	0.0	11.0	9.0		40.0
1971	24.0	17.0	6.0	2.0	0.0	0.0		0.0	0.0	0.0	0.0	8.4	13.5		70.9
1972	11.0	11.5	14.3	7.5	0.0	0.0		0.0	0.0	0.0	E1.9	1.0	21.5		E68.7
1973	7.5	5.0	0.0	E6.5	E3.5	0.0		0.0	0.0	0.0	E(T)	E2.3	16.4		E41.2
1974	2.1	9.0	E6.1	5.0	E(T)	0.0		0.0	0.0	0.0	E(T)	3.6	10.0		E35.8

RHINELANDER CALENDAR YEAR SNOWFALL (JAN TO DEC)

AVE	15.9	9.6	10.8	6.1	0.4	0.0		0.0	0.0	Trace	1.4	7.2	15.7		67.1
YEAR	JAN	FEB	MAR	APR	MAY	JUN		JUL	AUG	SEP	OCT	NOV	DEC		YEAR
1975	16.0	13.0	9.0	T	0.0	0.0		0.0	0.0	0.0	0.0	E10.3	6.0		E54.3
1976	E22.1	E4.9	14.0	E(T)	T	0.0		0.0	0.0	0.0	E0.7	E4.4	6.0		E52.1
1977	6.0	E1.4	E14.4	E8.6	0.0	0.0		0.0	0.0	0.0	T	E9.2	E23.1		E62.7
1978	E8.2	E6.8	E1.0	T	0.0	0.0		0.0	0.0	0.0	T	E11.8	E17.4		E45.2
1979	E24.0	E16.0	E13.7	E3.1	5.0	0.0		0.0	0.0	0.0	2.0	E15.1	E4.9		E83.8
1980	E16.9	E5.2	E7.5	E6.8	0.0	0.0		0.0	0.0	0.0	E2.3	E1.3	E15.2		E55.2
1981	E6.8	E10.5	E1.7	E0.5	0.0	0.0		0.0	0.0	0.0	E0.8	E2.5	E16.7		E39.5
1982	E18.3	E4.1	E6.5	E7.0	0.0	0.0		0.0	0.0	0.0	1.0	E8.2	9.0		E54.1
1983	E15.5	E9.3	8.3	2.5	0.0	0.0		0.0	0.0	0.0	E(T)	E11.1	E15.8		E62.5
1984	E7.4	E5.4	E9.9	E1.3	E(T)	0.0		0.0	0.0	0.0	0.0	E2.7	E25.4		E52.1
1985	E5.8	E8.5	E22.3	E3.3	0.0	0.0		0.0	0.0	0.5	0.0	E30.4	E15.6		E86.4
1986	E13.1	E6.5	E9.1	E(T)	0.0	0.0		0.0	0.0	0.0	0.5	E8.9	E7.4		E45.5
1987	E11.1	E0.8	6.0	0.5	0.0	0.0		0.0	0.0	0.0	E2.1	4.8	E17.2		E42.5
1988	11.3	E3.0	3.5	E6.2	0.0	0.0		0.0	0.0	0.0	E2.3	E3.2	7.0		E36.5
1989	E13.6	E5.9	E22.2	E0.5	0.0	0.0		0.0	0.0	0.0	T	E4.0	E10.4		E56.6
1990	E7.8	E7.1	2.5	T	T	0.0		0.0	0.0	0.0	E2.4	T	E11.9		E31.7
1991	E8.0	E14.5	E7.5	E1.3	0.0	0.0		0.0	0.0	0.0	E(T)	E23.6	E9.2		E64.1
1992	E8.2	E12.2	E13.1	E6.2	0.0	0.0		0.0	0.0	0.0	E2.0	E11.1	13.7		E66.5
1993	E13.0	0.5	E4.5	E8.3	0.0	0.0		0.0	0.0	E(T)	T	E14.1	E5.2		E45.6
1994	15.0	7.0	E5.9	5.0	0.0	0.0		0.0	0.0	0.0	E(T)	E5.2	5.0		E43.1
1995	E7.8	E5.5	11.0	5.8	0.0	0.0		0.0	0.0	E(T)	E2.5	E10.6	E19.1		E62.3
1996	E20.0	E5.6	E14.5	3.5	0.0	0.0		0.0	0.0	0.0	E(T)	E3.6	31.0		E78.2
1997	E23.6	3.0	18.2	0.5	0.5	0.0		0.0	0.0	0.0	E(T)	E3.5	7.4		E56.7
1998	20.6	E4.0	15.0	2.0	0.0	0.0		0.0	0.0	0.0	0.0	4.5	8.5		E54.6
1999	E27.6	7.6	E4.9	E(T)	0.0	0.0		0.0	0.0	0.0	E(T)	E0.5	E7.2		E47.8
2000	15.1	18.1	1.5	3.0	0.0	0.0		0.0	0.0	0.0	2.0	10.3	18.5		68.5
2001	9.7	13.2	11.1	2.0	0.0	0.0		0.0	0.0	0.0	3.0	7.1	3.8		49.9
2002	9.2	12.1	12.1	13.8	T	0.0		0.0	0.0	0.0	9.3	2.2	1.9		60.6
2003	6.1	10.7	17.6	7.0	0.0	0.0		0.0	0.0	T	4.0	2.7	11.4		59.5
2004	17.0	24.5	19.0	0.2	0.0	0.0		0.0	0.0	0.0	T	5.1	18.2		84.0
2005	16.2	14.5	11.5	T	0.1	0.0		0.0	0.0	0.0	0.0	10.9	16.3		69.5
2006	10.0	10.5	16.2	0.0	1.0	0.0		0.0	0.0	0.0	3.6	13.5	14.1		68.9
2007	10.8	11.5	16.6	4.6	0.0	0.0		0.0	0.0	0.0	T	4.6	23.5		71.6
2008	13.2	14.1	14.2	13.7	0.0	0.0		0.0	0.0	0.0	2.0	7.0	27.2		91.4
2009	10.2	10.4	4.5	10.7	0.0	0.0		0.0	0.0	0.0	3.1	1.6	23.0		63.5

RHINELANDER CALENDAR YEAR SNOWFALL (JAN TO DEC)

AVE	15.9	9.6	10.8	6.1	0.4	0.0		0.0	0.0	Trace	1.4	7.2	15.7		67.1
YEAR	JAN	FEB	MAR	APR	MAY	JUN		JUL	AUG	SEP	OCT	NOV	DEC		YEAR
2010	6.2	8.4	0.0	0.1	6.0	0.0		0.0	0.0	0.0	T	7.2	26.6		54.5
2011	16.5	5.6	27.6	7.5	0.2	0.0		0.0	0.0	T	T	14.3	12.2		83.9
2012	19.8	28.5	2.0	T	0.0	0.0		0.0	0.0	0.0	T	5.5	12.2		68.0
2013	12.9	22.0	16.2	14.8	0.2	0.0		0.0	0.0	0.0	2.2	7.6	23.1		99.0
2014	21.9	17.7	9.6	28.1	0.1	0.0		0.0	0.0	T	2.7	32.4	19.0		131.5
2015	9.4	5.4	6.5	13.9	T	0.0		0.0	0.0	0.0	1.0	3.1	12.7		52.0
2016	7.4	10.5	9.3	11.9	T	0.0		0.0	0.0	0.0	0.0	6.6	19.6		65.3
2017						0.0		0.0	0.0						
2018						0.0		0.0	0.0						
2019						0.0		0.0	0.0						
2020															
2021															
2022															
2023															
2024															
2025															
2026															
2027															
2028															
2029															
2030															
2031															
2032															
2033															
2034															
2035															
2036															
2037															
2038															
2039															
2040															
2041															
2042															
2043															
2044															

RHINELANDER SNOWFALL TOTALS BY SEASON

Average	41.2	Average	17.3	Average	0.0	Average	8.6
WINTER	TOTAL	SPRING	TOTAL	SUMMER	TOTAL	FALL	TOTAL
1907-08	MSG	1908	24.4	1908	0.0	1908	2.0
1908-09	35.6	1909	32.9	1909	0.0	1909	16.1
1909-10	30.5	1910	9.1	1910	0.0	1910	12.6
1910-11	33.5	1911	7.7	1911	0.0	1911	19.0
1911-12	29.7	1912	4.0	1912	0.0	1912	7.3
1912-13	25.3	1913	14.6	1913	0.0	1913	2.5
1913-14	14.7	1914	3.0	1914	0.0	1914	6.5
1914-15	21.0	1915	3.0	1915	0.0	1915	6.5
1915-16	27.5	1916	16.5	1916	0.0	1916	5.5
1916-17	30.0	1917	27.5	1917	0.0	1917	6.0
1917-18	33.4	1918	12.0	1918	0.0	1918	6.5
1918-19	29.0	1919	T	1919	0.0	1919	19.5
1919-20	28.0	1920	7.4	1920	0.0	1920	5.0
1920-21	26.1	1921	4.0	1921	0.0	1921	7.0
1921-22	40.4	1922	5.0	1922	0.0	1922	2.0
1922-23	30.0	1923	47.0	1923	0.0	1923	1.5
1923-24	21.0	1924	19.0	1924	0.0	1924	1.5
1924-25	25.7	1925	7.0	1925	0.0	1925	9.0
1925-26	26.0	1926	20.0	1926	0.0	1926	11.0
1926-27	27.0	1927	10.5	1927	0.0	1927	4.1
1927-28	52.9	1928	24.0	1928	0.0	1928	4.2
1928-29	31.1	1929	6.0	1929	0.0	1929	5.4
1929-30	25.0	1930	1.1	1930	0.0	1930	1.1
1930-31	17.3	1931	6.5	1931	0.0	1931	T
1931-32	28.5	1932	12.5	1932	0.0	1932	8.2
1932-33	35.9	1933	11.0	1933	0.0	1933	12.4
1933-34	23.4	1934	31.1	1934	0.0	1934	12.2
1934-35	57.8	1935	6.1	1935	0.0	1935	5.8
1935-36	35.4	1936	20.7	1936	0.0	1936	3.5
1936-37	73.5	1937	12.2	1937	0.0	1937	6.0
1937-38	56.0	1938	7.0	1938	0.0	1938	16.0
1938-39	66.0	1939	25.0	1939	0.0	1939	1.3
1939-40	44.0	1940	14.0	1940	0.0	1940	10.2
1940-41	30.3	1941	7.0	1941	0.0	1941	0.5
1941-42	15.8	1942	19.8	1942	0.0	1942	7.5
1942-43	25.3	1943	21.6	1943	0.0	1943	3.9
1943-44	7.7	1944	25.4	1944	0.0	1944	4.8
1944-45	40.1	1945	20.2	1945	T	1945	5.0
1945-46	39.0	1946	1.3	1946	0.0	1946	9.4
1946-47	21.8	1947	8.7	1947	0.0	1947	9.5
1947-48	31.0	1948	2.0	1948	0.0	1948	14.4
1948-49	15.4	1949	0.8	1949	0.0	1949	11.0

RHINELANDER SNOWFALL TOTALS BY SEASON

Average	41.2	Average	17.3	Average	0.0	Average	8.6
WINTER	TOTAL	SPRING	TOTAL	SUMMER	TOTAL	FALL	TOTAL
1949-50	46.9	1950	33.4	1950	0.0	1950	4.9
1950-51	53.7	1951	27.3	1951	0.0	1951	1.8
1951-52	37.1	1952	19.0	1952	0.0	1952	2.0
1952-53	29.4	1953	E5.3	1953	0.0	1953	E2.3
1953-54	12.3	1954	E11.0	1954	0.0	1954	E8.2
1954-55	19.2	1955	19.0	1955	0.0	1955	14.4
1955-56	19.4	1956	12.3	1956	0.0	1956	12.5
1956-57	18.9	1957	14.5	1957	0.0	1957	21.5
1957-58	9.9	1958	22.0	1958	0.0	1958	1.0
1958-59	22.4	1959	15.6	1959	0.0	1959	8.0
1959-60	43.9	1960	14.2	1960	0.0	1960	1.0
1960-61	25.1	1961	19.5	1961	0.0	1961	9.3
1961-62	53.5	1962	7.0	1962	0.0	1962	7.5
1962-63	29.6	1963	10.2	1963	0.0	1963	T
1963-64	26.5	1964	10.6	1964	0.0	1964	4.0
1964-65	45.6	1965	32.9	1965	0.0	1965	10.5
1965-66	19.3	1966	19.5	1966	0.0	1966	10.5
1966-67	64.5	1967	11.0	1967	0.0	1967	2.6
1967-68	25.8	1968	2.3	1968	0.0	1968	7.0
1968-69	79.0	1969	1.0	1969	0.0	1969	7.4
1969-70	32.0	1970	7.4	1970	0.0	1970	11.0
1970-71	50.0	1971	8.0	1971	0.0	1971	8.4
1971-72	36.0	1972	21.5	1972	0.0	1972	E2.9
1972-73	34.0	1973	E10.0	1973	0.0	1973	E2.3
1973-74	27.5	1974	E11.1	1974	0.0	1974	3.6
1974-75	39.0	1975	9.0	1975	0.0	1975	E10.3
1975-76	E33.0	1976	14.0	1976	0.0	1976	E5.1
1976-77	E13.4	1977	E23.0	1977	0.0	1977	E9.2
1977-78	E38.1	1978	E1.0	1978	0.0	1978	E11.8
1978-79	E57.4	1979	E16.8	1979	0.0	1979	E17.1
1979-80	E27.0	1980	E14.3	1980	0.0	1980	E3.6
1980-81	E32.5	1981	E2.2	1981	0.0	1981	E3.3
1981-82	E39.1	1982	E13.5	1982	0.0	1982	E9.2
1982-83	E33.8	1983	10.8	1983	0.0	1983	E11.1
1983-84	E28.6	1984	E11.2	1984	0.0	1984	E2.7
1984-85	E39.7	1985	E25.6	1985	0.0	1985	E30.9
1985-86	E35.2	1986	9.1	1986	0.0	1986	E9.4
1986-87	E19.3	1987	6.5	1987	0.0	1987	E7.0
1987-88	E31.5	1988	E9.7	1988	0.0	1988	E5.5
1988-89	E26.5	1989	E22.7	1989	0.0	1989	E4.0
1989-90	E25.3	1990	2.5	1990	0.0	1990	E2.4
1990-91	E34.4	1991	E8.8	1991	0.0	1991	E23.6
1991-92	E29.6	1992	E19.3	1992	0.0	1992	E13.1
1992-93	E27.2	1993	E12.8	1993	0.0	1993	E14.1
1993-94	E27.2	1994	E10.9	1994	0.0	1994	E5.2

RHINELANDER SNOWFALL TOTALS BY SEASON

AVERAGE	41.2	AVERAGE	17.3	AVERAGE	0.0	AVERAGE	8.6
WINTER	TOTAL	SPRING	TOTAL	SUMMER	TOTAL	FALL	TOTAL
1994-95	E18.3	1995	16.8	1995	0.0	1995	E13.1
1995-96	E44.7	1996	E18.0	1996	0.0	1996	E3.6
1996-97	E57.6	1997	19.2	1997	0.0	1997	E3.5
1997-98	E32.0	1998	17.0	1998	0.0	1998	4.5
1998-99	E43.7	1999	E4.9	1999	0.0	1999	E0.5
1999-00	E40.4	2000	4.5	2000	0.0	2000	12.3
2000-01	41.4	2001	13.1	2001	0.0	2001	10.1
2001-02	25.1	2002	25.9	2002	0.0	2002	11.5
2002-03	18.7	2003	24.6	2003	0.0	2003	6.7
2003-04	52.9	2004	19.2	2004	0.0	2004	5.1
2004-05	48.9	2005	11.6	2005	0.0	2005	10.9
2005-06	36.8	2006	17.2	2006	0.0	2006	17.1
2006-07	36.4	2007	21.2	2007	0.0	2007	4.6
2007-08	50.8	2008	27.9	2008	0.0	2008	9.0
2008-09	47.8	2009	15.2	2009	0.0	2009	4.7
2009-10	37.6	2010	6.1	2010	0.0	2010	7.2
2010-11	48.7	2011	35.3	2011	0.0	2011	14.3
2011-12	60.5	2012	2.0	2012	0.0	2012	5.5
2012-13	47.1	2013	31.2	2013	0.0	2013	9.8
2013-14	62.7	2014	37.8	2014	0.0	2014	35.1
2014-15	33.8	2015	20.4	2015	0.0	2015	4.1
2015-16	30.6	2016	21.2	2016	0.0	2016	0.9
2016-17		2017		2017	0.0	2017	
2017-18		2018		2018	0.0	2018	
2018-19		2019		2019	0.0	2019	
2019-20		2020		2020		2020	
2020-21		2021		2021		2021	
2021-22		2022		2022		2022	
2022-23		2023		2023		2023	
2023-24		2024		2024		2024	
2024-25		2025		2025		2025	
2025-26		2026		2026		2026	
2026-27		2027		2027		2027	
2027-28		2028		2028		2028	
2028-29		2029		2029		2029	
2029-30		2030		2030		2030	
2030-31		2031		2031		2031	
2031-32		2032		2032		2032	
2032-33		2033		2033		2033	
2033-34		2034		2034		2034	

RHINELANDER – GREATEST CALENDAR DAY SNOW FALL

JANUARY

AMOUNT (INCHES)	DATE (S) / YEARS
12.3	13/1950
10.0	17/1935
9.0	08/1969, 04/1971
8.3	02/1911
8.0	06/1929, 03/1937, 02/2000
7.5	19/1935
7.0	13/1936, 24/1938, 22/1952, 02/1966
7.0	16/1967, 09/1969, 29/1987, 24/1997
7.0	14/1998, 22/1999
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	
E7.8	06/1980
E7.0	20/1979

FEBRUARY

AMOUNT (INCHES)	DATE(S) / YEAR(S)
20.0	21/1937
13.9	28/2012
12.0	12/1965
11.0	15/1967
10.0	28/1939
9.5	27/1948, 20/1953, 15/2002
9.0	20/1937, 29/1940, 05/1971
8.0	18/1961, 15/2000, 03/2003, 20/2004
7.0	01/1933
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	

RHINELANDER – GREATEST CALENDAR DAY SNOW FALL

MARCH

AMOUNT (INCHES)	DATE (S) / YEARS
15.0	15/1939
11.5	09/1992
11.0	23/2011
10.0	10/1918, 19/1943
8.5	25/1996
8.0	09/1928, 26/1936, 13/1940, 07/1950
8.0	06/1959, 19/1963
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	
E9.9	03/1989

APRIL

AMOUNT (INCHES)	DATE(S) / YEAR(S)
12.0	06/1958
8.0	06/1923
7.6	06/2015
7.5	03/1945, 11/2008, 17/2014
7.3	04/2014
6.9	20/2009
6.5	22/1972
6.0	02/1932, 06/1933, 20/1936, 01/1965
6.0	10/1992, 28/2002
5.5	04/1945
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	

RHINELANDER – GREATEST CALENDAR DAY SNOW FALL

MAY

AMOUNT	
(INCHES)	DATE (S) / YEARS
7.0	07/1960
5.0	07/1923, 05/1979
4.0	07/2010
3.0	08/1960
2.0	08/2010
1.5	01/1909, 10/1961
1.1	06/1954
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	
E3.5	03/1973

JUNE

AMOUNT	
(INCHES)	DATE(S) / YEAR(S)
T	02/1945, 03/1945, 01/1946
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	

RHINELANDER – GREATEST CALENDAR DAY SNOW FALL

JULY

AMOUNT	
(INCHES)	DATE (S) / YEARS
NONE	
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	

AUGUST

AMOUNT	
(INCHES)	DATE(S) / YEAR(S)
NONE	
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	

RHINELANDER – GREATEST CALENDAR DAY SNOW FALL

SEPTEMBER

AMOUNT	
(INCHES)	DATE (S) / YEARS
0.5	21/1913, 26/1942, 30/1985
T	30/1908, 26/1912, 15/1916, 25/1927
T	23/1928, 23/1942, 24/1942, 27/1942
T	28/1945, 29/1947, 26/1953, 26/1965
T	21/1974, 30/2003, 14/2011
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	
E(T)	29/1993
E(T)	21/1995

OCTOBER

AMOUNT	
(INCHES)	DATE(S) / YEAR(S)
6.0	19/1925, 21/2002
4.0	22/1938
3.0	25/2001, 18/2002, 28/2003
2.8	13/2006
2.3	31/2014
2.0	23/1917, 28/1919, 21/1938, 23/1979
2.0	07/2000, 27/2008, 12/2009
1.7	28/1932
1.5	08/1932, 29/1933
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	
E2.5	21/1995
E2.1	22/1987, 18/1990
E2.0	16/1992
E1.9	23/1972

RHINELANDER – GREATEST CALENDAR DAY SNOW FALL

NOVEMBER

AMOUNT	
(INCHES)	DATE (S) / YEARS
12.5	10/2006
12.0	23/1991
10.5	17/1911
10.0	19/1957
9.0	09/2011
8.3	11/2014
8.0	28/1934
7.5	21/1956
6.8	16/1909
6.5	26/1949
6.0	27/1937, 18/1957
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	
E5.9	20/1975

DECEMBER

AMOUNT	
(INCHES)	DATE(S) / YEAR(S)
10.3	11/2010
10.0	22/1933, 22/1968
9.2	25/1945
8.5	22/1959
8.0	07/1950, 12/1961, 19/1968, 08/1969
8.0	23/2007
7.6	27/1946
7.3	21/2010
7.2	27/2014
7.0	17/1908, 19/1939, 01/2007
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	
E7.4	02/1984

RHINELANDER – GREATEST CALENDAR DAY SNOWFALL

YEAR

AMOUNT	
(INCHES)	DATE(S) / YEAR(S)
20.0	02/21/1937
15.0	03/15/1939
13.9	28/2012
12.5	11/10/2006
12.3	01/13/1950
12.0	02/12/1965, 04/06/1958, 11/23/1991
11.5	03/09/1992
11.0	02/15/1967, 03/23/2011
10.5	11/17/1911
10.3	12/11/2010
10.0	03/10/1918, 01/17/1935, 02/28/1939, 03/19/1943, 12/22/1933, 11/19/1957
10.0	12/22/1968
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	

RHINELANDER – GREATEST SNOWSTORMS

JANUARY

AMOUNT (INCHES)	DATE (S) / YEARS
16.0	08-09/1969
14.0	16-17/1935
13.3	13-14/1950
13.0	24-25/1938
11.5	22-23/1999
11.0	05-06/1929
9.0	03-04/1937, 16-17/1967, 04/1971
8.8	01-02/1911, 19-20/1935
8.0	13-14/1936, 22-23/1951, 06-07/1967
8.0	24-25/1997, 02/2000
7.5	22-23/1952
7.0	21-22/1917, 09-10/1924, 13-14/1928
7.0	14-15/1930, 04-05/1932, 12-13/1935
7.0	02/1966, 29/1987, 14/1998
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	
E10.5	19-20/1979
E8.6	06-07/1980

FEBRUARY

AMOUNT (INCHES)	DATE(S) / YEAR(S)
29.0	20-21/1937
20.2	28-29/2012
14.5	27-28/1948
12.0	12/1965
11.0	11-12/1940, 20-21/1953, 15/1967
11.0	25-26/2008
10.0	14-15/1918, 01-02/1933, 28/1939
10.0	18-19/1961, 05-06/1971
9.8	19-20/2002
9.0	29/1940, 19-20/2004
8.0	21-22/1928, 07-08/1937, 15/2000
8.0	03/2003
7.6	23-24/1954
7.0	22-23/1922, 03-04/1938, 25-26/1975
6.8	20-21/2014
6.7	15/1945
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	
E10.0	14-15/1979
E6.4	01-02/1983
E6.1	23/1991

RHINELANDER – GREATEST SNOWSTORMS

MARCH

AMOUNT (INCHES)	DATE (S) / YEARS
17.0	14-15/1939
15.0	22-23/2011
12.0	09-10/1918
11.5	09/1992
11.0	21-22/1955, 01-02/2007
10.0	02-03/1934, 19/1943, 24-25/1996
10.0	13-14/1997
9.0	26-27/1936, 13-14/1940, 07-08/1950
9.0	05-06/1959
8.0	28-29/1924, 06-07/1926, 09/1928
8.0	29-30/1934, 29-30/1944, 19/1963
7.6	05-06/1908
7.5	06-07/1995
7.0	15-16/1923, 18/1951, 22-23/1952
7.0	05-06/1961, 17-18/1965, 23-24/1966
7.0	21-22/1967, 18/1998, 12/2001
7.0	27-28/2003, 12-13/2006, 31/2008
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	
E14.7	03-04/1989
E10.8	03-04/1985
E9.5	03-04/1977
E7.5	30-31/1985
E6.7	03-04/1979

APRIL

AMOUNT (INCHES)	DATE(S) / YEAR(S)
13.0	06-07/1923, 03-04/1945
12.0	06/1958
11.2	16-17/2014
10.2	20-21/2009
9.3	03-04/2014
9.1	11-12/2008
8.0	27-28/2002
7.6	2014/15
6.5	22/1972
6.4	29-30/1909
6.0	02/1932, 06/1933, 20/1936, 01/1965
6.0	10/1992, 04-05/2003
5.9	12-13/2013
5.4	05-06/1942
5.3	25/1909
5.0	18-19/1925
4.9	08/2016
4.5	06/1957
4.3	23-24/2010
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	
E5.5	01-02/1977
E5.3	15-16/1993
E4.6	03/1980
E4.4	23/1988

RHINELANDER – GREATEST SNOWSTORMS

MAY

AMOUNT	
(INCHES)	DATE (S) / YEARS
10.0	07-08/1960
6.0	07-08/1923, 07-08/2010
5.0	05/1979
1.5	01/1909, 10/1961
1.1	06/1954
1.0	01/1917, 09/1960, 12/2006
0.5	12/1946, 02/1966, 16/1997
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	
E3.5	03/1973

JUNE

AMOUNT	
(INCHES)	DATE(S) / YEAR(S)
T	02/1945, 03/1945, 01/1946
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	

RHINELANDER – GREATEST SNOWSTORMS

JULY

AMOUNT	
(INCHES)	DATE (S) / YEARS
NONE	
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	

AUGUST

AMOUNT	
(INCHES)	DATE(S) / YEAR(S)
NONE	
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	

RHINELANDER – GREATEST SNOWSTORMS

SEPTEMBER

AMOUNT	
(INCHES)	DATE (S) / YEARS
0.5	21/1913, 26/1942, 30/1985
T	30/1908, 26/1912, 15/1916, 25/1927
T	23/1928, 23/1942, 24/1942, 27/1942
T	28/1945, 29/1947, 26/1953, 26/1965
T	21/1974, 30/2003, 14/2011
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	

OCTOBER

AMOUNT	
(INCHES)	DATE(S) / YEAR(S)
6.3	21-22/2002
6.0	19/1925, 21-22/1938
4.5	11-12/1909
4.0	27-28/2003
3.3	12-13/2006
3.0	22-23/1917, 25/2001, 18/2002
2.7	30-31/2014
2.0	28/1919, 23/1979, 07/2000, 27/2008
2.0	12/2009
1.8	28-29/1933
1.7	28/1932, 21-22/2013
1.5	27-28/1910, 08/1932
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	
E2.5	21/1995
E2.1	22/1987, 23-24/1988, 18/1990
E2.0	16/1992
E1.9	23/1972

RHINELANDER – GREATEST SNOWSTORMS

NOVEMBER

AMOUNT	
(INCHES)	DATE (S) / YEARS
16.0	18-19/1957
14.0	10-11/2014
12.5	10/2006
12.0	23/1991
10.5	17/1911
9.0	29-30/1919, 09/2011
8.0	16-17/1909, 28/1934, 19/1948
7.5	21/1956
7.0	07-08/1938
6.5	28-29/1918, 26/1949, 28-29/1955
6.5	25-26/2014
6.0	12-13/1914, 27/1937, 26-27/1940
6.0	05-06/1959, 25-26/1993, 26-27/1995
6.0	26-27/2001
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	
E8.1	15-16/1985
E7.8	29-30/1985
E7.2	20-21/1975, 04-05/1993
E6.3	27-28/1983

DECEMBER

AMOUNT	
(INCHES)	DATE(S) / YEAR(S)
13.5	22-23/1959
12.7	24-25/1945
12.0	22-23/1933, 22-23/1968
10.8	11-12/2010
10.0	06-07/1950, 19-20/1968
9.0	17-18/1908, 07-08/1927, 15-16/1940
8.9	08-09/2009
8.5	08-09/1969, 22-23/2007
8.2	27-28/1946
8.1	01-02/2007, 21-22/2010
8.0	05-06/1927, 01-02/1950, 12/1961
7.5	27-28/1971
7.4	26-27/2014
7.0	19/1939, 29-30/1996, 09-10/2003
7.0	22-23/2006
6.9	03-04/1934
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	
E8.6	18-19/1987
E7.4	02/1984

RHINELANDER – GREATEST SNOWSTORMS

YEAR

AMOUNT	
(INCHES)	DATE(S) / YEAR(S)
29.0	02/20-21/1937
20.2	02/28-29/2012
17.0	03/14-15/1939
16.0	11/18-19/1957, 01/08-09/1969
15.0	03/22-23/2011
14.5	02/27-28/1948
14.0	01/16-17/1935
13.5	12/22-23/1959
13.3	01/13-14/1950
13.0	04/06-07/1923, 01/24-25/1938, 04/03-04/1945
12.7	12/24-25/1945
12.5	11/10/2006
12.0	03/09-10/1918, 12/22-23/1933, 04/06/1958, 02/12/1965, 12/22-23/1968, 11/23/1991
11.5	03/09/1992, 01/22-23/1999
11.2	04/16-17/2014
11.0	01/05-06/1929, 02/11-12/1940, 02/20-21/1953, 03/21-22/1955, 02/15/1967,
11.0	03/01-02/2007, 02/25-26/2008
10.8	12/11-12/2010
10.5	11/17/1911
ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPILATION OF DAILY, MONTHLY AND SEASONAL SNOWFALL RECORDS.	
E14.7	03/03-04/1989
E10.8	03/03-04/1985
E10.5	01/19-20/1979

RHINELANDER – GREATEST SNOW DEPTH (INCHES)

JANUARY

SNOW DEPTH	DATE (S) / YEARS
46	09/1969
44	10/1969
42	11/1969
41	08/1969
40	12/1969
39	18-19/1969
38	20/1967, 01/1969, 13/1969
37	17-19/1967, 02/1969, 14/1969
36	21/1967, 03/1969, 06/1969, 20/1969
35	04/1969, 07/1969
34	24-25/1935, 28/1935, 16/1967, 05/1969
34	15-17/1969
33	19-20/1935, 22/1935
32	17/1935, 22/1967
31	21/1969
30	16/1935
29	31/1962, 31/1962, 30-31/1971
ESTIMATED SNOW DEPTH WAS NOT USED IN THE COMPILATION OF SNOW DEPTH RECORDS AT RHINELANDER. ESTIMATED SNOW DEPTH SHOWN BELOW.	
E34	26-27/1935
E33	21/1935, 23/1935, 29-31/1935
E29	18/1935

FEBRUARY

SNOW DEPTH	DATE(S) / YEAR(S)
47	26-28/1962
45	20-27/1967
44	25/1962, 19/1967, 28/1967
43	18/1967
42	22-24/1962, 17/1967, 15/1967
41	15-16/1967
40	06-11/1971
39	21/1962, 05/1971
38	19-20/1962, 12-14/1971
36	18/1962, 15/1971
35	27-28/1922, 21-24/1937, 16-17/1962
34	24-26/1922, 16-17/1971
33	21-23/1953, 14-15/1962
32	23/1922, 26-28/1953, 20/1971
31	20/1953, 24-25/1953, 02/1962, 13/1962
31	13/1967, 19/1971, 21/1971
30	27/1929, 28/1937, 10-12/1967, 14/1967
30	04/1971, 23/1971
ESTIMATED SNOW DEPTH WAS NOT USED IN THE COMPILATION OF SNOW DEPTH RECORDS AT RHINELANDER. ESTIMATED SNOW DEPTH SHOWN BELOW.	
E34	25/1937
E32	01/1935, 26/1937
E31	27/1937

RHINELANDER – GREATEST SNOW DEPTH (INCHES)

MARCH

SNOW DEPTH	DATE (S) / YEARS
47	01-03/1962
45	04-06/1962
44	01/1967
42	02/1967
41	07/1962, 03/1967
40	08/1962, 04/1967
39	05/1967
38	09/1962, 12-13/1962
37	14/1962, 06-08/1967
35	17-19/1917, 01-03/1922, 15/1962
35	09/1967
34	10-11/1962, 08-10/1972
33	20/1917, 04/1922, 16/1962, 07/1972
33	11/1972
31	15/1939, 17/1962, 04-06/1972
31	14-16/1997

ESTIMATED SNOW DEPTH WAS NOT USED IN THE COMPILATION OF SNOW DEPTH RECORDS AT RHINELANDER. ESTIMATED SNOW DEPTH SHOWN BELOW.

E31	01/1953

APRIL

SNOW DEPTH	DATE(S) / YEAR(S)
28	01/1965
25	04/2014
26	02/1965
22	03/1965, 01/2008
21	02/2008, 05/2014
20	04/1965
19	03/2008, 03/2014
18	08-09/1923, 01-02/2014, 06/2014
17	11/1923, 05/1965, 01-02/2013
16	12/1923, 01-02/1926, 04/2008, 03/2013
15	10/1923, 13-15/1923, 06/1965, 04-05/2013
15	07/2014, 17/2014
14	03/1926, 05/2008, 06/2013, 12-14/2013, 08/2014
13	07/1923, 16/1923, 07-08/2013, 11/2013
13	15-16/2013, 19/2013
12	01/1924, 04/1926, 06-07/1958, 09-10/2013
12	17/2013, 09/2014

ESTIMATED SNOW DEPTH WAS NOT USED IN THE COMPILATION OF SNOW DEPTH RECORDS AT RHINELANDER. ESTIMATED SNOW DEPTH SHOWN BELOW.

NONE	

RHINELANDER – GREATEST SNOW DEPTH (INCHES)

MAY

SNOW	
DEPTH	DATE (S) / YEARS
10	08/1960
7	07/1960
6	09/1923
5	01/1909, 08/1923, 05/1979
4	02/1909, 09/1960, 08/2010
3	07/2010
2	03/1909
1	01/1917, 16/1997
ESTIMATED SNOW DEPTH WAS NOT USED IN THE COMPILATION OF SNOW DEPTH RECORDS AT RHINELANDER. ESTIMATED SNOW DEPTH SHOWN BELOW.	
E1	06/1954, 06/1979

JUNE

SNOW	
DEPTH	DATE(S) / YEAR(S)
NONE	
ESTIMATED SNOW DEPTH WAS NOT USED IN THE COMPILATION OF SNOW DEPTH RECORDS AT RHINELANDER. ESTIMATED SNOW DEPTH SHOWN BELOW.	
NONE	

RHINELANDER – GREATEST SNOW DEPTH (INCHES)

JULY

SNOW	
DEPTH	DATE (S) / YEARS
NONE	
ESTIMATED SNOW DEPTH WAS NOT USED IN THE COMPILATION OF SNOW DEPTH RECORDS AT RHINELANDER. ESTIMATED SNOW DEPTH SHOWN BELOW.	
NONE	

AUGUST

SNOW	
DEPTH	DATE(S) / YEAR(S)
NONE	
ESTIMATED SNOW DEPTH WAS NOT USED IN THE COMPILATION OF SNOW DEPTH RECORDS AT RHINELANDER. ESTIMATED SNOW DEPTH SHOWN BELOW.	
NONE	

RHINELANDER – GREATEST SNOW DEPTH (INCHES)

SEPTEMBER

SNOW	
DEPTH	DATE (S) / YEARS
T	30/1985
ESTIMATED SNOW DEPTH WAS NOT USED IN THE COMPILATION OF SNOW DEPTH RECORDS AT RHINELANDER. ESTIMATED SNOW DEPTH SHOWN BELOW.	
T	21/1913, 26/1942

OCTOBER

SNOW	
DEPTH	DATE(S) / YEAR(S)
5	20/1925, 21/2002
4	12/1909, 21/1925, 22/1938, 22/2002
3	13/1909, 23/1917, 26-31/1917, 23/1938
3	25/2001, 18/2002, 23/2002
2	11/1909, 24-25/1917, 28/1919, 22/1925
2	28-31/1925, 24/1938, 23/1979, 24/1988
2	07/2000, 26/2001, 28/2003, 13-14/2006
2	12/2009
ESTIMATED SNOW DEPTH WAS NOT USED IN THE COMPILATION OF SNOW DEPTH RECORDS AT RHINELANDER. ESTIMATED SNOW DEPTH SHOWN BELOW.	
E2	23/1972

RHINELANDER – GREATEST SNOW DEPTH (INCHES)

NOVEMBER

SNOW DEPTH	DATE (S) / YEARS
16	19-22/1957
15	17/1911, 30/1985
14	11/2014
13	30/1919, 29-30/1955, 23-26/1957
13	29/1985, 12/2014
12	30/1956, 28/1985, 23/1991
11	18/1911, 28/1955, 21-29/1956
11	10-11/2006, 13-14/2014
10	19-21/1911, 30/1934, 29-30/1957
10	27/1970, 24/1991, 15-21/2014
10	25-28/2014
9	22-24/1911, 27-28/1957, 25/1991
9	12/2006, 22/2014, 24/2014, 29-30/2014
8	28/1911, 29/1919, 28/1934, 20/1934
8	20/1948, 18/1957, 22-24/1961
8	28/1970, 26/1991
ESTIMATED SNOW DEPTH WAS NOT USED IN THE COMPILATION OF SNOW DEPTH RECORDS AT RHINELANDER. ESTIMATED SNOW DEPTH SHOWN BELOW.	
E 8	29/1934, 21/1948

DECEMBER

SNOW DEPTH	DATE(S) / YEAR(S)
38	31/1968
36	30/1968
34	28-29/1968
31	27/1968
30	26/1968
28	17-23/1927, 29-31/1927, 23-25/1968
27	16/1927, 28/1927
26	24-25/1922, 22/1968
25	26-27/1927
24	15/1927
21	08-14/1927, 21-26/1955
20	13-20/1955, 28-31/1985, 30-31/1996
18	29/1996
ESTIMATED SNOW DEPTH WAS NOT USED IN THE COMPILATION OF SNOW DEPTH RECORDS AT RHINELANDER. ESTIMATED SNOW DEPTH SHOWN BELOW.	
NONE	

RHINELANDER – GREATEST SNOW DEPTH (INCHES)

YEAR

SNOW	
DEPTH	DATE(S) / YEAR(S)
47	02/26-03/03/1962
46	01/09/1969
45	03/04-03/06/1962, 02/20-02/27/1967
44	02/25/1962, 02/19/1968, 02/28-03/01/1967, 01/10/1969
43	02/18/1967
42	02/22-02/24/1962, 02/17/1967, 03/02/1967, 01/11/1969
41	03/07/1962, 02/15-02/16/1967, 03/03/1967, 01/08/1969
40	03/08/1962, 03/04/1967, 01/12/1969, 02/06-02/11/1971
39	02/21/1962, 03/05/1967, 01/18-01/19/1969, 02/05/1971
38	02/19-02/20/1962, 03/09/1962, 03/12-03/13/1962, 01/20/1967, 12/31/1968, 01/01/1969, 01/13/1969
38	02/12-02/14/1971
37	03/14/1962, 01/17-01/19/1967, 03/06-03/08/1967, 01/02/1969, 01/14/1969
36	02/18/1962, 01/21/1967, 12/30/1968, 01/03/1969, 01/06/1969, 01/20/1969, 02/15/1971
35	03/17-19/1917, 02/27-02/28/1922, 03/01-03/03/1922, 02/21/1937, 02/24/1937, 02/16-17/1962
35	03/15/1962, 03/09/1967, 01/04/1969, 01/07/1969
34	02/24-02/26/1922, 01/24-01/28/1935, 02/25/1937, 03/10-03/11/1962, 01/16/1967, 12/28-12/29/1968
34	01/05/1969, 01/15-01/17/1969, 02/16-02/17/1971, 03/08-03/10/1972
ESTIMATED SNOW DEPTH WAS NOT USED IN THE COMPILATION OF SNOW DEPTH RECORDS AT RHINELANDER. ESTIMATED SNOW DEPTH SHOWN BELOW	
E35	02/22-23/1937

RHINELANDER - CONSECUTIVE DAYS OF SNOW ON THE GROUND

1.0 INCH OR GREATER	LENGTH	
RANK	DAYS	DATES
1	152	11/20/2013 to 04/20/2014
2	150	11/17/1978 to 04/15/1979
3	148	11/20/1971 to 04/15/1972
4	146	11/14/1955 to 04/07/1956
5	145	11/17/1995 to 04/09/1996
6	142	11/20/1970 to 04/10/1971
7T	141	11/27/2007 to 04/15/2008, 11/13/2000 to 04/02/2001
9T	135	12/07/1922 to 04/20/1923, 11/18/1926 to 04/01/1927, 11/26/1964 to 04/09/1965
12	134	11/15/1985 to 03/28/1986
13	133	11/07/1947 to 03/18/1948
14T	132	12/04/1925 to 04/15/1926, 11/08/1933 to 03/19/1934, 11/16/1957 to 03/27/1958
17	131	11/23/1954 to 04/02/1955
18	130	11/05/2014 to 03/14/2015
19T	127	11/25/1942 to 03/31/1943, 11/15/1956 to 03/21/1957
21	126	12/01/1927 to 04/04/1928, 12/04/2010 to 04/08/2011

NOTE: All snow depth streaks are estimated before the year 2000 due to missing snow depth data at times throughout the winter.

RHINELANDER - CONSECUTIVE DAYS OF SNOW ON THE GROUND

6.0 INCHES OR GREATER	DAYS	
RANK	LENGTH	DATES
1	133	12/08/2013 – 04/19/2014
2	130	11/25/1955 - 04/02/1956
3	127	11/21/1985 - 03/27/1986
4	119	11/23/1978 - 03/21/1979
5	116	11/21/1956 - 03/16/1957
6T	114	11/29/1919 - 03/21/1920, 11/28/1934 - 03/21/1935
8T	111	12/05/1927 - 03/24/1928, 12/10/1961 - 03/30/1962, 12/07/2000 – 03/27/2001
11T	109	12/15/1996 - 04/02/1997, 12/10/2004 - 03/28/2005
13T	107	12/22/1970 - 04/07/1971, 12/13/1995 - 03/28/1996
15T	106	12/08/1969 - 03/23/1970, 12/27/1971 - 04/10/1972, 12/13/1981 - 03/28/1982
15T	106	12/23/2007 - 04/06/2008
19	102	12/22/1959 - 04/01/1960
20	101	11/26/1942 - 03/06/1943, 12/06/1950 - 03/16/1951

NOTE: All snow depth streaks are estimated before the year 2000 due to missing snow depth data at times throughout the winter.

RHINELANDER - CONSECUTIVE DAYS OF SNOW ON THE GROUND

12.0 INCHES OR GREATER	DAYS	
RANK	LENGTH	DATES
1	118	11/28/1985 to 03/25/1986
2	108	12/03/1934 to 03/20/1935
3	106	12/12/1961 to 03/27/1962
4	100	12/22/1996 to 03/31/1997
5	97	11/29/1955 to 03/04/1956
6	96	01/04/2014 to 04/09/2014
7T	90	12/17/1969 to 03/16/1970, 12/20/1978 to 03/19/1979
9T	87	01/02/1960 to 03/28/1960, 12/29/1966 to 03/25/1967, 12/19/1968 to 03/15/1969
12	86	01/02/1970 to 03/28/1970
13	80	12/07/1950 to 02/24/1951
15T	74	12/24/1956 to 03/07/1957, 12/30/1981 to 03/13/1982
17	73	12/27/2014 to 03/09/2015
18	72	12/30/1995 to 03/10/1996
19	71	12/31/1921 to 03/11/1922
20	69	12/22/1942 to 02/28/1943
21T	68	01/06/1920 to 03/13/1920, 01/06/1929 to 03/14/1929, 01/29/2008 to 04/05/2008
24	67	02/10/2013 to 04/19/2013

NOTE: All snow depth streaks are estimated before the year 2000 due to missing snow depth data at times throughout the winter.

RHINELANDER - CONSECUTIVE DAYS OF SNOW ON THE GROUND

24 INCHES OR GREATER	DAYS	
RANK	LENGTH	DATES
1	60	01/21/1962 to 03/21/1962
2	41	01/31/1967 to 03/12/1967
3	33	12/22/1968 to 01/23/1969
4	31	01/26/1971 to 02/25/1971
5	29	01/12/1935 to 02/09/1935
6T	23	02/12/1921 to 03/06/1922, 02/18/2014 to 03/09/2014
8	22	12/15/1927 to 01/05/1928
9T	20	01/29/1943 to 02/17/1943, 02/20/1953 to 03/11/1953
11	19	02/22/1929 to 03/12/1929
12	15	02/28/1972 to 03/13/1972
13T	14	01/09/1967 to 01/22/1967, 01/24/1997 to 02/06/1997
15T	13	01/28/1969 to 02/09/1969, 01/27/1979 to 02/08/1979
17T	12	02/14/1923 to 02/25/1923, 02/15/1945 to 02/26/1945

RHINELANDER - CONSECUTIVE DAYS OF SNOW ON THE GROUND

36.0 INCHES OR GREATER	DAYS	
RANK	LENGTH	DATES
1	22	02/15/1967 to 03/08/1967
2	20	02/18/1962 to 03/09/1962
3	11	02/05/1971 to 02/15/1971
4	7	01/08/1969 to 01/14/1969
5T	5	01/17/1967 to 01/21/1967, 12/30/1968 to 01/03/1969
7T	3	03/12/1962 to 03/14/1962, 01/18/1969 to 01/20/1969
9	1	01/06/1969

NOTE: All snow depth streaks are estimated before the year 2000 due to missing snow depth data at times throughout the winter.

RHINELANDER – NUMBER OF DAYS WITH SNOW COVER

	SNOW DEPTH	SNOW DEPTH	SNOW DEPTH	SNOW DEPTH	SNOW DEPTH	SNOW DEPTH
WINTER	>= 1	>= 6	>= 12	>= 18	>= 24	>=36
1907-08	M	M	M	M	M	0
1908-09	113	38	0	0	0	0
1909-10	107	59	0	0	0	0
1910-11	132	63	8	0	0	0
1911-12	134	87	20	0	0	0
1912-13	119	16	0	0	0	0
1913-14	57	1	0	0	0	0
1914-15	84	31	8	0	0	0
1915-16	121	96	31	11	0	0
1916-17	126	72	58	29	21	0
1917-18	118	70	46	10	0	0
1918-19	108	71	20	3	0	0
1919-20	132	114	89	36	0	0
1920-21	97	34	10	0	0	0
1921-22	136	98	71	34	23	0
1922-23	142	97	73	37	12	0
1923-24	109	82	48	5	0	0
1924-25	119	78	9	0	0	0
1925-26	150	94	45	11	6	0
1926-27	139	106	79	20	0	0
1927-28	149	116	95	74	30	0
1928-29	112	72	68	48	19	0
1929-30	109	82	37	13	0	0
1930-31	95	21	0	0	0	0
1931-32	113	30	0	0	0	0
1932-33	150	40	24	16	0	0
1933-34	140	68	12	0	0	0
1934-35	122	114	108	85	40	0
1935-36	111	82	57	38	3	0
1936-37	117	74	57	32	17	0
1937-38	111	83	50	30	9	0
1938-39	132	86	46	21	6	0
1939-40	112	95	24	3	0	0

NOTE: All snow depth day totals are estimated before the year 2000 due to missing snow depth data at times throughout the winter.

RHINELANDER – NUMBER OF DAYS WITH SNOW COVER

	SNOW DEPTH	SNOW DEPTH	SNOW DEPTH	SNOW DEPTH	SNOW DEPTH	SNOW DEPTH
WINTER	>= 1	>= 6	>= 12	>= 18	>= 24	>=36
1940-41	128	98	8	0	0	0
1941-42	98	0	0	0	0	0
1942-43	131	116	74	53	21	0
1943-44	58	3	0	0	0	0
1944-45	113	76	57	34	17	0
1945-46	115	63	11	0	0	0
1946-47	107	29	16	0	0	0
1947-48	133	89	4	0	0	0
1948-49	130	7	0	0	0	0
1949-50	129	73	63	39	1	0
1950-51	138	111	84	43	11	0
1951-52	123	95	27	8	0	0
1952-53	105	90	47	36	20	0
1953-54	107	52	0	0	0	0
1954-55	132	102	29	6	0	0
1955-56	148	130	114	23	0	0
1956-57	133	117	79	9	0	0
1957-58	139	115	18	0	0	0
1958-59	116	85	35	14	0	0
1959-60	156	108	91	42	0	0
1960-61	85	34	20	0	0	0
1961-62	135	114	106	97	60	23
1962-63	116	93	51	13	0	0
1963-64	112	92	22	0	0	0
1964-65	135	113	65	36	8	0
1965-66	123	61	33	0	0	0
1966-67	115	90	87	77	56	27
1967-68	106	49	4	0	0	0
1968-69	121	107	87	68	51	16
1969-70	130	106	90	25	0	0
1970-71	143	120	86	65	36	11
1971-72	151	115	89	52	15	0
1972-73	107	91	31	2	0	0
1973-74	114	89	67	5	0	0
1974-75	140	106	52	25	0	0

NOTE: All snow depth day totals are estimated before the year 2000 due to missing snow depth data at times throughout the winter.

RHINELANDER – NUMBER OF DAYS WITH SNOW COVER

	SNOW DEPTH	SNOW DEPTH	SNOW DEPTH	SNOW DEPTH	SNOW DEPTH	SNOW DEPTH
WINTER	>= 1	>= 6	>= 12	>= 18	>= 24	>=36
1975-76	115	79	35	8	0	0
1976-77	113	50	13	0	0	0
1977-78	120	103	13	0	0	0
1978-79	152	136	90	65	25	0
1979-80	125	76	16	0	0	0
1980-81	94	49	10	0	0	0
1981-82	125	106	77	21	0	0
1982-83	108	48	18	2	0	0
1983-84	108	80	36	0	0	0
1984-85	114	38	0	0	0	0
1985-86	136	128	118	57	0	0
1986-87	119	14	2	0	0	0
1987-88	110	69	6	0	0	0
1988-89	117	77	22	3	0	0
1989-90	105	65	0	0	0	0
1990-91	92	26	0	0	0	0
1991-92	139	102	12	0	0	0
1992-93	128	79	36	0	0	0
1993-94	109	51	5	0	0	0
1994-95	68	7	0	0	0	0
1995-96	148	121	74	12	0	0
1996-97	138	110	101	86	20	0
1997-98	109	39	5	0	0	0
1998-99	105	87	67	18	1	0
1999-00	79	55	39	10	0	0
2000-01	142	113	84	8	0	0
2001-02	117	54	7	0	0	0
2002-03	97	37	3	0	0	0
2003-04	117	89	40	13	0	0
2004-05	124	110	39	1	0	0
2005-06	134	100	55	10	0	0
2006-07	111	67	10	3	0	0
2007-08	141	130	92	36	0	0
2008-09	120	91	47	0	0	0
2009-10	100	91	57	0	0	0

NOTE: All snow depth day totals are estimated before the year 2000 due to missing snow depth data at times throughout the winter.

RHINELANDER – NUMBER OF DAYS WITH SNOW COVER

	SNOW DEPTH	SNOW DEPTH	SNOW DEPTH	SNOW DEPTH	SNOW DEPTH	SNOW DEPTH
WINTER	>= 1	>= 6	>= 12	>= 18	>= 24	>=36
2010-11	138	119	36	1	0	0
2011-12	71	39	9	0	0	0
2012-13	138	88	68	19	2	0
2013-14	156	137	105	81	31	0
2014-15	137	115	75	4	0	0
2015-16	95	71	16	0	0	0
2016-17						
2017-18						
2018-19						
2019-20						

NOTE: All snow depth day totals are estimated before the year 2000 due to missing snow depth data at times throughout the winter.

Record Number of Days (Snow Depth of >= 1,6,12,18,24,36 inches)

Snow depth of 1 inch

	Most days	
Rank	>=1 inch	Winter(s)
1T	156	1959-60, 2013-14
3	152	1978-79
4	151	1971-72
5T	150	1925-26, 1932-33
7	149	1927-28
8T	148	1955-56, 1995-96
10	143	1970-71
11T	142	1922-23, 2000-01
13	141	2007-08
14T	140	1933-34, 1974-75
16T	139	1926-27, 1957-58, 1991-92
19T	138	1950-51, 1996-97, 2010-11, 2012-13
23	137	2014-15
24T	136	1921-22, 1985-86

	Least days	
Rank	>= 1 inch	Winter(s)
1	57	1913-14
2	58	1943-44
3	68	1994-95
4	71	2011-12
5	79	1999-00
6	84	1914-15
7	85	1960-61
8	92	1990-91
9	94	1980-81
10T	95	1930-31, 2015-16
12T	97	1920-21, 2002-03
14	98	1941-42
15	100	2009-10

Snow depth of 6 inches

	Most days	
Rank	>=6 inches	Winter(s)
1	137	2013-14
2	136	1978-79
3T	130	1955-56, 2007-08
5	128	1985-86
6	121	1995-96
7	120	1970-71
8	119	2010-11
9	117	1956-57
10T	116	1927-28, 1942-43
12T	115	1957-58, 1971-72,2014-15
15T	114	1919-20, 1934-35, 1961-62
18T	113	1964-65, 2000-01
20	111	1950-51
21T	110	1996-97, 2004-05

	Least days	
Rank	>= 6 inches	Winter(s)
1	0	1941-42
2	1	1913-14
3	3	1943-44
4T	7	1948-49, 1994-95
6	14	1986-87
7	16	1912-13
8	21	1930-31
9	26	1990-91
10	29	1946-47
11	30	1931-32
12	31	1914-15
13T	34	1920-21, 1960-61
15	37	2002-03

NOTE: All snow depth day totals are estimated before the year 2000 due to missing snow depth data at times throughout the winter.

Record Number of Days (Snow Depth of >= 1,6,12,18,24,36 inches)

Snow depth of 12 inches

	Most days	
Rank	>=12 inches	Winter(s)
1	118	1985-86
2	114	1955-56
3	108	1934-35
4	106	1961-62
5	105	2013-14
6	101	1996-97
7	95	1927-28
8	92	2007-08
9	91	1959-60
10T	90	1969-70, 1978-79
12T	89	1919-20, 1971-72
14T	87	1966-67, 1968-69
16	86	1970-71

	Least days	
Rank	>= 12 inches	Winter(s)
1T	0	1908-09,1909-10,1912-13,1913-14
1T	0	1930-31,1931-32,1941-42,1943-44
1T	0	1948-49,1953-54,1984-85,1989-90
1T	0	1990-91, 1994-95
15	2	1986-87
16	3	2002-03
17T	4	1947-48, 1967-68
19T	5	1993-94, 1997-98
21	6	1987-88
22	7	2001-02
23T	8	1910-11, 1914-15, 1940-41
26T	9	1924-25, 2011-12

Snow depth of 18 inches

	Most days	
Rank	>=18 inches	Winter(s)
1	97	1961-62
2	86	1996-97
3	85	1934-35
4	81	2013-14
5	77	1966-67
6	74	1927-28
7	68	1968-69
8T	65	1970-71, 1978-79
10	57	1985-86
11	53	1942-43
12	52	1971-72
13	48	1928-29
14	43	1950-51
15	42	1959-60
16	39	1949-50

NOTE: All snow depth day totals are estimated before the year 2000 due to missing snow depth data at times throughout the winter.

Record Number of Days (Snow Depth of >= 1,6,12,18,24,36 inches)

Snow depth of 24 inches

	Most days	
Rank	>=24 inches	Winter(s)
1	60	1961-62
2	56	1966-67
3	51	1968-69
4	40	1934-35
5	36	1970-71
6	31	2013-14
7	30	1927-28
8	25	1978-79
9	23	1921-22
10T	21	1916-17, 1942-43
12T	20	1952-53, 1996-97
14	19	1928-29
15T	17	1936-37, 1944-45
17	15	1971-72
18	12	1922-23

Snow depth of 36 inches

	Most days	
Rank	>=36 inches	Winter(s)
1	27	1966-67
2	23	1961-62
3	16	1968-69
4	11	1970-71

NOTE: All snow depth day totals are estimated before the year 2000 due to missing snow depth data at times throughout the winter.

RHINELANDER – EARLIEST AND LATEST MEASURABLE SNOW

Earliest First TRACE of Snow during the Fall

Rank	Date(s)	Rank	Date(s)
1	09/10/2014	9	09/25/1927
2	09/14/2011	10T	09/26/1912, 09/26/1953, 09/26/1965
3	09/15/1916	13	09/27/1942
4T	09/21/1974, 09/21/1995	14	09/28/1945
6T	09/23/1928, 09/23/1942		
8	09/24/1942		

Earliest and Latest Measurable (>= 0.1 inches) Snowfall during the Fall

RANK	Earliest First Measurable Snowfall (>=0.1inches)
1	09/21/1913
2	09/26/1942
3	09/30/1985
4	10/07/2000
5	10/08/1932
6T	10/10/1990, 10/10/2009
8T	10/11/1909, 10/11/1980
10	10/12/2006
11T	10/13/1969, 10/13/1986
13	10/16/1992
14	10/17/1946
15T	10/18/1930, 10/18/1976, 10/18/2002
18	10/19/1925
19T	10/20/1982, 10/20/2013

RANK	Latest First Measurable Snowfall (>=0.1inches)
1	12/06/1931
2	12/02/1963
3	11/29/1958
4	11/28/1918
5	11/27/1937
6T	11/26/1944, 11/26/1964, 11/26/2004
9	11/25/1952
10T	11/22/1923, 11/22/1994
12	11/20/1970
13	11/21/1971
14	11/19/1922
15	11/18/1928
16T	11/17/1924, 11/17/1968, 11/17/1978

RHINELANDER – EARLIEST AND LATEST MEASURABLE SNOW

Earliest and Latest First >= 1.0 inch Snowfall during the Fall / Winter

RANK	Earliest First Measurable Snowfall (>=1 Inch)
1	10/07/2000
2	10/08/1932
3	10/11/1909
4	10/12/2009
5	10/13/1980, 10/13/2006
6	10/16/1992
7	10/17/1947
8T	10/18/1990, 10/18/2002
10	10/19/1925
11	10/20/1982
12T	10/21/1938, 10/21/1995, 10/21/2013
15T	10/22/1917, 10/22/1935, 10/22/1987
18T	10/23/1972, 10/23/1979

RANK	Latest First Measurable Snowfall (>=1inch)
1	12/17/1951
2	12/16/1958
3	12/15/1999
4	12/12/1941
5	12/04/1939
6	12/02/1963
7	11/30/1924
8	11/28/1918
9T	11/27/1913, 11/27/1937, 11/27/1994
12T	11/26/1930, 11/26/1944, 11/26/1964, 11/26/2004
16T	11/25/1952, 11/25/1973, 11/25/1976
19T	11/23/1953, 11/23/1977, 11/23/1996
22T	11/22/1923, 11/22/1934, 11/22/1997

RHINELANDER – EARLIEST / LATEST MEASURABLE SNOW
(0.1/1.0 INCHES – AMOUNT NOTED TO THE RIGHT OF THE DATE)

	DATE	OF	1ST		DATE	OF	1ST		DATE	OF	LAST		DATE	OF	LAST
	SNOW >= 0.1 INCHES				SNOW >= 1 INCH				SNOW >= 0.1 INCHES				SNOW >= 1 INCH		
1907-1908	MSG	MSG	MSG		MSG	MSG	MSG		Apr	8	2.0		Apr	8	2.0
1908-1909	Nov	14	2.0		Nov	14	2.0		May	1	1.5		May	1	1.5
1909-1910	Oct	11	1.5		Oct	11	1.5		Apr	24	1.3		Apr	24	1.3
1910-1911	Oct	27	1.0		Oct	27	1.0		Apr	5	1.0		Apr	5	1.0
1911-1912	Nov	1	2.0		Nov	1	2.0		Mar	26	1.0		Mar	26	1.0
1912-1913	Nov	13	1.5		Nov	13	1.5		Apr	10	2.0		Apr	10	2.0
1913-1914	Sep	21	0.5		Nov	27	1.5		Mar	6	2.5		Mar	6	2.5
1914-1915	Nov	12	3.0		Nov	12	3.0		Mar	6	3.0		Mar	6	30
1915-1916	Nov	14	3.0		Nov	14	3.0		Mar	21	1.0		Mar	21	1.0
1916-1917	Nov	10	2.0		Nov	10	2.0		May	1	1.0		May	1	1.0
1917-1918	Oct	22	1.0		Oct	00	0.0		Mar	10	10.0		Mar	10	10.0
1918-1919	Nov	28	1.5		Nov	28	1.5		Feb	28	5.0		Feb	28	5.0
1919-1920	Oct	28	2.0		Oct	28	2.0		Apr	3	0.1		Mar	30	1.0
1920-1921	Nov	9	2.0		Nov	9	2.0		Mar	14	1.0		Mar	14	1.0
1921-1922	Nov	13	1.5		Nov	13	1.5		Apr	12	2.5		Apr	12	2.5
1922-1923	Nov	19	2.0		Nov	19	2.0		May	8	1.0		May	8	1.0
1923-1924	Nov	22	1.5		Nov	22	1.5		Apr	21	3.0		Apr	21	3.0
1924-1925	Nov	17	0.5		Nov	30	1.0		Apr	19	4.0		Apr	19	4.0
1925-1926	Oct	19	6.0		Oct	19	6.0		Mar	31	4.0		Mar	31	4.0
1926-1927	Nov	9	2.6		Nov	9	2.6		Mar	26	4.0		Mar	26	4.0
1927-1928	Nov	7	1.0		Nov	7	1.0		Apr	18	4.0		Apr	18	4.0
1928-1929	Nov	18	0.2		Nov	20	1.0		Apr	13	0.1		Apr	1	1.4
1929-1930	Nov	4	1.0		Nov	4	1.0		Mar	23	1.0		Mar	23	1.0
1930-1931	Oct	18	0.1		Nov	26	1.0		Mar	28	1.0		Mar	28	1.0
1931-1932	Dec	6	1.0		Dec	6	1.0		Apr	4	1.0		Apr	4	1.0
1932-1933	Oct	8	1.5		Oct	8	1.5		Apr	6	6.0		Apr	6	6.0
1933-1934	Oct	28	0.3		Oct	29	1.5		Apr	21	0.3		Apr	3	3.0
1934-1935	Oct	28	0.2		Nov	22	1.0		Apr	15	0.1		Apr	4	2.0
1935-1936	Oct	22	1.0		Oct	22	1.0		Apr	20	6.0		Apr	20	6.0
1936-1937	Oct	21	0.5		Nov	6	1.0		Apr	5	1.0		Apr	5	1.0
1937-1938	Nov	27	6.0		Nov	27	6.0		Mar	10	1.0		Mar	10	1.0
1938-1939	Oct	21	2.0		Oct	21	2.0		Apr	14	1.0		Apr	14	1.0

RHINELANDER – EARLIEST / LATEST MEASURABLE SNOW
(0.1/1.0 INCHES – AMOUNT NOTED TO THE RIGHT OF THE DATE)

	DATE	OF	1ST		DATE	OF	1ST		DATE	OF	LAST		DATE	OF	LAST
	SNOW >= 0.1 INCHES				SNOW >= 1 INCH				SNOW >= 0.1 INCHES				SNOW >= 1 INCH		
1939-1940	Oct	29	0.5		Dec	4	1.0		Apr	8	1.0		Apr	8	1.0
1940-1941	Nov	12	2.0		Nov	12	2.0		Mar	22	1.0		Mar	22	1.0
1941-1942	Nov	1	0.5		Dec	12	3.0		Apr	6	4.5		Apr	6	4.5
1942-1943	Sep	26	0.5		Oct	25	1.0		Apr	16	2.0		Apr	16	2.0
1943-1944	Nov	5	0.4		Nov	7	1.0		Apr	1	2.0		Apr	1	2.0
1944-1945	Nov	26	1.8		Nov	26	1.8		Apr	23	0.7		Apr	4	5.5
1945-1946	Nov	4	1.0		Nov	4	1.0		May	12	0.5		Feb	25	3.3
1946-1947	Oct	17	1.0		Oct	17	1.0		Apr	23	1.0		Apr	23	1.0
1947-1948	Nov	7	0.8		Nov	8	1.5		Mar	7	1.0		Mar	7	1.0
1948-1949	Nov	8	2.5		Nov	8	2.5		Mar	29	0.6		Feb	15	1.0
1949-1950	Nov	15	0.2		Nov	19	4.0		Apr	30	2.0		Apr	30	2.0
1950-1951	Nov	8	2.0		Nov	8	2.0		Apr	1	2.0		Apr	1	2.0
1951-1952	Nov	3	0.7		Dec	17	1.5		Apr	13	4.0		Apr	13	4.0
1952-1953	Nov	25	2.0		Nov	25	2.0		Apr	3	2.0		Apr	3	2.0
1953-1954	Nov	23	1.0		Nov	23	1.0		May	6	1.1		May	6	1.1
1954-1955	Nov	1	1.2		Nov	1	1.2		Mar	23	1.3		Mar	23	1.3
1955-1956	Nov	7	1.5		Nov	7	1.5		Apr	7	2.0		Apr	7	2.0
1956-1957	Nov	15	0.5		Nov	16	3.0		Apr	11	0.5		Apr	6	4.5
1957-1958	Nov	8	1.5		Nov	8	1.5		Apr	6	12.0		Apr	6	12.0
1958-1959	Nov	29	0.5		Dec	16	1.0		Apr	11	0.1		Mar	15	1.0
1959-1960	Nov	4	0.5		Nov	5	1.0		May	9	1.0		May	9	1.0
1960-1961	Nov	8	1.0		Nov	8	1.0		May	10	1.5		May	10	1.5
1961-1962	Nov	5	0.5		Nov	16	4.0		Mar	15	1.0		Mar	15	1.0
1962-1963	Nov	4	2.0		Nov	4	2.0		Apr	4	0.2		Mar	19	8.0
1963-1964	Dec	2	2.0		Dec	2	2.0		Apr	14	2.0		Apr	14	2.0
1964-1965	Nov	26	1.0		Nov	26	1.0		Apr	26	4.0		Apr	26	4.0
1965-1966	Nov	10	1.0		Nov	10	1.0		May	2	0.5		Apr	26	1.5
1966-1967	Nov	1	1.0		Nov	1	1.0		Apr	6	1.0		Apr	6	1.0
1967-1968	Nov	14	0.5		Nov	18	2.0		Apr	4	0.3		Mar	5	2.0
1968-1969	Nov	17	1.7		Nov	17	1.7		Mar	20	1.0		Mar	20	1.0
1969-1970	Oct	13	0.3		Nov	15	1.5		Apr	20	2.9		Apr	20	2.9
1970-1971	Nov	20	2.0		Nov	20	2.0		Apr	28	1.0		Apr	28	1.0
1971-1972	Nov	19	1.0		Nov	19	1.0		Apr	22	6.5		Apr	22	6.5
1972-1973	Oct	23	1.9		Oct	23	1.9		May	3	3.5		May	3	3.5
1973-1974	Nov	9	0.3		Nov	25	2.0		Apr	4	2.0		Apr	4	2.0

RHINELANDER – EARLIEST / LATEST MEASURABLE SNOW
(0.1/1.0 INCHES – AMOUNT NOTED TO THE RIGHT OF THE DATE)

	DATE	OF	1ST		DATE	OF	1ST		DATE	OF	LAST		DATE	OF	LAST
	SNOW >= 0.1 INCHES				SNOW >= 1 INCH				SNOW >= 0.1 INCHES				SNOW >= 1 INCH		
1974-1975	Nov	15	1.0		Nov	15	1.0		Mar	25	3.0		Mar	25	3.0
1975-1976	Nov	10	0.5		Nov	20	5.9		Mar	31	1.0		Mar	31	1.0
1976-1977	Oct	18	0.7		Nov	25	1.2		Apr	6	0.2		Apr	4	2.9
1977-1978	Nov	10	0.3		Nov	23	1.8		Mar	20	0.1		Feb	24	3.5
1978-1979	Nov	17	4.2		Nov	17	4.2		May	5	5.0		May	5	5.0
1979-1980	Oct	23	2.0		Oct	23	2.0		Apr	12	1.2		Apr	12	1.2
1980-1981	Oct	11	0.2		Oct	13	1.0		Apr	4	0.4		Mar	16	1.3
1981-1982	Oct	24	0.8		Nov	18	1.2		Apr	19	3.2		Apr	19	3.2
1982-1983	Oct	20	1.0		Oct	20	1.0		Apr	14	1.0		Apr	14	1.0
1983-1984	Nov	9	2.7		Nov	9	2.7		Apr	30	1.3		Apr	30	1.3
1984-1985	Nov	9	2.7		Nov	9	2.7		Apr	16	3.3		Apr	16	3.3
1985-1986	Sep	30	0.5		Nov	15	4.1		Mar	18	4.2		Mar	18	4.2
1986-1987	Oct	13	0.5		Nov	15	1.9		Apr	1	0.5		Mar	31	3.0
1987-1988	Oct	22	2.1		Oct	22	2.1		Apr	27	1.8		Apr	27	1.8
1988-1989	Oct	23	0.8		Oct	24	1.3		Apr	9	0.4		Mar	17	1.0
1989-1990	Nov	1	0.7		Nov	27	2.0		Mar	4	2.5		Mar	4	2.5
1990-1991	Oct	10	0.3		Oct	18	2.1		Apr	9	1.3		Apr	9	1.3
1991-1992	Nov	2	0.9		Nov	3	1.6		Apr	13	0.2		Apr	10	6.0
1992-1993	Oct	16	2.0		Oct	16	2.0		Apr	16	4.1		Apr	16	4.1
1993-1994	Nov	4	4.2		Nov	4	4.2		Apr	15	4.0		Apr	15	4.0
1994-1995	Nov	22	0.2		Nov	27	4.0		Apr	20	0.8		Apr	7	1.0
1995-1996	Oct	21	2.5		Oct	21	2.5		Apr	30	1.0		Apr	30	1.0
1996-1997	Nov	2	0.3		Nov	23	1.0		May	16	0.5		Mar	25	1.0
1997-1998	Nov	14	0.5		Nov	22	2.0		Apr	16	2.0		Apr	16	2.0
1998-1999	Nov	10	1.5		Nov	10	1.5		Mar	17	1.0		Mar	17	1.0
1999-2000	Nov	23	0.5		Dec	15	4.5		Apr	11	1.2		Apr	11	1.2
2000-2001	Oct	7	2.0		Oct	7	2.0		Apr	2	2.0		Apr	2	2.0
2001-2002	Oct	25	3.0		Oct	25	3.0		Apr	28	6.0		Apr	28	6.0
2002-2003	Oct	18	3.0		Oct	18	3.0		Apr	17	0.5		Apr	5	2.0
2003-2004	Oct	27	1.0		Oct	27	1.0		Apr	10	0.2		Mar	13	5.0
2004-2005	Nov	26	1.1		Nov	26	1.1		May	1	0.1		Mar	19	2.5
2005-2006	Nov	13	1.0		Nov	13	1.0		May	12	1.0		May	12	1.0
2006-2007	Oct	12	0.5		Oct	13	2.8		Apr	12	1.0		Apr	12	1.0
2007-2008	Nov	5	1.0		Nov	5	1.0		Apr	26	0.3		Apr	12	1.6
2008-2009	Oct	27	2.0		Oct	27	2.0		Apr	21	3.3		Apr	21	3.3

RHINELANDER – EARLIEST / LATEST MEASURABLE SNOW
(0.1/1.0 INCHES – AMOUNT NOTED TO THE RIGHT OF THE DATE)

	DATE	OF	1ST		DATE	OF	1ST		DATE	OF	LAST		DATE	OF	LAST
	SNOW >= 0.1 INCHES				SNOW >= 1 INCH				SNOW >= 0.1 INCHES				SNOW >= 1 INCH		
2009-2010	Oct	10	0.1		Oct	12	2.0		May	8	2.0		May	8	2.0
2010-2011	Nov	13	3.0		Nov	13	3.0		May	3	0.2		Apr	22	1.0
2011-2012	Nov	9	9.0		Nov	9	9.0		Mar	30	0.4		Feb	29	13.9
2012-2013	Nov	6	0.9		Nov	23	1.7		May	3	0.2		Apr	25	1.8
2013-2014	Oct	20	0.4		Oct	21	1.0		May	5	0.1		Apr	24	1.4
2014-2015	Oct	31	2.3		Oct	31	2.3		Apr	22	2.3		Apr	22	2.3
2015-2016	Oct	29	1.0		Oct	29	1.0		Apr	13	1.4		Apr	13	1.4
2016-2017	Nov	19	0.9		Nov	23	5.3								
2017-2018															

RHINELANDER DOCUMENTED PEAK WIND GUSTS

JANUARY

JANUARY	DATE(S)
PEAK WIND	DAY/YEAR
48	26/1978
46	12/1975
44	19/1996
43	30/2008, 01/2011
41	12/1980, 14/1985, 09/2013, 12/2013, 19/2013
40	15/1973, 28/1973, 12/1975, 06/1976, 26/1977, 08/1978, 10/1982, 28/1982, 12/1986, 27/1990, 28/1993, 31/1993
40	29/2012, 07/2013, 27/2016

FEBRUARY

FEBRUARY	DATE(S)
PEAK WIND	DAY/YEAR
52	10/1991
46	01/1976, 08/1987
45	18/2011
44	04/1977, 18/1993, 18/2003, 17/2011
43	21/2014
42	20/2014
41	10/2009, 29/2016
40	10/1974, 22/1974, 25/1975, 14/1977, 28/1977, 24/1981, 20/1988, 11/1989, 11/2002
40	12/2002, 10/2008, 01/2009

Peak wind gusts are based on available data and may not include all events.

RHINELANDER DOCUMENTED PEAK WIND GUSTS

MARCH

MARCH	DATE(S)
PEAK WIND (MPH)	DAY/YEAR
53	14/1979
52	13/1982
50	14/1989, 15/1990
49	27/2008
47	10/2008, 10/2009
46	27/1975, 12/1976, 11/1988, 10/2002, 27/2012
44	09/2002
43	09/1998, 25/2000, 11/2008, 15/2011, 26/2011
40	17/1973, 18/1978, 24/1979, 10/1980, 03/1985, 04/1985, 19/1986, 22/1986, 31/1993, 25/2007, 11/2009

APRIL

APRIL	DATE(S)
PEAK WIND (MPH)	DAY/YEAR
52	03/1995
49	26/2008
47	10/2008
46	05/1979, 23/2001, 30/1986
45	13/2014
44	18/1976, 28/1990, 07/2001, 18/2012, 02/2015
43	20/1973, 11/2008, 15/2010, 15/2011, 26/2011, 15/2012, 16/2012
41	19/1994
40	09/1973, 10/1973, 21/1974, 05/1977, 27/1977, 01/1978, 24/1979, 17/1981, 23/1985, 14/1986, 01/1987
40	27/1987, 16/1994, 22/2007, 02/2010, 08/2012

Peak wind gusts are based on available data and may not include all events.

RHINELANDER DOCUMENTED PEAK WIND GUSTS

MAY

MAY	DATE(S)
PEAK WIND (MPH)	DAY/YEAR
57	06/1986
55	09/1974
53	31/2011
52	03/1973
48	24/2007
47	05/31/2013
46	13/1978
45	20/2009
44	04/1976, 01/2010
43	11/1974, 15/1993, 09/2002, 03/2012, 07/2015
41	23/2000, 17/2008, 16/2009, 01/2011, 28/2011, 20/2012, 24/2012
40	02/1973, 09/1973, 28/1973, 12/1974, 03/1976, 11/1997, 28/1998

JUNE

JUNE	DATE(S)
PEAK WIND (MPH)	DAY/YEAR
58	18/2007
55	10/2016
49	01/2011
48	06/2008
46	09/1985
45	26/1993, 12/2008
43	16/1986, 22/2013
41	22/1985, 09/2004, 28/2005, 11/2008, 21/2011, 20/2012, 21/2013
40	18/1973, 15/1976, 01/1977, 23/1986 , 07/2007, 12/2014, 22/2015

Peak wind gusts are based on available data and may not include all events.

RHINELANDER DOCUMENTED PEAK WIND GUSTS

JULY

JULY	DATE(S)
PEAK WIND (MPH)	DAY/YEAR
55	27/2002
54	26/2007, 12/2016
52	08/1992
49	06/1999
48	14/2010
46	04/1977, 20/1987 16/1988, 18/2007
45	08/2007, 30/2011
44	10/2007
40	04/1986, 14/1998, 06/2014, 29/2015

AUGUST

AUGUST	DATE(S)
PEAK WIND (MPH)	DAY/YEAR
52	28/2007
46	26/1994
41	13/2010, 14/2015
40	16/1978, 10/1992

Peak wind gusts are based on available data and may not include all events.

RHINELANDER DOCUMENTED PEAK WIND GUSTS

SEPTEMBER

SEPTEMBER	DATE(S)
PEAK WIND (MPH)	DAY/YEAR
52	22/1989
49	09/1977
45	19/2012
43	24/2010
42	26/2016
41	02/2008
40	06/1983, 20/1988, 14/1990

OCTOBER

OCTOBER	DATE(S)
PEAK WIND (MPH)	DAY/YEAR
60	27/2010
59	02/1998
55	04/1990
47	26/2010
46	13/1976, 02/1987
44	08/2004, 14/2011
43	17/1980, 30/2009
41	31/1996, 09/2008, 15/2011, 14/2014
40	27/1990, 12/2003, 02/2007, 08/2007, 02/2010, 16/2011

Peak wind gusts are based on available data and may not include all events.

RHINELANDER DOCUMENTED PEAK WIND GUSTS

NOVEMBER

NOVEMBER	DATE(S)
PEAK WIND (MPH)	DAY/YEAR
49	09/1986, 09/2005
46	20/1977, 20/1989, 18/1994, 21/1994
43	24/2005, 18/2013
41	01/1999, 27/2007
40	11/1977, 21/1990, 19/1993, 13/2005, 25/2010, 04/2014, 18/2016

DECEMBER

DECEMBER	DATE(S)
PEAK WIND (MPH)	DAY/YEAR
46	25/1992, 06/2001, 26/2016
44	03/1990, 25/2016
43	24/2015
41	29/2008, 16/2015
40	13/1978, 19/1980, 17/1984, 02/1989, 05/1995

Peak wind gusts are based on available data and may not include all events.

RHINELANDER AVERAGE WIND SPEED

Year	Jan	Feb	Mar	Apr	May	Jun		Jul	Aug	Sep	Oct	Nov	Dec		Annual
1972	-	-	-	-	-	-		-	-	-	-	-	-		-
1973	7.6	9.3	7.3	12.0	10.7	9.1		9.7	7.4	6.8	8.3	9.2	6.7		8.7
1974	5.6	6.9	9.2	10.3	10.6	9.7		9.3	8.1	8.4	7.6	6.6	6.1		8.2
1975	8.6	7.7	8.7	9.3	8.0	8.3		7.9	6.6	7.0	9.3	8.9	7.0		8.1
1976	8.3	9.1	10.5	10.3	10.4	8.9		8.3	7.0	8.3	7.7	9.7	8.8		8.9
1977	8.4	10.4	9.1	10.0	7.6	7.6		8.4	7.4	7.8	8.8	7.2	6.9		8.3
1978	8.6	6.9	7.8	10.8	9.5	8.7		7.6	7.4	8.4	8.8	8.4	8.3		8.4
1979	8.0	5.8	9.5	8.5	7.0	7.1		5.7	6.0	7.2	7.9	9.4	8.0		7.5
1980	8.1	6.2	8.4	10.6	7.3	8.6		6.1	6.7	7.4	8.9	7.3	7.7		7.8
1981	6.8	8.8	9.0	8.8	7.9	7.1		4.6	4.0	6.3	7.3	6.6	6.2		7.0
1982	8.5	7.1	9.0	6.8	5.8	5.9		4.1	3.9	5.8	5.6	5.2	5.2		6.1
1983	5.0	5.6	8.2	9.0	8.1	6.7		4.3	4.2	7.0	6.3	7.2	6.8		6.5
1984	5.4	6.0	6.9	9.7	7.6	6.6		6.0	4.6	6.8	7.2	6.9	7.0		6.7
1985	7.3	7.0	8.9	8.4	6.9	7.0		5.9	5.8	7.2	7.4	7.1	7.0		7.2
1986	7.5	5.9	9.3	10.5	8.0	7.9		5.7	4.9	5.9	6.1	7.9	6.5		7.2
1987	6.9	6.4	8.6	9.8	7.4	6.1		5.6	6.4	6.3	6.8	6.2	5.9		6.9
1988	5.4	6.5	7.9	8.6	6.1	5.5		4.9	5.7	5.9	6.7	5.8	6.1		6.3
1989	5.4	6.4	7.2	6.1	7.0	4.8		4.7	5.3	6.4	8.9	8.7	6.7		6.5
1990	8.3	7.9	7.2	8.1	7.4	6.9		4.7	4.1	5.0	6.6	6.9	6.9		6.7
1991	6.5	6.6	7.8	7.4	6.0	5.5		5.0	5.1	6.7	6.9	7.5	6.5		5.9
1992	6.8	7.2	6.3	6.5	6.7	4.8		4.5	5.8	6.8	6.0	7.0	7.1		6.3
1993	7.1	6.7	6.9	8.9	7.2	6.8		5.9	4.1	5.6	7.0	6.9	5.5		6.6
1994	6.5	6.9	7.4	8.6	6.6	5.2		5.1	4.7	4.1	6.6	7.8	4.4		6.2
1995	6.5	9.1	6.3	8.2	8.1	4.7		5.8	4.3	5.7	8.3	6.9	7.4		6.8
1996	6.9	7.3	8.2	8.2	7.9	5.7		6.2	5.1	5.6	7.9	6.9	6.2		6.8
1997	7.7	7.4	6.3	7.3	7.6	5.1		5.2	4.1	6.2	6.9	6.2	6.3		6.4
1998	7.1	5.6	8.2	7.4	6.7	6.9		5.8	5.8	6.3	7.4	8.1	8.1		7.0
1999	7.5	7.4	7.7	7.2	8.1	6.0		6.7	5.5	6.5	8.0	7.9	6.9		7.1
2000	7.1	7.2	7.0	7.1	7.7	7.5		6.2	5.7	7.7	6.7	7.7	6.3		7.0
2001	7.4	8.6	7.1	8.8	8.4	8.0		7.2	7.3	7.3	9.1	8.9	9.2		8.1
2002	8.4	9.0	8.2	8.1	7.9	6.3		6.2	6.1	6.0	6.7	6.7	9.0		7.4
2003	8.4	7.7	7.3	8.3	6.5	5.2		5.9	4.4	6.7	6.8	8.0	6.9		6.8
2004	8.3	7.0	8.5	7.8	8.6	7.5		5.0	6.2	6.5	7.6	6.9	9.4		7.4

RHINELANDER AVERAGE WIND SPEED

Year	Jan	Feb	Mar	Apr	May	Jun		Jul	Aug	Sep	Oct	Nov	Dec		Annual
2005	7.4	7.4	7.0	6.9	7.6	7.4		5.8	5.7	5.7	5.3	8.8	6.2		6.8
2006													7.6		
2007	7.3	8.5	8.5	7.4	8.0	6.2		5.1	5.5	7.3	7.6	7.9	6.1		7.1
2008	7.1	6.1	6.4	8.3	7.3	7.1		5.9	5.0	6.0	7.2	6.7	7.4		6.7
2009	6.7	7.3	8.3	7.6	8.0	5.6		6.1	5.6	3.6	6.9	5.7	7.2		6.6
2010	6.2	5.2	5.3	7.8	7.1	5.6		5.6	6.4	6.9	6.6	7.2	6.7		6.4
2011	5.8	8.5	5.9	7.6	7.9	7.0		5.2	4.8	5.3	6.4	7.0	6.6		6.5
2012	7.6	7.3	7.9	6.8	7.5	6.1		4.3	4.8	5.4	6.5	6.7	6.0		6.4
2013	8.1	6.6	6.5	7.8	6.7	5.1		5.7	4.8	5.4	6.9	7.9	7.3		6.6
2014	8.9	8.8	7.6	9.1	7.2	7.0		6.6	4.5	6.1	7.6	8.4	6.7		7.4
2015	8.1	7.7	8.4	8.4	7.6	5.3		6.4	7.1	5.9	7.7	8.2	8.1		7.4
2016	7.4	8.0	6.6	7.9	7.0	6.9		6.3	5.1	6.6	6.5	6.8	9.9		7.1
2017															
2018															
2019															
2020															
2021															
2022															
2023															
2024															
2025															
2026															
2027															
2028															
2029															
2030															
2031															
2032															
2033															
2034															
2035															
2036															
2037															
2038															
2039															

RHINELANDER MAXIMUM / MINIMUM PRESSURE RECORDS

ALL TIME

MAXIMUM	
PRESSURE	DATE (S) / YEARS
30.87	02/17/1989
30.84	02/17/1979, 02/16/1989
30.75	02/18/1989
30.71	02/16/1979, 02/18/1979, 01/14/1984
30.71	03/07/1990
30.70	11/20/1978
30.69	03/01/1980,01/15/1984, 11/13/1996
30.69	11/14/1996
30.67	12/09/1982, 11/29/1999, 11/30/1999
30.67	01/17/2000, 12/02/2000, 01/18/2005
30.66	09/13/1985, 01/17/2005
30.65	04/15/1981, 12/23/1989, 03/06/1990
30.65	11/14/1996, 01/16/2000, 11/08/2003
30.64	02/25/1990

MINIMUM	
PRESSURE	DATE(S) / YEAR(S)
28.60	11/10/1998
28.62	10/26/2010
28.63	04/03/1982
28.66	01/11/1975
28.67	11/11/1998
28.85	10/27/2010
28.88	02/24/1977, 02/21/2014
28.89	11/28/1994, 24/2015
28.90	11/23/1983
28.91	11/20/1983, 02/08/1987
28.93	01/25/1975, 03/02/2007
28.94	11/16/1988
28.95	10/30/1996, 10/19/2007
28.96	02/25/1977, 01/23/1982
28.97	01/07/1980
28.99	01/26/1975, 01/24/2010
29.00	03/03/1974, 03/27/1991, 02/25/2001
29.01	23/2015

RHINELANDER MAXIMUM / MINIMUM PRESSURE RECORDS

JANUARY

MAXIMUM	
PRESSURE	DATE (S) / YEARS
30.71	14/1984
30.69	15/1984
30.67	17/2000, 18/2005
30.66	17/2005
30.65	16/2000
30.62	07/1973, 14/2000
30.60	07/1991, 16/2005
30.58	07/1986, 10/1991, 15/2005
30.57	09/1993, 10/1993, 30/1999, 28/2000
30.57	02/2008, 03/2008

MINIMUM	
PRESSURE	DATE(S) / YEAR(S)
28.66	11/1975
28.93	25/1975
28.96	23/1982
28.97	07/1980
28.99	26/1975, 24/2010
29.02	11/1980
29.03	25/2010
29.05	26/1977
29.07	10/1975, 10/2000, 29/2008
29.12	11/1990
29.17	06/1980

FEBRUARY

MAXIMUM	
PRESSURE	DATE (S) / YEARS
30.87	17/1989
30.84	17/1979, 16/1989
30.75	18/1989
30.71	16/1979, 18/1979
30.64	25/1990
30.63	25/1982
30.61	03/1975, 29/1980
30.60	26/1988
30.57	16/1973, 05/1978, 25/1979
30.56	02/1975, 24/1997
30.55	03/1989, 04/1989, 26/1990

MINIMUM	
PRESSURE	DATE(S) / YEAR(S)
28.88	24/1977, 21/2014
28.91	08/1987
28.96	25/1977
29.00	25/2001
29.01	25/1975
29.02	22/1988
29.11	19/2016
29.13	10/1995
29.19	14/2011
29.20	17/2008
29.25	11/1999
29.26	02/1987, 11/2013
29.27	13/2011

RHINELANDER MAXIMUM / MINIMUM PRESSURE RECORDS

MARCH

MAXIMUM	
PRESSURE	DATE (S) / YEARS
30.71	07/1990
30.69	01/1980
30.65	06/1990
30.62	07/1999
30.60	12/2009
30.59	17/1984
30.58	26/1975, 16/1984, 08/1990, 12/2009
30.57	05/2014
30.55	17/1993, 01/2009, 02/2009
30.53	11/1998
30.52	06/1985
30.51	10/1974, 09/1995

MINIMUM	
PRESSURE	DATE(S) / YEAR(S)
28.93	02/2007
29.00	03/1974, 27/1991
29.02	28/1991
29.05	29/1977
29.12	06/1991, 23/1991
29.14	13/1982, 05/1991
29.15	20/1976, 30/1982
29.17	21/1976
29.18	31/1982
29.19	04/1985, 07/2005, 13/2006
29.20	27/2000
29.21	28/1977, 09/2002, 01/2007
29.22	16/2016

APRIL

MAXIMUM	
PRESSURE	DATE (S) / YEARS
30.65	15/1981
30.59	05/1975
30.55	06/1975, 12/1991
30.54	13/1992
30.53	12/1992
30.50	11/1991
30.49	24/1999, 29/1999
30.48	28/2009
30.47	11/1976 , 12/1976, 11/1994, 09/1997
30.47	29/2009
30.46	18/1979, 30/1999

MINIMUM	
PRESSURE	DATE(S) / YEAR(S)
28.63	03/1982
29.01	25/1996
29.05	30/1984
29.07	26/1996
29.10	04/1981, 06/1997
29.11	19/2013
29.12	14/1983
29.14	12/2001
29.17	19/1975
29.20	15/1994
29.22	24/1993, 11/2011
29.23	18/1975, 07/2001, 10/2011
29.24	16/1994

RHINELANDER MAXIMUM / MINIMUM PRESSURE RECORDS

MAY

MAXIMUM	
PRESSURE	DATE (S) / YEARS
30.53	13/2015
30.52	22/1997
30.49	12/2005
30.48	27/1997
30.46	20/2002
30.45	04/1987, 19/1991, 21/2003, 28/2008
30.44	24/2013
30.43	18/1991
30.41	21/2003, 07/2004
30.40	27/1997

MINIMUM	
PRESSURE	DATE(S) / YEAR(S)
29.05	31/1985
29.18	06/1999
29.20	07/1999
29.27	09/1988
29.32	31/1985
29.33	11/1974, 09/1978, 05/1989, 31/2004
29.33	03/2008, 01/2010
29.36	08/1978, 11/1980, 21/2001
29.37	10/1988, 24/1993, 24/2012
29.38	12/1974, 10/1980, 08/1988

JUNE

MAXIMUM	
PRESSURE	DATE (S) / YEARS
30.49	05/1976
30.41	06/1991
30.39	04/1976
30.38	13/1978
30.37	06/1976, 29/1989, 21/2002
30.36	24/1979, 25/1979, 21/2002
30.35	29/1975, 14/1978, 07/1991, 18/1999
30.35	19/2004
30.34	25/1975, 09/1997, 01/2015
30.33	30/1975, 05/1991

MINIMUM	
PRESSURE	DATE(S) / YEAR(S)
29.24	03/1990
29.26	07/2007
29.28	08/2007
29.29	16/2000
29.33	17/1992
29.35	02/1998
29.36	08/1984
29.38	02/1990, 18/1992
29.39	01/2004
29.40	15/1976
29.41	10/1974

RHINELANDER MAXIMUM / MINIMUM PRESSURE RECORDS

JULY

MAXIMUM	
PRESSURE	DATE (S) / YEARS
30.46	30/1997
30.44	24/2004
30.42	06/1979
30.41	05/1979, 17/1979
30.40	22/1977, 16/1979, 13/1990, 25/2004
30.39	24/2004
30.38	31/1997, 01/2010
30.37	01/1975, 23/1989, 12/1990, 11/2002
30.36	07/1979, 12/1990, 10/1997, 29/1997
30.35	31/1998, 01/2007

MINIMUM	
PRESSURE	DATE(S) / YEAR(S)
29.45	02/1997
29.48	03/1997, 13/2015
29.50	01/2014
29.52	01/1977
29.54	04/1983, 06/1993
29.56	03/1983, 04/1985, 05/1993
29.58	31/1999, 14/2015, 20/2016
29.59	04/1993, 08/2014
29.60	05/1995, 30/1999, 08/2007
29.61	11/1982, 10/2007
29.62	24/1985, 06/1995, 04/2004
29.63	02/1974, 05/1985, 25/1985, 04/1986
29.63	20/2011, 21/2011, 13/2016

AUGUST

MAXIMUM	
PRESSURE	DATE (S) / YEARS
30.47	15/1979
30.44	06/2002
30.43	14/2003
30.42	13/2003
30.40	29/1976, 07/2002
30.39	16/1979, 15/1992
30.38	01/1998
30.37	27/1975, 14/1992, 09/1994, 30/1999
30.37	08/2002
30.36	06/1990, 31/2002

MINIMUM	
PRESSURE	DATE(S) / YEAR(S)
29.47	15/1997, 19/2015
29.48	20/2009, 21/2009
29.49	16/1997
29.56	16/1978
29.57	30/1992, 13/1999, 18/2004, 09/2011, 20/2015
29.58	24/2011
29.59	29/1979
29.60	17/2002
29.61	06/2000
29.62	05/1980
29.63	04/1980, 29/1992, 28/1994, 02/2015
29.64	21/1980, 25/1988, 04/1989

RHINELANDER MAXIMUM / MINIMUM PRESSURE RECORDS

SEPTEMBER

MAXIMUM	
PRESSURE	DATE (S) / YEARS
30.66	13/1985
30.62	05/1983
30.60	14/1985
30.52	03/1997
30.51	14/2001
30.50	12/1985, 29/2016
30.49	22/1978
30.48	25/1978, 16/1986, 05/2000, 16/2013
30.47	24/1975
30.45	09/1975
30.44	23/1978, 27/1989

MINIMUM	
PRESSURE	DATE(S) / YEAR(S)
29.14	29/1997
29.20	20/1988
29.27	19/1988
29.28	23/1985
29.29	27/2009, 28/2009
29.36	30/1997
29.38	09/1993
29.42	20/2002
29.43	28/1997
29.44	25/1991
29.45	24/2010
29.46	27/2003

OCTOBER

MAXIMUM	
PRESSURE	DATE (S) / YEARS
30.63	18/1989
30.61	30/2001
30.60	19/1989
30.59	02/2015
30.58	29/2001
30.57	09/1983
30.55	27/1976, 29/1983
30.54	28/2007
30.53	31/2014
30.52	02/1974, 20/1974, 03/1996, 08/2000
30.52	23/2002, 01/2015
30.51	10/1987, 06/1988, 28/2000, 29/2013

MINIMUM	
PRESSURE	DATE(S) / YEAR(S)
28.62	26/2010
28.85	27/2010
28.95	30/1996, 19/2007
29.10	18/2007, 30/2009
29.12	31/2009, 18/2012
29.14	25/2001, 30/2004
29.16	27/1995
29.18	04/2002, 13/2006, 28/2015
29.19	29/2015
29.21	18/1981, 28/1993
29.22	31/2013
29.25	28/2003

RHINELANDER MAXIMUM / MINIMUM PRESSURE RECORDS

NOVEMBER

MAXIMUM	
PRESSURE	DATE (S) / YEARS
30.70	20/1978
30.69	13/1996, 14/2004
30.67	29/1999, 30/1999
30.65	14/1996, 08/2003
30.63	13/2004, 07/2014
30.62	21/1978
30.60	21/1984,23/2013, 06/2014
30.59	15/1996, 15/2004, 12/2013, 01/2014
30.58	09/2003, 24/2013
30.57	13/2004

MINIMUM	
PRESSURE	DATE(S) / YEAR(S)
28.60	10/1998
28.67	11/1998
28.89	28/1994
28.90	23/1983
28.91	20/1983
28.94	16/1988
29.02	24/2014
29.04	29/2016
29.08	12/2015
29.11	02/1991
29.13	12/2015
29.14	28/2005
29.15	13/2005, 17/2013
29.16	21/1994
29.17	29/2005

DECEMBER

MAXIMUM	
PRESSURE	DATE (S) / YEARS
30.67	09/1982, 02/2000
30.65	23/1989
30.63	08/1982, 22/1989
30.61	01/1973, 19/1991
30.60	20/1980, 25/2000
30.58	18/1991
30.57	21/1980
30.56	20/1983, 03/2000, 18/2016
30.55	06/1975, 19/1983, 27/1991
30.54	07/1975, 08/2005

MINIMUM	
PRESSURE	DATE(S) / YEAR(S)
28.97	24/2015
29.02	23/2007
29.10	01/1981
29.11	02/1981
29.12	05/1979
29.15	12/1987, 20/1988, 09/2009
29.16	26/1985, 11/1987
29.17	21/1984, 29/1999
29.19	04/1978, 05/1978, 28/1982, 12/2004
29.20	07/1979, 24/2007
29.21	22/1984, 23/1988

RHINELANDER MAXIMUM / MINIMUM PRESSURE

YEAR		JAN	FEB	MAR	APR	MAY	JUN		JUL	AUG	SEP	OCT	NOV	DEC		YEAR
1973	MAX	30.62	30.57	30.38	30.35	30.26	30.14		30.32	30.34	30.35	30.26	30.40	30.61		30.62
	MIN	29.26	29.65	29.27	29.58	29.42	29.59		29.65	29.75	29.80	29.32	29.30	29.47		29.26
1974	MAX	30.44	30.37	30.51	30.40	30.35	30.29		30.30	30.32	30.39	30.52	30.45	30.37		30.52
	MIN	29.36	29.44	29.00	29.41	29.33	29.41		29.63	29.67	29.57	29.71	29.55	29.47		29.00
1975	MAX	30.47	30.61	30.58	30.59	30.31	30.35		30.37	30.37	30.47	30.49	30.35	30.55		30.61
	MIN	28.66	29.01	29.26	29.17	29.45	29.42		29.72	29.69	29.68	29.57	29.21	29.63		28.66
1976	MAX	30.32	30.41	30.24	30.47	30.31	30.49		30.28	30.40	30.37	30.55	30.38	30.36		30.55
	MIN	29.42	29.28	29.15	29.59	29.44	29.40		29.76	29.73	29.70	29.34	29.46	29.31		29.15
1977	MAX	30.34	30.44	30.27	30.43	30.28	30.27		30.40	30.21	30.32	30.45	30.50	30.49		30.50
	MIN	29.05	28.88	29.05	29.30	29.53	29.48		29.52	29.69	29.53	29.38	29.37	29.25		28.88
1978	MAX	30.50	30.57	30.53	30.36	30.30	30.38		30.24	30.32	30.49	30.46	30.70	30.41		30.70
	MIN	29.33	29.49	29.41	29.38	29.33	29.65		29.69	29.56	29.75	29.40	29.49	29.19		29.19
1979	MAX	30.47	30.84	30.42	30.46	30.39	30.36		30.42	30.47	30.29	30.24	30.35	30.53		30.84
	MIN	29.49	29.59	29.45	29.45	29.51	29.57		29.72	29.59	29.63	29.43	29.31	29.12		29.12
1980	MAX	30.47	30.61	30.69	30.18	30.28	30.24		30.17	30.24	30.30	30.23	30.46	30.60		30.69
	MIN	28.97	29.52	29.26	29.43	29.36	29.61		29.75	29.62	29.60	29.26	29.29	29.40		28.97
1981	MAX	30.54	30.53	30.30	30.65	30.37	30.26		30.33	30.25	30.39	30.34	30.47	30.35		30.65
	MIN	29.19	29.28	29.25	29.10	29.60	29.45		29.73	29.68	29.55	29.21	29.39	29.10		29.10
1982	MAX	30.47	30.63	30.47	30.41	30.27	30.23		30.26	30.32	30.41	30.42	30.47	30.67		30.67
	MIN	28.96	29.54	29.14	28.63	29.63	29.65		29.61	29.75	29.73	29.51	29.18	29.19		28.63
1983	MAX	30.48	30.27	30.23	30.21	30.32	30.21		30.31	30.30	30.62	30.57	30.47	30.56		30.62
	MIN	29.37	29.41	29.45	29.12	29.49	29.55		29.55	29.75	29.54	29.63	28.90	29.43		28.90
1984	MAX	30.71	30.35	30.59	30.43	30.39	30.29		30.32	30.25	30.43	30.41	30.60	30.49		30.71
	MIN	29.32	29.37	29.31	29.05	29.58	29.36		29.68	29.69	29.665	29.31	29.46	29.17		29.05
1985	MAX	30.39	30.41	30.52	30.29	30.24	30.26		30.25	30.29	30.66	30.39	30.50	30.35		30.66
	MIN	29.32	29.49	29.19	29.31	29.05	29.48		29.56	29.72	29.28	29.35	29.56	29.16		29.05
1986	MAX	30.58	30.23	30.41	30.22	30.35	30.29		30.21	30.34	30.48	30.45	30.54	30.45		30.58
	MIN	29.56	29.41	29.27	29.44	29.42	29.62		29.63	29.67	29.49	29.64	29.40	29.56		29.27
1987	MAX	30.34	30.47	30.49	30.38	30.45	30.25		30.20	30.34	30.24	30.51	30.55	30.50		30.55
	MIN	29.49	28.91	29.38	29.33	29.65	29.65		29.71	29.65	29.72	29.39	29.32	29.15		28.91
1988	MAX	30.49	30.60	30.35	30.30	30.28	30.30		30.16	30.15	30.39	30.51	30.29	30.46		30.60
	MIN	29.35	29.02	29.38	29.47	29.27	29.64		29.71	29.64	29.20	29.32	28.94	29.15		28.94
1989	MAX	30.38	30.87	30.47	30.23	30.32	30.37		30.37	30.32	30.44	30.63	30.28	30.65		30.87
	MIN	29.23	29.40	29.28	29.57	29.33	29.69		29.70	29.64	29.70	29.50	29.37	29.45		29.23

RHINELANDER MAXIMUM / MINIMUM PRESSURE

YEAR		JAN	FEB	MAR	APR	MAY	JUN		JUL	AUG	SEP	OCT	NOV	DEC		YEAR
1988	MAX	30.27	30.64	30.71	30.36	30.33	30.29		30.40	30.36	30.40	30.40	30.35	30.48		30.71
	MIN	29.12	29.48	29.27	29.40	29.43	29.24		29.66	29.85	29.51	29.33	29.31	29.43		29.12
1989	MAX	30.60	30.34	30.35	30.55	30.45	30.41		30.31	30.35	30.41	30.49	30.39	30.61		30.61
	MIN	29.28	29.37	29.00	29.35	29.49	29.67		29.70	29.65	29.44	29.51	29.11	29.35		29.00
1990	MAX	30.40	30.53	30.26	30.54	30.39	30.26		30.23	30.39	30.39	30.37	30.40	30.35		30.54
	MIN	29.23	29.29	29.62	29.48	29.52	29.33		29.65	29.57	29.59	29.43	29.20	29.37		29.20
1991	MAX	30.57	30.44	30.55	30.32	30.30	30.22		30.24	30.24	30.30	30.29	30.39	30.41		30.57
	MIN	29.55	29.55	29.52	29.22	29.37	29.44		29.54	29.65	29.38	29.21	29.36	29.54		29.21
1992	MAX	30.46	30.49	30.34	30.47	30.38	30.30		30.27	30.37	30.40	30.38	30.43	30.48		30.49
	MIN	29.64	29.60	29.42	29.20	29.52	29.56		29.67	29.63	29.58	29.52	28.89	29.73		28.89
1993	MAX	30.57	30.44	30.55	30.32	30.30	30.22		30.24	30.24	30.30	30.29	30.39	30.41		30.57
	MIN	29.55	29.55	29.52	29.22	29.37	29.44		29.54	29.65	29.38	29.21	29.36	29.54		29.21
1994	MAX	30.46	30.49	30.34	30.47	30.38	30.30		30.27	30.37	30.40	30.38	30.43	30.48		30.49
	MIN	29.64	29.60	29.42	29.20	29.52	29.56		29.67	29.63	29.58	29.52	28.89	29.73		28.89
1995	MAX	30.26	30.30	30.51	30.31	30.33	30.24		30.17	30.31	30.36	30.28	30.25	30.39		30.51
	MIN	29.43	29.13	29.27	29.33	29.39	29.50		29.60	29.72	29.64	29.16	29.31	29.29		29.13
1996	MAX	30.49	30.35	30.43	30.36	30.36	30.23		30.27	30.30	30.39	30.52	30.69	30.32		30.69
	MIN	29.20	29.31	29.28	29.01	29.45	29.73		29.73	29.83	29.47	28.95	29.49	29.40		28.95
1997	MAX	30.52	30.56	30.49	30.47	30.52	30.34		30.46	30.29	30.52	30.49	30.40	30.20		30.56
	MIN	29.24	29.56	29.43	29.10	29.47	29.44		29.45	29.47	29.14	29.35	29.20	29.52		29.10
1998	MAX	30.35	30.31	30.53	30.42	30.14	30.20		30.35	30.38	30.24	30.48	30.37	30.42		30.53
	MIN	29.45	29.34	29.38	29.36	29.41	29.35		29.72	29.67	29.63	29.46	28.60	29.52		28.60
1999	MAX	30.57	30.48	30.62	30.49	30.32	30.35		30.25	30.37	30.30	30.37	30.67	30.38		30.67
	MIN	29.22	29.25	29.35	29.45	29.18	29.70		29.58	29.57	29.61	29.47	29.56	29.17		29.17
2000	MAX	30.67	30.41	30.47	30.44	30.23	30.32		30.27	30.34	30.48	30.52	30.32	30.67		30.67
	MIN	29.08	29.52	29.20	29.26	29.43	29.32		29.78	29.61	29.47	29.51	29.56	29.49		29.08
2001	MAX	30.41	30.54	30.39	30.43	30.32	30.29		30.33	30.30	30.51	30.61	30.36	30.26		30.61
	MIN	29.28	29.00	29.25	29.14	29.36	29.49		29.80	29.70	29.54	29.14	29.26	29.40		29.00
2002	MAX	30.38	30.39	30.45	30.40	30.46	30.37		30.37	30.44	30.31	30.52	30.41	30.53		30.53
	MIN	29.34	29.37	29.21	29.56	29.49	29.68		29.68	29.60	29.42	29.18	29.22	29.22		29.18
2003	MAX	30.44	30.54	30.27	30.44	30.45	30.24		30.23	30.43	30.22	30.29	30.65	30.48		30.65
	MIN	29.19	29.40	29.50	29.53	29.41	29.63		29.69	29.75	29.46	29.25	29.36	29.42		29.19
2004	MAX	30.43	30.46	30.49	30.38	30.41	30.35		30.44	30.31	30.35	30.34	30.69	30.51		30.69
	MIN	29.53	29.36	29.43	29.40	29.33	29.39		29.62	29.57	29.57	29.14	29.39	29.19		29.14
2005	MAX	30.67	30.35	30.26	30.39	30.49	30.24		30.30	30.29	30.31	30.35	30.36	30.54		30.67
	MIN	29.38	29.45	29.19	29.34	29.59	29.50		29.64	29.70	29.70	29.55	29.14	29.37		29.14

RHINELANDER MAXIMUM / MINIMUM PRESSURE

YEAR		JAN	FEB	MAR	APR	MAY	JUN		JUL	AUG	SEP	OCT	NOV	DEC		YEAR
2006	MAX	30.32	30.50	30.45	30.26	30.22	30.26		30.31	30.33	30.34	30.46	30.34	30.59		30.59
	MIN	29.29	29.38	29.19	29.53	29.46	29.73		29.70	29.71	29.55	29.18	29.38	29.30		29.18
2007	MAX	30.46	30.54	30.64	30.32	30.41	30.28		30.36	30.29	30.36	30.61	30.48	30.55		30.64
	MIN	29.39	29.39	28.99	29.42	29.60	29.57		29.54	29.68	29.54	29.05	29.47	29.12		28.99
2008	MAX	30.71	30.49	30.51	30.43	30.47	30.18		30.24	30.25	30.40	30.53	30.57	30.65		30.71
	MIN	29.09	29.26	29.56	29.40	29.33	29.46		29.64	29.74	29.53	29.44	29.38	29.38		29.09
2009	MAX	30.60	30.66	30.75	30.52	30.35	30.29		29.95	30.33	30.38	30.48	30.58	30.54		30.75
	MIN	29.26	29.31	29.38	29.36	29.47	29.50		29.65	29.46	29.27	29.10	29.54	29.22		29.10
2010	MAX	30.58	30.38	30.40	30.40	30.33	30.34		30.39	30.25	30.33	30.52	30.50	30.54		30.58
	MIN	29.03	29.81	29.55	29.33	29.34	29.52		29.69	29.66	29.41	28.61	29.38	29.43		28.61
2011	MAX	30.54	30.56	30.58	30.34	30.37	30.28		30.22	30.11	30.43	30.42	30.39	30.46		30.58
	MIN	29.38	29.22	29.50	29.21	29.42	29.47		29.58	29.55	29.49	29.45	29.21	29.53		29.21
2012	MAX	30.43	30.52	30.55	30.38	30.35	30.23		30.22	30.21	30.36	30.49	30.55	30.37		30.55
	MIN	29.37	29.37	29.44	29.26	29.34	29.52		29.61	29.69	29.65	29.12	29.58	29.48		29.12
2013	MAX	30.55	30.51	30.37	30.40	30.44	30.21		30.33	30.27	30.48	30.51	30.60	30.53		30.60
	MIN	29.32	29.26	29.45	29.11	29.50	29.63		29.65	29.75	29.68	29.22	29.15	29.74		29.11
2014	MAX	30.55	30.49	30.57	30.37	30.28	30.18		30.33	30.23	30.41	30.53	30.45	30.62		30.62
	MIN	29.30	28.88	29.42	29.43	29.50	29.57		29.50	29.66	29.42	29.43	29.02	29.49		28.88
2015	MAX	30.69	30.54	30.40	30.37	30.53	30.34		30.15	30.21	30.39	30.59	30.50	30.47		30.69
	MIN	29.44	29.51	29.48	29.26	29.64	29.50		29.48	29.47	29.73	29.18	29.08	28.89		28.89
2016	MAX	30.45	30.47	30.37	30.45	30.32	30.25		30.28	30.28	30.50	30.47	30.50	30.56		30.56
	MIN	29.38	29.11	29.22	29.51	29.67	29.58		29.63	29.58	29.64	29.27	29.04	29.46		29.04
2017	MAX															
	MIN															
2018	MAX															
	MIN															
2019	MAX															
	MIN															
2020	MAX															
	MIN															
2021	MAX															
	MIN															
2022	MAX															
	MIN															
2023	MAX															
	MIN															

Rhinelander New Year's Day Statistics

RECORDS:

Records		Year(s)
Warmest temperature	41	1930
Coldest temperature	-34	1947
Record low maximum	-10	1928
Record high minimum	27	1921, 1936
Warmest average temperature	31	1921
Coldest average temperature	-14	1928
Wettest New Year's Day	0.33	1916
Snowiest New Year's Day	4.0	1939
Greatest snow depth	38	1969
Ave Hi / Lo 1886-Present	23 / 5	
Ave Hi / Lo 1981-2010	23 / 5	

TEMPERATURES:

Conditions over the last 10 years						
Year	High	Low	Mean	Precip	Snowfall	Snow Depth
2007	33	15	24.0	0.31	2.0	6
2008	18	3	10.5	T	T	14
2009	21	0	10.5	0.00	0.0	12
2010	14	-6	4.0	T	T	12
2011	36	2	19.0	T	0.1	6
2012	30	14	22.0	0.23	3.5	8
2013	13	-6	3.5	T	T	5
2014	1	-20	-9.5	0	0	12
2015	21	0	10.5	0.05	0.6	15
2016	22	12	17.0	T	0.1	7

HIGH AND LOW TEMPERATURES:

High Temperatures	Occurrences	Percent	Low Temperatures	Occurrences	Percent
-10s	0	0	-30s	1	1
-0s	2	2	-20s	6	6
0s	11	10	-10s	7	6
10s	24	22	-0s	20	18
20s	41	38	0s	34	31
30s	29	26	10s	26	24
40s	2	2	20s	15	14

Temperature data dates at Rhinelander back to 1908 (109 years of data)

Rhinelander New Year's Day Statistics

PRECIPITATION:

Number of days of Precipitation	Occurrences	Percent
No precipitation	58	53
Greater than or equal to a trace	51	47
Greater than or equal to 0.01 inch	32	29
Greater than or equal to 0.10 inch	13	12
Greater than or equal to 0.25 inch	2	2
Greater than or equal to 0.50 inch	0	0
Greater than or equal to 1.00 inch	0	0

Precipitation data at Rhinelander dates back to 1908 (109 years of data).

SNOWFALL:

Number of days of Snowfall	Occurrences	Percent
Dry / No Snow Reported	63	58
Greater than or equal to a trace	46	42
Greater than or equal to 0.1 inch	29	27
Greater than or equal to 1.0 inch	15	14
Greater than or equal to 3.0 inches	2	2
Greater than or equal to 6.0 inches	0	0
Greater than or equal to 9.0 inches	0	0

Snowfall data at Rhinelander dates back to 1908 (109 years of data).

SNOW DEPTH:

Snow Depth	Occurrences	Percent
"Brown" New Year's Day	6	6
"White New Year's Day (>=1 inch)	103	94
Greater than or equal to 3 inches	96	88
Greater than or equal to 6 inches	70	64
Greater than or equal to 9 inches	40	37
Greater than or equal to 12 inches	31	28
Greater than or equal to 18 inches	6	6
Greater than or equal to 24 inches	2	2
Greater than or equal to 36 inches	1	1

Snow depth data at Rhinelander dates back to 1908 (109 years of data).

Rhinelander Memorial Day Statistics

RECORDS:

Records	High	Year(s)
Warmest temperature	89	05/29/2006
Coldest temperature	27	05/28/1917
Record low maximum	48	05/25/1925
Record high minimum	69	05/29/2006
Warmest average temperature	79.0	05/29/2006
Coldest average temperature	39.5	05/25/1925
Wettest Memorial Day	1.08	05/30/1952
Snowiest Memorial Day	NONE	
Greatest snow depth	NONE	
Ave Hi / Lo 1886-Present	71 / 46	
Ave Hi / Lo 1981-2010	70 / 44	

TEMPERATURES:

Conditions over the last 10 years						
Year	High	Low	Mean	Precip	Snowfall	Snow Depth
May 28, 2007	73	33	53.0	0.00	0.0	0
May 26, 2008	73	36	54.5	0.00	0.0	0
May 25, 2009	69	41	55.0	0.00	0.0	0
May 31, 2010	76	50	63.0	T	0.0	0
May 30, 2011	79	55	67.0	0.01	0.0	0
May 28, 2012	79	54	66.5	0.19	0.0	0
May 27, 2013	69	42	55.5	0.00	0.0	0
May 26, 2014	82	55	68.5	0.17	0.0	0
May 25, 2015	70	55	62.5	0.45	0.0	0
May 30, 2016	79	47	63.0	Trace	0.0	0

High Temperatures	Occurrences	Percent	Low Temperatures	Occurrences	Percent
30S	0	0	20S	1	1
40S	2	2	30S	25	23
50S	12	11	40S	46	42
60S	27	25	50S	33	31
70S	47	43	60S	3	3
80S	20	19	70S	0	0
90S	0	0			

Temperature records at Rhinelander date back to 1908 (108 years of data).

Rhinelander Memorial Day Statistics

PRECIPITATION:

Number of days of Precipitation	Occurrences	Percent
No precipitation	61	56
Greater than or equal to a trace	48	44
Greater than or equal to 0.01 inch	43	40
Greater than or equal to 0.10 inch	30	28
Greater than or equal to 0.25 inch	20	18
Greater than or equal to 0.50 inch	6	6
Greater than or equal to 1.00 inch	1	1
Greater than or equal to 2.00 inch	0	0

Precipitation data at Rhinelander dates back to 1908 (109 years of data).

SNOWFALL:

Number of days of Snowfall	Occurrences	Percent
Dry / No Snow Reported	109	100
Greater than or equal to a trace	0	0
Greater than or equal to 0.1 inch	0	0
Greater than or equal to 1.0 inch	0	0
Greater than or equal to 3.0 inches	0	0
Greater than or equal to 6.0 inches	0	0

Snowfall data at Rhinelander dates back to 1908 (109 years of data).

Rhinelander 4TH of July Statistics

RECORDS:

Records		Year(s)
Warmest temperature	95	1935
Coldest temperature	37	1917, 1972
Record low maximum	57	1967
Record high minimum	74	1999
Warmest average temperature	82.5	1999
Coldest average temperature	50.5	1967
Wettest 4th of July	2.71	1949
Ave Hi / Lo 1908-Present	79 / 55	
Ave Hi / Lo 1981-2010	78 / 56	

TEMPERATURES:

Year	High	Low	Mean	Precip
2007	83	60	71.5	0.58
2008	77	45	61.0	0.00
2009	80	49	64.5	0.00
2010	76	68	72.0	0.53
2011	87	54	70.5	0.00
2012	91	65	78.0	T
2013	80	59	69.5	0.00
2014	76	39	57.5	0.00
2015	82	50	66.0	0.00
2016	79	52	65.5	0.00

HIGH AND LOW TEMPERATURES:

High Temperatures	Occurrences	Percent	Low Temperatures	Occurrences	Percent
50S	1	1	30S	3	3
60S	12	11	40S	25	23
70S	44	40	50S	51	46
80S	47	43	60S	28	26
90S	5	5	70S	2	2
100S	0	0	80S	0	0

Temperature data at Rhinelander dates back to 1908 (109 years of data)

Rhinelander 4th of July Statistics

PRECIPITATION:

Number of days of Precipitation	Occurrences	Percent
No precipitation	68	62
Greater than or equal to a trace	41	38
Greater than or equal to 0.01 inch	35	32
Greater than or equal to 0.10 inch	23	21
Greater than or equal to 0.25 inch	16	15
Greater than or equal to 0.50 inch	12	11
Greater than or equal to 1.00 inch	3	3
Greater than or equal to 2.00 inches	1	1

Precipitation data at Rhinelander dates back to 1908 (109 years of data).

\

Rhinelander Labor Day Statistics

RECORDS:

	Records	Year(s)
Warmest temperature	92	09/02/1929
Coldest temperature	35	09/06/1982
Record low maximum	57	09/05/1988
Record high minimum	67	09/02/1957, 09/03/1973
Warmest average temperature	76.0	09/02/1957
Coldest average temperature	47.5	09/02/1974
Wettest Labor Day	2.63	09/03/1934
Snowiest Labor Day	NONE	
Greatest snow depth	NONE	
Ave Hi / Lo 1908-Present	73 / 50	
Ave Hi / Lo 1981-2010	74 / 50	

TEMPERATURES:

Conditions over the last 10 years						
Year	High	Low	Mean	Precip	Snowfall	Snow Depth
09/04/2006	77	50	63.5	0.00	0.0	0
09/03/2007	80	49	64.5	0.00	0.0	0
09/01/2008	85	60	72.5	0.00	0.0	0
09/07/2009	76	47	61.5	0.00	0.0	0
09/06/2010	71	52	61.5	1.01	0.0	0
09/05/2011	61	38	49.5	T	0.0	0
09/03/2012	85	59	72.0	0.08	0.0	0
09/02/2013	59	39	49.0	0.01	0.0	0
09/01/2014	74	51	62.5	0.50	0.0	0
09/07/2015	79	61	70.0	0.27	0.0	0

HIGH AND LOW TEMPERATURES:

High Temperatures	Occurrences	Percent	Low Temperatures	Occurrences	Percent
50s	4	4	20s	0	0
60s	30	28	30s	10	9
70s	51	46	40s	40	37
80s	21	20	50s	45	42
90s	2	2	60s	13	12
100s	0	0	70s	0	0

Temperature records at Rhinelander date back to 1908 (108 years of data).

Rhinelander Labor Day Statistics

PRECIPITATION:

Number of days of Precipitation	Occurrences	Percent
No precipitation	56	52
Greater than or equal to a trace	52	48
Greater than or equal to 0.01 inch	42	39
Greater than or equal to 0.10 inch	28	26
Greater than or equal to 0.25 inch	21	19
Greater than or equal to 0.50 inch	8	7
Greater than or equal to 1.00 inch	2	2
Greater than or equal to 2.00 inches	1	1

Precipitation data at Rhinelander dates back to 1908 (108 years of data).

Rhinelander Halloween Statistics

RECORDS:

Records		Year(s)
Warmest temperature	76	1950
Coldest temperature	11	1925
Record low maximum	28	1917, 1996
Record high minimum	56	1935
Warmest average temperature	61.0	1950
Coldest average temperature	20.5	1996
Wettest Halloween	1.15	1960
Snowiest Halloween	2.3	2014
Greatest snow depth	3	1917
Ave Hi / Lo 1908-Present	48 / 32	
Ave Hi / Lo 1981-2010	48 / 30	

TEMPERATURES:

Conditions over the last 10 years						
Year	High	Low	Mean	Precip	Snowfall	Snow Depth
2006	43	23	33.0	0.00	0.0	0
2007	58	36	47.0	0.06	0.0	0
2008	59	31	45.0	0.00	0.0	0
2009	37	32	34.5	0.05	T	0
2010	46	20	33.0	0.00	0.0	0
2011	43	36	39.5	0.00	0.0	0
2012	42	27	34.5	0.00	0.0	0
2013	52	43	47.5	0.22	0.0	0
2014	32	18	25.0	0.10	2.3	1
2015	46	42	44.0	0.44	0.0	0

HIGH AND LOW TEMPERATURES:

High Temperatures	Occurrences	Percent	Low Temperatures	Occurrences	Percent
10s	0	0	0s	0	0
20s	2	2	10s	10	9
30s	24	22	20s	33	31
40s	34	31	30s	46	42
50s	31	29	40s	17	16
60s	16	15	50s	2	2
70s	1	1	60s	0	0

Temperature data at Rhinelander dates back to 1908 (108 years of data)

Rhinelander Halloween Statistics

PRECIPITATION:

Number of days of Precipitation	Occurrences	Percent
No precipitation	66	61
Greater than or equal to a trace	42	39
Greater than or equal to 0.01 inch	33	31
Greater than or equal to 0.10 inch	20	19
Greater than or equal to 0.25 inch	12	11
Greater than or equal to 0.50 inch	5	5
Greater than or equal to 1.00 inch	2	2

Precipitation data at Rhinelander dates back to 1908 (108 years of data).

SNOWFALL:

Number of days of Snowfall	Occurrences	Percent
Dry / No Snow Reported	98	91
Greater than or equal to a trace	10	9
Greater than or equal to 0.1 inch	3	3
Greater than or equal to 1.0 inch	1	1
Greater than or equal to 3.0 inches	0	0
Greater than or equal to 6.0 inches	0	0
Greater than or equal to 9.0 inches	0	0

Snowfall data at Rhinelander dates back to 1908 (108 years of data)

SNOW DEPTH:

Snow Depth	Occurrences	Percent
“Brown” Halloween	104	96
“White” Halloween (>=1 inch)	4	4
Greater than or equal to 3 inches	1	1
Greater than or equal to 6 inches	0	0
Greater than or equal to 9 inches	0	0
White Halloween	1917,1925,1939,2014	

Snow depth data at Rhinelander dates back to 1908 (108 years of data).

Rhinelander Thanksgiving Day Statistics

RECORDS:

Records		Year(s)
Warmest temperature	61	11/26/1914
Coldest temperature	-11	11/28/1929, 11/28/1985, 11/27/2015
Record low maximum	12	11/28/1929
Record high minimum	38	11/26/1914
Warmest average temperature	49.5	11/26/1914
Coldest average temperature	0.5	11/28/1929
Wettest Thanksgiving Day	0.65	11/26/1908
Snowiest Thanksgiving Day	4.5	11/28/1985
Greatest snow depth	12	11/28/1985
Ave Hi / Lo 1886-Present	33 / 17	
Ave Hi / Lo 1981-2010	35 / 17	

TEMPERATURES:

Conditions over the last 10 years						
Year	High	Low	Mean	Precip	Snowfall	Snow Depth
11/23/2006	54	25	39.5	0.00	0.0	0
11/22/2007	27	10	18.5	T	T	0
11/27/2008	33	20	26.5	0.03	0.3	T
11/26/2009	38	28	33.0	T	T	0
11/25/2010	33	6	19.5	0.06	0.6	2
11/24/2011	49	35	42.0	0.00	0.0	0
11/22/2012	60	29	44.5	0.03	0.2	T
11/28/2013	22	3	12.5	0.03	0.4	2
11/27/2014	15	-11	2.0	T	0.1	10
11/26/2015	42	26	34.0	0.44	1.1	1

High Temperatures	Occurrences	Percent	Low Temperatures	Occurrences	Percent
0s	0	0	-10s	3	3
10s	10	9	-0s	2	2
20s	28	26	0s	21	19
30s	47	43	10s	30	28
40s	17	16	20s	41	38
50s	4	4	30s	11	10
60s	2	2	40s	0	0
70s	0	0	50s	0	0

Temperature records at Rhinelander date back to 1908 (108 years of data).

Rhinelander Thanksgiving Day Statistics

PRECIPITATION:

Number of days of Precipitation	Occurrences	Percent
No precipitation	50	46
Greater than or equal to a trace	58	54
Greater than or equal to 0.01 inch	42	39
Greater than or equal to 0.10 inch	13	12
Greater than or equal to 0.25 inch	4	4
Greater than or equal to 0.50 inch	2	2
Greater than or equal to 1.00 inch	0	0

Precipitation data at Rhinelander dates back to 1908 (108 years of data).

SNOWFALL:

Number of days of Snowfall	Occurrences	Percent
Dry / No Snow Reported	56	52
Greater than or equal to a trace	52	48
Greater than or equal to 0.1 inch	33	31
Greater than or equal to 1.0 inch	15	14
Greater than or equal to 3.0 inches	1	1
Greater than or equal to 6.0 inches	0	0

Snowfall data at Rhinelander dates back to 1905 (108 years of data).

SNOW DEPTH:

Snow Depth	Occurrences	Percent
“Brown” Thanksgiving Day	58	54
“White Thanksgiving Day (>=1 inch)	50	46
Greater than or equal to 3 inches	25	23
Greater than or equal to 6 inches	12	11
Greater than or equal to 9 inches	4	4
Greater than or equal to 12 inches	1	1
Greater than or equal to 18 inches	0	0

Snow Depth data at Rhinelander dates back to 1908 (108 years of data).