

January 1

January 1												
File Updated: 02/2024					Rec		Rec					
	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	40	1905	-24	1899,1999	-1	1968	32	1921		22	6	14
Appleton	46	2007	-16	1968	-2	1969	35	2007		27	13	20
Green Bay	51	1897	-20	1968	-2	1924	37	1897		27	14	20
Manitowoc	47	1892,1987	-16	1969	-1	1969	37	1897		28	16	22
Marshfield	43	1998	-30	1924	-5	1974	29	1930,1950,2007		24	9	16
Merrill	49	1910	-25	1968,1974	-2	2018	31	2007		23	6	15
Oshkosh	52	1897	-17	1968,1969	1	1969	35	2007		27	13	20
Rhineland	42	1929	-34	1947	-1	1968	29	2023		24	6	15
Stevens Point	50	1897	-27	1899	-4	1899	33	2007		25	10	17
Sturgeon Bay	45	2005,2007	-17	1969	2	2018	37	1950		27	13	20
Wausau	46	1910	-32	1947	-5	1920	34	1897		24	9	16
Wisc. Rapids	43	1998	-28	1947	-3	1924,1928	34	2007		25	10	18
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.45	2007	5.5	2000					0.03	0.03	0.4	19.6
Appleton	0.68	2007	4.5	1918					0.05	0.05	0.4	14.7
Green Bay	1.22	1892	6.0	1891					0.05	0.05	0.5	17.0
Manitowoc	1.39	1876	9.0	1942					0.05	0.05	0.3	12.5
Marshfield	0.57	2007	4.5	1918					0.04	0.04	0.4	19.4
Merrill	0.50	2007	3.1	2012					0.04	0.04	0.4	17.9
Oshkosh	1.40	1892	6.5	1942					0.05	0.05	0.3	12.4
Rhineland	0.33	1916	4.0	1939					0.05	0.05	0.5	30.0
Stevens Point	1.00	1918	10.0	1918					0.04	0.04	0.4	14.9
Sturgeon Bay	0.77	2007	5.5	1985					0.06	0.06	0.5	16.8
Wausau	0.44	1918	5.4	1918					0.04	0.04	0.5	22.3
Wisc. Rapids	0.87	2007	4.0	1912					0.04	0.04	0.4	15.9

January 1

January 2

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	52	1899	-27	1979	-5	1920	33	1950		22	6	14
Appleton	45	1998	-19	1979	-6	1979	36	1950		26	12	19
Green Bay	49	1897	-20	1979	-5	1979	41	1897		27	13	20
Manitowoc	48	1897	-18	1879	-8	1879	40	1897		28	15	22
Marshfield	48	1998	-27	1979	-10	1920	33	1950,2006		24	9	16
Merrill	42	1926,1933	-33	1974	-5	1920	32	1950		23	6	15
Oshkosh	53	1897	-21	1979	-4	1920	35	1897,1950,2006		27	13	20
Rhineland	42	1944,1998	-29	1974	-18	1920	32	1950		24	6	15
Stevens Point	49	1897	-26	1899	-8	1920	34	1897		25	9	17
Sturgeon Bay	49	1998	-17	1969,1979	0	1912,1920	39	1950		27	13	20
Wausau	45	1998	-27	1979	-8	1979	36	1897		24	9	16
Wisc. Rapids	46	1998	-24	1920	-9	1920	34	1950,2006		25	9	17
										1991-2020 Normals		
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.80	1937	8.0	1937					0.06	0.06	0.8	20.0
Appleton	0.78	1941	8.0	1999					0.10	0.10	0.8	15.1
Green Bay	0.58	1966	6.8	1892					0.10	0.10	0.9	17.4
Manitowoc	1.75	1999	2.6	1892					0.11	0.11	0.5	12.7
Marshfield	0.50	1936	6.5	1966					0.08	0.08	0.8	19.8
Merrill	0.62	1966	5.2	1918					0.08	0.08	0.7	18.2
Oshkosh	0.75	2005	5.0	1986					0.09	0.09	0.6	12.7
Rhineland	0.67	1950	8.3	1911					0.10	0.10	1.0	30.5
Stevens Point	0.60	1941	4.0	1937,1966					0.09	0.09	0.7	15.2
Sturgeon Bay	0.81	1941	6.0	1999					0.12	0.12	1.0	17.3
Wausau	0.70	2000	8.1	1966					0.09	0.09	0.9	22.7
Wisc. Rapids	0.90	1911	9.5	1911					0.08	0.08	0.8	16.3

January 2

January 3

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	44	1998	-26	2014	-6	1912,1979	30	1964,1998		22	6	14	
Appleton	48	1998	-15	1904,1979	-2	1912,1928	34	1992		26	12	19	
Green Bay	50	1897	-18	2014	-2	1896,1912	33	1897,1992,2007		27	13	20	
Manitowoc	53	1998	-16	1879	-1	1979	39	1897		28	15	21	
Marshfield	48	1998	-23	1979	-1	1919	32	2006		23	8	16	
Merrill	43	1944,1998	-30	1912	-5	1979	32	2006		23	6	14	
Oshkosh	50	1897,1998	-19	1904	0	1979	38	1897		27	13	20	
Rhineland	42	1998	-29	1981	-6	1920	30	2006		23	6	14	
Stevens Point	52	1897	-28	1904	-6	1979	37	1897		25	9	17	
Sturgeon Bay	49	1998	-16	1979	-3	1979	33	2006		27	13	20	
Wausau	46	1998	-27	1904	-2	1912	32	2006		24	9	16	
Wisc. Rapids	50	2007	-30	1904	-1	1912	33	2006		25	9	17	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.59	1966	6.7	1966						0.08	0.08	1.2	20.4
Appleton	0.50	1982	7.0	1971						0.15	0.15	1.2	15.5
Green Bay	0.97	1897	8.2	1943						0.15	0.15	1.4	17.9
Manitowoc	0.75	1880,1892	5.0	1971,1977						0.16	0.16	0.8	13.0
Marshfield	0.40	1934	5.0	1943,1999						0.12	0.12	1.2	20.2
Merrill	1.05	2000	9.0	2000						0.13	0.13	1.1	18.6
Oshkosh	0.51	1890	7.0	1971						0.14	0.14	0.9	13.0
Rhineland	0.29	2023	8.0	1937						0.15	0.15	1.5	31.0
Stevens Point	0.70	1907	6.5	1999						0.13	0.13	1.1	15.6
Sturgeon Bay	1.09	1906	6.5	2000,2002						0.18	0.18	1.4	17.7
Wausau	0.68	1897	6.0	1943						0.13	0.13	1.4	23.2
Wisc. Rapids	0.60	1906	6.0	1971						0.13	0.13	1.2	16.7

January 3

January 4

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	42	2019	-24	1896	-6	1912	30	1927,2006,2023		22	5	14	
Appleton	47	2007	-20	1911,1919	-6	1959	32	1927,1997,2023		26	12	19	
Green Bay	46	2007	-18	1911,1912,1919	-4	1912	38	2007		26	13	20	
Manitowoc	53	1998	-22	1884	-12	1884	36	1921,2007		27	15	21	
Marshfield	45	2007	-28	1924	-8	1942	34	2007		23	8	16	
Merrill	41	2007	-32	1912	-6	1924	32	2006		23	6	14	
Oshkosh	48	2007	-21	1919	-2	1959	37	2007		27	13	20	
Rhineland	45	2019	-28	1911	-8	1988	34	2007		23	5	14	
Stevens Point	48	1897	-33	1904	-5	1969	32	1997,2006		24	9	17	
Sturgeon Bay	47	2007	-16	1947	-2	1979	34	1921,2006		26	13	19	
Wausau	42	2019	-25	1904	-5	1896,1924,1959	34	2007		24	8	16	
Wisc. Rapids	46	2007	-34	1904	-13	1942	36	2006		25	9	17	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.68	1971	11.0	1971						0.11	0.11	1.6	20.8
Appleton	0.67	1971	6.5	1943						0.20	0.20	1.6	15.9
Green Bay	0.69	1922	8.8	1982						0.20	0.20	1.8	18.3
Manitowoc	2.30	2000	6.0	1910						0.21	0.21	1.0	13.2
Marshfield	0.85	1971	10.5	1971						0.16	0.16	1.7	20.7
Merrill	0.65	1971	2.6	2015						0.17	0.17	1.5	19.0
Oshkosh	1.00	1910	12.0	1910						0.19	0.19	1.2	13.3
Rhineland	1.12	1939	9.0	1971						0.20	0.20	2.0	31.5
Stevens Point	0.77	1971	9.0	1971						0.17	0.17	1.5	16.0
Sturgeon Bay	1.17	1982	11.5	1982						0.24	0.24	1.9	18.2
Wausau	0.88	1997	7.0	1971						0.18	0.18	1.9	23.7
Wisc. Rapids	0.66	1971	7.0	1971						0.17	0.17	1.6	17.1

January 4

January 5

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	41	2019	-29	1972	-11	1912	33	2007		22	5	14	
Appleton	47	2019	-23	1979	-12	1912	37	2007		26	12	19	
Green Bay	47	2007,2019	-22	1912,1924,1979	-10	1912	39	1946		26	13	19	
Manitowoc	48	2007	-18	1884,1912	-10	1912	42	2007		27	15	21	
Marshfield	46	2019	-32	1924	-13	1942	35	2007		23	8	16	
Merrill	44	2019	-31	1972	-11	1912	36	2007		23	5	14	
Oshkosh	48	2007	-23	1912,1924	-4	1912,1942	37	1946		27	12	20	
Rhineland	43	2019	-29	1972	-10	1912,1924	34	1946		23	5	14	
Stevens Point	46	2019	-27	1924	-8	1942	36	2007		24	9	16	
Sturgeon Bay	48	1946	-22	1912	-5	1912	37	2007		26	12	19	
Wausau	45	1946	-28	1912	-12	1912	36	1946		23	8	16	
Wisc. Rapids	49	2019	-34	1924	-19	1912	34	1946		25	9	17	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.23	1939	7.0	1905						0.14	0.14	2.0	21.2
Appleton	0.64	1997	9.0	1905						0.25	0.25	2.0	16.3
Green Bay	1.05	1939,1946	9.9	1929						0.25	0.25	2.3	18.8
Manitowoc	1.11	1929	7.0	1951						0.26	0.26	1.3	13.5
Marshfield	1.03	1939	7.0	1929,1932						0.20	0.20	2.1	21.1
Merrill	1.66	1939	4.5	1922						0.21	0.21	1.9	19.4
Oshkosh	1.39	1939	9.0	1929						0.24	0.24	1.5	13.6
Rhineland	1.00	1946	5.5	2022						0.25	0.25	2.5	32.0
Stevens Point	1.42	1922	7.0	1922,1929						0.22	0.22	1.9	16.4
Sturgeon Bay	1.12	1946	12.0	1929						0.30	0.30	2.4	18.7
Wausau	0.98	1946	12.0	1929						0.22	0.22	2.4	24.2
Wisc. Rapids	1.06	1946	6.0	1994						0.21	0.21	2.0	17.5

January 5

January 6

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	44	1933	-34	1912	-14	2014	32	1915,1930		22	5	13	
Appleton	46	2007	-26	1912	-12	1912	34	1930,1939,1946,2007		26	12	19	
Green Bay	51	1933	-26	1912	-12	1912	36	2008		26	12	19	
Manitowoc	49	2012	-22	1912	-9	1912	37	1880,1930,2008		27	14	21	
Marshfield	47	1933	-29	1924	-16	2014	35	2012		23	8	15	
Merrill	45	1933	-34	1909	-17	2014	32	2007		23	5	14	
Oshkosh	50	1933	-28	1912	-12	1912	36	2008		27	12	19	
Rhineland	43	2012	-40	1912	-17	2014	34	2008		23	5	14	
Stevens Point	48	1933	-28	1909	-16	2014	35	1930		24	9	16	
Sturgeon Bay	47	1946	-27	1912	-12	2014	35	2008		26	12	19	
Wausau	47	1933	-35	1912	-15	1912	34	2008		23	8	16	
Wisc. Rapids	51	1933	-34	1912	-15	1912	36	2008		25	9	17	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.10	1932	8.0	1932						0.17	0.17	2.3	21.5
Appleton	0.84	1929	11.0	1929						0.30	0.30	2.4	16.7
Green Bay	0.86	1888	7.1	1994						0.30	0.30	2.7	19.2
Manitowoc	1.00	1885	7.0	1918						0.31	0.31	1.5	13.7
Marshfield	0.90	1964	8.5	1994						0.23	0.23	2.5	21.5
Merrill	1.22	1946	21.2	1929						0.26	0.26	2.2	19.7
Oshkosh	1.20	1918	12.0	1918						0.29	0.29	1.8	13.9
Rhineland	0.65	1980	8.0	1929						0.30	0.30	3.0	32.5
Stevens Point	0.75	1920	8.0	1920						0.26	0.26	2.2	16.7
Sturgeon Bay	0.45	1980	6.0	2022						0.36	0.36	2.9	19.2
Wausau	0.72	1980	9.0	1980						0.26	0.26	2.8	24.6
Wisc. Rapids	0.90	1980	8.9	1980						0.25	0.25	2.3	17.8

January 6

January 7

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	43	2003	-35	1912	-13	1912	33	1928	21	5	13	
Appleton	49	1933	-27	1912	-14	1912	36	1965,2008	26	11	19	
Green Bay	44	1900,1965	-29	1887	-12	1912	37	1965	26	12	19	
Manitowoc	47	1933	-22	1912	-9	1912,1942	36	1965,2008	27	14	21	
Marshfield	45	2003	-31	1968	-15	1942	31	2008,2019	23	8	15	
Merrill	46	1928	-40	1912	-15	1912	32	1928,2008	22	5	14	
Oshkosh	46	2003	-30	1912	-8	1942	35	1965,2008	26	12	19	
Rhineland	44	1990	-38	1912	-15	1912	30	1965,2008	23	5	14	
Stevens Point	50	1933	-30	1951	-7	1942,1968	34	1900	24	8	16	
Sturgeon Bay	42	1946,2007	-28	1912	-10	1912	34	1928,1965,2008	26	12	19	
Wausau	41	1949,2003	-32	1911,1912	-14	1912	35	1965	23	8	15	
Wisc. Rapids	47	1949,2003	-35	1912	-12	1912	34	1965	25	9	17	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.62	1980	7.0	1980					0.20	0.20	2.7	21.9
Appleton	0.97	2008	4.0	1919					0.35	0.35	2.7	17.0
Green Bay	0.91	2019	4.9	2010					0.34	0.34	3.1	19.6
Manitowoc	0.47	1913	7.0	1905,1913					0.36	0.36	1.8	14.0
Marshfield	0.60	1967	6.0	1967					0.27	0.27	2.9	21.9
Merrill	0.54	1980	7.0	1980					0.30	0.30	2.6	20.1
Oshkosh	0.81	2019	4.0	1913					0.33	0.33	2.1	14.2
Rhineland	0.41	2019	5.0	1967					0.34	0.34	3.5	33.0
Stevens Point	0.70	2019	4.0	1967,1994					0.30	0.30	2.6	17.1
Sturgeon Bay	0.63	1967	5.5	1918					0.41	0.41	3.4	19.7
Wausau	0.73	2019	5.3	1994					0.30	0.30	3.3	25.1
Wisc. Rapids	0.98	2019	3.0	1994,2010								

January 7

January 8

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	46	2003	-26	1968	-5	1976	32	2008	21	5	13	
Appleton	51	2003	-25	1929	-10	1942	35	2008	26	11	18	
Green Bay	49	2003	-21	1971	-12	1887	34	2008,2016	26	12	19	
Manitowoc	51	2003	-17	1942	0	1912	38	1880	27	14	20	
Marshfield	50	2003	-24	1968	-5	1976	32	2016	23	7	15	
Merrill	48	2003	-32	1979	-2	1976	32	2008	22	5	13	
Oshkosh	54	2003	-19	1912,1942	-2	1976	34	2008,2016	26	12	19	
Rhineland	48	2003	-30	1974	-6	1929	31	2008,2016	23	5	14	
Stevens Point	51	2003	-32	1894	-4	1976	34	1965	24	8	16	
Sturgeon Bay	50	2003	-20	1929	-2	1912	36	2003	26	12	19	
Wausau	46	2003	-39	1942	-6	1976	33	2008	23	8	15	
Wisc. Rapids	53	2003	-28	1942	-1	1912	33	2008,2016	25	8	16	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.60	1937	6.0	1937					0.22	0.22	3.0	22.2
Appleton	0.70	1937,2019	5.0	1952,1969					0.39	0.39	3.1	17.4
Green Bay	0.89	2008	5.3	1889					0.38	0.38	3.5	20.0
Manitowoc	1.18	2008	4.0	1936,1952,1998					0.42	0.42	2.0	14.2
Marshfield	0.65	1937	6.5	1937					0.31	0.31	3.2	22.2
Merrill	0.30	1911	3.6	1933					0.33	0.33	3.0	20.5
Oshkosh	1.15	1998	5.0	1969					0.37	0.37	2.3	14.4
Rhineland	0.54	1969	9.0	1969					0.38	0.38	3.9	33.4
Stevens Point	0.72	1937	8.0	1937					0.34	0.34	2.9	17.4
Sturgeon Bay	0.93	2008	9.0	1907					0.47	0.47	3.8	20.1
Wausau	0.41	1937	7.0	1937					0.34	0.34	3.7	25.5
Wisc. Rapids	0.80	1911	4.5	1969					0.33	0.33	3.0	18.5

January 8

January 9

	Rec		Rec		Low		High		1991-2020 Normals				
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	46	2002	-33	1977	-6	1912	29	1939,2003		21	5	13	
Appleton	51	2002	-25	1982	-12	1982	33	2016		26	11	18	
Green Bay	53	2002	-27	1977	-6	1912	37	1939		26	12	19	
Manitowoc	52	2002	-18	1982	-5	1912	41	2002		27	14	20	
Marshfield	50	2002	-28	1977	-7	1977	31	1939		23	7	15	
Merrill	47	2002	-39	1977	-3	1976,1980	31	1992		22	4	13	
Oshkosh	54	2002	-25	1977	-2	1912	35	2003		26	12	19	
Rhineland	45	1990	-37	1977	-6	1912	30	2002		23	4	14	
Stevens Point	47	1990	-28	1977	-2	1976	32	1992		24	8	16	
Sturgeon Bay	51	2002	-23	1977	-3	1912	34	1972		26	11	18	
Wausau	47	2002	-25	1977	-11	1982	34	2002		23	7	15	
Wisc. Rapids	51	2002	-31	1977	-10	1912	35	2002		24	8	16	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.30	1992	9.5	1969						0.25	0.25	3.4	22.6
Appleton	0.65	2008	5.1	1998						0.44	0.44	3.5	17.8
Green Bay	1.78	1889	17.8	1889						0.43	0.43	3.9	20.4
Manitowoc	0.80	1901	5.0	1930						0.47	0.47	2.2	14.4
Marshfield	0.30	1936	3.0	1929,1936,1940						0.34	0.34	3.6	22.6
Merrill	0.60	2016	3.5	1964						0.37	0.37	3.4	20.9
Oshkosh	1.80	1889	12.0	1889						0.41	0.41	2.6	14.7
Rhineland	0.36	1969	7.0	1969						0.42	0.42	4.4	33.9
Stevens Point	0.40	1917	4.0	1917,1998						0.38	0.38	3.3	17.8
Sturgeon Bay	0.69	1969	7.0	1969						0.53	0.53	4.3	20.6
Wausau	0.35	1929	7.0	1935						0.38	0.38	4.2	26.0
Wisc. Rapids	0.33	1923	1.0	1955						0.37	0.37	3.4	18.9

January 9

January 10

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	43	2012	-32	1982	-16	1982	31	2002		21	4	13	
Appleton	49	1975,2018	-24	1982	-9	1912	34	1975		25	11	18	
Green Bay	48	1928,1975	-25	1982	-10	1912	33	1975,1983,2000		26	12	19	
Manitowoc	48	1975	-26	1982	-9	1912	34	1975		27	14	20	
Marshfield	51	2012	-33	1982	-11	1982	30	2018		23	7	15	
Merrill	45	2012	-37	1977	14	1982	29	2002		22	4	13	
Oshkosh	50	1933	-28	1982	-5	1982	33	1975		26	12	19	
Rhineland	44	2012	-32	1912	-13	1912	30	2018		23	4	13	
Stevens Point	49	2002,2012	-28	1982	-14	1982	29	1939,2024		24	8	16	
Sturgeon Bay	44	1928	-23	1982	-11	1912	35	1975		25	11	18	
Wausau	47	2012	-27	1982	-6	1912	33	1975		23	7	15	
Wisc. Rapids	50	2012	-32	1937	-10	1912	34	1975		24	8	16	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.38	1924	4.0	1924,1938,1971						0.28	0.28	3.8	23.0
Appleton	0.80	1929	6.0	1929						0.48	0.48	3.8	18.1
Green Bay	0.72	2017	5.7	1901						0.48	0.48	4.3	20.8
Manitowoc	0.90	2017	6.3	1924						0.53	0.53	2.4	14.6
Marshfield	0.84	2017	8.4	2017						0.38	0.38	4.0	23.0
Merrill	0.62	2017	6.0	2017						0.41	0.41	3.8	21.3
Oshkosh	0.61	2017	6.0	1917						0.46	0.46	2.9	15.0
Rhineland	0.78	2017	7.0	2017						0.46	0.46	4.8	34.3
Stevens Point	0.77	1924	6.0	1929						0.42	0.42	3.6	18.1
Sturgeon Bay	0.59	2017	7.0	1985						0.58	0.58	4.8	21.1
Wausau	0.84	2017	8.4	2017						0.42	0.42	4.6	26.4
Wisc. Rapids	0.70	2017	4.0	2017,2023						0.41	0.41	3.7	19.2

January 10

January 11

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	43	1980	-32	1979	-9	1912	30	2023		21	4	13	
Appleton	52	2012	-23	1979	-6	1912	35	1928		25	11	18	
Green Bay	51	2012	-25	1979	-6	1912,1979	34	2013		26	11	19	
Manitowoc	48	1980	-19	1888	-5	1912	36	2013		27	14	20	
Marshfield	44	2002,2012	-26	1977,1979	-3	1979	33	2013		23	7	15	
Merrill	45	2012	-38	1979	-10	1912	32	1928		22	4	13	
Oshkosh	51	2012	-28	1912	-4	1912	38	2007		26	11	19	
Rhineland	44	1928	-33	1979	-14	1912	33	2013		23	4	13	
Stevens Point	47	2012	-29	1979	-3	1978	32	1928		24	8	16	
Sturgeon Bay	48	1975	-18	1979	-6	1912	38	2013		25	11	18	
Wausau	45	2012	-31	1979	-7	1912	33	2013		23	7	15	
Wisc. Rapids	49	2012	-31	1937	-7	1912	33	2013		24	8	16	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.70	1918	6.0	2017						0.31	0.31	4.2	23.4
Appleton	0.57	2017	8.0	2000						0.53	0.53	4.2	18.5
Green Bay	0.52	1890	5.2	1890						0.52	0.52	4.8	21.3
Manitowoc	0.95	1890	6.0	1905						0.59	0.59	2.7	14.9
Marshfield	0.60	1938	6.0	1938						0.42	0.42	4.4	23.4
Merrill	0.30	1976	6.0	1976						0.45	0.45	4.1	21.6
Oshkosh	0.85	1890	8.0	1901						0.50	0.50	3.2	15.3
Rhineland	0.42	2018	4.0	1938						0.50	0.50	5.3	34.8
Stevens Point	0.66	2017	5.2	2017						0.46	0.46	4.0	18.5
Sturgeon Bay	0.43	2013	4.0	1929,2007						0.64	0.64	5.2	21.5
Wausau	0.38	1938	3.7	1996						0.46	0.46	5.1	26.9
Wisc. Rapids	0.40	1996	3.0	1991						0.45	0.45	4.1	19.6

January 11

January 12

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		1991-2020 Normals			
										High	Low	Mean	
Antigo	42	1928,1987	-33	1912	-2	1912,1975,1977	31	1932		21	4	12	
Appleton	47	2006	-24	1912	-7	1912	34	2013		25	10	18	
Green Bay	48	1928	-25	1912	-4	1912	38	1932		25	11	18	
Manitowoc	50	1961	-20	1912	-5	1912	36	1932		26	13	20	
Marshfield	44	2013	-23	1974,1977	-3	1975	31	1932		23	7	15	
Merrill	44	2013	-48	1909	-10	1909	33	2013		22	4	13	
Oshkosh	51	2006	-27	1912	-1	1912	35	1932		26	11	19	
Rhineland	47	1987	-38	1912	-13	1912	30	1995,2001		22	4	13	
Stevens Point	47	2012	-23	1977	-2	1977	34	2013		23	7	15	
Sturgeon Bay	46	2013	-21	1912	-5	1912	33	1932,2007		25	11	18	
Wausau	45	1987	-32	1909	-9	1912	35	1932		23	7	15	
Wisc. Rapids	46	1987	-36	1912	-16	1929	36	1932		24	8	16	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.77	1960	4.2	1935						0.34	0.34	4.6	23.8
Appleton	0.80	1966,2024	10.0	2024						0.57	0.57	4.6	18.9
Green Bay	1.00	1890	11.8	2024						0.57	0.57	5.2	21.7
Manitowoc	1.10	1918	11.0	1918						0.64	0.64	2.9	15.1
Marshfield	1.12	1960	8.0	2000						0.45	0.45	4.8	23.8
Merrill	0.46	1960	4.0	1907						0.49	0.49	4.5	22.0
Oshkosh	0.86	1960	8.0	2000						0.55	0.55	3.5	15.6
Rhineland	0.55	1935	5.0	1935						0.54	0.54	5.7	35.2
Stevens Point	1.07	1960	6.0	1918						0.50	0.50	4.4	18.9
Sturgeon Bay	0.82	1960	7.0	1993						0.70	0.70	5.7	22.0
Wausau	1.03	1960	7.0	1898						0.50	0.50	5.6	27.4
Wisc. Rapids	0.67	1960	6.2	2024									

January 12

January 13

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	45	1987	-27	1929	1	1999	35	1932	21	4	12	
Appleton	49	1961	-25	1929	-12	1929	37	1932	25	10	18	
Green Bay	50	1961	-23	1929	-11	1929	35	1932,1995	25	11	18	
Manitowoc	55	1961	-23	1885	-8	1885	40	1932	26	13	20	
Marshfield	46	1987	-31	1929	-6	1929	34	1932	22	7	15	
Merrill	47	1987	-32	1912	-11	1929	32	1960,1995	22	4	13	
Oshkosh	52	1961	-25	1929	-6	1929	39	1932	26	11	18	
Rhineland	49	1987	-33	1912	-6	1929	35	1932	22	4	13	
Stevens Point	45	1928	-28	1929	1	1929,1997	36	1932	23	7	15	
Sturgeon Bay	48	1961	-24	1912	-2	1929	37	1932	25	10	18	
Wausau	45	1996	-28	1929	-16	1929	32	1899,1934,1960,1995,2001	23	7	15	
Wisc. Rapids	50	1996	-34	1929	-3	1927	33	1960,2001	24	8	16	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.70	1935	8.0	1935					0.36	0.36	5.0	24.2
Appleton	0.52	1950	8.7	2000					0.62	0.62	5.0	19.3
Green Bay	0.48	1950	5.3	2008					0.61	0.61	5.7	22.2
Manitowoc	0.97	1993	4.0	1935,1940					0.70	0.70	3.1	15.3
Marshfield	0.87	1916	6.0	1916					0.49	0.49	5.2	24.2
Merrill	1.00	1935	8.0	1935					0.53	0.53	4.9	22.4
Oshkosh	0.60	1890	5.0	1979					0.59	0.59	3.8	15.9
Rhineland	1.45	1950	12.3	1950					0.58	0.58	6.1	35.6
Stevens Point	0.96	1935	11.0	2000					0.54	0.54	4.7	19.2
Sturgeon Bay	0.83	2024	14.0	2024					0.76	0.76	6.2	22.5
Wausau	0.55	1935	7.0	1935					0.54	0.54	6.1	27.9
Wisc. Rapids	0.40	1935	3.0	1979					0.53	0.53	4.9	20.4

January 13

January 14

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	42	1987	-34	1917	-6	1917,1994	29	1947		21	4	12	
Appleton	45	1932	-27	1929	-9	1994	32	2023		25	10	18	
Green Bay	42	1947,1952,1987	-24	1929	-7	1994	32	1947,1995,2001		25	11	18	
Manitowoc	43	1961	-20	1881	-4	1917	33	1947,1959,1960		26	13	20	
Marshfield	41	1914	-31	1929	-11	1917	30	1928,1960		22	7	15	
Merrill	45	1944,1987,1996	-30	1924	-12	1929	31	2001		22	3	13	
Oshkosh	46	1901	-23	1929,1940	-15	1893	33	2001		26	11	18	
Rhineland	46	1980	-34	1916	-15	1929	30	2001		22	4	13	
Stevens Point	47	1961,1987	-25	1916,1924	-5	1917	32	1960		23	7	15	
Sturgeon Bay	44	1932,1961	-23	1929	-4	1917	33	2001		25	10	18	
Wausau	44	1987	-30	1972	-11	1994	32	2001		23	7	15	
Wisc. Rapids	44	1987	-31	1916	-10	1994	32	1947,2001		24	8	16	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.45	1923	7.5	2014						0.39	0.39	5.4	24.6
Appleton	0.44	1952	6.1	2014						0.66	0.66	5.4	19.7
Green Bay	0.58	1940	7.9	1940						0.66	0.66	6.1	22.6
Manitowoc	0.92	1930	4.3	1885						0.76	0.76	3.3	15.5
Marshfield	0.43	2014	9.0	2014						0.52	0.52	5.6	24.6
Merrill	0.80	1950	9.5	2014						0.57	0.57	5.3	22.8
Oshkosh	1.25	1940	11.0	1940						0.63	0.63	4.1	16.2
Rhineland	0.56	1952	7.0	1998						0.61	0.61	6.5	36.0
Stevens Point	1.00	1930	12.0	1930						0.58	0.58	5.0	19.5
Sturgeon Bay	0.72	2014	11.0	2014						0.81	0.81	6.8	23.1
Wausau	0.54	2014	9.2	1930						0.58	0.58	6.6	28.4
Wisc. Rapids	0.55	1952	7.0	2014						0.57	0.57	5.2	20.7

January 14

January 15

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	40	1910	-38	1972	-19	1972	32	2021		21	4	12	
Appleton	47	1990	-28	1929,1972	-15	1972	32	1906,1949		25	10	17	
Green Bay	45	1949	-28	1972	-15	1972	34	1894		25	11	18	
Manitowoc	50	1953	-26	1972	-10	1994	36	1953		26	13	20	
Marshfield	44	1933	-33	1972	-16	1972	32	2021		22	7	14	
Merrill	47	1933	-38	1972	-12	1963,1994	31	1996,2001		22	3	12	
Oshkosh	49	1953	-28	1972,1998	-13	1972	33	1901,2021		26	11	18	
Rhineland	40	1990	-39	1972	-17	1972	32	2021		22	4	13	
Stevens Point	45	1899,1987	-34	1963	-16	1972	34	1894		23	7	15	
Sturgeon Bay	42	1933,1953,1990	-26	1963,1972	-13	1972	34	1906,2021		25	10	18	
Wausau	41	1899,1933,1990	-36	1972	-17	1972	32	2021		22	6	14	
Wisc. Rapids	46	1933	-35	1963	-16	1972	33	2021		24	7	16	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.53	1932	6.0	1998						0.42	0.42	5.8	25.0
Appleton	0.74	1930	7.0	1930						0.70	0.70	5.8	20.1
Green Bay	0.79	1906	4.5	1890						0.70	0.70	6.6	23.1
Manitowoc	1.29	1906	7.0	1879						0.82	0.82	3.5	15.7
Marshfield	0.43	1953	5.0	1948						0.56	0.56	6.0	25.0
Merrill	0.49	1952	8.6	1930						0.61	0.61	5.7	23.2
Oshkosh	0.42	1906	4.0	1976						0.68	0.68	4.4	16.5
Rhineland	0.33	1928,1950	5.0	1928						0.64	0.64	6.9	36.4
Stevens Point	0.56	1906,1932	7.0	1932						0.62	0.62	5.4	19.9
Sturgeon Bay	0.96	1906	6.0	2018						0.87	0.87	7.3	23.6
Wausau	0.68	1953	4.4	1925						0.62	0.62	7.1	28.9
Wisc. Rapids	0.58	1906	3.4	1969						0.61	0.61	5.6	21.1

January 15

January 16

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	49	1973	-32	1972	-7	1997	34	1913,2023	21	3	12	
Appleton	44	1949,1973	-25	1982	-16	1982	34	1913	25	10	17	
Green Bay	45	1913	-28	1888	-6	1888	37	2023	25	11	18	
Manitowoc	48	1949	-26	1888	-2	1977	37	1880	26	13	20	
Marshfield	45	1973	-31	1972	-10	1977	34	1913	22	6	14	
Merrill	45	1973	-33	1972	-12	1994	31	1913,1980	22	3	12	
Oshkosh	48	1894	-25	1982	-6	1977	36	2023	26	11	18	
Rhineland	41	1999	-40	1982	-9	1972	32	1980	22	3	13	
Stevens Point	48	1973	-28	1972	-9	1994	34	1980	23	7	15	
Sturgeon Bay	44	1973	-21	1994	-1	1994	34	1980,2023	25	10	17	
Wausau	45	1973	-28	1972	-8	1982	34	2023	22	6	14	
Wisc. Rapids	48	1973	-30	1972	-8	1982	34	2023	24	7	16	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.46	1969	3.0	1925					0.44	0.44	6.2	25.4
Appleton	1.23	1980	6.0	1920					0.75	0.75	6.2	20.5
Green Bay	0.94	1980	7.5	1887					0.75	0.75	7.1	23.6
Manitowoc	0.92	1969	10.0	1920					0.88	0.88	3.8	16.0
Marshfield	0.85	1915	7.0	1994					0.59	0.59	6.3	25.3
Merrill	0.57	1967	4.0	1994					0.65	0.65	6.1	23.6
Oshkosh	0.94	1969	6.0	1920					0.72	0.72	4.6	16.7
Rhineland	0.54	1935	7.0	1967					0.68	0.68	7.3	36.8
Stevens Point	1.30	1915	9.0	1920					0.66	0.66	5.7	20.2
Sturgeon Bay	1.32	1980	7.0	2018					0.92	0.92	7.8	24.1
Wausau	0.67	1980	7.9	1967					0.65	0.65	7.6	29.4
Wisc. Rapids	0.29	1994	4.5	1994					0.65	0.65	6.0	21.5

January 16

January 17

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	46	1973	-39	1982	-10	1982	36	1973		20	3	12	
Appleton	44	1913,1973.1986.1996	-24	1982	-3	1948	37	1973		25	10	17	
Green Bay	47	1913	-28	1982	-2	1948,1954,1994	38	1973		25	11	18	
Manitowoc	48	1913	-25	1982	1	1997,2024	37	1894		26	13	20	
Marshfield	44	1986	-33	1982	-9	1954	32	1973,2023		22	6	14	
Merrill	42	1913,1973	-45	1982	-19	1982	32	1973,1980,2023		22	3	12	
Oshkosh	48	1996	-28	1982	-4	1994	38	1973		26	11	18	
Rhineland	46	1973	-38	1982	-7	1954,1994	31	1961		22	3	13	
Stevens Point	49	1973	-32	1982	-9	1982	33	1894,1973		23	7	15	
Sturgeon Bay	48	1961	-29	1982	-4	1982	35	1973,2023		25	10	17	
Wausau	43	1986	-31	1982	-7	1962,1994	35	1973		22	6	14	
Wisc. Rapids	48	1986	-38	1982	-7	1994	36	1973		24	7	16	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.80	1935	8.2	1935						0.47	0.47	6.6	25.8
Appleton	0.70	2017	5.8	1994						0.79	0.79	6.6	20.9
Green Bay	0.47	1999	4.9	2008						0.79	0.79	7.6	24.1
Manitowoc	0.45	2017	8.3	1888						0.94	0.94	4.0	16.2
Marshfield	0.17	1932,2004	4.5	1998						0.62	0.62	6.8	25.8
Merrill	0.67	1915	9.5	1906						0.68	0.68	6.5	24.0
Oshkosh	0.60	1999	5.5	1953						0.77	0.77	5.0	17.1
Rhineland	0.96	1935	10.0	1935						0.71	0.71	7.8	37.3
Stevens Point	0.52	1980	6.0	1935						0.69	0.69	6.1	20.6
Sturgeon Bay	1.24	1990	11.3	1906						0.98	0.98	8.3	24.6
Wausau	0.85	1915	6.6	1969						0.69	0.69	8.0	29.8
Wisc. Rapids	0.88	1915	5.0	1986						0.68	0.68	6.4	21.9

January 17

January 18

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	44	1973	-39	1967	-19	1994	37	1973	20	3	12	
Appleton	47	1996	-29	1994	-20	1994	36	1973	25	9	17	
Green Bay	48	1973,1996	-27	1994	-18	1994	41	1973	25	11	18	
Manitowoc	44	1894,1973	-25	1982,1994	-11	1994	36	1973	26	13	19	
Marshfield	45	1996	-32	1967,1994	-14	1994	36	1973	22	6	14	
Merrill	49	1926	-43	1982	-20	1962	37	1973	22	3	12	
Oshkosh	50	1996	-28	1994	-19	1994	43	1973	26	11	18	
Rhineland	46	1996	-36	1948	-19	1994	35	1973	22	3	13	
Stevens Point	47	1986,1996	-33	1967	-9	1962	40	1973	23	6	15	
Sturgeon Bay	46	1996	-25	1994	-15	1994	38	1973	25	10	17	
Wausau	46	1942	-32	1994	-19	1994	34	1973	22	6	14	
Wisc. Rapids	48	1996	-35	1948	-18	1994	33	1973	24	7	16	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.76	1996	7.0	1969					0.49	0.49	7.0	26.2
Appleton	0.68	1907	4.0	2008,2020					0.83	0.83	7.0	21.3
Green Bay	0.36	1973	3.7	1943					0.84	0.84	8.0	24.5
Manitowoc	0.59	1960	11.0	1886					1.01	1.01	4.2	16.4
Marshfield	1.12	1996	6.0	2020					0.66	0.66	7.2	26.2
Merrill	1.05	1996	3.5	1945,2020					0.72	0.72	6.9	24.4
Oshkosh	1.25	1896	12.5	1896					0.81	0.81	5.3	17.4
Rhineland	1.36	1996	5.0	1969					0.75	0.75	8.2	37.7
Stevens Point	0.59	1945	6.0	1945					0.73	0.73	6.5	21.0
Sturgeon Bay	0.53	1999	5.5	2020					1.03	1.03	8.9	25.2
Wausau	1.48	1996	4.7	1949					0.73	0.73	8.5	30.3
Wisc. Rapids	0.99	1996	3.0	2011					0.72	0.72	6.9	22.4

January 18

January 19

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	45	1947	-35	1994	-13	1985	28	1914		20	3	12	
Appleton	47	1907	-28	1994	-7	1994	39	1907		25	9	17	
Green Bay	44	1921,1933	-28	1994	-5	1970,1994	33	2017		25	10	18	
Manitowoc	49	1907	-25	1994	-7	1994	34	1907		26	13	19	
Marshfield	44	1947	-33	1994	-8	1963,1985	30	1914		22	6	14	
Merrill	49	1981	-35	1994	-19	1994	28	2023		22	3	12	
Oshkosh	49	1894	-29	1994	-6	1985	33	1914		26	10	18	
Rhineland	45	1908,1973	-33	1994	-5	1963,1994,2008	27	1919,2017		22	3	13	
Stevens Point	47	1996	-31	1994	-17	1994	29	1914,2023		23	6	15	
Sturgeon Bay	53	1908	-26	1994	-8	1994	34	1907		25	10	17	
Wausau	50	1908	-32	1994	-7	2008	29	2017,2023		22	6	14	
Wisc. Rapids	48	1947	-31	1994	-6	1943	32	1944		24	7	16	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.55	1935	6.2	1935						0.52	0.52	7.4	26.6
Appleton	0.67	1931	5.5	1931						0.88	0.88	7.5	21.8
Green Bay	0.66	1907	4.1	1988						0.88	0.88	8.5	25.0
Manitowoc	0.47	1952	4.4	2019						1.07	1.07	4.5	16.7
Marshfield	0.50	1935	5.5	1935						0.69	0.69	7.6	26.6
Merrill	0.38	2023	5.5	2023						0.76	0.76	7.3	24.8
Oshkosh	0.97	1988	10.0	1920						0.85	0.85	5.6	17.7
Rhineland	0.75	1935	9.2	2023						0.78	0.78	8.6	38.1
Stevens Point	1.37	1906	9.0	1906						0.77	0.77	6.8	21.3
Sturgeon Bay	0.92	1973	4.5	1995						1.09	1.09	9.4	25.7
Wausau	0.64	2023	8.5	1935						0.77	0.77	9.0	30.8
Wisc. Rapids	0.62	1907	4.7	1920						0.76	0.76	7.3	22.8

January 19

January 20

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	50	1908	-34	1994	-11	1984	33	1921	20	3	12	
Appleton	47	1906	-28	1985	-9	1985	34	1921	25	9	17	
Green Bay	47	1906	-25	1985	-7	1984	35	1921	25	10	18	
Manitowoc	55	1906	-25	1985	-8	1888	35	1921	26	13	19	
Marshfield	46	1921	-28	1985	-13	1985	32	2017	22	6	14	
Merrill	47	1921	-34	1994	-13	1985	30	1914,2017	22	2	12	
Oshkosh	47	1906	-29	1985	-8	1984	33	2017	26	10	18	
Rhineland	51	1908	-31	1994	-10	1984	26	1938,2017	22	3	13	
Stevens Point	48	1906,1908	-28	1985	-7	1994	34	1921	23	6	15	
Sturgeon Bay	52	1908	-25	1994	-6	1985	35	1921	25	9	17	
Wausau	48	1908	-27	1985	-12	1984	34	1921	22	6	14	
Wisc. Rapids	49	1908	-30	1943	-8	1984	33	2017	24	7	16	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.30	1937	3.0	1920,1937,1946,1950					0.55	0.55	7.8	27.0
Appleton	0.79	1982	9.3	1988					0.92	0.92	7.9	22.2
Green Bay	0.84	1894,1974	6.0	1982					0.93	0.93	9.0	25.5
Manitowoc	1.00	1988	7.0	1988					1.13	1.13	4.7	16.9
Marshfield	0.71	1988	5.5	1988					0.72	0.72	8.0	27.0
Merrill	0.53	1988	7.0	1988					0.79	0.79	7.7	25.2
Oshkosh	0.50	1995	5.0	1995					0.90	0.90	5.9	18.0
Rhineland	0.50	1979	4.0	1946					0.82	0.82	9.0	38.5
Stevens Point	0.82	1988	7.0	1988					0.81	0.81	7.2	21.7
Sturgeon Bay	0.70	1988	6.5	1988					1.14	1.14	9.9	26.2
Wausau	0.52	1988	6.3	1982					0.80	0.80	9.5	31.3
Wisc. Rapids	0.48	1935	4.0	1988					0.80	0.80	7.7	23.2

January 20

January 21

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	45	1921	-30	1984	-10	1924	35	1921		20	3	12	
Appleton	49	1964	-22	1984	-1	1963	33	1916,1957,1993		25	9	17	
Green Bay	49	1934	-36	1888	-8	1888	35	2017		25	10	18	
Manitowoc	50	1906,1921	-31	1888	-7	1924	35	1921,1957		26	13	19	
Marshfield	43	1964,2018	-35	1924	-7	1924,1963	34	1944		22	6	14	
Merrill	45	1981	-32	1984,1994	-10	1963,1984	33	1921		22	2	12	
Oshkosh	50	1964	-29	1985	-4	1963	35	1921		26	10	18	
Rhineland	46	1908	-30	1924	-10	1924	33	2017		22	3	13	
Stevens Point	46	1908	-28	1924	-9	1924	34	1921		23	6	15	
Sturgeon Bay	46	1909,1939	-22	1984	-5	1924	34	1906		25	9	17	
Wausau	46	1908	-27	1963	-7	1963	32	1921,2017		22	6	14	
Wisc. Rapids	49	1964	-35	1964	-9	1935	35	1921		24	7	16	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.36	1895	6.0	2005						0.57	0.57	8.2	27.4
Appleton	0.79	1959	6.0	1917,1959						0.96	0.96	8.3	22.6
Green Bay	0.84	1917	9.0	1917						0.97	0.97	9.5	26.0
Manitowoc	0.95	1917	10.5	1917						1.20	1.20	5.0	17.2
Marshfield	0.82	1917	8.2	1917						0.75	0.75	8.4	27.4
Merrill	0.38	1993	4.0	1943						0.83	0.83	8.1	25.6
Oshkosh	0.65	1917	6.0	2008						0.94	0.94	6.3	18.4
Rhineland	0.39	1975	4.0	1962,1995						0.85	0.85	9.5	39.0
Stevens Point	1.80	1917	18.0	1917						0.85	0.85	7.6	22.1
Sturgeon Bay	0.45	1993	6.0	1982,2005						1.20	1.20	10.4	26.7
Wausau	1.02	1917	10.2	1917						0.84	0.84	10.0	31.8
Wisc. Rapids	0.49	2005	6.0	2005						0.83	0.83	8.1	23.6

January 21

January 22

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	48	1900	-25	1970	-7	1963	35	1934		20	3	12	
Appleton	48	1964	-27	1930	-5	1935	35	1934		25	9	17	
Green Bay	48	1964	-22	1890	0	1963,2004	36	2017		25	10	18	
Manitowoc	48	1933	-24	1885	-10	1883	36	1933		26	13	19	
Marshfield	50	1964	-30	1936	-7	1963	33	1934,2017		22	6	14	
Merrill	48	1933	-28	1924	-7	1963	33	2017		22	2	12	
Oshkosh	50	1964	-23	1936	0	1963	36	1934		26	10	18	
Rhineland	45	1942,1989,2002	-29	1924	-9	1963	34	2017		22	3	13	
Stevens Point	50	1964	-25	1936	-4	1963	37	1934		23	6	15	
Sturgeon Bay	42	1916,1964,1989	-16	1930	-1	1963,2004	35	2017		25	9	17	
Wausau	48	1964	-28	1963	-6	1963,2004	36	1934		22	6	14	
Wisc. Rapids	52	1964	-31	1930	-6	1963	35	1919,2017		24	7	16	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.20	1917	5.0	1952						0.60	0.60	8.6	27.8
Appleton	0.65	1952	7.3	1952						1.01	1.01	8.8	23.1
Green Bay	0.72	1933	8.2	1941						1.02	1.02	10.0	26.5
Manitowoc	2.60	2008	9.0	2008						1.26	1.26	5.3	17.5
Marshfield	1.11	1933	9.0	1952						0.79	0.79	8.8	27.8
Merrill	0.50	2005	9.0	2005						0.87	0.87	8.6	26.1
Oshkosh	0.61	1933	6.0	1897						0.98	0.98	6.6	18.7
Rhineland	0.60	1999	7.0	1999,1952						0.89	0.89	9.9	39.4
Stevens Point	1.00	1933	7.0	2005						0.88	0.88	8.0	22.5
Sturgeon Bay	0.83	1999	12.0	1917						1.25	1.25	11.0	27.3
Wausau	1.21	1933	7.0	2023						0.88	0.88	10.5	32.3
Wisc. Rapids	0.71	1933	5.5	1952						0.87	0.87	8.5	24.0

January 22

January 23

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	52	1942	-32	1935,1963	-6	1987	33	1909		20	3	12	
Appleton	50	1989	-26	1963	-9	1963	35	2017		25	9	17	
Green Bay	46	1942,1989	-27	1963	-12	1963	35	2017		25	10	18	
Manitowoc	47	1989	-29	1886	-6	1886	36	1909		26	13	19	
Marshfield	47	1942	-37	1963	-16	1963	33	2017		22	6	14	
Merrill	57	1942	-34	1963	-12	1963	35	1909		22	2	12	
Oshkosh	47	1942	-28	1963	-12	1963	34	2017		26	10	18	
Rhineland	52	1942	-36	1935	-16	1963	36	1967		22	3	13	
Stevens Point	53	1964	-33	1963	-13	1936	35	1967		23	6	15	
Sturgeon Bay	46	1942	-26	1963	-6	1935	36	1967		25	9	17	
Wausau	49	1942	-34	1963	-6	1963	35	1909		22	6	14	
Wisc. Rapids	49	1942	-33	1937	-16	1935	34	2017		24	7	16	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.60	1899	7.0	2018						0.62	0.62	9.1	28.3
Appleton	0.40	1979	5.0	1906						1.05	1.05	9.2	23.5
Green Bay	0.76	1887	8.0	1887						1.06	1.06	10.5	27.0
Manitowoc	1.07	1999	7.0	1906						1.32	1.32	5.5	17.7
Marshfield	0.57	1969	6.0	2020						0.82	0.82	9.2	28.2
Merrill	0.44	1999	7.3	1999						0.90	0.90	9.0	26.5
Oshkosh	0.88	1955	5.0	1899,1906						1.02	1.02	7.0	19.1
Rhineland	0.44	2012	5.0	1951						0.93	0.93	10.3	39.8
Stevens Point	0.90	1899	9.0	1899						0.92	0.92	8.4	22.9
Sturgeon Bay	1.03	1999	5.0	1979						1.31	1.31	11.5	27.8
Wausau	0.60	1990	6.5	1990						0.91	0.91	11.0	32.8
Wisc. Rapids	1.23	1929	5.5	1990						0.91	0.91	8.9	24.4

January 23

January 24

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	45	1942	-28	1935,1936	-3	1904	33	1909		20	3	12	
Appleton	46	1916	-26	1935,1936	-11	1935	35	1909		25	9	17	
Green Bay	47	1916	-25	1935	-10	1904	36	1916		25	10	18	
Manitowoc	51	1934	-22	1936	-6	1936	36	2010		26	13	19	
Marshfield	49	1981	-36	1935	-9	1936	32	2017		22	6	14	
Merrill	52	1942	-36	1922	-4	1987	33	1909		22	2	12	
Oshkosh	50	1934,1947	-26	1935	-9	1897	34	1909		26	10	18	
Rhineland	49	1981	-38	1935	-4	1922	33	2017		22	3	13	
Stevens Point	47	1989	-32	1922	-10	1897	33	1947,1990		23	6	15	
Sturgeon Bay	44	1947	-25	1935	-4	1936	33	1916,2010		25	9	17	
Wausau	54	1942	-33	1948	-5	1904,1935,1936	33	2017		23	6	14	
Wisc. Rapids	54	1981	-38	1922	-10	1904	33	2017		24	7	16	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.60	1938	6.0	1938						0.65	0.65	9.5	28.7
Appleton	1.00	1967	4.7	2019						1.09	1.09	9.6	23.9
Green Bay	1.20	1938	5.3	1893						1.10	1.10	11.0	27.5
Manitowoc	1.30	1979	13.0	1979						1.38	1.38	5.8	18.0
Marshfield	0.54	1967	6.3	1997						0.85	0.85	9.6	28.6
Merrill	0.70	1967	4.8	1999						0.94	0.94	9.4	26.9
Oshkosh	1.85	1938	7.0	1938						1.06	1.06	7.3	19.4
Rhineland	0.69	1997	7.0	1938,1997						0.96	0.96	10.8	40.3
Stevens Point	0.60	1938	6.0	1990						0.96	0.96	8.8	23.3
Sturgeon Bay	0.90	1938	9.0	1938						1.36	1.36	12.0	28.3
Wausau	1.17	1967	6.5	1997						0.95	0.95	11.5	33.3
Wisc. Rapids	1.05	1967	4.0	1997						0.95	0.95	9.4	24.9

January 24

January 25

	Rec		Rec		Low		High		1991-2020 Normals				
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	55	1944	-31	1904	-18	1904	33	1944		20	3	12	
Appleton	49	1973	-28	1904	-13	1904	34	1933		25	9	17	
Green Bay	55	1944	-27	1904	-5	1904	36	1944		25	10	18	
Manitowoc	55	1944	-27	1904	-4	1897,1904	35	1942		26	13	19	
Marshfield	55	1981	-25	1936	-2	1936,2019,2022	36	1944		23	6	14	
Merrill	54	1973	-34	1922,1935	-1	1936,2019	33	1944		22	2	12	
Oshkosh	57	1944	-31	1904	-9	1904	36	1944		26	10	18	
Rhineland	53	1981	-37	1922	-2	1920	33	1944		22	3	13	
Stevens Point	55	1944	-33	1904	-12	1897	35	1981		23	6	15	
Sturgeon Bay	50	1944	-25	1935	2	1929	34	1919,1944		25	9	17	
Wausau	53	1944	-31	1904	-6	1897	33	1944,2024		23	6	14	
Wisc. Rapids	57	1944	-38	1904	-4	1904	33	2024		24	7	16	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.05	1918	8.0	1950						0.67	0.67	9.9	29.1
Appleton	0.84	1929	5.0	1902						1.13	1.13	10.1	24.4
Green Bay	0.94	1950	5.4	1971						1.15	1.15	11.5	28.0
Manitowoc	0.99	1950	6.0	1895						1.44	1.44	6.1	18.3
Marshfield	0.62	1967	6.0	1950						0.89	0.89	10.0	29.0
Merrill	0.43	1967	4.8	1929						0.98	0.98	9.8	27.3
Oshkosh	0.93	1950	7.5	1996						1.10	1.10	7.6	19.7
Rhineland	0.82	1967	6.0	1938						1.00	1.00	11.2	40.7
Stevens Point	1.09	1967	7.0	1929,1950						0.99	0.99	9.2	23.7
Sturgeon Bay	1.12	1950	4.5	2020						1.41	1.41	12.6	28.9
Wausau	0.48	1899	7.0	1950						0.99	0.99	12.0	33.8
Wisc. Rapids	0.49	1950	5.0	1950						0.98	0.98	9.8	25.3

January 25

January 26

January 26													
	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	52	1944	-30	2022	-6	1924	44	1944		21	3	12	
Appleton	55	1944	-25	1930	0	1936	38	1944		25	9	17	
Green Bay	56	1944	-23	2019	-3	1924	45	1944		25	10	18	
Manitowoc	59	1944	-15	1885,1897,1936	-4	1885,1924	40	1944		26	13	19	
Marshfield	51	1944	-26	1927,1930	-6	1924,1936	42	1944		23	6	14	
Merrill	53	1944,1981	-34	1927	-7	1907	43	1944		22	2	12	
Oshkosh	58	1944	-24	2019	-1	1924	45	1944		26	10	18	
Rhineland	51	1944,1973	-32	1927	-14	1972	42	1944		22	3	13	
Stevens Point	54	1981	-28	1963	-8	1972	47	1944		23	6	15	
Sturgeon Bay	55	1944	-22	2019	-2	1924	36	1944		25	9	17	
Wausau	51	2002	-30	1963	-7	1946	39	1944		23	6	14	
Wisc. Rapids	55	1944	-34	1904	-8	1924	38	1944		25	7	16	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.60	1902	8.0	1996						0.70	0.70	10.2	29.4
Appleton	0.55	1996	11.5	1996						1.17	1.17	10.5	24.8
Green Bay	0.47	1895	11.3	1996						1.19	1.19	12.0	28.5
Manitowoc	1.10	1978	3.1	2016						1.50	1.50	6.3	18.5
Marshfield	0.50	1996	9.0	1996						0.92	0.92	10.4	29.4
Merrill	0.52	1996	10.0	1996						1.01	1.01	10.3	27.8
Oshkosh	0.82	1978	9.0	1978						1.14	1.14	8.0	20.1
Rhineland	0.32	1971	4.0	1908,1925,1996						1.03	1.03	11.6	41.1
Stevens Point	0.35	1895,1902	5.0	1895						1.03	1.03	9.6	24.1
Sturgeon Bay	1.30	1938	13.0	1938						1.46	1.46	13.1	29.4
Wausau	0.41	1996	11.5	1996						1.02	1.02	12.4	34.2
Wisc. Rapids	0.36	1978	8.0	1996						1.02	1.02	10.2	25.7

January 26

January 27

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	48	2002	-29	1935	-3	1972	33	1911	21	3	12	
Appleton	52	2006	-17	1904,1935	0	1936,1971	35	1944	25	9	17	
Green Bay	51	2006	-19	1904	-4	1971	33	1934,1944,2006,2024	25	10	18	
Manitowoc	54	1944	-21	1885	-3	1895	36	1944	26	13	19	
Marshfield	49	2002	-31	1950	-5	1948	32	2002,2024	23	6	14	
Merrill	45	1919,1944	-33	1927,1935	-7	2014	33	1944	22	2	12	
Oshkosh	52	2006	-27	1915	1	1904,1971	36	2002	26	10	18	
Rhineland	50	1973	-35	1935,1950	-11	1929	32	1944	23	3	13	
Stevens Point	52	2006	-36	1904	-5	1972	33	2024	24	6	15	
Sturgeon Bay	52	2006	-16	1935,2019	-4	2014	34	2006	25	9	17	
Wausau	49	2002	-31	1950	-8	1915	33	2024	23	6	14	
Wisc. Rapids	53	2006	-37	1904	-2	1971	33	2024	25	7	16	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.33	1932	3.8	2004					0.72	0.72	10.6	29.8
Appleton	0.60	1916	5.0	1917					1.21	1.21	10.9	25.2
Green Bay	0.52	1916	4.1	1996					1.23	1.23	12.5	29.0
Manitowoc	1.30	1916	5.0	1912					1.56	1.56	6.6	18.8
Marshfield	0.57	1932	3.8	2013					0.95	0.95	10.9	29.9
Merrill	0.42	1944	4.3	1997					1.05	1.05	10.7	28.2
Oshkosh	0.85	1916	8.0	1908					1.18	1.18	8.4	20.5
Rhineland	0.52	1944	6.0	1968					1.07	1.07	12.1	41.6
Stevens Point	0.77	1916	7.0	1996					1.07	1.07	10.1	24.6
Sturgeon Bay	1.15	1916	5.3	2019					1.51	1.51	13.6	29.9
Wausau	0.46	1908	5.3	2013					1.06	1.06	12.9	34.7
Wisc. Rapids	0.54	2013	4.0	2013					1.06	1.06	10.6	26.1

January 27

January 28

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	45	1906	-30	1915	-10	1966	31	1944		21	2	12	
Appleton	43	1947,1989	-24	1966	-10	1966	32	2024		25	9	17	
Green Bay	46	1914	-21	1915,1966	-10	1966	33	1944		25	10	18	
Manitowoc	46	1934	-24	1885	-11	1966	35	1944		26	13	20	
Marshfield	47	1919	-35	1915	-13	1966	32	1944		23	6	15	
Merrill	55	1906	-34	1915	-10	1966	30	1944		22	2	12	
Oshkosh	45	1919	-22	1966	-11	1966	36	1914,2002		26	10	18	
Rhineland	50	1934	-41	1915	-9	1966	31	1944		23	3	13	
Stevens Point	51	2002	-34	1902	-12	1966	32	1944,2024		24	6	15	
Sturgeon Bay	46	2006	-22	1915	-9	1966	33	1944		25	9	17	
Wausau	46	1906	-31	1915	-12	1966	30	1944,2013		23	6	14	
Wisc. Rapids	47	1906	-32	1915	-12	1966	30	2013,2024		25	7	16	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.50	1927	5.0	1927						0.75	0.75	11.0	30.2
Appleton	0.98	2006	6.0	1994						1.24	1.24	11.4	25.7
Green Bay	0.54	2006	9.7	2019						1.27	1.27	12.9	29.4
Manitowoc	1.14	1949	11.0	2019						1.62	1.62	6.9	19.1
Marshfield	0.54	1949	6.0	1969						0.98	0.98	11.2	30.2
Merrill	0.57	1969	4.2	1927						1.08	1.08	11.1	28.6
Oshkosh	0.86	2006	8.2	2019						1.22	1.22	8.7	20.8
Rhineland	0.37	1956	3.0	1927,1956,1969,1973						1.10	1.10	12.5	42.0
Stevens Point	0.77	1949	8.0	1949						1.10	1.10	10.4	24.9
Sturgeon Bay	1.05	2006	7.5	2019						1.56	1.56	14.1	30.4
Wausau	0.48	1949	4.7	1957						1.09	1.09	13.4	35.2
Wisc. Rapids	0.78	1949	8.0	1949						1.09	1.09	11.0	26.5

January 28

January 29

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	42	1906	-30	1899,1951	-8	1899	28	2013	21	2	12	
Appleton	50	1914	-26	1951	-8	1951	33	1932	25	9	17	
Green Bay	50	1914	-26	1899	-8	1899	33	2006	25	10	18	
Manitowoc	51	1914	-21	1899	-7	1989	33	2006	26	13	20	
Marshfield	47	1919	-29	1951	-11	1951,1966	31	2013	23	6	15	
Merrill	47	1906	-32	1915	-8	2019	29	2013	22	2	12	
Oshkosh	50	1914, 2013	-26	1899	-4	1951	34	2006	26	10	18	
Rhineland	41	1914	-33	1951	-12	1951	29	2013	23	3	13	
Stevens Point	46	1906	-33	1904	-10	1965,1966	30	1931,1944,1968,2013	24	6	15	
Sturgeon Bay	49	1914	-21	1965	0	1965	32	2006	25	9	17	
Wausau	46	1906	-30	1915,1951	-17	1951	31	2013	23	6	14	
Wisc. Rapids	48	1914	-34	1904	-8	1966	32	2013	25	7	16	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.46	2001	6.0	1996					0.78	0.78	11.4	30.6
Appleton	0.91	2013	5.4	2019					1.28	1.28	11.8	26.1
Green Bay	0.60	1891	6.0	1891					1.31	1.31	13.4	29.9
Manitowoc	1.20	2001	4.7	1947					1.67	1.67	7.2	19.4
Marshfield	0.51	1916	4.0	1975					1.02	1.02	11.6	30.6
Merrill	0.98	1914	4.5	1975					1.12	1.12	11.6	29.1
Oshkosh	0.97	2013	6.5	1987					1.26	1.26	9.1	21.2
Rhineland	0.71	1914	7.0	1987					1.14	1.14	12.9	42.4
Stevens Point	0.42	2006	3.0	1975,2006					1.14	1.14	10.8	25.3
Sturgeon Bay	0.70	2001	4.0	1971,2011					1.61	1.61	14.6	30.9
Wausau	0.60	1914	6.0	1975					1.13	1.13	13.9	35.7
Wisc. Rapids	0.80	1947	5.0	1987					1.13	1.13	11.4	26.9

January 29

January 30

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	43	1974	-33	1951	-11	1899	31	2024		21	2	12
Appleton	45	1989	-30	1951	-10	2019	38	1988		26	9	17
Green Bay	42	1989	-31	1951	-10	1899	37	1988		25	10	18
Manitowoc	47	1988	-23	1951	-12	1899	33	1896,1913,1988,2024		26	13	20
Marshfield	47	1919	-35	1951	-15	2019	34	1988		23	6	15
Merrill	42	1926	-37	1950	-8	2019	27	1942,1946,1983,2024		22	2	12
Oshkosh	45	1989	-32	1951	-11	2019	35	2024		26	10	18
Rhineland	44	1999	-36	1950	-9	1951	32	2001		23	3	13
Stevens Point	44	2016	-33	1899	-14	1899	32	1931		24	6	15
Sturgeon Bay	43	1988	-25	1951	-12	1951	35	1988		25	9	17
Wausau	43	1999	-40	1951	-14	2019	36	1988		23	6	15
Wisc. Rapids	46	1974	-37	1951	-11	2019	40	1988		25	7	16
										1991-2020 Normals		
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.60	1937	6.0	1937					0.80	0.80	11.8	31.0
Appleton	0.57	1947	9.0	2013					1.32	1.32	12.2	26.5
Green Bay	0.64	2013	8.2	2013					1.35	1.35	13.8	30.3
Manitowoc	1.50	1947	15.0	1947					1.73	1.73	7.5	19.7
Marshfield	0.65	1937	9.3	2013					1.05	1.05	12.0	31.0
Merrill	0.40	2001	4.3	1987					1.15	1.15	12.0	29.5
Oshkosh	1.00	1947	10.0	1947					1.30	1.30	9.4	21.5
Rhineland	0.49	1937	5.2	2014					1.17	1.17	13.3	42.8
Stevens Point	1.20	1947	12.0	1947					1.17	1.17	11.2	25.7
Sturgeon Bay	0.57	1947	6.0	1947					1.66	1.66	15.1	31.4
Wausau	0.88	1937	5.7	2013					1.16	1.16	14.3	36.1
Wisc. Rapids	0.40	1947	7.0	2013					1.16	1.16	11.8	27.3

January 30

January 31

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	44	1952	-36	1899	-6	1971,2019	30	1923		21	3	12	
Appleton	51	2012	-26	2019	-6	1996,2019	33	2024		26	9	17	
Green Bay	49	1993	-26	1899,2019	-8	1971	34	2024		26	10	18	
Manitowoc	52	1989	-23	2019	-9	2019	36	1989		27	13	20	
Marshfield	48	1989	-30	1996,2019	-8	2019	33	1989		23	6	15	
Merrill	47	2024	-31	1996	-6	1971	35	1988		22	2	12	
Oshkosh	51	1989	-26	1918,2019	-7	2019	39	1988		26	11	18	
Rhineland	46	1952,1989	-33	1996	-11	1938	29	2024		23	3	13	
Stevens Point	48	1989,2024	-37	1899	-8	1996	37	1989		24	6	15	
Sturgeon Bay	47	1989,1993	-25	1918	-6	2019	36	1988		25	9	17	
Wausau	48	1993	-27	1996,2019	-8	1971	32	1989,2024		23	6	15	
Wisc. Rapids	53	1989	-33	1918	-7	2019	31	2024		25	7	16	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.60	1917	6.0	1917						0.83	0.83	12.2	31.4
Appleton	0.55	1947	6.0	1947						1.36	1.36	12.6	26.9
Green Bay	0.70	1917	7.8	1917						1.39	1.39	14.3	30.8
Manitowoc	0.60	1908	7.0	1917						1.78	1.78	7.8	20.0
Marshfield	0.90	1917	9.0	1917						1.08	1.08	12.4	31.4
Merrill	0.44	1937	6.0	1949						1.19	1.19	12.4	29.9
Oshkosh	2.40	1917	4.5	2002						1.34	1.34	9.8	21.9
Rhineland	0.26	1981,1997	3.5	1981						1.21	1.21	13.8	43.3
Stevens Point	1.00	1917	10.0	1917						1.21	1.21	11.6	26.1
Sturgeon Bay	0.85	1917	10.0	1917						1.71	1.71	15.6	31.9
Wausau	1.03	1917	10.0	1917						1.20	1.20	14.8	36.6
Wisc. Rapids	0.43	1907	5.0	2002						1.20	1.20	12.2	27.7

January 31