

June 1

File Updated: 07/2024													
	Rec		Rec		Rec		Rec			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	99	1934	24	1896	47	1945	73	1934		70	48	59	
Appleton	97	1934	33	1921	46	1946	66	1918,1934		73	52	63	
Green Bay	101	1934	34	1897	45	1945	69	1919		73	52	62	
Manitowoc	103	1934	36	1889	49	1946	61	1934		67	50	58	
Marshfield	100	1934	34	1946,1964,2001	42	1945	70	1934		72	51	62	
Merrill	92	1934	32	1993	47	1945	72	1934		72	49	61	
Oshkosh	102	1934	35	2003	47	1945	74	1934		73	53	63	
Rhineland	91	1988	27	2003	52	1954	69	1925		72	46	59	
Stevens Point	104	1934	26	1897	44	1945	74	1930		72	51	62	
Sturgeon Bay	100	1934	32	1927	43	1945	64	1988		68	48	58	
Wausau	95	1934	29	1897	44	1945	72	1934		73	51	62	
Wisc. Rapids	98	1934	32	1964	45	1945	70	1934		74	51	62	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.99	1970	0.0							0.13	8.77	0.0	53.6
Appleton	2.31	1944	0.0							0.14	11.43	0.0	49.4
Green Bay	1.74	1945	0.0							0.13	11.03	0.0	55.6
Manitowoc	3.15	1945	0.0							0.12	11.62	0.0	34.6
Marshfield	2.00	2000	0.0							0.16	11.12	0.0	57.1
Merrill	1.81	1965	0.0							0.15	10.80	0.0	54.3
Oshkosh	3.88	1945	0.0							0.16	11.68	0.0	39.2
Rhineland	1.50	1945	0.0							0.16	11.13	0.0	81.6
Stevens Point	2.09	1945	0.0							0.15	11.72	0.0	48.7
Sturgeon Bay	1.87	2004	0.0							0.13	11.47	0.0	57.4
Wausau	2.34	2000	0.0							0.15	11.17	0.0	64.1
Wisc. Rapids	2.42	2000	0.0							0.15	11.99	0.0	47.8

June 1

June 2

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	89	1934	30	1986	41	1945	66	1925	70	48	59	
Appleton	93	2020	34	1917	45	1945	69	1923	73	53	63	
Green Bay	93	2020	33	1956	44	1945	67	1895	73	52	63	
Manitowoc	95	1984	32	2003	45	1945	65	1978	67	50	59	
Marshfield	91	1934,2020	34	1928,1956,1986	44	1945	65	2014	72	51	62	
Merrill	94	1934	31	1986	42	1945	69	1934	73	49	61	
Oshkosh	92	1944	34	1956	46	1945	68	1923	74	54	64	
Rhineland	90	2020	32	1946	43	1945	63	1963,2023	72	47	60	
Stevens Point	95	1934	34	1956	49	1945	68	1911	72	52	62	
Sturgeon Bay	90	1944	30	1956	43	1945	59	1918,1919,1948	69	48	59	
Wausau	92	1934	34	1956	44	1945	67	1895	73	51	62	
Wisc. Rapids	94	2020	29	1929	45	1945	66	2014	74	51	63	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.73	1916	0.0						0.26	8.90	0.0	53.6
Appleton	2.31	2014	0.0						0.28	11.57	0.0	49.4
Green Bay	1.95	1902	0.0						0.26	11.16	0.0	55.6
Manitowoc	1.69	2014	0.0						0.23	11.73	0.0	34.6
Marshfield	2.82	1916	0.0						0.32	11.28	0.0	57.1
Merrill	1.63	1916	0.0						0.29	10.94	0.0	54.3
Oshkosh	1.40	1917	0.0						0.32	11.84	0.0	39.2
Rhineland	1.79	1916	T	1945					0.32	11.29	0.0	81.6
Stevens Point	2.20	1916	0.0						0.31	11.88	0.0	48.7
Sturgeon Bay	2.05	2000	T	1945					0.26	11.60	0.0	57.4
Wausau	1.41	1951	0.0						0.29	11.31	0.0	64.1
Wisc. Rapids	0.92	1942	0.0						0.29	12.13	0.0	47.8

June 2

June 3

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	88	1948,1963	32	1946	51	1969,2001	69	1930,1933	70	49	59	
Appleton	92	1944	36	1994	46	1945	70	1943	74	53	63	
Green Bay	91	1948	38	1945,1956	51	1945	68	1930	73	53	63	
Manitowoc	90	1940,1948	38	1926,1945	47	1882	66	1948	68	50	59	
Marshfield	90	2011	32	1929	48	1969	70	1943	73	52	62	
Merrill	98	1934	30	1985	51	1969	69	1911	73	50	61	
Oshkosh	93	1934	34	1929	52	1892	70	1943	74	54	64	
Rhineland	93	1930	32	1945,1946,1982,2000,2013	48	1969	65	1940	72	47	60	
Stevens Point	94	1944	34	1901	50	1969	71	1943	73	52	62	
Sturgeon Bay	88	1948	35	1977,1994,2019	50	1945,2001	62	1948,2020	69	49	59	
Wausau	92	2023	34	1945	50	1897	68	1895,1943	73	51	62	
Wisc. Rapids	93	1948	33	1926	51	1969	63	1943,2024	75	52	63	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.30	1904	0.0						0.40	9.04	0.0	53.6
Appleton	2.25	1914	0.0						0.42	11.71	0.0	49.4
Green Bay	3.61	1914	0.0						0.40	11.30	0.0	55.6
Manitowoc	3.63	1873	0.0						0.35	11.85	0.0	34.6
Marshfield	2.20	1914	0.0						0.48	11.44	0.0	57.1
Merrill	1.04	1925	0.0						0.44	11.09	0.0	54.3
Oshkosh	1.66	1892	0.0						0.48	12.00	0.0	39.2
Rhineland	1.53	1925	T	1945					0.48	11.45	0.0	81.6
Stevens Point	2.00	1914	0.0						0.47	12.04	0.0	48.7
Sturgeon Bay	2.00	1955	0.0						0.40	11.74	0.0	57.4
Wausau	1.32	2016	0.0						0.44	11.46	0.0	64.1
Wisc. Rapids	1.92	1925	0.0						0.44	12.28	0.0	47.8

June 3

June 4

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	88	1934	30	1945	47	1990	65	1923,1940	71	49	60	
Appleton	92	2021	35	1945	54	1945	67	1934	74	53	64	
Green Bay	94	1934	35	1945	51	1945	69	1934,1940	74	53	63	
Manitowoc	91	2021	31	1891	48	1945	63	1949	68	51	59	
Marshfield	91	1934	29	1945	54	2000	70	1933	73	52	63	
Merrill	90	1934,2021	28	1945	48	1990	65	1934	73	50	62	
Oshkosh	94	1934	30	1945	53	1945	69	2021	74	54	64	
Rhineland	94	1930	30	1921,1945,1990	49	1969	64	1955	73	47	60	
Stevens Point	95	1934	32	1945	51	1969,2002	71	1948	73	52	63	
Sturgeon Bay	91	1934	32	1982	50	1945	63	1919	69	49	59	
Wausau	93	2021	33	1945	53	1969	67	2024	73	51	62	
Wisc. Rapids	95	1934	27	1945	55	2000	66	1940	75	52	63	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.48	1914	0.0						0.55	9.19	0.0	53.6
Appleton	2.12	1911	0.0						0.57	11.86	0.0	49.4
Green Bay	1.59	1925	0.0						0.54	11.44	0.0	55.6
Manitowoc	3.90	1933	0.0						0.48	11.98	0.0	34.6
Marshfield	1.95	1925	0.0						0.65	11.61	0.0	57.1
Merrill	2.58	1914	0.0						0.59	11.24	0.0	54.3
Oshkosh	5.04	1905	0.0						0.65	12.17	0.0	39.2
Rhineland	1.20	1980	0.0						0.64	11.61	0.0	81.6
Stevens Point	2.50	1914	0.0						0.63	12.20	0.0	48.7
Sturgeon Bay	1.39	2017	0.0						0.54	11.88	0.0	57.4
Wausau	2.64	1914	0.0						0.60	11.62	0.0	64.1
Wisc. Rapids	3.00	1914	0.0						0.60	12.44	0.0	47.8

June 4

June 5

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	89	2021	28	1897	50	1935	66	1968,2021		71	49	60	
Appleton	93	2021	38	1945	54	1945	69	1925,1934		74	54	64	
Green Bay	95	2021	36	1958	54	1943	72	1925		74	53	64	
Manitowoc	94	1988	34	1891	50	1929	61	1950,2021		68	51	60	
Marshfield	92	2021	36	1945,1954,1969	56	2001,2013	75	1933		73	52	63	
Merrill	93	1925,2021	32	1945,1982	53	1935	66	1925		73	50	62	
Oshkosh	94	1934	33	1945	56	1935	69	2021		75	55	65	
Rhineland	92	2021	30	1945,1990	52	1935,1998,2013	68	2021		73	48	60	
Stevens Point	95	1934	33	1894,1954	52	1935	68	1925		73	53	63	
Sturgeon Bay	93	1988	33	1929,1945	53	1910,2002	72	2021		70	50	60	
Wausau	95	2021	33	1945	52	1935	71	2021		74	52	63	
Wisc. Rapids	94	1934,2021	34	1945	52	1935	70	1925		75	52	64	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.10	1919	0.0							0.70	9.34	0.0	53.6
Appleton	1.77	1980	0.0							0.73	12.02	0.0	49.4
Green Bay	1.51	1980	0.0							0.69	11.59	0.0	55.6
Manitowoc	1.07	1980	0.0							0.62	12.12	0.0	34.6
Marshfield	1.50	1914	0.0							0.83	11.79	0.0	57.1
Merrill	1.40	1906	0.0							0.75	11.40	0.0	54.3
Oshkosh	1.78	1980	0.0							0.82	12.34	0.0	39.2
Rhineland	1.57	1944	0.0							0.80	11.77	0.0	81.6
Stevens Point	2.97	1905	0.0							0.81	12.38	0.0	48.7
Sturgeon Bay	0.72	1905,1924	0.0							0.68	12.02	0.0	57.4
Wausau	4.46	1980	0.0							0.77	11.79	0.0	64.1
Wisc. Rapids	1.33	1980	0.0							0.76	12.60	0.0	47.8

June 5

June 6

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	90	1896	28	1894	50	1935	68	2021	71	50	60	
Appleton	93	1988	39	1958,1988	53	1921	70	2021	74	54	64	
Green Bay	93	1988	32	1958	52	2009	72	2021	74	54	64	
Manitowoc	94	1988	37	1894	52	1879	68	1988	69	51	60	
Marshfield	90	1988	37	1958	50	2009	66	1984,2021	73	53	63	
Merrill	92	1925	34	1985	56	1935	70	2021	74	51	62	
Oshkosh	93	1952	36	1958	55	1943	71	2021	75	55	65	
Rhineland	90	1988	25	1913	53	1953	70	2021	73	48	61	
Stevens Point	94	1933	32	1894	50	2009	69	2021	74	53	63	
Sturgeon Bay	94	1988	30	1958	52	1905	71	2021	70	50	60	
Wausau	91	1950	34	1897	50	1924	73	2021	74	52	63	
Wisc. Rapids	94	1933	33	1945	53	2009	71	2021	76	53	64	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.32	1980	0.0						0.85	9.49	0.0	53.6
Appleton	2.44	1905	0.0						0.89	12.18	0.0	49.4
Green Bay	1.63	1914	0.0						0.83	11.73	0.0	55.6
Manitowoc	2.18	1905	0.0						0.76	12.26	0.0	34.6
Marshfield	2.76	1930	0.0						1.00	11.96	0.0	57.1
Merrill	1.98	1980	0.0						0.91	11.56	0.0	54.3
Oshkosh	2.85	1905	0.0						0.99	12.51	0.0	39.2
Rhineland	2.81	1946	0.0						0.97	11.94	0.0	81.6
Stevens Point	1.84	1942	0.0						0.98	12.55	0.0	48.7
Sturgeon Bay	1.60	1980	0.0						0.82	12.16	0.0	57.4
Wausau	1.80	1905	0.0						0.93	11.95	0.0	64.1
Wisc. Rapids	1.97	1942	0.0						0.92	12.76	0.0	47.8

June 6

June 7

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	91	2011	31	1897	49	2009	65	1925,1933,2021		71	50	61	
Appleton	96	2011	39	1913,1998	53	1917	73	1933		75	54	65	
Green Bay	97	2011	37	1998	54	1909,1913,1917,2009	70	2021		74	54	64	
Manitowoc	95	1988	34	1888	53	1909	65	1988		69	52	60	
Marshfield	93	1988,2011	34	1953	50	2009	67	2011		74	53	63	
Merrill	94	2011	32	1924	52	1917	67	1922,2021		74	51	63	
Oshkosh	96	2011	37	1913	56	2009	73	1902		75	55	65	
Rhineland	93	2011	30	1924,1995	52	2009	66	2021		74	48	61	
Stevens Point	97	2011	33	1913,1953	51	2009	69	1925		74	53	64	
Sturgeon Bay	93	1988	35	1912	53	1909,1934	68	1922		70	50	60	
Wausau	94	2011	30	1924	51	2009	71	2021		74	52	63	
Wisc. Rapids	95	1933	30	1924	52	2009	68	1939,2021		76	53	64	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.49	1940	0.0							1.02	9.66	0.0	53.6
Appleton	2.20	1916	0.0							1.05	12.34	0.0	49.4
Green Bay	1.82	1896	0.0							0.98	11.88	0.0	55.6
Manitowoc	2.20	1916	0.0							0.89	12.39	0.0	34.6
Marshfield	2.17	1996	0.0							1.18	12.14	0.0	57.1
Merrill	1.92	1923	0.0							1.07	11.72	0.0	54.3
Oshkosh	1.99	1916	0.0							1.16	12.68	0.0	39.2
Rhineland	2.92	1923	0.0							1.14	12.11	0.0	81.6
Stevens Point	1.45	1921,1923	0.0							1.16	12.73	0.0	48.7
Sturgeon Bay	1.30	1920	0.0							0.96	12.30	0.0	57.4
Wausau	1.84	1984	0.0							1.10	12.12	0.0	64.1
Wisc. Rapids	2.30	1923	0.0							1.08	12.92	0.0	47.8

June 7

June 8

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	90	1988,2011	30	1913	50	2009	71	2004	72	51	61	
Appleton	92	2011	34	1913	51	1916	73	1933	75	55	65	
Green Bay	93	2011	36	1998	52	1916	73	1914	75	54	65	
Manitowoc	91	1976	36	1885,1886,1913	47	1916	64	1952,1999	69	52	61	
Marshfield	92	1985,2021	32	1913	54	1916	67	2004	74	53	64	
Merrill	94	2021	31	1913	51	2009	73	2011	74	51	63	
Oshkosh	94	1985	32	1913	56	1916	74	1933	75	56	66	
Rhineland	94	2021	30	1913	50	2009	68	1968	74	49	61	
Stevens Point	95	1933	33	1913	54	2009	74	2011	74	54	64	
Sturgeon Bay	90	2011	29	1949	51	2009	64	2011	71	51	61	
Wausau	95	2021	33	1913	53	2009	70	2004	74	53	64	
Wisc. Rapids	94	1920,2021	32	1913	54	1937	68	1950	76	53	65	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.40	1967	0.0						1.18	9.82	0.0	53.6
Appleton	2.03	2008	0.0						1.21	12.50	0.0	49.4
Green Bay	1.73	1993	0.0						1.12	12.02	0.0	55.6
Manitowoc	1.78	2008	0.0						1.03	12.53	0.0	34.6
Marshfield	1.95	1993	0.0						1.36	12.32	0.0	57.1
Merrill	1.48	1940	0.0						1.24	11.89	0.0	54.3
Oshkosh	3.75	2008	0.0						1.34	12.86	0.0	39.2
Rhineland	2.75	1971	0.0						1.31	12.28	0.0	81.6
Stevens Point	1.86	2003	0.0						1.34	12.91	0.0	48.7
Sturgeon Bay	1.38	1970	0.0						1.11	12.45	0.0	57.4
Wausau	2.17	1993	0.0						1.27	12.29	0.0	64.1
Wisc. Rapids	3.50	1993	0.0						1.24	13.08	0.0	47.8

June 8

June 9

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	92	1911	30	1977	53	1989	65	1914,1959	72	51	61	
Appleton	95	1911	36	1913	56	1944	72	1914	75	55	65	
Green Bay	92	1976,2012	35	1977	50	1889	70	1914	75	55	65	
Manitowoc	92	1959,1976	36	1901	48	1889	68	1933,1976	70	52	61	
Marshfield	90	2021	33	1913	57	1955	68	1914	74	54	64	
Merrill	91	2021	29	1977	53	2009	70	1914	75	52	63	
Oshkosh	95	1911	34	1977	57	1896,1989	73	1902	76	56	66	
Rhineland	92	1911	31	1913	53	1989	70	1914	74	49	61	
Stevens Point	93	1985	33	1941	58	1955,1995	70	1964	74	54	64	
Sturgeon Bay	90	1914	29	1913	57	1905,1924,1940	68	2012	71	51	61	
Wausau	93	1911	35	1937	55	1924,1998	70	1914	75	53	64	
Wisc. Rapids	94	1920	34	1913	56	1924	73	1914	77	53	65	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.61	1955	0.0						1.34	9.98	0.0	53.6
Appleton	2.48	1974	0.0						1.38	12.67	0.0	49.4
Green Bay	2.26	1974	0.0						1.27	12.17	0.0	55.6
Manitowoc	1.96	1974	0.0						1.18	12.68	0.0	34.6
Marshfield	1.71	1963	0.0						1.54	12.50	0.0	57.1
Merrill	1.02	1955	0.0						1.40	12.05	0.0	54.3
Oshkosh	2.00	1974	0.0						1.51	13.03	0.0	39.2
Rhineland	1.93	2020	0.0						1.49	12.46	0.0	81.6
Stevens Point	2.71	1993	0.0						1.53	13.10	0.0	48.7
Sturgeon Bay	1.88	1974	0.0						1.25	12.59	0.0	57.4
Wausau	2.18	2004	0.0						1.44	12.46	0.0	64.1
Wisc. Rapids	2.08	2004	0.0						1.41	13.25	0.0	47.8

June 9

June 10

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	94	1956	30	1972	52	2011	70	1911		72	51	62	
Appleton	94	1911	37	1972	54	2011	72	1911		76	55	66	
Green Bay	93	1933	36	1972,1980	50	1915	73	1911		75	55	65	
Manitowoc	92	1973	35	1913,1980	48	1915	65	1914,1959,1991		70	53	61	
Marshfield	91	1933,1956,2021	32	1972	54	2011	68	1946		74	54	64	
Merrill	94	1933	28	1972	54	1915	70	1911		75	52	63	
Oshkosh	94	1933	33	1972	56	1915,2011	73	1929		76	56	66	
Rhineland	98	1911	31	1972	53	1995,2011	67	1911,2012		74	49	62	
Stevens Point	97	1933	33	1913,1972	53	2011	71	1911		75	54	65	
Sturgeon Bay	90	1911,1973	33	1913	48	1915	66	1914		71	51	61	
Wausau	94	1933,1956	35	1903,1913,1972	52	1915	70	1911		75	53	64	
Wisc. Rapids	98	1956	34	1937	53	1915,2011	75	1920		77	54	65	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.72	2020	0.0							1.50	10.14	0.0	53.6
Appleton	4.03	1922	0.0							1.54	12.83	0.0	49.4
Green Bay	3.70	1922	0.0							1.42	12.32	0.0	55.6
Manitowoc	3.57	1922	0.0							1.33	12.83	0.0	34.6
Marshfield	2.85	1922	0.0							1.72	12.68	0.0	57.1
Merrill	2.47	2020	0.0							1.57	12.22	0.0	54.3
Oshkosh	2.33	1946	0.0							1.69	13.21	0.0	39.2
Rhineland	3.29	2021	0.0							1.67	12.64	0.0	81.6
Stevens Point	2.43	1922	0.0							1.71	13.28	0.0	48.7
Sturgeon Bay	2.11	1974	0.0							1.39	12.73	0.0	57.4
Wausau	2.28	1946	0.0							1.61	12.63	0.0	64.1
Wisc. Rapids	2.54	1946	0.0							1.57	13.41	0.0	47.8

June 10

June 11

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	93	1894	32	1903,1910	52	1963	68	1973	73	52	62	
Appleton	92	1992	37	1903,1908	53	1903	72	1933	76	56	66	
Green Bay	91	1949,1973,2016	36	1903	54	1903,1925	71	2017	76	55	65	
Manitowoc	92	1973	38	1888,1908,1972	52	1925	68	1973	70	53	62	
Marshfield	91	1976	35	1963	54	1963	67	2005	75	54	64	
Merrill	91	1949	34	1980	52	1947,1963	69	2012	75	52	64	
Oshkosh	94	1949	38	1903	53	1903	71	2002	76	56	66	
Rhineland	93	1956	33	1910	50	1963	69	1973	75	49	62	
Stevens Point	95	1933	31	1903	53	1903	72	1973	75	55	65	
Sturgeon Bay	90	1949	31	1908	53	1925	64	1992,1997,2005	71	52	62	
Wausau	93	1949	33	1903	51	1925	67	1895,1942	75	54	64	
Wisc. Rapids	98	1949	36	1936	55	1929	70	2017	77	54	66	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.46	1929	0.0						1.65	10.29	0.0	53.6
Appleton	2.87	2001	0.0						1.71	13.00	0.0	49.4
Green Bay	2.08	1942	0.0						1.56	12.46	0.0	55.6
Manitowoc	1.35	1975	0.0						1.47	12.97	0.0	34.6
Marshfield	2.36	1998	0.0						1.90	12.86	0.0	57.1
Merrill	2.28	1939	0.0						1.73	12.38	0.0	54.3
Oshkosh	3.20	2004	0.0						1.86	13.38	0.0	39.2
Rhineland	3.26	2017	0.0						1.84	12.81	0.0	81.6
Stevens Point	3.12	1922	0.0						1.89	13.46	0.0	48.7
Sturgeon Bay	1.51	1957	0.0						1.54	12.88	0.0	57.4
Wausau	1.72	1967	0.0						1.78	12.80	0.0	64.1
Wisc. Rapids	2.08	1973	0.0						1.73	13.57	0.0	47.8

June 11

June 12

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	93	1894	35	1947,1985	56	2004	65	1949	73	52	62	
Appleton	93	1956`	35	1903,2023	55	1955	75	2017	76	56	66	
Green Bay	92	1892,1971	37	1903	55	1929,1947	72	1892	76	56	66	
Manitowoc	94	1956	35	1903	56	1947,1955	75	1987	71	53	62	
Marshfield	93	1976	26	1927	53	1947	66	1915	75	54	65	
Merrill	92	1976	32	1985	53	1947	66	2005	75	53	64	
Oshkosh	93	1949,1971	36	1903	53	1947	70	1902,2005	77	57	67	
Rhineland	91	1956	31	1927	56	1941	66	1920,1949	75	50	62	
Stevens Point	94	1893	29	1903	53	1947	69	1920	75	55	65	
Sturgeon Bay	93	1956	35	1908,1927,1947	53	1947	65	1921,1948	72	52	62	
Wausau	93	1956	32	1903	51	1955	68	1919	76	54	65	
Wisc. Rapids	96	1949	36	1947	53	1947	68	1920	77	54	66	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month		Month	
Antigo	3.16	1990	0.000						1.81	10.45	0.0	53.6
Appleton	3.15	1961	0.0						1.87	13.16	0.0	49.4
Green Bay	1.58	1944	0.0						1.70	12.60	0.0	55.6
Manitowoc	1.56	1925	0.0						1.62	13.12	0.0	34.6
Marshfield	2.66	2001	0.0						2.07	13.03	0.0	57.1
Merrill	2.40	2017	0.0						1.89	12.54	0.0	54.3
Oshkosh	4.87	2008	0.0						2.03	13.55	0.0	39.2
Rhineland	3.87	1990	0.0						2.01	12.98	0.0	81.6
Stevens Point	2.47	2001	0.0						2.06	13.63	0.0	48.7
Sturgeon Bay	1.80	1998	0.0						1.68	13.02	0.0	57.4
Wausau	2.30	1990	0.0						1.94	12.96	0.0	64.1
Wisc. Rapids	2.56	1925	0.0						1.90	13.74	0.0	47.8

June 12

June 13

	Rec	Year(s)	Rec	Year(s)	Reec	Year(s)	Rec	Year(s)	1991-2020 Normals				
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean		
Antigo	93	1894	32	1969	54	1947	66	1956		73	52	63	
Appleton	97	1988	42	1906,2020	54	1947	69	1988		77	56	66	
Green Bay	94	1988	39	1969	52	1947	72	1892		76	56	66	
Manitowoc	95	1956	42	1968,1969	53	1947	71	1956		71	54	62	
Marshfield	93	1987	34	1969	50	1947	65	1971		75	55	65	
Merrill	91	1956	30	1941	53	1947	64	1919		76	53	64	
Oshkosh	93	1976	39	1969,1985	58	1947	74	1892		77	57	67	
Rhineland	93	1956	34	1927,2012	56	1929,1989	69	1956		75	50	63	
Stevens Point	95	1920	39	1969	53	1947	66	1983,2001		75	55	65	
Sturgeon Bay	92	1956,1988	35	1906	51	1947	65	1956		72	52	62	
Wausau	94	1956,1987	38	1969	49	1947	68	1983		76	54	65	
Wisc. Rapids	97	1920	36	1969	50	1947	76	1919		78	55	66	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	2.95	1961	0.0							1.97	10.61	0.0	53.6
Appleton	1.37	2008	0.0							2.04	13.33	0.0	49.4
Green Bay	1.88	1990	0.0							1.84	12.74	0.0	55.6
Manitowoc	4.27	2008	0.0							1.76	13.26	0.0	34.6
Marshfield	1.77	1922	0.0							2.24	13.20	0.0	57.1
Merrill	3.26	1990	0.0							2.05	12.70	0.0	54.3
Oshkosh	1.76	1926	0.0							2.21	13.73	0.0	39.2
Rhineland	4.64	1981	0.0							2.19	13.16	0.0	81.6
Stevens Point	2.98	2017	0.0							2.24	13.81	0.0	48.7
Sturgeon Bay	1.67	1926	0.0							1.83	13.17	0.0	57.4
Wausau	4.96	1930	0.0							2.11	13.13	0.0	64.1
Wisc. Rapids	1.45	1922	0.0							2.06	13.90	0.0	47.8

June 13

June 14

June 14													
	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	High	Year(s)		1991-2020 Normals			
										High	Low	Mean	
Antigo	96	1897	33	1903	49	1947	66	1988,2001		74	53	63	
Appleton	97	1987	40	1958	50	1947	73	1998		77	56	67	
Green Bay	97	1987	34	1958	52	1947	71	1981		76	56	66	
Manitowoc	97	1987	40	1978	53	2014	71	1987		71	54	63	
Marshfield	95	1987	36	1915,1933	52	1947	69	1981		75	55	65	
Merrill	94	1987	34	1958	49	1947	68	2001		76	53	65	
Oshkosh	95	1987	39	1915	54	1989	74	1981		77	57	67	
Rhineland	93	1987	33	1933	48	1947	67	1988		75	50	63	
Stevens Point	95	1897	37	1915,1958	52	1947	72	2001		76	56	66	
Sturgeon Bay	96	1987	33	1958	51	1947	69	1919,1987		72	53	63	
Wausau	97	1987	38	1933,1942,1958	50	1947,1978	69	1988		76	54	65	
Wisc. Rapids	97	1987	30	1933	53	1947	71	1988		78	55	66	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	3.8	1930	0.0							2.12	10.76	0.0	53.6
Appleton	1.78	1941	0.0							2.20	13.49	0.0	49.4
Green Bay	1.62	1899	0.0							1.98	12.88	0.0	55.6
Manitowoc	3.94	1926	0.0							1.90	13.40	0.0	34.6
Marshfield	3.12	1930	0.0							2.40	13.36	0.0	57.1
Merrill	2.66	1930	0.0							2.22	12.87	0.0	54.3
Oshkosh	2.33	1926	0.0							2.38	13.90	0.0	39.2
Rhineland	2.03	2019	0.0							2.36	13.33	0.0	81.6
Stevens Point	1.60	1926	0.0							2.41	13.98	0.0	48.7
Sturgeon Bay	1.53	1943	0.0							1.97	13.31	0.0	57.4
Wausau	1.60	1982	0.0							2.27	13.29	0.0	64.1
Wisc. Rapids	2.09	1926	0.0							2.22	14.06	0.0	47.8

June 14

June 15

					Rec		Rec						
	Rec		Rec		Low		High						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	1991-2020 Normals				
Antigo	95	1897	32	1908	47	1989	72	1994		74	53	63	
Appleton	95	1913	37	1908	58	1989	73	1994		77	57	67	
Green Bay	93	2012	38	1964	58	1989	75	1994		77	56	67	
Manitowoc	93	1894	40	1969	55	1917,1989	72	1988		72	54	63	
Marshfield	91	1994	37	1917,1999	57	1916	73	1994		76	55	65	
Merrill	94	1913	33	1968	49	1989	65	1919,1956,1981,1991,2022		76	53	65	
Oshkosh	92	1913,2012,2022	38	1908	55	1989	72	2007		77	57	67	
Rhineland	90	1913	31	1908,1927	55	2023	74	1994		76	50	63	
Stevens Point	96	1987	33	1908	54	1989	69	1976,1979		76	56	66	
Sturgeon Bay	95	1987	35	1908	56	1908,2002	67	1944		73	53	63	
Wausau	93	1905	34	1908	58	1974,1975	75	1994		76	55	65	
Wisc. Rapids	92	1913	35	1908	59	1975	75	1994		78	55	67	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.79	2019	0.0							2.27	10.91	0	53.6
Appleton	2.43	2016	0.0							2.36	13.65	0.0	49.4
Green Bay	1.44	2018	0.0							2.12	13.02	0.0	55.6
Manitowoc	3.46	2010	0.0							2.04	13.54	0.0	34.6
Marshfield	1.84	1981	0.0							2.57	13.53	0.0	57.1
Merrill	1.96	1967	0.0							2.38	13.03	0.0	54.3
Oshkosh	1.52	1906	0.0							2.55	14.07	0.0	39.2
Rhineland	3.00	1997	0.0							2.54	13.51	0.0	81.6
Stevens Point	1.54	1967	0.0							2.58	14.15	0.0	48.7
Sturgeon Bay	2.20	2017	0.0							2.11	13.45	0.0	57.4
Wausau	2.68	2018	0.0							2.43	13.45	0.0	64.1
Wisc. Rapids	1.41	2013	0.0							2.38	14.22	0.0	47.8

June 15

June 16

					Rec		Rec						
	Rec		Rec		Low		High						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		1991-2020 Normals			
Antigo	92	1907	34	1947	57	1974	67	1973		74	53	64	
Appleton	95	1913	37	1914	51	1974	72	1994		77	57	67	
Green Bay	93	1891,1994	35	1964	54	1974	70	1994		77	57	67	
Manitowoc	91	1887	35	1914	57	2019	70	2007		72	55	63	
Marshfield	90	1987,1994	35	1964	57	1974	71	1994		76	55	66	
Merrill	91	1913,1921,2007	31	1980	59	1975	73	1994		76	54	65	
Oshkosh	93	1910,1994	37	1914	57	1974	74	1994		78	58	68	
Rhineland	91	1987	32	1924	52	1939	72	1994		76	51	63	
Stevens Point	97	1913	37	1964	62	1975	72	1994		76	56	66	
Sturgeon Bay	91	1987	29	1914	57	1939	66	2007		73	53	63	
Wausau	91	1987,1994	33	1964	54	1974	73	1994		77	55	66	
Wisc. Rapids	94	1994	33	1964	58	1927	73	1994		78	55	67	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	2.2	1897	0.0							2.42	11.06	0.0	53.6
Appleton	1.10	1931	0.0							2.52	13.81	0.0	49.4
Green Bay	3.06	1897	0.0							2.26	13.16	0.0	55.6
Manitowoc	1.66	1981	0.0							2.17	13.67	0.0	34.6
Marshfield	1.90	1935	0.0							2.73	13.69	0.0	57.1
Merrill	1.99	1960	0.0							2.54	13.19	0.0	54.3
Oshkosh	2.80	1996	0.0							2.71	14.23	0.0	39.2
Rhineland	1.79	1979	0.0							2.71	13.68	0.0	81.6
Stevens Point	1.50	2018	0.0							2.75	14.32	0.0	48.7
Sturgeon Bay	1.99	2013	0.0							2.25	13.59	0.0	57.4
Wausau	1.90	1979	0.0							2.59	13.61	0.0	64.1
Wisc. Rapids	1.67	1984	0.0							2.54	14.38	0.0	47.8

June 16

June 17

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	98	1907	35	1950	55	1974	81	1910		75	53	64	
Appleton	94	1910,1987,1994	41	1950,1997,1999	59	1974	74	2006		78	57	67	
Green Bay	94	1994	37	1958	57	1974	74	2006		77	57	67	
Manitowoc	92	1910	42	1972	58	1891,2015,2019	71	2006		72	55	64	
Marshfield	92	1994	35	1950	57	1974	71	2018		76	56	66	
Merrill	95	1913	36	1950,1958,1960	57	1939	71	1907,1994		77	54	65	
Oshkosh	95	1994	38	1950	59	1974	73	1994,2006,2018		78	58	68	
Rhineland	95	1910	37	1950,2000	49	1974	69	2006,2018		76	51	63	
Stevens Point	96	1910,1921	36	1903	58	1974	71	1994,2006		76	56	66	
Sturgeon Bay	96	1921	36	1908,1972	57	1950,1974,1999	69	1921		73	54	63	
Wausau	94	1994	38	1903	58	1927,1964,1974	71	1921		77	55	66	
Wisc. Rapids	95	1994	36	1972	61	1939	81	1944		79	55	67	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.72	1979	0.0							2.57	11.21	0.0	53.6
Appleton	2.45	1996	0.0							2.67	13.96	0.0	49.4
Green Bay	3.43	1894	0.0							2.39	13.29	0.0	55.6
Manitowoc	3.50	1996	0.0							2.31	13.81	0.0	34.6
Marshfield	1.96	1924	0.0							2.88	13.84	0.0	57.1
Merrill	3.68	1979	0.0							2.69	13.34	0.0	54.3
Oshkosh	3.50	1901	0.0							2.87	14.39	0.0	39.2
Rhineland	1.55	1940	0.0							2.88	13.85	0.0	81.6
Stevens Point	1.48	2004	0.0							2.92	14.49	0.0	48.7
Sturgeon Bay	1.27	2017	0.0							2.39	13.73	0.0	57.4
Wausau	3.38	1996	0.0							2.74	13.76	0.0	64.1
Wisc. Rapids	2.00	1993	0.0							2.70	14.54	0.0	47.8

June 17

June 18

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	90	1910,1994,2006	37	1909	57	1948	72	1910	75	54	64	
Appleton	101	1994	40	1909	56	1915,1948	74	1987	78	58	68	
Green Bay	96	1995	40	1958	55	1948	71	1995	77	57	67	
Manitowoc	93	1995	40	1909	53	1950	71	2006	73	55	64	
Marshfield	95	1955,1995	42	1920	58	1915	70	1929	76	56	66	
Merrill	96	1910	37	1909	56	1915	69	1929,2018	77	54	66	
Oshkosh	98	1905	42	1909	58	1950	73	1921,1994	78	58	68	
Rhineland	98	1910,1995	36	1909	52	1974	74	1921	76	51	64	
Stevens Point	96	1994	40	1909	62	1950	72	1929,1994	77	57	67	
Sturgeon Bay	90	1921	35	1926	51	1950	67	1921	74	54	64	
Wausau	95	1933,1995	41	1909	52	1950	71	1995	77	55	66	
Wisc. Rapids	95	1933	41	1909	54	1935	72	1931	79	56	67	
									1991-2020 Normals			
	Max		Max						Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.89	2018	0.0						2.72	11.36	0.0	53.6
Appleton	2.42	2018	0.0						2.82	14.11	0.0	49.4
Green Bay	3.49	1928	0.0						2.52	13.42	0.0	55.6
Manitowoc	3.18	2018	0.0						2.44	13.94	0.0	34.6
Marshfield	4.25	1940	0.0						3.04	14.00	0.0	57.1
Merrill	1.81	2018	0.0						2.85	13.50	0.0	54.3
Oshkosh	2.35	1993	0.0						3.03	14.55	0.0	39.2
Rhineland	1.05	1944	0.0						3.04	14.01	0.0	81.6
Stevens Point	2.50	2018	0.0						3.09	14.66	0.0	48.7
Sturgeon Bay	2.80	1996	0.0						2.52	13.86	0.0	57.4
Wausau	1.70	2007	0.0						2.89	13.91	0.0	64.1
Wisc. Rapids	1.62	1996	0.0						2.86	14.70	0.0	47.8

June 18

June 19

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	91	1933	36	1970	48	1935	67	1931		75	54	65	
Appleton	96	1953,1995	43	2013	55	1935	75	1995		78	58	68	
Green Bay	95	1995	43	1958,1970	56	1935	76	1995		78	57	68	
Manitowoc	95	1933	35	1947	58	1903	74	1995		73	56	64	
Marshfield	95	1995	41	1916,1970	51	1935	70	1931		76	56	66	
Merrill	95	1933,1995	39	1982	51	1935	70	2024		77	54	66	
Oshkosh	98	1953	43	1970	55	1935	76	2012		78	58	68	
Rhineland	94	1995	32	1926	51	1935	67	1995,2016		76	51	64	
Stevens Point	100	1933	42	1970	52	1935	73	1931		77	57	67	
Sturgeon Bay	93	1931,1988	41	1926	58	1926	73	1995		74	54	64	
Wausau	96	1933	42	1914,1916,1970	50	1935	71	1995		77	56	66	
Wisc. Rapids	97	1933	38	1970	51	1935	71	2012		79	56	68	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.88	2012	0.0							2.87	11.51	0.0	53.6
Appleton	2.42	1935	0.0							2.98	14.27	0.0	49.4
Green Bay	1.20	1961	0.0							2.65	13.55	0.0	55.6
Manitowoc	1.83	2011	0.0							2.57	14.07	0.0	34.6
Marshfield	2.02	1935	0.0							3.20	14.16	0.0	57.1
Merrill	2.44	1986	0.0							3.00	13.65	0.0	54.3
Oshkosh	1.24	1997	0.0							3.19	14.71	0.0	39.2
Rhineland	1.81	1929	0.0							3.21	14.18	0.0	81.6
Stevens Point	1.47	1944	0.0							3.25	14.82	0.0	48.7
Sturgeon Bay	3.07	1913	0.0							2.65	13.99	0.0	57.4
Wausau	2.01	1935	0.0							3.04	14.06	0.0	64.1
Wisc. Rapids	2.29	1935	0.0							3.01	14.85	0.0	47.8

June 19

June 20

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	92	2022	33	2023	53	1935	69	1913	75	54	65	
Appleton	101	1988	37	1914	55	1935	72	2012,2016	78	58	68	
Green Bay	98	1933,1988	41	1969,1992	59	1935	70	1995,2012	78	58	68	
Manitowoc	97	1933	38	1914	56	1992	75	1995	73	56	65	
Marshfield	96	1988	37	1992	55	1946	67	1937,1949,1994	77	56	66	
Merrill	97	1933	36	1992	56	1946	71	1908	77	55	66	
Oshkosh	98	1953	39	1914,1992	61	1935,1992	73	1995	79	59	69	
Rhineland	94	1933	34	1916	56	1935	66	1913	77	52	64	
Stevens Point	101	1933	37	1992	54	1992	68	1908,1958,2012,2016	77	57	67	
Sturgeon Bay	95	1933	30	1914	55	1914	73	1988	74	55	64	
Wausau	98	1933	37	1992	56	1946	68	1933,1994	77	56	67	
Wisc. Rapids	99	1933	37	1992	55	1946	73	1911	79	56	68	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.59	2020	0.0						3.02	11.66	0.0	53.6
Appleton	2.70	1906	0.0						3.13	14.42	0.0	49.4
Green Bay	1.50	1997	0.0						2.78	13.68	0.0	55.6
Manitowoc	1.54	1913	0.0						2.70	14.20	0.0	34.6
Marshfield	2.55	1931	0.0						3.35	14.31	0.0	57.1
Merrill	1.85	1954	0.0						3.15	13.80	0.0	54.3
Oshkosh	2.20	1906	0.0						3.35	14.87	0.0	39.2
Rhineland	1.69	2000	0.0						3.37	14.34	0.0	81.6
Stevens Point	3.00	1913	0.0						3.42	14.99	0.0	48.7
Sturgeon Bay	2.04	1943	0.0						2.79	14.13	0.0	57.4
Wausau	3.04	2020	0.0						3.20	14.22	0.0	64.1
Wisc. Rapids	2.73	2020	0.0						3.17	15.01	0.0	47.8

June 20

June 21

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	90	1911,1933,1988	34	1897,1992	56	1935	81	1910		76	55	65	
Appleton	100	1988	38	1992	60	1906,1935,1952	71	1983		79	58	68	
Green Bay	98	1988	37	1992	61	1952	75	2022		78	58	68	
Manitowoc	95	1943,1988	38	1992	57	2014	74	1930		73	56	65	
Marshfield	95	1988,1995	34	1992	59	1952	66	2022		77	56	67	
Merrill	92	1910,1943,1995	31	1992	59	1906,1935	70	2022		78	55	66	
Oshkosh	98	1988	39	1963,1992	60	1952	72	1988		79	59	69	
Rhineland	94	1933,1995	35	1916,1963	56	1972	69	1943		77	52	64	
Stevens Point	95	1943	37	1963,1992	60	1902,1952	72	1943		77	57	67	
Sturgeon Bay	94	1995	35	1929,1940	57	1914	67	1998		74	55	65	
Wausau	96	1995	36	1992	58	1914	71	2022		78	56	67	
Wisc. Rapids	100	1988	35	1992	58	1940	68	1975,2022		80	56	68	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	3.42	1927	0.0							3.16	11.8	0.0	53.6
Appleton	1.40	2020	0.0							3.29	14.58	0.0	49.4
Green Bay	1.49	1968	0.0							2.92	13.82	0.0	55.6
Manitowoc	1.75	1968	0.0							2.84	14.34	0.0	34.6
Marshfield	3.52	2002	0.0							3.50	14.46	0.0	57.1
Merrill	3.30	1927	0.0							3.30	13.95	0.0	54.3
Oshkosh	2.50	1890	0.0							3.51	15.03	0.0	39.2
Rhineland	3.97	1968	0.0							3.54	14.51	0.0	81.6
Stevens Point	3.53	1927	0.0							3.58	15.15	0.0	48.7
Sturgeon Bay	1.10	1987	0.0							2.92	14.26	0.0	57.4
Wausau	3.00	1991	0.0							3.35	14.37	0.0	64.1
Wisc. Rapids	2.12	1987	0.0							3.32	15.16	0.0	47.8

June 21

June 22

June 22												
	Rec		Rec		Rec		Rec					
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	95	1911	37	1992	56	1935	80	1910		76	55	65
Appleton	99	1911	40	1902	58	1969	74	1911,1983		79	58	69
Green Bay	95	1911	40	1992	55	1969	71	1911		78	58	68
Manitowoc	95	1911	38	1885	57	1940,1969	75	1911		74	56	65
Marshfield	94	1988,1995	40	1917,1959	61	1969	73	1988		77	57	67
Merrill	95	1910,1938,1995	37	1992	61	1931,1940,1991	75	1910		78	55	66
Oshkosh	97	1911	40	1992	57	1969	74	1988		79	59	69
Rhineland	95	1911	35	1917	58	1969	68	1923		77	52	65
Stevens Point	97	1910	39	1902,1905	56	1906	76	1988		77	57	67
Sturgeon Bay	97	1911	37	1917	58	1940	70	1911		75	55	65
Wausau	95	1911,1995	36	1902	53	1969	70	1923		78	56	67
Wisc. Rapids	96	1911	40	1963	56	1969	69	1941		80	57	68
										1991-2020 Normals		
	Max		Max							Precipitation		Snow
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month Season
Antigo	1.88	2024	0.0							3.31	11.95	0.0 53.6
Appleton	4.18	1990	0.0							3.44	14.73	0.0 49.4
Green Bay	4.90	1990	0.0							3.05	13.95	0.0 55.6
Manitowoc	2.33	2017	0.0							2.97	14.47	0.0 34.6
Marshfield	3.63	1940	0.0							3.66	14.62	0.0 57.1
Merrill	1.70	1961	0.0							3.45	14.10	0.0 54.3
Oshkosh	4.65	1940	0.0							3.67	15.19	0.0 39.2
Rhineland	0.95	1909	0.0							3.71	14.68	0.0 81.6
Stevens Point	4.40	2002	0.0							3.75	15.32	0.0 48.7
Sturgeon Bay	2.51	1954	0.0							3.06	14.40	0.0 57.4
Wausau	2.55	2024	0.0							3.50	14.52	0.0 64.1
Wisc. Rapids	2.64	1940	0.0							3.48	15.32	0.0 47.8

June 22

June 23

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	94	1911	37	1915	59	1917,1969	79	1910	76	55	66	
Appleton	98	1910,1911	37	1918	58	1917	73	1910,1911	79	59	69	
Green Bay	95	2009	42	1918	54	1917	73	1923	79	58	68	
Manitowoc	96	1911,1930	37	1918	54	1917	69	1983	74	57	65	
Marshfield	94	1934	34	1972	58	1969	67	1995,2009	77	57	67	
Merrill	104	1934	35	1918	59	1979	66	1999	78	55	67	
Oshkosh	98	1911	41	1979	59	1917	71	1923	79	59	69	
Rhineland	95	1911,2009	30	1918	52	1992	65	2024	77	52	65	
Stevens Point	98	1910	35	1902	54	1969	75	1908	78	58	68	
Sturgeon Bay	94	1934	32	1918	53	1992	71	1910	75	55	65	
Wausau	95	1910	34	1902	53	1917	70	1923	78	56	67	
Wisc. Rapids	97	1950	36	1936	56	1928	74	1910	80	57	68	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.00	1917	0.0						3.45	12.09	0.0	53.6
Appleton	1.55	2020	0.0						3.59	14.88	0.0	49.4
Green Bay	1.17	1960	0.0						3.18	14.08	0.0	55.6
Manitowoc	1.72	2017	0.0						3.10	14.60	0.0	34.6
Marshfield	2.05	1944	0.0						3.81	14.77	0.0	57.1
Merrill	2.78	2011	0.0						3.60	14.25	0.0	54.3
Oshkosh	2.88	1908	0.0						3.82	15.34	0.0	39.2
Rhineland	1.66	2010	0.0						3.89	14.86	0.0	81.6
Stevens Point	1.85	1940	0.0						3.92	15.49	0.0	48.7
Sturgeon Bay	2.21	2020	0.0						3.20	14.54	0.0	57.4
Wausau	1.33	1946	0.0						3.66	14.68	0.0	64.1
Wisc. Rapids	1.85	1940	0.0						3.64	15.48	0.0	47.8

June 23

June 24

June 24													
	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	96	1937	35	1974	52	1992	70	1997,2005		76	55	66	
Appleton	96	1923	40	1906,1917	58	1967	73	2005		79	59	69	
Green Bay	95	1937	43	1887	56	1928	73	2005		79	58	69	
Manitowoc	96	2005	41	1887	56	1992	69	1945		74	57	66	
Marshfield	97	1988	40	1927	62	1969	69	1997,2005		77	57	67	
Merrill	98	1937	37	1985	57	1992	69	1923,2005		78	55	67	
Oshkosh	96	1937	43	1902,1974	60	1967	73	2009		80	59	69	
Rhineland	95	1937	38	1979	55	1992	70	1997		78	52	65	
Stevens Point	100	1937	43	1902,1974	60	1969	71	1898		78	58	68	
Sturgeon Bay	91	1923	40	1927,1979	55	1927	70	1923		75	56	65	
Wausau	98	1937	41	1902	56	1928,1957,1967	72	1898,2022		78	57	68	
Wisc. Rapids	98	1937	42	1974	56	1967	75	1950		80	57	69	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month		Month	
Antigo	1.84	1919	0.0							3.6	12.24	0.0	53.6
Appleton	0.93	1971	0.0							3.75	15.04	0.0	49.4
Green Bay	1.52	1940	0.0							3.32	14.22	0.0	55.6
Manitowoc	1.21	1950	0.0							3.24	14.74	0.0	34.6
Marshfield	1.43	1998	0.0							3.96	14.92	0.0	57.1
Merrill	4.35	1946	0.0							3.76	14.41	0.0	54.3
Oshkosh	1.27	1993	0.0							3.97	15.49	0.0	39.2
Rhineland	3.70	1919	0.0							4.06	15.03	0.0	81.6
Stevens Point	3.52	1919	0.0							4.08	15.65	0.0	48.7
Sturgeon Bay	1.32	1960	0.0							3.33	14.67	0.0	57.4
Wausau	2.57	1940	0.0							3.81	14.83	0.0	64.1
Wisc. Rapids	3.50	1998	0.0							3.80	15.64	0.0	47.8

June 24

June 25

June 25												
	Rec		Rec		Rec		Rec					
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	96	1901	37	1974	56	1992	79	1937		76	56	66
Appleton	95	1912,1937	43	1922	60	1928	74	1937,1983		80	59	69
Green Bay	92	1963,1966	41	1970	57	1928	72	1943		79	59	69
Manitowoc	94	2005	41	1979	56	1928	71	1931		74	57	66
Marshfield	95	1988	41	1922	56	1967	70	1931,1943		78	57	67
Merrill	94	1912,1933	39	1922,1984	60	1992	69	1934,1937,1943,1975		78	56	67
Oshkosh	93	1923	45	1974	56	1928	74	1931		80	59	70
Rhineland	92	1912	34	1915	57	1928	70	1966		78	53	65
Stevens Point	96	1937	42	2004	57	1928	78	1988		78	58	68
Sturgeon Bay	94	1912	37	1979	59	1915	68	1943,1997		75	56	66
Wausau	93	1900	42	2004	58	1968	72	1900		79	57	68
Wisc. Rapids	95	1931	38	1928	59	1968	73	1937		81	57	69
										1991-2020 Normals		
	Max		Max							Precipitation		Snow
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month Season
Antigo	1.84	2016	0.0							3.75	12.39	0.0 53.6
Appleton	1.72	1998	0.0							3.91	15.20	0.0 49.4
Green Bay	1.74	1934	0.0							3.46	14.36	0.0 55.6
Manitowoc	1.43	1949	0.0							3.38	14.88	0.0 34.6
Marshfield	2.17	1932	0.0							4.10	15.06	0.0 57.1
Merrill	1.35	1998	0.0							3.91	14.56	0.0 54.3
Oshkosh	1.37	2024	0.0							4.12	15.64	0.0 39.2
Rhineland	1.67	2016	0.0							4.24	15.21	0.0 81.6
Stevens Point	2.19	1998	0.0							4.24	15.81	0.0 48.7
Sturgeon Bay	1.60	1998	0.0							3.47	14.81	0.0 57.4
Wausau	1.75	1998	0.0							3.96	14.98	0.0 64.1
Wisc. Rapids	2.77	1932	0.0							3.95	15.79	0.0 47.8

June 25

June 26

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	98	1901	38	1982	53	1968	72	1910	77	56	66	
Appleton	95	1964	42	1922	55	1968	71	1901,1964	80	59	70	
Green Bay	96	1901	41	1982	56	1968	72	1941	79	59	69	
Manitowoc	95	1964,1983	42	1982	58	1888,1968	71	1941,2008	75	57	66	
Marshfield	93	1933	38	1922,1928	54	1968	69	1931	78	57	68	
Merrill	95	1931,1933	36	1982	55	1968	68	1944,1963	79	56	67	
Oshkosh	98	1931	45	1928	55	1968	72	1983	80	60	70	
Rhineland	90	2007	38	1928	52	1968	69	2001	78	53	65	
Stevens Point	100	1901	42	1902,1922,1982	59	1968	80	1901	78	58	68	
Sturgeon Bay	97	1941	36	1922	57	1968	72	1983	76	56	66	
Wausau	95	1901,1931,1933	39	1902	51	1968	71	1983	79	57	68	
Wisc. Rapids	101	1941	39	1922	52	1968	71	1917	81	57	69	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.75	1934	0.0						3.90	12.54	0.0	53.6
Appleton	3.92	1968	0.0						4.06	15.35	0.0	49.4
Green Bay	2.47	1969	0.0						3.59	14.49	0.0	55.6
Manitowoc	2.21	1934	0.0						3.52	15.02	0.0	34.6
Marshfield	2.57	1956	0.0						4.25	15.21	0.0	57.1
Merrill	1.17	2014	0.0						4.06	14.71	0.0	54.3
Oshkosh	3.18	1934	0.0						4.27	15.79	0.0	39.2
Rhineland	1.63	1931	0.0						4.41	15.38	0.0	81.6
Stevens Point	2.88	1956	0.0						4.40	15.97	0.0	48.7
Sturgeon Bay	3.20	2016	0.0						3.60	14.94	0.0	57.4
Wausau	2.94	1934	0.0						4.10	15.12	0.0	64.1
Wisc. Rapids	3.72	1934	0.0						4.09	15.93	0.0	47.8

June 26

June 27

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	94	1901,1971	38	1992	55	1968	80	1910	77	56	66	
Appleton	98	1913	42	1905	57	1968	76	1991	80	59	70	
Green Bay	98	1933	44	1992	56	1968	75	1991	79	59	69	
Manitowoc	96	1971	43	1884	59	1888,1925	75	1941,2007	75	58	66	
Marshfield	96	1971,1996	39	1992	64	1925	72	1913,1944	78	57	68	
Merrill	98	1933	36	1992	58	1968	73	1933	79	56	67	
Oshkosh	100	1933	42	1922	57	1968	74	1933	80	60	70	
Rhineland	92	1913,1921	37	1992	53	1968	75	1991	78	53	66	
Stevens Point	101	1933	38	1905,1992	56	1968	75	1917,1991	78	58	68	
Sturgeon Bay	95	1933	40	1938	56	1968	72	2007	76	56	66	
Wausau	100	1933	39	1992	57	1968	76	1991	79	57	68	
Wisc. Rapids	100	1933	34	1992	57	1968	75	1944	81	57	69	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.15	1943	0.0						4.05	12.69	0.0	53.6
Appleton	2.57	1998	0.0						4.21	15.50	0.0	49.4
Green Bay	1.60	1914	0.0						3.71	14.61	0.0	55.6
Manitowoc	1.60	1998	0.0						3.65	15.15	0.0	34.6
Marshfield	2.04	1998	0.0						4.39	15.35	0.0	57.1
Merrill	3.14	1943	0.0						4.21	14.86	0.0	54.3
Oshkosh	2.17	2010	0.0						4.41	15.93	0.0	39.2
Rhineland	2.09	1947	0.0						4.57	15.54	0.0	81.6
Stevens Point	3.34	2021	0.0						4.55	16.12	0.0	48.7
Sturgeon Bay	2.14	2021	0.0						3.73	15.07	0.0	57.4
Wausau	3.92	1963	0.0						4.24	15.26	0.0	64.1
Wisc. Rapids	3.05	1985	0.0						4.24	16.08	0.0	47.8

June 27

June 28

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	95	1913	39	1896	54	2003	81	1910	77	56	67	
Appleton	98	1933	40	1925	62	1968	76	1944	80	60	70	
Green Bay	98	1931	46	1954,1956	57	1914	75	1931,1991	80	59	69	
Manitowoc	96	1971	43	1885,1898	59	2017	76	1931	75	58	67	
Marshfield	93	1913,1931,1933	40	1925	56	2003	72	1931,1991	78	57	68	
Merrill	100	1921	34	1923	61	1980	76	1931	79	56	68	
Oshkosh	99	1931	41	1922	61	1968	75	1931	80	60	70	
Rhineland	95	1910,1931,1933	40	1911,1919	54	2003	74	1931	78	53	66	
Stevens Point	100	1931	40	1905	60	1968	76	1931	79	59	69	
Sturgeon Bay	96	1971	40	1930	56	1914	75	1971	76	57	66	
Wausau	96	1931	42	1911	55	2003	77	1931	79	57	68	
Wisc. Rapids	101	1931	40	1923	61	1968,2003	73	1991	81	58	69	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.19	1967	0.0						4.18	12.82	0.0	53.6
Appleton	1.40	2019	0.0						4.36	15.65	0.0	49.4
Green Bay	1.60	1942	0.0						3.84	14.74	0.0	55.6
Manitowoc	2.20	1960	0.0						3.79	15.29	0.0	34.6
Marshfield	1.72	1977	0.0						4.52	15.48	0.0	57.1
Merrill	1.49	1980	0.0						4.35	15.00	0.0	54.3
Oshkosh	1.45	1999	0.0						4.55	16.07	0.0	39.2
Rhineland	2.00	1981	0.0						4.74	15.71	0.0	81.6
Stevens Point	2.33	1897	0.0						4.70	16.27	0.0	48.7
Sturgeon Bay	1.87	1960	0.0						3.86	15.20	0.0	57.4
Wausau	1.56	1942	0.0						4.39	15.41	0.0	64.1
Wisc. Rapids	1.40	1999	0.0						4.38	16.22	0.0	47.8

June 28

June 29

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	99	1910	37	1895,1899,1925	59	1988	75	1910,1931		77	56	67	
Appleton	99	1910	43	1923,1925	62	1928	78	1931		80	60	70	
Green Bay	100	1931	43	1988	58	1943	78	1931		80	59	70	
Manitowoc	101	1931	38	1885,2021	62	1885,1992	83	1931		75	58	67	
Marshfield	96	1931	37	1925	61	1943	74	1996		78	58	68	
Merrill	100	1910,1931	30	1923	56	2003	73	1931		79	56	68	
Oshkosh	101	1931	37	1922	61	1992	77	1931		80	60	70	
Rhineland	98	1910	33	1925	57	1943	72	1931		78	53	66	
Stevens Point	104	1931	40	1902	63	1973,1999	73	1961,1971		79	59	69	
Sturgeon Bay	97	1931	36	1925	57	2003	70	1961		76	57	67	
Wausau	100	1931	36	1900	59	1943	75	1931		79	58	68	
Wisc. Rapids	100	1931	36	1925	62	1943	72	1906		81	58	69	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	2.24	1952	0							4.32	12.96	0	53.6
Appleton	1.59	1920	0.0							4.50	15.79	0.0	49.4
Green Bay	2.21	1897	0.0							3.97	14.87	0.0	55.6
Manitowoc	2.92	1947	0.0							3.92	15.42	0.0	34.6
Marshfield	1.68	1981	0.0							4.66	15.62	0.0	57.1
Merrill	1.96	1952	0.0							4.49	15.14	0.0	54.3
Oshkosh	2.92	1947	0.0							4.68	16.20	0.0	39.2
Rhineland	1.14	1961	0.0							4.90	15.87	0.0	81.6
Stevens Point	1.87	1920	0.0							4.85	16.42	0.0	48.7
Sturgeon Bay	1.25	1942	0.0							3.99	15.33	0.0	57.4
Wausau	1.13	1930	0.0							4.53	15.55	0.0	64.1
Wisc. Rapids	2.39	1920	0.0							4.53	16.37	0.0	47.8

June 29

June 30

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	97	1910	35	1900	58	1959	76	1921		77	56	67	
Appleton	99	1910	47	1943,1992,1925,2010	59	1959	77	1931		81	60	70	
Green Bay	100	1910,1931	44	1900,1943	57	1959	78	1931		80	59	70	
Manitowoc	98	1910	40	1885	62	1959,1986	75	1930		75	58	67	
Marshfield	95	1931	41	1940,1943	57	1959	75	1953		78	58	68	
Merrill	98	1931	35	1923	61	1959	75	1913		79	56	68	
Oshkosh	101	1931	44	1943	59	1959	77	1931		81	60	70	
Rhineland	104	1931	40	1925,2010	57	1973	74	1913		79	53	66	
Stevens Point	104	1931	32	1900	61	2009	76	1931		79	59	69	
Sturgeon Bay	100	1910,1931	39	1925	62	1938	72	1964		76	57	67	
Wausau	100	1931	40	1943	54	1959	75	1931,1934		79	58	69	
Wisc. Rapids	99	1910	37	1943	55	1959	72	1913		82	58	70	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.61	1953	0							4.46	13.1	0	53.6
Appleton	1.72	1997	0.0							4.65	15.94	0.0	49.4
Green Bay	1.21	1918	0.0							4.10	15.00	0.0	55.6
Manitowoc	2.00	1938	0.0							4.05	15.55	0.0	34.6
Marshfield	1.76	1938	0.0							4.79	15.75	0.0	57.1
Merrill	2.92	1953	0.0							4.63	15.28	0.0	54.3
Oshkosh	2.95	1938	0.0							4.82	16.34	0.0	39.2
Rhineland	1.00	1983	0.0							5.06	16.03	0.0	81.6
Stevens Point	3.81	1938	0.0							5.00	16.57	0.0	48.7
Sturgeon Bay	2.85	2015	0.0							4.12	15.46	0.0	57.4
Wausau	4.48	1938	0.0							4.67	15.69	0.0	64.1
Wisc. Rapids	1.90	1938	0.0							4.67	16.51	0.0	47.8

June 30