PUBLISH DATE: MARCH 22, 2023

EASTERN NORTH CAROLINA MONTHLY CLIMATE REPORT

FEBRUARY 2023

WEATHER FORECAST OFFICE NEWPORT/MOREHEAD CITY, NC

National Weather Service

NEWPORT/MOREHEAD CITY, NC

MONTHLY SUMMARY


armer-than-average conditions remained the theme across Eastern North Carolina in February. Temperatures were at their warmest in the final week of the month, climbing to 12-15 degrees above average and bringing record warmth coinciding with record heat across much of the southeastern United States. Near-normal temperatures were only observed in the first week of February. Overall, temperatures across eastern NC were between 6 and 9 degrees above normal.

The first half of February was unsettled, with the biggest rainfall maker coming at the month's midway point with a passing coastal low. The second half of the month was considerably drier, and eastern NC ended up with near-normal precipitation. The Outer Banks fared modestly wetter than the coastal plain. Drought conditions further improved, with spotty, abnormally dry conditions lingering across the coastal plain.

The March 2023 report will be published around April 25th, 2023.

TEMPERATURES

2023 continued its warm streak across the entire state, based on analysis from the NC State Climate Office. The average temperature statewide for February was 50.5°F or a toasty 6.7°F above the 1991-2020 average. This was the 3rd warmest February statewide since records began in 1895, with 129 years of data.



February 2023 Temperature Summary | Source: NC State Climate Office

Eastern North Carolina temperatures were generally in line with the statewide average.

New Bern and Beaufort recorded their 2nd warmest February on record, while Cape

Hatteras recorded its 7th warmest. Additional observations can be found in Appendix A.

MHX Select Site Temperature Statistics: February 2023

| Site | Avg. High (°F) | Avg. Low (°F) | Avg. Temp (°F) | Normal (°F) | Departure (°F) |
|--------------------|----------------|---------------|----------------|-------------|----------------|
| Beaufort (KMRH) | 63.3 | 45.9 | 54.6 | 48.2 | 6.4 |
| Hatteras (KHSE) | 61.2 | 46.3 | 53.8 | 49.1 | 4.7 |

| Site | Avg. High (°F) | Avg. Low (°F) | Avg. Temp (°F) | Normal (°F) | Departure (°F) |
|--------------------|----------------|---------------|----------------|-------------|----------------|
| New Bern (KEWN) | 66.0 | 42.8 | 54.4 | 47.1 | 7.3 |


Normals are based on a period from 1990-2020.

County-averaged statistics are presented in the following table. Note that mean temperature and anomaly calculations are based on a period of 1901-2000, rather than 1990-2020. Data courtesy of the National Centers for Environmental Information (NCEI).

| County | Avg. Temperature (°F) | Mean (°F) | Departure (°F) | Rank |
|--------------|--------------------------|-----------|----------------|------|
| Beaufort | 53.2 | 44.4 | 8.8 | 3 W |
| Carteret | 54.4 | 45.9 | 8.5 | 2 W |
| Craven | 53.6 | 45.0 | 8.6 | 2 W |
| Dare | 51.6 | 44.1 | 7.5 | 3 W |
| Duplin | 53.7 | 45.0 | 8.7 | 3 W |
| Greene | 52.5 | 43.7 | 8.8 | 3 W |
| Hyde | 53.0 | 44.9 | 8.1 | 3 W |
| Jones | 53.5 | 44.9 | 8.6 | 2 W |
| Lenoir | 52.6 | 44.3 | 8.3 | 4 W |
| Martin | 52.2 | 42.9 | 9.3 | 2 W |
| Onslow | 54.5 | 45.8 | 8.7 | 3 W |
| Pamlico | 53.8 | 45.4 | 8.4 | 2 W |
| Pitt | 52.6 | 43.7 | 8.9 | 3 W |
| Tyrrell | 52.3 | 43.8 | 8.5 | 2 W |
| Washington | 52.7 | 43.3 | 9.4 | 2 W |
| Area Average | 53.1 | 44.5 | 8.6 | |


Means are based on a period from 1901-2000. For rankings, "C" designates coldest and "W" designates warmest.

The first week of February was the only period where temperatures hovered close to normal before rising much above average for the rest of the month. The final week was the warmest, with record-high temperatures set across much of the southeastern U.S., including portions of North Carolina. **New Bern** tied or set records on three days - 80 on the 10th, tying the old record in 1959; 83 on the 22nd, breaking the old record of 82 in 2018; and 86 on the 23rd, breaking the cold record of 81 in 1962.



PRECIPITATION

Analysis conducted by the North Carolina State Climate Office showed modestly drier conditions than normal, with an average 2.96" in February - about 0.41" inches below average. This was the 39th driest February for the state since records began in 1895.



February 2023 Precipitation Summary | Source: NC State Climate Office

Eastern North Carolina saw near-normal precipitation, with slight deficits across the coastal plain but surpluses along the Outer Banks. Monthly rainfall totals ranged from 2.5 to 3 inches across the coastal plain to 3 to 3.5 inches closer to and along the Pamlico Sound.

MHX Select Site Precipitation Statistics: February 2023


| Site | Total Precipitation (in.) | Normal (in.) | Departure (in.) |
|-----------------|---------------------------|--------------|-----------------|
| Beaufort (KMRH) | 3.55 | 3.33 | 0.22 |
| Hatteras (KHSE) | 4.91 | 4.34 | 0.57 |
| New Bern (KEWN) | 3.19 | 3.32 | -0.13 |

County-averaged statistics are presented in the following table. Like temperatures, mean and anomaly precipitation calculations are based on a period 1901-2000. Data courtesy of the National Centers for Environmental Information (NCEI).

| County | Avg. Accum. (in.) | Mean (in.) | Departure (in.) | Rank |
|--------------|-------------------|------------|-----------------|------|
| Beaufort | 2.91 | 3.72 | -0.81 | 50 D |
| Carteret | 3.54 | 4.00 | -0.46 | 56 D |
| Craven | 3.03 | 3.83 | -0.8 | 48 D |
| Dare | 3.22 | 3.85 | -0.63 | 54 D |
| Duplin | 2.62 | 3.61 | -0.99 | 43 D |
| Greene | 2.72 | 3.67 | -0.95 | 44 D |
| Hyde | 3.38 | 3.83 | -0.45 | 56 D |
| Jones | 2.85 | 3.80 | -0.95 | 45 D |
| Lenoir | 2.49 | 3.66 | -1.17 | 39 D |
| Martin | 2.85 | 3.69 | -0.84 | 48 D |
| Onslow | 2.94 | 3.84 | -0.9 | 47 D |
| Pamlico | 3.37 | 3.82 | -0.45 | 57 D |
| Pitt | 2.81 | 3.71 | -0.9 | 47 D |
| Tyrrell | 2.93 | 3.77 | -0.84 | 48 D |
| Washington | 2.78 | 3.72 | -0.94 | 46 D |
| Area Average | 2.96 | 3.77 | -0.81 | |

Means are based on a period from 1901-2000. For rankings, "W" designates wettest and "D" designates driest.

The bulk of February's precipitation fell in the first half of the month before much warmer and drier conditions set in. The heaviest rainfall was observed on the 11th and 12th as low pressure in the eastern Gulf of Mexico lifted along the southeastern coastline and gradually deepened.




Drought conditions further improved across eastern North Carolina in February. As of February 28, all moderate drought conditions were eliminated, with only abnormally dry conditions holding on across the coastal plain and Onslow County. Seasonal outlooks call for no expansion of drought conditions over the next three months.

North Carolina

U.S. Drought Monitor

February 28, 2023 (Released Thursday, Mar. 2, 2023) Valid 7 a.m. EST

| | Drought Conditions (Percent Area) | | | | | |
|---|-----------------------------------|-------|-------|-------|-------|------|
| | None | D0-D4 | D1-D4 | D2-D4 | D3-D4 | |
| Current | 89.48 | 10.52 | 0.00 | 0.00 | 0.00 | 0.00 |
| Last Week 02-21-2023 | 89.48 | 10.52 | 0.00 | 0.00 | 0.00 | 0.00 |
| 3 Month s Ago 11-29-2022 | 42.95 | 57.05 | 22.72 | 2.50 | 0.00 | 0.00 |
| Start of Calendar Year 01-03-2023 | 56.06 | 43.94 | 24.97 | 0.00 | 0.00 | 0.00 |
| Start of Water Year 09-27-2022 | 38.94 | 61.06 | 15.04 | 0.00 | 0.00 | 0.00 |
| One Year Ago 03-01-2022 | 48.29 | 51.71 | 9.10 | 0.00 | 0.00 | 0.00 |



The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. For more information on the Drought Monitor, go to https://droughtmonitor.unl.edu/Ab

Author: Richard Heim NCEI/NOAA









droughtmonitor.unl.edu

ADDITIONAL CLIMATE RESOURCES

For a look at climate on the national scale, as well as statistics from a CONUS-wide to county and city level, please visit the **National Centers for Environmental Information** at https://www.ncei.noaa.gov/. Additional maps and data, as well as teaching materials and a climate resiliency toolkit, can be found at **NOAA's** https://www.climate.gov.

For additional drought information, including a wealth of maps of data focused on topics such as agriculture, fire, and water supply, please visit **NOAA's National Integrated Drought Information System (NIDIS)** at https://www.drought.gov.

For climate statistics and real time observations across the state of North Carolina, please visit the **North Carolina State Climate Office** at https://climate.ncsu.edu/.

For climate forecasts and outlooks, visit the **Climate Prediction Center** at https://www.cpc.ncep.noaa.gov/.

For community-based precipitation observations from across the United States, visit **CoCoRaHS** at https://www.cocorahs.org/.

For climate statistics relevant to various regions of North Carolina, please visit the following climate pages:

Eastern (WFO Morehead City): https://www.weather.gov/wrh/climate?wfo=mhx

Southeastern (WFO Wilmington): https://www.weather.gov/wrh/climate?wfo=ilm

Northeastern (WFO Wakefield, VA): https://www.weather.gov/wrh/climate?wfo=akq

Central (WFO Raleigh): https://www.weather.gov/wrh/climate?wfo=rah

Northwestern (WFO Blacksburg, VA): https://www.weather.gov/wrh/climate?wfo=rnk

Southwestern (WFO Greer, SC): https://www.weather.gov/wrh/climate?wfo=gsp

Cherokee and Clay Co. (WFO Knoxville, TN): https://www.weather.gov/wrh/climate?wfo=mrx

APPENDIX A: ADDITIONAL TEMPERATURE DATA

Cooperative Observation Site Temperature Statistics: February 2023

| Site | Avg. High (°F) | Avg. Low (°F) | Avg. Temp (°F) | Normal (°F) | Departure (°F) |
|-------------|----------------|---------------|----------------|-------------|----------------|
| Greenville | 64.0 | 43.0 | 53.5 | 45.9 | 7.6 |
| Kinston | 63.1 | 41.2 | 52.2 | 48.4 | 3.8 |
| Williamston | 62.3 | 41.7 | 52.0 | 45.2 | 6.8 |
| Plymouth | 64.7 | 43.7 | 54.2 | 46.3 | 7.9 |
| Bayboro | 64.1 | 42.3 | 53.2 | 46.3 | 6.9 |
| Manteo | 59.1 | 42.5 | 50.8 | 44.9 | 5.9 |

Normals are based on a period from 1990-2020. Sites in red have missing data.

Maximum and Minimum Monthly Temperatures: February 2023

| Site | Max High (°F) | Date Observed | Min Low (°F) | Date Observed |
|-----------------|---------------|---------------|--------------|---------------|
| Beaufort (KMRH) | 84 | Feb 23 | 24 | Feb 4 |
| Hatteras (KHSE) | 73 | Feb 24 | 29 | Feb 4 |
| New Bern (KEWN) | 86 | Feb 23 | 25 | Feb 4 |
| Greenville | 84 | Feb 23 | 24 | Feb 4 |
| Kinston | 84 | Feb 24 | 23 | Feb 4 |
| Williamston | 84 | Feb 24 | 23 | Feb 4-5 |
| Plymouth | 83 | Feb 23 | 23 | Feb 4 |
| Bayboro | 83 | Feb 24 | 31 | Feb 4-5 |
| Manteo | 81 | Feb 24 | 25 | Feb 5 |

APPENDIX B: ADDITIONAL PRECIPITATION DATA

Cooperative Observation Site Precipitation Statistics: February 2023

| Site | Total Precipitation (in.) | Normal (in.) | Departure (in.) |
|-------------|---------------------------|--------------|-----------------|
| Bayboro | 3.47 | 3.53 | -0.06 |
| Greenville | 2.96 | 3.35 | -0.39 |
| Kinston | 3.06 | 3.20 | -0.14 |
| Plymouth | 2.80 | 3.40 | -0.60 |
| Williamston | 2.87 | 3.22 | -0.35 |

Sites in red have missing data in their record.

CoCoRaHS Monthly Accumulated Precipitation: February 2023

| Site | County | Amount (in.) |
|-------------------------|----------|--------------|
| Pantego 0.4 WSW | Beaufort | 3.11 |
| Washington 1.0 SSW | Beaufort | 2.65 |
| Pine Knoll Shores 1.4 E | Carteret | 4.28 |
| Atlantic Beach 0.6 W | Carteret | 4.16 |
| Beaufort 5.3 N | Carteret | 4.15 |
| Beaufort 0.5 W | Carteret | 4.12 |
| Morehead City 1.0 W | Carteret | 4.11 |
| Morehead City 0.6 NW | Carteret | 3.94 |
| Newport 1.7 SSE | Carteret | 3.91 |
| Beaufort 3.4 NNW | Carteret | 3.86 |
| Morehead City 5.7 W | Carteret | 3.77 |

| Site | County | Amount (in.) |
|-------------------------|----------|--------------|
| Morehead City 2.9 WNW | Carteret | 3.76 |
| Beaufort 12.1 N | Carteret | 3.63 |
| Cedar Island 0.3 SSE | Carteret | 3.41 |
| Cape Carteret 1.5 NE | Carteret | 3.36 |
| Swansboro 3.7 NNE | Carteret | 3.36 |
| Newport 0.2 SW | Carteret | 3.29 |
| Cape Carteret 1.0 NNW | Carteret | 3.19 |
| Cedar Point 0.4 WSW | Carteret | 3.17 |
| Emerald Isle 2.3 WSW | Carteret | 3.02 |
| Morehead City 6.0 WNW | Carteret | 2.12 |
| Trent Woods 1.2 ENE | Craven | 3.97 |
| Trent Woods 1.0 NNE | Craven | 3.90 |
| Trent Woods 1.3 SSE | Craven | 3.87 |
| New Bern 5.3 SW | Craven | 3.83 |
| New Bern 1.3 NNE | Craven | 3.65 |
| New Bern 5.2 SE | Craven | 3.58 |
| Havelock 1.9 SSE | Craven | 3.22 |
| New Bern 4.2 S | Craven | 3.12 |
| Buxton O.3 ENE | Dare | 4.68 |
| Rodanthe 1.0 SSE | Dare | 3.25 |
| Southern Shores 0.5 NNE | Dare | 3.07 |
| Wallace 14.8 E | Duplin | 3.56 |
| Rose Hill 0.1 NNW | Duplin | 2.88 |

| Site | County | Amount (in.) |
|----------------------|---------|--------------|
| Snow Hill 3.1 NNE | Greene | 3.40 |
| Ayden 6.5 WNW | Greene | 2.96 |
| SQ Tower | Hyde | 3.69 |
| Kinston 4.4 WNW | Lenoir | 3.99 |
| Kinston 5.1 WNW | Lenoir | 3.20 |
| Pink Hill 2.5 NE | Lenoir | 3.19 |
| Kinston 7.0 SW | Lenoir | 3.17 |
| Jamesville 6.1 SW | Martin | 2.83 |
| Williamston 8.9 SSE | Martin | 2.77 |
| Jacksonville 1.0 NW | Onslow | 3.49 |
| Swansboro 3.3 NW | Onslow | 3.46 |
| Sneads Ferry 1.2 SSW | Onslow | 3.41 |
| Sneads Ferry 3.3 SW | Onslow | 3.29 |
| Jacksonville 4.5 NW | Onslow | 3.27 |
| Holly Ridge 3.7 E | Onslow | 3.19 |
| Jacksonville 5.4 WSW | Onslow | 3.15 |
| Swansboro 2.8 WSW | Onslow | 2.98 |
| Oriental 2.1 WSW | Pamlico | 3.93 |
| Oriental 1.9 WSW | Pamlico | 3.74 |
| Merritt 1.5 WSW | Pamlico | 3.68 |
| Oriental 4.3 NNW | Pamlico | 3.57 |
| Oriental 5.2 NE | Pamlico | 3.56 |
| Lowland 0.2 SE | Pamlico | 3.42 |

FEBRUARY 2023 REPORT

| Site | County | Amount (in.) |
|---------------------|------------|--------------|
| Winterville 1.0 ENE | Pitt | 3.13 |
| Greenville 4.6 W | Pitt | 3.07 |
| Winterville 3.5 W | Pitt | 3.06 |
| Fountain 0.1 NE | Pitt | 2.96 |
| Greenville 5.7 NW | Pitt | 2.92 |
| Greenville 5.0 SE | Pitt | 2.92 |
| Greenville 2.8 ESE | Pitt | 2.90 |
| Greenville 4.4 SSE | Pitt | 2.70 |
| Greenville 7.1 SSE | Pitt | 2.62 |
| Columbia 0.8 NNE | Tyrrell | 3.29 |
| Roper 2.4 NE | Washington | 3.16 |

CoCoRaHS inclusion in this table is based on a complete 28-day liquid precipitation record. Thank you to all observers!