



NOAA - National Weather Service


Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570


813-645-2323 <http://weather.gov/tampabay>

July 2017 Top Tens for West Central and Southwest Florida

Temperatures across West Central and Southwest Florida ranged from about 1 degree below to 3 degrees above average for July 2017 and this placed a few locations in the Top Ten Warmest/Coollest for July.



July 2017 Avg Temp



July 2017 Dep fm Avg


JULY TEMPERATURE (deg F - Top Ten Warmest):

Location	July 2017 Rank	July 2017 Avg Temp	Normal July Temp	Departure fm Normal
Plant City	2nd	84.8	81.7	+3.1
Punta Gorda 4 ESE	2nd	84.8	82.9	+1.9
Archbold Bio Stn	3rd(tie)	82.6	80.6	+2.0
St. Petersburg	3rd(tie)	85.5	83.9	+1.6
Myakka River St Pk	4th	84.0	82.0	+2.0
Chiefland 5 ESE	6th(tie)	82.6	80.3	+2.3
Tampa Area	6th(tie)	84.2	83.0	+1.2
Winter Haven Area	6th	84.0	82.9	+1.1


JULY TEMPERATURE (deg F - Top Ten Coolest):

Location	July 2017 Rank	July 2017 Avg Temp	Normal July Temp	Departure fm Normal
Inverness 3 SE	9th(tie)	80.6	81.5	-0.9

As for rainfall, it was highly variable across the region with many areas seeing less than normal (yellow areas on right image below) while others were well above normal (purple areas on right image below).



July 2017 Rainfall



July 2017 Dep fm Avg

JULY RAINFALL (inches - Top Ten Wettest):

Location	Rank	July 2017 Rainfall	Normal July Rain	Departure fm Normal
Lakeland	1st	20.07	7.49	+12.58
Plant City	7th	14.11	7.60	+6.51
Chiefland 5 ESE	7th	13.00	8.24	+4.76

Following are tables of the Top Ten Warmest, Coolest, Driest, and Wettest Julys at some official NWS locations, which include the July 2017 average/total where available, and the 1981-2010 Normal (average) temperature and rainfall for the month of July.

Chiefland 5 ESE (Records Began July 1956):

Warmest Julys	Coolest Julys	Driest Julys	Wettest Julys
1 83.8 in 2016	1 76.5 in 1967	1 2.89 in 2007	1 20.80 in 2001
2 83.1 in 1983	2 79.0 in 1964	2 3.38 in 1972	2 19.40 in 1964
3 83.0 in 1998	3 79.2 in 1975	3 3.75 in 2006	3 16.72 in 2013
83.0 in 1987	4 79.3 in 1974	4 4.06 in 1977	4 16.11 in 1978
5 82.8 in 2015	5 79.4 in 1994	5 4.23 in 2014	5 13.73 in 1975
6 82.6 in 2017	6 79.5 in 2009	6 4.31 in 1956	6 13.49 in 1980
82.6 in 1999	79.5 in 1965	7 4.33 in 2008	7 13.00 in 2017
8 82.2 in 1993	8 79.6 in 1984	8 4.55 in 1995	8 12.53 in 1974
82.2 in 1981	79.6 in 1969	9 5.38 in 1983	9 12.16 in 1965
10 82.1 in 2005	79.6 in 1956	10 5.43 in 2016	10 11.95 in 1984

Normal July Temp at CHIF1 = 80.3

Normal July Rain at CHIF1 = 8.24

Inverness 3 SE (Records Began July 1948):

Warmest Julys	Coolest Julys	Driest Julys	Wettest Julys
1 84.6 in 2016	1 78.2 in 1994	1 2.61 in 1952	1 16.28 in 1948
2 84.0 in 2010	2 80.0 in 2004	2 3.15 in 2016	2 14.71 in 1964
3 83.8 in 1969	80.0 in 1984	3 3.71 in 1972	3 14.45 in 2013
4 83.5 in 1979	4 80.1 in 1995	4 3.91 in 1992	4 14.40 in 1960
5 83.2 in 1998	5 80.2 in 2003	5 4.22 in 2011	5 13.06 in 2002
83.2 in 1981	6 80.3 in 1986	6 4.24 in 2006	6 12.82 in 1965
7 83.1 in 1953	7 80.5 in 2000	7 4.27 in 1983	7 12.79 in 2007
8 82.9 in 1952	80.5 in 1988	8 4.49 in 1994	8 11.45 in 1953
9 82.8 in 2011	9 80.6 in 2017	9 4.56 in 1970	9 11.37 in 2015
10 82.6 in 1970	80.6 in 2001	10 4.72 in 1996	10 11.24 in 1982
82.6 in 1963	80.6 in 1948		
		...	
		18 5.83 in 2017	

Normal July Temp at INVF1 = 81.5

Normal July Rain at INVF1 = 7.39

Bushnell 1 E (Records Began July 1948) :

Warmest Julys	Coollest Julys	Driest Julys	Wettest Julys
1 83.4 in 1992	1 79.4 in 1974	1 1.65 in 2008	1 15.07 in 1948
2 83.1 in 1998	2 79.5 in 1965	2 2.21 in 1992	2 13.95 in 1960
3 82.8 in 2016	3 79.6 in 2013	3 3.29 in 1976	3 13.87 in 1959
4 82.4 in 1995	79.6 in 1967	4 3.30 in 1989	4 13.13 in 2001
82.4 in 1993	5 79.7 in 1984	5 3.60 in 1979	5 12.85 in 1967
82.4 in 1979	6 79.8 in 2008	6 3.71 in 1996	6 12.49 in 1965
7 82.3 in 1960	7 80.0 in 1964	7 3.81 in 1970	7 11.63 in 2015
8 82.0 in 1981	8 80.1 in 1983	8 3.88 in 1973	8 11.30 in 1984
82.0 in 1969	9 80.2 in 2014	9 3.89 in 1972	9 11.12 in 1958
82.0 in 1962	80.2 in 1988	10 4.12 in 2004	10 11.11 in 2002
	80.2 in 1955		

Avg Temp for July 2017 = Not Avbl
Normal July Temp at BSHF1 = 81.4

Rain Total for July 2017 = Not Avbl
Normal July Rain at BSHF1 = 6.43

Brooksville Area (Records Began January 1892) :

Warmest Julys	Coollest Julys	Driest Julys	Wettest Julys
1 83.6 in 1930	1 78.5 in 1921	1 1.96 in 1930	1 20.60 in 1906
83.6 in 1927	2 78.7 in 1947	2 2.04 in 1970	2 19.89 in 1909
3 83.5 in 1931	3 79.0 in 1894	3 2.06 in 1996	3 17.22 in 2015
4 83.3 in 1942	4 79.1 in 1950	4 2.83 in 1892	4 17.03 in 1943
5 83.2 in 1979	5 79.2 in 1898	5 3.53 in 1902	5 16.90 in 1924
6 83.1 in 1928	6 79.3 in 1974	6 4.13 in 1989	6 16.33 in 1964
7 83.0 in 2016	79.3 in 1904	7 4.35 in 1968	7 15.72 in 1960
8 82.9 in 1981	8 79.5 in 1922	8 4.46 in 2010	8 15.37 in 2008
82.9 in 1926	9 79.6 in 1984	9 4.65 in 1931	9 15.36 in 1945
10 82.7 in 2011	79.6 in 1920	10 4.66 in 1955	10 14.81 in 1935
82.7 in 1993			
12 82.6 in 2017			
82.6 in 1992			

Several Days Missing during July 2017

Normal July Temp at BKV = 80.7

Normal July Rain at BKV = 8.04

St. Leo (Records Began April 1895):

Warmest Julys	Coollest Julys	Driest Julys	Wettest Julys
1 84.3 in 2005	1 78.1 in 1921	1 2.09 in 1979	1 18.52 in 1945
84.3 in 1998	2 78.3 in 1935	2 2.30 in 1899	2 16.10 in 1948
3 83.9 in 1942	3 78.7 in 1918	3 2.58 in 1930	3 15.74 in 1935
4 83.8 in 1896	4 78.8 in 1922	4 2.98 in 2010	4 15.05 in 1933
5 83.7 in 1900	78.8 in 1919	5 3.08 in 1989	5 14.34 in 1960
6 83.5 in 1983	6 78.9 in 1923	6 3.34 in 1902	6 14.17 in 1909
83.5 in 1932	7 79.3 in 1920	7 3.91 in 1952	7 14.11 in 2004
8 83.4 in 2006	79.3 in 1904	8 4.28 in 1999	8 13.66 in 1906
83.4 in 1999	9 79.5 in 1947	9 4.31 in 1942	9 13.35 in 1901
83.4 in 1987	79.5 in 1929	10 4.42 in 2016	10 12.17 in 1911
83.4 in 1981			
...
62 81.5 in 2017	55 81.5 in 2017	92 9.83 in 2017	32 9.83 in 2017
in 2008	in 2008		
in 1977	in 1977		
in 1966	in 1966		
in 1956	in 1956		
in 1941	in 1941		

Normal July Temp at STLf1 = 82.6 Normal July Rain at STLf1 = 7.88

Tarpon Springs (Records Began January 1892):

Warmest Julys	Coollest Julys	Driest Julys	Wettest Julys
1 85.2 in 1932	1 79.1 in 1904	1 0.92 in 2003	1 22.55 in 2015
2 85.0 in 1993	2 79.5 in 1900	2 0.98 in 2007	2 20.76 in 1960
3 84.8 in 1942	79.5 in 1895	3 2.23 in 1970	3 17.03 in 1909
4 84.7 in 2016	4 79.6 in 1899	4 2.43 in 1932	4 15.48 in 1947
84.7 in 1997	5 79.7 in 1908	5 2.45 in 1976	5 15.46 in 1899
6 84.6 in 2004	6 79.8 in 1974	6 2.47 in 1993	6 15.45 in 2009
7 84.3 in 1996	79.8 in 1910	7 2.76 in 1914	7 15.31 in 2012
84.3 in 1931	79.8 in 1896	8 3.41 in 1940	8 15.12 in 2008
9 84.2 in 2014	79.8 in 1894	9 3.48 in 1952	9 15.02 in 1919
10 84.1 in 1998	10 79.9 in 1939	10 3.67 in 1972	10 14.66 in 1921
11 84.0 in 1992		...	
12 83.9 in 2017		21 4.85 in 2017	
83.9 in 2005			

Normal July Temp at TRPF1 = 82.0 Normal July Rain at TRPF1 = 8.09

Tampa Area (Records Began April 1890):

Warmest Julys	Coollest Julys	Driest Julys	Wettest Julys
1 84.9 in 2016	1 79.7 in 1899	1 1.65 in 1981	1 20.59 in 1960
84.9 in 1932	2 80.2 in 1968	2 2.03 in 1932	2 15.53 in 1899
3 84.6 in 1942	80.2 in 1890	3 2.11 in 1893	3 13.92 in 1906
4 84.4 in 2011	4 80.3 in 1965	4 2.31 in 1962	4 13.77 in 1950
5 84.3 in 2010	80.3 in 1955	5 2.72 in 1996	5 13.68 in 1946
6 84.2 in 2017	80.3 in 1947	6 2.75 in 1908	6 13.32 in 1925
84.2 in 2005	80.3 in 1910	7 2.77 in 1970	7 12.95 in 1998
8 84.0 in 1980	8 80.4 in 1906	8 2.80 in 1992	8 12.68 in 2014
84.0 in 1931	9 80.5 in 1909	9 2.92 in 1993	9 12.32 in 1933
10 83.9 in 1979	80.5 in 1904	10 3.38 in 2005	10 12.30 in 1896
	
		44 8.99 in 2017	85 8.99 in 2017

Normal July Temp at TPA = 83.0

Normal July Rain at TPA = 7.07

St Petersburg (Records Began August 1914):

Warmest Julys	Coollest Julys	Driest Julys	Wettest Julys
1 86.7 in 2005	1 80.7 in 1947	1 2.09 in 1996	1 18.97 in 1945
2 85.7 in 1932	2 80.8 in 1921	2 2.40 in 1982	2 18.30 in 1921
3 85.5 in 2017	3 81.0 in 1974	3 2.44 in 1918	3 16.77 in 1947
85.5 in 2016	81.0 in 1968	4 2.65 in 1970	4 16.46 in 1960
5 85.3 in 1931	5 81.2 in 1919	5 2.72 in 1930	5 14.97 in 1919
6 85.2 in 2010	6 81.3 in 1954	6 2.78 in 1972	6 14.70 in 2000
7 84.9 in 1987	7 81.4 in 1938	7 2.92 in 2012	7 14.66 in 1922
84.9 in 1979	8 81.5 in 1965	8 3.05 in 1942	8 14.32 in 2015
9 84.7 in 1992	9 81.6 in 1956	9 3.06 in 2003	9 13.64 in 1954
10 84.6 in 1973	81.6 in 1950	10 3.13 in 1966	10 13.33 in 1965
84.6 in 1970	81.6 in 1922		...
			18 12.24 in 2017

Normal July Temp at SPG = 83.9

Normal July Rain at SPG = 7.34

Plant City (Records Began February 1893):

Warmest Julys	Coolest Julys	Driest Julys	Wettest Julys
1 85.2 in 2016	1 78.3 in 1907	1 2.75 in 1970	1 21.74 in 1960
2 84.8 in 2017	2 79.0 in 1929	2 2.96 in 1996	2 15.67 in 1943
3 83.6 in 1969	3 79.2 in 1925	3 3.04 in 1932	3 15.62 in 1910
4 83.5 in 2010	4 79.4 in 1935	4 3.45 in 1915	4 15.22 in 1925
5 83.3 in 1916	5 79.5 in 1947	5 3.48 in 1956	5 15.20 in 1933
6 83.2 in 2005	6 79.8 in 1933	6 3.54 in 1902	6 14.19 in 1929
83.2 in 1981	7 79.9 in 1926	7 3.82 in 1988	7 14.11 in 2017
8 83.2 in 1913	8 80.0 in 1938	8 3.92 in 1913	8 14.08 in 1945
9 83.1 in 1992	80.0 in 1906	9 3.97 in 1912	14.08 in 1905
10 83.0 in 1980	10 80.2 in 1930	10 4.32 in 1958	10 13.25 in 1965
	80.2 in 1910		

Normal July Temp at PLCF1 = 81.7

Normal July Rain at PLCF1 = 7.60

Lakeland (Records Began January 1915):

Warmest Julys	Coolest Julys	Driest Julys	Wettest Julys
1 85.1 in 2016	1 79.4 in 1921	1 2.49 in 1992	1 20.07 in 2017
2 84.9 in 1992	79.4 in 1919	2 3.09 in 1961	2 15.67 in 1960
3 84.8 in 1987	3 79.6 in 1947	3 3.17 in 1942	3 14.74 in 1994
4 84.5 in 2010	79.6 in 1923	4 3.50 in 1996	4 14.34 in 1948
5 84.4 in 1932	5 80.0 in 1974	5 3.51 in 1972	5 13.79 in 1946
84.4 in 1993	6 80.3 in 1975	6 4.06 in 1983	6 13.77 in 1988
7 84.2 in 1942	80.3 in 1950	7 4.14 in 1936	7 13.56 in 2001
8 84.0 in 1995	8 80.5 in 2007	8 4.30 in 1930	8 13.37 in 2015
9 83.9 in 1989	9 80.6 in 1965	9 4.37 in 1932	9 13.23 in 1991
10 83.7 in 1981	10 80.8 in 1955	10 4.49 in 1958	10 11.93 in 2013
11 83.6 in 2017	80.8 in 1954		
83.6 in 1998	80.8 in 1945		
83.6 in 1990	80.8 in 1920		
	80.8 in 1918		

Normal July Temp at LLDF1 = 82.0

Normal July Rain at LLDF1 = 7.49

Winter Haven Area (Records Began March 1941):

Warmest Julys	Coollest Julys	Driest Julys	Wettest Julys
1 85.5 in 2016	1 79.7 in 1968	1 1.95 in 1972	1 16.45 in 1945
2 85.0 in 2005	2 79.9 in 1947	2 2.72 in 1986	2 13.76 in 1998
3 84.8 in 2010	3 80.0 in 1974	3 2.95 in 2011	3 13.73 in 1948
84.8 in 1989	4 80.1 in 1972	4 3.36 in 1996	4 13.69 in 1946
5 84.1 in 1992	80.1 in 1971	5 3.40 in 2009	5 12.73 in 1991
6 84.0 in 2017	6 80.6 in 1975	6 3.44 in 1961	6 12.07 in 1973
7 83.8 in 2012	7 80.7 in 1976	7 3.46 in 1999	7 12.05 in 1981
8 83.7 in 2015	8 80.8 in 1965	8 3.69 in 1988	8 11.82 in 1995
83.7 in 1942	80.8 in 1963	9 3.76 in 2012	9 11.68 in 1941
10 83.4 in 2007	10 81.0 in 1950	10 4.06 in 1975	10 11.37 in 1960
		...	
		32 6.68 in 2017	46 6.68 in 2017

Normal July Temp at GIF = 82.9

Normal July Rain at GIF = 7.50

Bartow (Records Began January 1892):

Warmest Julys	Coollest Julys	Driest Julys	Wettest Julys
1 85.4 in 2014	1 79.3 in 2006	1 2.35 in 1892	1 17.58 in 1960
2 84.7 in 1932	2 79.4 in 1947	2 2.91 in 1961	2 16.91 in 1924
3 84.5 in 1969	3 79.7 in 1935	3 3.16 in 1910	3 14.55 in 1897
4 84.2 in 2016	79.7 in 1894	4 3.19 in 1972	4 14.00 in 1991
5 84.1 in 2013	5 79.8 in 1938	5 3.55 in 1932	5 13.84 in 1998
84.1 in 1998	6 80.0 in 1974	6 3.80 in 1999	6 13.82 in 1989
7 84.0 in 2012	7 80.2 in 1918	7 3.97 in 1902	7 13.36 in 1945
8 83.9 in 1992	80.2 in 1896	8 4.08 in 1958	8 13.32 in 1995
83.9 in 1987	9 80.4 in 1975	9 4.11 in 1936	9 13.31 in 1909
10 83.8 in 2010	10 80.5 in 1936	10 4.15 in 1985	10 13.01 in 1933
		...	
14 83.4 in 2017		15 4.84 in 2017	

Normal July Temp at BARF1 = 82.8

Normal July Rain at BARF1 = 9.15

Sarasota-Bradenton Area (Records Began January 1911):

Warmest Julys	Coollest Julys	Driest Julys	Wettest Julys
1 85.4 in 2016	1 78.4 in 1947	1 0.93 in 1970	1 20.60 in 1921
2 84.2 in 1998	2 79.4 in 1911	2 1.80 in 1917	2 20.15 in 1960
3 84.0 in 1962	3 79.5 in 1929	3 2.15 in 2014	3 17.20 in 1965
4 83.9 in 2014	4 79.7 in 1976	4 2.30 in 1930	4 16.28 in 1984
5 83.4 in 2006	5 79.9 in 1974	5 2.88 in 1953	5 14.25 in 1987
6 83.3 in 2010	6 80.0 in 1937	6 3.51 in 1981	6 14.02 in 1919
83.3 in 2005	7 80.1 in 1921	7 3.58 in 1976	7 13.87 in 1978
8 83.2 in 1992	8 80.2 in 1913	8 3.66 in 1973	8 13.57 in 1935
9 83.1 in 1993	9 80.3 in 1971	9 3.70 in 1996	9 12.95 in 2001
83.1 in 1989	80.3 in 1955	10 3.75 in 1967	10 12.94 in 1988
...	
14 82.9 in 2017		34 9.18 in 2017	72 9.18 in 2017
in 2009			
in 2007			

Normal July Temp at SRQ = 82.4 Normal July Rain at SRQ = 7.98

**Myakka River State Park (Temperature Records Began March 1956/
Rainfall Records Began September 1943):**

Warmest Julys	Coollest Julys	Driest Julys	Wettest Julys
1 85.0 in 1998	1 80.2 in 1985	1 1.81 in 1972	1 19.34 in 1973
2 84.2 in 2016	80.2 in 1965	2 3.35 in 1963	2 18.17 in 2015
3 84.1 in 2005	3 80.3 in 1974	3 3.47 in 1992	3 17.73 in 1975
4 84.0 in 2017	4 80.4 in 1959	4 3.55 in 1962	4 17.08 in 1995
5 83.9 in 1999	5 80.5 in 1984	5 3.84 in 1952	5 15.47 in 1984
6 83.8 in 1996	6 80.6 in 1962	6 3.88 in 1993	6 14.86 in 1960
7 83.6 in 1997	7 80.7 in 1975	7 4.48 in 1956	7 14.44 in 1945
8 83.5 in 2010	80.7 in 1963	8 4.53 in 1996	8 14.33 in 1965
9 83.0 in 2012	9 80.8 in 2001	9 4.87 in 1957	9 14.21 in 2004
83.0 in 1969	10 80.9 in 1986	10 5.17 in 2009	10 13.81 in 2006
	80.9 in 1973		...
			15 12.75 in 2017

Normal July Temp at MKCF1 = 82.0 Normal July Rain at MKCF1 = 9.66

Venice (Records Began May 1955):

Warmest Julys	Coollest Julys	Driest Julys	Wettest Julys
1 86.6 in 1989	1 80.5 in 1975	1 2.02 in 1962	1 15.61 in 1995
2 86.2 in 2010	80.5 in 1974	2 2.12 in 1981	2 14.22 in 2006
3 85.0 in 1998	3 80.7 in 1978	3 2.33 in 1967	3 12.91 in 1984
4 84.9 in 2011	80.7 in 1977	4 2.61 in 1972	4 12.72 in 2015
5 84.5 in 2012	80.7 in 1961	5 2.98 in 1992	5 12.67 in 2001
6 84.2 in 1996	6 80.8 in 2008	6 3.04 in 1970	6 12.00 in 1991
7 84.1 in 2016	80.8 in 1984	7 3.06 in 2016	7 11.89 in 2008
8 84.0 in 2003	8 80.9 in 1972	8 3.31 in 2002	8 11.23 in 1971
84.0 in 1997	80.9 in 1956	9 3.34 in 2009	9 11.14 in 1987
10 83.8 in 1993	10 81.0 in 1985	10 3.35 in 1963	11.14 in 1974
11 83.7 in 1999	81.0 in 1976
12 83.5 in 2017		37 7.05 in 2017	24 7.05 in 2017

Normal July Temp at VNCF1 = 82.3

Normal July Rain at VNCF1 = 7.32

Wauchula 2 N (Records Began January 1933):

Warmest Julys	Coollest Julys	Driest Julys	Wettest Julys
1 84.5 in 2009	1 77.9 in 1950	1 1.99 in 2016	1 15.54 in 1946
2 83.9 in 1992	2 79.6 in 2013	2 2.21 in 1981	2 14.60 in 1960
3 83.8 in 1942	79.6 in 1947	3 2.80 in 1962	3 13.76 in 1965
4 83.6 in 2007	4 80.0 in 2001	4 2.90 in 1999	4 13.72 in 2008
5 83.5 in 2016	80.0 in 1955	5 2.91 in 1992	5 13.62 in 1945
83.5 in 2008	6 80.1 in 1974	6 3.63 in 1985	6 13.43 in 2009
7 83.4 in 1993	7 80.3 in 1965	7 3.71 in 1996	7 13.31 in 2001
83.4 in 1969	80.3 in 1956	8 4.00 in 1934	8 13.27 in 1948
9 83.2 in 2005	80.3 in 1954	9 4.06 in 1950	9 12.46 in 1977
10 83.1 in 1979	10 80.5 in 2012	10 4.17 in 1980	10 12.45 in 1988
...	80.5 in 1951
14 82.8 in 2017	80.5 in 1938	45 8.15 in 2017	40 8.15 in 2017

Normal July Temp at WAUF1 = 83.3

Normal July Rain at WAUF1 = 7.94

Arcadia (Records Began November 1899) :

Warmest Julys	Coolest Julys	Driest Julys	Wettest Julys
1 83.4 in 1942	1 79.7 in 1938	1 1.93 in 1932	1 17.52 in 1965
2 83.1 in 1981	2 79.9 in 1974	2 2.32 in 1972	2 16.39 in 1905
3 83.0 in 2016	79.9 in 1910	3 2.46 in 1962	3 16.06 in 1951
83.0 in 2005	4 80.0 in 1970	4 3.11 in 1961	4 15.21 in 1945
83.0 in 1932	80.0 in 1956	5 3.31 in 1912	5 14.99 in 1974
83.0 in 1902	6 80.1 in 1984	6 3.50 in 1955	6 14.61 in 1948
7 82.5 in 2010	80.1 in 1947	7 3.91 in 1990	7 14.04 in 1973
82.5 in 1940	80.1 in 1923	3.91 in 1980	8 13.82 in 2001
82.5 in 1912	9 80.2 in 1971	9 3.99 in 1970	9 13.48 in 2013
82.5 in 1901	10 80.3 in 1929	10 4.11 in 1981	10 12.99 in 2009
...
26 82.0 in 2017	78 82.0 in 2017	60 7.72 in 2017	53 7.72 in 2017
in 2012	in 2012		
in 1983	in 1983		
in 1969	in 1969		
in 1914	in 1914		
in 1913	in 1913		

Normal July Temp at ARCF1 = 81.6

Normal July Rain at ARCF1 = 7.71

Archbold Bio Stn (Records Began January 1969) :

Warmest Julys	Coolest Julys	Driest Julys	Wettest Julys
1 83.5 in 2016	1 79.0 in 1974	1 3.64 in 1994	1 17.27 in 2001
2 83.2 in 2010	2 79.3 in 1984	2 3.90 in 1972	2 16.89 in 1974
3 82.6 in 2017	3 79.6 in 2008	3 4.02 in 2003	3 14.85 in 2013
82.6 in 1969	4 79.9 in 1985	4 4.15 in 2011	4 13.09 in 1984
5 82.3 in 2005	79.9 in 1982	5 4.52 in 1987	5 12.79 in 2014
6 82.2 in 1998	79.9 in 1975	6 4.67 in 1992	6 12.06 in 2008
7 82.0 in 2015	79.9 in 1972	7 4.68 in 1977	7 11.05 in 2002
82.0 in 2011	8 80.0 in 2006	8 5.06 in 2000	8 11.03 in 1993
9 81.9 in 1980	80.0 in 1994	9 5.34 in 1999	9 10.93 in 2010
10 81.6 in 1996	10 80.1 in 1976	10 5.57 in 1996	10 10.89 in 1990
	80.1 in 1971		...
			14 9.86 in 2017

Normal July Temp at ACHF1 = 80.6

Normal July Rain at ACHF1 = 8.20

Punta Gorda Area (Records Began June 1914) :

Warmest Julys	Coollest Julys	Driest Julys	Wettest Julys
1 85.1 in 2016	1 79.4 in 1929	1 1.75 in 1932	1 18.25 in 1947
2 84.8 in 2017	2 80.3 in 1938	2 2.23 in 1963	2 15.10 in 1924
3 84.5 in 2005	3 80.5 in 1925	3 2.41 in 1930	3 14.66 in 1933
4 84.2 in 2014	4 80.5 in 1917	4 3.09 in 1966	4 14.26 in 2008
5 84.1 in 1998	5 80.6 in 1974	5 3.24 in 1962	5 14.22 in 1995
84.1 in 1980	80.6 in 1919	6 3.52 in 1990	6 13.15 in 1982
84.1 in 1963	7 80.7 in 1949	3.52 in 1979	7 12.91 in 1948
8 84.0 in 2011	8 80.8 in 1971	3.52 in 1934	8 12.68 in 2006
84.0 in 1962	80.8 in 1922	9 3.58 in 1917	9 12.14 in 2013
84.0 in 1932	10 80.9 in 1955	10 3.86 in 1970	10 12.14 in 1985
	
		76 9.20 in 2017	27 9.20 in 2017

Normal July Temp at PNTF1 = 82.9

Normal July Rain at PNTF1 = 8.22

Fort Myers Area (Records Began January 1902) :

Warmest Julys	Coollest Julys	Driest Julys	Wettest Julys
1 85.7 in 1981	1 79.0 in 1904	1 2.28 in 1980	1 15.28 in 1941
85.7 in 1979	2 79.1 in 1910	2 2.92 in 2014	2 15.22 in 1920
3 84.8 in 1997	3 80.2 in 1909	3 3.50 in 1932	3 14.51 in 1991
84.8 in 1996	80.2 in 1906	4 3.53 in 1944	4 14.47 in 1974
5 84.5 in 2016	80.2 in 1903	5 3.93 in 1985	5 14.43 in 2006
84.5 in 1992	6 80.5 in 1929	6 4.05 in 1913	6 14.38 in 1987
84.5 in 1942	80.5 in 1917	7 4.06 in 1931	7 13.94 in 2001
8 84.3 in 1982	80.5 in 1907	8 4.29 in 1973	8 13.90 in 1905
84.3 in 1980	80.5 in 1902	9 4.60 in 2001	9 13.76 in 1960
10 84.2 in 2010	10 80.6 in 1955	10 4.65 in 1964	10 13.32 in 1949
84.2 in 1962	80.6 in 1913		
...	
16 83.8 in 2017		70 9.47 in 2017	47 9.47 in 2017
in 1961			

Normal July Temp at FMY = 83.2

Normal July Rain at FMY = 9.04

For more Climate information visit our web site at the following link:
<http://www.weather.gov/tampabay> and then go to the Climate and Past Weather
 drop down menu above the graphical forecast images.