



NOAA - National Weather Service

Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <http://weather.gov/tampabay>


September 2017 Top Ten Climate Data

September 2017 was a rather warm month with most locations ending up about 1 to 3 degrees above normal which placed a few in the Top Ten Warmest September's since records began as seen in the table below.

SEPTEMBER TEMPERATURE (deg F) :

Location	Sept 2017		Normal Sept Temp	Departure fm Normal
	Rank	Avg Temp		
Plant City	1st	83.7	80.3	+3.4
Tampa Area	2nd	83.4	81.7	+1.7
Archbold Bio Stn	2nd	82.0	79.7	+2.3
St Petersburg	5th(tie)	83.8	82.3	+1.5
Wauchula	7th(tie)	82.0	82.1	-0.1
Venice	9th(tie)	82.4	81.0	+1.4
Brooksville Area	9th(tie)	81.4	79.3	+2.1
Lakeland	10th(tie)	82.4	80.2	+2.2

Rainfall was for the most part of above normal, especially from around the Fort Myers area northward across the inland counties where Hurricane Irma tracked. There were some areas around Tampa Bay, as well as along the Nature Coast that ended up below normal for the month. Amounts for the month ranged from a little under 6 inches to over 16 inches.



In the table below is the list of locations available so far that ended up in the Top Ten Wettest for September.

SEPTEMBER RAINFALL (inches):

Location	Rank	Sept 2017 Rain Total	Normal Sept Rainfall	Departure fm Normal
Archbold Bio Stn	1st	14.54	6.46	+8.08
Inverness 3 E	3rd	16.49	6.00	+10.49
Arcadia	3rd	16.10	7.28	+8.82
Wauchula 2 N	5th	11.77	6.09	+5.68
Chiefland 5 ESE	7th	10.18	6.89	+3.29
Lakeland	9th	12.16	7.44	+4.72

Following are tables of the Top Ten Warmest, Coolest, Driest, and Wettest Septembers at some official NWS locations, which include the average/total for this September and the 1981-2010 Normal (average) temperature and rainfall for the month September.

CHIEFLAND 5 SE (records began in June 1956):

Warmest Sept	Coollest Sept	Wettest Sept	Driest Sept
1 81.0 in 2016	1 75.8 in 1967	1 21.39 in 2004	1 0.86 in 1972
81.0 in 1970	2 76.1 in 1969	2 20.12 in 1988	2 1.06 in 1968
3 80.8 in 1986	76.1 in 1956	3 16.04 in 1964	3 1.10 in 2008
80.8 in 1980	4 76.3 in 2001	4 14.77 in 1998	4 1.23 in 1978
5 80.5 in 1988	5 76.7 in 2006	5 13.65 in 1983	5 1.74 in 1997
6 80.4 in 1998	6 76.9 in 1985	6 10.49 in 1979	6 1.97 in 1967
80.4 in 1959	7 77.0 in 1994	7 10.18 in 2017	7 1.99 in 2003
8 80.3 in 1973	77.0 in 1966	8 10.16 in 1989	8 2.15 in 1961
9 80.2 in 2015	9 77.6 in 2008	9 10.11 in 2005	9 2.20 in 1958
80.2 in 2002	77.6 in 1982	10 10.03 in 1966	10 2.23 in 1992
80.2 in 1977			
80.2 in 1974			
80.2 in 1958			

Average Temperature for Sept 1-27, 2017 = 80.8

Normal Temperature for September at CHIF1 = 77.8

Normal Rainfall for September at CHIF1 = 6.89

INVERNESS 3 SE (records began in July 1948):

Warmest Sept	Coollest Sept	Wettest Sept	Driest Sept
1 82.3 in 1954	1 76.8 in 1994	1 16.73 in 2016	1 0.76 in 1961
2 82.2 in 1958	2 77.0 in 2001	2 16.54 in 1950	2 1.07 in 2008
3 82.0 in 1970	3 77.1 in 1997	3 16.49 in 2017	3 1.21 in 1967
4 81.8 in 1974	4 77.3 in 1956	4 16.27 in 2004	4 1.25 in 1972
5 81.7 in 2010	5 77.7 in 1976	5 15.67 in 2001	5 1.74 in 1954
6 81.4 in 2009	6 77.9 in 1984	6 15.24 in 1960	6 1.76 in 2012
7 81.2 in 1977	7 78.0 in 1981	7 13.15 in 1979	7 1.80 in 1990
8 81.1 in 2016	8 78.1 in 2006	8 12.23 in 1982	8 1.96 in 1996
81.1 in 1965	78.1 in 1983	9 11.92 in 1964	9 2.04 in 2005
81.1 in 1951	10 78.4 in 1996	10 10.89 in 1988	10 2.10 in 1978
...	...		
48 79.1 in 2017	17 79.1 in 2017		
79.1 in 1987	79.1 in 1987		
79.1 in 1982	79.1 in 1982		

Normal Temperature for September at INV1 = 79.4

Normal Rainfall for September at INV1 = 6.00

BROOKSVILLE AREA (records began in January 1892):

Warmest Sept	Coollest Sept	Wettest Sept	Driest Sept
1 82.5 in 1926	1 77.2 in 2001	1 22.34 in 1950	1 0.48 in 1972
2 81.9 in 1906	2 77.5 in 1894	2 17.32 in 1979	2 0.90 in 2008
3 81.8 in 1958	3 77.6 in 1956	3 15.87 in 1894	3 1.39 in 1910
81.8 in 1925	4 77.7 in 1940	4 15.53 in 1912	4 1.69 in 1991
5 81.7 in 1930	5 77.8 in 1892	5 15.16 in 1935	5 1.74 in 1990
6 81.6 in 1911	6 77.9 in 1953	6 14.12 in 1988	6 1.90 in 1958
7 81.5 in 2002	7 78.0 in 1983	7 13.88 in 1947	7 2.02 in 1961
81.5 in 1991	8 78.1 in 1994	8 13.77 in 1938	8 2.09 in 1909
9 81.4 in 2017	78.1 in 1897	9 13.33 in 2016	9 2.29 in 2007
81.4 in 1915	10 78.2 in 2003	10 12.84 in 1960	10 2.50 in 1915
	78.2 in 1967	...	
	78.2 in 1893	14 11.57 in 2017	

Normal Temperature for September at BKV = 79.3

Normal Rainfall for September at BKV = 6.56

ST LEO (records began in April 1895):

Warmest Sept	Coollest Sept	Wettest Sept	Driest Sept
1 83.5 in 1925	1 76.3 in 1922	1 17.44 in 2004	1 0.75 in 1990
2 82.5 in 2002	2 77.1 in 1935	2 17.38 in 1929	2 1.17 in 1972
3 82.3 in 1900	77.1 in 1918	3 17.03 in 1950	3 1.21 in 1978
4 82.2 in 2009	4 77.4 in 1903	4 16.81 in 1912	4 1.76 in 1995
5 82.0 in 1944	5 77.9 in 1927	5 16.52 in 1960	5 1.97 in 2008
6 81.9 in 2008	77.9 in 1917	6 15.07 in 1935	6 2.05 in 1991
81.9 in 2007	77.9 in 1914	7 15.01 in 1933	7 2.10 in 1910
8 81.8 in 2005	8 78.0 in 1940	8 14.93 in 1949	8 2.24 in 1911
81.8 in 1958	9 78.1 in 1897	9 14.70 in 1953	9 2.41 in 2010
81.8 in 1951	10 78.3 in 1956	10 13.33 in 1982	10 2.58 in 1909
	78.3 in 1920
	78.3 in 1916	36 8.81 in 2017	87 8.81 in 2017
...	...		
42 80.6 in 2017	77 80.6 in 2017		
80.6 in 2006	80.6 in 2006		
80.6 in 1998	80.6 in 1998		
80.6 in 1985	80.6 in 1985		

Normal Temperature for September at STLf1 = 80.9

Normal Rainfall for September at STLf1 = 6.81

TARPON SPRINGS (records began in January 1892):

Warmest Sept	Coollest Sept	Wettest Sept	Driest Sept
1 84.0 in 1925	1 78.2 in 1894	1 18.13 in 1988	1 0.44 in 2005
2 83.5 in 1933	2 78.4 in 1967	2 15.80 in 2006	2 0.58 in 1972
3 83.2 in 1996	78.4 in 1899	3 15.54 in 1971	3 0.82 in 2008
4 83.0 in 1921	4 78.5 in 1956	4 15.39 in 1935	0.82 in 1921
5 82.9 in 1944	5 78.6 in 1940	5 15.28 in 2014	5 1.97 in 1910
6 82.7 in 1997	78.6 in 1916	6 14.27 in 1911	6 2.05 in 1967
7 82.6 in 1926	7 78.7 in 1900	7 13.21 in 1959	7 2.16 in 2007
8 82.3 in 1951	78.7 in 1896	8 13.12 in 1898	2.16 in 1952
82.3 in 1930	78.7 in 1895	9 12.79 in 1983	9 2.65 in 1919
10 82.2 in 1995	10 78.8 in 1983	10 12.70 in 1960	10 2.69 in 1978
82.2 in 1989	78.8 in 1918
...	78.8 in 1903	50 7.89 in 2017	77 7.89 in 2017
30 81.6 in 2017			
81.6 in 1986			
81.6 in 1954			
81.6 in 1931			
81.6 in 1923			

Normal Temperature for September at TRPF1 = 80.2
Normal Rainfall for September at TRPF1 = 6.99

TAMPA AREA (records began in April 1890):

Warmest Sept	Coollest Sept	Wettest Sept	Driest Sept
1 83.8 in 2016	1 77.5 in 1897	1 18.93 in 1912	1 0.79 in 2005
2 83.4 in 2017	2 78.4 in 1914	2 17.28 in 1894	0.79 in 1910
3 83.2 in 2010	3 78.5 in 1956	3 13.98 in 1979	3 1.05 in 1937
83.2 in 1925	4 78.6 in 1981	4 13.56 in 1988	4 1.13 in 2010
5 83.1 in 1944	78.6 in 1940	5 13.29 in 1929	5 1.28 in 1972
6 82.9 in 2005	6 78.8 in 1903	6 13.04 in 1947	6 1.58 in 1921
82.9 in 1958	7 78.9 in 1922	7 12.84 in 1997	7 1.68 in 1904
8 82.8 in 2015	8 79.1 in 1913	8 12.40 in 2006	8 1.90 in 1927
82.8 in 1990	79.1 in 1894	9 11.76 in 2001	9 2.08 in 1915
82.8 in 1974	10 79.2 in 2001	10 11.56 in 1953	10 2.20 in 1967
82.8 in 1933	79.2 in 1967
	79.2 in 1899	51 6.66 in 2017	78 6.66 in 2017

Normal Temperature for September at TPA = 81.7
Normal Rainfall for September at TPA = 6.30

ST PETERSBURG (records began in August 1914):

Warmest Sept	Coollest Sept	Wettest Sept	Driest Sept
1 85.7 in 2005	1 79.0 in 1956	1 25.51 in 1988	1 1.09 in 2008
2 84.8 in 1925	2 79.6 in 1953	2 18.60 in 1953	2 1.40 in 1967
3 84.4 in 2010	3 79.7 in 2001	3 16.39 in 2001	3 1.48 in 1972
4 84.3 in 1933	79.7 in 1950	4 14.40 in 1929	4 1.61 in 2010
5 83.8 in 2017	79.7 in 1940	5 14.03 in 1962	5 1.84 in 1990
83.8 in 1970	6 80.0 in 1994	6 13.39 in 1928	6 1.90 in 2005
7 83.7 in 2008	7 80.1 in 1914	7 13.07 in 1933	7 2.13 in 1915
8 83.6 in 1986	8 80.2 in 1983	8 12.63 in 1997	8 2.30 in 1944
83.6 in 1944	9 80.4 in 1918	9 12.46 in 2004	9 2.35 in 1925
83.6 in 1941	10 80.5 in 1947	10 12.36 in 1926	10 2.52 in 1964
	80.5 in 1917
		70 5.84 in 2017	35 5.84 in 2017

Normal Temperature for September at SPG = 82.3

Normal Rainfall for September at SPG = 7.76

PLANT CITY (records began in September 1892):

Warmest Sept	Coollest Sept	Wettest Sept	Driest Sept
1 83.7 in 2017	1 77.7 in 1940	1 18.43 in 1894	1 0.71 in 1972
2 82.9 in 2016	2 77.9 in 1907	2 18.21 in 2004	2 0.75 in 1909
3 81.8 in 1958	3 78.0 in 1932	3 17.09 in 1947	3 0.97 in 1915
81.8 in 1951	78.0 in 1918	4 16.77 in 1998	4 1.12 in 1991
5 81.7 in 1974	5 78.4 in 1953	5 15.42 in 1988	5 1.26 in 1961
81.7 in 1970	78.4 in 1931	6 15.12 in 1960	6 1.27 in 1937
7 81.6 in 2010	7 78.6 in 1910	7 14.75 in 1933	7 1.50 in 1911
81.6 in 1977	78.6 in 1909	8 14.20 in 1979	8 1.64 in 1990
9 81.6 in 1925	9 78.7 in 1956	9 13.38 in 1912	9 2.15 in 1978
10 81.5 in 2009	78.7 in 1913	10 12.49 in 1929	2.15 in 1967
81.5 in 2007	
81.5 in 2002		24 9.77 in 2017	94 9.77 in 2017
81.5 in 1944			

Normal Temperature for September at PLCF1 = 80.3

Normal Rainfall for September at PLCF1 = 7.09

LAKELAND (records began in January 1915):

Warmest Sept	Coollest Sept	Wettest Sept	Driest Sept
1 83.0 in 1987	1 78.0 in 1940	1 19.67 in 2004	1 0.31 in 1921
2 82.9 in 2016	2 78.6 in 1947	2 15.52 in 1929	2 0.81 in 1972
82.9 in 1989	3 78.7 in 1967	3 15.47 in 1998	3 1.26 in 1944
4 82.8 in 1988	78.7 in 1956	4 15.18 in 1989	4 1.45 in 2008
5 82.7 in 2010	5 78.9 in 2001	5 13.75 in 1933	5 1.55 in 1961
82.7 in 1990	6 79.0 in 1953	6 13.67 in 2001	6 2.42 in 1927
7 82.6 in 1986	7 79.1 in 1928	7 12.99 in 2014	7 2.57 in 1925
8 82.5 in 2015	79.1 in 1918	8 12.33 in 1979	8 2.59 in 1937
82.5 in 1991	9 79.2 in 2006	9 12.16 in 2017	9 2.68 in 1991
10 82.4 in 2017	79.2 in 1950	10 11.68 in 1947	10 2.86 in 1971
82.4 in 2009			
82.4 in 1993			

Normal Temperature for September at LLDF1 = 80.2

Normal Rainfall for September at LLDF1 = 7.44

WINTER HAVEN AREA (records began in January 1941):

Warmest Sept	Coollest Sept	Wettest Sept	Driest Sept
1 84.0 in 1989	1 79.2 in 1976	1 19.34 in 1998	1 1.08 in 2008
2 83.2 in 1991	79.2 in 1968	2 17.26 in 1960	2 1.10 in 1972
3 82.9 in 2016	79.2 in 1956	3 14.79 in 2001	3 1.22 in 1961
4 82.6 in 2002	4 79.4 in 1981	4 13.46 in 1948	4 1.61 in 2005
82.6 in 1951	79.4 in 1962	5 12.84 in 2014	5 1.96 in 2015
6 82.5 in 2010	6 79.6 in 2001	6 12.83 in 1947	1.96 in 1952
82.5 in 2007	7 79.7 in 1983	7 12.47 in 1979	7 2.16 in 1990
82.5 in 1995	79.7 in 1959	8 11.32 in 1987	8 2.33 in 2009
9 82.4 in 2005	9 79.8 in 1967	9 10.51 in 1950	9 2.35 in 2006
82.4 in 1986	79.8 in 1964	10 9.69 in 1973	10 2.47 in 1944
82.4 in 1944	79.8 in 1947	11 9.39 in 1975	
...		12 9.35 in 2017	
17 82.1 in 2017			
82.1 in 1997			
82.1 in 1993			
82.1 in 1949			

Normal Temperature for September at GIF = 81.5

Normal Rainfall for September at GIF = 6.25

BARTOW (records began in June 1892):

Warmest Sept	Coollest Sept	Wettest Sept	Driest Sept
1 83.5 in 2014	1 77.0 in 1894	1 17.24 in 2004	1 1.04 in 1972
2 83.3 in 1925	2 77.7 in 1913	2 16.91 in 1894	2 1.73 in 2005
3 83.2 in 1988	3 77.8 in 1914	3 16.61 in 1928	3 1.76 in 1904
4 82.8 in 2002	4 78.1 in 1918	4 15.96 in 1998	4 2.35 in 1942
5 82.7 in 1987	5 78.5 in 1940	5 15.77 in 1933	5 2.41 in 1961
6 82.6 in 1951	78.5 in 1916	6 15.59 in 1960	6 2.47 in 1937
82.6 in 1949	7 78.6 in 1895	7 15.06 in 1979	7 2.51 in 1991
8 82.5 in 1958	78.6 in 1893	8 14.64 in 1982	8 2.52 in 1910
82.5 in 1944	9 78.9 in 1922	9 14.25 in 1947	9 2.57 in 1990
10 82.3 in 1989	10 79.0 in 1975	10 13.72 in 1908	10 2.88 in 1954
...	79.0 in 1967	11 13.08 in 2017	
21 81.8 in 2017	79.0 in 1897		
	79.0 in 1892		

Normal Temperature for September at BARF1 = 81.4

Normal Rainfall for September at BARF1 = 6.55

SARASOTA-BRADENTON (records began in January 1911):

Warmest Sept	Coollest Sept	Wettest Sept	Driest Sept
1 83.9 in 2016	1 78.2 in 1927	1 21.16 in 1962	1 1.07 in 2005
2 82.7 in 2007	2 78.4 in 1931	2 19.14 in 1953	2 1.17 in 2010
3 82.5 in 1925	3 78.6 in 1916	3 17.31 in 1928	3 1.94 in 2012
4 82.3 in 2010	4 78.7 in 1940	4 16.92 in 1929	4 2.02 in 1945
82.3 in 2009	5 78.9 in 1956	5 16.65 in 1912	5 2.27 in 1921
82.3 in 2005	6 79.0 in 2001	6 15.86 in 1926	6 2.33 in 1984
82.3 in 1989	79.0 in 1984	7 15.65 in 1960	7 2.37 in 1944
8 82.2 in 2011	79.0 in 1922	8 15.57 in 1988	8 2.41 in 1972
82.2 in 2002	9 79.1 in 1976	9 14.50 in 1979	9 2.74 in 1991
82.2 in 1991	79.1 in 1935	10 13.40 in 1989	10 2.85 in 1915
82.2 in 1990		...	
...		16 11.61 in 2017	
31 81.3 in 2017			
81.3 in 1979			
81.3 in 1972			
81.3 in 1970			
81.3 in 1944			

Normal Temperature for September at SRQ = 81.4

Normal Rainfall for September at SRQ = 7.10

VENICE (records began in April 1955):

Warmest Sept	Coollest Sept	Wettest Sept	Driest Sept
1 85.4 in 1989	1 78.1 in 1968	1 16.20 in 1960	1 1.72 in 1961
2 84.5 in 2009	2 78.7 in 1956	2 14.77 in 1962	2 1.84 in 1981
3 84.1 in 2010	3 78.9 in 1976	3 14.23 in 1983	3 1.93 in 2005
4 83.6 in 2011	4 79.8 in 1967	4 13.10 in 2013	4 2.22 in 1993
5 83.2 in 2012	5 79.9 in 2001	5 12.49 in 2003	5 2.61 in 1986
6 83.0 in 1998	79.9 in 1984	6 12.31 in 1968	6 3.25 in 2011
7 82.9 in 2002	7 80.1 in 1987	7 12.22 in 2014	7 3.43 in 1958
8 82.5 in 1995	8 80.2 in 1961	8 11.96 in 1994	8 3.69 in 1965
9 82.4 in 2017	80.2 in 1960	9 11.95 in 1995	9 3.79 in 1990
82.4 in 2016	10 80.3 in 1985	10 11.44 in 1975	3.79 in 1984
82.4 in 2013	80.3 in 1983	...	
82.4 in 1996		18 9.21 in 2017	

Normal Temperature for September at VNCF1 = 81.0

Normal Rainfall for September at VNCF1 = 6.93

MYAKKA RIVER STATE PARK (Temperature records began in March 1956
and Rainfall records began in Sep 1943):

Warmest Sept	Coollest Sept	Wettest Sept	Driest Sept
1 82.8 in 2016	1 78.9 in 2001	1 22.49 in 1962	1 1.48 in 2005
2 82.6 in 2009	78.9 in 1959	2 21.08 in 1979	2 2.29 in 1972
3 82.5 in 2010	3 79.4 in 1962	3 18.10 in 2001	3 2.36 in 1961
82.5 in 1991	4 79.7 in 1976	4 14.65 in 2014	4 2.40 in 1986
5 82.3 in 2015	79.7 in 1963	5 14.04 in 1960	5 2.65 in 2008
82.3 in 1998	6 80.1 in 1994	6 12.82 in 1957	6 2.74 in 1990
82.3 in 1990	80.1 in 1971	7 12.42 in 1995	7 3.76 in 1991
8 82.2 in 2002	80.1 in 1968	8 11.98 in 1982	8 4.19 in 1984
82.2 in 1996	9 80.3 in 1984	9 11.96 in 1994	9 4.24 in 1966
82.2 in 1993	80.3 in 1972	10 11.77 in 2006	10 4.33 in 1993
	80.3 in 1969		

September 2017 data not available yet

Normal Temperature for September at MKCF1 = 81.1

Normal Rainfall for September at MKCF1 = 7.91

WAUCHULA 2 N (records began in January 1933):

Warmest Sept	Coollest Sept	Wettest Sept	Driest Sept
1 84.5 in 2009	1 78.1 in 1956	1 18.06 in 1947	1 1.19 in 1961
2 83.4 in 2008	2 78.4 in 2001	2 14.38 in 1953	2 1.44 in 1972
3 82.5 in 2007	78.4 in 1953	3 13.91 in 1948	3 1.61 in 1933
4 82.4 in 1989	4 78.7 in 1940	4 13.83 in 1960	4 1.91 in 2008
5 82.2 in 1988	5 78.8 in 2012	5 11.77 in 2017	5 2.00 in 1980
82.2 in 1933	6 78.9 in 2013	6 11.56 in 1979	6 2.21 in 1991
7 82.0 in 2017	7 79.1 in 1984	7 11.41 in 1962	7 2.70 in 1978
82.0 in 1974	8 79.2 in 1982	8 11.33 in 2015	8 3.26 in 1976
9 81.9 in 2016	79.2 in 1947	9 10.95 in 1982	9 3.35 in 1987
10 81.8 in 1993	10 79.3 in 1981	10 10.47 in 2000	10 3.46 in 2002
81.8 in 1992	79.3 in 1968		
81.8 in 1941			

Normal Temperature for September at WAUF1 = 82.1

Normal Rainfall for September at WAUF1 = 6.09

ARCADIA (records began in January 1899):

Warmest Sept	Coollest Sept	Wettest Sept	Driest Sept
1 81.8 in 1905	1 75.7 in 1990	1 17.71 in 1940	1 1.40 in 1961
2 81.7 in 1974	2 77.9 in 1971	2 17.05 in 1960	2 2.02 in 1925
81.7 in 1933	3 78.5 in 1976	3 16.10 in 2017	3 2.05 in 1909
81.7 in 1925	4 78.7 in 1985	4 15.67 in 1908	4 2.24 in 1980
81.7 in 1902	78.7 in 1910	5 15.66 in 1930	5 2.39 in 1972
6 81.6 in 1912	6 78.8 in 1984	6 14.81 in 1929	6 2.44 in 1911
7 81.5 in 2011	78.8 in 1968	7 14.67 in 2001	7 2.60 in 1990
81.5 in 1991	8 78.9 in 1969	8 13.74 in 1979	8 2.75 in 1932
81.5 in 1944	78.9 in 1909	9 13.30 in 2003	9 2.98 in 1996
81.5 in 1900	10 79.0 in 2001	13.30 in 1962	10 3.16 in 1913
	79.0 in 1940		
...	...		
36 80.7 in 2017	69 80.7 in 2017		
80.7 in 1993	80.7 in 1993		
80.7 in 1965	80.7 in 1965		

Normal Temperature for September at ARCF1 = 80.2

Normal Rainfall for September at ARCF1 = 7.28

ARCHBOLD BIO STN (records began in January 1969):

Warmest Sept	Coollest Sept	Wettest Sept	Driest Sept
1 82.3 in 2016	1 78.3 in 1994	1 14.54 in 2017	1 0.70 in 1996
2 82.0 in 2017	2 78.5 in 2001	2 14.15 in 1979	2 2.37 in 1983
3 81.8 in 2015	78.5 in 1984	3 12.78 in 2016	3 2.41 in 1988
4 81.2 in 1974	4 78.6 in 1982	4 12.54 in 2004	4 2.92 in 1980
5 81.1 in 2002	5 79.0 in 1976	5 11.455in 2001	5 3.22 in 2008
6 80.9 in 2010	6 79.3 in 2012	6 11.47 in 2014	6 3.30 in 2005
80.9 in 2009	79.3 in 1999	7 10.69 in 2012	7 3.58 in 2011
80.9 in 1989	79.3 in 1997	8 10.65 in 1982	8 3.79 in 2006
9 80.7 in 1990	79.3 in 1985	9 9.97 in 1973	9 3.83 in 2010
10 80.6 in 2000	79.3 in 1981	10 9.92 in 1987	3.83 in 2007
80.6 in 1988	79.3 in 1971		
80.6 in 1973			

Normal Temperature for September at ACHF1 = 79.7

Normal Rainfall for September at ACHF1 = 6.46

PUNTA GORDA 4 ESE (records began in May 1914):

Warmest Sept	Coollest Sept	Wettest Sept	Driest Sept
1 84.3 in 2016	1 78.5 in 1940	1 17.09 in 1959	1 1.23 in 1978
2 84.2 in 1951	2 79.1 in 1969	2 16.54 in 1929	2 2.94 in 1952
3 83.9 in 2017*	3 79.2 in 1922	3 16.47 in 1962	3 3.33 in 1990
4 83.3 in 2002	4 79.4 in 1917	4 16.13 in 1947	4 3.36 in 1991
83.0 in 2015	79.4 in 1914	5 14.86 in 1935	5 3.44 in 1987
83.0 in 2009	6 79.5 in 1956	6 14.39 in 2003	6 3.65 in 2008
83.0 in 1988	79.5 in 1929	7 14.15 in 1928	7 3.71 in 1972
8 82.8 in 1986	8 79.9 in 1938	8 14.03 in 1979	8 3.74 in 1986
9 82.7 in 1933	79.9 in 1928	9 13.77 in 1926	9 3.76 in 1965
10 82.6 in 1989	10 80.0 in 2001	10 13.43 in 1922	10 3.81 in 1927
	80.0 in 1943		
	80.0 in 1930		
	80.0 in 1916		

* **Estimated** average monthly temperature using maximum and minimum temperatures from PGD for September 9, 10, and 11 which were missing due to Hurricane Irma.

Rainfall missing for September 9-11, 2017

Normal Temperature for September at PNTF1 = 81.9

Normal Rainfall for September at PNTF1 = 6.84

FORT MYERS AREA (records began in January 1902):

Warmest Sept	Coollest Sept	Wettest Sept	Driest Sept
1 84.7 in 1980	1 78.5 in 1917	1 17.35 in 1922	1 1.93 in 1988
2 84.0 in 1996	2 78.7 in 1922	2 17.21 in 2003	2 2.33 in 1972
3 83.7 in 1988	78.7 in 1908	3 16.60 in 1969	3 2.48 in 1956
4 83.6 in 1997	78.7 in 1903	4 16.32 in 1947	4 2.80 in 1961
5 83.5 in 1986	5 78.9 in 1909	5 15.58 in 1953	5 3.04 in 1937
83.5 in 1979	6 79.0 in 1913	6 15.44 in 1929	6 3.07 in 1904
7 83.4 in 1990	7 79.1 in 1902	7 14.86 in 2008	7 3.24 in 1925
8 83.1 in 2017*	8 79.2 in 1910	8 14.54 in 1962	8 3.39 in 1906
83.1 in 2011	9 79.3 in 1976	9 14.49 in 1935	9 3.48 in 1951
83.1 in 2010	79.3 in 1918	10 14.14 in 2001	10 3.56 in 1944
83.1 in 1995	79.3 in 1904		3.56 in 1936
83.1 in 1987			
83.1 in 1985			
83.1 in 1981			

* **Estimated** average monthly temperature using maximum and minimum temperatures from RSW for September 10 and 11 which were missing at FMY due to Hurricane Irma.

Rainfall missing for September 9 and 10, 2017
Normal Temperature for September at FMY = 82.4
Normal Rainfall for September at FMY = 8.31

For more Climate information visit our web site at the following link:
<http://www.weather.gov/tampabay> and then go to the Climate and Past
Weather drop down menu above the graphical forecast images.