

VI.3.6C-INFILE-GROUP FIE FORMAT FOR PARAMETER GROUP: GROUP

The Group parameter includes parameters used to define a Group of Products (GRPP).

Before a product can be defined, all type codes referenced must be previously defined.

Input Data

The following input is used to define parameters for GRPP.

Record	Field	Variable	Format	Columns	Description
The following input is used to define a group of products.					
1	1	TYPE	A4	1-4	'GRPP'
	2	GRPID	A8	6-19	Identifier for group of products
2	1-8	APID	7(1X,A8)	5-67	Identifier for each location included in product. Reserved identifier 'ENDID' terminates list of identifiers. <u>1</u> /

Repeat record 2 as needed up to ten (10) times.

NOTES:

1/ Each identifier must be defined by a type 'PROD' record.

Sample Input

To define a group of products the following input would be used:

```
GRPP  ALLFFPROD
      FFGAR      FFHAR      FFGCO      FFHCO      FFGKS      FFHKS
      FFGMO      FFHMO      FFGNM      FFHNM      FFGOK      FFHOK
      FFGTX      FFHTX      FFDOUN      FFDOKC     FFDTUL
      ENDID
```

Or for just the gridded products:

```
GRPP  ALLGRIDS
      FFDOUN      FFDOKC      FFDTUL
      ENDID
```