

**2018**  
**Alaska Fire Weather Program**  
**Annual Operating Plan**  
**for**  
**National Weather Service, Alaska Region (NWS)**  
**Alaska Wildland Fire Coordinating Group (AWFCG)**

A. **Purpose.**

To describe the roles, responsibilities and operational procedures of the NWS, Alaska Fire Service (AFS), US Forest Service (USFS), State of Alaska Division of Forestry (DOF) and the AWFCG membership in support of the 2017 Alaska Fire Weather Program, to ensure effective use of NWS fire weather products, and establish responsibilities of the Alaska Interagency Coordination Center (AICC) fire weather meteorologist.

Authorities. This Plan is maintained and coordinated by the Fire Weather Committee of the Alaska Wildland Fire Coordinating Group (Appendix A).

B. **Operational Guidelines**

**The Principal operating period for the Alaska Fire Weather Program runs from**

April 1 through September 1, however, the exact operating periods are subject to the fire weather threat. The roles described in the Operating Plan are intended to be flexible and allow for changing conditions of personnel, workload and weather hazards.

WFOs may request a delay or early end of routine fire weather forecasts if excessive snowpack, rain and/or continued winter weather is expected for the scheduled start date(s), or excessive cool and moist weather is imminent prior to the regular end of the fire weather forecast season. WFOs will contact the AICC meteorologist who will, in turn, canvas the appropriate Protection Agency Fire Management Officers (FMOs) to coordinate any changes to their regular season schedule.

Conversely, the Protection Agency FMOs may request an early issuance or extension of routine fire weather forecast if the seasonal threat for fire danger is likely to fall outside scheduled date(s). Protection Agency FMOs should coordinate any date changes requests with the AICC Meteorologist. The AICC Meteorologist will then coordinate the change in service with the WFO Management Teams. WFOs will notify the NWS Regional Fire Weather Program Manager of any changes.

Coordination of schedule changes may result in a transition of services such as additional information in the Area Forecast Discussion product in lieu of the daily fire weather forecast products. Such coordination should begin no later than five (5) days in advance of the regular season start or end dates listed in Appendix C.

Unless wildfire conditions exist or are anticipated, fire weather products will not be provided for Anchorage forecast zones 131, 135, 171, 181, 185, 187, 191, 195, and Fairbanks forecast zones 201-207, 211 and 213 (see Appendix E for zone listings and map).

C. **NWS Responsibilities**

1. The NWS will provide a Regional Fire Weather Program Manager through Alaska Region Headquarters, and fire weather focal points at the Anchorage, Fairbanks, and Juneau Weather Forecast Offices (WFO). The fire weather focal points and Lead Forecasters will be responsible for timely delivery and quality of fire weather products and services from their WFOs.

2. Consistent with the Interagency Agreement for Meteorological Services, the NWS also will provide the following:

a. **Red Flag Warnings and Fire Weather Watches.**

The notification and issuance of Red Flag Warnings and Fire Weather Watches will be the number one priority of the fire weather program. Red Flag Warnings and Fire Weather Watches will be issued in accordance to National Weather Service Instruction 10-401, Fire Weather Products Specification, with Red Flag Event criteria defined below.

A Fire Weather Watch should be issued 24 to 96 hours in advance of the expected onset of criteria. The intent of a Fire Weather Watch is to alert users to the potential for Red Flag Event conditions a day (or more) in advance.

A Red Flag Warning warns of an impending, or occurring, Red Flag Event. Its issuance denotes a high degree of confidence that weather and fuel conditions consistent with Red Flag Event criteria will occur in 48 hours or less.

**Red Flag Warning/Fire Weather Watch Criteria:**

There are two types of Red Flag Warning Criteria; convective and non-convective. Non-convective criteria must be met in all categories (temperature, RH, and wind) for at least three observations either at one station or a combination such as one hour at three stations or two hours at one station plus one hour at another. As always, fuel conditions must be coordinated with AICC Predictive Services.

**General non-convective Red Flag Warning criteria:**

Temp $\geq$ 75°F	RH $\leq$ 25%	Wind $\geq$ 15 mph (sustained)
------------------	---------------	--------------------------------

**Exceptions to the non-convective Red Flag Warning criteria:**

223 – Deltana and Tanana Flats 226 – Eastern Alaska Range	No temperature criteria	RH $\leq$ 25%	Wind $\geq$ 30 mph (sustained)
<b><u>Pre-green-up*</u></b> in zones: 101- Anchorage 111- Matanuska Valley 121- Western Kenai 125- Western PWS	Temp $\geq$ 65°F	RH $\leq$ 25%	Wind $\geq$ 15 mph (sustained)

\*Green-up will be discussed with local fire managers each spring to ensure an appropriate change date for South Central zones.

**Lightning Criteria**

Forecast LAL $\geq$ 4	Very dry fuels using adjective ratings with guidance from Predictive Services.
-----------------------	--

**Headlines:**

Headlines for Red Flag Warnings or Fire Weather Watches will appear in the RFW product as well as the FWF for the appropriate zone(s). The headline will contain the phrase “FOR LIGHTNING” if convective criteria are forecast to be met. Headlines will also specify distinct areas of the fire weather zone if the entirety of the geographic area is not expected to be impacted.

Coordination with AICC Predictive Services:

WFOs will make every effort to consult the AICC Predictive Services (356-5691) when Red Flag Warnings or Fire Weather Watches are considered. The AICC or its designated Regional Area Contact is responsible for determining if fuel conditions are consistent with issuing the Warning/Watch. This determination is made based on recent precipitation and drying events, the type and amount of fuel available, and a review of available current and forecast fire indices, among other factors. Fuel conditions are critical to the Warning/Watch issuance decision. **If fuel condition consultation with the AICC is not possible, forecasters will use the fuels conditions posted by AICC Predictive services as the basis for issuing a Warning or Watch when Red Flag Event conditions are anticipated.** AICC posts fuel conditions on a non-public webpage, the link to which should be included in WFO documentation as appropriate (example, Station Duty Manual).

AICC Predictive Services will be telephoned at 356-5691 upon initial issuance of or changes (including cancellation) to the Warning/Watch. If AICC Predictive Services cannot be reached, WFOs will call Initial Attack (IA) at 356-5670. If neither Predictives Services nor IA can be reached, a paper copy of the Warning/Watch will be faxed to 356-5678, but only when the warning is initiated or extended. The phone number for Initial Attack is not publicly published, but should be included in WFO documentation as appropriate (example, Station Duty Manual).

b. Spot forecasts.

WFO spot forecast issuance should take priority over routine fire weather forecasts.

Incidents will submit requests for spot forecasts via the NWS Spot website for wildland fires or for managed ignited fires planned within 24 hours. Spot forecast requests must include accurate and updated latitude and longitude coordinates for the site of concern during the period covered by the spot forecast. Spot requests will also include observations relevant to the area of concern. For ongoing fires or prescribed burns requiring multiple spot forecasts, Incidents will submit individual requests containing current/updated information and observations. Once a Spot forecast is requested, the Incident will phone the WFO to verify receipt of the request. WFO forecasters should not submit requests on behalf of the Incident requesting the spot forecast. Completed forecasts will be posted to the Alaska Region NWS Spot website. Other dissemination means may be provided, but only when a back-up method is necessary. The WFO forecaster will call the requesting agency's contact to verify receipt of the forecast. Incidents are encouraged to notify NWS forecasters in advance of prescribed spot requests and/or conduct preliminary coordination as needed to meet regulatory mandates. Such notification/coordination may be accomplished by contacting the appropriate

NWS forecast office by phone. This does not preclude the use of the NWS Spot website within 24 hours of the planned ignition.

c. Routine daily fire weather forecasts, outlooks and discussions.

Production of routine fire weather forecasts should follow the schedule in Appendix C.

i. The Fire Weather Forecast (FWF).

This product will include information (as described below) for the first three 12-hour periods for morning forecasts and first four periods for afternoon forecasts. The forecast also will include information for days 3 through 5. [Note: the Fire Weather Program Time Line for Products and Services is listed in Appendix C, the Daily Schedule for Products and Services is listed in Appendix D, and an example of the Fire Weather Forecast is included as Appendix H]. Details about product format are provided below:

- Morning and afternoon Fire Weather Forecasts will include information on sky condition and weather, relative humidity, wind speed and direction, chance of wetting rain (defined as  $\geq 0.10$ " of liquid precipitation in 12-hours), and potential for wet and/or dry thunderstorms.
- Red Flag Warnings and Fire Weather Watches will be headlined at the top of the corresponding fire weather zone forecast. The headline will specify the time period, area and conditions covered by the watch/warning.

d. Web Services.

The NWS will maintain, and update daily, the Alaska Fire Weather page at <http://www.weather.gov/arh/fire>. The Fire Weather page will include daily fire weather forecasts, graphic display of Red Flag Warnings and Fire Weather Watches, the public version of this Annual Operating Plan, and the Spot forecast interface access. Any changes to the content or display of the website information should be coordinated with the AICC.

e. Weather observations.

Daily/hourly observations for ASOS/AWOS stations will be available from a file transfer protocol (FTP) location determined by local procedures.

f. Smoke management forecasts and information.

The transport wind and the mixing height, required information for smoke management, will be included in spot forecasts upon request.

g. Consultation and technical advice.

The WFO should provide requested information and advice as urgency of situation and operational time constraints dictate.

h. Climate and Drought Consultation

The NWS Alaska Region Climate Services officer will provide information and guidance on seasonal weather forecasts each spring leading up to the fire season.

NWS Alaska Region River Forecast Center will provide information and guidance on drought and snowpack conditions in the late winter through spring.

i. Amendments/updates.

Forecasts, Red Flag Warnings, and Fire Weather Watches will be updated according to the criteria listed in Appendix F. The spot forecast is a one-time site-specific product which is not routinely updated. Spot forecasts will be re-issued when representative observations or other weather information are available to the forecaster, and he/she is confident that an update could affect fire suppression or prescribed burning operations and/or the safety of personnel. Upon reissuance of a Spot forecast, the WFO will call the originator of the Spot request to inform them of the changes. Incident/Jurisdictional Agency personnel may contact the appropriate WFO for a spot update if forecast conditions appear unrepresentative of the actual weather conditions.

j. Fire weather training.

Upon the request of the AICC, NWS staff should assist in teaching sessions containing fire weather modules as staffing and office outreach funding (when applicable) allows.

k. Special meteorological services.

Any additional meteorological services not explicitly described in this Plan may be requested by the AICC through the Regional Fire Weather Program Manager. During emergency situations outside of administrative duty hours (7:30am to 4:00pm Monday through Friday), requests should be directed to the WFO Management team (see Appendix B).

D. **Alaska Interagency Coordination Center Meteorologist (AICC)**

The AICC Fire Weather Meteorologists are based at the AICC in Fairbanks. Their duties are to add value to the products and services furnished by the NWS. The AICC Meteorologists will be available to all federal and state agencies to consult regarding fire weather and fire potential and other long-range weather issues.

Their duties will include, but are not limited to:

1. Monthly Fire Potential Outlook.

a. AICC will prepare fire potential outlooks and post them to the AICC website at the beginning of each month.

2. Daily 7-day Outlook

a. AICC will prepare a 7-day outlook including fire weather, fire potential, and resource allocation. This product will be issued Monday through Friday; weekend forecasts are issued based on severity of weather and/or fire activity.

3. Air Quality: The AICC meteorologist will coordinate with the Alaska Department of Environmental Conservation (ADEC) Air Quality Meteorologist regarding air quality hazards and information.
4. Research.  
The AICC meteorologist will pursue and or participate in research on Fire Weather, Fuels Research, and Fire Potential in Alaska.
5. Statewide Briefings.
  - a. Statewide Briefings will be conducted by the AICC Meteorologist. These briefings will be held Monday through Friday. Interested agencies may join a webinar online. The briefing will discuss statewide conditions and refer to graphic products displayed on the AICC maintained website. Weekend briefings will be provided through the main fire season. Briefing content is listed in Appendix G.
  - b. Additional briefings will be conducted when significant weather changes warrant, or during severe fire conditions, as requested by user agencies.
  - c. The AICC Meteorologist will coordinate conference calls between the AICC and NWS WFO's when significant weather or fire conditions exist.
6. Pre-Season and Post-Seasonal Assessments.
  - a. Pre-season assessment will be prepared in the spring, and will be posted as a standard monthly Fire Potential Outlook product as identified in D.1.
  - b. Post-season assessment will be prepared for the Interagency Fall Fire Review Meeting.
  - c. Pre and post-season reviews will include historical climate and weather analysis.
7. Risk Assessments for fire behavior and fire danger potential.
  - a. AICC Meteorologist will gather current fuels condition information from local areas and suppression FMOs, and coordinate with NWS on Red Flag Warnings and Fire Weather Watches.
  - b. Fuel conditions for each forecast zone will be provided on the AICC website and updated, with a time/date stamp. Updates will be provided daily or as conditions warrant.
  - c. Fuel and Fire Behavior Advisories will be issued by Predictive Services when a significant area is indicating very dry fuels and has potential for exceptional or extreme fire behavior. These advisories will be updated every 14 days or as conditions change. There is a standard national format and protocol that will be followed, and the advisories will be posted on the AICC homepage and the National Map. Additionally, the meteorologist on duty will contact the appropriate National Weather Service Office(s).
  - d. Drought information will be routinely assessed by the AICC meteorologist.



8. Liaison between federal and state agencies and the NWS.
9. Team member for collaborative planning efforts.
  - a. Develop Alaska Fire Danger Operating Plan.
10. Team leader for RAWs coordination.
11. WIMS.

The AICC Predictive Services will ensure pertinent observations from their stations of interest are archived into WIMS in a timely fashion.
12. CFFDRS Indices

AICC Predictive Services will ensure continual functioning of the Alaska Fire and Fuels (AKFF) Website throughout fire season to ensure ability of all users to access fire weather data and fire weather indices.

**E. Alaska Fire Service (AFS), U.S. Forest Service (USFS), Division of Forestry (DOF), and the Alaska Wildland Fire Coordinating Group (AWFCG).**

1. In concurrence with the National Agreement, the agencies will provide:
  - a. Fire weather observations. Observations from all RAWs are uplinked by satellite and posted on the Alaska Fire and Fuels (AKFF) ([akff.mesowest.org](http://akff.mesowest.org)) website, as well as MesoWest (<http://mesowest.utah.edu/>)
  - b. Provide pertinent weather information, and observations, in support of spot forecast requests.
  - c. On-site meteorological support. On an as-needed basis (typically, but not limited to support of Type I or Type II Incident Management Teams), a request for a Fire Weather Incident Meteorologist (IMET) for on-site support will be initiated by the Incident using an overhead resource order and follow established dispatch procedures. For IMETs based in the Alaska Region, the sending office will provide travel arrangements upon request, driving directions, incident contact numbers and other relevant reporting instructions for IMETs and IMET trainees. Logistical support for all NWS personnel assigned to wildland fires will be supplied by the Incident to which he/she is assigned. On an as needed basis, an AICC resource order can be filed to request a Fire Weather IMET to augment the staffing at Alaska WFOs, the AICC, or for on-site fire assignments. WFO staff supplementation must be coordinated and in agreement with the local office management team.
  - d. Air Resources Advisors. On an as needed basis, AICC will order Air Resource Advisors (ARAs) to assist with smoke monitoring and air quality forecasting when air quality becomes a health hazard for a significant portion of the state or a large population. In addition, local air quality assistance may be hired to assist with smoke monitoring and sensor deployment.

- e. NFMD (National Fuel Moisture Database) is the warehouse for fuel moisture sampling data. It is encouraged that all agencies post fuel moisture data at this website. The AICC meteorologist can provide contact information regarding the Geographic Area Administrator, so new users can setup an account. The national NFMD website is located at <http://www.wfas.net/nfmd/public/>.
- f. Training. NWS is welcome to nominate personnel to attend fire training sessions offered in Alaska. Acceptance is based on completion of prerequisite training requirements and space availability. Upon request, the NWS Alaska Region will be guaranteed training for S390 each year offered, as this is a required course for IMET Certification.
- g. Other special services. A multi-port teleconference line will be available for briefings and conferences, though use of web-based meeting platforms is also encouraged for visual aid
- h. The AICC (<http://fire.ak.blm.gov>) and DOF (<http://www.dnr.state.ak.us/forestry>) also will maintain websites with links to NWS fire weather information.
- i. AKFF will be the data source for fire weather observations and fire weather indices,<sup>0</sup> as well as fire behavior calculations.
- j. The AFS will provide real-time lightning data to the NWS.
- k. Spot forecast requests will include a voice contact phone number of the requesting agency. Spot forecast requests sent through the web spot program will be followed up by a phone call to the appropriate NWS forecast office to verify receipt.

F. **Administration**

1. **Operating Period.**

The principal operating period for the Alaska Fire Weather Program will be from March 30, through August 31, 2017. During other times, the National Weather Service will provide Fire Weather Forecast and Warning product(s), as requested by the agencies, based on the severity of fire conditions. Agencies may request earlier or later dates for weather forecasting as outlined in Section C.2.a. above.

2. **Annual Meetings.**

During the fall of each year, the chair of the Fire Weather Committee will coordinate a joint meeting of the Fire Weather Committee for the purpose of reviewing the previous season's weather operations and preparing for the next fire weather season. If requested by one of the agencies, additional meetings may be arranged.

3. **Annual Operating Plan.**

This document fulfills the National Agreement for Meteorological Services in Support of Agencies with Land Management and Fire Protection Responsibilities, which establishes requirements for an Annual Operating Plan.

4. **Modification of Fire Weather Operating Procedures.**

Terms of this Operating Plan may be modified at any time. Agencies participating in this Operating Plan will provide reasonable advance notification of any operationally significant changes to other Alaska state fire weather stakeholder agencies, as listed in Section F.2 above.

5. Effective Date.

This Operating Plan is effective beginning March 30, 2018 and will be reviewed annually.

\_\_\_\_ <signature on file> \_\_\_\_\_  
Michael Mercer Date  
Chief, Environmental and Scientific Services  
NOAA/NWS Alaska Region

\_\_\_\_ <signature on file> \_\_\_\_\_  
Jake Dollard Date  
Chair, Alaska Wildland Fire Coordinating Group

## Appendix A

### Alaska Wildland Fire Coordination Group Fire Weather Committee 2018

#### Liaison to AWFCG

Phone:  
Fax:  
Email:

#### Chair-AICC Meteorologist-NPS

Sharon Alden

Phone: 356-5691  
Fax: 356-5678  
Email: [salden@blm.gov](mailto:salden@blm.gov)

Heidi Strader

Phone: 356-5691  
Fax: 356-5678  
Email: [hstrader@blm.gov](mailto:hstrader@blm.gov)

#### State of Alaska – Strategic Planner

K.T. Pyne

Phone: 356-5858  
Cell:  
Fax: 356-5855  
Email: [kathryn.pyne@alaska.gov](mailto:kathryn.pyne@alaska.gov)

#### National Park Service

Larry Weddle

Phone: 683-9548  
Fax: 683-9624  
Email: [larry\\_weddle@nps.gov](mailto:larry_weddle@nps.gov)

Keith Mitchell (Back-up member)

Phone: 683-9549  
Fax: 683-9624  
Email: [keith\\_mitchell@nps.gov](mailto:keith_mitchell@nps.gov)

#### Tanana Chiefs Conference

Clinton Northway

Phone: 452-8521 x3379  
Fax: 459-3852  
Email: [clinton.northway@tananachiefs.org](mailto:clinton.northway@tananachiefs.org)

#### U.S. Fish and Wildlife

Kristi Bulock

Phone: 524-2033  
Cell: 360-1006  
Fax: 524-3141  
Email: [kristi\\_bulock@fws.gov](mailto:kristi_bulock@fws.gov)

Brad Reed (Back-up member)

Phone: 786-3985  
Cell: 250-3016  
Fax: 786-3905  
Email: [brad\\_reed@fws.gov](mailto:brad_reed@fws.gov)

#### Bureau of Land Management - Alaska Fire Service

Kato Howard

Phone: 356-5862  
Fax: 356-5517  
Email: [khoward@blm.gov](mailto:khoward@blm.gov)

Christopher Friar (Back-up member)

Phone: 356-5817  
Fax: 356-5517  
Email: [cfriar@blm.gov](mailto:cfriar@blm.gov)

**U.S. Forest Service**

Bobette Rowe

Phone: 907-743-9458

Email: [bsrowe@fs.fed.us](mailto:bsrowe@fs.fed.us)

**National Weather Service**

Aimee Fish

Phone: 575-9165

Email: [aimee.fish@noaa.gov](mailto:aimee.fish@noaa.gov)

## Appendix B

### Contact Points – 2014

#### Agency Contacts for Fire Related Questions:

##### State of Alaska:

Mat-Su District (includes Anchorage) Norm McDonald	Phone: 761-6302 Fax: 761-6319 Email: norman.mcdonald@alaska.gov
Southwest District Seth Ross (AFMO)	Phone: 524-3010 Fax: Email: seth.ross@alaska.gov
Fairbanks Area Ed Sanford	Phone: 451-2636 Fax: 451-2690 Email: Edward.sanford@alaska.gov
Kenai-Kodiak Area Howard Kent	Phone: 260-4220 Fax: 260-4263 Email: howard.kent@alaska.gov
Valdez Copper River Area Mike Trimmer (acting)	Phone: 822-5534 Fax: 822-8600 Email: mike.trimmer@alaska.gov
Tok Area Greg Arkle (acting)	Phone: 883-5134 Fax: 883-5135 Email: greg.arkle@alaska.gov
Delta Area Mike Goyette	Phone: 907)895-4225 Fax: Email: michael.goyette@alaska.gov
Haines Area Roy Josepheson	Phone: 766-2120 Fax: 766-2292 Email: roy.josepheson@alaska.gov
Air Quality (ADEC) Mike Gravier	Phone: 269-7676 Fax: 269-7508 Email: michael.gravier@alaska.gov

##### Bureau of Land Management:

AICC Coordinator Ray Crowe	Phone: 356-5677 Fax: 356-5678 Email: r5crowe@blm.gov
-------------------------------	--

Military/Southern Zone FMO Russell Long	Phone: 356-5875 Fax: 356-5548 Email: rblong@blm.gov
Upper Yukon Zone FMO Jay Wattenbarger	Phone: 356-5558 Fax: Email: jwattenb@blm.gov
Tanana Zone FMO Mike Butteri	Phone: 356-5574 Fax: 356-5556 Email: mbutteri@blm.gov
Galena Zone FMO Doug Downs	Phone: 356-5626/656-1222 Fax: 356-5456/656-1702 Email: ddowns@blm.gov
<b>National Park Service</b>	
AICC Meteorologists Sharon Alden	Phone: 356-5691 Fax: 356-5678 Email: salden@blm.gov
Heidi Strader	Phone: 356-5691 Fax: 356-5678 Email: hstrader@blm.gov
Regional Fire Officer TBA	Phone: Fax: Email:
Western Parks FMO Larry Weddle	Phone: 683-9548 Fax: 683-9624 Email: larry_weddle@nps.gov
Eastern Parks FMO Vacant	Phone: 455-0651 Fax: 455-0601 Email:
<b>U.S. Forest Service:</b>	
Tongass National Forest Tristan Fluharty	Phone: 907-228-6223 Email: tfluharty@fs.fed.us
Chugach National Forest Erick Stahlin	Phone: 907-743-9435 Email: ewstahlin@fs.fed.us
<b>U.S. Fish &amp; Wildlife Service:</b>	
Regional Fire Management Coordinator Doug Alexander	Phone: 786-3497 Fax: 786-3905 Email: doug_alexander@fws.gov
Brad Reed	Phone: 786-3985 Fax: 786-3905



Email: brad\_reed@fws.gov

Koyukuk/Nowitna/Selawik/Innoko NWR  
Ben Pratt  
Phone: 656-1231  
Fax: 656-1708  
Email: benjamin\_pratt@fws.gov

Kenai/Kodiak/Togiak/Yukon Delta NWR  
Kristi Bulock  
Phone: 260-2845  
Fax: 260-4735  
Email: Kristi\_bulock@fws.gov

Yukon Flats/Kanuti/Tetlin/Arctic NWR  
Brian Haugen  
Phone: 455-1833  
Fax: 456-0506  
Email: brian\_haugen@fws.gov

**NOAA National Weather Service:**

NWS Alaska Region Headquarters

Regional Fire Weather Program Manager

Aimee Fish  
Phone: 575-9165  
Email: aimee.fish@noaa.gov

Fairbanks Weather Forecast Office

Focal Point

Ben Bartos  
Phone: 458-3705  
Fax: 458-3703  
Email: benjamin@noaa.gov

Lead Forecaster  
Phone: 458-3708

Meteorologist-in- Charge  
Melissa Kreller  
Phone: 458-3704  
Email: melissa.Kreller@noaa.gov

Incident Meteorologists  
Ben Bartos (T)  
Phone: 458-3705  
Fax: 458-3703  
Email: benjamin.bartos@noaa.gov

Anchorage Weather Forecast Office

Focal Point

Julia Ruthford  
Phone: 266-5115  
Fax: 266-5188  
Email: julia.ruthford@noaa.gov

Forecast Office  
Phone: 266-5115

Meteorologist-in-Charge  
Sam Albanese  
Phone: 266-5120  
Email: sam.albanese@noaa.gov

Incident Meteorologists  
Julia Ruthford  
Phone: 266-5115  
Email: julia.ruthford@noaa.gov

Mike Ottenweller (T)  
Phone: 266-5115  
Email: Michael.ottenweller@noaa.gov

Juneau Weather Forecast Office  
Focal Point

Peter Boyd  
Phone: 790-6824  
Fax: 790-6827  
Email: peter.boyd@noaa.gov

Lead Forecaster

Phone: 790-6824

Meteorologist-in-Charge

Tom Ainsworth  
Phone: 790-6804  
Email: tom.ainsworth@noaa.gov

Incident Meteorologist

Joel Curtis  
Phone: 790-6803  
Email: joel.curtis@noaa.gov

**Fire Weather Indices and WIMS:**

AICC Meteorologists

Sharon Alden

Phone: 356-5691  
Fax: 356-5678  
Email: salden@blm.gov

Heidi Strader

Phone: 356-5691  
Fax: 356-5678  
Email: hstrader@blm.gov

**Appendix C**  
**TENTATIVE PRODUCT AND SERVICE TIMELINE**

*Dates may be appropriately altered based on weather and fire danger*

**March 29 through April 9**

All NWS WFO's: Spin-up operations and training for daily forecast issuance. During this period, forecasts, watches and warnings will be issued if weather and fuel conditions warrant, as requested by Protection and Jurisdictional Agencies .

NWS Alaska Region Headquarters: Ensures NWS Alaska Region Fire Weather Internet Pages are operating and providing current products.

**April 10**

Anchorage WFO: Begin production of daily written forecasts (morning and afternoon) for zones: 101, 111, 121, and 125

AICC: Begin 7-day forecast product as needed and start CFFDRS calculations in AKFF site three days after snow-free.

**April 17**

Anchorage WFO: Begin production of daily written forecasts (morning and afternoon) for zones: 141, 145, 152, 155, and 161

Fairbanks WFO: Begin production of daily written forecasts (morning and afternoon) for zones 221-227.

**Apr 26**

Fairbanks WFO: Begin production of daily written forecasts (morning and afternoon) for zones 212, 214-216, 219 and 220.

Juneau WFO: Begin production of daily written forecasts (morning)

AICC: Begin as needed statewide stand-up/teleconference briefing at the Alaska Interagency Coordination Center.

**May 2**

Fairbanks WFO: Begin production of daily written forecasts (morning and afternoon) for zones 208-210, 217 and 218.

AICC: Begin Monday through Friday stand-up/teleconference briefing at the Alaska Interagency Coordination Center. Weekend briefings will begin when needed.

**August 9**

Juneau WFO: End production daily written forecasts

Anchorage WFO: End production of daily written forecasts for zones: 125, 155, and 161

**August 16**

Anchorage WFO: End production of daily written forecasts for zones: 101, 111, 121, 141, 145, and 152

**August 31**

Fairbanks WFO: End production of daily written forecasts

End of Principal Operating Period

**Beyond August 31:**

Services of NWS and AICC meteorologist provided upon request. During this period, forecasts, watches and warnings will be issued if weather and fuel conditions warrant, as requested Protection and Jurisdictional Agencies.

## Appendix D

### PRODUCT AND SERVICE DAILY SCHEDULE

<u>LOCAL TIME</u>	<u>ITEM</u>
0800	Forecasted Fire Weather Indices available on the AFS website.
0800	Juneau WFO: Morning Fire Weather Forecasts disseminated and published to the Internet. Anchorage WFO: Fire Weather Forecasts disseminated and published to the Internet . Fairbanks WFO: Fire Weather Forecasts for zones 218-227 disseminated and published to Internet.
0830	Fairbanks WFO: Morning Fire Weather Forecast for zones 208-210, 212 and 214-217 disseminated and published to Internet.
0945	Statewide AICC Meteorologist Briefing.
1100	7-day Outlook published on AICC Website.
1200	Podcast of AICC Meteorologist Briefing will be posted to the AICC Website
1500	Fuel Conditions and actual Fire Weather Indices are posted on the AKFF Website. Indices are automatically calculated and posted when the 1400 hr observation for each station is reported.
1500	State manual weather stations transmit their weather observations into NWS Anchorage and Fairbanks Forecast Offices and AICC via Google Documents.
1600	Afternoon Fire Weather Forecast and FDI from Anchorage and Fairbanks disseminated and published to the Internet.
Anytime	Spot forecast as needed. Contact as early as possible.

Appendix E

Tables of Fire Weather Zone Titles and WFO Responsibility

WFO Juneau

Zone Number	Zone Name
017	CAPE FAIRWEATHER TO CAPE SUCKLING COASTAL AREA
018	TAIYA INLET AND KLONDIKE HIGHWAY
019	HAINES BOROUGH AND LYNN CANAL
020	GLACIER BAY
021	EASTERN CHICHAGOF ISLAND
022	SALISBURY SOUND TO CAPE FAIRWEATHER COASTAL AREA
023	CAPE DECISION TO SALISBURY SOUND COASTAL AREA
024	EASTERN BARANOF ISLAND AND SOUTHERN ADMIRALTY ISLAND
025	JUNEAU BOROUGH AND NORTHERN ADMIRALTY ISLAND
026	INNER CHANNELS FROM KUPREANOF ISLAND TO ETOLIN ISLAND
027	DIXON ENTRANCE TO CAPE DECISION COASTAL AREA
028	SOUTHERN INNER CHANNELS
029	MISTY FJORDS

WFO Anchorage

Zone Number	Zone Name
101	ANCHORAGE
111	MATANUSKA VALLEY
121	WESTERN KENAI PENINSULA
125	WESTERN PRINCE WILLIAM SOUND
131	NORTHEAST PRINCE WILLIAM SOUND
135	SOUTHEAST PRINCE WILLIAM SOUND
141	COPPER RIVER BASIN
145	SUSITNA VALLEY
153	MIDDLE KUSKOKWIM VALLEY
155	KUSKOKWIM DELTA
162	GREATER BRISTOL BAY
163	WESTERN ALASKA RANGE
171	KODIAK ISLAND
181	ALASKA PENINSULA
185	EASTERN ALEUTIANS
187	CENTRAL ALEUTIANS
191	WESTERN ALEUTIANS
195	PRIBILOF ISLANDS


WFO Fairbanks

Zone Number	Zone Name
201	WESTERN ARCTIC COAST
202	NORTHERN ARCTIC COAST
203	CENTRAL BEAUFORT SEA COAST
204	EASTERN BEAUFORT SEA COAST
205	NORTHWESTERN BROOKS RANGE
206	NORTHEASTERN BROOKS RANGE
207	CHUKCHI SEA COAST
208	LOWER KOBUK AND NOATAK VALLEYS
209	BALDWIN PENINSULA AND SELAWIK VALLEY
210	NORTHERN AND INTERIOR SEWARD PENINSULA
211	SOUTHERN SEWARD PENINSULA COAST
212	EASTERN NORTON SOUND AND NULATO HILLS
213	ST LAWRENCE ISLAND AND BERING STRAIT COAST
214	YUKON DELTA
215	LOWER YUKON VALLEY
216	LOWER KOYUKUK AND MIDDLE YUKON VALLEYS
217	UPPER KOBUK AND NOATAK VALLEYS
218	SOUTHEASTERN BROOKS RANGE
219	UPPER KOYUKUK VALLEY
220	YUKON FLATS AND SURROUNDING UPLANDS
221	CENTRAL INTERIOR
222	MIDDLE TANANA VALLEY
223	DELTANA AND TANANA FLATS
224	UPPER TANANA VALLEY AND THE FORTY MILE COUNTRY

225	DENALI
226	EASTERN ALASKA RANGE
227	UPPER KUSKOKWIM VALLEY



# NWS Zone Map



## Appendix F

### Amendment Criteria for Red Flag Warnings Fire Weather Watches Fire Weather Forecasts

Update when:

- A. Forecasted wind direction differs from observed wind direction by 90 degrees or greater when the observed sustained wind speed is greater than 10 mph.
- B. Observed sustained wind speed differs from forecasted wind speed by 10 mph or more.
- C. The observed relative humidity ( $RH_{\text{observed}}$ ) is less than 50% and the forecast relative humidity ( $RH_{\text{forecast}}$ ) minus the observed relative humidity is greater than 10%,

$$RH_{\text{observed}} < 50\% \text{ and } RH_{\text{forecast}} - RH_{\text{observed}} > 10\%$$

$$\text{where: } RH_{\text{forecast}} - RH_{\text{observed}} = \text{RH forecast error}$$

- D. No thunderstorms are forecast but thunderstorms develop.
- E. The timing of the Red Flag Warning or Fire Weather Watch valid time changes.
- F. The areal extent or “location” of the Red Flag Warning or Fire Weather Watch changes.
- G. A Red Flag Warning or Fire Weather Watch is issued or cancelled.

## Appendix G

### Briefing Content

Briefings shall provide general statewide fire weather information for all cooperating agencies. Discussion items will include:

Previous Day's:

- Maximum Temperature/Minimum Relative Humidity
- Precipitation
- Significant weather events

Today's, tomorrow's:

- Red Flag Warnings/Fire Weather Watches
- Maximum Temperature/Minimum Relative Humidity
- Precipitation
- Significant weather events

A longer range (7 day) forecast with an emphasis on wet or dry thunderstorm potential and discussion on temperature, humidity, winds and precipitation.

The graphics display will consist of the following charts: (Charts used in the briefings may be flexible and up to the discretion of the AICC meteorologist.)

- Previous 24 hour maximum temperature
- Previous 24 hour minimum relative humidity
- Previous 24 hour precipitation
- Previous 24 hour lightning
- 500 mb
- Most recent satellite imagery

- Today's forecasted maximum temperature
- Today's forecasted minimum RH
- Today's forecasted Wind speed and direction

- Today's forecasted Fire Weather Indices
- 500 mb and surface forecast charts for days 1-3.
- Gridded forecast maps of precipitation and convection potential for days 1-3.
- 500 mb forecast charts for days 4-7.

## **Appendix H**

### **NWS Fire Weather Product Examples**

The following are examples of fire weather products produced by the NWS Alaska Region. Remember that there may be slight variations in products due to each WFO's own procedures and policies. For national fire weather product specifications please see the fire weather section of the NWS Directives, located at <http://www.nws.noaa.gov/directives> under the Fire Weather section (10-4 series).

1. Routine Daily Fire Weather Forecast for One Fire Weather Zone.

FNAK51 PAFC 081446  
FWFAER

FIRE WEATHER PLANNING FORECAST FOR ALASKA  
NATIONAL WEATHER SERVICE ANCHORAGE AK  
645 AM AKDT FRI AUG 8 2015

.DISCUSSION...A COLD UPPER LEVEL LOW WILL REMAIN OVER SOUTH CENTRAL ALASKA THROUGH SATURDAY. SHOWERS AND ISOLATED WET THUNDERSTORMS ARE POSSIBLE DUE TO THE INSTABILITY THIS LOW BRINGS.

AKZ101-090200-  
ANCHORAGE-  
INCLUDING...ANCHORAGE...EAGLE RIVER...INDIAN...EKLUTNA  
645 AM AKDT FRI AUG 8 2008

.ABOVE 1500 FT...

	TODAY	TONIGHT	SAT
CLOUD COVER	MCLDY	MCLDY	MCLDY
PRECIP TYPE	TSTMS	TSTMS	SHOWERS
CHANCE PRECIP	40	40	40
TEMP (24H TREND)	51-58 (-4)	44 (-2)	50-56
RH % (24H TREND)	50-65 (+1)	90 (+5)	63-72
20FTWND(MPH)	LGT/VAR	LGT/VAR	SW 6-6
CWR	20	20	20
LAL	2	2	1

REMARKS...ISOLATED WET THUNDERSTORMS POSSIBLE IN THE LATE AFTERNOON AND EARLY EVENING. WINDS GUSTING TO 30 MPH NEAR STORMS.

.BELOW 1500 FT...

	TODAY	TONIGHT	SAT
CLOUD COVER	PCLDY	MCLDY	MCLDY
PRECIP TYPE	TSTMS	TSTMS	SHOWERS
CHANCE PRECIP	20	40	40
TEMP (24H TREND)	65 (-1)	46 (-2)	63
RH % (24H TREND)	45-55 (+1)	93 (0)	52-64
20FTWND(MPH)	LGT/VAR	LGT/VAR	SW 6-7
CWR	10	20	10
LAL	2	2	1

REMARKS...ISOLATED WET THUNDERSTORMS POSSIBLE IN THE LATE AFTERNOON AND EARLY EVENING. WINDS GUSTING TO 30 MPH NEAR STORMS.

.FORECAST FOR DAYS 3 THROUGH 5...

.SUNDAY...MOSTLY CLOUDY. SCATTERED SHOWERS. LOWS IN THE MID 40S. HIGHS IN THE UPPER 50S. SOUTH WINDS AROUND 5 MPH.  
.MONDAY...MOSTLY CLOUDY. LOWS IN THE MID 40S. HIGHS IN THE UPPER 50S. SOUTHWEST WINDS AROUND 5 MPH.  
.TUESDAY...MOSTLY CLOUDY. CHANCE OF RAIN. LOWS IN THE UPPER 40S. HIGHS IN THE UPPER 50S. SOUTHEAST WINDS AROUND 5 MPH.

\$\$

## 2. Red Flag Warning

WWAK63 PAFG 191545  
RFWAFG

URGENT - FIRE WEATHER MESSAGE  
NATIONAL WEATHER SERVICE FAIRBANKS AK  
745 AM AKDT SUN JUN 19 2016

AKZ226-200345-  
/O.CON.PAFG.FW.W.0003.000000T0000Z-160620T0600Z/  
EASTERN ALASKA RANGE-  
745 AM AKDT SUN JUN 19 2016

...RED FLAG WARNING REMAINS IN EFFECT UNTIL 10 PM AKDT THIS  
EVENING FOR HOT DRY AND WINDY WEATHER FOR EASTERN ALASKA RANGE...

- \* AFFECTED AREA...IN ALASKA RANGE PASSES.
- \* TIMING...THROUGH THIS EVENING.
- \* WINDS...SOUTH 30 TO 40 MPH WITH GUSTS UP TO 60 MPH.
- \* HUMIDITY...AS LOW AS 23 PERCENT.
- \* IMPACTS...RAPID IGNITION...GROWTH AND SPREAD OF FIRES WILL BE  
POSSIBLE.

PRECAUTIONARY/PREPAREDNESS ACTIONS...

A RED FLAG WARNING MEANS THAT CONDITIONS ARE OCCURRING OR WILL  
OCCUR WHICH COULD LEAD TO THE DEVELOPMENT OF LARGE AND DANGEROUS  
FIRES. IT IS DIRECTED TOWARD FIRE AGENCIES...AND THROUGH THEM...  
TO THE PUBLIC.

PLEASE ADVISE THE APPROPRIATE OFFICIALS OR FIRE CREWS IN THE  
FIELD OF THIS RED FLAG WARNING.

&&

\$\$

### 3. Fire Weather Watch

WWAK61 PAFC 161425  
RFAER

URGENT - FIRE WEATHER MESSAGE  
NATIONAL WEATHER SERVICE ANCHORAGE AK  
625 AM AKDT THU JUN 16 2016

AKZ141-170630-  
/O.CON.PAFC.FW.A.0004.160617T2000Z-160618T0600Z/  
625 AM AKDT THU JUN 16 2016

...FIRE WEATHER WATCH REMAINS IN EFFECT FROM FRIDAY AFTERNOON  
THROUGH FRIDAY EVENING FOR HOT DRY AND WINDY WEATHER FOR THE  
COPPER RIVER BASIN...

- \* LOCATION...COPPER RIVER BASIN.
- \* WINDS...SOUTH 10 TO 20 MPH. GUSTS TO 30 MPH ARE POSSIBLE.
- \* RELATIVE HUMIDITY...18 TO 25 PERCENT.
- \* TEMPERATURES...MID 70S TO LOWER 80S.
- \* TIMING...FRIDAY AFTERNOON EXTENDING WELL INTO FRIDAY EVENING.
- \* IMPACTS...RAPID IGNITION...GROWTH AND SPREAD OF FIRES WILL BE POSSIBLE.

PRECAUTIONARY/PREPAREDNESS ACTIONS...

A FIRE WEATHER WATCH MEANS THAT CRITICAL FIRE WEATHER CONDITIONS  
ARE FORECAST TO OCCUR. IT IS DIRECTED TOWARD FIRE AGENCIES...AND  
THROUGH THEM TO THE PUBLIC.

&&

\$\$

#### 4. Spot Forecast Request for Wildfire/Managed Ignited Fires\*

FNAK71 PAFC 280218  
FWSAER

SPOT FORECAST FOR EMERALD...KKAO  
NATIONAL WEATHER SERVICE ANCHORAGE AK  
618 PM ADT TUE MAY 27 2015

FORECAST IS BASED ON REQUEST TIME OF 1754 ADT ON MAY 27.  
IF CONDITIONS BECOME UNREPRESENTATIVE...CONTACT THE NATIONAL WEATHER  
SERVICE.

.DISCUSSION...  
HIGH PRESSURE OVER WESTERN ALASKA WILL KEEP THE KENAI PENINSULA UNDER  
A DRY NORTHERN FLOW FOR THE NEXT FEW DAYS. WEST WINDS NEAR THE COAST WILL  
INCREASE TO 10 TO 15 MPH DURING THE LATE AFTERNOON AND EVENING HOURS.

.TONIGHT...

SKY/WEATHER.....MOSTLY CLEAR.  
MIN TEMPERATURE.....AROUND 38.  
MAX HUMIDITY.....75 PERCENT.  
WIND (20 FT).....WEST WIND 5 TO 15 MPH BECOMING LIGHT BY MIDNIGHT.  
CWR.....0 PERCENT.  
LAL.....1.

.WEDNESDAY...

SKY/WEATHER.....MOSTLY SUNNY.  
MAX TEMPERATURE.....AROUND 61.  
MIN HUMIDITY.....30 PERCENT.  
WIND (20 FT).....LIGHT WINDS BECOMING WEST 5 TO 15 MPH IN THE AFTERNOON.  
CWR.....0 PERCENT.  
LAL.....1.

\$\$  
FORECASTER...MURAKAMI  
REQUESTED BY...CAROL PRIOR  
TYPE OF REQUEST...WILDFIRE  
.TAG 20080527.EMERA.01/AER

*\*Note: Incidents should use the Alaska Region NWS Spot website to request spot forecasts for wildland fires or for managed ignited fires planned within 24 hours. Incidents are encouraged to contact the appropriate NWS Weather Forecast Office*



## Appendix I

### Weather Data Collection Sites in Alaska

Station metadata is available from the following AKFF website:

<http://akff.mesowest.org/tabular/metadata/>

<u>FULL NAME</u>	<u>TYPE*</u>	<u>WIMS ID</u>	<u>LAT</u>	<u>LON</u>	<u>ELEV</u>	<u>ZONE**</u>	<u>WXZONE</u>
SKAGWAY	MAN	-----	59.46	-135.3	44	HNS	AKZ018
HAINES	MAN	-----	59.24389	-135.5169	15	HNS	AKZ019
HOONAH	RAWS	501013	57.81333	-135.1356	450	TNF	AKZ021
SITKA	MAN	-----	57.05	-135.3667	26	TNF	AKZ023
JUNEAU	MAN	501005	58.355	-134.5764	19	TNF	AKZ025
KAKE	RAWS	501026	56.98278	-133.6608	400	TNF	AKZ026
ZAREMBO	RAWS	501028	56.305	-132.8472	900	TNF	AKZ026
HAIDA	RAWS	501044	55.32195	-132.6778	671	TNF	AKZ027
KETCHIKAN	MAN	501007	55.35556	-131.7136	88	TNF	AKZ028
SHELTER COVE	RAWS	501042	55.52528	-131.3558	492	TNF	AKZ028
THORNE RIVER	RAWS	501040	55.74556	-132.7625	600	TNF	AKZ028
ANCHORAGE	MAN	500961	61.17445	-149.99609	114	MMS	AKZ101
CAMPBELL CREEK	RAWS	500972	61.1525	-149.7964	157	MMS	AKZ101
EAGLE RIVER	RAWS	500970	61.27111	-149.3558	372	MMS	AKZ101
GIRDWOOD	RAWS	500969	60.98278	-149.11861	175	MMS	AKZ101
GRAZELKA RANGE	RAWS	500968	61.28806	-149.62691	453	MID	AKZ101
JBER	RAWS	500974	61.38192	-149.65014	262	MID	AKZ101
RABBIT CREEK	RAWS	500942	61.08472	-149.72861	1480	MMS	AKZ101
BIG LAKE	RAWS	500939	61.52528	-149.91499	100	MMS	AKZ111
PALMER	MAN	500952	61.59389	-149.09109	232	MMS	AKZ111

PT MAC	RAWS	500973	61.42361	-150.0847	200	MMS	AKZ111
HOMER	RAWS	500965	59.74556	-151.20329	78	KKS	AKZ121
HOMER MAN (East End)	MAN	500951	59.645	-151.4781	854	KKS	AKZ121
KENAI	MAN	500941	60.57139	-151.2478	92	KKS	AKZ121
KENAI NWR	RAWS	500963	60.59306	-150.3219	400	CGF	AKZ121
NINILCHIK	RAWS	500962	60.03389	-151.6608	130	KKS	AKZ121
SKILAK GUARD STATION	RAWS	500967	60.49139	-150.4575	590	KKS	AKZ121
SOLDOTNA	MAN	500929	60.475	-151.1667	150	KKS	AKZ121
SOLDOTNA AKKKS	RAWS	500	60.49658	-151.01407	155	KKS	AKZ121
SWANSON RIVER	RAWS	500924	60.72861	-150.8811	280	KKS	AKZ121
BROADVIEW	RAWS	500902	60.49139	-149.7794	625	CGF	AKZ125
GRANITE	RAWS	500964	60.72861	-149.2881	512	CGF	AKZ125
KENAI LAKE	RAWS	500908	60.37278	-149.40669	475	CGF	AKZ125
CHISTOCHINA	RAWS	500949	62.55917	-144.6608	2300	CRS	AKZ141
CHITNA	RAWS	500945	61.52528	-144.4406	581	CRS	AKZ141
GULKANA	MAN	500905	62.15472	-145.4567	1579	CRS	AKZ141
KENNY LAKE	MAN	500925	61.73333	-145	1280	CRS	AKZ141
KLAWASI	RAWS	500958	62.13556	-144.9319	3100	CRS	AKZ141
MAY CREEK	RAWS	500957	61.33889	-142.593	1600	CRS	AKZ141
PAXSON	RAWS	500931	62.94889	-145.5083	2670	CRS	AKZ141
RENEE	RAWS	-----	62.71167	-146.62691	3050	CRS	AKZ141
SLANA	MAN	500954	62.71667	-143.9667	2190	CRS	AKZ141
TAZLINA LODGE	MAN	500955	62.05	-146.5333	2160	CRS	AKZ141
TAZLINA VILLAGE	MAN	500947	62.04167	-145.4333	1225	CRS	AKZ141
BENTALIT	RAWS	500966	61.94889	-150.99969	150	MMS	AKZ145
TALKEETNA	MAN	500915	62.32167	-150.0939	358	MID	AKZ145
WILLOW	RAWS	500971	61.7625	-150.0508	210	MMS	AKZ145
ANIAK	MAN	500601	61.58167	-159.54311	88	SWS	AKZ152
STONEY	RAWS	500956	61	-153.8981	1250	SWS	AKZ152
STONEY RIVER	RAWS	500621	61.64389	-156.4406	265	SWS	AKZ152

BETHEL	MAN	500501	60.77972	-161.8381	123	SWS	AKZ155
DILLINGHAM	MAN	500809	59.04556	-158.5033	86	SWS	AKZ161
ILIAMNA	MAN	500805	59.75278	-154.91721	207	SWS	AKZ161
KILBUCK	RAWS	500735	60.32195	-160.20329	1910	SWS	AKZ161
PORT ALSWORTH	RAWS	500810	60.18639	-154.3219	321	SWS	AKZ161
BOOTH LAKE	RAWS	500811	57.27111	-154.5592	171	KKS	AKZ171
CAPE KIAVAK	RAWS	-----	56.99972	-153.54221	100	KKS	AKZ171
KODIAK	MAN	500959	57.75	-152.4939	73	KKS	AKZ171
BARROW	MAN	500103	71.28555	-156.7661	44	GAD	AKZ202
UMIAT AIRFIELD	RAWS	500104	69.37278	-152.1356	289	TAD	AKZ206
KELLY	RAWS	500934	67.93195	-162.2881	382	GAD	AKZ208
KIANA	RAWS	500206	66.98278	-160.4406	150	GAD	AKZ208
KOTZEBUE	MAN	500212	66.88445	-162.5989	11	GAD	AKZ209
BUCKLAND UPLANDS	RAWS	500218	65.90803	-160.87428	400	GAD	AKZ210
HAYCOCK	RAWS	500214	65.20333	-161.1525	177	GAD	AKZ210
HOODOO HILL	RAWS	500730	65.59306	-163.40669	1495	GAD	AKZ210
QUARTZ CREEK	RAWS	500215	65.40667	-164.6608	427	GAD	AKZ210
NOME	MAN	500211	64.51222	-165.4453	37	GAD	AKZ211
SHAKTOOLIK RVR	RAWS	500220	64.63268	-159.90213	1850	GAD	AKZ212
UNALAKLEET	MAN	500203	63.88806	-160.7986	21	GAD	AKZ212
REINDEER RIVER	RAWS	500505	61.71167	-162.6608	140	GAD	AKZ214
INNOKO FLATS	RAWS	500615	63.38972	-158.83031	930	GAD	AKZ215
BOX RIVER	RAWS	500219	65.299	-158.90522	1150	GAD	AKZ216
COTTONWOOD	RAWS	500733	65.33889	-155.9489	1310	GAD	AKZ216
GALENA AWOS	MAN	500302	64.73611	-156.9372	152	GAD	AKZ216
HOGATZA RIVER	RAWS	500309	66.22028	-155.6778	685	GAD	AKZ216
KAIYUH	RAWS	500322	64.42361	-158.1017	110	GAD	AKZ216
KOYUKUK NWR	RAWS	500319	66	-157.5761	100	GAD	AKZ216
POORMAN	RAWS	500618	64.10167	-155.5592	935	TAD	AKZ216
TAG MTN	RAWS	500216	66.1808	-158.66	2017	GAD	AKZ216
AMBLER	MAN	500205	67.10611	-157.8536	289	GAD	AKZ217

KAVET CREEK	RAWS	500217	67.13556	-159.03391	235	GAD	AKZ217
NOATAK	RAWS	500102	68.06778	-158.7117	985	GAD	AKZ217
SELAWIK	RAWS	500734	66.61	-159.1017	105	GAD	AKZ217
HELMUT MTN.	RAWS	500731	67.74555	-144.11861	2800	UYD	AKZ218
BETTLES	MAN	500301	66.91528	-151.528	643	TAD	AKZ219
KANUTI NWR	RAWS	500321	66.08472	-152.1694	825	TAD	AKZ219
NORUTAK LAKE	RAWS	500317	66.84722	-154.3389	800	TAD	AKZ219
BEAVER (WBQ)	RAWS	500418	66.27111	-146.5253	483	UYD	AKZ220
BIRCH CREEK	RAWS	500423	65.59306	-144.3558	850	UYD	AKZ220
CHALKYITSIK	RAWS	500421	66.59306	-144.3389	450	UYD	AKZ220
FORT YUKON	MAN	500404	66.57139	-145.2505	433	UYD	AKZ220
FT. YUKON	RAWS	500426	66.57611	-145.2542	465	UYD	AKZ220
GRAPHITE LAKE	RAWS	500416	67.03389	-143.2881	850	UYD	AKZ220
HODZANA	RAWS	500417	66.74555	-148.6778	1075	UYD	AKZ220
LITTLE BLACK	RAWS	500424	66.08472	-143.3728	1300	UYD	AKZ220
LOST CREEK	RAWS	500425	66.03389	-147.9828	700	UYD	AKZ220
PREACHER CREEK	RAWS	500738	65.93195	-145.01691	1038	UYD	AKZ220
SALMON TROUT	RAWS	500412	66.81333	-141.62691	2210	UYD	AKZ220
SEVEN MILE	RAWS	500405	65.94889	-149.8642	823	TAD	AKZ220
VUNZIK LAKE	RAWS	500420	66.79639	-146.7117	525	UYD	AKZ220
CHATANIKA	RAWS	500721	65.01694	-148.593	1450	FAS	AKZ221
LAKE MINCHUMINA	RAWS	500623	63.89806	-152.30499	740	TAD	AKZ221
LIVENGOOD	RAWS	500745	65.42361	-148.72861	450	TAD	AKZ221
MCKINLEY RIVER	RAWS	500724	63.64389	-151.64391	863	TAD	AKZ221
ROUND LAKE	RAWS	500736	64.69473	-153.9489	570	TAD	AKZ221
TANANA	MAN	500305	65.17444	-152.1095	227	TAD	AKZ221
WEIN LAKE	RAWS	500715	64.305	-151.0847	1050	TAD	AKZ221
ANGEL CREEK	RAWS	500742	65.01694	-146.22031	1100	FAS	AKZ222
CARIBOU PEAK	RAWS	500740	65.18639	-147.5083	2517	FAS	AKZ222
FAIRBANKS	RAWS	500741	64.84722	-147.61	454	FAS	AKZ222
FAIRBANKS AIRPORT	MAN	500702	64.81583	-147.85809	434	FAS	AKZ222

MANCHU	RAWS	500753	64.71167	-147.01691	671	NRS	AKZ222
NENANA ASOS	MAN	500703	64.5475	-148.92641	362	FAS	AKZ222
SALCHA	RAWS	500744	64.59306	-146.1356	1000	FAS	AKZ222
SMALL ARMS RANGE	RAWS	500754	64.81333	-147.62691	490	MID	AKZ222
STUART CREEK	RAWS	500756	64.72861	-146.5083	1543	MID	AKZ222
BLAIR LAKES	RAWS	500758	64.38972	-147.6947	790	MID	AKZ223
FORT GREELY	MAN	500701	63.99472	-145.72031	1277	MID	AKZ223
GEORGE CREEK RAWS	RAWS	500748	63.84722	-144.3558	1525	DAS	AKZ223
GOLD KING	RAWS	500746	64.18639	-147.9319	1700	FAS	AKZ223
JARVIS CREEK	RAWS	500759	63.94889	-145.62691	1426	MID	AKZ223
OKLAHOMA	RAWS	500755	64.01694	-146.2542	1587	MID	AKZ223
ALCAN HWY MI-1244	RAWS	500726	62.83028	-141.4744	1800	TAS	AKZ224
BEN CREEK	RAWS	500414	65.28806	-143.0508	1850	UYD	AKZ224
CHICKEN	RAWS	500747	64.05083	-141.9319	2860	UYD	AKZ224
EAGLE	RAWS	500725	64.77944	-141.1525	880	UYD	AKZ224
GOODPASTURE	RAWS	500743	64.23722	-145.2711	1520	FAS	AKZ224
JATAHMUND LAKE	RAWS	500936	62.61	-142.0847	2300	TAS	AKZ224
NORTHWAY	MAN	500704	62.96139	-141.9292	1716	TAS	AKZ224
T LAKE	RAWS	500723	63.7625	-143.83031	2073	TAS	AKZ224
TOK	MAN	500720	63.32833	-142.9944	1637	TAS	AKZ224
TOK AKTAS	RAWS	500750	63.32528	-143.00167	1702	TAS	AKZ224
DENALI VISITOR CENTER	RAWS	500626	63.72861	-148.91499	1800	TAD	AKZ225
HEALY	MAN	500727	63.88334	-149.01669	1480	FAS	AKZ225
WONDER LAKE	RAWS	500710	63.49139	-150.8811	2120	TAD	AKZ225
BOLIO	RAWS	500751	63.88111	-145.8811	1631	MID	AKZ226
CHISANA	RAWS	500933	62.06778	-142.0508	3284	CRS	AKZ226
DONNELLY	RAWS	500752	63.84722	-145.72861	1360	MID	AKZ226
DRY CREEK	MAN	500737	63.66667	-144.53329	1200	TAS	AKZ226
TOK RIVER VALLEY	RAWS	500749	62.96583	-143.3389	2300	TAS	AKZ226
FAREWELL	RAWS	500624	62.72861	-154.06779	775	SWS	AKZ227

FLAT	RAWS	500625	62.83028	-156.61	1480	SWS	AKZ227
MCGRATH	MAN	500606	62.95278	-155.6058	337	SWS	AKZ227
TELIDA	RAWS	500620	63.44056	-153.3558	650	SWS	AKZ227

\*RAWS are Remote Automated Weather Stations, owned by the Jurisdictional or Fire Protection Agencies. Communications are through a GOES satellite. MAN are a combination of aviation observation (usually automated and owned by NWS or FAA) and manual observations taken by Alaska State Forestry. Communications are through an FTP site with the NWS or by FAX from Alaska State Forestry.

\*\*Fire Management Zones (ZONE)

CGF	USFS	Chugach National Forest	MMS	AK Forestry	Anchorage/Mat-Su
DAS	AK Forestry	Delta Area	SWS	AK Forestry	Southwest Area
FAS	AK Forestry	Fairbanks Area	TAS	AK Forestry	Tok Area
GAD	AFS	Galena Zone	TAD	AFS	Tanana Zone
HNS	AK Forestry	Haines Area	TNF	USFS	Tongass National Forest
KKS	AK Forestry	Kenai-Kodiak Area	UYD	AFS Upper	Upper Yukon Zone
MID	AFS	Military Zone	CRS	AK Forestry	Copper River Area

## Appendix J

### Preparedness Level Description

Levels of preparedness will be determined daily throughout the Alaska fire season in the Coastal Region. Criteria used to determine daily level of preparedness include:

1. The current and forecasted weather.
2. Wildland fire activity statewide.
3. Resources committed, demand for resources, and predicted demand. Types include:
  - a. Tactical resources include smokejumpers, air tankers, air attack, and lead planes.
  - b. Non-tactical resources include helicopters, engines, overhead, and crews.
  - c. Critical resources include radio systems, equipment and supply.
4. Historical high-risk periods.
5. All risk incident support.
6. Planned and ongoing prescribed fire operations.

These levels are based on the existing wildland fire activity, probability of new wildland fire starts, burning conditions, prescribed fire activities and the commitment of resources. The Coastal Regional Fire Management Officer will be responsible for daily monitoring of preparedness criteria in each of the Coastal Region Areas to determine the appropriate level of preparedness for the Region.

#### PREPAREDNESS LEVELS

- I. Preparedness Level I - No significant fire activity, most units having low to moderate probability of ignition and low burning condition in all fuel types. Resistance to extinguishment by initial attack forces is low.
- II. Preparedness level II - Multiple units experiencing fire starts or one unit experiencing multiple starts. Probability of ignition is low to moderate and burning conditions generally low to moderate in all fuel types. Resistance to extinguishment by initial attack forces is low to moderate. Minimal mobilization of local unit resources with no shortages of tactical resources.
- III. Preparedness level III - Multiple units experiencing fire starts and/or one (1) project fire. Probability of ignition is high, burning conditions of moderate to high in all fuel types. Resistance to control is moderate to high; resistance to extinguishment is moderate. Up to 50% of non-tactical resources being mobilized, up to 75% of tactical resources committed to new ignitions. Existing weather pattern supporting fire activity is forecasted to remain for the next 48 hours.
- IV. Preparedness level IV - Multiple units experiencing fire starts and/or two (2) project fires. Probability of ignition is high and burning conditions of high to extreme in all fuel types. Resistance to control is high to extreme and resistance to extinguishment is high. Over 50% of non-tactical resources are committed, over 75% of tactical resources are committed to new ignitions. Existing weather pattern supporting fire activity is forecasted to remain for the next 3 to 5 days.
- V. Preparedness level V - Multiple units experiencing fire starts and/or three (3) or more project fires. Probability of ignition is high and burning conditions of extreme in all fuel types. Resistance to control is high to extreme and resistance to extinguishment is high. Over 75% of non-tactical resources are committed, over 75% of tactical resources are committed to new ignitions. Existing weather pattern supporting fire activity is forecasted to remain for the next 3 to 5 days.

## **Appendix K**

Interagency Agreement is attached in a separate PDF file.