

NATIONAL WEATHER SERVICE INSTRUCTION 10-312

MAY 17, 2020

Operations and Services

Marine, Tropical, and Tsunami Services, NWSPD 10-3

GREAT LAKES MARINE SERVICES

NOTICE: This publication is available at: <http://www.nws.noaa.gov/directives/>.

OPR: AFS26 (W. Weeks)

Certified by: AFS26 (A. Allen)

Type of Issuance: Routine

SUMMARY OF REVISIONS: This directive supersedes NWSI 10-312, *Great Lakes Marine Services*, dated March 22, 2017. This directive includes the following changes:

1. Examples changed from all capital letters to mixed case.
2. Removed previous section 7. Great Lakes Weather Broadcasts (LAWEB), which are no longer issued, and the corresponding Example 3 in APPENDIX B.

STERN.AND Digitally signed by
STERN.ANDREW.D.

REW.D.138 1382920348

2920348 Date: 2020.05.03
20:03:18 -04'00'

05/03/2020

Andrew D. Stern

Date

Director, Analyze, Forecast,
and Support Office

GREAT LAKES MARINE SERVICES

Table of Contents

1 Introduction 4

2 Open Lake Forecast (product category GLF) 4

2.1 Mission Connection 4

2.2 Issuance Guidelines 4

2.2.1 Creation Software 4

2.2.2 Issuance Criteria 4

2.2.3 Issuance Time 4

2.2.4 Valid Time 5

2.2.5 Product Expiration Time 5

2.2.6 Universal Geographic Code (UGC) 5

2.3 Technical Description 5

2.3.1 Mass News Disseminator (MND) Broadcast Line 5

2.3.2 MND Header 5

2.3.3 Synopsis 5

2.3.4 Headlines 6

2.3.5 1-3 Day Forecast Periods 7

2.3.6 4-5 Day Forecast Periods 7

2.3.7 GLF - Forecast Parameters 8

2.3.8 Coordination and Collaboration 9

2.4 Format 9

2.4.1 GLF - Unscheduled Forecasts 10

2.5 Updates, Amendments, and Corrections 10

Coded Marine Forecast (MAFOR; appended to product category GLF) 103

3.1 Mission Connection 10

3.2 Issuance Guidelines 11

3.2.1 Creation Software 11

3.2.2 Issuance Criteria 11

3.2.3 Issuance Time 11

3.2.4 Valid Time 11

3.2.5 Product Expiration Time 11

3.3 Technical Description 11

3.3.1 MND Broadcast Line 11

3.3.2 MND Header 11

3.3.3 Content 11

3.3.4 GLF MAFOR - Forecast Parameters 11

3.4 Format 12

3.4.1 MAFOR - Unscheduled Forecasts 12

3.4.2 Updates, Amendments and Corrections 13

Nearshore Marine Forecast (product category NSH) 134

4.1 Mission Connection 13

4.2 Issuance Guidelines 13

4.2.1 Creation Software 13

4.2.2 Issuance Criteria 13

4.2.3 Issuance Time 13

4.2.4 Valid Time 14

4.2.5 Product Expiration Time 14

4.2.6 UGC 14

4.3 Technical Description 15

4.3.1 MND Broadcast Line 15

4.3.2	<u>MND Header</u>	15
4.3.3	<u>Content</u>	15
4.3.4	<u>Synopsis (optional)</u>	15
4.3.5	<u>Headlines</u>	15
4.3.6	<u>Forecast Periods</u>	17
4.3.7	<u>NSH - Forecast Parameters</u>	17
4.3.8	<u>Coordination and Collaboration</u>	18
4.4	<u>Format</u>	18
4.4.1	<u>NSH – Unscheduled Forecasts</u>	19
4.5	<u>Updates, Amendments and Corrections</u>	19
5	<u>Watch County Notification (WCN)</u>	20
6	<u>Hazardous Weather Outlook (HWO)</u>	20
7	<u>Centralized Dissemination Systems</u>	20
	<u>APPENDIX A - NWS MAFOR Code for the Great Lakes</u>	A-1
	<u>APPENDIX B - Examples of Great Lakes Marine Products</u>	B-1

1 Introduction

This procedural instruction provides product specifications for the main alphanumeric Great Lakes weather products issued by the National Weather Service (NWS) Weather Forecast Offices (WFOs).

2 Open Lake Forecast (product category GLF)

2.1 Mission Connection

The Open Lake Forecast (GLF) is a text product issued by five primary Great Lake WFOs to state expected weather conditions within their marine forecast area of responsibility through Day 5. The primary offices responsible for issuing the GLF are: WFOs Marquette, MI (MQT); Detroit, MI (DTX); Milwaukee/Sullivan, WI (MKX); Cleveland, OH (CLE); and Buffalo, NY (BUF). The GLF is used by a variety of marine users and partners, and is primarily used as a tool for planning purposes to support and promote safe transportation across the Great Lakes.

2.2 Issuance Guidelines

Forecasters should ensure the values included within the GLF are consistent with the values from the associated gridded forecast elements.

2.2.1 Creation Software

WFOs will produce the GLF using the Advanced Weather Interactive Processing System (AWIPS) software formatters. The Graphical Forecast Editor (GFE) and the Graphical Hazards Generation (GHG) application formatting tools should be used for generation of product content including headlines.

2.2.2 Issuance Criteria

The GLF will be issued four times a day with updates as necessary.

2.2.3 Issuance Time

The GLF is a routinely-scheduled product. Forecasters should make the GLF available to users no earlier than 1 hour before this scheduled issuance time. The issuance time is expressed in Coordinated Universal Time (UTC), while the mass media header is expressed in local time. WFOs should issue GLFs based on the following:

<u>Time Period</u>	<u>Scheduled Issuance Times (UTC)</u>			
Standard Time	0300	0900	1500	2100
Daylight Savings	0200	0800	1400	2000

In the GLF, include forecast periods as shown below. Forecast periods beyond the current day will be described by the day of the week. For example, a forecast issued Sunday evening will include: TONIGHT, MONDAY, MONDAY NIGHT, TUESDAY, TUESDAY NIGHT, WEDNESDAY, THURSDAY, and FRIDAY.

The 0900 / 0800 and 1500 / 1400 scheduled issuance times (UTC) will cover:

Today / This Afternoon (or equivalent)	(Issuance time to 6PM)	1st Period
Tonight	(6PM to 6AM)	2nd Period
(Next Day)	(6AM to 6PM)	3rd Period
(Next Day) Night	(6PM to 6AM)	4th Period
(Day 3)	(6AM to 6AM)	5th Period
(Day 3) Night (Optional)	(6PM to 6AM)	6th Period
(Day 4)	(6AM to 6AM)	Day 4
(Day 5)	(6AM to 6AM)	Day 5

The 2100 / 2000 and 0300 / 0200 scheduled issuance times (UTC) will cover:

Tonight / Rest of Tonight (or equivalent)	(Issuance time to 6AM)	1st Period
(Next Day)	(6AM to 6PM)	2nd Period
(Next Day) Night	(6PM to 6AM)	3rd Period
(Day 2)	(6AM to 6PM)	4th Period
(Day 2) Night	(6PM to 6AM)	5th Period
(Day 3)	(6AM to 6AM)	6th Period
(Day 3) Night (Optional)	(6PM to 6AM)	7th Period
(Day 4)	(6AM to 6AM)	Day 4
(Day 5)	(6AM to 6AM)	Day 5

2.2.4 Valid Time

The GLF product is valid from the time of issuance until the expiration time.

2.2.5 Product Expiration Time

The GLF product expiration time is not more than 8 hours from the initial issuance.

2.2.6 Universal Geographic Code (UGC)

The GLF product will contain marine-based zone UGC codes.

2.3 Technical Description

The GLF product will follow the format and content described in this section.

2.3.1 Mass News Disseminator (MND) Broadcast Line

None.

2.3.2 MND Header

The GLF MND Header is: "OPEN LAKE FORECAST FOR [LAKE SUPERIOR, LAKE MICHIGAN, LAKE HURON, LAKE ERIE, or LAKE ONTARIO]".

2.3.3 Content. The GLF includes all required forecast parameters and forecast periods in each marine zone, and follows the format in section 2.4.

Forecasters should include applicable National Marine Sanctuaries, as noted in NWS Instruction (NWSI) 10-302, *Marine and Coastal Services Area of Responsibility*, in the appropriate GLF.

Forecasters may combine periods if, based on forecaster discretion, the weather elements in each are consistent. In addition, forecasters may subdivide the first period of any GLF to account for rapid weather changes.

WFO DTX forecasters will issue the Lake St. Clair Forecast following the format of the GLF. Exceptions: During the period when Nearshore Forecasts (NSHs) are issued, these forecasts should also include sky conditions and Small Craft Advisories (SCAs) in the Lake St. Clair Forecast.

2.3.3 Synopsis

The synopsis for the GLF should be a concise, understandable description of the significant surface weather features that may cause significant winds and waves over the forecast area during the forecast period. At a minimum, it should identify the strength, trend and movement of each major weather system affecting the area. References to high pressure and low pressure should include a central pressure measurement in inches, to the nearest tenth. The synopsis is broadcast over the marine radio; therefore, it should contain complete and grammatically correct sentences. All synopses will be meteorologically consistent with other products issued by the WFO.

2.3.4 Headlines

Use headlines to describe hazard events likely to have a significant impact on mariners or marine operations. Marine warnings and advisories are only mandated in the first 12-hour forecast period. In most situations, to reduce multiple headlines, the forecaster can leave off the hazards after the upgrade and headline the most severe hazard only. However forecasters should use multiple headlines for events at the same significance level but different discrete criteria (e.g., Gale Warning and Heavy Freezing Spray Warning).

Refer to NWSI 10-303, *Marine and Coastal Services Standards and Guidelines*, for definitions of Gale, Storm, Hurricane Force Wind, or Heavy Freezing Spray Warnings and Watches, and all advisories that may be included within the GLF.

- a. Watch and Warning Headlines. In the GLF, the following headlines for watches and warnings will be included if appropriate criteria are occurring or forecast to occur:

- Hurricane Force Wind Warning
- Storm Warning
- Gale Warning
- Heavy Freezing Spray Warning
- Tornado Watch
- Severe Thunderstorm Watch
- Gale Watch
- Storm Watch
- Hurricane Force Wind Watch

Heavy Freezing Spray Watch

Gale Warnings / Storm Warnings / Hurricane Force Wind Warnings / Heavy Freezing Spray Warnings. WFOs with marine responsibility for the Great Lakes will issue warnings when criteria are met for the first period, and may issue warnings for the second and/or third period when forecaster confidence is high. Warnings that begin in the first, second or third period may extend beyond the third period.

In situations where sustained winds are below advisory/warning thresholds but wind gusts above these thresholds, forecasters should use their own discretion in issuing advisories or warnings as appropriate. Winds will be considered gusty when gusts are regularly observed over a time period of more than two hours.

Gale Watches / Storm Watches / Hurricane Force Wind Watches / Heavy Freezing Spray Watches. WFOs should issue Watches for the second, third, or occasionally fourth periods, when there is a 50 percent or greater chance of a hazardous marine weather event meeting or exceeding warning criteria.

- b. Advisory Headlines. Headlines for advisories within the GLF may be included when conditions over the Open Lakes are occurring or forecast where vessels will be impacted by ashfall or low water, or *reduced visibilities of 1 nautical mile (nm) or less in dense fog and dense smoke.*

Great Lakes WFOs may issue advisories when criteria are met for the first period, and may issue advisories for the second period and third periods when forecaster confidence is high. Advisories beginning in the first, second, or third period may extend beyond the third period.

The following advisories may be issued within the GLF when sufficient observational data is available:

Dense Fog Advisory
 Dense Smoke Advisory
 Ashfall Advisory
 Low Water Advisory

2.3.5 1-3 Day Forecast Periods

Except as noted below, include forecasts of wind and waves in each discrete forecast period in the GLF. Forecasters should also include forecasts of other weather significantly impacting the marine zone(s) (e.g., ice accretion, precipitation, low visibility, etc.). Emphasize the most critical conditions.

2.3.6 4-5 Day Forecast Periods

Include wind and wave conditions in each 24 hour period. Forecasters should also include forecasts of other weather significantly impacting the marine zone(s) (e.g., ice accretion, precipitation, low visibility, etc.). Emphasize the most critical conditions.

2.3.7 GLF - Forecast Parameters

- a. Winds. Winds represent predominant conditions 10 meters above mean lake level. Give wind direction to eight points of the compass. Avoid such phrases as “N TO NE WINDS”. Forecasters may indicate changes with terms such as “BECOMING”, or by dividing the forecast area into segments. Forecasters should round speeds to the nearest 5 knots (KT) in forecasting wind speeds and ranges in wind speeds. The terms “BECOMING”, “INCREASING”, AND “DIMINISHING” may be used when appropriate, but not “DECREASING.”
- b. Waves. The forecast wave heights should represent the significant wave height in the forecast area. Forecasters may either use one value or a small range in values.

Do not use terms such as “rough” and “moderate”, or open ended terms such as “waves greater than 5 feet”.

Do not forecast waves when ice covers a major part (approximately 80 percent) of the marine zone. When this occurs, add the phrase “waves omitted for mostly ice covered areas” directly following the final forecast period. Similarly, append “wave heights are for ice free areas” when forecasting wave heights across marine zones with less ice coverage.

- c. Significant Weather / Visibility. Forecasters should include significant weather posing a hazard to navigation when expected (e.g., fog or heavy precipitation lowering visibility to 1 nm or less, or thunderstorms). Forecasters may use precipitation probability terms “CHANCE”, “OCCASIONAL”, etc., as applied in NWSI 10-204, *Derived Forecast Text Products Specifications*. Forecasters may include obstructions to visibility ranging between 1 nm to 5 nm. However, forecasters should not include sky cover.

Forecasters may include specific visibility distances based on local or regional guidelines.

Forecasters should emphasize thunderstorms in the GLF product. They may include the phrase “winds and waves higher near thunderstorms” but only with respect to the most significant thunderstorms. If a moderate or high risk of severe weather is indicated for a marine zone, forecasters should use phrases such as “strong thunderstorms are possible” or “thunderstorms some possibly severe”.

- d. Icing. Forecasters should include a headline whenever ice accretion on exposed surfaces is likely. Because ice accumulation rates are ultimately dependent on individual ship characteristics and operating conditions, use only the following headlines:

Heavy Freezing Spray Warning
Heavy Freezing Spray Watch

- e. Air Temperatures. Air temperatures are optional, and should only be included if they are forecast to be at or below freezing, and the forecaster considers this information to be significant.

2.3.8 Coordination and Collaboration

Field offices with adjoining or overlapping areas of responsibility should coordinate and collaborate to ensure products are consistent and compatible. This effort includes communication with appropriate governmental forecast agencies outside the United States.

Forecasters should reference Section 5, Forecasters should refer to Section 5, Digital Forecast Collaboration, of NWSI 10-201, *National Digital Forecast Database and Local Database Description and Specifications*, for detailed information on the coordination and collaboration processes for gridded forecasts and analyses, available at:

<http://www.nws.noaa.gov/directives/sym/pd01002001curr.pdf>.

2.4 Format

This product is available in industry standard encoding and languages, and may include, but not limited to, American Standard Code for Information Exchange (ASCII), Extensible Markup Language (XML), Wireless Markup Language (WML), File Transfer Protocol (FTP), and HyperText Markup Language (HTML).

(WMO ID)(UTC ISSUANCE DATE TIME)
(AWIPS ID)

Open Lake forecast for (name of Great Lake)
National Weather Service (city)(state)
(issuance time) AM/PM (local time zone)(day)(date)

(Refer to section 2.4.a, Areal Descriptor, for inclusion of next line.)
Lake (name) forecast beyond five nautical miles from shore

.Synopsis...text.

(AREAL UGC CODE[S])-(EXPIRATION TIME)-
(FORECAST AREA DESCRIPTOR[S])
(ISSUANCE TIME) AM/PM (LOCAL TIME ZONE) (DAY) (DATE)

...HEADLINE(S) (If needed)...

PERIOD 1...
PERIOD 2...
PERIOD 3...
PERIOD 4...
PERIOD 5...
PERIOD 6 (Optional period for the morning issuance)...
PERIOD 7 (Optional period for the afternoon/evening issuance)...
(Day 4)...
(Day 5)...
(waves omitted for mostly ice covered areas-included in season)
(wave heights are for ice free areas-included in season)

\$\$

Forecaster Name (optional)

Figure 1. Open Lake Forecast (GLF) Format

- a. Areal Descriptor. To highlight the demarcation between the NSH and GLF, append the phrase “Lake (name) forecast beyond five nautical miles from shore”, as noted in Figure 1. Omit this phrase when the NSH is not issued.

2.4.1 GLF - Unscheduled Forecasts

As needed, append either “...Updated” or “...Corrected” to the product header whenever, respectively, an unscheduled GLF is issued or when an error in the GLF is corrected. Add a short description of the updated or corrected items just below the areal header to highlight the change.

Open Lake Forecast for (name of Great Lake)...**UPDATED**
 National Weather Service (city)(state)
 (issuance time) AM/PM (local time zone)(day)(date)

.synopsis..text.

(areal ugc code[s])-(expiration time)-
 (forecast area descriptor[s])
 (issuance time) AM/PM (local time zone) (day) (date)

Reason for update

...headline(s) (If needed)...

PERIOD 1...
 etc.

Figure 2. Unscheduled Open Lake Forecast (GLF) Format

2.5 Updates, Amendments, and Corrections

GLFs will be updated when the on-duty forecast team believes the current forecast is not representative. WFOs will correct GLFs for format and grammatical errors. Forecasters will update the GLF when a Tornado Watch or Severe Thunderstorm Watch has been issued.

3 Coded Marine Forecast (MAFOR; appended to product category GLF)

3.1 Mission Connection

The Coded Marine Forecast (MAFOR) is a text forecast appended to the GLF. The MAFOR, adapted from World Meteorological Organization (WMO) code FM-61-IV, is a coded version of the first 24 hours of the GLF. No MAFOR is done for Lake St. Clair.

3.2 Issuance Guidelines

Forecasters should ensure the values included within the MAFOR are consistent with the values from the associated gridded forecast elements.

3.2.1 Creation Software

WFOs produce the MAFOR and append it to the GLF using AWIPS software formatters.

3.2.2 Issuance Criteria

The MAFOR will be appended to every GLF issued four times a day with updates as necessary. Forecasters should make these forecasts available to users by the scheduled issuance time, but no earlier than 1 hour before this issuance time.

3.2.3 Issuance Time

MAFORs are routinely scheduled.

3.2.4 Valid Time

MAFORs are valid 1 hour after the issuance of the GLF.

3.2.5 Product Expiration Time

The MAFORs expiration time is the same as the GLF.

3.3 Technical Description

MAFORs will follow the format and content described in this section.

3.3.1 MND Broadcast Line

None.

3.3.2 MND Header

The MAFOR will be appended to the GLF, MND Header “Open Lake Forecast for [Lake Superior, Lake Michigan, Lake Huron, Lake Erie, or Lake Ontario]”.

3.3.3 Content

Forecasters may issue the MAFOR either for an entire Lake or for a Lake segment. It will reflect the predominant conditions over that area for the 24 hour period. Usually only one headline is allowed in the MAFOR. See Appendix A, footnote b, for more information and exception.

3.3.4 GLF MAFOR - Forecast Parameters

- a. Wind (sustained). Use the following for conversion from plain language to the MAFOR code:

Wind Direction: Forecasters should use a single wind direction as given in the plain language forecast. Periodically, since the minimum time period in the MAFOR code is 3 hours, the forecaster may have to show wind shifts with frontal passages using an additional group “9”.

Wind Speed: Use the following to convert wind speed, in knots, from the narrative forecast to the MAFOR code:

<u>Narrative Forecast Value</u>	<u>MAFOR Code</u>
Light, less than 10, or 5-10 knots	0
5-15, 10-15 knots	1
10-20, 15-20 knots	2
15-25, 20-25 knots	3
30 knots	4
35 knots	5 GW
45 knots	6 GW
50-55 knots	7 SW
60 knots	8 SW
over 60 knots	9 HFW

GW = Gale Warning

SW = Storm Warning

HFW = Hurricane Force Wind Warning

- b. Forecast Weather. The MAFOR code will identify the most significant weather (based on Appendix A where the higher number is more significant). When precipitation is “categorical” or “likely”, the forecaster should include it as the last digit of a main group. If other weather types are also forecast, they should be placed in the plain language section of the MAFOR or as a “9” (occasional) group of the MAFOR code. If a weather type is included in the coded portion of the MAFOR, it should not be included in the plain language section.

3.4 Format

Follow the NWS MAFOR Code for the Great Lakes shown in Appendix A. This product is available in industry standard encoding and languages, and may include, but not limited to, ASCII, XML, WML, FTP, and HTML.

3.4.1 MAFOR - Unscheduled Forecasts

Forecasters should update MAFORs when necessary to ensure consistency with the GLF. In such cases, since these products are subdivided into no less than 3 hour blocks, the MAFOR will be valid from the nearest 3 hour of the new issuance time to the ending valid time of the MAFOR being updated. For example, a MAFOR valid from 16 UTC to 16 UTC amended at or before 1729 UTC would still be valid from 16 UTC. However, this MAFOR amended at 1730 UTC to 2029 UTC would be valid at 19 UTC. In both cases, the MAFOR is valid until 16 UTC.

3.4.2 Updates, Amendments and Corrections

MAFOR forecasts will be updated when the forecaster decides the current forecast is no longer representative. WFOs will update MAFOR by adding the letters “AMD” following the effective starting time. WFOs will correct MAFOR for format and grammatical errors by adding the letters “COR” following the effective starting time.

4 Nearshore Marine Forecast (product category NSH)

4.1 Mission Connection

The Nearshore Marine Forecast (NSH) is a text product issued by Great Lakes WFOs to state expected weather conditions within their marine forecast area of responsibility through the fourth period (or through Day 5) (optional). The NSH is used by a variety of marine users and partners, and is primarily used as a tool for planning purposes to support and promote safe transportation across the Great Lakes.

4.2 Issuance Guidelines

Forecasters should ensure the values included within the NSH are consistent with the values from the associated gridded forecast elements.

4.2.1 Creation Software

WFOs will produce the NSH using the AWIPS software formatters. The GFE application formatting tools will be used for generation of product content. All WFOs issuing the NSH will use the GHG application formatting tool to produce hazard headline.

4.2.2 Issuance Criteria

The NSH will be issued four times a day with updates as necessary.

The nearshore waters refer to the over water area extending to 5 nm perpendicular from the shore line. Larger bays are also included in the nearshore waters. Forecasters should ensure the NSH is consistent with their adjacent GLF.

NSHs may be issued year round. At a minimum, the NSH will be issued throughout the boating season, dependent on ice conditions on the entrances to each individual Lake. Specific dates are determined by responsible Regions. On Lake Superior, the NSH may be suspended when the Locks at Sault Ste. Marie close. On the other Great Lakes, WFOs may request to suspend forecasts when the nearshore zones are frozen to the point there is no ship/boat traffic.

If needed, or after receiving approval to suspend the NSH for frozen nearshore zones, forecasters may include, below period 4 (or below Day 5 if issued out through 5 days) of the last NSH product of the year, a statement such as: ”This is the last (AWIPS id) issuance for (year). The (AWIPS id) will again be issued around April 1 (year).”

4.2.3 Issuance Time

NSHs are routinely-scheduled products. The issuance time is expressed in UTC, while the mass media header is expressed in local time. The issuance time in the mass media header is the same

time as the product was actually issued by the WFO. WFOs should issue NSHs based on the following schedule:

<u>Time Period</u>	<u>Scheduled Issuance Times (UTC)</u>			
Standard Time	0400	1000	1600	2200
Daylight Savings	0300	0900	1500	2100

In the NSH, include forecast periods as shown below. All forecast periods beyond the current day will be described by the day of the week. For example, a forecast issued Thursday morning will include: TODAY, TONIGHT, FRIDAY, FRIDAY NIGHT, SATURDAY (optional), SUNDAY (optional), MONDAY (optional).

The 1000 / 0900 and 1600 / 1500 scheduled issuance times (UTC) will cover:

Today / This Afternoon (or equivalent)	(Issuance time to 6PM)	1st Period
Tonight	(6PM to 6AM)	2nd Period
(Next Day)	(6AM to 6PM)	3rd Period
(Next Day) Night	(6PM to 6AM)	4th Period
(Day 3) (optional)	(6AM to 6AM)	Day 3
(Day 4) (optional)	(6AM to 6AM)	Day 4
(Day 5) (optional)	(6 AM to 6 AM)	Day 5

The 2200 / 2100 and 0400 / 0300 scheduled issuance times (UTC) will cover:

Tonight / Rest of Tonight (or equivalent)	(Issuance time to 6AM)	1st Period
(Next Day)	(6AM to 6PM)	2nd Period
(Next Day) Night	(6PM to 6AM)	3rd Period
(Day 2)	(6AM to 6PM)	4th Period
(Day 2) Night (optional)	(6 PM to 6 AM)	5th Period
(Day 3) (optional)	(6AM to 6AM)	Day 3
(Day 4) (optional)	(6AM to 6AM)	Day 4
(Day 5) (optional)	(6AM to 6AM)	Day 5

Great Lakes WFOs may issue the NSH out to five days, or direct to a 3-5 day forecast below period 4. See examples in Appendix B. Any Great Lakes WFO wanting to extend their NSH to five days should first coordinate with national and the appropriate regional headquarters.

4.2.4 Valid Time

NSHs are valid from the time of issuance until the expiration time.

4.2.5 Product Expiration Time

The NSH product expiration time is not more than 8 hours from the initial issuance.

4.2.6 UGC

The NSH will contain marine-based zone UGC codes.

4.3 Technical Description

NSHs will follow the format and content described in this section.

4.3.1 MND Broadcast Line

None.

4.3.2 MND Header

The NSH MND Header is “NEARSHORE MARINE FORECAST”.

4.3.3 Content

The NSH includes all required forecast parameters and forecast periods in each marine zone, and follows the format in section 4.4.

Forecasters should include applicable National Marine Sanctuaries, as noted in NWSI 10-302, *Marine and Coastal Services Area of Responsibility*, in the specific zone(s) segment of the appropriate NSH.

Forecasters may combine periods if, based on forecaster discretion, the weather elements in each are consistent. In addition, forecasters may subdivide the first period of any NSH to account for rapid weather changes.

WFO DTX forecasters will issue the Lake St. Clair Forecast following the format of the GLF. Exception: WFO Detroit-Pontiac forecasters should include sky conditions and SCAs in the Lake St. Clair Forecast.

4.3.4 Synopsis (optional)

Forecasters may add a synopsis to the NSH. The synopsis should be similar to the associated GLF synopsis for the forecast area. See section 2.3.4.

4.3.5 Headlines

Use headlines to emphasize weather events likely to have a significant impact on mariners or marine operations. The headlines generated by GHG software are sorted in chronological order by start time, then by action, by significance, and alphabetically by phenomena. These headlines should include the hazard, action, and timing phrases. Refer to NWSI 10-1701, *Text Product Formats and Codes*, for additional details.

Marine warnings and advisories are only mandated in the first 12-hour forecast period. In many situations (e.g., Gale Warning vs. SCA), to reduce multiple headlines, the forecaster can leave off the hazards after the upgrade and headline the most severe hazard only. However, forecasters should use multiple headlines for events at the same significance level but different discrete criteria (e.g., Gale Warning and Heavy Freezing Spray Warning). Refer to NWSI 10-303, *Marine and Coastal Services Standards and Guidelines*, for SCAs (all types) and regional definitions, all other advisories that may be included in the NSH, as well as definitions for Gale, Storm, Hurricane Force Wind, and Heavy Freezing Spray Warnings and Watches.

- a. Warning Headlines. WFOs with marine responsibility for the Great Lakes will issue warnings when criteria are met for the first period, and may issue warnings for the second and third period when forecaster confidence is high. Warnings beginning in the first, second, or third period may extend as long as necessary.

Watch headlines. WFOs should issue watches for the second, third, or occasionally fourth periods, when there is a 50 percent or greater chance of a hazardous marine weather event meeting or exceeding warning criteria.

The following watch and warning headlines will be included in the NSH if appropriate criteria are occurring or forecast to occur:

- Hurricane Force Wind Warning
- Storm Warning
- Gale Warning
- Heavy Freezing Spray Warning
- Tornado Watch
- Severe Thunderstorm Watch
- Gale Watch
- Storm Watch
- Hurricane Force Wind Watch
- Heavy Freezing Spray Watch

- b. Advisory Headlines. Based on event significance, forecasters will include headlines for advisory events in the NSH when conditions over marine zones are occurring or forecast where small craft will be impacted by winds and / or waves, low water, ashfall, or *reduced visibilities to 1 nm or less in dense fog or dense smoke*.

Great Lakes WFOs will include advisory headlines when criteria are met for the first period, and may issue advisories for the second period and third periods when forecaster confidence is high. Advisories beginning in the first, second, or third period may extend as long as necessary.

Great Lakes WFOs will include a SCA in the NSH when criteria are met and where there is sufficient open water (ice-free lakes) to include wave forecasts.

Headlines for the following advisories should be issued when sufficient observational data is available.

- Dense Fog Advisory
- Dense Smoke Advisory
- Ashfall Advisory
- Low Water Advisory

- c. Cautionary Statements. Based on local or regional policy, WFOs may manually include cautionary statements (e.g., Small Craft Should Exercise Caution) in situations below SCA criteria).

In situations where sustained winds are below advisory/warning thresholds but winds gust above these thresholds, forecasters should use their own discretion in issuing advisories or warnings as appropriate. Winds will be considered gusty when gusts are regularly observed over a time period of more than two hours.

4.3.6 Forecast Periods

Except as noted below, include forecasts of wind and waves in each discrete forecast period in the NSH. Forecasters should also include forecasts of other weather significantly impacting the marine zone(s) (e.g., sky cover or significant weather, ice accretion, precipitation, low visibilities, etc.). Emphasize the most critical conditions.

For WFOs issuing the NSH to 5 days, include wind and wave conditions in each 24 hour period. Forecasters should also include forecasts of other weather significantly impacting the marine zone(s) (e.g., ice accretion, precipitation, low visibility, etc.). Emphasize the most critical conditions.

4.3.7 NSH - Forecast Parameters

Winds. Winds represent predominant conditions 10 meters above mean lake level. Give wind direction to eight points of the compass. Avoid such phrases as “N to NE winds”. Forecasters may indicate changes with terms such as “becoming,” or by dividing the forecast area into segments. Forecasters should round speeds to the nearest 5 KT in forecasting wind speeds and ranges in wind speeds. The terms “becoming”, “increasing,” and “diminishing” may be used when appropriate, but not “decreasing.”

- b. Waves. The forecast wave heights should represent the significant wave height in the forecast area. Forecasters may either use one value or a small range in values.

Do not use terms such as “rough” and “moderate”, or open ended terms such as “waves greater than 5 feet”.

Do not forecast waves when ice covers a major part (approximately 80 percent) of the marine zone. When this occurs, add the phrase “waves omitted for mostly ice covered areas” directly following the final forecast period. Similarly, append “wave heights are for ice free areas” when forecasting wave heights across marine zones with less ice coverage.

- c. Significant Weather / Visibility. Forecasters should include significant weather posing a hazard to navigation when expected (i.e., fog or heavy precipitation lowering visibilities to 1 nm or less, or thunderstorms). Forecasters may use precipitation probability terms “chance”, “occasional”, etc., as defined in NWSI 10-503. Forecasters may include obstructions to visibility ranging between 1 nm and 5 nm. Forecasters should include sky cover if there is no significant weather forecast. Forecasters may include specific visibility distances based on local or regional guidelines.

Forecasters should emphasize thunderstorms in NSHs. They may include the phrase “winds and waves higher near thunderstorms” but only with respect to the most significant

thunderstorms. If a moderate or high risk of severe weather is indicated for a Marine Zone, forecasters should use phrases such as “strong thunderstorms are possible” or “thunderstorms some possibly severe”.

- d. Icing. Forecasters should include a headline whenever ice accretion on exposed surfaces is likely. Because ice accumulation rates are ultimately dependent on individual ship characteristics and operating conditions, only use the following headlines:

Heavy Freezing Spray Warning
Heavy Freezing Spray Watch

- e. Air Temperatures. Air temperatures are optional. However, they should only be included if they are forecast to be at or below freezing and if the forecaster considers this information to be significant.
- f. Miscellaneous Information. Based on local requirements, forecasters may include other pertinent information (e.g., water temperatures or water levels) at the end of the forecast.

4.3.8 Coordination and Collaboration

Field offices with adjoining or overlapping areas of responsibility should coordinate and collaborate to ensure products are consistent and compatible. This effort includes communication with appropriate governmental forecast agencies outside the United States.

Forecasters should reference Section 4, Inter-site Coordination and Collaboration, of NWSI 10-201, *National Digital Forecast Database and Local Database Description and Specifications*, for detailed information on the coordination and collaboration processes for gridded forecasts and analyses, available at: <http://www.nws.noaa.gov/directives/sym/pd01002001curr.pdf>.

4.4 Format

The following format will be used for the NSH. This product is available in industry standard encoding and languages, and may include, but not limited to, ASCII, XML, WML, FTP, and HTML.

(WMO ID)(UTC ISSUANCE DATE TIME)
(AWIPS ID)

Nearshore Marine Forecast (+ optional descriptor)
National Weather Service (city)(state)
(Issuance time) AM/PM (Local time zone) (Day) (dd Month yyyy)

For waters within five nautical miles of shore on Lake (Name)

(Areal UGC code[s])-(Expiration time)-
(Forecast area descriptor[s])
(Issuance time) AM/PM (Local time zone)(Day)(dd Month yyyy)

...Headline(s)... (If needed)

PERIOD 1...
PERIOD 2...
PERIOD 3...
PERIOD 4...

(Waves omitted for mostly ice covered areas – included in season)
(Wave heights are for ice free areas – included in season)

(Last issuance statement) (If needed)

\$\$

Forecaster name (Optional)

Figure 3. Nearshore Marine Forecast (NSH) Format

4.4.1 NSH – Unscheduled Forecasts

As needed, append either “...UPDATED” or “...CORRECTED” to the product header whenever, respectively, an unscheduled NSH is issued or when an error in the NSH is corrected. Add a short description of the updated or corrected items just below the areal header to highlight the change.

(WMO ID)(UTC ISSUANCE DATE TIME)
(AWIPS ID)

Nearshore marine forecast (+ Optional descriptor) **...UPDATED** (or **...CORRECTED**)
National Weather Service (city)(state)
(Issuance time) AM/PM (local time zone)(day)(date)

For waters within five nautical miles of shore on lake (name)

(areal UGC code[s])-(expiration time)-
(Forecast area descriptor[s])
(Issuance time) am/pm (local time zone)(day)(date)

REASON FOR UPDATE (or CORRECTION)

...HEADLINE(S)... (If needed)

PERIOD 1...
etc.

Figure 4. Unscheduled Nearshore Marine Forecast (NSH) Format

4.5 Updates, Amendments and Corrections

NSHs will be updated when the on-duty forecast team believes the current forecast is not representative. WFOs will correct NSHs for format and grammatical errors. Forecasters will update NSHs when a Tornado Watch or Severe Thunderstorm Watch has been issued.

5 Watch County Notification (WCN)

See NWSI 10-511 for more information about issuing WCNs. Great Lakes WFOs with Severe Thunderstorm / Tornado Watch responsibility for marine open lake zones will notify the responsible open lake WFO to ensure the GLF reflects the current status of watches. See NWSI 10-302, Great Lakes section, for WFO marine areas of responsibility for SMW / Severe Local Storm Watch purposes.

6 Hazardous Weather Outlook (HWO)

See NWSI 10-517 for more information about issuing HWOs. See NWSI 10-302 Great Lakes section for WFO marine areas of responsibility for HWOs.

7 Centralized Dissemination Systems

See NWSI 10-303, *Marine and Coastal Services Standards and Guidelines*.

APPENDIX A - NWS MAFOR Code for the Great Lakes

NWS MAFOR Code for the Great Lakes

MAFOR YYG₁G₁ (Name of Lake^a) (Watches / Warnings^b) 1GDFmW₁^c (Precipitation^d) (Ice Coverage^e) (Wave Forecast^f)

MAFOR YYG₁G₁ (Name of Lake^a) (Watch / Warning Headline^b) 1GDFmW₁^c										
Keyword (Indicating marine forecast)	Day of the Month	Time Forecast Period Begins (UTC)	Solidus	Name of Lake ^a	Watch/ Warning Headline ^b	@	Forecast Period	Wind Direction	Wind Speed	Forecast Weather
MAFOR	yy	G ₁ G ₁	/	XXXX	Plain Language	1	G	D	Fm W ₁	
(Precipitation^d) (Ice Coverage^e) (Wave Forecast^f)										
Precipitation ^d		Ice Coverage ^e		Wave Forecast ^f (feet)						
Plain Language		Plain Language		Plain Language						
G - Forecast Period		D - Wind Direction		Fm - Wind Speed		W₁ - Forecast Weather				
0 - Conditions at the beginning of the forecast period 1 - Valid for 3 hours 2 - Valid for 6 hours 3 - Valid for 9 hours 4 - Valid for 12 hours 5 - Valid for 18 hours 6 - Valid for 24 hours 9 - Occasional		0 - Calm 1 - Northeast 2 - East 3 - Southeast 4 - South 5 - Southwest 6 - West 7 - Northwest 8 - North 9 - Variable		0 - 5 to 10 Knots 1 - 10 to 15 Knots 2 - 10 to 20 Knots 3 - 15 to 25 Knots 4 - 20 to 30 Knots 5 - 35 to 40 Knots 6 - 40 to 45 Knots 7 - 50 to 55 Knots 8 - 56 to 63 Knots 9 - over 60 Knots		0 - Moderate or Good Visibility (VSBY) more than 3 nautical miles (nm) 1 - Risk of accumulation of ice on superstructure (Temp 23° to 32°F) 2 - Strong risk of accumulation of ice on superstructure (Temp below 23°F) 3 - Mist (VSBY 5/8 to 3 nm) 4 - Fog (VSBY < 5/8 nm) 5 ^d - Drizzle 6 ^d - Rain 7 ^d - Snow or Rain/Snow mix 8 ^d - Squally weather with or without showers 9 ^d - Thunderstorms				

^a - MAFORS are issued for Lakes Superior, Michigan, Huron, Erie, and Ontario.

NWSI 10-312 MAY 17, 2020

b - Headlines are included in Hurricane Force, Storm, Gale, and Heavy Freezing Spray Warnings, and Tornado and Severe Thunderstorm Watches. Note that warning headlines take precedence over watch headlines. Two headlines may be used when one of the headlines is a Heavy Freezing Spray Warning.

c - The 1 group may be repeated as many times as necessary to describe changes in wind and weather conditions expected in a given area during a 24-hr forecast period.

d (1) - If Probability of Precipitation (POP) $\geq 55\%$ then include precipitation in the code and leave it out of the plain language.

(2) - If $25\% \leq \text{POP} < 55\%$ and precipitation is occurring or likely but lowered POP is based on coverage then include the precipitation in the code and leave out of the plain language. However, if POP is based on uncertainty then leave out of code and put in plain language. If other weather types are also forecast then see section 3.3.4b.

(3) - Outside of (2) above, do not use the occasional group for change (25-54%) POPs.

(4) - If POP $< 25\%$ then leave out the code. Also leave out of plain language unless "significant" such as thunderstorm or showers (rain or snow) that could greatly reduce visibility.

e - Ice coverage is included as appropriate. If ice coverage is included then wave height information is omitted.

f - Forecast wave height range for valid period of MAFOR (24 hours).

Note: The MAFOR code is not an exact duplicate of the plain-language forecast issued in the Open Lake Forecasts issued for each lake. Mariners should refer to the Open Lake Forecast product for the complete forecast.

APPENDIX B - Examples of Great Lakes Marine Products

Table of Contents

1	Open Lakes and Coded Marine Forecasts.....	B-1
2	Nearshore Marine Forecasts.....	B-3
3	Great Lakes Weather Broadcast.....	B-10

1 Open Lakes and Coded Marine Forecasts

FZUS61 KBUF 081422
GLFLO

Open Lake Forecast for Lake Ontario
National Weather Service Buffalo NY
1022 AM EDT Thu Aug 8 2019

For waters beyond five nautical miles of shore on Lake Ontario

Waves are the significant wave height - the average of the highest 1/3 of the wave spectrum. Occasional wave height is the average of the highest 1/10 of the wave spectrum.

.SYNOPSIS.. A broad 29.50 inch low near James Bay will slide eastward and across northern Quebec through Friday while deepening to 29.30 inches. This low will pivot a cold front across the lake this afternoon and early this evening. In the wake of this system, a 30.10 inch high will then build into the Ohio Valley Friday night and across the Lower Great Lakes on Saturday, before sliding off the Atlantic coastline on Sunday. Another 30.10 inch high will then build across the Upper Great Lakes on Monday.

LOZ062-082115-
Lake Ontario open waters from the Niagara River to Hamlin Beach-
1022 AM EDT Thu Aug 8 2019

.THIS AFTERNOON ..Southwest winds 10 to 15 knots becoming west and increasing to 15 to 25 knots. Showers and thunderstorms. Some thunderstorms may produce gusty winds. Waves 1 to 3 feet building to 3 to 6 feet.

.TONIGHT. West winds 15 to 20 knots becoming northwest. Waves 3 to 6 feet.

.FRIDAY. West winds 15 to 20 knots. Waves 3 to 5 feet.

.FRIDAY NIGHT. West winds 15 to 20 knots becoming northwest. A chance of waterspouts overnight. A chance of showers overnight.

Waves 3 to 5 feet subsiding to 2 to 4 feet.

.SATURDAY...Northwest winds 10 to 15 knots becoming west 5 to 10 knots. A chance of waterspouts during the day. A chance of showers during the day. Waves 2 to 4 feet subsiding to 1 to 3 feet.

.SUNDAY...Southwest winds 10 to 15 knots becoming west. A chance of showers Sunday night. Waves 1 to 2 feet.

.MONDAY...Northwest winds 5 to 10 knots becoming north. Waves 2 feet or less.

Winds and waves higher in and near thunderstorms.

\$\$

LOZ063>065-082115-

Lake Ontario open waters from Hamlin Beach to the Saint Lawrence River-

1022 AM EDT Thu Aug 8 2019

.THIS AFTERNOON...Southwest winds around 10 knots increasing to 15 to 25 knots. Showers and thunderstorms likely.

Some thunderstorms may produce gusty winds. Waves 1 to 3 feet building to 3 to 6 feet.

.TONIGHT...West winds 15 to 20 knots. A chance of showers and thunderstorms early, then a chance of showers late in the evening. Waves 4 to 7 feet subsiding to 3 to 6 feet. Waves occasionally around 9 feet.

.FRIDAY...West winds 15 to 20 knots. Waves 3 to 6 feet building to 4 to 7 feet. Waves occasionally around 9 feet.

.FRIDAY NIGHT...West winds 15 to 20 knots becoming northwest. A chance of showers. A chance of waterspouts overnight. Waves 4 to 7 feet subsiding to 3 to 6 feet. Waves occasionally around 9 feet.

.SATURDAY...Northwest winds 15 to 20 knots becoming west and diminishing to 5 to 10 knots. A chance of waterspouts during the day. A chance of showers during the day. Waves 3 to 5 feet subsiding to 1 to 3 feet.

.SUNDAY...Southwest winds 10 to 15 knots becoming west. A chance of showers Sunday night. Waves 1 to 3 feet building to 2 to 4 feet.

.MONDAY...Northwest winds 5 to 10 knots becoming north. A chance of showers during the day. Waves 1 to 3 feet.

Winds and waves higher in and near thunderstorms.

\$\$

LOZ061-082115-

MAFOR 0815/

ONTARIO WEST 1/2 11529 11530 11630 12620 11720 12620. Waves 1 to 3 feet building to 3 to 6 feet this afternoon. Waves 3 to 6 feet tonight and Friday morning.

ONTARIO EAST 1/2 11519 11529 11629 14620 11620. Waves 1 to 3 feet building to 3 to 5 feet this afternoon. Waves 4 to 7 feet subsiding to 3 to 6 feet, and occasionally around 9 feet tonight. Waves 3 to 6 feet Friday morning.

\$\$

2 Nearshore Marine Forecasts

Nearshore Marine Forecast extending out to five days:

FZUS53 KAPX 081751

NSHAPX

Nearshore Marine Forecast
National Weather Service Gaylord MI
151 PM EDT Thu Aug 8 2019

For waters within five nautical miles of shore on Lakes Huron...
Michigan and Superior.

Waves are the significant wave height - the average of the highest 1/3 of the wave spectrum. Occasional wave height is the average of the highest 1/10 of the wave spectrum.

LSZ321-090200-

Whitefish Bay (U.S. Portion)/Whitefish Point to Point Iroquois MI-
151 PM EDT Thu Aug 8 2019

.REST OF THE AFTERNOON...Northwest wind 10 to 15 knots with gusts to around 25 knots. Sunny. Waves 2 to 3 feet.

.TONIGHT...West wind 10 to 15 knots with gusts to around 20 knots. Mostly clear. Waves 2 to 3 feet.

.FRIDAY...Northwest wind 15 to 20 knots with gusts to around 25 knots. Mostly sunny. Waves 3 to 5 feet.

.FRIDAY NIGHT...Northwest wind 10 to 15 knots with gusts to around 20 knots. Mostly clear. Waves 3 to 5 feet.

See the open lakes forecast for days 3 through 5.

\$\$

LSZ322-090200-

St. Marys River Point Iroquois to E. Potagannissing Bay-
151 PM EDT Thu Aug 8 2019

...SMALL CRAFT ADVISORY IN EFFECT UNTIL 11 PM EDT THIS EVENING...

.REST OF THE AFTERNOON...Northwest wind 10 to 15 knots with gusts to around 25 knots. Sunny.

.TONIGHT...West wind 10 to 15 knots with gusts to around 25 knots. Mostly clear.

.FRIDAY...Northwest wind 15 to 20 knots with gusts to around 30 knots. Sunny.

.FRIDAY NIGHT...Northwest wind 10 to 15 knots with gusts to around 25 knots. Mostly clear.

See the open lakes forecast for days 3 through 5.

\$\$

LMZ341-090200-

Seul Choix Point to 5NM West of Mackinac Bridge-
151 PM EDT Thu Aug 8 2019

.REST OF THE AFTERNOON...West wind 10 to 15 knots with gusts to around 25 knots. Sunny. Waves 2 to 3 feet.

.TONIGHT...Northwest wind 10 to 15 knots with gusts to around 20 knots. Mostly clear. Waves 2 feet or less.

.FRIDAY...Northwest wind 15 to 20 knots with gusts to around 25 knots. Sunny. Waves 2 to 3 feet.

.FRIDAY NIGHT...Northwest wind 10 to 15 knots with gusts to around 20 knots. Mostly clear. Waves 2 feet or less.

See the open lakes forecast for days 3 through 5.

\$\$

LHZ345-090200-

Straits of Mackinac within 5 nm of Mackinac Bridge including
Mackinac Island-
151 PM EDT Thu Aug 8 2019

.REST OF THE AFTERNOON...West wind 10 to 15 knots with gusts to around 25 knots. Sunny. Waves 2 to 3 feet.

.TONIGHT...Northwest wind 10 to 15 knots with gusts to around

20 knots. Mostly clear. Waves 2 feet or less.
.FRIDAY...West wind 10 to 20 knots with gusts to around 25 knots.
Mostly sunny. Waves 2 to 3 feet.
.FRIDAY NIGHT...Northwest wind 10 to 15 knots with gusts to
around 20 knots. Mostly clear. Waves 2 to 3 feet.

See the open lakes forecast for days 3 through 5.

\$\$

LHZ346-090200-
St Ignace to False Detour Channel-
151 PM EDT Thu Aug 8 2019

.REST OF THE AFTERNOON...Northwest wind 10 to 15 knots with gusts
to around 25 knots. Sunny. Waves 2 feet or less.
.TONIGHT...Northwest wind 10 to 15 knots with gusts to around
25 knots. Mostly clear. Waves 2 feet or less.
.FRIDAY...Northwest wind 15 to 20 knots with gusts to around
25 knots. Mostly sunny. Waves 2 to 3 feet.
.FRIDAY NIGHT...Northwest wind 15 to 20 knots with gusts to
around 25 knots. Mostly clear. Waves 2 to 3 feet.

See the open lakes forecast for days 3 through 5.

\$\$

LMZ342-090200-
Norwood MI to 5NM West of Mackinac Bridge including Little
Traverse Bay-
151 PM EDT Thu Aug 8 2019

.REST OF THE AFTERNOON...West wind 10 to 15 knots with gusts to
around 25 knots. Mostly sunny. Waves 2 to 3 feet.
.TONIGHT...Northwest wind 10 to 15 knots with gusts to around
20 knots. Mostly clear. Waves 2 to 3 feet.
.FRIDAY...Northwest wind 15 to 20 knots with gusts to around
25 knots. Sunny. Waves 2 to 3 feet.
.FRIDAY NIGHT...Northwest wind 10 to 15 knots with gusts to
around 20 knots. Mostly clear. Waves 2 to 3 feet.

See the open lakes forecast for days 3 through 5.

\$\$

LMZ344-090200-

Sleeping Bear Point to Grand Traverse Light MI-
151 PM EDT Thu Aug 8 2019

.REST OF THE AFTERNOON...West wind 5 to 10 knots with gusts to around 20 knots. Mostly sunny. Waves 2 feet or less.

.TONIGHT...Northwest wind 10 to 15 knots with gusts to around 25 knots. Mostly clear. Waves 2 to 3 feet.

.FRIDAY...West wind 10 to 15 knots with gusts to around 25 knots. Sunny. Waves 2 to 3 feet.

.FRIDAY NIGHT...Northwest wind 5 to 10 knots. Mostly clear. Waves 2 feet or less.

See the open lakes forecast for days 3 through 5.

\$\$

LMZ345-346-090200-
Point Betsie to Sleeping Bear Point MI-
Manistee to Point Betsie MI-
151 PM EDT Thu Aug 8 2019

.REST OF THE AFTERNOON...West wind 10 to 15 knots with gusts to around 20 knots. Sunny. Waves 2 to 3 feet.

.TONIGHT...Northwest wind 5 to 10 knots with gusts to around 20 knots. Mostly clear. Waves 2 feet or less.

.FRIDAY...Northwest wind 10 to 15 knots with gusts to around 20 knots. Sunny. Waves 2 to 3 feet.

.FRIDAY NIGHT...Northwest wind 5 to 10 knots. Mostly clear. Waves 2 feet or less.

See the open lakes forecast for days 3 through 5.

\$\$

LMZ323-090200-
Grand Traverse Bay south of a line Grand Traverse Light to
Norwood MI-
151 PM EDT Thu Aug 8 2019

.REST OF THE AFTERNOON...West wind 5 to 10 knots with gusts to around 20 knots. Mostly sunny. Waves 2 feet or less.

.TONIGHT...Northwest wind 5 to 10 knots. Mostly clear. Waves 2 feet or less.

.FRIDAY...Northwest wind 10 to 15 knots with gusts to around 25 knots. Sunny. Waves 2 to 3 feet.

.FRIDAY NIGHT...Northwest wind 5 to 10 knots. Mostly clear. Waves

2 feet or less.

See the open lakes forecast for days 3 through 5.

\$\$

LHZ347-090200-
5NM East of Mackinac Bridge to Presque Isle Light MI including
Bois Blanc Island-
151 PM EDT Thu Aug 8 2019

...SMALL CRAFT ADVISORY IN EFFECT UNTIL 11 PM EDT THIS EVENING...

.REST OF THE AFTERNOON...Northwest wind 10 to 20 knots with gusts
to around 25 knots. Partly sunny with isolated showers. Waves 2
to 4 feet.

.TONIGHT...West wind 10 to 15 knots with gusts to around
25 knots. Mostly clear. Waves 2 to 3 feet.

.FRIDAY...Northwest wind 15 to 20 knots with gusts to around
30 knots. Sunny. Waves 3 to 5 feet.

.FRIDAY NIGHT...Northwest wind 15 to 20 knots with gusts to
around 25 knots. Mostly clear. Waves 2 to 4 feet.

See the open lakes forecast for days 3 through 5.

\$\$

LHZ348-090200-
Presque Isle Light to Sturgeon Pt MI Including Thunder Bay
National Marine Sanctuary-
151 PM EDT Thu Aug 8 2019

...SMALL CRAFT ADVISORY IN EFFECT UNTIL 11 PM EDT THIS EVENING...

.REST OF THE AFTERNOON...Northwest wind 10 to 20 knots with gusts
to around 25 knots. Partly sunny with isolated showers. Waves 2
to 4 feet.

.TONIGHT...West wind 10 to 15 knots with gusts to around
20 knots. Mostly clear. Waves 2 to 3 feet.

.FRIDAY...Northwest wind 15 to 20 knots with gusts to around
30 knots. Sunny. Waves 3 to 5 feet.

.FRIDAY NIGHT...Northwest wind 15 to 20 knots with gusts to
around 25 knots. Mostly clear. Waves 2 to 4 feet.

See the open lakes forecast for days 3 through 5.

\$\$

LHZ349-090200-
Sturgeon Pt to Alabaster MI-
151 PM EDT Thu Aug 8 2019

.REST OF THE AFTERNOON...Northwest wind 5 to 10 knots with gusts to around 25 knots. Isolated showers. Waves 2 feet or less.

.TONIGHT...West wind 5 to 10 knots with gusts to around 20 knots. Mostly clear. Waves 2 feet or less.

.FRIDAY...Northwest wind 10 to 15 knots with gusts to around 20 knots. Sunny. Waves 2 feet or less.

.FRIDAY NIGHT...Northwest wind 10 to 15 knots with gusts to around 20 knots. Mostly clear. Waves 2 feet or less.

See the open lakes forecast for days 3 through 5.

\$\$

JK

Nearshore Marine Forecast with Optional Synopsis and a Direct to a 3-5 Day Forecast

FZUS53 KDTX 081350
NSHDTX

Nearshore Marine Forecast for Michigan
National Weather Service Detroit/Pontiac MI
946 am EDT Tue Apr 8 2014

For waters within five nautical miles of shore

Waves are the significant wave height - the average of the highest 1/3 of the wave spectrum. Occasional wave height is the average of the highest 1/10 of the wave spectrum.

LHZ422-082100-
Inner Saginaw Bay SW of Point Au Gres to Bay Port MI-
946 AM EDT Tue Apr 8 2014

.REST OF TODAY...Northwest winds 5 to 10 knots. Partly cloudy. Isolated light showers by mid afternoon.

.TONIGHT...Northwest winds 5 to 10 knots. partly cloudy. isolated light showers through midnight.

.WEDNESDAY...West winds 5 to 10 knots...becoming southwest 10 to 15 knots late. Mostly sunny through early afternoon...becoming partly cloudy.

.WEDNESDAY NIGHT...Southwest winds 10 to 15 knots...increasing to 15 to 20 knots after midnight...then diminishing to 10 to 15 knots late. Mostly clear.

waves omitted due to ice coverage.

See Lake Huron Open Lakes Forecast for days 3 through 5.

\$\$

LHZ421-082100-

Outer Saginaw Bay SW of Alabaster to Port Austin MI to Inner Saginaw Bay-
946 AM EDT Tue Apr 8 2014

.REST OF TODAY...North winds 5 to 10 knots. Partly cloudy. Isolated light showers by mid afternoon. Waves 2 feet or less.

.TONIGHT...Northwest winds 5 to 10 knots...becoming north 10 to 15 knots after midnight...then becoming northwest 5 to 10 knots late. Partly cloudy. Isolated light showers through midnight. Waves 2 feet or less.

.WEDNESDAY...West winds 5 to 10 knots...becoming southwest 10 to 15 knots late. Mostly sunny through early afternoon...becoming partly cloudy. Waves 2 feet or less.

.WEDNESDAY NIGHT...Southwest winds 10 to 15 knots...increasing to 15 to 20 knots after midnight. Mostly clear. Waves 1 to 3 feet...building to 2 to 4 feet late.

Wave heights are for ice free areas.

See Lake Huron Open Lakes Forecast for days 3 through 5.

\$\$

LHZ441-082100-

Port Austin to Harbor Beach MI-
946 AM EDT Tue Apr 8 2014

.REST OF TODAY...Northwest winds 5 to 10 knots. Partly cloudy. Isolated light showers by mid afternoon. waves 1 to 3 feet.

.TONIGHT...North winds 10 to 15 knots...becoming northwest 5 to 10 knots late. Partly cloudy. Isolated light showers through midnight. Waves 1 to 3 feet.

.WEDNESDAY...Northwest winds 5 to 10 knots...becoming southwest 10 to 15 knots late. Mostly sunny through early afternoon...becoming partly cloudy. Waves 2 feet or less.

.WEDNESDAY NIGHT...Southwest winds 10 to 15 knots...increasing to 15 to 20 knots after midnight. Partly cloudy. Waves 1 to 3 feet...building to 2 to 4 feet late.

See Lake Huron Open Lakes Forecast for days 3 through 5.

\$\$

LHZ442-082100-
Harbor Beach to Port Sanilac MI-

946 AM EDT Tue Apr 8 2014

.REST OF TODAY...Northwest winds 10 to 15 knots...diminishing to 5 to 10 knots by afternoon. Partly cloudy. Isolated light showers by mid afternoon. Waves 2 feet or less.
.TONIGHT...North winds 10 to 15 knots...becoming northwest 5 to 10 knots late. Partly cloudy. Isolated light showers through midnight. Waves 1 to 3 feet.
.WEDNESDAY...Northwest winds 5 to 10 knots...backing to the southwest late. Mostly sunny through early afternoon...becoming partly cloudy. Waves 2 feet or less.
.WEDNESDAY NIGHT...Southwest winds 10 to 15 knots...increasing to 15 to 20 knots after midnight. Mostly clear. Waves 1 to 3 feet.

Wave heights are for ice free areas.

See Lake Huron Open Lakes Forecast for days 3 through 5.

\$\$

LHZ443-082100-
Port Sanilac to Port Huron MI-
946 AM EDT Tue Apr 8 2014

.REST OF TODAY...North winds 5 to 10 knots. Partly cloudy. Scattered light showers by mid afternoon. Waves 2 feet or less.
.TONIGHT...North winds 5 to 10 knots...increasing to 10 to 15 knots after midnight...then diminishing to 5 to 10 knots late. Partly cloudy. Scattered light showers through midnight. Waves 1 to 3 feet.
.WEDNESDAY...West winds 5 to 10 knots. Mostly sunny through early afternoon...becoming partly cloudy. Waves 2 feet or less.
.WEDNESDAY NIGHT...Southwest winds 10 to 15 knots...increasing to 15 to 20 knots late. Mostly clear. Waves 2 feet or less.

See Lake Huron Open Lakes Forecast for days 3 through 5.

\$\$

LEZ444-082100- Michigan Waters of Lake Erie from Detroit River to North Cape MI-
946 AM EDT Tue Apr 8 2014

.REST OF TODAY...Northwest winds 5 to 10 knots. Partly cloudy. Scattered light showers by mid afternoon. Waves 2 feet or less.
.TONIGHT...North winds 5 to 10 knots. Partly cloudy. Scattered light showers through midnight. Waves 2 feet or less.

.WEDNESDAY...Northwest winds 5 to 10 knots...backing to the southwest late. Mostly sunny. Waves 2 feet or less.

.WEDNESDAY NIGHT...southwest winds 5 to 10 knots...increasing to 10 to 15 knots after midnight. Mostly clear. Waves 1 to 3 feet.

See Lake Huron Open Lakes Forecast for days 3 through 5.

The water temperature at Belle Isle is 36 degrees.

\$\$

You can obtain your latest National Weather Service forecasts online
a www.weather.gov/greatlakes