

**ALL-TIME RECORDS FOR AUSTIN AREA (Downtown-Mueller-Camp Mabry)
1/1897-12/2017 TEMPERATURE RECORDS (9/1891-12/2017 FOR PRECIPITATION)**

ALL-TIME RECORDS FOR AUSTIN AREA (Downtown-Mueller-Camp Mabry) 1/1897-12/2017 TEMPERATURE RECORDS (9/1891-12/2017 FOR PRECIPITATION)												
DAILY RECORDS			ANNUAL RECORDS				MONTHLY RECORDS					
Rank	Highest Temps		Rank	Avg Temp		Avg Temp		Avg High		Avg Low		Rank
1	112	8/28/2011	Warmest	72.1	2017	91.7	8/2011	104.8	8/2011	78.5	8/2011	1
2	112	9/5/2000	2nd Warmest	72.0	2011	89.7	7/2011	102.9	8/1923	77.2	7/2011	2
3	110	8/27/2011	3rd Warmest	71.6	2012	89.5	7/2009	102.1	7/2011	77.1	7/2016	3
4	110	8/8/2003	4th Warmest	71.6	2006	89.1	8/2009	102.0	7/2009	76.9	7/2009	4
5	110	9/4/2000	5th Warmest	71.4	2016	88.9	7/2017	101.7	8/2009	76.7	8/2010	5
6	109	6/26/2012	6th Warmest	71.2	1999	88.7	8/2010	101.7	7/1923	76.7	7/1998	6
7	109	8/29/2011	7th Warmest	70.9	2008	88.5	8/2006	101.4	7/2017	76.5	7/2017	7
8	109	7/26/1954	8th Warmest	70.8	1933	88.2	8/1999	101.2	7/1925	76.5	8/2009	8
9	109	8/18/1923	9th Warmest	70.7	1998	88.1	8/2013	100.7	8/2013	76.3	8/2006	9
10	108	7 times	10th Warmest	70.7	1990	88.0	7/2016	100.7	8/2006	76.3	7/1906	10
Rank	Lowest Temps		Rank	Avg Temp		Avg Temp		Avg High		Avg Low		Rank
1	-2	1/31/1949	Coolest	65.9	1913	39.3	1/1930	48.1	1/1979	28.9	1/1925	1
2	-1	2/2/1899	2nd Coolest	66.0	1924	40.4	1/1979	48.4	1/1930	29.4	1/1924	2
3	4	12/23/1989	3rd Coolest	66.1	1983	40.5	1/1940	48.8	1/1978	30.1	1/1940	3
4	4	1/30/1949	4th Coolest	66.2	1979	40.7	1/1978	50.8	1/1977	30.1	2/1905	4
5	4	1/18/1930	5th Coolest	66.2	1976	41.5	1/1977	51.0	1/1940	30.3	1/1930	5
6	7	2/2/1951	6th Coolest	66.2	1968	41.9	12/1983	51.9	12/1983	31.3	1/1926	6
7	8	1/12/1918	7th Coolest	66.3	1940	42.3	2/1905	52.1	12/1914	31.3	1/1918	7
8	10	12/25/1983	8th Coolest	66.3	1912	42.6	1/1926	53.1	12/1909	31.6	1/1897	8
9	10	1/17/1930	9th Coolest	66.4	1907	42.8	1/1897	53.4	1/1970	31.8	12/1983	9
10	10	2/13/1905	10th Coolest	66.7	twice	42.9	12/1898	53.5	12/1898	32.3	twice	10
Rank	Highest Precip		Rank	Wettest		Driest		Wettest		Driest		Rank
1	15.00	9/9/1921	Wettest/Driest	64.68	1919	11.42	1954	20.78	9/1921	0.00	11/2012	1
2	10.00	4/23/1915	2nd Wet/Driest	59.96	2015	15.41	1956	19.82	4/1915	0.00	7/1962	2
3	8.56	7/21/1919	3rd Wet/Driest	53.99	1900	15.58	1917	17.59	5/2015	0.00	8/1952	3
4	7.55	11/15/2001	4th Wet/Driest	52.27	2004	16.07	2008	16.14	12/1913	0.00	2/1916	4
5	7.39	10/14/1923	5th Wet/Driest	52.21	1991	17.30	1963	14.96	6/1981	0.00	6/1911	5
6	7.04	9/7/2010	6th Wet/Driest	51.73	1921	19.21	1988	14.16	12/1991	0.00	1/1904	6
7	6.95	10/13/1925	7th Wet/Driest	51.30	1957	19.50	1901	14.10	11/2004	0.00	8/1902	7
8	6.50	4/6/1900	8th Wet/Driest	51.24	1923	19.68	2011	14.10	5/1895	0.00	3/1899	8
9	6.34	12/3/1913	9th Wet/Driest	49.00	1913	20.37	1912	13.28	10/2013	0.00	11/1897	9
10	6.24	10/17/1998	10th Wet/Driest	47.28	1946	20.57	1909	13.20	9/2010	0.00	11/1896	10
11	6.16	5/28/1929	11th Wet/Driest	46.95	2007	20.98	1948	12.80	7/1919	0.00	8/1896	11
12	6.00	12/11/1891	12th Wet/Driest	46.79	1997	21.41	2003	12.75	5/1929	0.00	7/1895	12
13	5.81	6/6/1941	13th Wet/Driest	46.21	1941	21.49	1906	12.65	7/1903	0.00	12/1894	13
14	5.68	8/9/1994	14th Wet/Driest	46.05	1992	21.58	1947	12.63	10/1925	0.00	11/1894	14
15	5.66	6/11/1981	15th Wet/Driest	45.73	1981	22.13	1939	12.60	6/1941	0.00	10/1893	15
16	5.55	5/21/1979	16th Wet/Driest	43.01	1935	21.14	1977	12.59	5/1914	T	7/2015	16
17	5.20	5/25/2015	17th Wet/Driest	42.97	1944	22.33	2005	12.39	10/1998	T	8/2011	17
18	5.12	7/16/1936	18th Wet/Driest	42.95	1940	22.54	1955	12.31	10/1960	T	8/2010	18
19	5.08	8/26/2017	19th Wet/Driest	42.87	2001	22.60	1911	11.85	10/2015	T	7/1993	19
20	4.93	10/30/2015	20th Wet/Driest	42.70	1914	23.93	1999	11.43	6/1961	T	11x more	20

SEASONAL RECORDS FOR AUSTIN AREA (Downtown-Mueller-Camp Mabry)									
Mean Temperature (from Spring 1897) and Total Precipitation (Fall 1891 to Fall 2017)									
Rank	Spring (MAM)		Summer (JJA)		Fall (SON)		Winter (DJF)		Rank
1981-2010 Normals	69.1°F		84.3°F		70.7°F		53.0°F		Norm
Warmest	73.6	2011	89.5	2011	75.1	1931	58.6	2016-2017	1
2nd Warmest	72.8	1967	88.4	2009	74.6	2016	57.8	1906-1907	2
3rd Warmest	72.6	2012	86.7	2008	73.3	2005	57.6	1999-2000	3
4th Warmest	72.6	2006	86.7	1998	73.3	1963	57.0	1951-1952	4
5th Warmest	72.2	2017	86.4	2013	73.3	1933	56.7	1998-1999	5
6th Warmest	71.9	2000	86.2	1980	73.2	2015	56.6	2012-2013	6
7th Warmest	71.8	1902	86.1	2017	73.0	1988	56.3	1910-1911	7
8th Warmest	71.5	1925	86.1	1925	73.0	1934	56.2	2015-2016	8
9th Warmest	71.4	1963	86.1	1923	73.0	1927	56.1	1970-1971	9
10th Warmest	71.0	1974	85.8	2012	72.7	twice	55.8	twice	10
Coolest	63.2	1926	78.6	1907	63.6	1976	46.1	1978-1979	1
2nd Coolest	63.6	1931	80.3	1919	65.4	1907	46.5	1977-1978	2
3rd Coolest	64.0	1924	80.7	1900	65.9	1898	47.7	1983-1984	3
4th Coolest	64.4	1915	80.9	1913	66.0	1957	47.7	1911-1912	4
5th Coolest	64.7	1913	81.0	1961	66.2	1974	47.8	1976-1977	5
6th Coolest	64.9	1947	81.0	1940	66.6	1936	47.9	2009-2010	6
7th Coolest	65.0	1983	81.0	1908	66.8	1952	47.9	1963-1964	7
8th Coolest	65.2	1970	81.1	1976	66.9	1932	48.1	1972-1973	8
9th Coolest	65.3	1952	81.1	1903	66.9	1908	48.1	1967-1968	9
10th Coolest	65.4	1969	81.2	1973	67.0	1903	48.3	1904-1905	10
Rank	Spring (MAM)		Summer (JJA)		Fall (SON)		Winter (DJF)		Rank
1981-2010 Normals	9.29"		8.56"		9.83"		6.64"		Norm
Wettest	27.88	1900	23.31	1919	23.19	1998	25.55	1991-1992	1
2nd Wettest	24.73	2015	20.23	1961	22.57	1923	17.81	1913-1914	2
3rd Wettest	23.84	1915	19.26	1981	22.53	2013	15.11	1902-1903	3
4th Wettest	22.74	1914	17.75	2007	22.43	1921	14.61	1891-1892	4
5th Wettest	21.89	1957	16.17	1903	20.29	2004	13.78	1930-1931	5
6th Wettest	20.60	1922	16.04	1941	20.05	1925	13.28	1923-1924	6
7th Wettest	19.09	1929	15.45	1936	19.16	1913	13.27	1931-1932	7
8th Wettest	17.78	2016	14.58	1987	19.13	1973	12.99	1967-1968	8
9th Wettest	17.58	1904	14.32	1920	18.17	1957	12.92	1990-1991	9
10th Wettest	17.06	1926	14.15	2004	17.47	2015	12.68	1944-1945	10
Driest	1.80	1961	0.92	1910	1.26	1931	0.84	1970-1971	11
2nd Driest	2.01	2003	1.45	1934	2.00	1894	1.19	1995-1996	12
3rd Driest	3.19	1960	1.49	1977	2.06	1954	1.55	2013-2014	13
4th Driest	3.23	1971	1.77	1980	2.10	1999	1.55	1916-1917	14
5th Driest	3.25	2002	1.95	1970	2.16	1947	1.77	1901-1902	15
6th Driest	3.82	1984	2.06	2011	2.31	1898	1.79	1998-1999	16
7th Driest	3.94	1956	2.08	1911	2.43	1988	1.90	1987-1988	17
8th Driest	4.01	2011	2.10	1925	2.44	1979	2.00	2007-2008	18
9th Driest	4.32	1996	2.26	1956	2.75	2008	2.04	1981-1982	19
10th Driest	4.48	1925	2.37	2009	2.75	1903	2.07	1893-1894	20

TEMPERATURE THRESHOLD RECORDS FOR AUSTIN AREA (Downtown-Mueller-Camp Mabry)									
Freeze and 100°F Day Climatologies (Spring 1897 to Fall 2017)									
Avg.	11/29 Avg First Freeze (12/6 for 1981-2010)				7/9 Avg. First 100°F (7/12 for 1981-2010)				Avg.
Rank	Earliest First Freeze		Latest First Freeze		Earliest First 100°F		Latest First 100°F		Rank
1	31	10/26/1924	32	1/15/1989	100	5/4/1984	100	10/2/1938	1
2	32	10/28/1957	31	1/4/1995	102	5/7/1998	100	9/9/1997	2
3	30	10/30/1917	25	1/4/1972	101	5/20/1998	101	8/31/1983	3
4	30	10/31/1993	27	12/30/1954	104	5/24/1925	101	8/26/1992	4
5	31	11/2/1966	32	12/30/1910	100	5/25/2011	100	8/25/2002	5
6	30	11/2/1951	27	12/29/1946	101	5/30/2003	101	8/20/1921	6
7	29	11/4/1991	30	12/29/1942	100	5/31/2004	101	8/18/1909	7
8	31	11/4/1936	32	12/27/1939	100	6/9/1948	100	8/17/1941	8
9	30	11/6/1959	32	12/26/1947	100	6/9/1917	101	8/16/1981	9
10	32	11/8/1955	30	12/26/1935	101	6/9/1902	100	8/16/1945	10
Avg.	2/25 Avg Last Freeze (2/15 for 1981-2010)				8/21 Avg Last 100°F (8/28 for 1981-2010)				Avg.
Rank	Earliest Last Freeze		Latest Last Freeze		Earliest Last 100°F		Latest Last 100°F		Rank
1	28	12/25/1989	32	4/9/1914	100	6/13/1942	100	10/2/1938	1
2	21	1/8/2017	32	4/2/1924	100	6/29/1915	100	10/2/1923	2
3	30	1/15/1999	30	4/1/1926	100	7/11/1931	101	9/29/2011	3
4	32	1/16/1898	30	3/31/1987	100	7/12/1946	106	9/28/2005	4
5	28	1/19/1941	32	3/31/1937	100	7/16/1920	103	9/27/1953	5
6	29	1/20/1992	27	3/28/1955	100	7/17/1916	100	9/23/2000	6
7	32	1/24/2005	32	3/28/1931	100	7/18/1978	102	9/22/1926	7
8	32	1/29/1997	32	3/27/1913	100	7/20/1971	101	9/20/1999	8
9	29	1/29/1945	30	3/24/1952	101	7/20/1913	103	9/20/1956	9
10	26	1/30/2000	31	3/23/1968	100	7/22/1903	102	9/14/1924	10
Avg.	19 Avg Freeze Days (13 for 1981-2010)				14 Avg 100°F Days (18 for 1981-2010)				Avg.
Rank	Least Freeze Days		Most Freeze Days		Least 100°F Days		Most 100°F Days		Rank
1	4	1997-98	52	1924-25	0	1987	90	2011	1
2	4	1994-95	46+	1925-26	0	1979	69	1925	2
3	5	2016-17	46	1923-24	0	1975	68	2009	3
4	5	2015-16	43	1900-01	0	1973	66	1923	4
5	5	1992-93	38	1977-78	0	1968	50	2008	5
6	5	1956-57	34	1917-18	0	1919	42	2017	6
7	6	1999-00	33	1978-79	0	1908	42	2013	7
8	7	2011-12	33	1947-48	0	1907	42	2000	8
9	7	1991-92	33	1911-12	0	1906	40	2001	9
10	7	4 more times	32	twice	0	1904	40	1963	10
Rank	Consecutive Freeze Days				Consecutive 100°F Days				Rank
1	15	12/11/1989 - 12/25/1989		27	7/17/2011 - 8/11/2012			1	
2	14	12/18/1983 - 12/31/1983		21	7/12/2001 - 8/1/2001			2	
3	14	1/15/1940 - 1/28/1940		19	7/12/1925 - 7/30/1925			3	
4	13	12/29/1969 - 1/10/1970		18	8/6/1925 - 8/23/1925			4	
5	12	twice (last ended 12/30/1924)		18	8/6/1925 - 8/23/1925			6	

Note: Years where a 100°F day did not occur are not included in the earliest or latest last 100°F day lists (are in averages).

**PRECIPITATION EVENT RECORDS FOR AUSTIN AREA (Downtown-Mueller-Camp Mabry)
Snowfall (1897-2017) and Heavy Rainfall (1891-2017) Climatologies (in inches)**

Rank	All-Time Snowfall Events		All-Time Rainfall Events (Up to 5 Days)		Rank
1	11.0	11/22 - 11/23/1937 (6.0" and 5.0")	19.26	9/6 - 9/10/1921	1
2	7.0	1/13 - 1/14/1944 (3.9" and 3.1")	16.34	4/23 - 4/26/1915	2
3	6.5	1/30/1949 (1-day snowfall record)	14.07	12/1 - 12/5/1913	3
4	6.0	2/22 - 2/23/1966 (5.0" and 1.0")	11.77	7/20 - 7/23/1919	4
5	5.5	12/21/1929	11.28	12/18 - 12/22/1991	5
6	5.0	1/24 - 1/25/1926* (3.0" and 2.0")	11.24	6/11 - 6/15/1981	6
7	4.0	2/21/1964	10.84	10/12 - 10/16/1925	7
8	3.9	1/2/1985	10.14	6/6 - 6/10/1941	8
9	3.6	1/12 - 1/13/1985 (3.0" and 0.6")	9.76	5/24 - 5/28/1929	9
10	3.0	2/25/1924*	9.00	12/11 - 12/12/1891	10
10	3.0	2/5/1923*	All-Time Rainfall Events (Two Days)		Rank
10	3.0	12/9/1898*	19.03	9/9 - 9/10/1921	1
13	2.0	1/13/1982	10.66	12/3 - 12/4/1913	2
13	2.0	11/25 - 11/26/1980 (1.0" and 1.0")	10.29	4/23 - 4/24/1915	3
13	2.0	1/11/1918*	9.92	7/21 - 7/22/1919	4
13	2.0	3/9/1915*	9.00	12/11 - 12/12/1891	5
17	1.5	1/17 - 1/18/1930 (1.3" and 0.2")	8.98	10/13 - 10/14/1925	6
18	1.0	2/11/1963	8.72	6/6 - 6/7/1941	7
18	1.0	11/14/1959	7.90	10/14 - 10/15/1923	8
18	1.0	2/14/1951	7.70	10/17 - 10/18/1998	9
18	1.0	12/28/1925*	7.65	8/26 - 8/27/2017	10
22	0.9	12/31/1946 - 1/1/1947 (0.2" and 0.8")	Consecutive Days Without Precip (<0.01")		Rank
22	0.9	2/8 - 2/9/1973 (0.6" and 0.3")	88	10/29/1894 - 1/24/1895	1
22	0.9	2/4/2011	65	6/27 - 8/30/1993	2
25	0.8	1/9 - 1/11/1973 (0.3", 0.3", and 0.2")	63	8/3 - 10/3/1903	3
26	0.6	5 times (2/23/2010, 2/24/2003, 1/16/1964, 1/31/1951, and 1/21/1927)	56	7/12 - 9/4/1921	4
31	0.5	3 times (2/24/1965, 12/16/1932, & 2/4/1906*)	54	6/29 - 8/23/1962	5
34	0.4	3 times (12/7/2017, 2/10/1994 & 12/18/1906*)	54	6/26 - 8/18/1895	6
37	0.3	5 times (2/3/1996, 2/11/1958, 3/18/1934, 1/22/1928, and 3/10/1932)	53	2/1 - 3/24/1916	7
42	0.2	twice (1/23-24/2014 and 1/16-1/17/2007)	51	2/12 - 4/2/1972	8
44	0.1	7 times (12/9/2008, 3/12/1932, 3/27/1930, 1/21/1930, 2/8/1929, 12/18/1927, & 1/6/1910*)	51	11/16/1950 - 1/6/1951	9
			50	7/1 - 8/19/2015	10
			Consecutive Days Without Precip (<Trace)		Rank
			88	10/29/1894 - 1/24/1895	1
			55	7/7 - 8/30/1993	2
			54	6/29 - 8/23/1962	3
			52	2/1 - 3/23/1916	4
			Consecutive Days With Rain (≥0.01")		3
	Earliest Snowfall	Latest Snowfall	11	1/18 - 1/28/1927	1
	1.0 11/14/1959	0.1 3/27/1930	10	four times (last 8/13 - 8/22/2016)	2
	Earliest Trace Event	Latest Trace Event	Consecutive Days With Rain (≥Trace)		Rank
	T 11/8/1955	T 4/7/2007	12	1/18 - 1/29/1927	1

*These snowfall values from Winter 1897-88 to Winter 1925-26 are not officially in xmACIS yet, but are in GHCN-Daily.

JANUARY DAILY RECORDS AND EXTREMES FOR AUSTIN AREA (Downtown-Mueller-Camp Mabry)														
1981-2010 NORMALS						1897-2017 RECORDS (1892-2017 FOR PRECIPITATION)								
Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date			
1	61	41	0.08	0.08	0.08	85 2006	17 1928	25 1928	67 1916	2.10 1944	1			
2	61	41	0.08	0.16	0.16	80 1954	13 1979	32 2018	66 1950	1.60 1991	2			
3	61	41	0.08	0.24	0.24	86 2006	12 1911	26 1911	68 2005	1.04 1932	3			
4	61	41	0.08	0.32	0.32	84 1997	13 1911	29 1947	67 2005	2.37 1932	4			
5	61	41	0.07	0.39	0.39	83 1921	18 1972	32 1950	66 1998	1.44 2002	5			
6	61	41	0.08	0.47	0.47	84 1989	15 1924	33 1979	64 1907	1.44 1998	6			
7	61	41	0.07	0.54	0.54	80 2008	13 1912	27 1913	69 1907	2.25 1933	7			
8	61	41	0.07	0.61	0.61	88 1923	16 1912	32 1968	66 1965	0.98 1984	8			
9	61	41	0.06	0.67	0.67	85 1917	17 2010	28 1973	64 1949	4.41 1991	9			
10	61	41	0.07	0.74	0.74	86 1963	13 1962	20 1962	64 2005	1.50 1900	10			
11	61	41	0.07	0.81	0.81	85 1990	11 1982	24 1918	66 1995	1.32 1920	11			
12	61	41	0.06	0.87	0.87	81 2017	8 1918	21 1909	67 2017	1.07 1958	12			
13	61	41	0.07	0.94	0.94	82 1901	14 1912	27 1997	66 1960	3.66 2007	13			
14	61	41	0.07	1.01	1.01	79 1980	17 1964	32 1997	68 1907	0.71 1946	14			
15	61	41	0.07	1.08	1.08	79 1936	19 1944	34 1917	66 1907	1.79 1922	15			
16	61	41	0.08	1.16	1.16	82 1943	18 1930	31 2007	67 1928	2.58 2004	16			
17	61	41	0.06	1.22	1.22	81 1999	10 1930	32 1930	69 1907	1.57 2017	17			
18	62	42	0.08	1.3	1.30	83 2000	4 1930	27 1930	70 1907	1.77 1945	18			
19	62	42	0.07	1.37	1.37	87 2000	13 1943	31 1930	68 1935	1.81 1993	19			
20	62	42	0.07	1.44	1.44	83 1972	17 1943	31 1922	66 1933	1.75 1968	20			
21	62	42	0.08	1.52	1.52	84 2017	17 1985	31 1978	66 1957	3.42 1965	21			
22	62	42	0.07	1.59	1.59	84 1969	14 1930	29 1940	66 1909	2.10 1897	22			
23	62	42	0.08	1.67	1.67	88 1972	14 1930	30 1926	67 2002	2.37 1938	23			
24	62	42	0.07	1.74	1.74	81 2013	12 1963	31 1897	67 1950	1.23 1921	24			
25	62	42	0.07	1.81	1.81	87 1971	20 1940	28 1940	69 1950	3.14 2012	25			
26	62	42	0.07	1.88	1.88	83 1975	20 1904	33 1948	68 1952	2.09 1934	26			
27	62	42	0.07	1.95	1.95	83 2015	19 1940	32 1963	64 1911	1.36 2005	27			
28	62	42	0.07	2.02	2.02	81 2015	18 1948	25 1948	69 2013	1.32 2006	28			
29	63	42	0.07	2.09	2.09	86 1917	16 1951	26 1949	69 1969	2.18 1933	29			
30	63	42	0.07	2.16	2.16	90 1971	4 1949	21 1951	68 1911	1.48 1964	30			
31	63	42	0.06	2.22	2.22	86 2016	-2 1949	21 1951	64 1923	1.19 1934	31			
Avg	61.5	41.5	0.07	2.22	2.22	90 1971	-2 1949	20 1962	70 1907	4.41 1991	Max			
Rank	Highest Daily Temps				Rank	Avg Temp		Avg High		Avg Low		Wettest		Rank
1	90	1/30/1971		Warmest	59.9	1923	71.5	2006	52.5	1907	9.21	1991	1	
2	88	1/23/1972		2nd Warmest	59.4	1907	70.8	1923	48.8	1923	9.13	1934	2	
3	88	1/8/1923		3rd Warmest	58.6	2006	70.0	1952	48.6	1933	7.94	1968	3	
4	87	1/19/2000		4th Warmest	58.1	1933	69.8	1953	48.2	1952	6.92	2007	4	
5	87	2 more times		5th Warmest	58.0	1990	68.6	1990	47.5	1911	6.00	1932	5	
Rank	Lowest Daily Temps				Rank	Avg Temp		Avg High		Avg Low		Driest		Rank
1	-2	1/31/1949		Coollest	39.3	1930	48.1	1979	28.9	1925	0.00	1904	1	
2	4	1/30/1949		2nd Coolest	40.4	1979	48.4	1930	29.4	1924	0.04	1971	2	
3	4	1/18/1930		3rd Coolest	40.5	1940	48.8	1978	30.1	1940	0.06	1996	3	
4	8	1/12/1918		4th Coolest	40.7	1978	50.8	1977	30.3	1930	0.06	1909	4	
5	10	1/17/1930		5th Coolest	41.5	1977	51.0	1940	31.3	1926	0.07	1942	5	

FEBRUARY DAILY RECORDS AND EXTREMES FOR AUSTIN AREA (Downtown-Mueller-Camp Mabry)														
1981-2010 NORMALS						1897-2017 RECORDS (1892-2017 FOR PRECIPITATION)								
Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date			
1	63	43	0.07	0.07	2.29	83 1963	12 1951	23 1985	64 1988	1.36 1941	1			
2	63	43	0.07	0.14	2.36	84 1924	7 1951	26 2011	67 1911	1.55 1910	2			
3	63	43	0.06	0.2	2.42	81 2008	16 1951	28 2011	66 2012	1.81 1992	3			
4	63	43	0.06	0.26	2.48	83 1957	15 1912	22 1923	69 2008	1.50 1955	4			
5	64	43	0.07	0.33	2.55	82 2008	17 1912	24 1989	72 1911	2.24 1961	5			
6	64	43	0.06	0.39	2.61	83 1925	19 1905	26 1989	67 2017	2.22 1970	6			
7	64	43	0.07	0.46	2.68	86 2017	15 1933	35 1905	67 1911	0.86 1935	7			
8	64	44	0.07	0.53	2.75	87 2017	11 1933	30 1933	67 2001	2.15 1908	8			
9	64	44	0.08	0.61	2.83	87 1962	13 1933	34 1929	67 1999	1.50 1898	9			
10	64	44	0.07	0.68	2.90	90 1954	19 2011	35 1994	67 1932	1.34 1935	10			
11	64	44	0.08	0.76	2.98	86 2017	17 1981	35 1981	66 2017	1.29 1977	11			
12	65	44	0.07	0.83	3.05	83 1951	-1 1899	29 1948	66 2017	1.86 1950	12			
13	65	44	0.08	0.91	3.13	84 1924	10 1905	33 1905	67 1909	1.48 1969	13			
14	65	45	0.07	0.98	3.20	86 2014	12 1905	33 1951	66 2003	1.46 1969	14			
15	65	45	0.08	1.06	3.28	85 1980	20 1909	38 1909	67 1911	0.82 1983	15			
16	65	45	0.07	1.13	3.35	84 1982	20 1903	40 1900	69 1911	2.07 1961	16			
17	66	45	0.08	1.21	3.43	92 1959	17 1903	30 1979	69 2000	1.97 1918	17			
18	66	45	0.08	1.29	3.51	91 1986	14 1900	37 1936	66 1971	2.35 1963	18			
19	66	46	0.07	1.36	3.58	93 1986	24 1978	37 2006	65 1986	2.00 1932	19			
20	66	46	0.07	1.43	3.65	97 1986	27 1908	38 1929	66 2016	2.56 2003	20			
21	66	46	0.08	1.51	3.73	99 1996	26 1939	38 1918	65 2016	3.05 1958	21			
22	67	46	0.07	1.58	3.80	95 1996	27 1978	33 1968	67 1985	3.00 1958	22			
23	67	47	0.07	1.65	3.87	95 1996	20 1901	37 2015	65 1906	1.90 1912	23			
24	67	47	0.07	1.72	3.94	87 1917	22 1914	36 1960	66 1956	1.60 1992	24			
25	67	47	0.07	1.79	4.01	92 2008	22 1960	30 2003	68 2000	1.93 1949	25			
26	68	47	0.07	1.86	4.08	93 1954	25 1960	36 2003	68 2009	2.85 1903	26			
27	68	47	0.08	1.94	4.16	91 2009	23 1935	36 2015	66 2017	1.48 1915	27			
28	68	48	0.08	2.02	4.24	89 1932	23 1922	36 2015	69 2017	0.61 1993	28			
29	-	-	-	-	-	92 1940	30 1924	43 1996	64 2000	0.53 1996	29			
30	-	-	-	-	-	-	-	-	-	-	30			
31	-	-	-	-	-	-	-	-	-	-	31			
Avg	65.2	44.8	0.07	2.02	4.24	99 1996	-1 1899	22 1923	72 1911	3.05 1958	Max			
Rank	Highest Daily Temps				Rank	Avg Temp		Avg High		Avg Low		Wettest		Rank
1	99	2/21/1996		Warmest	64.5	2017	75.5	2017	53.5	2017	9.41	1903	1	
2	97	2/20/1986		2nd Warmest	62.3	1999	75.2	1925	52.1	1957	6.75	1923	2	
3	95	2/23/1996		3rd Warmest	62.1	2000	73.6	1954	51.3	1999	6.56	1992	3	
4	95	2/22/1996		4th Warmest	61.3	1976	73.4	2009	51.2	1932	6.39	1958	4	
5	93	2 times		5th Warmest	60.9	twice	73.4	1976	51.2	1911	5.70	1970	5	
Rank	Lowest Daily Temps				Rank	Avg Temp		Avg High		Avg Low		Driest		Rank
1	-1	2/12/1899		Coollest	42.3	1905	53.9	1978	30.1	1905	0.00	1916	1	
2	7	2/2/1951		2nd Coldest	45.0	1978	54.4	1905	34.8	1901	T	1893	2	
3	10	2/13/1905		3rd Coldest	46.2	1929	54.5	1897	36.0	1978	0.03	1999	3	
4	11	2/8/1933		4th Coldest	46.5	1897	56.3	1929	36.0	1947	0.12	1937	4	
5	12	2 times		5th Coldest	47.0	1947	56.4	1923	36.0	1929	0.14	2007	5	

MARCH DAILY RECORDS AND EXTREMES FOR AUSTIN AREA (Downtown-Mueller-Camp Mabry)															
1981-2010 NORMALS						1897-2017 RECORDS (1892-2017 FOR PRECIPITATION)									
Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date				
1	68	48	0.08	0.08	4.32	87 2006	21 1922	29 1922	66 1976	1.32 1921	1				
2	69	48	0.08	0.16	4.40	88 1904	19 1980	39 1995	69 1904	1.47 1936	2				
3	69	48	0.09	0.25	4.49	89 1901	18 1943	40 1943	66 2004	1.53 1981	3				
4	69	49	0.09	0.34	4.58	91 1991	24 2002	40 1960	67 1967	1.56 1992	4				
5	69	49	0.09	0.43	4.67	91 1991	25 1917	40 1989	67 1961	0.83 1958	5				
6	70	49	0.09	0.52	4.76	96 1991	25 1901	45 1960	70 1903	1.22 1970	6				
7	70	49	0.10	0.62	4.86	87 1951	24 1943	34 1920	70 1903	1.40 1893	7				
8	70	50	0.09	0.71	4.95	89 1918	29 1996	37 1932	70 2009	2.20 1905	8				
9	70	50	0.09	0.80	5.04	90 1918	25 1932	39 1915	70 1974	2.18 2016	9				
10	71	50	0.09	0.89	5.13	92 1954	24 1948	31 1932	70 1974	2.48 1926	10				
11	71	50	0.08	0.97	5.21	92 1967	19 1948	30 1948	69 2006	1.86 1929	11				
12	71	50	0.09	1.06	5.30	92 1904	18 1948	35 1932	70 2006	1.64 1946	12				
13	71	51	0.09	1.15	5.39	92 1971	23 1948	42 2009	72 1907	1.16 1995	13				
14	72	51	0.09	1.24	5.48	96 2008	28 1993	45 1926	68 1982	3.00 1900	14				
15	72	51	0.10	1.34	5.58	92 2016	29 1924	47 1937	69 1921	1.46 1931	15				
16	72	51	0.09	1.43	5.67	86 2013	30 1924	48 1906	71 1982	1.34 1998	16				
17	73	52	0.09	1.52	5.76	89 1972	30 1913	41 1906	71 1982	1.98 1941	17				
18	73	52	0.09	1.61	5.85	90 2013	30 1934	40 1941	70 1982	1.66 1999	18				
19	73	52	0.08	1.69	5.93	90 1974	26 1923	43 1965	73 1898	1.43 1903	19				
20	73	52	0.09	1.78	6.02	91 1976	24 1965	44 1914	71 1982	2.93 2006	20				
21	74	52	0.09	1.87	6.11	91 1952	24 1923	50 1968	69 1935	1.05 1949	21				
22	74	53	0.09	1.96	6.20	96 1971	30 1915	47 1912	69 1917	1.40 1901	22				
23	74	53	0.10	2.06	6.30	92 1995	31 1968	50 1952	68 1935	1.63 1983	23				
24	74	53	0.10	2.16	6.40	90 1928	30 1952	39 1974	69 1904	2.52 1943	24				
25	75	53	0.09	2.25	6.49	94 1928	32 1955	44 1965	70 1949	2.35 1922	25				
26	75	54	0.10	2.35	6.59	90 1939	26 1955	41 1955	70 2011	1.49 2007	26				
27	75	54	0.08	2.43	6.67	96 1984	31 1955	42 1930	70 2017	2.69 1980	27				
28	75	54	0.09	2.52	6.76	98 1971	27 1955	50 2001	70 2017	3.26 2006	28				
29	76	54	0.08	2.60	6.84	91 2000	34 1987	44 1975	71 1985	1.15 1922	29				
30	76	54	0.08	2.68	6.92	96 1946	33 1944	53 1987	73 1938	1.50 1945	30				
31	76	55	0.08	2.76	7.00	90 1974	30 1987	56 1910	71 1917	2.32 1910	31				
Avg	72.2	51.3	0.09	2.76	7.00	98 1971	18 2 dates	29 1922	73 2 dates	3.26 2006	Max				
Rank	Highest Daily Temps				Rank	Avg Temp		Avg High		Avg Low		Wettest		Rank	
1	98	3/28/1971		Warmest	68.6	2017	80.5	1925	59.9	1907	7.54	2006	1		
2	96	3/14/2008		2nd Warmest	68.3	1907	80.5	1904	58.5	2017	7.23	1926	2		
3	96	3/6/1991		3rd Warmest	67.3	1967	79.4	1967	58.5	1908	7.20	1900	3		
4	96	3/27/1981		4th Warmest	67.1	1916	79.2	1916	57.1	2004	6.68	1905	4		
5	96	2 more times		5th Warmest	66.6	twice	78.6	2017	56.7	1921	6.03	1983	5		
Rank	Lowest Daily Temps				Rank	Avg Temp		Avg High		Avg Low		Driest		Rank	
1	18	3/12/1948		Coollest	51.8	1915	61.7	1915	39.5	1924	0.00 1899	1			
2	18	3/3/1943		2nd Coollest	53.4	1965	63.3	1912	41.7	1901	T 1972	2			
3	19	3/2/1980		3rd Coollest	53.8	1912	63.7	1969	41.8	1915	0.04 1925	3			
4	19	3/11/1948		4th Coollest	53.9	1969	63.8	1960	42.7	1965	0.09 2011	4			
5	21	3/1/1922		5th Coollest	54.3	twice	63.9	2001	43.8	twice	0.13 1904	5			

APRIL DAILY RECORDS AND EXTREMES FOR AUSTIN AREA (Downtown-Mueller-Camp Mabry)															
1981-2010 NORMALS						1897-2017 RECORDS (1892-2017 FOR PRECIPITATION)									
Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date				
1	77	55	0.07	0.07	7.07	93 2011	30 1926	58 1915	71 2006	1.35 1904	1				
2	77	55	0.06	0.13	7.13	99 1939	32 1924	52 1992	71 1956	2.10 2013	2				
3	77	55	0.06	0.19	7.19	90 2017	35 1915	49 1908	71 2014	2.00 1922	3				
4	77	56	0.06	0.25	7.25	89 2017	37 1920	51 1949	71 2001	3.11 1922	4				
5	78	56	0.06	0.31	7.31	94 1936	33 1920	55 1987	71 2001	2.70 1963	5				
6	78	56	0.07	0.38	7.38	92 1948	37 1937	55 1973	71 1929	6.50 1900	6				
7	78	56	0.06	0.44	7.44	97 1972	34 2007	50 2007	71 1980	2.85 1921	7				
8	78	57	0.06	0.50	7.50	93 2011	34 1938	44 1938	72 2011	2.65 1943	8				
9	78	57	0.06	0.56	7.56	98 1963	32 1914	44 1928	71 1927	2.68 1910	9				
10	79	57	0.06	0.62	7.62	94 1963	34 1938	55 1982	71 2017	1.55 1978	10				
11	79	57	0.06	0.68	7.68	95 1925	35 1900	54 2004	71 1972	1.44 1959	11				
12	79	58	0.06	0.74	7.74	93 1925	36 1940	53 1940	73 1991	2.40 1969	12				
13	79	58	0.06	0.80	7.80	98 1982	33 1940	46 1957	71 1945	1.38 1958	13				
14	80	58	0.06	0.86	7.86	94 1961	38 1980	54 1947	71 2012	1.34 2014	14				
15	80	58	0.06	0.92	7.92	94 1924	37 1928	59 1959	72 1939	2.22 1977	15				
16	80	59	0.07	0.99	7.99	95 2006	36 1926	56 1911	72 1982	2.29 1950	16				
17	80	59	0.07	1.06	8.06	99 2006	37 1926	60 1921	73 2013	1.50 1898	17				
18	80	59	0.07	1.13	8.13	98 2006	36 1901	63 1940	71 2011	3.56 1976	18				
19	81	60	0.07	1.20	8.20	98 1951	35 1901	54 1907	73 2011	2.53 1949	19				
20	81	60	0.07	1.27	8.27	97 1925	39 1924	51 1907	75 2011	1.85 1927	20				
21	81	60	0.07	1.34	8.34	95 1925	43 1953	47 1907	74 2011	3.12 1926	21				
22	81	60	0.07	1.41	8.41	94 2011	40 1931	56 1982	73 2011	3.65 1946	22				
23	82	61	0.07	1.48	8.48	98 2000	44 1927	61 1941	74 2011	10.00 1915	23				
24	82	61	0.08	1.56	8.56	96 2003	44 1928	58 1982	73 2011	1.60 1966	24				
25	82	61	0.08	1.64	8.64	95 1996	42 1910	58 1947	74 2011	3.05 1915	25				
26	82	62	0.09	1.73	8.73	97 1988	45 1926	59 1997	74 2011	3.00 1915	26				
27	82	62	0.09	1.82	8.82	96 2014	45 1926	57 1997	75 1994	3.60 1914	27				
28	83	62	0.08	1.90	8.90	95 2017	47 2008	65 2015	74 2002	3.00 1975	28				
29	83	62	0.09	1.99	8.99	95 1937	42 1903	64 1976	75 2016	3.00 1905	29				
30	83	63	0.10	2.09	9.09	95 1933	40 1907	53 1907	75 1902	1.31 1904	30				
31	-	-	-	-	-	-	-	-	-	-	31				
Avg	79.8	58.6	0.07	2.09	9.09	99 2 dates	30 1926	44 2 dates	75 2 dates	10.00 1915	Max				
Rank	Highest Daily Temps				Rank	Avg Temp	Avg High	Avg Low	Wettest	Rank					
1	99	4/17/2006			Warmest	76.1 2011	88.7 2011	66.3 1967	19.82 1915	1					
2	99	4/2/1939			2nd Warmest	75.9 1967	88.0 1925	64.3 2002	10.43 1921	2					
3	98	4/18/2006			3rd Warmest	74.9 2006	86.2 2006	63.5 2011	9.93 1957	3					
4	98	4/23/2000			4th Warmest	74.4 1925	85.5 1967	63.5 2006	9.63 1900	4					
5	98	4 more times			5th Warmest	73.8 2012	85.1 2012	63.0 1906	8.67 1922	5					
Rank	Lowest Daily Temps				Rank	Avg Temp	Avg High	Avg Low	Driest	Rank					
1	30	4/1/1926			Coollest	61.7 1926	70.6 1907	48.3 1926	0.06 1984	1					
2	32	4/2/1924			2nd Coollest	62.0 1907	71.5 1973	52.2 1928	0.10 2003	2					
3	32	4/1/1924			3rd Coollest	63.0 1997	72.2 1997	52.5 1931	0.10 1961	3					
4	32	4/9/1914			4th Coollest	63.1 1973	73.6 1949	52.7 1924	0.10 1892	4					
5	33	2 times			5th Coollest	63.3 1931	74.0 1931	52.9 1952	0.16 1983	5					

MAY DAILY RECORDS AND EXTREMES FOR AUSTIN AREA (Downtown-Mueller-Camp Mabry)																
1981-2010 NORMALS						1897-2017 RECORDS (1892-2017 FOR PRECIPITATION)										
Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date					
1	83	63	0.12	0.12	9.21	98 1929	40 1925	52 1907	74 1983	3.16 1972	1					
2	83	63	0.12	0.24	9.33	95 1964	41 1925	55 2011	74 1898	2.15 1978	2					
3	84	63	0.13	0.37	9.46	95 2017	44 2013	66 1935	74 1948	3.80 1904	3					
4	84	64	0.12	0.49	9.58	100 1984	42 1907	61 1935	75 1912	2.70 1895	4					
5	84	64	0.13	0.62	9.71	100 1984	47 1944	62 1935	76 2003	3.84 2015	5					
6	84	64	0.13	0.75	9.84	99 1984	46 1917	52 1917	76 1927	4.01 1904	6					
7	85	65	0.13	0.88	9.97	102 1998	41 1906	62 1942	76 2003	2.10 1900	7					
8	85	65	0.13	1.01	10.10	99 1967	46 1924	66 1938	77 2003	2.00 1995	8					
9	85	65	0.13	1.14	10.23	99 2011	49 1984	58 1924	76 2003	3.32 1974	9					
10	85	65	0.13	1.27	10.36	96 1967	50 1969	63 1917	76 2015	2.70 2012	10					
11	85	66	0.14	1.41	10.50	99 1967	49 1981	68 1968	76 2002	2.10 1899	11					
12	86	66	0.13	1.54	10.63	98 1990	47 1960	64 1946	78 1933	2.96 2011	12					
13	86	66	0.13	1.67	10.76	98 1925	47 1960	65 1953	76 1933	3.22 1982	13					
14	86	66	0.14	1.81	10.90	96 2003	49 1971	57 1953	77 1995	2.80 1900	14					
15	86	67	0.14	1.95	11.04	98 1925	45 1926	68 1970	75 2003	3.65 1970	15					
16	87	67	0.15	2.10	11.19	99 2003	46 1926	67 1920	76 2003	3.19 1965	16					
17	87	67	0.14	2.24	11.33	96 1925	49 1945	72 1983	75 2013	3.95 1999	17					
18	87	67	0.15	2.39	11.48	97 1925	52 1976	67 1916	75 2000	4.30 1895	18					
19	87	68	0.14	2.53	11.62	98 2008	52 2009	71 1952	77 1902	2.25 2016	19					
20	87	68	0.15	2.68	11.77	101 2008	53 1926	70 1983	76 1902	3.85 1914	20					
21	88	68	0.15	2.83	11.92	99 1939	52 1960	73 1967	76 1902	5.55 1979	21					
22	88	68	0.16	2.99	12.08	98 1939	54 2001	75 1944	77 2011	1.30 1898	22					
23	88	68	0.15	3.14	12.23	100 2008	50 1913	71 1993	78 2008	4.21 1975	23					
24	88	69	0.15	3.29	12.38	104 1925	50 1913	70 1936	78 2008	4.00 1908	24					
25	89	69	0.16	3.45	12.54	100 2011	49 1913	72 1936	79 2008	5.20 2015	25					
26	89	69	0.16	3.61	12.70	96 2008	47 1913	75 2014	78 2008	3.26 1957	26					
27	89	69	0.16	3.77	12.86	100 2011	45 1901	71 1907	77 1990	1.75 2014	27					
28	89	70	0.17	3.94	13.03	100 2011	47 1901	64 1907	76 1996	6.16 1929	28					
29	89	70	0.16	4.10	13.19	99 1927	52 1947	63 1907	79 1996	3.81 1987	29					
30	90	70	0.18	4.28	13.37	101 2003	56 1992	71 1907	77 2011	2.25 1995	30					
31	90	70	0.16	4.44	13.53	100 2004	53 1984	69 1983	80 1990	2.52 1937	31					
Avg	86.5	66.7	0.14	4.44	13.53	104 1925	40 1925	52 2 dates	80 1990	6.16 1929	Max					
Rank	Highest Daily Temps				Rank			Avg Temp		Avg High		Avg Low		Wettest		Rank
1	104	5/24/1925		Warmest			80.6 1996	91.8 1923	70.9 1902	17.59 2015		1				
2	102	5/7/1998		2nd Warmest			80.2 1902	91.2 1998	70.5 1996	14.10 1895		2				
3	101	5/20/2008		3rd Warmest			80.1 2003	90.8 1925	70.0 2003	12.75 1929		3				
4	101	5/30/2003		4th Warmest			79.9 1998	90.7 1996	69.6 1905	12.59 1914		4				
5	100	7 times		5th Warmest			79.7 2008	90.6 2008	69.3 2000	11.37 1904		5				
Rank	Lowest Daily Temps				Rank			Avg Temp		Avg High		Avg Low		Driest		Rank
1	40	5/1/1925		Coollest			67.1 1907	73.5 1907	57.9 1913	0.58 1931		1				
2	41	5/2/1925		2nd Coollest			70.4 1917	79.4 1914	58.3 1924	0.73 1998		2				
3	41	5/7/1906		3rd Coollest			70.6 1976	79.6 1909	58.8 1901	0.81 1960		3				
4	42	5/4/1907		4th Coollest			70.6 1924	80.1 1976	59.8 1917	0.83 1949		4				
5	42	5/1/1907		5th Coollest			71.0 1913	80.9 twice	60.7 twice	0.84 1912		5				

JUNE DAILY RECORDS AND EXTREMES FOR AUSTIN AREA (Downtown-Mueller-Camp Mabry)														
1981-2010 NORMALS						1897-2017 RECORDS (1892-2017 FOR PRECIPITATION)								
Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date			
1	90	70	0.16	0.16	13.69	100 2008	55 1964	72 1907	80 1906	4.91 1935	1			
2	90	70	0.17	0.33	13.86	101 2008	55 1919	68 1919	79 1990	2.60 1924	2			
3	90	71	0.17	0.50	14.03	100 2008	52 1919	71 1969	77 2008	3.82 1951	3			
4	91	71	0.17	0.67	14.20	99 2008	56 1903	74 1969	80 1998	2.03 1987	4			
5	91	71	0.17	0.84	14.37	101 2011	55 1970	76 1965	80 2008	2.02 1892	5			
6	91	71	0.17	1.01	14.54	103 2011	51 1926	78 1983	79 2010	5.81 1941	6			
7	91	71	0.17	1.18	14.71	100 2011	60 1926	80 1983	80 1980	2.91 1941	7			
8	91	71	0.16	1.34	14.87	102 1925	60 1926	77 2004	80 1974	1.73 1997	8			
9	91	72	0.17	1.51	15.04	101 2008	61 1996	75 2000	79 2008	4.24 2004	9			
10	92	72	0.16	1.67	15.20	102 2008	57 1955	76 1955	79 1998	1.81 1962	10			
11	92	72	0.16	1.83	15.36	101 2012	58 1955	76 1973	79 1906	5.66 1981	11			
12	92	72	0.17	2.00	15.53	103 1953	60 1979	75 1973	80 2010	3.03 1957	12			
13	92	72	0.15	2.15	15.68	101 2011	58 1903	70 1903	79 2010	4.50 1981	13			
14	92	72	0.15	2.30	15.83	108 1998	57 1903	73 1903	79 2001	1.34 2015	14			
15	92	72	0.16	2.46	15.99	104 2011	60 1933	74 1919	80 1958	2.56 1964	15			
16	92	73	0.15	2.61	16.14	103 2011	57 1933	74 1919	79 1912	4.28 1964	16			
17	92	73	0.15	2.76	16.29	106 2011	60 1917	68 1961	80 2011	2.66 2015	17			
18	93	73	0.15	2.91	16.44	106 2011	63 1912	71 1961	81 1998	2.43 1961	18			
19	93	73	0.14	3.05	16.58	105 2011	57 1912	66 1912	80 1918	1.20 1920	19			
20	93	73	0.14	3.19	16.72	106 1925	56 1912	76 1999	79 1998	2.15 1907	20			
21	93	73	0.14	3.33	16.86	106 1936	60 1976	79 1997	78 1947	2.62 1997	21			
22	93	73	0.13	3.46	16.99	103 1900	61 1961	75 1921	79 1972	2.58 1985	22			
23	93	73	0.13	3.59	17.12	104 2017	65 2002	77 1968	79 2003	1.13 1924	23			
24	93	73	0.12	3.71	17.24	105 2009	67 2002	77 1960	80 1906	2.27 1960	24			
25	93	74	0.13	3.84	17.37	106 2009	59 1974	72 1973	79 2009	2.96 1905	25			
26	93	74	0.10	3.94	17.47	109 2012	59 1940	83 1968	79 1969	2.22 1993	26			
27	94	74	0.11	4.05	17.58	106 2012	61 1974	75 1962	80 1980	1.63 1992	27			
28	94	74	0.09	4.14	17.67	106 2013	63 2006	83 1975	79 1998	1.47 1940	28			
29	94	74	0.10	4.24	17.77	108 2013	64 1985	79 2004	80 1907	3.02 1940	29			
30	94	74	0.09	4.33	17.86	101 1980	64 1926	78 1936	80 1957	3.03 1936	30			
31	-	-	-	-	-	-	-	-	-	-	31			
Avg	92.1	72.3	0.14	4.33	17.86	109 2012	51 1926	66 1912	81 1998	5.81 1941	Max			
Rank	Highest Daily Temps				Rank	Avg Temp		Avg High		Avg Low		Wettest		Rank
1	109	6/26/2012		Warmest	87.4	2008	99.9	2011	76.0	1906	14.96	1981	1	
2	108	6/29/2013		2nd Warmest	87.1	2011	99.4	2008	75.5	1998	12.60	1941	2	
3	108	6/14/1998		3rd Warmest	86.6	2009	99.4	1925	75.4	2008	11.43	1961	3	
4	106	6/28/2013		4th Warmest	86.3	1998	99.1	2009	75.0	2010	11.41	2004	4	
5	106	7 more times		5th Warmest	86.2	1925	98.0	1923	74.6	1990	10.85	1987	5	
Rank	Lowest Daily Temps				Rank	Avg Temp		Avg High		Avg Low		Driest		Rank
1	51	6/6/1926		Coollest	76.4	1907	83.6	1907	66.1	1913	0.00	1911	1	
2	52	6/3/1919		2nd Coollest	76.9	1913	85.9	1919	66.8	1903	T	1967	2	
3	53	6/3/1970		3rd Coollest	77.3	1919	86.6	1973	67.9	1901	0.06	2012	3	
4	55	6/5/1970		4th Coollest	77.7	1940	87.1	1940	68.2	1940	0.11	1947	4	
5	55	5 more times		5th Coollest	78.1	1903	87.4	1997	68.4	twice	0.20	1934	5	

JULY DAILY RECORDS AND EXTREMES FOR AUSTIN AREA (Downtown-Mueller-Camp Mabry)															
1981-2010 NORMALS						1897-2017 RECORDS (1892-2017 FOR PRECIPITATION)									
Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date				
1	94	74	0.08	0.08	17.94	102 1980	65 1923	77 2002	79 2017	2.50 1899	1				
2	94	74	0.07	0.15	18.01	104 2009	57 1924	76 2002	80 1992	2.17 2002	2				
3	94	74	0.07	0.22	18.08	102 2011	60 1924	82 1922	79 1913	1.90 1942	3				
4	94	74	0.08	0.30	18.16	104 2009	59 1924	79 1985	80 2016	1.77 1976	4				
5	94	74	0.07	0.37	18.23	105 2009	62 1924	73 1942	80 1910	2.14 1981	5				
6	94	74	0.07	0.44	18.30	104 2005	62 1924	74 1942	79 2016	2.52 1958	6				
7	95	74	0.07	0.51	18.37	104 2005	63 1924	77 1906	79 2016	0.71 1936	7				
8	95	74	0.07	0.58	18.44	106 2009	64 1924	78 1907	79 2016	1.80 1973	8				
9	95	74	0.07	0.65	18.51	105 2009	67 1905	79 1976	78 2016	4.67 1961	9				
10	95	74	0.07	0.72	18.58	105 1917	63 1905	81 1961	79 2011	1.40 1898	10				
11	95	74	0.07	0.79	18.65	108 1917	62 1905	82 1976	79 2016	1.74 1999	11				
12	95	74	0.06	0.85	18.71	107 1954	65 1901	75 1939	79 1915	2.17 1939	12				
13	95	74	0.07	0.92	18.78	105 2013	65 1898	81 1953	80 1998	0.70 1955	13				
14	95	74	0.06	0.98	18.84	108 1925	65 1953	80 1900	79 2010	1.60 1900	14				
15	96	74	0.05	1.03	18.89	108 1925	65 1967	77 1990	79 2011	2.70 2012	15				
16	96	74	0.06	1.09	18.95	105 2009	64 1967	78 1990	80 1978	5.12 1936	16				
17	96	75	0.05	1.14	19.00	105 1984	68 1967	83 2002	80 1906	3.53 2014	17				
18	96	75	0.05	1.19	19.05	107 1923	60 1911	78 2014	81 1932	1.52 2014	18				
19	96	75	0.05	1.24	19.10	105 1951	68 1947	84 2007	79 2009	4.85 1979	19				
20	96	75	0.06	1.30	19.16	104 2000	65 1947	77 2007	78 2011	1.62 1959	20				
21	96	75	0.05	1.35	19.21	104 2017	67 1947	78 1919	78 2011	8.56 1919	21				
22	96	75	0.05	1.40	19.26	104 2011	61 1923	79 1919	80 1953	1.36 1919	22				
23	97	75	0.04	1.44	19.30	104 2011	64 1970	77 1919	78 2016	1.44 2000	23				
24	97	75	0.05	1.49	19.35	105 2011	66 1942	83 1984	79 2011	1.10 1901	24				
25	97	75	0.05	1.54	19.40	105 2011	65 1924	78 1949	85 1898	1.22 1908	25				
26	97	75	0.06	1.60	19.46	109 1954	67 1924	85 1929	82 1898	1.76 2007	26				
27	97	75	0.05	1.65	19.51	105 2009	68 1903	82 1903	80 1954	3.28 1979	27				
28	97	75	0.06	1.71	19.57	105 1923	68 1916	82 1903	81 1906	3.20 1902	28				
29	97	75	0.06	1.77	19.63	105 2017	62 1903	79 1933	81 2009	4.81 1903	29				
30	97	75	0.05	1.82	19.68	107 2017	67 1900	80 1903	82 1912	3.06 1933	30				
31	97	75	0.06	1.88	19.74	106 2017	66 1916	75 1900	80 1981	1.00 1892	31				
Avg	95.6	74.4	0.06	1.88	19.74	109 1954	57 1924	73 1942	85 1898	8.56 1919	Max				
Rank	Highest Daily Temps				Rank	Avg Temp	Avg High	Avg Low	Wettest	Rank					
1	109	7/26/1954		Warmest	89.7 2011	102.1 2011	77.2 2011	12.80 1919	1						
2	108	7/15/1925		2nd Warmest	89.5 2009	102.0 2009	77.1 2016	12.65 1903	2						
3	108	7/14/1925		3rd Warmest	88.9 2017	101.7 1923	76.9 2009	10.54 1979	3						
4	108	7/11/1917		4th Warmest	88.0 2016	101.4 2017	76.7 1998	9.84 2007	4						
5	107	6 times		5th Warmest	87.9 twice	101.2 1925	76.5 2017	9.25 1936	5						
Rank	Lowest Daily Temps				Rank	Avg Temp	Avg High	Avg Low	Driest	Rank					
1	57	7/2/1924		Coolest	78.6 1907	86.7 1907	69.7 1900	0.00 1962	1						
2	59	7/4/1924		2nd Coolest	80.2 1976	88.0 1976	70.0 1901	0.00 1895	2						
3	60	7/3/1924		3rd Coolest	81.0 2007	88.6 2007	70.1 1924	T 2015	3						
4	60	7/18/1911		4th Coolest	81.0 1900	89.5 1908	70.4 1923	T 1993	4						
5	61	7/22/1923		5th Coolest	81.1 1919	89.7 1919	70.5 1907	T 1894	5						

AUGUST DAILY RECORDS AND EXTREMES FOR AUSTIN AREA (Downtown-Mueller-Camp Mabry)																
1981-2010 NORMALS						1897-2017 RECORDS (1892-2017 FOR PRECIPITATION)										
Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date					
1	97	75	0.06	0.06	19.80	107 2011	63 1925	76 1900	80 2009	1.75 1893	1					
2	98	75	0.06	0.12	19.86	107 2011	63 1925	73 1925	80 2011	2.35 1995	2					
3	98	75	0.06	0.18	19.92	107 1923	64 1925	76 1971	79 2011	2.40 1966	3					
4	98	75	0.06	0.24	19.98	107 2011	65 1925	82 1908	80 1980	1.72 1971	4					
5	98	75	0.06	0.30	20.04	106 2011	67 1925	78 1971	79 1980	1.50 1894	5					
6	98	75	0.06	0.36	20.10	105 2013	68 1949	77 1971	80 1951	1.25 1920	6					
7	98	75	0.06	0.42	20.16	108 2003	67 1914	80 1974	80 1906	2.70 1904	7					
8	98	75	0.06	0.48	20.22	110 2003	67 1997	74 1997	79 2011	2.78 1974	8					
9	98	75	0.06	0.54	20.28	106 2011	67 1989	78 1900	80 1913	5.68 1994	9					
10	98	75	0.06	0.60	20.34	107 2012	65 1989	79 1900	81 2016	1.73 2002	10					
11	98	75	0.06	0.66	20.40	105 2015	67 1989	80 1900	82 2011	2.76 1966	11					
12	98	75	0.06	0.72	20.46	106 1923	65 1931	81 1900	81 2011	1.57 1920	12					
13	98	75	0.06	0.78	20.52	107 1925	61 1967	75 1920	80 1962	2.00 2003	13					
14	98	75	0.07	0.85	20.59	107 2013	65 1967	80 1960	79 2011	3.55 1991	14					
15	98	75	0.07	0.92	20.66	105 2011	66 1973	76 2016	80 1987	3.56 1914	15					
16	98	75	0.07	0.99	20.73	107 1923	64 2004	83 2016	80 2017	1.79 2016	16					
17	97	75	0.07	1.06	20.80	107 1923	62 1992	84 2016	80 2017	1.38 1967	17					
18	97	75	0.07	1.13	20.87	109 1923	65 1901	80 1915	79 2010	2.08 1932	18					
19	97	75	0.08	1.21	20.95	107 2011	68 1913	80 1900	80 1909	1.95 1951	19					
20	97	75	0.09	1.30	21.04	106 2011	64 1940	81 1953	79 2011	0.74 2016	20					
21	97	75	0.08	1.38	21.12	107 1925	62 1940	79 1919	81 1910	1.61 1931	21					
22	97	75	0.09	1.47	21.21	105 2011	60 1901	80 1998	80 1970	1.00 1894	22					
23	97	75	0.09	1.56	21.30	106 2010	64 1961	79 1959	79 2007	1.70 1996	23					
24	96	74	0.09	1.65	21.39	107 2010	64 1966	82 1996	79 2011	3.02 1937	24					
25	96	74	0.09	1.74	21.48	105 1924	63 1966	75 1966	79 2010	4.24 1962	25					
26	96	74	0.10	1.84	21.58	107 1924	63 1926	76 2017	79 2006	5.08 2017	26					
27	96	74	0.09	1.93	21.67	110 2011	64 1926	74 2017	79 2011	2.57 2017	27					
28	96	74	0.11	2.04	21.78	112 2011	64 1926	79 1944	80 2011	1.72 1915	28					
29	95	74	0.10	2.14	21.88	109 2011	65 1992	74 1946	81 2011	4.00 1945	29					
30	95	74	0.10	2.24	21.98	105 2013	63 1986	75 2001	80 2010	2.38 1936	30					
31	95	73	0.11	2.35	22.09	107 2000	58 1915	78 1915	79 2011	1.20 2001	31					
Avg	97.0	74.6	0.08	2.35	22.09	112 2011	58 1915	73 1925	82 2011	5.68 1994	Max					
Rank	Highest Daily Temps				Rank	Avg Temp		Avg High		Avg Low		Wettest		Rank		
1	112	8/28/2011			Warmest	91.7 2011	104.8 2011	78.5 2011		10.44 2017		1				
2	110	8/27/2011			2nd Warmest	89.1 2009	102.9 1923	76.7 2010		9.48 2001		2				
3	110	8/8/2003			3rd Warmest	88.7 2010	101.7 2009	76.5 2009		8.90 1974		3				
4	109	8/29/2011			4th Warmest	88.5 2006	100.7 2013	76.3 2006		8.81 1996		4				
5	109	8/23/1923			5th Warmest	88.2 1999	100.7 2006	76.1 3 times		8.50 1994		5				
Rank	Lowest Daily Temps				Rank	Avg Temp		Avg High		Avg Low		Driest		Rank		
1	58	8/31/1915			Coollest	77.6 1900	85.8 1900	67.3 1901		0.00 1952		1				
2	60	8/22/1901			2nd Coollest	80.6 1916	88.5 1908	69.5 1900		0.00 1902		2				
3	61	8/13/1967			3rd Coollest	80.6 1907	89.5 1907	70.1 1916		0.00 1896		3				
4	62	8/13/2004			4th Coollest	81.1 1908	89.6 1971	70.5 1949		T 2011		4				
5	62	4 more times			5th Coollest	81.2 1971	89.8 1974	70.6 1925		T 3 times		5				

SEPTEMBER DAILY RECORDS AND EXTREMES FOR AUSTIN AREA (Downtown-Mueller-Camp Mabry)																
1981-2010 NORMALS						1897-2017 RECORDS (1891-2017 FOR PRECIPITATION)										
Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date					
1	95	73	0.11	0.11	22.20	107	2000	59	1915	79	1915	80	2000	2.51	1946	1
2	94	73	0.12	0.23	22.32	107	2000	58	1915	75	1967	80	2011	3.55	2010	2
3	94	73	0.10	0.33	22.42	108	2000	59	1974	73	1974	79	1998	3.15	1932	3
4	94	73	0.12	0.45	22.54	110	2000	57	1934	76	1974	79	2000	2.42	1923	4
5	94	72	0.11	0.56	22.65	112	2000	56	1974	76	1967	79	2015	1.30	1900	5
6	93	72	0.12	0.68	22.77	102	2012	52	1924	78	1918	78	1897	3.90	1944	6
7	93	72	0.11	0.79	22.88	103	2012	54	1924	76	1935	78	2016	7.04	2010	7
8	93	72	0.12	0.91	23.00	101	1993	54	1918	78	1942	78	2001	3.17	1994	8
9	93	71	0.11	1.02	23.11	100	1997	56	1957	75	1974	78	1906	15.00	1921	9
10	92	71	0.11	1.13	23.22	101	2000	54	1924	74	1948	78	2003	4.03	1921	10
11	92	71	0.12	1.25	23.34	104	2011	55	1924	73	1969	78	2014	2.35	1998	11
12	92	71	0.10	1.35	23.44	105	2011	55	1898	76	2009	78	1982	2.11	2009	12
13	91	70	0.11	1.46	23.55	105	2011	52	1902	66	2014	79	1993	2.50	1897	13
14	91	70	0.10	1.56	23.65	103	2011	54	1902	68	1974	78	1906	2.01	1904	14
15	91	70	0.10	1.66	23.75	99	1953	55	1945	74	1913	78	1912	2.02	1998	15
16	90	69	0.10	1.76	23.85	99	1965	54	1945	70	1908	79	2006	2.73	1964	16
17	90	69	0.09	1.85	23.94	98	1925	53	1903	70	1908	78	1988	1.60	1908	17
18	90	69	0.09	1.94	24.03	99	1956	45	1903	68	1908	78	1988	3.66	2014	18
19	89	69	0.09	2.03	24.12	101	1956	50	1903	65	1991	77	2017	1.40	1977	19
20	89	68	0.09	2.12	24.21	103	1956	52	1971	67	1927	78	1954	2.92	2013	20
21	89	68	0.08	2.20	24.29	100	1926	50	1901	71	1971	79	1980	1.27	1967	21
22	89	68	0.08	2.28	24.37	102	1926	49	1995	66	1995	79	2006	4.00	1965	22
23	88	67	0.08	2.36	24.45	100	2000	52	1995	65	1919	80	2000	2.56	1959	23
24	88	67	0.09	2.45	24.54	99	2011	48	1924	68	2009	79	2005	2.06	1933	24
25	88	67	0.09	2.54	24.63	107	2005	48	1924	62	1974	78	1977	1.95	1980	25
26	87	66	0.08	2.62	24.71	107	2005	48	1942	66	1965	79	1977	4.71	1973	26
27	87	66	0.09	2.71	24.80	103	2005	41	1942	61	1943	78	1959	2.54	1964	27
28	87	66	0.10	2.81	24.90	106	2005	49	1942	65	1984	77	1998	1.87	1945	28
29	87	65	0.09	2.90	24.99	101	2011	47	1967	62	1984	78	1986	1.91	2012	29
30	86	65	0.09	2.99	25.08	97	1923	42	1924	65	1985	77	1986	1.15	1988	30
31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
Avg	90.5	69.4	0.10	2.99	25.08	112	2000	41	1942	61	1943	80	3 dates	15.00	1921	Max
Rank	Highest Daily Temps				Rank			Avg Temp		Avg High		Avg Low		Wettest		Rank
1	112	9/5/2000			Warmest			84.4	2011	98.7	2011	74.5	1998	20.78	1921	1
2	110	9/4/2000			2nd Warmest			84.4	2005	95.9	2005	74.5	1911	13.20	2010	2
3	108	9/3/2000			3rd Warmest			84.2	1911	95.1	2015	74.1	1986	8.79	1935	3
4	107	9/26/2005			4th Warmest			83.8	1977	94.9	2013	73.8	1933	8.41	1923	4
5	107	9/25/2005			5th Warmest			83.5	2013	94.9	1926	73.7	1906	8.11	1942	5
Rank	Lowest Daily Temps				Rank			Avg Temp		Avg High		Avg Low		Driest		Rank
1	41	9/27/1942			Coollest			72.3	1974	80.4	1974	61.3	1924	T	1903	1
2	42	9/30/1924			2nd Coollest			72.7	1913	81.6	1913	63.5	1901	0.02	2008	2
3	45	9/18/1903			3rd Coollest			74.6	1942	82.1	1908	63.6	1903	0.02	1931	3
4	46	9/30/1916			4th Coollest			75.1	1967	84.1	1946	63.8	1913	0.07	1947	4
5	47	9/29/1967			5th Coollest			75.1	1908	84.4	1967	64.1	1974	0.09	1956	5

OCTOBER DAILY RECORDS AND EXTREMES FOR AUSTIN AREA (Downtown-Mueller-Camp Mabry)														
1981-2010 NORMALS						1897-2017 RECORDS (1891-2017 FOR PRECIPITATION)								
Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date			
1	86	65	0.10	0.10	25.18	98 1989	42 1924	63 1958	78 1986	4.64 1913	1			
2	86	65	0.10	0.20	25.28	100 1938	43 1924	65 1958	76 2014	2.13 1913	2			
3	86	64	0.11	0.31	25.39	97 1979	48 1961	63 1958	76 2013	2.08 1892	3			
4	85	64	0.11	0.42	25.50	98 1929	47 1975	63 1965	77 1998	3.57 1930	4			
5	85	64	0.11	0.53	25.61	96 1925	48 1975	67 1965	76 1928	1.80 1895	5			
6	85	63	0.12	0.65	25.73	96 1989	45 1932	66 1986	77 1982	3.80 1919	6			
7	84	63	0.11	0.76	25.84	97 1917	47 1952	58 2012	77 1990	3.21 1994	7			
8	84	63	0.13	0.89	25.97	96 1925	42 1952	49 2000	79 2009	0.86 1994	8			
9	84	63	0.12	1.01	26.09	95 1926	41 1976	51 2000	76 1941	2.00 1990	9			
10	84	62	0.13	1.14	26.22	97 1926	45 1990	58 2000	77 1973	1.82 1919	10			
11	83	62	0.13	1.27	26.35	96 1926	44 1952	59 2009	76 1931	4.64 1973	11			
12	83	62	0.13	1.40	26.48	99 2015	41 1946	62 1982	76 1981	3.63 1986	12			
13	83	61	0.13	1.53	26.61	97 1991	40 1946	63 1969	78 1981	6.95 1925	13			
14	83	61	0.14	1.67	26.75	96 2015	42 1901	61 2002	78 1981	7.39 1923	14			
15	82	61	0.13	1.80	26.88	95 2015	44 1914	66 1970	75 1981	3.04 1967	15			
16	82	61	0.14	1.94	27.02	94 2016	44 1974	61 1912	75 2016	2.16 1912	16			
17	82	60	0.14	2.08	27.16	95 1993	40 1898	60 1948	75 1905	6.24 1998	17			
18	81	60	0.14	2.22	27.30	94 1947	39 1903	58 1999	76 2004	1.62 1965	18			
19	81	60	0.15	2.37	27.45	95 1921	39 1903	58 1925	76 2004	2.08 1909	19			
20	81	60	0.15	2.52	27.60	92 2005	38 1917	56 1905	75 2004	1.84 1993	20			
21	81	59	0.15	2.67	27.75	92 1979	39 1976	56 1911	75 2004	1.73 1984	21			
22	80	59	0.13	2.80	27.88	92 2003	37 1923	60 1984	73 1919	1.62 1972	22			
23	80	59	0.14	2.94	28.02	94 2003	36 1923	50 1936	74 1919	4.12 1953	23			
24	80	58	0.13	3.07	28.15	94 1933	33 1924	54 1935	74 1991	4.79 2015	24			
25	79	58	0.13	3.20	28.28	91 1992	33 1924	55 1972	73 1991	2.13 1975	25			
26	79	58	0.12	3.32	28.40	90 1987	31 1924	51 1957	76 1939	3.62 1964	26			
27	79	58	0.12	3.44	28.52	93 1995	31 1924	48 1936	75 1996	1.16 1904	27			
28	78	57	0.11	3.55	28.63	89 1917	32 1957	51 1976	71 2004	4.48 1960	28			
29	78	57	0.11	3.66	28.74	90 1938	33 1913	41 1925	72 2004	2.74 1960	29			
30	78	57	0.11	3.77	28.85	90 1947	30 1917	49 1993	73 1974	4.93 2015	30			
31	77	56	0.11	3.88	28.96	90 2003	30 1993	50 1991	75 2003	2.80 1900	31			
Avg	81.8	60.6	0.13	3.88	28.96	100 1938	30 2 dates	41 1925	79 2009	7.39 1923	Max			
Rank	Highest Daily Temps				Rank	Avg Temp		Avg High		Avg Low		Wettest		Rank
1	100	10/2/1938		Warmest	77.0	1931	88.4	1947	66.8	2004	13.28	2013	1	
2	100	10/2/1923		2nd Warmest	76.2	1947	87.9	1931	66.3	1941	12.63	1925	2	
3	99	10/12/2015		3rd Warmest	75.9	2004	87.8	1934	66.0	1931	12.39	1998	3	
4	98	10/12/1991		4th Warmest	75.6	2016	87.3	2016	65.5	1919	12.31	1960	4	
5	98	4 more times		5th Warmest	75.5	1934	87.2	1963	64.0	3 times	11.85	2015	5	
Rank	Lowest Daily Temps				Rank	Avg Temp		Avg High		Avg Low		Driest		Rank
1	30	10/31/1993		Coollest	61.3	1976	71.2	1976	50.2	1952	0.00 1893	1		
2	30	10/30/1917		2nd Coollest	64.5	1913	71.4	1907	51.3	1924	T 1952	2		
3	31	10/27/1924		3rd Coollest	64.8	1936	73.9	1908	51.4	1976	0.02 1947	3		
4	31	10/26/1924		4th Coollest	64.9	1907	75.0	1957	52.8	1913	0.03 1934	4		
5	32	10/28/1957		5th Coollest	65.2	1952	75.0	1936	53.0	1903	0.08 2010	5		

NOVEMBER DAILY RECORDS AND EXTREMES FOR AUSTIN AREA (Downtown-Mueller-Camp Mabry)																
1981-2010 NORMALS						1897-2016 RECORDS (1891-2017 FOR PRECIPITATION)										
Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date					
1	77	56	0.11	0.11	29.07	91	2016	34	1993	46	1923	74	1955	2.04	1926	1
2	77	56	0.11	0.22	29.18	88	2016	30	1951	46	1951	74	1936	2.17	2000	2
3	76	55	0.11	0.33	29.29	88	2017	25	1951	47	1991	74	2017	3.98	1946	3
4	76	55	0.12	0.45	29.41	89	1988	29	1991	50	1995	74	1994	2.00	1913	4
5	75	55	0.10	0.55	29.51	88	2017	30	1936	51	1995	72	2017	3.45	1978	5
6	75	54	0.10	0.65	29.61	89	1963	30	1959	50	1959	72	2017	1.90	1925	6
7	75	54	0.10	0.75	29.71	89	1988	28	1959	51	2003	71	2005	1.26	1929	7
8	74	54	0.11	0.86	29.82	88	2005	30	1959	48	2000	75	1915	2.91	1990	8
9	74	53	0.10	0.96	29.92	88	2006	29	1938	50	1936	73	1915	2.68	1967	9
10	74	53	0.10	1.06	30.02	91	2006	32	1926	44	1950	72	1915	1.20	1945	10
11	73	52	0.11	1.17	30.13	87	1962	26	1950	47	1997	70	1911	1.33	1939	11
12	73	52	0.11	1.28	30.24	89	1988	24	1950	41	1907	70	2005	1.75	1893	12
13	72	52	0.10	1.38	30.34	91	1951	29	1911	36	1976	72	1993	2.25	1893	13
14	72	51	0.11	1.49	30.45	89	1921	26	1916	36	1916	70	2011	0.95	1918	14
15	72	51	0.11	1.60	30.56	90	1951	28	1940	40	1976	73	1955	7.55	2001	15
16	71	50	0.10	1.70	30.66	87	1938	27	1920	43	1976	71	1958	2.04	2004	16
17	71	50	0.10	1.80	30.76	90	2013	28	1959	42	1959	73	1921	2.99	2004	17
18	70	50	0.09	1.89	30.85	85	1986	26	1959	46	2000	72	1985	1.44	1944	18
19	70	49	0.09	1.98	30.94	87	1950	28	1959	43	1937	70	1950	2.10	1899	19
20	70	49	0.09	2.07	31.03	84	2007	28	1937	39	1906	73	2011	1.63	2009	20
21	69	49	0.09	2.16	31.12	89	2007	30	1937	41	1929	70	1913	1.21	1942	21
22	69	48	0.09	2.25	31.21	86	1983	30	1898	37	1929	73	1913	4.61	2004	22
23	69	48	0.09	2.34	31.30	87	2005	26	1925	40	1937	72	1973	4.62	1974	23
24	68	47	0.08	2.42	31.38	87	1965	26	1925	42	1982	72	2010	1.88	1944	24
25	68	47	0.09	2.51	31.47	85	1967	23	1938	40	2013	70	1908	1.48	1940	25
26	68	47	0.09	2.60	31.56	86	1988	24	1924	40	1918	72	1990	1.33	1968	26
27	67	46	0.09	2.69	31.65	85	1925	24	1938	40	1918	69	1905	1.46	2015	27
28	67	46	0.09	2.78	31.74	89	1949	26	1992	36	1976	71	1905	1.91	2001	28
29	67	46	0.10	2.88	31.84	84	1991	20	1976	42	1911	72	2006	0.90	1900	29
30	66	45	0.08	2.96	31.92	82	1970	20	1911	42	1952	65	1970	1.57	1968	30
31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
Avg	71.4	50.6	0.10	2.96	31.92	91	3 dates	20	2 dates	36	3 dates	75	1915	7.55	2001	Max
Rank	Highest Daily Temps				Rank			Avg Temp		Avg High		Avg Low		Wettest		Rank
1	91	11/1/2016		Warmest			68.2	1927	78.5	1927	57.9	1927	14.10	2004	1	
2	91	11/10/2006		2nd Warmest			66.2	2017	78.4	1924	57.4	1909	10.00	2001	2	
3	91	11/13/1951		3rd Warmest			65.9	1909	77.3	1949	56.6	1913	7.99	1907	3	
4	91	11/10/1947		4th Warmest			65.7	2016	77.2	1999	55.9	2017	7.95	2000	4	
5	90	11/17/2013		5th Warmest			65.6	1913	76.9	2005	55.7	twice	7.91	1946	5	
Rank	Lowest Daily Temps				Rank			Avg Temp		Avg High		Avg Low		Driest		Rank
1	20	11/29/1976		Coollest			51.6	1976	60.7	1907	39.9	1959	0.00	2012	1	
2	20	11/30/1911		2nd Coolest			52.2	1959	60.9	1976	40.6	1925	0.00	1897	2	
3	22	11/29/1931		3rd Coolest			52.3	1929	61.3	1972	42.3	1976	0.00	1896	3	
4	23	11/25/1938		4th Coolest			52.8	1972	62.2	1929	42.5	1929	0.00	1894	4	
5	23	11/25/1924		5th Coolest			53.6	1898	64.4	twice	42.5	1923	T	twice	5	

DECEMBER DAILY RECORDS AND EXTREMES FOR AUSTIN AREA (Downtown-Mueller-Camp Mabry)																
1981-2010 NORMALS						1897-2016 RECORDS (1891-2017 FOR PRECIPITATION)										
Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date					
1	66	45	0.08	0.08	32.00	83	2012	25	1979	46	1931	67	2012	3.73	1953	1
2	66	45	0.07	0.15	32.07	84	2007	27	1985	42	1985	68	2012	2.49	1965	2
3	65	45	0.08	0.23	32.15	86	1995	22	1929	37	1919	68	1917	6.34	1913	3
4	65	44	0.07	0.30	32.22	85	2017	23	1898	41	2009	67	2017	4.32	1913	4
5	65	44	0.07	0.37	32.29	84	1995	24	1950	44	2011	69	1998	2.45	1969	5
6	64	44	0.09	0.46	32.38	84	1966	17	1950	37	1950	69	1956	0.94	2017	6
7	64	43	0.07	0.53	32.45	85	1924	16	1950	31	2013	69	1956	2.56	1915	7
8	64	43	0.08	0.61	32.53	83	2007	23	2005	34	1978	70	2007	1.38	2001	8
9	64	43	0.08	0.69	32.61	81	2008	15	1898	30	1898	70	2015	1.11	2002	9
10	64	43	0.08	0.77	32.69	81	1983	17	1898	32	1898	66	1923	0.92	1985	10
11	63	43	0.08	0.85	32.77	83	1950	24	1978	33	1972	65	1979	6.00	1891	11
12	63	43	0.07	0.92	32.84	86	1973	21	1957	31	2000	70	1927	3.00	1891	12
13	63	42	0.08	1.00	32.92	82	1933	22	1989	31	1932	66	1948	2.47	1923	13
14	63	42	0.07	1.07	32.99	82	1933	20	1919	33	1926	70	1948	1.39	1937	14
15	63	42	0.08	1.15	33.07	82	1924	17	1901	36	1943	67	1933	3.38	1906	15
16	62	42	0.07	1.22	33.14	82	1924	16	1989	33	1989	67	1933	1.32	2017	16
17	62	42	0.08	1.30	33.22	82	1990	21	1932	36	1989	67	1908	1.00	1934	17
18	62	42	0.08	1.38	33.30	83	2012	22	1983	36	1964	66	2006	2.00	1895	18
19	62	42	0.07	1.45	33.37	84	2012	21	1929	27	1909	65	2012	2.10	1899	19
20	62	42	0.08	1.53	33.45	83	1951	18	1924	22	1924	67	2013	4.21	1991	20
21	62	41	0.08	1.61	33.53	81	1970	18	1924	30	1929	60	1979	2.59	1991	21
22	62	41	0.08	1.69	33.61	81	1941	12	1989	23	1990	65	1970	3.00	1910	22
23	61	41	0.08	1.77	33.69	81	2015	4	1989	29	1989	67	1921	1.65	1918	23
24	61	41	0.08	1.85	33.77	82	1964	12	1983	23	1983	64	2016	1.65	1975	24
25	61	41	0.08	1.93	33.85	90	1955	10	1983	25	1983	68	2016	1.52	2000	25
26	61	41	0.08	2.01	33.93	84	2016	14	1983	28	1983	70	2016	0.56	2000	26
27	61	41	0.08	2.09	34.01	79	1954	15	1924	37	1925	67	1971	1.86	1927	27
28	61	41	0.08	2.17	34.09	83	2016	22	1924	39	1925	67	1984	1.46	1994	28
29	61	41	0.08	2.25	34.17	81	1923	16	1983	32	1917	67	1984	1.15	2006	29
30	61	41	0.07	2.32	34.24	83	1951	16	1983	32	1946	68	1992	2.00	1892	30
31	61	41	0.08	2.40	34.32	83	1951	19	1983	30	1946	66	1965	2.39	1978	31
Avg	62.7	42.3	0.08	2.40	34.32	90	1955	4	1989	22	1924	70	5 dates	6.34	1913	Max
Rank	Highest Daily Temps				Rank	Avg Temp		Avg High		Avg Low		Wettest		Rank		
1	90	12/25/1955		Warmest	59.6	1933	71.5	1933	50.7	1906	16.14	1913	1			
2	86	12/3/1995		2nd Warmest	58.7	1970	69.3	1970	49.5	1984	14.16	1991	2			
3	86	12/12/1973		3rd Warmest	58.4	1984	69.1	1954	48.1	1970	9.00	1891	3			
4	85	12/4/2017		4th Warmest	57.4	2012	68.9	2012	48.0	1908	8.49	1892	4			
5	85	12/3/2013		5th Warmest	57.4	1906	68.5	twice	47.6	twice	7.04	1923	5			
Rank	Lowest Daily Temps				Rank	Avg Temp		Avg High		Avg Low		Driest		Rank		
1	4	12/23/1989		Coollest	41.9	1983	51.9	1983	31.8	1983	0.00	1894	1			
2	10	12/25/1983		2nd Coollest	42.9	1898	52.1	1914	32.3	1898	T	1950	2			
3	12	12/22/1989		3rd Coollest	44.2	1989	53.1	1909	32.6	1989	0.02	1917	3			
4	12	12/24/1983		4th Coollest	44.6	1909	53.5	1898	34.3	1900	0.02	1893	4			
5	12	12/22/1983		5th Coollest	44.7	1914	54.2	2000	35.0	1963	0.06	1901	5			

LAST UPDATE: 6 January 2018 by Larry Hopper

NOTES OF RECORDS FOR AUSTIN AREA:

Months are excluded from monthly records if more than 5 days in the month or 3 consecutive days are missing (per WMO/TD-No. 341). In addition, seasons and years are excluded if any month has more than 5 days missing or 3 consecutive days are missing (per WMO/TD-No. 341 as no missing monthly normals are permitted in the calculation of annual normals).

In addition, annual averages are calculated as the mean or sum of the 12 monthly normals or averages, without consideration of the varying lengths of the months (per WMO/TD-No. 341).

SUMMARY OF SITES INCLUDED IN THE AUSTIN AREA THREAD:

Austin Area includes observations from the following locations:

1. 1906 - October 14, 1926: Engineering Building, University of Texas

Note: The exact location of observations prior to 1906 in Austin is unknown.

2. October 15, 1926 - October 7, 1936: Littlefield Building, Sixth and Congress (Downtown)
3. October 8, 1936 - February 11, 1942: Federal Court Building, 200 W. 8th St. (Downtown)
4. February 12, 1942 - August 15, 1942: Littlefield Building, Sixth and Congress (Downtown)
5. August 16, 1942 - July 20, 1999: Mueller Municipal Airport

Note: Station moved 0.7 mi SE of the old station on July 1, 1961. Another minor move of 0.25 mi SE occurred on October 24, 1979 (ASOS was commissioned on July 1, 1995).

6. July 21, 1999 - present: Camp Mabry Army National Guard Base

All-Time Records Notes:

The following years were not counted in the list of annual temperature climate extremes due to missing data: 1897 (276 missing days), 1899 (365), 1900 (39), 1901 (22), and 1922 (55).

The following years were not counted in the list of annual precipitation climate extremes due to missing data: 1891 (243 missing days), 1892 (30), 1893 (61), 1894 (61), 1895 (91), 1896 (305), 1897 (184), 1907 (31), and 1922 (31).

There are 3 missing high temperatures in January 1926, so this was not counted in the list climate extremes. If included, it had the eighth coolest average temperatures (42.6).

There are 7 missing days in December 1925, so this was not counted in the list of monthly climate extremes. If included, it had the sixth coolest low temperatures (31.2). In addition, all days except one were missing in February 1899, which was also excluded.

The following seasons were excluded from the list of climate extremes: Spring 1893 (61 days missing), Spring 1894 (61), Winter 1895-1896 (60), Fall 1896 (61), Summer 1896 (61), Winter 1896-1897 (31), Fall 1897 (61), Winter 1898-1899 (59), Fall 1900 (37), Spring 1901 (11 days missing in a row in April), Fall 1922 (24), and Winter 1925-1926 (6 days missing in a row in December with another 6 days missing in a row in late January and early February).

The following months were excluded from the list of climate extremes: April 1901 (11 missing days), April 1902 (5), November 1922 (17), December 1901 (6), and December 1925 (7).