

ALL-TIME RECORDS FOR SAN ANTONIO AREA (see notes for list of sites)

3/1885-12/2017 TEMPERATURE AND PRECIPITATION RECORDS

ALL-TIME RECORDS FOR SAN ANTONIO AREA (see notes for list of sites)												
3/1885-12/2017 TEMPERATURE AND PRECIPITATION RECORDS												
DAILY RECORDS			ANNUAL RECORDS				MONTHLY RECORDS					
Rank	Highest Temps		Rank	Avg Temp		Avg Temp		Avg High		Avg Low		Rank
1	111	9/5/2000	Warmest	72.1	2006	90.0	8/2011	101.5	8/2011	78.5	8/2011	1
2	110	8/28/2011	2nd Warmest	72.1	1933	88.7	7/2009	100.7	8/2013	77.4	8/2010	2
3	109	9/4/2000	3rd Warmest	71.8	2011	88.6	8/2013	100.6	7/2009	77.2	7/1979	3
4	108	6/29/2013	4th Warmest	71.7	2017	88.3	8/2009	100.3	8/2009	77.0	7/2011	4
5	108	8/19/1986	5th Warmest	71.7	2012	88.3	8/2006	99.9	7/1980	76.9	7/2009	5
6	107	8/29/2011	6th Warmest	71.6	1927	88.1	8/2014	99.8	8/2006	76.8	8/2006	6
7	107	6/15/1998	7th Warmest	71.4	1954	88.1	7/1980	99.7	7/1998	76.7	7/2016	7
8	107	8/20/1909	8th Warmest	71.1	2016	88.0	7/1998	99.7	8/1951	76.7	8/2014	8
9	106	6/26/2012	9th Warmest	71.1	2009	87.9	7/2011	99.4	8/2014	76.6	8/2015	9
10	106	9 times	10th Warmest	71.1	twice	87.8	7/1994	99.3	twice	76.5	4 times	10
Rank	Lowest Temps		Rank	Avg Temp		Avg Temp		Avg High		Avg Low		Rank
1	0	1/31/1949	Coolest	66.3	1903	43.0	12/1983	52.3	1/1930	31.5	12/1989	1
2	4	2/12/1899	2nd Coolest	66.4	1976	43.2	1/1930	52.4	1/1979	31.9	12/1983	2
3	5	1/30/1949	3rd Coolest	66.7	1983	43.3	1/1978	52.9	1/1978	32.2	1/1886	3
4	6	12/23/1989	4th Coolest	66.7	1966	43.4	12/1989	53.0	12/1914	33.3	1/1962	4
5	6	2/2/1951	5th Coolest	66.8	1968	43.7	1/1979	53.5	1/1940	33.5	1/1948	5
6	6	2/13/1899	6th Coolest	67.3	1886	43.9	1/1940	53.8	1/1977	33.5	2/1905	6
7	6	1/8/1886	7th Coolest	67.4	1978	43.9	2/1905	54.1	12/1983	33.6	1/1985	7
8	9	12/30/1983	8th Coolest	67.4	1958	44.0	1/1977	54.3	2/1905	33.8	1/1978	8
9	10	1/12/1962	9th Coolest	67.5	1919	44.2	1/1985	54.8	1/1985	34.2	1/1963	9
10	11	4 times	10th Coolest	67.6	1888	44.3	1/1886	55.1	2/1895	34.2	4 times	10
Rank	Highest Precip		Rank	Wettest		Driest		Wettest		Driest		Rank
1	11.26	10/17/1998	Wettest/Driest	52.28	1973	10.11	1917	18.07	10/1998	0.00	8/1952	1
2	9.87	5/25/2013	2nd Wet/Driest	50.30	1919	13.70	1954	16.92	7/2002	0.00	8/1902	2
3	9.52	7/1/2002	3rd Wet/Driest	48.83	1957	13.76	2008	15.78	9/1946	0.00	8/1899	3
4	6.83	9/9/1921	4th Wet/Driest	47.25	2007	14.31	1956	14.07	5/1935	T	7/1997	4
5	6.82	5/31/1937	5th Wet/Driest	46.49	1992	14.92	1909	13.96	12/1991	T	1/1996	5
6	6.78	4/18/1915	6th Wet/Driest	46.27	2002	14.99	1925	13.19	5/2013	T	7/1993	6
7	6.54	9/26/1973	7th Wet/Driest	45.32	2004	15.92	1897	13.09	9/1973	T	7/1984	7
8	6.26	5/5/1993	8th Wet/Driest	45.17	1946	16.22	1910	12.85	5/1987	T	11/1966	8
9	6.18	6/3/1951	9th Wet/Driest	44.22	2015	16.41	1999	12.47	5/1993	T	10/1952	9
10	5.97	12/19/1991	10th Wet/Driest	43.92	2016	16.44	1901	11.95	6/1986	T	7/1944	10
11	5.96	10/1/1913	11th Wet/Driest	42.93	1935	16.54	2005	11.90	10/2009	T	8/1924	11
12	5.84	5/9/1935	12th Wet/Driest	42.76	1991	17.32	1947	11.76	7/2007	T	12/1917	12
13	5.73	8/16/2007	13th Wet/Driest	42.73	1986	17.56	1953	11.64	4/1915	T	11/1903	13
14	5.57	8/13/1950	14th Wet/Driest	42.05	1998	17.58	2011	11.24	5/1972	T	3/1899	14
15	5.42	10/4/2009	15th Wet/Driest	41.43	1985	17.64	1933	11.16	9/1967	T	11/1894	15
16	5.34	5/7/1972	16th Wet/Driest	40.81	1949	17.80	1996	11.14	8/1974	0.01	3/2011	16
17	5.29	10/4/1942	17th Wet/Driest	40.54	1888	18.18	1955	11.10	9/1957	0.01	11/2008	17
18	5.13	6/4/1986	18th Wet/Driest	40.43	1994	18.24	1893	10.44	6/1973	0.01	6/2008	18
19	5.13	9/13/1978	19th Wet/Driest	39.69	1958	18.65	1963	9.84	5/2012	0.01	4/2005	19
20	5.07	9/22/1932	20th Wet/Driest	39.40	2012	18.68	1911	9.75	10/1994	0.01	9 times	20

SEASONAL RECORDS FOR SAN ANTONIO AREA (see notes for list of sites)

Mean Temperature and Total Precipitation (Spring 1885 to Fall 2017)

Rank	Spring (MAM)		Summer (JJA)		Fall (SON)		Winter (DJF)		Rank
1981-2010 Average	69.4°F		84.1°F		70.6°F		53.4°F		Norm
Warmest	74.3	2006	88.0	2011	76.0	1931	62.1	1889-1990	1
2nd Warmest	73.7	2011	87.8	2009	74.6	1933	59.1	1906-1907	2
3rd Warmest	73.3	1967	86.2	2013	74.5	1927	59.0	2016-2017	3
4th Warmest	73.0	1925	86.2	1980	74.2	2016	58.1	1922-1923	4
5th Warmest	72.8	2012	86.1	1994	74.1	2015	58.1	1910-1911	5
6th Warmest	72.6	1963	86.0	1998	74.1	1934	57.8	1970-1971	6
7th Warmest	72.4	1933	85.9	2006	73.3	2005	57.8	1933-1934	7
8th Warmest	72.3	1927	85.8	2012	73.0	1988	57.7	1951-1952	8
9th Warmest	72.1	2000	85.5	1962	72.9	2004	57.7	1931-1932	9
10th Warmest	72.1	1894	85.4	2014	72.7	1909	57.5	2 times	10
Coolest	64.9	1931	79.0	1903	63.5	1976	47.7	1977-1978	1
2nd Coolest	65.4	1915	80.2	1919	65.9	1974	47.8	1983-1984	2
3rd Coolest	65.5	1891	80.4	1976	66.3	1889	48.1	1898-1899	3
4th Coolest	65.7	1969	80.5	1889	67.1	1952	48.8	1976-1977	4
5th Coolest	65.8	1983	80.9	1975	67.1	1943	48.8	1963-1964	5
6th Coolest	66.1	1903	81.0	1904	67.2	1957	49.0	1904-1905	6
7th Coolest	66.2	1958	81.2	1974	67.6	1967	49.1	2009-2010	7
8th Coolest	66.3	1926	81.5	1973	67.7	1888	49.2	1978-1979	8
9th Coolest	66.4	1947	81.6	2007	67.8	1936	49.7	1972-1973	9
10th Coolest	66.4	1924	81.6	4 times	68.1	1932	49.7	1967-1968	10
Rank	Spring (MAM)		Summer (JJA)		Fall (SON)		Winter (DJF)		Rank
1981-2010 Normals	8.42"		8.97"		9.42"		5.46"		Norm
Wettest	21.73	1957	25.00	2007	23.04	1998	25.97	1991-1992	1
2nd Wettest	19.90	1935	18.94	2002	20.85	2004	13.02	1986-1987	2
3rd Wettest	19.08	2015	18.64	1973	20.62	1913	12.78	1902-1903	3
4th Wettest	18.89	2016	17.03	1919	20.34	2009	12.55	2016-2017	4
5th Wettest	17.93	1900	15.06	1979	18.95	1946	12.46	2011-2012	5
6th Wettest	17.30	1992	15.06	1961	18.71	1957	11.75	1967-1968	6
7th Wettest	16.91	2013	14.45	1985	18.23	1973	11.03	1944-1945	7
8th Wettest	15.84	1993	14.17	1932	17.83	1919	10.96	1888-1889	8
9th Wettest	15.43	1987	13.86	1986	17.70	1942	10.75	2009-2010	9
10th Wettest	15.20	2007	13.44	1974	16.85	2000	10.13	1997-1998	10
Driest	0.52	1961	1.38	2009	0.73	2008	0.44	1998-1999	11
2nd Driest	0.88	2011	1.81	1911	1.26	1947	1.00	1970-1971	12
3rd Driest	1.06	2003	2.00	1938	1.39	1999	1.02	2007-2008	13
4th Driest	2.45	1996	2.06	1982	1.47	1988	1.07	2005-2006	14
5th Driest	2.50	1988	2.29	1910	1.48	1931	1.10	1966-1967	15
6th Driest	2.80	1892	2.31	1917	2.24	2007	1.17	2008-2009	16
7th Driest	2.95	1971	2.42	1977	2.37	1894	1.20	2013-2014	17
8th Driest	3.24	1998	2.69	2011	2.40	1979	1.20	1917-1918	18
9th Driest	3.27	1925	2.75	1970	2.58	1938	1.21	1886-1887	19
10th Driest	3.31	2008	2.87	1897	2.62	1917	1.33	1995-1996	20

TEMPERATURE THRESHOLD RECORDS FOR SAN ANTONIO AREA (see notes for list of sites)									
Freeze and 100°F Day Climatologies (Spring 1885 to Fall 2017)									
Avg.	11/30 Avg First Freeze (11/27 for 1981-2010)				6/30 Avg. First 100°F (6/26 for 1981-2010)				Avg.
Rank	Earliest First Freeze		Latest First Freeze		Earliest First 100°F		Latest First 100°F		Rank
1	32	10/30/1917	31	3/8/1932	100	2/21/1996	100	89/1/1985	1
2	27	10/31/1993	30	1/23/2016	100	3/6/1991	101	8/31/1983	2
3	31	11/2/1966	18	1/21/1935	100	3/28/1971	100	8/26/2002	3
4	32	11/2/1951	27	1/12/1903	100	4/13/1982	100	8/26/1992	4
5	28	11/4/1991	30	1/9/1889	100	4/17/1920	100	8/22/1921	5
6	32	11/4/1982	32	1/8/1934	100	4/18/2006	100	8/17/1941	6
7	31	11/4/1967	20	1/2/1911	100	4/20/1984	100	8/16/1997	7
8	31	11/4/1936	31	12/29/1946	100	5/7/1998	100	8/16/1987	8
9	31	11/5/1992	32	12/29/1939	100	5/8/2009	100	8/15/1938	9
10	32	11/6/1970	31	12/28/1915	101	5/8/1967	100	8/11/2010	10
Avg.	2/24 Avg Last Freeze (2/28 for 1981-2010)				8/19 Avg Last 100°F (8/24 for 1981-2010)				Avg.
Rank	Earliest Last Freeze		Latest Last Freeze		Earliest Last 100°F		Latest Last 100°F		Rank
1	24	1/4/1928	31	4/3/1987	100	4/17/1920	104	9/28/2005	1
2	27	1/4/1896	30	3/30/2003	104	5/31/2004	101	9/27/1953	2
3	19	1/8/2017	29	3/30/1944	100	6/11/1942	100	9/26/2011	3
4	32	1/16/1898	29	3/28/1955	100	6/22/1900	101	9/22/1926	4
5	23	1/18/1957	31	3/27/1913	101	6/22/1906	100	9/22/1909	5
6	29	1/20/1992	32	3/26/1894	100	6/26/1916	100	9/20/1947	6
7	30	1/22/1888	32	3/24/2006	104	7/3/1894	100	9/13/2008	7
8	31	1/23/2005	32	3/24/1966	102	7/14/1933	100	9/13/1912	8
9	27	1/25/1926	28	3/24/1952	100	7/16/1971	103	9/12/1893	9
10	30	1/28/1889	31	3/23/1968	101	7/16/1978	100	9/11/2000	10
Avg.	17 Avg Freeze Days (18 for 1981-2010)				9 Avg 100°F Days (12 for 1981-2010)				Avg.
Rank	Least Freeze Days		Most Freeze Days		Least 100°F Days		Most 100°F Days		Rank
1	4	2015-16	40	1966-67	0	2007	59	2009	1
2	4	1930-31	39	1977-78	0	1979	57	2011	2
3	4	1902-03	36	1976-77	0	1977	41	2013	3
4	4	1888-89	36	1947-48	0	1976	36	1998	4
5	5	2016-17	35	1975-76	0	1975	33	1948	5
6	5	1956-57	34	1981-82	0	1974	32	1951	6
7	5	1907-08	33	1983-84	0	1973	31	1980	7
8	5	1906-07	32	1965-66	0	1972	29	2006	8
9	6	1934-35	32	1950-51	0	1968	29	1994	9
10	6	5 more times	31	5 times	0	14 more times	28	1989	10
Rank	Consecutive Freeze Days				Consecutive 100°F Days				Rank
1	15	12/17/1983 - 12/31/1983		21	7/24/1962 - 8/13/1962			1	
2	11	1/18/1940 - 1/28/1940		15	7/28/2013 - 8/11/2013			2	
3	10	1/8/1982 - 1/17/1982		12	8/1/2011 - 8/12/2011			3	
4	10	2/5/1899 - 2/14/1899		12	8/1/2009 - 8/12/2009			4	
5	9	twice (last ended on 1/8/1970)		12	2 more times (last ended on 7/27/1994)			6	

Note: Years where a 100°F day did not occur are not included in the earliest or latest last 100°F day lists (are in averages).

**PRECIPITATION EVENT RECORDS FOR SAN ANTONIO AREA (see notes for list of cities)
Snowfall (Winter 1894-2017) and Heavy Rainfall (1885-2017) Climatologies (in inches)**

Rank	All-Time Snowfall Events		All-Time Rainfall Events (Up to 5 Days)		Rank
1	13.5	1/12 - 1/13/1985 (13.2" and 0.3")	15.66	10/17 - 10/21/1998	1
2	6.4	1/23 - 1/24/1926 (3.4" and 3.0")	14.97	7/1 - 7/5/2002	2
3	4.7	1/30/1949	12.27	5/24 - 5/26/2013	3
4	4.2	2/14/1895	11.74	12/18 - 12/22/1991	4
5	3.5	2/22 - 2/23/1966 (3.1" and 0.4")	10.26	9/25 - 9/29/1946	5
6	3.2	1/22/1940	8.87	5/31 - 6/4/1937	6
7	3.0	12/18/1906	8.71	5/6 - 5/10/1972	7
8	2.9	12/21/1929*	8.66	9/22 - 9/25/1957	8
9	2.7	12/14/1898	8.53	5/29 - 6/2/1987	9
10	2.4	1/2/1985	8.46	9/30 - 10/3/1913	10
11	2.1	2/8 - 2/9/1973 (2.0" and 0.1")	All-Time Rainfall Events (Two Days)		Rank
12	2.0	2/21/1964	14.42	10/17 - 10/18/1998	1
13	1.9	12/7/2017	12.20	5/24 - 5/25/2013	2
14	1.6	3/8 - 3/9/1915 (1.5" and 0.1")	11.53	7/1 - 7/2/2002	3
15	1.5	2/4 - 2/5/1923 (0.8" and 0.7")	7.74	10/1 - 10/2/1913	4
16	1.3	1/21/1987	7.46	12/18 - 12/19/1991	5
17	1.2	2/11 - 2/12/1958 (0.4" and 0.8")	7.41	9/26 - 9/27/1973	6
18	1.1	1/14/1944*	7.38	9/8 - 9/9/1921	7
19	1.0	12/28/1925	7.10	5/31 - 6/1/1937	8
20	0.8	1/11/1973	7.07	9/25 - 9/26/1946	9
21	0.7	2/13 - 2/14/2004 (0.1" and 0.6")	6.97	7/6 - 7/7/1958	10
22	0.5	1/13/1982	Consecutive Days Without Precip (<0.01")		Rank
22	0.5	1/31/1951	63	6/27 - 8/28/1993	1
24	0.4	2/5/2011	60	12/31/1995 - 2/28/1996	2
24	0.4	2/14/1951	54	7/2 - 8/24/1962	3
24	0.4	1/29/1951	52	11/19/1917 - 1/9/1918	4
24	0.4	1/10/1918	52	2/7 - 3/29/1916	5
28	0.3	2/6/2014	51	10/18 - 12/14/1966	6
28	0.3	11/23/1957	51	9/19 - 11/8/1952	7
30	0.2	4 times (2/23/2010, 12/18/1964, and 12/21/1927, 1/25/1897)	50	6/8 - 7/27/1978	8
34	0.1	6 times (1/24/2014, 2/25/2003, 2/8/2003, 2/7/1988, 2/8/1941*, and 2/17/1910)	48	7/23 - 9/8/1952	9
			46	twice (last on 11/15 - 12/30/1950)	10
			Consecutive Days Without Precip (<Trace)		Rank
			54	7/2 - 8/25/1993	1
			42	7/2 - 8/13/1962	2
			40	10/3 - 11/11/1893	3
			37	8/1 - 9/6/1952	4
			Consecutive Days With Rain (≥0.01")		3
			11	5/23 - 6/2/1929	1
			10	twice (last on 9/17 - 9/26/2010)	2
			Consecutive Days With Rain (≥Trace)		Rank
			11	twice (last on 6/29 - 7/9/2002)	1

NOTE: Snowfall includes both snow and sleet, but not freezing rain or hail (for "Trace" values).

*These values are not in xmACIS. Corrections have been submitted (12/21/1929 event incorrectly listed as being in 1928).

JANUARY DAILY RECORDS AND EXTREMES FOR SAN ANTONIO AREA (see notes for list of sites)

1981-2010 NORMALS						1886-2017 RECORDS							
Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date		
1	62	40	0.06	0.06	0.06	83 2006	19 1928	29 1928	68 1916	1.78 1944	1		
2	62	40	0.06	0.12	0.12	86 2006	15 1979	34 2018	67 1950	1.23 1890	2		
3	62	40	0.06	0.18	0.18	86 1989	16 1911	32 1947	68 2005	1.07 2007	3		
4	62	40	0.06	0.24	0.24	85 1997	17 1911	30 1947	67 2005	1.67 1929	4		
5	62	40	0.05	0.29	0.29	81 1921	17 1972	36 1950	66 1888	1.22 1958	5		
6	62	40	0.05	0.34	0.34	84 1989	20 1972	34 1942	66 1890	1.11 1896	6		
7	62	40	0.05	0.39	0.39	86 1923	14 1886	29 1912	67 1937	1.21 2000	7		
8	62	40	0.05	0.44	0.44	84 1923	6 1886	32 1886	66 1965	1.09 1984	8		
9	62	40	0.05	0.49	0.49	84 1917	12 1886	31 1888	64 2009	1.82 1900	9		
10	62	40	0.05	0.54	0.54	86 1963	17 1962	26 1962	63 2005	2.25 1900	10		
11	62	40	0.05	0.59	0.59	84 1971	12 1918	27 1982	66 1898	1.80 1931	11		
12	62	40	0.05	0.64	0.64	81 2017	10 1962	26 1909	64 2007	1.17 1958	12		
13	63	41	0.06	0.7	0.70	81 1907	15 1975	28 1997	68 2017	0.77 1910	13		
14	63	41	0.05	0.75	0.75	79 1980	15 1964	34 1917	65 1932	1.49 2010	14		
15	63	41	0.05	0.8	0.80	81 1894	11 1888	39 2007	64 1889	1.81 2010	15		
16	63	41	0.06	0.86	0.86	87 1943	14 1888	26 1888	66 1928	1.37 1931	16		
17	63	41	0.05	0.91	0.91	82 1999	15 1930	34 2007	66 1928	1.15 1945	17		
18	63	41	0.05	0.96	0.96	85 1938	11 1930	32 1930	68 1990	2.72 1968	18		
19	63	41	0.06	1.02	1.02	85 2000	15 1940	33 1930	67 1935	1.78 1968	19		
20	63	41	0.06	1.08	1.08	83 1972	19 1943	35 1984	67 1895	2.36 1968	20		
21	63	41	0.07	1.15	1.15	83 2017	16 1985	35 1978	67 1933	1.64 1965	21		
22	63	41	0.06	1.21	1.21	84 1972	17 1930	32 1930	65 1887	1.85 2015	22		
23	63	41	0.06	1.27	1.27	88 1972	17 1966	34 1926	66 1909	1.91 1938	23		
24	63	41	0.07	1.34	1.34	85 1971	15 1963	35 1963	66 1967	0.96 1889	24		
25	64	41	0.06	1.4	1.40	87 1971	16 1894	24 1897	67 1950	2.94 2012	25		
26	64	41	0.06	1.46	1.46	87 1975	20 1897	32 1897	65 1954	2.50 1992	26		
27	64	41	0.06	1.52	1.52	84 1972	18 1897	34 1948	65 1911	1.57 2005	27		
28	64	41	0.06	1.58	1.58	81 1909	20 1976	28 1948	69 2013	1.17 1931	28		
29	64	41	0.06	1.64	1.64	86 2013	18 1951	31 1951	68 1975	1.01 1989	29		
30	64	42	0.06	1.7	1.70	89 1971	5 1949	23 1951	68 1975	2.54 1964	30		
31	64	42	0.06	1.76	1.76	85 1911	0 1949	25 1951	66 1923	2.05 1998	31		
Avg	62.8	40.7	0.06	1.76	1.76	89 1971	0 1949	23 1951	69 2013	2.94 2012	Max		
Rank	Highest Daily Temps		Rank		Avg Temp	Avg High	Avg Low	Wettest		Rank			
1	89	1/30/1971	Warmest		62.0 1923	72.9 2006	51.5 1907	8.52 1968		1			
2	88	1/23/1972	2nd Warmest		60.5 1907	72.6 1923	51.5 1933	5.86 1931		2			
3	87	1/25/1971	3rd Warmest		60.0 1933	70.5 1971	51.4 1923	5.64 1992		3			
4	87	1/26/1975	4th Warmest		59.4 1952	70.4 1952	50.5 1890	5.63 1891		4			
5	87	1/16/1943	5th Warmest		59.4 1890	70.1 1953	50.3 1950	5.42 1900		5			
Rank	Lowest Daily Temps		Rank		Avg Temp	Avg High	Avg Low	Driest		Rank			
1	0	1/31/1949	Coollest		43.2 1930	52.3 1930	32.2 1886	T 1996		1			
2	5	1/30/1949	2nd Coolest		43.3 1978	52.4 1979	33.3 1962	0.02 1911		2			
3	6	1/8/1886	3rd Coolest		43.7 1979	52.9 1978	33.5 1948	0.04 1999		3			
4	10	1/12/1962	4th Coolest		43.9 1940	53.5 1940	33.6 1985	0.04 1971		4			
5	11	1/15/1888	5th Coolest		44.0 1977	53.8 1977	33.8 1978	0.09 1914		5			

FEBRUARY DAILY RECORDS AND EXTREMES FOR SAN ANTONIO AREA (see notes for list of sites)

1981-2010 NORMALS						1886-2017 RECORDS									
Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date				
1	65	42	0.07	0.07	1.83	85 1963	15 1951	24 1985	66 2014	0.77 2000	1				
2	65	42	0.06	0.13	1.89	85 2006	6 1951	29 2011	66 1986	1.54 1992	2				
3	65	42	0.06	0.19	1.95	85 1911	12 1951	28 2011	66 2012	2.44 1986	3				
4	65	42	0.06	0.25	2.01	85 1954	18 1912	27 1905	68 2008	1.93 1965	4				
5	65	42	0.06	0.31	2.07	85 2008	20 1912	29 1989	66 1927	1.57 1961	5				
6	65	43	0.06	0.37	2.13	83 1925	21 1989	29 1989	67 2017	0.82 1935	6				
7	65	43	0.06	0.43	2.19	86 2017	13 1895	27 1895	67 1911	0.84 1978	7				
8	66	43	0.07	0.5	2.26	88 2017	11 1895	30 1895	67 2001	1.43 1908	8				
9	66	43	0.06	0.56	2.32	91 1962	15 1933	38 1929	66 1999	1.24 1965	9				
10	66	43	0.06	0.62	2.38	88 1954	19 1899	40 1927	67 1932	1.56 1993	10				
11	66	43	0.07	0.69	2.45	85 2017	17 1981	34 1899	67 2017	0.93 1945	11				
12	66	44	0.07	0.76	2.52	84 2017	4 1899	25 1899	66 1957	2.48 1912	12				
13	67	44	0.07	0.83	2.59	86 2000	6 1899	35 1905	67 1989	1.58 1969	13				
14	67	44	0.06	0.89	2.65	92 2014	20 1905	30 1895	67 2003	1.39 2017	14				
15	67	44	0.07	0.96	2.72	85 1990	21 1909	31 1895	67 2001	1.08 1931	15				
16	67	44	0.07	1.03	2.79	87 1927	16 1895	37 1903	69 1911	1.57 1923	16				
17	67	45	0.07	1.1	2.86	92 1959	19 1903	35 1979	68 2000	1.29 1924	17				
18	68	45	0.06	1.16	2.92	91 1986	19 1936	39 2006	65 1890	1.96 1963	18				
19	68	45	0.07	1.23	2.99	96 1986	23 1978	39 1942	66 1897	1.51 2017	19				
20	68	45	0.05	1.28	3.04	97 1986	27 1908	42 1904	68 1897	1.46 1958	20				
21	68	46	0.06	1.34	3.10	100 1996	30 1978	40 1924	68 1897	1.18 1958	21				
22	68	46	0.06	1.4	3.16	93 1996	26 1978	36 1894	66 1985	1.30 1992	22				
23	69	46	0.06	1.46	3.22	97 1996	27 1967	39 1966	66 1890	2.63 1912	23				
24	69	46	0.06	1.52	3.28	90 1904	25 1968	40 1960	67 1930	1.06 1992	24				
25	69	47	0.06	1.58	3.34	92 2008	21 1960	33 2003	67 2000	1.96 1949	25				
26	69	47	0.06	1.64	3.40	91 1954	22 1974	41 2003	67 2009	2.27 1903	26				
27	69	47	0.08	1.72	3.48	90 2009	17 2002	38 2015	68 2009	1.03 1889	27				
28	70	47	0.07	1.79	3.55	94 1940	24 1890	39 2015	67 1932	2.60 1895	28				
29	-	-	-	-	-	93 1940	24 1890	39 2015	65 2012	2.60 1895	29				
30	-	-	-	-	-	-	-	-	-	-	30				
31	-	-	-	-	-	-	-	-	-	-	31				
Avg	65.2	44.8	0.06	1.79	3.55	100 1996	4 1899	24 1985	69 1911	2.63 1912	Max				
Rank	Highest Daily Temps		Rank		Avg Temp	Avg High	Avg Low	Wettest	Rank						
1	100	2/21/1996	Warmest		64.1 2017	76.3 2008	54.2 1932	7.88 1903	1						
2	97	2/20/1986	2nd Warmest		63.0 1932	76.1 2009	54.0 1957	6.43 1965	2						
3	97	2/23/1996	3rd Warmest		62.9 2009	75.9 2017	53.8 1892	6.37 1992	3						
4	96	2/19/1986	4th Warmest		62.9 1957	75.4 1954	53.0 1938	5.63 2012	4						
5	94	2/28/1940	5th Warmest		62.8 1962	75.1 1962	52.4 2017	5.47 1923	5						
Rank	Lowest Daily Temps		Rank		Avg Temp	Avg High	Avg Low	Driest	Rank						
1	4	2/12/1899	Coollest		43.9 1905	54.3 1905	33.5 1905	0.01 1999	1						
2	6	2/13/1899	2nd Coldest		45.2 1895	55.1 1895	34.2 1899	0.01 1916	2						
3	6	2/2/1951	3rd Coldest		45.8 1899	57.0 1978	35.2 1895	0.03 1954	3						
4	11	2/8/1895	4th Coldest		46.4 1978	57.4 1899	35.6 1947	0.04 1974	4						
5	12	2/3/1951	5th Coldest		48.2 1968	57.9 1903	35.8 1978	0.08 2007	5						

MARCH DAILY RECORDS AND EXTREMES FOR SAN ANTONIO AREA (see notes for list of sites)

1981-2010 NORMALS						1885-2017 RECORDS									
Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date				
1	70	47	0.07	0.07	3.62	89 1899	21 1890	34 1922	68 1904	2.22 1889	1				
2	70	48	0.08	0.15	3.70	93 1909	19 1980	41 1995	68 1976	2.46 1936	2				
3	70	48	0.08	0.23	3.78	92 1901	21 1943	45 1943	68 1976	2.50 1992	3				
4	71	48	0.07	0.30	3.85	95 1901	19 2002	44 1960	70 1967	1.09 1992	4				
5	71	48	0.09	0.39	3.94	94 1991	26 1966	44 1960	69 1974	1.21 1935	5				
6	71	49	0.08	0.47	4.02	100 1991	24 1966	44 1960	69 1974	1.04 1970	6				
7	71	49	0.08	0.55	4.10	89 1929	26 1989	43 1920	69 1974	1.13 1913	7				
8	72	49	0.07	0.62	4.17	90 2006	26 1947	40 1932	70 2009	1.47 1893	8				
9	72	49	0.08	0.70	4.25	92 1911	25 1996	41 1915	70 1974	2.23 1928	9				
10	72	50	0.07	0.77	4.32	95 1954	25 1932	35 1932	70 1974	1.01 2008	10				
11	72	50	0.07	0.84	4.39	94 1954	21 1948	33 1948	69 1990	1.52 2007	11				
12	73	50	0.07	0.91	4.46	96 1904	22 1948	38 1932	69 2006	1.72 2009	12				
13	73	50	0.07	0.98	4.53	93 1971	23 1948	46 2009	70 1907	1.35 2007	13				
14	73	50	0.08	1.06	4.61	96 2008	27 1993	51 1926	67 1982	1.60 1990	14				
15	73	51	0.07	1.13	4.68	91 1908	31 1988	44 1937	70 1921	2.35 1994	15				
16	74	51	0.08	1.21	4.76	93 1908	27 1947	38 1892	69 1982	1.23 1998	16				
17	74	51	0.07	1.28	4.83	92 1908	32 1947	38 1892	68 2008	2.00 1941	17				
18	74	51	0.08	1.36	4.91	95 2013	23 1892	40 1941	69 1982	1.51 1964	18				
19	74	52	0.07	1.43	4.98	90 1974	28 1988	48 1923	69 1927	0.82 2002	19				
20	75	52	0.07	1.50	5.05	93 1976	26 1965	45 1914	68 1982	1.45 2012	20				
21	75	52	0.08	1.58	5.13	94 1904	28 1965	53 1908	70 1904	0.99 1929	21				
22	75	52	0.08	1.66	5.21	96 1971	29 1915	43 1912	68 2007	0.81 1944	22				
23	75	52	0.08	1.74	5.29	96 1995	31 1968	44 1898	69 1994	1.78 1900	23				
24	76	53	0.08	1.82	5.37	94 1916	28 1952	43 1974	69 1954	1.32 1943	24				
25	76	53	0.08	1.90	5.45	97 1899	34 2006	50 1965	70 1949	1.26 1960	25				
26	76	53	0.08	1.98	5.53	97 1950	31 1955	42 1955	70 1991	1.47 1900	26				
27	76	53	0.07	2.05	5.60	96 1984	31 1913	44 1955	72 1975	2.52 1938	27				
28	76	53	0.07	2.12	5.67	100 1971	29 1955	43 1898	70 2017	0.98 1898	28				
29	77	54	0.07	2.19	5.74	94 2000	35 1987	46 1975	71 1979	2.63 1922	29				
30	77	54	0.06	2.25	5.80	97 1946	29 1944	56 1987	71 1938	2.05 1965	30				
31	77	54	0.06	2.31	5.86	93 1946	31 1987	53 1898	71 2008	1.08 1945	31				
Avg	72.2	50.8	0.07	2.31	5.86	100 2 dates	19 2 dates	33 1948	72 1975	2.63 1922	Max				
Rank	Highest Daily Temps		Rank		Avg Temp	Avg High	Avg Low	Wettest	Rank						
1	100	3/28/1971	Warmest		71.1 1907	82.1 1916	60.2 1907	7.24 2007	1						
2	100	3/6/1991	2nd Warmest		69.1 1904	82.0 1907	58.4 1938	6.12 1992	2						
3	97	3/25/1899	3rd Warmest		68.6 1916	81.4 1904	58.1 2017	5.91 1921	3						
4	97	3/26/1950	4th Warmest		68.3 1938	80.5 1971	57.7 1921	5.17 1990	4						
5	97	3/30/1946	5th Warmest		67.9 1974	79.7 1910	57.3 1953	5.06 1994	5						
Rank	Lowest Daily Temps		Rank		Avg Temp	Avg High	Avg Low	Driest	Rank						
1	19	3/2/1980	Coollest		53.2 1915	63.9 1915	42.5 1915	T 1899	1						
2	19	3/4/2002	2nd Coollest		54.9 1969	65.2 1969	43.0 1947	0.01 2011	2						
3	21	3/1/1890	3rd Coollest		54.9 1965	66.1 1912	43.0 1965	0.03 1961	3						
4	21	3/3/1943	4th Coollest		55.8 1958	66.2 1941	44.3 1996	0.03 1954	4						
5	21	3/11/1948	5th Coollest		56.0 twice	66.3 1888	44.5 1969	0.04 1971	5						

APRIL DAILY RECORDS AND EXTREMES FOR SAN ANTONIO AREA (see notes for list of sites)

1981-2010 NORMALS						1885-2017 RECORDS									
Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date				
1	77	54	0.06	0.06	5.92	93 2011	36 1987	49 1890	71 2006	1.62 1904	1				
2	78	55	0.05	0.11	5.97	98 1939	38 2005	55 1992	71 2014	1.47 1919	2				
3	78	55	0.06	0.17	6.03	97 1989	31 1987	50 1908	70 2014	1.92 1914	3				
4	78	55	0.06	0.23	6.09	93 1893	33 1987	54 1949	71 2001	0.97 1922	4				
5	78	55	0.06	0.29	6.15	93 1936	34 1945	52 1899	70 2001	2.47 1991	5				
6	79	55	0.06	0.35	6.21	94 1948	34 1966	58 1973	72 1954	1.91 1940	6				
7	79	56	0.06	0.41	6.27	99 2006	35 2007	54 2007	71 1954	3.17 1900	7				
8	79	56	0.05	0.46	6.32	98 1989	35 2007	45 1928	71 2011	1.53 1929	8				
9	79	56	0.07	0.53	6.39	99 2009	33 1983	45 1928	71 2013	2.12 1910	9				
10	79	57	0.06	0.59	6.45	95 1963	37 1973	57 1989	71 2017	1.44 1978	10				
11	80	57	0.06	0.65	6.51	99 1907	37 1988	54 2004	71 1972	1.49 1908	11				
12	80	57	0.07	0.72	6.58	94 1948	36 1951	55 1940	73 1991	1.76 1923	12				
13	80	57	0.06	0.78	6.64	100 1982	35 1940	53 1957	72 1991	2.24 1902	13				
14	80	58	0.06	0.84	6.70	95 1961	33 1980	55 1957	73 2012	1.00 1893	14				
15	80	58	0.07	0.91	6.77	95 2006	38 1983	60 1923	72 1939	2.53 1973	15				
16	81	58	0.06	0.97	6.83	95 1920	35 1961	57 1911	71 1995	2.01 2002	16				
17	81	58	0.07	1.04	6.90	100 1920	37 1999	62 1921	73 2013	1.72 1992	17				
18	81	59	0.07	1.11	6.97	100 2006	42 1999	64 1940	72 2011	6.78 1915	18				
19	81	59	0.07	1.18	7.04	101 1996	42 1901	66 2010	73 2011	2.80 1977	19				
20	82	59	0.07	1.25	7.11	100 1984	41 2013	55 1907	74 2011	4.64 1926	20				
21	82	60	0.08	1.33	7.19	94 1995	43 1978	51 1907	74 2011	0.85 1946	21				
22	82	60	0.08	1.41	7.27	96 2009	43 1993	53 1982	73 2011	2.07 1978	22				
23	82	60	0.08	1.49	7.35	98 2000	45 1982	63 1982	73 2011	2.24 2001	23				
24	82	61	0.09	1.58	7.44	99 1894	41 1995	60 1982	73 2011	2.69 1905	24				
25	83	61	0.08	1.66	7.52	98 1996	41 1968	61 1911	75 1967	2.20 2015	25				
26	83	61	0.09	1.75	7.61	97 1984	45 1913	58 1947	74 1970	3.60 1990	26				
27	83	61	0.08	1.83	7.69	99 2014	46 1908	59 1997	75 1994	2.10 1941	27				
28	83	62	0.09	1.92	7.78	99 2014	47 2008	65 1931	74 1970	2.39 1888	28				
29	83	62	0.09	2.01	7.87	98 1909	46 2008	63 1925	74 1970	2.12 1919	29				
30	84	62	0.09	2.10	7.96	96 1953	40 1996	58 1925	74 1967	1.78 1940	30				
31	-	-	-	-	-	-	-	-	-	-	31				
Avg	79.8	58.6	0.07	2.1	7.96	101 1996	31 1987	45 2 dates	75 2 dates	6.78 1915	Max				
Rank	Highest Daily Temps		Rank		Avg Temp	Avg High	Avg Low	Wettest		Rank					
1	101	4/19/1996	Warmest		76.7 2006	88.8 2006	66.8 1967	11.64 1915	1						
2	100	4/13/1982	2nd Warmest		76.5 1967	87.9 2011	64.6 2006	9.32 1957	2						
3	100	4/18/2006	3rd Warmest		75.7 2011	87.2 1948	64.1 2002	9.11 1900	3						
4	100	4/17/1920	4th Warmest		74.6 1963	86.3 1967	63.9 1925	8.99 1949	4						
5	100	4/20/1984	5th Warmest		74.3 1893	85.9 1972	63.8 1954	8.80 1977	5						
Rank	Lowest Daily Temps		Rank		Avg Temp	Avg High	Avg Low	Driest		Rank					
1	31	4/3/1987	Coollest		63.9 1997	73.9 1931	51.8 1987	0.01 2005	1						
2	33	4/4/1987	2nd Coollest		64.2 1931	74.3 1997	52.4 1983	0.03 2011	2						
3	33	4/9/1983	3rd Coollest		64.5 1949	74.6 1949	53.1 1980	0.04 2012	3						
4	33	4/14/1980	4th Coollest		65.2 2007	74.9 2007	53.5 1997	0.05 1998	4						
5	34	2 times	5th Coollest		65.2 1983	75.2 1926	53.9 1998	0.11 1984	5						

MAY DAILY RECORDS AND EXTREMES FOR SAN ANTONIO AREA (see notes for list of sites)

1981-2010 NORMALS						1885-2017 RECORDS									
Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date				
1	84	63	0.11	0.11	8.07	99 1929	44 1903	59 1994	74 1983	3.09 1994	1				
2	84	63	0.10	0.21	8.17	99 1964	47 1976	60 2011	74 1898	2.36 1886	2				
3	84	63	0.11	0.32	8.28	98 1984	45 2013	66 1935	75 1898	2.63 1991	3				
4	84	64	0.11	0.43	8.39	99 1984	42 2013	60 1907	74 1898	2.81 1895	4				
5	85	64	0.11	0.54	8.50	99 1984	45 1944	67 1935	76 2003	6.26 1993	5				
6	85	64	0.12	0.66	8.62	99 1984	47 1970	56 1917	75 2003	3.52 1982	6				
7	85	65	0.13	0.79	8.75	100 1998	45 1917	63 1917	75 2009	5.34 1972	7				
8	85	65	0.12	0.91	8.87	102 1927	47 1982	68 1917	76 2003	2.10 1975	8				
9	85	65	0.12	1.03	8.99	97 2008	43 1984	61 1917	76 2003	5.84 1935	9				
10	86	65	0.12	1.15	9.11	98 2008	48 1969	66 1924	77 1933	1.79 1972	10				
11	86	66	0.12	1.27	9.23	100 1967	47 1981	70 1968	75 2002	1.88 1899	11				
12	86	66	0.12	1.39	9.35	101 1967	46 1952	65 1946	76 2002	2.10 2014	12				
13	86	66	0.12	1.51	9.47	98 2009	48 1960	66 2014	77 1995	2.73 1928	13				
14	87	66	0.13	1.64	9.60	97 2003	48 1971	58 1953	78 1995	2.72 2010	14				
15	87	67	0.13	1.77	9.73	96 2003	47 2014	70 2016	77 1995	2.56 2012	15				
16	87	67	0.13	1.90	9.86	97 2013	46 1967	70 1920	77 1974	2.08 1965	16				
17	87	67	0.14	2.04	10.00	97 2013	49 1945	70 1895	76 1974	1.42 1985	17				
18	88	68	0.13	2.17	10.13	97 1989	52 1945	73 1916	76 2015	3.05 1965	18				
19	88	68	0.13	2.30	10.26	101 1989	52 1986	72 1952	76 2017	3.21 1987	19				
20	88	68	0.13	2.43	10.39	100 1996	49 2002	71 1983	77 1989	1.17 1917	20				
21	88	68	0.14	2.57	10.53	98 1939	52 1892	73 1900	76 1898	2.30 1914	21				
22	88	68	0.13	2.70	10.66	100 1989	50 1892	71 1895	77 2011	2.03 1895	22				
23	89	69	0.14	2.84	10.80	99 2008	53 1892	72 1993	77 2008	2.81 2015	23				
24	89	69	0.13	2.97	10.93	101 1989	54 2017	70 1975	77 2011	2.76 1908	24				
25	89	69	0.14	3.11	11.07	103 1989	58 1967	73 1936	78 2008	9.87 2013	25				
26	89	69	0.14	3.25	11.21	100 1989	54 1947	74 2014	78 2016	3.27 1970	26				
27	90	70	0.15	3.40	11.36	100 2011	52 1901	71 1957	78 2017	4.26 1957	27				
28	90	70	0.15	3.55	11.51	103 1927	55 1976	76 1888	78 1996	1.31 1940	28				
29	90	70	0.15	3.70	11.66	102 1927	57 1888	73 1929	77 1994	3.54 1987	29				
30	90	70	0.16	3.86	11.82	98 2011	55 1992	74 1947	79 2004	2.71 1939	30				
31	90	70	0.15	4.01	11.97	104 2004	51 1984	74 1992	79 1990	6.82 1937	31				
Avg	87.1	66.8	0.13	4.01	11.97	104 2004	42 2013	56 1917	79 2 dates	9.87 2013	Max				
Rank	Highest Daily Temps		Rank		Avg Temp	Avg High	Avg Low	Wettest	Rank						
1	104	5/31/2004	Warmest		81.9 1996	92.7 1989	71.1 1996	14.07 1935	1						
2	103	5/28/1927	2nd Warmest		81.7 1989	92.6 1996	70.8 1899	13.19 2013	2						
3	103	5/25/1989	3rd Warmest		80.5 1927	91.6 2008	70.7 1989	12.85 1987	3						
4	102	5/29/1927	4th Warmest		80.3 2003	91.6 2006	70.3 2003	12.47 1993	4						
5	102	5/8/1927	5th Warmest		80.1 2008	91.4 1998	69.8 1927	11.24 1972	5						
Rank	Lowest Daily Temps		Rank		Avg Temp	Avg High	Avg Low	Driest	Rank						
1	42	5/4/2013	Coollest		71.0 1907	80.0 1907	61.1 1917	0.12 2003	1						
2	43	5/9/1984	2nd Coolest		71.3 1976	80.3 1885	61.4 1976	0.17 1961	2						
3	44	5/1/1903	3rd Coolest		71.5 1885	80.9 1891	61.6 1952	0.33 1989	3						
4	45	5/3/2013	4th Coolest		71.6 1917	81.0 1903	61.6 1944	0.34 1998	4						
5	45	2 times	5th Coolest		71.6 1924	81.1 1924	61.9 1907	0.41 1988	5						

JUNE DAILY RECORDS AND EXTREMES FOR SAN ANTONIO AREA (see notes for list of sites)

1981-2010 NORMALS						1885-2017 RECORDS									
Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date				
1	91	71	0.14	0.14	12.11	101 1887	54 1964	77 1894	80 1990	3.87 1979	1				
2	91	71	0.15	0.29	12.26	100 1990	53 1964	72 1919	80 1990	3.24 1988	2				
3	91	71	0.14	0.43	12.40	100 2008	48 1919	74 1987	78 1990	6.18 1951	3				
4	91	71	0.14	0.57	12.54	100 1916	57 1919	74 1987	80 1998	5.13 1986	4				
5	91	71	0.14	0.71	12.68	101 1948	58 1970	76 1943	79 2008	1.51 1965	5				
6	91	71	0.14	0.85	12.82	101 2011	59 1988	78 1983	79 2008	2.68 1978	6				
7	92	72	0.14	0.99	12.96	103 1989	58 1983	67 1890	79 1993	2.46 1890	7				
8	92	72	0.14	1.13	13.10	101 1948	60 1890	76 1890	79 1981	2.40 1949	8				
9	92	72	0.15	1.28	13.25	104 1910	58 1890	78 2004	79 1995	2.89 2004	9				
10	92	72	0.14	1.42	13.39	100 2012	58 1955	78 1955	79 1995	2.16 1975	10				
11	92	72	0.14	1.56	13.53	104 1942	58 1955	70 1930	79 1967	2.13 1981	11				
12	92	72	0.14	1.70	13.67	105 1942	59 1995	72 1903	79 2010	3.26 1973	12				
13	92	73	0.14	1.84	13.81	101 2006	54 1903	61 1903	79 2010	2.00 1935	13				
14	92	73	0.13	1.97	13.94	105 1998	58 1903	69 1903	79 1990	1.96 1940	14				
15	93	73	0.14	2.11	14.08	107 1998	60 1940	73 1919	78 2016	1.68 1894	15				
16	93	73	0.14	2.25	14.22	103 1934	61 1989	76 1919	79 1980	2.95 1964	16				
17	93	73	0.14	2.39	14.36	104 2011	62 1917	78 1961	79 2014	2.74 2015	17				
18	93	73	0.14	2.53	14.50	104 2011	63 1912	74 1961	80 1998	2.83 1986	18				
19	93	73	0.14	2.67	14.64	103 2011	59 1912	64 1912	80 1939	0.92 1940	19				
20	93	73	0.15	2.82	14.79	103 1996	59 1912	74 1920	79 1979	1.52 1955	20				
21	93	73	0.15	2.97	14.94	106 1936	60 1976	78 1999	79 1979	2.66 1997	21				
22	93	74	0.15	3.12	15.09	101 1990	63 1961	81 1985	79 1979	3.15 1958	22				
23	93	74	0.14	3.26	15.23	102 1990	63 1920	80 1968	79 1990	2.93 1892	23				
24	93	74	0.14	3.40	15.37	102 2009	63 1886	77 1960	79 1972	2.68 2001	24				
25	93	74	0.14	3.54	15.51	103 2012	59 1974	73 1973	80 2009	3.27 1973	25				
26	93	74	0.13	3.67	15.64	106 2012	59 1974	76 1905	79 1994	3.51 1919	26				
27	93	74	0.12	3.79	15.76	105 1980	58 1974	77 1931	79 2009	1.74 1886	27				
28	93	74	0.12	3.91	15.88	103 1980	62 1974	78 2007	80 1972	3.07 2007	28				
29	93	74	0.12	4.03	16.00	108 2013	58 1985	80 2004	79 1945	3.23 1940	29				
30	94	74	0.11	4.14	16.11	105 1907	60 1985	77 1936	79 2017	1.55 1936	30				
31	-	-	-	-	-	-	-	-	-	-	31				
Avg	92.1	72.3	0.14	4.14	16.11	108 2013	48 1919	61 1903	80 7 times	6.18 1951	Max				
Rank	Highest Daily Temps		Rank		Avg Temp	Avg High	Avg Low	Wettest	Rank						
1	108	6/29/2013	Warmest		87.4 1990	98.5 1990	76.4 1990	11.95 1986	1						
2	107	6/15/1998	2nd Warmest		86.8 2008	98.1 2009	75.6 2008	10.44 1973	2						
3	106	6/21/1936	3rd Warmest		86.3 2009	98.0 2008	75.2 2010	9.47 2004	3						
4	106	6/26/2012	4th Warmest		86.3 1998	97.7 1998	74.9 1998	8.71 1981	4						
5	105	4 times	5th Warmest		86.2 2011	97.6 2011	74.8 2011	8.41 1935	5						
Rank	Lowest Daily Temps		Rank		Avg Temp	Avg High	Avg Low	Driest	Rank						
1	48	6/3/1919	Coollest		75.8 1903	85.9 1903	65.7 1903	0.01 2008	1						
2	53	6/2/1964	2nd Coolest		77.5 1919	86.5 1919	68.0 1912	0.01 1967	2						
3	54	6/1/1964	3rd Coolest		78.4 1912	87.1 1890	68.5 1919	0.01 1914	3						
4	54	6/13/1903	4th Coolest		78.5 1920	87.2 1973	68.8 1966	0.02 1917	4						
5	57	6/4/1919	5th Coolest		78.5 1890	87.3 1935	68.8 1974	0.02 1902	5						

JULY DAILY RECORDS AND EXTREMES FOR SAN ANTONIO AREA (see notes for list of sites)

1981-2010 NORMALS																1885-2017 RECORDS									
Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date					Date									
1	94	74	0.12	0.12	16.23	104 1980	64 1985	77 2002	80 1992	9.52 2002	1					1									
2	94	74	0.13	0.25	16.36	106 1894	64 1924	80 2002	80 1992	2.66 1885	2					2									
3	94	74	0.13	0.38	16.49	104 1894	65 1985	78 1885	80 1979	4.45 1985	3					3									
4	94	74	0.12	0.50	16.61	103 2009	64 1924	82 2007	79 2009	1.97 2003	4					4									
5	94	74	0.13	0.63	16.74	104 2009	65 1903	73 1942	78 2017	4.85 1942	5					5									
6	94	74	0.12	0.75	16.86	102 1998	65 1972	76 1942	79 2016	2.52 1958	6					6									
7	94	74	0.11	0.86	16.97	104 1891	65 1972	72 1906	79 1979	4.45 1958	7					7									
8	94	74	0.12	0.98	17.09	105 1939	66 1886	76 1976	79 2009	2.16 1973	8					8									
9	94	74	0.11	1.09	17.20	105 1939	67 1946	77 1976	79 1979	1.75 1930	9					9									
10	94	75	0.11	1.20	17.31	102 1917	61 1905	80 1976	80 2016	1.98 1961	10					10									
11	94	75	0.11	1.31	17.42	104 1917	60 1905	79 1896	78 2016	2.83 2012	11					11									
12	94	75	0.12	1.43	17.54	103 1998	65 1905	76 1939	79 1896	1.87 1939	12					12									
13	94	75	0.10	1.53	17.64	102 2013	68 1966	84 1976	80 1979	2.12 1943	13					13									
14	94	75	0.11	1.64	17.75	102 2009	68 1975	74 1976	81 1979	0.85 1950	14					14									
15	94	75	0.09	1.73	17.84	102 2000	66 1990	78 1983	81 1979	4.09 1990	15					15									
16	95	75	0.09	1.82	17.93	103 1989	62 1967	77 1990	79 1994	2.27 1973	16					16									
17	95	75	0.08	1.90	18.01	105 1932	66 1905	79 1931	80 1932	1.32 1990	17					17									
18	95	75	0.07	1.97	18.08	104 1918	69 1905	77 1931	79 2015	3.02 2014	18					18									
19	95	75	0.07	2.04	18.15	106 1989	65 1885	82 1990	79 1996	0.85 2011	19					19									
20	95	75	0.06	2.10	18.21	101 2009	66 1947	80 2007	79 1977	1.27 1988	20					20									
21	95	75	0.06	2.16	18.27	102 1911	65 1923	80 1923	79 1991	3.26 1919	21					21									
22	95	75	0.06	2.22	18.33	102 2009	64 1888	83 1919	80 2013	3.62 1961	22					22									
23	95	75	0.06	2.28	18.39	103 1994	67 1989	78 1919	80 2013	1.72 1919	23					23									
24	95	75	0.05	2.33	18.44	104 1934	65 1942	80 2008	79 2014	1.36 1935	24					24									
25	95	75	0.06	2.39	18.50	104 1994	64 1911	76 1911	80 1971	2.27 1934	25					25									
26	96	75	0.06	2.45	18.56	106 1954	67 1904	82 2007	78 1977	2.23 2010	26					26									
27	96	75	0.06	2.51	18.62	106 1954	66 1903	80 1903	81 1980	1.98 1979	27					27									
28	96	75	0.06	2.57	18.68	103 1995	67 1903	82 1903	79 2011	0.74 1934	28					28									
29	96	75	0.06	2.63	18.74	104 2017	67 1994	83 1933	81 2009	0.96 1893	29					29									
30	96	75	0.06	2.69	18.80	105 2017	68 1949	81 1903	80 2013	1.27 1933	30					30									
31	96	75	0.05	2.74	18.85	103 2013	65 1965	76 1978	80 2015	0.96 2015	31					31									
Avg	94.7	74.4	0.09	2.74	18.85	106 3 times	60 1905	72 1906	81 4 times	9.52 2002	Max														
Rank	Highest Daily Temps				Rank			Avg Temp		Avg High		Avg Low		Wettest		Rank									
1	106	7/26/1954		Warmest			88.7 2009	100.6 2009		77.2 1979		16.92 2002		1											
2	106	7/27/1954		2nd Warmest			88.1 1980	99.9 1980		77.0 2011		11.76 2007		2											
3	106	7/2/1894		3rd Warmest			88.0 1998	99.7 1998		76.9 2009		8.29 1990		3											
4	105	7/30/2017		4th Warmest			87.9 2011	99.3 1994		76.7 2016		8.19 1942		4											
5	105	3 times		5th Warmest			87.8 1994	98.8 1996		76.5 3 times		8.12 2003		5											
Rank	Lowest Daily Temps				Rank			Avg Temp		Avg High		Avg Low		Driest		Rank									
1	60	7/11/1905		Coollest			79.8 1976	86.6 1976		70.4 1905		T 1997		1											
2	61	7/10/1905		2nd Coollest			79.8 1903	87.4 2007		70.8 1903		T 1993		2											
3	62	7/16/1967		3rd Coollest			80.4 2007	88.8 1903		71.1 1885		T 1984		3											
4	64	7/1/1985		4th Coollest			80.5 1885	89.0 1919		71.3 1947		T 1944		4											
5	64	3 times		5th Coollest			80.7 1919	89.7 1975		71.3 1904		0.01 1953		5											

AUGUST DAILY RECORDS AND EXTREMES FOR SAN ANTONIO AREA (see notes for list of sites)

1981-2010 NORMALS						1885-2017 RECORDS									
Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date				
1	96	75	0.04	0.04	18.89	103 2013	67 1965	81 1978	80 2009	3.87 1978	1				
2	96	75	0.05	0.09	18.94	103 2011	63 1925	73 1925	79 2011	1.47 1971	2				
3	96	75	0.05	0.14	18.99	103 1998	65 1973	78 1971	80 1980	2.38 1971	3				
4	96	75	0.05	0.19	19.04	103 2011	67 1965	78 1894	81 1980	1.83 1939	4				
5	96	75	0.05	0.24	19.09	104 2013	66 1973	75 1894	82 1980	2.34 1894	5				
6	96	75	0.05	0.29	19.14	105 2013	63 1894	76 1894	79 2015	2.64 1914	6				
7	97	75	0.05	0.34	19.19	104 2013	68 1975	76 1914	80 2013	3.31 2017	7				
8	97	75	0.04	0.38	19.23	104 2013	69 1997	83 1914	79 2015	3.66 1974	8				
9	97	75	0.06	0.44	19.29	106 1953	67 1975	86 1994	79 2016	2.00 1994	9				
10	97	75	0.05	0.49	19.34	105 1962	64 1989	81 2005	80 2010	1.86 1889	10				
11	97	75	0.05	0.54	19.39	106 1936	66 1989	83 1960	82 2011	0.99 2003	11				
12	97	75	0.05	0.59	19.44	104 1969	65 1965	86 1906	81 2011	1.11 1906	12				
13	97	75	0.05	0.64	19.49	106 1962	62 1967	78 1950	81 1962	5.57 1950	13				
14	97	75	0.05	0.69	19.54	103 2013	63 1967	79 2003	81 1962	0.75 1984	14				
15	97	75	0.06	0.75	19.60	102 2013	64 1967	76 2016	80 2010	4.94 1960	15				
16	97	75	0.06	0.81	19.66	103 1969	63 2004	80 2007	80 1997	5.73 2007	16				
17	96	75	0.07	0.88	19.73	104 1969	66 1885	84 1915	81 2014	1.39 1967	17				
18	96	75	0.06	0.94	19.79	105 1909	64 1992	77 1967	79 2014	3.86 1932	18				
19	96	75	0.07	1.01	19.86	108 1986	67 1992	83 1967	80 2010	2.36 2012	19				
20	96	75	0.07	1.08	19.93	107 1909	65 1940	83 1886	79 2014	4.51 1886	20				
21	96	75	0.07	1.15	20.00	104 1999	64 1940	78 1927	81 2014	1.09 1919	21				
22	96	75	0.08	1.23	20.08	103 1948	63 1946	76 1998	80 2010	3.83 1964	22				
23	96	75	0.07	1.30	20.15	104 2009	62 1891	84 1891	79 2011	1.95 1998	23				
24	96	74	0.09	1.39	20.24	103 2013	57 1891	83 1894	79 2011	2.70 1896	24				
25	96	74	0.09	1.48	20.33	102 2006	58 1891	72 1966	79 2014	4.22 1888	25				
26	95	74	0.09	1.57	20.42	102 2006	61 1891	76 2017	76 2006	4.42 1948	26				
27	95	74	0.10	1.67	20.52	106 2011	62 1891	78 1926	79 2006	1.68 1923	27				
28	95	74	0.10	1.77	20.62	110 2011	62 1992	79 1938	82 2011	1.89 1915	28				
29	95	74	0.11	1.88	20.73	107 2011	61 1992	78 2001	82 2011	3.24 2001	29				
30	95	74	0.11	1.99	20.84	103 2013	59 1893	77 2001	80 2010	2.04 2001	30				
31	94	73	0.10	2.09	20.94	103 2000	58 1915	80 1953	81 2012	3.20 1892	31				
Avg	97.0	74.6	0.07	2.09	20.94	110 2011	57 1891	72 1966	82 2011	5.73 2007	Max				
Rank	Highest Daily Temps		Rank		Avg Temp	Avg High	Avg Low	Wettest	Rank						
1	110	8/28/2011	Warmest		90.0 2011	101.5 2011	78.5 2011	11.14 1974	1						
2	108	8/19/1986	2nd Warmest		88.6 2013	100.7 2013	77.4 2010	9.42 1971	2						
3	107	8/29/2011	3rd Warmest		88.3 2009	100.3 2009	76.8 2006	9.09 1892	3						
4	107	8/20/1909	4th Warmest		88.3 2006	99.8 2006	76.7 2014	8.55 1894	4						
5	106	3 times	5th Warmest		88.1 2014	99.7 1951	76.6 2015	7.83 2001	5						
Rank	Lowest Daily Temps		Rank		Avg Temp	Avg High	Avg Low	Driest	Rank						
1	57	8/24/1891	Coollest		80.1 1894	89.3 1974	70.5 1891	0.00 1952	1						
2	58	8/25/1891	2nd Coollest		80.7 1889	89.3 1894	70.6 1889	0.00 1902	2						
3	58	8/31/1915	3rd Coollest		80.9 1892	89.8 1892	70.9 1894	0.00 1899	3						
4	59	8/30/1893	4th Coollest		81.1 1974	90.0 1971	71.0 1949	T 1924	4						
5	61	2 times	5th Coollest		81.2 1903	90.6 1903	71.2 1904	0.01 twice	5						

SEPTEMBER DAILY RECORDS AND EXTREMES FOR SAN ANTONIO AREA (see notes for list of sites)

1981-2010 NORMALS						1885-2017 RECORDS									
Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date				
1	94	73	0.11	0.11	21.05	102 2000	61 1915	82 1932	79 2014	1.65 1905	1				
2	94	73	0.10	0.21	21.15	104 2000	61 1915	75 1968	79 2014	1.83 2001	2				
3	94	73	0.10	0.31	21.25	104 2000	61 1974	76 1974	79 1985	1.76 1889	3				
4	93	73	0.11	0.42	21.36	109 2000	56 1974	76 1974	79 1970	4.69 1942	4				
5	93	72	0.11	0.53	21.47	111 2000	54 1974	77 1974	80 2015	1.90 2003	5				
6	93	72	0.11	0.64	21.58	102 2000	53 1974	75 1973	79 2015	2.62 1980	6				
7	93	72	0.11	0.75	21.69	100 1994	56 1974	76 1973	79 1972	3.69 2010	7				
8	93	72	0.11	0.86	21.80	101 1993	59 1918	77 1994	79 2015	2.83 2010	8				
9	92	71	0.11	0.97	21.91	102 1893	57 1957	71 1974	78 2015	6.83 1921	9				
10	92	71	0.11	1.08	22.02	101 1940	59 2012	74 1948	79 1989	2.17 1903	10				
11	92	71	0.11	1.19	22.13	103 1893	56 1968	75 1939	79 2014	1.67 2003	11				
12	91	70	0.11	1.30	22.24	103 1893	56 1968	77 1902	78 1982	1.56 1924	12				
13	91	70	0.10	1.40	22.34	100 2011	55 1892	70 2014	79 1993	5.13 1978	13				
14	91	70	0.10	1.50	22.44	99 2011	52 1945	74 1904	78 1987	3.39 1904	14				
15	90	69	0.10	1.60	22.54	98 1988	57 1989	73 1946	79 1987	4.71 1946	15				
16	90	69	0.10	1.70	22.64	99 1954	55 1945	73 2012	80 2006	2.54 1973	16				
17	90	69	0.09	1.79	22.73	98 1997	56 1945	72 1913	78 1987	3.35 1941	17				
18	90	68	0.10	1.89	22.83	97 2016	50 1903	74 1908	79 1972	2.43 1983	18				
19	89	68	0.09	1.98	22.92	98 1995	46 1981	70 1991	78 2017	2.20 2002	19				
20	89	68	0.10	2.08	23.02	100 1947	51 1981	67 1991	78 2017	3.21 1995	20				
21	89	68	0.09	2.17	23.11	100 1909	53 1913	73 1983	80 1980	2.94 1928	21				
22	89	67	0.09	2.26	23.20	101 1926	46 1983	63 1995	80 1980	5.07 1932	22				
23	88	67	0.09	2.35	23.29	99 2005	49 1999	65 2009	79 2000	2.85 1902	23				
24	88	67	0.09	2.44	23.38	102 2005	51 1947	65 2009	78 1993	1.78 1996	24				
25	88	66	0.10	2.54	23.48	105 2005	50 1989	64 1889	79 1973	3.27 1946	25				
26	87	66	0.10	2.64	23.58	103 2005	47 1975	58 1889	78 1986	6.54 1973	26				
27	87	66	0.09	2.73	23.67	102 2005	41 1942	61 1943	78 2013	3.54 1896	27				
28	87	65	0.10	2.83	23.77	104 2005	47 1967	63 1889	78 2013	2.19 2012	28				
29	87	65	0.10	2.93	23.87	96 1954	47 1908	64 1984	78 1954	2.39 1945	29				
30	86	65	0.10	3.03	23.97	95 2015	46 1890	63 1985	77 1986	0.99 1902	30				
31	-	-	-	-	-	-	-	-	-	-	31				
Avg	90.3	69.2	0.10	3.03	23.97	111 2000	41 1942	58 1889	80 4 dates	6.83 1921	Max				
Rank	Highest Daily Temps		Rank		Avg Temp	Avg High	Avg Low	Wettest		Rank					
1	111	9/5/2000	Warmest		84.6 1911	96.2 2011	75.5 1986	15.78 1946	1						
2	109	9/4/2000	2nd Warmest		84.3 2005	95.4 2005	75.2 1980	13.09 1973	2						
3	105	9/25/2005	3rd Warmest		83.7 1986	94.8 1911	74.3 1911	11.16 1967	3						
4	104	9/2/2000	4th Warmest		83.6 1980	94.6 1954	73.7 1933	11.10 1957	4						
5	104	2 times	5th Warmest		83.5 2015	94.5 2000	73.1 2005	9.37 2010	5						
Rank	Lowest Daily Temps		Rank		Avg Temp	Avg High	Avg Low	Driest		Rank					
1	41	9/27/1942	Coolest		72.3 1974	80.7 1974	63.9 1974	0.01 1931	1						
2	46	9/22/1983	2nd Coolest		73.6 1889	82.1 1889	64.9 1968	0.04 1937	2						
3	46	9/19/1981	3rd Coolest		75.3 1888	83.9 1967	64.9 1918	0.05 1999	3						
4	46	9/30/1890	4th Coolest		75.5 1967	84.9 1888	65.1 1889	0.06 1947	4						
5	47	3 times	5th Coolest		75.6 twice	85.0 1913	65.3 1942	0.10 1893	5						

OCTOBER DAILY RECORDS AND EXTREMES FOR SAN ANTONIO AREA (see notes for list of sites)

1981-2010 NORMALS						1885-2017 RECORDS									
Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date				
1	86	64	0.11	0.11	24.08	97 1989	47 1984	62 1958	79 1986	5.96 1913	1				
2	86	64	0.12	0.23	24.20	97 1989	48 1966	63 1958	79 2014	3.36 2004	2				
3	86	64	0.12	0.35	24.32	98 1979	47 1975	63 1965	78 1986	1.05 1902	3				
4	85	63	0.13	0.48	24.45	97 1929	45 1975	65 1968	78 1986	5.42 2009	4				
5	85	63	0.12	0.60	24.57	95 1937	44 1975	68 1953	79 1998	2.76 1969	5				
6	85	63	0.13	0.73	24.70	95 1931	46 1964	69 1986	78 2009	4.53 1981	6				
7	85	63	0.13	0.86	24.83	99 1937	43 1964	58 2005	77 1990	3.90 1994	7				
8	84	62	0.13	0.99	24.96	95 1962	39 1952	65 1976	79 2009	0.92 2002	8				
9	84	62	0.13	1.12	25.09	94 2014	38 1976	70 1900	76 2014	3.06 2011	9				
10	84	62	0.14	1.26	25.23	98 1894	42 1990	57 2000	79 1973	1.81 1919	10				
11	84	62	0.14	1.40	25.37	96 1926	43 1990	59 2009	76 1962	1.67 1973	11				
12	83	61	0.15	1.55	25.52	99 1991	41 1946	62 1982	78 2013	1.80 1986	12				
13	83	61	0.15	1.70	25.67	97 1991	38 1977	65 1986	78 1981	1.64 1937	13				
14	83	61	0.14	1.84	25.81	95 2015	39 1977	59 2002	77 1981	1.19 1920	14				
15	83	60	0.15	1.99	25.96	95 1962	42 1978	64 1896	77 1980	1.94 1976	15				
16	82	60	0.15	2.14	26.11	97 1933	40 1974	61 1912	79 1980	2.90 1960	16				
17	82	60	0.15	2.29	26.26	96 1993	40 2001	57 1889	75 2016	11.26 1998	17				
18	82	60	0.15	2.44	26.41	93 2007	45 1976	53 1999	77 1971	3.16 1998	18				
19	82	59	0.16	2.60	26.57	92 1993	38 1989	62 1998	75 2016	1.76 1985	19				
20	81	59	0.15	2.75	26.72	92 1979	34 1966	57 1910	77 2004	2.40 1993	20				
21	81	59	0.15	2.90	26.87	92 1979	36 1976	59 1905	77 2004	2.18 1957	21				
22	81	59	0.14	3.04	27.01	91 1933	40 1911	60 1984	77 2004	4.09 1949	22				
23	80	58	0.14	3.18	27.15	93 1988	36 1996	49 1936	75 2015	4.62 1914	23				
24	80	58	0.12	3.30	27.27	94 1933	38 1908	54 1935	75 1991	4.07 2015	24				
25	80	58	0.13	3.43	27.40	91 2010	36 1945	56 1887	76 1939	2.16 1975	25				
26	79	57	0.12	3.55	27.52	91 1987	38 1955	55 1887	77 1939	1.81 2009	26				
27	79	57	0.11	3.66	27.63	91 1995	34 1957	50 1936	78 1939	1.08 1899	27				
28	79	57	0.11	3.77	27.74	90 1931	35 1957	52 1976	75 2004	1.09 1989	28				
29	78	56	0.11	3.88	27.85	89 1971	33 1970	44 1925	73 2013	1.61 1960	29				
30	78	56	0.12	4.00	27.97	90 1947	32 1917	48 1925	76 2013	2.47 1911	30				
31	78	56	0.11	4.11	28.08	89 1997	27 1993	53 1923	74 2003	1.75 1896	31				
Avg	82.2	60.1	0.13	4.11	28.08	99 2 times	27 1993	44 1925	79 6 times	11.26 1998	Max				
Rank	Highest Daily Temps		Rank		Avg Temp	Avg High		Avg Low		Wettest	Rank				
1	99	10/7/1937	Warmest		78.0 1931	89.0 1947	67.8 1931	18.07 1998		1					
2	99	10/12/1991	2nd Warmest		76.9 2004	88.2 1931	67.7 2004	11.90 2009		2					
3	98	10/3/1979	3rd Warmest		76.3 1934	87.5 2015	67.6 1941	9.75 1994		3					
4	98	10/10/1894	4th Warmest		76.3 1947	87.3 2014	66.6 1919	9.56 1942		4					
5	97	5 times	5th Warmest		76.3 2014	87.3 1979	65.8 1926	9.47 2004		5					
Rank	Lowest Daily Temps		Rank		Avg Temp	Avg High		Avg Low		Driest	Rank				
1	27	10/31/1993	Coollest		61.0 1976	72.2 1976	49.9 1976	T 1952		1					
2	32	10/30/1917	2nd Coolest		65.6 1952	74.7 1958	51.2 1952	0.03 1898		2					
3	33	10/29/1970	3rd Coolest		66.1 1906	76.0 1936	52.6 1964	0.07 1939		3					
4	34	10/27/1957	4th Coolest		66.3 1936	76.6 1923	53.8 1966	0.08 1950		4					
5	34	10/20/1966	5th Coolest		66.3 1964	77.0 4 times	54.3 1906	0.08 1893		5					

NOVEMBER DAILY RECORDS AND EXTREMES FOR SAN ANTONIO AREA (see notes for list of sites)												
1981-2010 NORMALS						1885-2017 RECORDS						
Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date	
1	77	55	0.10	0.10	28.18	88 1945	31 1993	48 1923	73 1982	4.87 1977	1	
2	77	55	0.09	0.19	28.27	88 1936	31 1966	49 1951	75 2016	3.39 2000	2	
3	77	55	0.09	0.28	28.36	87 2017	26 1966	45 1991	75 1994	1.07 1946	3	
4	76	54	0.10	0.38	28.46	94 1988	28 1991	49 1991	76 1994	3.32 1964	4	
5	76	54	0.09	0.47	28.55	91 2017	31 1992	52 1998	75 2015	2.30 2014	5	
6	76	54	0.08	0.55	28.63	91 1996	32 1970	51 1998	71 1996	0.99 1889	6	
7	75	53	0.09	0.64	28.72	88 2005	27 1959	52 2003	72 1989	1.47 1888	7	
8	75	53	0.08	0.72	28.80	90 1989	29 1959	52 2000	72 1994	1.79 1990	8	
9	75	53	0.08	0.80	28.88	89 1988	29 1991	48 1895	72 1988	1.56 1895	9	
10	74	52	0.08	0.88	28.96	89 1995	28 1977	46 1950	70 1927	1.39 1936	10	
11	74	52	0.09	0.97	29.05	91 1962	26 1950	48 1898	71 2015	1.22 1957	11	
12	73	52	0.08	1.05	29.13	89 1988	26 1950	45 1907	69 2005	2.32 1893	12	
13	73	51	0.09	1.14	29.22	91 1951	29 1907	37 1976	71 2005	1.07 1923	13	
14	73	51	0.08	1.22	29.30	89 1983	28 1916	37 1916	71 1988	1.59 1923	14	
15	72	50	0.08	1.30	29.38	89 1951	27 1969	43 1959	72 1955	2.18 2001	15	
16	72	50	0.08	1.38	29.46	86 1938	26 1970	43 1976	72 1958	2.50 1907	16	
17	72	50	0.07	1.45	29.53	89 2013	30 1959	43 1932	72 1952	0.70 1917	17	
18	71	49	0.07	1.52	29.60	88 2017	22 1886	44 2000	71 1985	2.20 1971	18	
19	71	49	0.07	1.59	29.67	86 1950	28 1959	47 1962	70 1994	2.15 1992	19	
20	71	48	0.07	1.66	29.74	85 2011	26 1969	44 1906	73 1979	1.15 2009	20	
21	70	48	0.06	1.72	29.80	88 2007	26 1906	44 1929	72 2013	1.39 1912	21	
22	70	48	0.07	1.79	29.87	86 1983	30 1945	42 1918	70 1982	3.47 2004	22	
23	70	47	0.06	1.85	29.93	84 2005	25 1975	41 1937	73 1973	2.00 1974	23	
24	69	47	0.06	1.91	29.99	85 2010	25 1970	43 2013	71 2010	2.63 1913	24	
25	69	47	0.06	1.97	30.05	86 1942	25 1950	42 1982	71 1985	1.18 1980	25	
26	69	46	0.06	2.03	30.11	87 1967	28 1975	43 1918	71 1985	2.03 1978	26	
27	68	46	0.07	2.10	30.18	90 2005	23 1993	42 1918	69 1960	3.96 1962	27	
28	68	46	0.06	2.16	30.24	90 1949	25 1993	36 1896	69 1905	1.43 1952	28	
29	68	45	0.06	2.22	30.30	91 1949	21 1976	46 1976	72 2006	0.89 1913	29	
30	67	45	0.06	2.28	30.36	84 1898	22 1976	38 1896	66 1922	1.93 1968	30	
31	-	-	-	-	-	-	-	-	-	-	31	
Avg	71.4	50.6	0.08	2.28	30.36	94 1988	21 1976	36 1896	76 1994	4.87 1977	Max	
Rank	Highest Daily Temps		Rank		Avg Temp	Avg High	Avg Low	Wettest		Rank		
1	94	11/4/1988	Warmest		69.8 1927	80.1 1927	59.4 1927	9.46 2004		1		
2	91	11/5/2017	2nd Warmest		68.2 1909	78.3 1988	58.3 1909	8.58 2000		2		
3	91	11/6/1996	3rd Warmest		66.5 2017	78.1 1909	57.9 1931	7.21 2014		3		
4	91	11/11/1962	4th Warmest		66.5 1931	77.7 2005	57.8 1913	6.79 1907		4		
5	91	2 more times	5th Warmest		66.5 1924	77.7 1949	56.3 1985	6.01 1977		5		
Rank	Lowest Daily Temps		Rank		Avg Temp	Avg High	Avg Low	Driest		Rank		
1	21	11/29/1976	Coollest		52.1 1976	61.9 1976	40.6 1959	T 1966		1		
2	22	11/30/1976	2nd Coollest		53.3 1959	64.3 1907	42.2 1976	T 1903		2		
3	22	11/18/1886	3rd Coollest		54.0 1972	64.6 1929	42.2 1972	T 1894		3		
4	23	11/27/1993	4th Coollest		55.0 1929	64.7 1888	42.6 1970	0.01 2008		4		
5	25	3 times	5th Coollest		55.8 1889	64.8 1918	43.9 1889	0.01 1970		5		

DECEMBER DAILY RECORDS AND EXTREMES FOR SAN ANTONIO AREA (see notes for list of sites)

1981-2010 NORMALS

1885-2017 RECORDS

Date	High	Low	Daily	Month	Year	Max High	Min Low	Min High	Max Low	Max Precip	Date
1	67	45	0.06	0.06	30.42	82 1894	26 1976	46 1931	68 2012	0.91 1902	1
2	67	44	0.05	0.11	30.47	86 2007	28 1975	45 1931	70 1933	2.75 1965	2
3	66	44	0.06	0.17	30.53	86 2013	27 1929	42 2000	69 1913	3.84 2016	3
4	66	44	0.05	0.22	30.58	85 1954	26 1886	42 2009	69 2017	2.02 1913	4
5	66	43	0.06	0.28	30.64	85 1977	17 1886	45 1886	69 1975	1.19 1969	5
6	66	43	0.06	0.34	30.70	83 1951	20 1950	41 1950	69 1980	1.29 1928	6
7	65	43	0.07	0.41	30.77	83 1994	14 1950	37 2013	71 1980	1.45 1960	7
8	65	43	0.06	0.47	30.83	84 1894	25 1917	38 1927	70 2007	1.02 1899	8
9	65	43	0.06	0.53	30.89	85 2008	23 1978	34 1898	68 1894	1.30 1908	9
10	65	42	0.07	0.60	30.96	85 1939	18 1978	35 1898	67 1889	0.95 1928	10
11	65	42	0.05	0.65	31.01	88 1987	21 1966	36 1898	68 1979	0.99 1946	11
12	64	42	0.06	0.71	31.07	84 1996	18 1957	34 2000	71 2015	2.59 1891	12
13	64	42	0.06	0.77	31.13	83 1921	19 1966	36 1932	66 1929	1.24 1887	13
14	64	42	0.06	0.83	31.19	85 1908	22 1966	36 1898	69 2011	1.98 1937	14
15	64	41	0.07	0.90	31.26	85 1950	15 1901	38 1932	64 1933	1.03 1940	15
16	64	41	0.06	0.96	31.32	81 1980	17 1989	34 1989	67 1928	0.92 2017	16
17	64	41	0.06	1.02	31.38	82 1990	19 1972	37 1989	66 1990	0.86 1934	17
18	63	41	0.06	1.08	31.44	81 2012	22 1996	37 1964	66 1895	1.49 1991	18
19	63	41	0.06	1.14	31.50	82 2012	18 1996	31 1909	67 2008	5.97 1991	19
20	63	41	0.06	1.20	31.56	85 1951	21 1924	29 1924	66 1991	2.52 1997	20
21	63	41	0.07	1.27	31.63	82 1990	17 1973	32 1929	62 1889	2.60 1991	21
22	63	41	0.06	1.33	31.69	84 1981	13 1989	23 1989	66 1939	4.01 1986	22
23	63	41	0.06	1.39	31.75	83 2015	6 1989	30 1989	66 1895	1.04 2006	23
24	63	41	0.07	1.46	31.82	83 1964	15 1983	25 1983	67 2016	1.37 1975	24
25	63	41	0.06	1.52	31.88	90 1955	11 1983	30 1983	67 2016	1.32 1888	25
26	63	41	0.07	1.59	31.95	83 2016	15 1983	31 1983	71 2015	0.56 1997	26
27	63	41	0.06	1.65	32.01	82 2005	22 1892	37 1935	68 1971	1.94 1934	27
28	62	40	0.07	1.72	32.08	81 1921	19 1925	29 1925	68 1984	1.65 1979	28
29	62	40	0.06	1.78	32.14	83 1951	16 1983	34 1925	67 1992	1.69 1937	29
30	62	40	0.07	1.85	32.21	83 1951	9 1983	39 1946	68 1992	0.98 1952	30
31	62	40	0.06	1.91	32.27	83 1915	13 1983	33 1946	68 1964	1.17 1892	31

Avg	64	41.8	0.06	1.91	32.27	90 1955	6 1989	23 1989	71 3 dates	5.97 1991	Max
------------	-----------	-------------	-------------	-------------	--------------	----------------	---------------	----------------	-------------------	------------------	------------

Rank	Highest Daily Temps		Rank	Avg Temp	Avg High	Avg Low	Wettest	Rank
1	90	12/25/1955	Warmest	66.0 1889	74.0 1889	58.1 1889	13.96 1991	1
2	88	12/11/1987	2nd Warmest	62.5 1933	73.5 1933	51.5 1933	7.11 1986	2
3	86	12/2/2007	3rd Warmest	60.1 1970	71.7 1970	50.6 1984	6.22 2016	3
4	86	12/3/2013	4th Warmest	59.7 1922	70.6 1954	49.9 1922	6.22 1937	4
5	85	7 times	5th Warmest	59.6 1984	70.4 1939	49.4 1906	5.73 1891	5

Rank	Lowest Daily Temps		Rank	Avg Temp	Avg High	Avg Low	Driest	Rank
1	6	12/23/1989	Coollest	43.0 1983	53.0 1914	31.5 1989	T 1917	1
2	9	12/30/1983	2nd Coolest	43.4 1989	54.1 1983	31.9 1983	0.03 1950	2
3	11	12/25/1983	3rd Coolest	45.6 1963	55.2 1989	35.4 1963	0.04 1894	3
4	13	12/31/1983	4th Coolest	46.3 1914	55.8 2000	36.7 1973	0.08 2004	4
5	13	12/22/1989	5th Coolest	46.4 2000	55.9 1963	36.9 2000	0.09 1985	5

Last UPDATE: 6 January 2018 by Larry Hopper

NOTES OF RECORDS FOR SAN ANTONIO AREA:

Months are excluded from monthly records if more than 5 days in the month or 3 consecutive days are missing (per WMO/TD-No. 341). In addition, seasons and years are excluded if any month has more than 5 days missing or 3 consecutive days missing (per WMO/TD-No. 341 as no missing monthly normals are permitted in the calculation of annual normals).

In addition, annual averages are calculated as the mean or sum of the 12 monthly normals or averages, without consideration of the varying lengths of the months (per WMO/TD-No. 341).

SUMMARY OF SITES INCLUDED IN THE SAN ANTONIO AREA THREAD:

San Antonio Area includes observations from the following locations:

1. March 7, 1885 - July 15, 1891: U.S. Signal Service HQ Building, Dept. of Texas, Fort Sam Houston
2. July 15, 1891 - January 2, 1941: Various locations downtown where the San Antonio Weather Bureau Offices were held, including*:
 - a. Dulling Building (July 15, 1891-February 1, 1892)
 - b. Alamo Insurance Building (February 1, 1892 - July 1, 1895)
 - c. Maverick Building (July 1, 1895 - May 1, 1900)
 - d. Hicks Building (May 1, 1900 - June 30, 1914)
 - e. Building with multiple names, 313 E. Houston St. (June 30, 1914 - July 1, 1930)
 - f. Alamo National Bank Building (July 1, 1930 - October 24, 1937)
 - g. Federal Building (October 24, 1937 - January 2, 1941)
3. San Antonio Stinson Airport: January 2, 1941 - June 30, 1942
4. San Antonio International Airport: July 1, 1942 - present

*Based on "History of Weather Observations, San Antonio, Texas, 1846-1955" prepared by Gary K. Grice in January 2007

All-Time Records Notes:

1885 was not counted in the list of annual temperature and precipitation climate extremes due to 181 days of missing rainfall data (January 1-June 30) and 65 days of missing temperature data (January 1-March 6).