

868  
FGUS73 KFGF 261508  
ESFFGF

MNC005-007-027-029-051-057-069-077-087-089-107-111-113-  
119-125-135-159-167-NDC003-005-017-019-027-035-039-063-  
067-071-073-077-081-091-095-097-099-281200-

Probabilistic Hydrologic Outlook  
National Weather Service Eastern North Dakota/Grand Forks ND  
1008 AM CDT Thu Apr 26 2018

...RED RIVER BASIN OUTLOOK FOR RIVER FLOOD POTENTIAL...

This outlook covers the Red River of the North  
and its Minnesota and North Dakota tributaries.

.OUTLOOK DISCUSSION...

Note that the analysis window for this outlook for the mainstem Red River (plus Abercrombie, ND) is May 6th through July 28th. The start date of the analysis window was delayed seven days to allow the ongoing flooding to recede and river levels to return to more normal levels. The analysis window for the North Dakota and Minnesota tributaries (with the exception of Abercrombie, ND) of the Red River are as normal (90 day period of April 29 - July 28).

Probabilistic Hydrologic Outlooks now use 64 years (1949-2012) of past weather, temperature, and precipitation for the ensemble predictive hydrographs used in calculating the probabilities of exceeding a river level for the valid period of the outlook.

Outlook Schedule - The National Weather Service in Grand Forks, North Dakota will be providing the Advanced Hydrologic Prediction Services (AHPS) Long-Range Probabilistic Hydrologic Outlooks for the Red River of the North and its Minnesota and North Dakota tributaries according to the following schedule:

- Near the end of the month throughout the year, except for...
- The Spring Flood and Water Resources Outlooks that will be issued at least twice a month during the spring snowmelt season beginning in mid-to-late February or early March.

The following message has three river data sections:

- The first (Table 1) gives the current and normal/historical chances of river locations reaching their minor, moderate, and major flood categories.
- The second (Table 2) gives the current chances of river locations rising above the river stages listed.
- The third (Table 3) gives the current chances of river locations falling below the river stages listed.

.Red River Long-Range Probabilistic Outlook by Flood Category...  
Valid from May 06, 2018 to July 28, 2018.

In Table 1 below, the current (CS) and historical (HS), or normal, probabilities of exceeding minor, moderate, and major flood stages are listed for the valid time period.

- CS values indicate the probability of reaching a flood category based on current conditions.
- HS values indicate the probability of reaching a flood category based on historical, or normal, conditions.
- When the value of CS is greater than HS, the probability of exceeding that level is higher than normal. When the value of CS is less than HS, the probability of exceeding that level is lower than normal.

...Table 1--Probabilities for Minor, Moderate, and Major Flooding...  
Valid Period: 05/06/2018 - 07/28/2018

Location	Categorical			: Current and Historical							
	Flood Stages (ft)			: Chances of Exceeding							
	Minor	Mod	Major	: Flood Categories		: as a Percentage (%)					
	Minor	Mod	Major	CS	HS	CS	HS	CS	HS	CS	HS
Red River of the North.....											
WAHPETON	11.0	13.0	15.0	48	53	25	26	7	7		
HICKSON	30.0	34.0	38.0	10	15	5	6	<5	<5		
FARGO	18.0	25.0	30.0	63	68	20	20	9	15		
HALSTAD	26.0	32.0	37.5	13	15	<5	7	<5	<5		
GRAND FORKS	28.0	40.0	46.0	28	35	7	10	<5	<5		
OSLO	26.0	30.0	36.0	31	44	26	32	<5	<5		
DRAYTON	32.0	38.0	42.0	15	25	6	16	<5	5		
PEMBINA	39.0	44.0	49.0	15	33	6	24	<5	11		

Location	Categorical			: Current and Historical							
	Flood Stages (ft)			: Chances of Exceeding							
	Minor	Mod	Major	: Flood Categories		: as a Percentage (%)					
	Minor	Mod	Major	CS	HS	CS	HS	CS	HS	CS	HS
Minnesota Tributaries.....											
SABIN	13.0	15.0	19.0	33	28	5	<5	<5	<5		
HAWLEY	8.0	9.0	11.0	15	18	12	12	<5	<5		
DILWORTH	13.0	20.0	26.0	40	45	7	7	<5	<5		
TWIN VALLEY	10.0	12.0	14.0	<5	8	<5	<5	<5	<5		
HENDRUM	20.0	28.0	32.0	27	35	10	14	<5	<5		

SHELLY	14.0	20.0	23.0	:	6	11	<5	<5	<5	<5
CLIMAX	20.0	25.0	30.0	:	<5	12	<5	6	<5	<5
HIGH LANDING	12.0	12.5	13.0	:	<5	6	<5	6	<5	<5
CROOKSTON	15.0	23.0	25.0	:	20	32	<5	<5	<5	<5
ABOVE WARREN	67.0	71.0	75.0	:	10	9	<5	<5	<5	<5
ALVARADO	106.0	108.0	110.0	:	11	11	<5	8	<5	<5
HALLOCK	802.0	806.0	810.0	:	33	40	13	21	<5	<5
ROSEAU	16.0	18.0	19.0	:	<5	8	<5	<5	<5	<5

Note: The Roseau numbers consider the flow thru its diversion

Location	Categorical			: Current and Historical			: Chances of Exceeding			: Flood Categories		: as a Percentage (%)	
	Flood Stages (ft)			: Minor		: Moderate		: Major					
	Minor	Mod	Major	CS	HS	CS	HS	CS	HS	CS	HS	CS	HS
North Dakota Tributaries.....													
ABERCROMBIE	10.0	12.0	18.0	:	22	22	17	17	<5	6			
VALLEY CITY	15.0	16.0	17.0	:	<5	7	<5	6	<5	<5			
LISBON	15.0	17.0	19.0	:	<5	11	<5	7	<5	<5			
KINDRED	16.0	19.0	20.5	:	10	17	6	10	<5	6			
WEST FARGO DVRSN	18.0	20.0	21.0	:	13	18	9	14	6	11			
HARWOOD	884.0	886.0	891.0	:	14	18	9	14	<5	5			
ENDERLIN	9.5	12.0	14.0	:	16	12	<5	5	<5	<5			
MAPLETON	905.0	908.0	910.0	:	21	23	5	9	<5	<5			
HILLSBORO	10.0	13.0	16.0	:	6	6	<5	<5	<5	<5			
MINTO	6.0	8.0	11.0	:	<5	6	<5	<5	<5	<5			
GRAFTON	12.0	13.5	14.5	:	<5	6	<5	<5	<5	<5			
WALHALLA	11.0	16.0	18.0	:	<5	14	<5	<5	<5	<5			
NECHE	18.0	19.0	20.5	:	<5	24	<5	19	<5	10			

LEGEND:

- CS = Conditional Simulation (outlook for current conditions)
- HS = Historical Simulation ( " " normal conditions)
- ft = feet (above gage zero datum)

.Probabilities for Rising Above Listed River Stages...  
from 05/06/2018 to 07/28/2018

In Table 2 below, the 95 through 5 percent columns indicate the probability of exceeding the listed stage levels (ft) for the valid time period at the locations listed.

Interpretation Aid: The flood stage for Wahpeton on the Red River of the North is 11 feet. There is a 50 percent chance that it will rise above 10.8 feet and only a 10 percent chance that it will rise above 14.0 feet.

...Table 2--Exceedance Probabilities...

Chance of Exceeding Stages  
at Specific Locations  
Valid Period: 05/06/2018 - 07/28/2018

LOCATION	95%	90%	75%	50%	25%	10%	05%
-----							
Red River of the North.....							
WHPETON	7.1	7.8	8.6	10.8	13.0	14.0	16.2
HICKSON	14.1	14.1	15.4	20.4	26.9	30.1	34.2
FARGO	16.4	16.4	16.8	19.1	23.5	29.8	33.1
HALSTAD	12.1	12.1	12.2	14.9	21.0	27.5	31.6
GRAND FORKS	19.7	19.7	19.9	22.0	29.7	36.5	41.1
OSLO	17.5	17.5	17.8	21.0	30.4	33.9	35.1
DRAYTON	20.0	20.0	20.1	21.5	28.4	34.2	38.9
PEMBINA	28.9	28.9	28.9	30.2	36.3	42.0	45.8
Minnesota Tribs:	95%	90%	75%	50%	25%	10%	05%
-----							
South Fork Buffalo River.....							
SABIN	6.2	6.2	9.3	11.6	13.3	14.2	15.1
Buffalo River.....							
HAWLEY	5.6	5.6	5.6	5.7	6.6	9.2	10.1
DILWORTH	8.1	8.1	8.2	11.6	15.7	19.2	20.3
Wild Rice River.....							
TWIN VALLEY	2.8	2.8	3.1	4.5	6.4	9.2	10.0
HENDRUM	12.4	12.4	12.4	16.0	20.8	28.2	29.1
Marsh River.....							
SHELLY	5.8	5.8	5.8	8.0	11.1	13.1	14.9
Sand Hill River.....							
CLIMAX	7.7	7.7	7.7	8.1	11.6	16.7	19.4
Red Lake River.....							
HIGH LANDING	4.9	4.9	4.9	5.1	6.6	9.2	9.6
CROOKSTON	8.2	8.2	8.3	9.7	14.0	17.2	19.3
Snake River.....							
ABOVE WARREN	62.6	62.6	62.6	63.3	64.5	67.2	68.2
ALVARADO	99.5	99.5	99.6	100.5	103.6	106.6	108.0
Two Rivers River.....							
HALLOCK	801.0	801.0	801.0	801.0	803.2	807.2	808.6
Roseau River..... considering the flow thru the Roseau diversion							
ROSEAU	7.6	7.6	7.6	8.4	10.7	15.0	16.0
North Dakota Tribs:	95%	90%	75%	50%	25%	10%	05%
-----							
Wild Rice River.....							
ABERCROMBIE	1.4	1.4	1.9	3.5	8.6	15.3	17.8
Sheyenne River.....							
VALLEY CITY	6.8	6.8	6.8	7.4	9.5	12.6	13.8
LISBON	5.8	5.8	5.8	6.8	9.3	12.7	14.7
KINDRED	10.5	10.5	10.5	10.5	11.2	16.2	19.5
WEST FARGO DVRSN	15.0	15.0	15.0	15.0	15.2	19.4	21.9
HARWOOD	878.2	878.2	878.2	878.2	878.9	884.9	889.2
Maple River.....							
ENDERLIN	5.2	5.2	5.2	5.3	7.1	10.8	11.9
MAPLETON	900.4	900.4	900.4	900.4	903.4	906.6	908.1
Goose River.....							
HILLSBORO	2.9	2.9	2.9	3.0	4.6	7.3	10.6
Forest River.....							

MINTO	2.0	2.0	2.0	2.1	3.6	4.9	5.7
Park River.....							
GRAFTON	7.6	7.6	7.6	8.0	8.8	9.7	10.6
Pembina River.....							
WALHALLA	3.6	3.6	3.6	3.7	5.5	6.7	8.2
NECHE	6.0	6.0	6.0	6.0	8.9	12.5	14.5

.Probabilities for Falling Below Listed River Stages...  
from 05/06/2018 to 07/28/2018

In Table 3 below, the 95 through 5 percent columns indicate the probability of falling below the listed stage levels (ft) for the valid time period at the locations listed.

Interpretation Aid: The flood stage for Wahpeton on the Red River of the North is 11 feet. There is a 50 percent chance that it will fall below 4.7 feet and only a 10 percent chance that it will fall below 3.5 feet.

...Table 3--Non-Exceedance Probabilities...

Chance of Not Exceeding Stages  
at Specific Locations  
Valid Period: 05/06/2018 - 07/28/2018

LOCATION	95%	50%	75%	50%	25%	10%	05%
Red River of the North.....							
WAHPETON	6.4	6.0	5.4	4.7	4.2	3.7	3.5
HICKSON	12.6	11.8	11.2	10.7	10.3	10.1	9.9
FARGO	15.6	15.3	14.9	14.5	14.3	14.1	14.0
HALSTAD	8.8	7.5	5.8	4.8	4.2	3.8	3.6
GRAND FORKS	17.6	17.1	16.5	15.9	15.7	15.5	15.3
OSLO	11.1	9.7	8.3	7.2	6.7	6.1	5.5
DRAYTON	14.3	13.4	12.7	12.0	11.6	11.3	11.2
PEMBINA	18.0	15.0	13.3	10.7	9.3	8.0	7.7
Minnesota Tribs:	95%	90%	75%	50%	25%	10%	05%
South Fork Buffalo River.....							
SABIN	5.5	5.2	5.0	4.8	4.6	4.4	4.3
Buffalo River.....							
HAWLEY	3.9	3.7	3.6	3.5	3.5	3.4	3.4
DILWORTH	4.4	4.3	3.9	3.7	3.5	3.4	3.3
Wild Rice River.....							
TWIN VALLEY	2.6	2.5	2.2	2.1	1.7	1.1	1.0
HENDRUM	5.0	4.2	2.6	2.3	2.0	2.0	1.9
Marsh River.....							
SHELLY	4.4	4.2	4.1	3.9	3.9	3.8	3.8
Sand Hill River.....							
CLIMAX	5.0	4.8	4.7	4.5	4.2	4.0	3.9
Red Lake River.....							
HIGH LANDING	2.5	1.7	1.4	1.2	1.0	0.8	0.8
CROOKSTON	5.4	5.1	4.4	3.6	3.1	2.7	2.3
Snake River.....							

ABOVE WARREN	61.6	61.5	61.3	61.1	61.0	61.0	60.9
ALVARADO	97.6	97.4	97.0	96.6	96.2	96.1	96.0
Two Rivers River.....							
HALLOCK	794.7	794.5	793.9	793.6	793.3	793.1	793.0
Roseau River..... considering the flow thru the Roseau diversion							
ROSEAU	5.9	5.8	5.7	5.6	5.2	4.7	4.1
North Dakota Tribs:	95%	90%	75%	50%	25%	10%	05%
-----	-----	-----	-----	-----	-----	-----	-----
Wild Rice River.....							
ABERCROMBIE	0.9	0.6	0.4	0.2	-0.0	-0.1	-0.1
Sheyenne River.....							
VALLEY CITY	4.3	4.1	4.1	4.0	3.9	3.8	3.8
LISBON	3.2	3.1	2.9	2.8	2.7	2.6	2.6
KINDRED	3.5	3.3	3.1	2.9	2.8	2.7	2.6
WEST FARGO DVRSN	10.2	10.1	10.0	9.8	9.8	9.7	9.7
HARWOOD	869.6	869.0	868.5	867.9	867.7	867.3	867.3
Maple River.....							
ENDERLIN	2.5	2.2	2.1	2.0	2.0	2.0	2.0
MAPLETON	895.2	895.1	894.9	894.8	894.7	894.7	894.7
Goose River.....							
HILLSBORO	2.2	2.0	1.9	1.9	1.8	1.8	1.8
Forest River.....							
MINTO	1.5	1.4	1.4	1.3	1.2	1.2	1.2
Park River.....							
GRAFTON	7.2	7.2	7.1	7.1	7.1	7.1	7.1
Pembina River.....							
WALHALLA	2.4	2.2	1.7	1.3	1.1	1.1	1.1
NECHE	3.8	3.3	2.5	1.9	1.7	1.6	1.6

#### .THE OUTLOOK PRODUCTION PROCESS...

This long-range probabilistic outlook is based on a series of peak river levels or crests taken from the forecast hydrograph results of the NWS Community Hydrologic Prediction System (CHPS). The model is run for multiple scenarios starting at current river, snow, and soil conditions using over 60 years of past precipitation and temperature conditions that were experienced for those past years during the timeframe of the outlook period. These crests can then be ranked from lowest to highest and assigned an exceedance probability. For example, for a series of 50 years, the lowest ranked crest has 49 crests above it. Since 95 percent of the crests are above it, it is assigned a 95 percent probability of exceedance (POE).

A YouTube video on "How to Interpret River Outlook Products" is at:

[www.youtube.com/watch?v=pSoEgvsnpv4](http://www.youtube.com/watch?v=pSoEgvsnpv4)

The probabilities can be used for risk management by using them as an indication of the range of crests that may be expected during the valid period of the outlook.

By providing a range of peak river level probabilities, the NWS is

contributing to the area's Impact-Based Decision Support Services that help with long-range flood planning and response readiness. This outlook is a part of NOAA'S National Weather Service's Advanced Hydrologic Prediction Services (AHPS).

This outlook was produced using precipitation and temperatures for the years 1949 through 2012.

.ADDITIONAL INFORMATION SOURCES...

This outlook is also presented as graphs of the probability of stage exceedance for the full period and for weekly intervals during the period. These graphs, together with explanations that help in interpreting them, are available from the NWS Grand Forks AHPS web page at:

[www.weather.gov/grandforks](http://www.weather.gov/grandforks) or [weather.gov/fgf](http://weather.gov/fgf)

then click on "Rivers and Lakes" above the map.

Current river conditions for all river forecast points in the Red River of the North and Devils/Stump Lake basins are available on our web site. Also, 7-day deterministic forecasts will be issued at least once a day when river forecast locations will be at or above flood during that period.

Refer to the separate Devils Lake Probabilistic Hydrologic Outlook for Devils and Stump Lakes probability of exceedance levels and low-water non-exceedance levels.

If you have any questions, contact the NWS at 701-772-0720.

You can follow us on Facebook at [www.facebook.com/NWSGrandForks](http://www.facebook.com/NWSGrandForks) and on Twitter at @NWSGrandForks.

\$\$

[weather.gov/fgf](http://weather.gov/fgf)

NNNN