861 FGUS73 KFGF 271508 ESFFGF

PROBABILISTIC HYDROLOGIC OUTLOOK
NATIONAL WEATHER SERVICE EASTERN NORTH DAKOTA/GRAND FORKS ND
908 AM CST THU Feb 27 2020

- ... SPRING FLOOD AND WATER RESOURCES OUTLOOK...
- ...RED RIVER BASIN OUTLOOK FOR RIVER FLOOD POTENTIAL...

This outlook covers the Red River of the North and its Minnesota and North Dakota tributaries.

- ...HIGH RISK OF MAJOR FLOODING THIS SPRING ALONG THE MAINSTEM RED RIVER WITH GENERALLY MODERATE TO MAJOR FLOODING ALONG THE TRIBUTARIES...
- * This 90-day outlook covers the period from March 2, 2020 to May 31, 2020.
- .OUTLOOK SUMMARY...
- * Probabilities for exceeding Major, Moderate, Minor Flood Stage...

Major Flooding ...

There is a high risk (greater than 65 percent) of major flooding at Fargo/Moorhead, Halstad, Grand Forks/East Grand Forks, Oslo, Drayton, and Pembina on the Red River. In North Dakota, there is a high risk of major flooding at Kindred, the West Fargo Diversion, and Harwood on the Sheyenne River and at Abercrombie on the Wild Rice River.

There is a medium risk (35 to 65 percent) of major flooding in North Dakota at Valley City and Lisbon on the Sheyenne River, and Neche on the Pembina River. In Minnesota, there is a medium risk of major flooding at Climax on the Sand Hill River, at Crookston on the Red Lake River and at Hendrum on the Wild Rice River.

There is a low risk (less than 35 percent) of major flooding throughout the remainder of the basin with this outlook issuance.

Moderate Flooding...

There is a high risk (greater than 65 percent) of moderate flooding at Wahpeton/Breckenridge on the Red River. In North Dakota, there is a high risk of moderate flooding at Valley City and Lisbon on the Sheyenne River, Enderlin and Mapleton on the Maple River, and at Hillsboro on the Goose River. In Minnesota, there is a high risk of moderate flooding at Sabin on the South Branch of the Buffalo River, Hawley and Dilworth on the Buffalo River, Hendrum on the Wild Rice River, Climax on the Sand Hill River, Crookston on the Red Lake River, and Hallock on the Two Rivers River.

There is a medium risk (35 to 65 percent) of moderate flooding in

Minnesota at Twin Valley on the Wild Rice River, High Landing on the Red Lake River, and at Alvarado on the Snake River. In North Dakota, there is a medium risk of moderate flooding at Neche on the Pembina River.

Minor Flooding...

There is a high risk (greater than 65 percent) of minor flooding at Hickson on the Red River. In North Dakota there is a high risk of minor flooding at Neche on the Pembina River. In Minnesota there is a high risk for minor flooding at Twin Valley on the Wild River River, at Shelly on the Marsh River, and at Alvarado on the Snake River.

There is a medium risk (35 to 65 percent) of minor flooding at in North Dakota at Minto on the Forest River and Walhalla on the Pembina River. In Minnesota there is a medium risk for minor flooding at Roseau on the Roseau River and near Warren on the Snake River.

*Note: With the recent completion of the Grafton Bypass, river flows will be divided between the main channel and the diversion. This will significantly reduce the impact on the City of Grafton and surrounding areas protected by the diversion, and the in town river gage at Grafton is not likely to reach the stages depicted here. However, locations outside the protection of the diversion still have the depicted risk probability associated with historic levels on the Grafton gage.

.OUTLOOK DISCUSSION...

Hydrologic and climate conditions which affect each of the several factors that significantly determine the timing and magnitude of spring snowmelt flooding within the Red River of the North are discussed below:

* SNOWPACK CONDITIONS...

The current snowpack and associated water content is above normal for this time of year, even with the quiet weather conditions the last few weeks. Since December 1, 2019, snowfall has been above average (roughly 125 to 275 percent of normal). This has been the case for much of the basin with the exception of far northeastern ND and northwestern MN. The current water content of the snow ranges from 2.5 to 5.0 inches which is above end of February normals and leading to a high runoff potential.

* SOIL MOISTURE

At the time of freeze-up, soil moisture was extremely high and well above normal across much of the basin due to record precipitation during the fall. Some fields and ditches even had standing water freeze in place.

* FROST DEPTHS...

Current frost depth values are less than normal due to early and persistent snowcover this winter. The far southern valley currently reports frost depth values of 6 to 12 inches while most

locations north of Fargo range from 10 to 30 inches.

* RIVER FLOWS...

Base streamflows are much above normal, near record levels for this time of year due to the record wet fall. The Red River and most tributaries (generally south of Oslo) are currently flowing at the 95th percentile or greater. Farther north, flows are in the 76th to 95th percentiles.

* RIVER ICE...

River ice and lake ice thicknesses remain less than normal and are quite variable across the region.

- * FACTORS YET TO BE DETERMINED...
 - Further snowpack growth,
 - Rate of snowmelt/thaw,
 - Heavy rain on snow or frozen ground during thaw or peak flood,
 - Heavy rain on ice-covered rivers causing short-term ice jams.

* SHORT TERM WEATHER FORECAST...

Normal to just above normal temperatures are expected for the opening days of March. A more active weather pattern is also expected though these will be light precipitation amounts with several clippers moving across the region. This will lead to near normal precipitation or the next couple weeks.

* LONG TERM CLIMATE OUTLOOK...

Climate Predict Center outlooks for March and the rest of spring show no clear signal - wet, dry, or normal. No longer do they indicate the risk for a cooler and wetter late winter and early spring period.

.NEXT SPRING FLOOD OUTLOOK...

The next 2020 spring flood outlook will be issued on Thursday, March 12, 2020.

.FLOOD OUTLOOK PROBABILITIES TABLES...

The following message has two sections: the first gives the current and normal/historical chances of river locations reaching their minor, moderate, and major flood category. The second gives the current chances of river locations rising above river stages listed.

... Red River Long-Range Probabilistic Outlook by Flood Category...

Valid from March 02, 2020 to May 31, 2020

In Table 1 below, the current (CS) and historical (HS), or normal, probabilities of exceeding minor, moderate, and major flood stages are listed for the valid time period.

CS values indicate the probability of reaching a flood category based on current conditions.

HS values indicate the probability of reaching a flood category based on historical, or normal, conditions.

When the value of CS is greater than HS, the probability of exceeding that level is higher than normal. When the value of CS is less than HS, the probability of exceeding that level is lower than normal.

...Table 1--Probabilities for Minor, Moderate, and Major Flooding Valid Period: 03/02/2020 - 05/31/2020

T	Flood	_	al (FT)	: : : : : : : : : : : : : : : : : : : :	Cha F as Min	nces lood a P	and Hode	Excee egori etage	ding es (%) Maj	or
Location	Minor	Mod	Major	:		HS	CS	HS	CS	HS
Red River of the MAHPETON HICKSON FARGO HALSTAD GRAND FORKS OSLO DRAYTON PEMBINA	11.0 30.0 18.0 26.0 28.0 26.0 32.0	13.0 34.0 25.0 32.0 40.0 30.0 38.0 44.0	36.0 42.0	: : : : : : : : : : : : : : : : : : : :	73 >95 >95 >95 >95 >95 >95 >95	50	67 25 >95 >95 >95 >95 >95 >95 >95	28 12 40 19 32 56 34 43	31 <5 >95 85 87 >95 88 >95	13 <5 26 11 11 27 11 23
	: Current and Historical : Chances of Exceeding : Flood Categories : as a Percentage (%) Categorical									
Tanakian		_	(FT)				Moderate Majo			
Location	Minor 	Mod 	Major 	:		н5 	CS	н5	CS	н5
Minnesota Tributa Note: The Roseau SABIN HAWLEY DILWORTH TWIN VALLEY HENDRUM SHELLY CLIMAX HIGH LANDING CROOKSTON	numbers co 13.0 8.0 13.0 10.0 20.0 14.0 20.0 12.0	15.0 9.0 20.0 12.0 28.0 20.0 25.0 12.5 20.0	19.0 11.0 26.0 14.0 32.0 23.0 30.0 13.0 23.0	: : : : : : : : : : : : : : : : : : : :	>95 >95 >95 91 >95 >95 >95 >95 >95 >95	ugh 53 36 66 17 53 30 26 18 51	its 6 >95 90 >95 39 >95 27 93 45 93 <55	liver 17 23 20 6 22 11 12 17 30 <5	sion 7 9 6 7 54 <5 44 23 44 <5	<5 <5 <5 <5 <7 13 12 <5
ABOVE WARREN ALVARADO	67.0	71.0		:	87	19	57	15	10	6

HALLOCK

802.0 806.0 810.0 : >95 59 87 42 <5 10

: Current and Historical : Chances of Exceeding : Flood Categories : as a Percentage (%)

	Categorical				:					
	Flood Stages (FT)			:	Mir	nor	Moderate		Major	
Location	Minor	Mod	Major	:	CS	HS	CS	HS	CS	HS
				:						
North Dakota Tribut	aries									
ABERCROMBIE	10.0	12.0	18.0	:	>95	36	>95	33	>95	20
VALLEY CITY	15.0	16.0	17.0	:	91	10	82	9	64	6
LISBON	15.0	17.0	19.0	:	>95	10	79	9	41	6
KINDRED	16.0	19.0	20.5	:	>95	18	>95	10	82	9
WEST FARGO DVRSN	18.0	20.0	21.0	:	>95	11	>95	10	>95	9
HARWOOD	84.0	86.0	91.0	:	>95	24	>95	22	>95	11
ENDERLIN	9.5	12.0	14.0	:	>95	23	95	10	10	<5
MAPLETON	18.0	21.0	23.0	:	>95	36	>95	16	24	<5
HILLSBORO	10.0	13.0	16.0	:	>95	15	78	9	6	<5
MINTO	6.0	8.0	11.0	:	63	21	10	8	<5	<5
GRAFTON*	12.0	13.5	14.5	:	26	22	16	8	8	6
WALHALLA	11.0	16.0	18.0	:	53	19	<5	<5	<5	<5
NECHE	18.0	19.0	20.5	:	83	28	63	26	37	19

LEGEND:

CS = Conditional Simulation (Outlook for current conditions)

FT = Feet (above gage zero datum)

...Red River Long-Range Probabilistic Outlook by River Stage...

Valid from March 02, 2020 to May 31, 2020

LOCATION	95%	90%	75%	50%	25%	10%	05%	
Red River of the No	orth							
WAHPETON	12.0	12.3	12.7	13.8	15.5	16.6	17.1	
HICKSON	27.6	28.1	29.3	32.2	34.0	35.5	36.1	
FARGO	32.0	32.5	33.7	34.8	36.2	38.5	39.1	
HALSTAD	36.3	37.1	38.3	38.8	39.4	39.9	40.3	
GRAND FORKS	45.1	45.6	47.1	48.2	50.2	52.2	53.3	
OSLO	37.1	37.2	37.4	37.7	37.9	38.0	38.0	
DRAYTON	41.5	41.9	42.5	43.0	43.7	44.6	45.2	
PEMBINA	50.9	51.7	52.2	52.7	53.6	54.0	54.6	
Minnesota Tribs:	95%	90%	75%	50%	25%	10%	05%	
South Fork Buffalo River								
SABIN	15.4	15.8	16.1	16.7	17.6	18.4	19.2	
Buffalo River								

			9.4				
DILWORTH		22.1	22.7	23.5	24.2	25.3	26.2
Wild Rice River							
TWIN VALLEY	9.9	10.1	10.7	11.7		13.6	
	29.7	30.5	31.7	32.1	32.6	33.3	33.9
Marsh River							
SHELLY	15.1	16.3	17.5	18.7	20.3	21.8	22.9
Sand Hill River							
CLIMAX			28.3			34.0	
Red Lake River HIGH LANDING							
HIGH LANDING	9.7	10.5	11.5	12.2	13.0	13.2	13.4
CROOKSTON	19.5	20.4	21.3	22.8	24.8	26.8	28.0
Snake River							
ABOVE WARREN	65.4	65.4	65.9	66.6	67.7	69.7	70.8
ABOVE WARREN ALVARADO	105.5	105.8	106.9	108.4	109.3	110.0	110.5
Two Rivers River	•						
HALLOCK	804.9	805.8	806.5	807.5	808.2	809.2	809.8
Roseau River co	nsideri	ng the	flow th	rough t	he Rose	au dive	rsion
			14.9				
North Dakota Tribs:	95%	90%	75%	50%	25%	10%	05%
Wild Rice River							
ABERCROMBIE	19.9	20.4	21.4	22.8	23.9	26.1	26.8
Sheyenne River							
VALLEY CITY LISBON KINDRED	14.2	15.1	16.5	17.9	20.8	22.4	26.8
LISBON	16.1	16.5	17.1	18.2	21.1	23.5	29.4
KINDRED	20.3	20.4	20.6	21.0	21.2	21.2	21.2
WEST FARGO DVRSN	21.3	21.3	21.3	21.3	21.3	21.3	21.3
HARWOOD	91.4	91.4	91.7	91.8	92.0	92.2	92.3
Maple River	72.1	32.1	32.	32.0	32.0	,,,,	32.0
ENDERLIN	12 0	12 1	12.4	12 9	13 4	13 9	14 5
MAPLETON	22.0	22 1	22.4	22.6	23 0	23 6	24.0
Goose River	22.0	22.1	22.1	22.0	23.0	23.0	21.0
HILLSBORO	11 7	12 1	13.1	14 0	144	15 3	16 8
Forest River	±±•/	12.1	10.1	11.0		10.0	10.0
MINTO	1 8	5 1	5.6	6 2	6 8	8 0	8 5
Park River	7.0	J.1	5.0	0.2	0.0	0.0	0.5
GRAFTON*	10 0	1 0 1	10.5	10 0	10 1	13.9	15.2
Pembina River	10.0	10.1	10.5	10.9	14.1	13.9	10.2
	0 0	0 2	10 1	11 1	10 (110	1 5 2
WALHALLA NECHE	9.0	9.3	10.1 18.4	11.1	12.6	14.2	13.3
NECHE	16.6	1/.0	18.4	20.0	ZI.I	∠⊥.4	21.5

^{*}Note: With the recent completion of the Grafton Bypass, river flows will be divided between the main channel and the diversion. This will significantly reduce the impact on the City of Grafton and surrounding areas protected by the diversion, and the in town river gage at Grafton is not likely to reach the stages depicted here. However, locations outside the protection of the diversion still have the depicted risk probability associated with historic levels on the Grafton gage.

.THE OUTLOOK PRODUCTION PROCESS...

This long range probabilistic outlook is based on a series of peak river levels or crests taken from the forecast hydrograph results

of the NWS Community Hydrologic Prediction System (CHPS). The model is run for multiple scenarios starting at current river levels and soil conditions using 64 years (1949-2012) of past precipitation and temperature conditions that were experienced for those past years during the time-frame of the outlook period. These crests can then be ranked from lowest to highest and assigned an exceedance probability. For example, for a series of 50 years, the lowest ranked crest has 49 crests above it and since 95 percent of the crests are above it, it is assigned a 95 percent probability of exceedance (POE).

A YouTube video on "How to Interpret River Outlook Products" is at:

www.youtube.com/watch?v=pSoEgvsnpv4

The probabilities can be used for risk management by using them as an indication of the range of crests that may be expected during the valid period of the outlook. By providing a range of peak river level probabilities, the NWS is contributing to the area's Decision Support Services that help with long-range flood planning and response readiness. This outlook is a part of NOAA's National Weather Service's AHPS (Advanced Hydrologic Prediction Services).

.ADDITIONAL INFORMATION SOURCES...

The AHPS Long-Range Probabilistic Hydrologic Outlooks are issued each month typically between the first and second Friday after mid-month. However, Spring Flood and Water Resources Outlooks are issued several times leading up to the spring melt period, usually on Thursdays beginning in late February or early March and ending in early April, depending on the spring flooding conditions.

This outlook is also presented as graphs of the probability of stage exceedance for the full period and for weekly intervals during the period. These graphs, along with explanations for interpreting them, are available from the NWS Grand Forks AHPS web page:

www.weather.gov/grandforks or weather.gov/fgf

then click on the "Rivers and Lakes" tab above the map.

Current river conditions for all river forecast points in the Red River of the North and Devils/Stump Lake basins are also available on our website, as well as 7-day forecasts when river levels at forecast points are in or near flood.

Additional Probabilistic Hydrologic Outlooks will be issued monthly throughout the rest of the year during the later part of the month or as conditions warrant.

Refer to the separate Devils Lake Probabilistic Hydrologic Outlook for Devils and Stump Lakes Probability of Exceedance levels and low-water non-exceedance levels.

If you have any questions, contact the NWS at 701-772-0720.

You can follow us on Facebook at: www.facebook.com/NWSGrandForks

and on Twitter at: @NWSGrandForks.

\$\$

www.weather.gov/fgf

NNNN