000 FGUS73 KFGF 281745 ESFFGF

MNC005-007-027-029-051-057-069-077-087-089-107-111-113-119-125-135-159-167-NDC003-005-017-019-027-035-039-063-067-071-073-077-081-091-095-097-099-281200-

Probabilistic Hydrologic Outlook National Weather Service Eastern Grand Forks ND 1245 PM CDT Thu Mar 28 2024

... RED RIVER BASIN OUTLOOK FOR RIVER FLOOD POTENTIAL...

This outlook covers the Red River of the North and its Minnesota and North Dakota tributaries.

- Probabilistic Hydrologic Outlooks now use 69 years (1949-2018) of past weather, temperature, and precipitation for the ensemble predictive hydrographs used in calculating the probabilities of exceeding a river level for the valid period of the outlook.
- Outlook Schedule The National Weather Service in Grand Forks, North Dakota will be providing the Advanced Hydrologic Prediction Services (AHPS) Long-Range Probabilistic Hydrologic Outlooks for the Red River of the North and its Minnesota and North Dakota tributaries according to the following schedule:
  - Near the end of the month throughout the year, except for...
  - The Spring Flood and Water Resources Outlooks that will be issued at least twice a month during the spring snowmelt season beginning in mid-to-late February or early March.

The following message has three river data sections:

- The first (Table 1) gives the current and normal/historical chances of river locations reaching their minor, moderate, and major flood categories.
- The second (Table 2) gives the current chances of river locations rising above the river stages listed.
- The third (Table 3) gives the current chances of river locations falling below the river stages listed.
- In Table 1 below, the current (CS) and historical (HS), or normal, probabilities of exceeding minor, moderate, and major flood stages are listed for the valid time period.
  - CS values indicate the probability of reaching a flood category based on current conditions.
  - HS values indicate the probability of reaching a flood category based on historical, or normal, conditions.
  - When the value of CS is greater than HS, the probability of exceeding that level is higher than normal. When the value of CS is less than HS, the probability of exceeding that level is lower than normal.

...Table 1--Probabilities for Minor, Moderate, and Major Flooding... Valid Period: 04/01/2024 - 06/30/2024

	Cat	cegoric	al	: Current and Historical : Chances of Exceeding : Flood Categories : as a Percentage (%) :						-
		Stages		:	Mir	or	Mode	rate	Maj	or
Location	Minor	Mod	Major		CS		CS		CS	
				:						
Red River of the No	rth									
Wahpeton	11.0	13.0	15.0	:	67	65	34	38	<5	18
Hickson	30.0	34.0	38.0	:	24	31	<5	16	<5	<5
Fargo	18.0	25.0	30.0	:	82	84	40	40	18	27
Halstad	26.0	32.0	37.5	:	28	38	9	23	<5	12
Grand Forks	28.0	40.0	46.0	:	40	61	10	33	<5	11
Oslo	26.0	30.0	36.0	:	48	66	36	57	<5	18
Drayton	32.0	38.0	42.0	:	20	49	10	35	<5	12
Pembina	39.0	44.0	49.0	:	20	52	11	43	<5	22

	Cat	tegoric	Cha F	inces looo	and H s of E d Cate Percen	L					
		Stages		:	Min	Minor Moderate			Maj	Major	
Location	Minor	Mod	Major	:	CS	HS	CS	HS	CS	HS	
				:							
Minnesota Tributarie	es										
Sabin	13.0	15.0	19.0	:	45	59	8	18	<5	<5	
Hawley	8.0	9.0	11.0	:	17	37	7	23	<5	<5	
Dilworth	13.0	20.0	26.0	:	57	71	9	23	<5	<5	
Twin Valley	10.0	12.0	14.0	:	<5	17	<5	7	<5	<5	
Hendrum	20.0	28.0	32.0	:	41	56	13	23	<5	6	
Shelly	14.0	20.0	23.0	:	<5	26	<5	10	<5	<5	
Climax	20.0	25.0	30.0	:	7	26	<5	12	<5	8	
High Landing	12.0	12.5	13.0	:	<5	12	<5	9	<5	7	
Crookston	15.0	20.0	23.0	:	19	51	<5	28	<5	8	
Above Warren	67.0	71.0	75.0	:	<5	10	<5	<5	<5	<5	
Alvarado	106.0	108.0	110.0	:	14	28	<5	17	<5	<5	
Hallock	802.0	806.0	810.0	:	32	60	12	44	<5	11	
Roseau	16.0	18.0	19.0	:	6	22	<5	13	<5	8	
Note: The Roseau	numbers	consid	er the	f	low t	hru	its d	livers	sion		

				: : :	Current and Historical Chances of Exceeding Flood Categories as a Percentage (%)					
	Ca	tegorica	al	:						
	Flood	Stages	(ft)	:	: Minor Moderate Maj				or	
Location	Minor	Mod	Major	:	CS	HS	CS	HS	CS	HS
				:						
North Dakota Tribut	aries	••								
Abercrombie	20.0	22.0	28.0	:	56	45	47	34	10	20
Valley City	15.0	16.0	17.0	:	<5	10	<5	7	<5	6
Lisbon	15.0	17.0	19.0	:	<5	11	<5	10	<5	8
Kindred	16.0	19.0	20.5	:	8	21	7	11	<5	10
West Fargo Dvsn	18.0	20.0	21.0	:	6	12	<5	11	<5	10

Harwood	84.0	86.0	91.0 :	13	27	8	20	<5	10
Enderlin	9.5	12.0	14.0 :	16	24	5	11	<5	<5
Mapleton	18.0	21.0	23.0 :	41	38	13	18	<5	5
Hillsboro	10.0	13.0	16.0 :	<5	19	<5	10	<5	<5
Minto	6.0	8.0	11.0 :	<5	25	<5	7	<5	<5
Walhalla	11.0	16.0	18.0 :	<5	21	<5	<5	<5	<5
Neche	18.0	19.0	20.5 :	<5	27	<5	26	<5	20

LEGEND:

CS	=	Conditional	Simulation	(outlook	for	current	conditions)
HS	=	Historical	Simulation	("	"	normal	conditions)
ft	=	feet		(above g	age	zero datı	um)

In Table 2 below, the 95 through 5 percent columns indicate the probability of exceeding the listed stage levels (ft) for the valid time period at the locations listed.

Interpretation Aid: The flood stage for Wahpeton on the Red River of the North is 11 feet. There is a 50 percent chance that it will rise above 11.6 feet and only a 10 percent chance that it will rise above 14.4 feet.

```
...Table 2--Exceedance Probabilities...
Valid Period: 04/01/2024 - 06/30/2024
```

LOCATION	95%	90%	75%	50%	25%	10%	05%				
Red River of the Nor											
Wahpeton Hickson	8.6	9.2	10.7	11.6	13.4	14.4	14.9				
Hickson	14.9	15.9	19.5	24.0	29.0	32.1	33.0				
Fargo	16.6	17.1	19.4	23.8	28.2	32.9	33.6				
Halstad	10.3	11.0	13.7	20.0	26.6	31.3	35.0				
Grand Forks		18.5	20.1	24.8	32.1	40.1	42.6				
Oslo	11.7	13.2	17.2	25.1			35.6				
Drayton	14.7	15.6		24.7			40.1				
Pembina				31.8							
Minnesota Tribs:						10%	05%				
South Fork Buffalo F	South Fork Buffalo River										
Sabin	8.3	9.1	11.1	12.8	14.0	14.8	15.2				
Buffalo River	0.0	5.1		10.0			10.1				
Hawley	4.0	4.3	5.2	6.1	7.5	8.6	9.1				
Dilworth	6.2	7.5	10.3	14.3	18.3	19.8	21.1				
Wild Rice River											
Twin Valley		3.4	4.0	5.1	7.1	8.9	9.7				
Hendrum				18.3							
Marsh River											
	4.6	4.9	5.7	8.0	9.9	13.0	13.8				
Sand Hill River											
Climax	5.6	6.2	7.4	8.7	12.4	18.3	21.7				
Red Lake River											
High Landing	2.6	2.8	3.5	4.4	6.0	7.8	8.7				
Crookston	5.2	5.7	7.7	9.7	14.1	17.7	19.8				
Snake River											
Above Warren	61.7	61.9	62.2	63.1	64.1	65.2	66.1				
Alvarado	97.2	97.2	98.1	100.2	104.1	106.5	107.6				
Two Rivers River											
Hallock	794.3	795.2	797.1	799.9	803.0	806.5	807.8				

Roseau River		-					
Roseau	6.1	0.1	1.5	0.0	10.4	12.2	16.5
North Dakota Tribs	: 95%	90%	75%	50%	25%	10%	05%
Wild Rice River							
Abercrombie		12.9	15.5	21.0	25.0	27.9	28.9
Sheyenne River							
Valley City			5.6				
	3.0						
Kindred			5.9				
West Fargo Dvsn							18.9
Harwood	70.6	71.7	73.5	77.3	81.5	84.6	90.9
Maple River							
Enderlin	4.3	4.6	5.5	7.0	8.5	10.1	12.0
Mapleton	9.7	10.3	11.8	16.1	19.8	21.5	22.4
Goose River							
Hillsboro	2.1	2.1	2.8	3.9	5.0	7.5	8.0
Forest River							
Minto	1.5	1.5	1.8	2.5	3.5	4.8	5.9
Pembina River							
Walhalla	2.7	2.7	2.8	3.6	4.8	6.3	7.5
Neche	4.0	4.0	4.0	5.6	8.2	11.4	13.8

- In Table 3 below, the 95 through 5 percent columns indicate the probability of falling below the listed stage levels (ft) for the valid time period at the locations listed.
  - Interpretation Aid: The flood stage for Wahpeton on the Red River of the North is 11 feet. There is a 50 percent chance that it will fall below 4.9 feet and only a 10 percent chance that it will fall below 3.7 feet.

<sup>...</sup>Table 3--Non-Exceedance Probabilities... Valid Period: 04/01/2024 - 06/30/2024

LOCATION	95%	90%	75%	50%	25%	10%	05%
Red River of the No	orth						
Wahpeton	6.4	6.4	5.8	4.9	4.5	3.7	3.5
Hickson	12.3	12.3	11.8	11.0	10.7	10.1	10.0
Fargo	15.5	15.4	15.2	14.7	14.5	14.0	13.9
Halstad	6.5	6.3	6.2	5.4	4.6	3.5	3.2
Grand Forks	16.6	16.6	16.6	16.2	15.8	15.4	15.2
Oslo	8.7	8.6	8.6	7.7	6.9	6.0	4.8
Drayton	13.6	13.5	13.3	12.7	12.2	11.9	11.5
Pembina	14.9	14.7	13.6	12.3	11.4	10.5	9.8
Minnesste Muiber	0.5.9	0.0.9	750	FOS	0 E °	100	0 E °
Minnesota Tribs:	95%	908 	/38 	508 	233 	103 	05%
South Fork Buffalo	River						
Sabin	5.2	5.2	5.1	4.8	4.6	4.4	4.2
Buffalo River							
Hawley	3.6	3.6	3.5	3.4	3.3	3.2	3.1
Dilworth	4.3	4.2	4.0	3.6	3.3	3.0	2.9
Wild Rice River	•						
Twin Valley	2.4	2.4	2.4	2.4	2.2	1.8	1.6
Hendrum	2.7	2.5	2.4	2.4	2.1	1.9	1.8
Marsh River							

Shelly	4.2	4.2	4.2	4.0	3.9	3.8	3.8
Sand Hill River							
Climax	4.9	4.8	4.8	4.4	4.1	3.8	3.7
Red Lake River							
High Landing	2.5	2.5	2.4	2.2	1.7		0.4
Crookston	5.1	5.0	4.7	4.2	3.6	3.1	2.9
Snake River							
Above Warren	61.6	61.5	61.4	61.2	61.0	60.9 95.7	60.8
		97.1	96.8	96.3	95.9	95.7	95.5
Two Rivers River							
Hallock						792.2	
Roseau River co							
Roseau	5.9	5.8	5.8	5.5	5.1	4.4	4.4
North Dakota Tribs:	95%	90%	75%	50%	25%	10%	05%
Wild Rice River							
Abercrombie	10.7	10.7	10.5	10.4	10.2	10.0	9.7
Sheyenne River							
Valley City	3.9	3.7	3.6	3.6	3.6	3.5	3.5
Lisbon	2.6	2.5	2.5	2.4	2.4	2.4	2.3
Kindred	3.2	3.0	2.8	2.7	2.6	2.5	2.4
West Fargo Dvsn	6.7	6.6	6.4	6.2	6.0	5.8	5.7
Harwood							
Maple River							
Enderlin	2.7	2.4	2.3	2.2	2.2	2.2	2.2
Mapleton	8.6	8.4	8.2	8.1	8.1	8.0	8.0
Goose River							
Hillsboro	2.1	2.1	2.0	1.9	1.8	1.7	1.7
Forest River							
Minto	1.4	1.4	1.3	1.3	1.2	1.2	1.2
Pembina River							
Walhalla	2.4	2.2	1.9	1.5	1.4	1.1	1.1
Neche			2.5				1.3

## .THE OUTLOOK PRODUCTION PROCESS...

This long-range probabilistic outlook is based on a series of peak river levels or crests taken from the forecast hydrograph results of the NWS Community Hydrologic Prediction System (CHPS). The model is run for multiple scenarios starting at current river, snow, and soil conditions using nearly 70 years of past precipitation and temperature conditions that were experienced for those past years during the timeframe of the outlook period. These crests can then be ranked from lowest to highest and assigned an exceedance probability. For example, for a series of 50 years, the lowest ranked crest has 49 crests above it. Since 95 percent of the crests are above it, it is assigned a 95 percent probability of exceedance (POE).

A YouTube video on "How to Interpret River Outlook Products" is at:

## www.youtube.com/watch?v=pSoEgvsnpv4

- The probabilities can be used for risk management by using them as an indication of the range of crests that may be expected during the valid period of the outlook.
- By providing a range of peak river level probabilities, the NWS is contributing to the area's Impact-Based Decision Support Services that help with long-range flood planning and response readiness.

This outlook is a part of NOAA`S National Weather Service`s Advanced Hydrologic Prediction Services (AHPS).

This outlook was produced using precipitation and temperatures for the years 1949 through 2018.

.ADDITIONAL INFORMATION SOURCES...

This outlook is also presented as graphs of the probability of stage exceedance for the full period and for weekly intervals during the period. These graphs, together with explanations that help in interpreting them, are available from the NWS Grand Forks AHPS web page at:

www.weather.gov/grandforks or www.weather.gov/fgf

then click on "Rivers and Lakes" above the map.

Current river conditions for all river forecast points in the Red River of the North and Devils/Stump Lake basins are available on our web site. Also, 7-day deterministic forecasts will be issued at least once a day when river forecast locations will be at or above flood during that period.

Refer to the separate Devils Lake Probabilistic Hydrologic Outlook for Devils and Stump Lakes probability of exceedance levels and low-water non-exceedance levels.

If you have any questions, contact the NWS at 701-772-0720.

You can follow us on Facebook at www.facebook.com/NWSGrandForks and on Twitter at @NWSGrandForks.

\$\$

www.weather.gov/fgf NNNN