

April 1

File Updated: 05/2024												
	Rec		Rec		Low		High					
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	77	2010	-2	1924	22	2018	47	1920		44	24	34
Appleton	80	2010	12	1972	29	1929,1936	50	2010		48	28	38
Green Bay	75	2010	11	1924,1972	27	1899,1936	49	1945		47	30	39
Manitowoc	73	1945	13	1911	28	1899	46	1945		44	30	37
Marshfield	80	2010	-1	1924	26	1936	50	1999		47	28	38
Merrill	78	2010	-5	1924	26	2018	48	1999		46	24	35
Oshkosh	83	2010	5	1899	29	1899	51	1999		49	31	40
Rhinelande	77	2010	-11	1924	18	1923	45	1920,1945		45	24	35
Stevens Point	80	2010	5	1924	26	1899,1936	51	1999		47	27	37
Sturgeon Bay	73	1945	5	1923	28	2018	44	1999		44	27	36
Wausau	79	2010	3	1924	24	2018	47	1999		47	27	37
Wisc. Rapids	82	2010	8	1924	20	1926	50	1999		49	28	38
	1991-2020 Normals											
	Max		Max							Precipitation		Snow
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month
												Season
Antigo	1.55	2023	10.0	1929						0.06	2.90	0.2
Appleton	1.20	1929	9.0	1929						0.09	4.50	0.2
Green Bay	0.49	1929	9.2	1929						0.09	4.64	0.2
Manitowoc	1.10	1929	8.0	1929						0.09	4.86	0.1
Marshfield	0.88	1998	4.0	1965						0.08	3.83	0.3
Merrill	1.82	2023	6.8	1929						0.08	4.08	0.3
Oshkosh	0.93	1929	7.0	1929						0.09	4.46	0.1
Rhinelande	1.32	2023	10.4	2023						0.08	4.20	0.5
Stevens Point	1.58	2023	5.0	1929,1965						0.09	4.21	0.2
Sturgeon Bay	1.31	2023	4.6	1965						0.08	5.03	0.2
Wausau	1.95	1934	5.1	1965						0.08	4.19	0.3
Wisc. Rapids	0.78	1977	7.8	1977						0.09	4.44	0.2

April 1

April 2

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)		Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	74	1963	-1	2018	20	1896	54	2010		45	25	35	
Appleton	80	1963	14	2018	27	1971	58	2010		48	29	38	
Green Bay	80	1963	11	1896,1954	24	1896	56	2010		48	30	39	
Manitowoc	76	1963	9	1886	25	1896	48	1946		45	30	37	
Marshfield	77	1963	6	1924	27	1944	54	2010		47	29	38	
Merrill	75	1963	2	2018	28	1908	49	1963		46	24	35	
Oshkosh	79	1963,2010	11	1896	25	1896	56	2010		49	31	40	
Rhinelande	74	2010	3	1954	24	1944,1954	53	2010		46	24	35	
Stevens Point	78	1963	9	1896	25	1896	53	2010		47	28	38	
Sturgeon Bay	77	1963	12	1911	30	1936	50	1946		45	27	36	
Wausau	76	1963	8	1896,1954	21	1971	54	2010		47	27	37	
Wisc. Rapids	79	1963	-1	1926	23	1926	54	2010		49	28	39	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.32	1967	4.0	1932						0.12	2.96	0.5	49.0
Appleton	1.37	1982	7.0	2024						0.19	4.60	0.4	45.7
Green Bay	0.96	2024	5.1	2024						0.18	4.73	0.5	51.4
Manitowoc	1.50	2006	3.5	2024						0.19	4.96	0.2	33.4
Marshfield	1.19	1967	2.1	2016						0.17	3.92	0.5	52.4
Merrill	1.22	1967	3.0	1932						0.16	4.16	0.5	49.2
Oshkosh	1.57	2024	5.3	1979						0.18	4.55	0.2	37.6
Rhinelande	1.32	1982	7.1	2024						0.17	4.29	1.0	70.2
Stevens Point	0.87	1977	3.0	1920,1950,2002						0.18	4.30	0.4	44.9
Sturgeon Bay	1.01	1977	4.0	1950,1979						0.17	5.12	0.4	53.8
Wausau	1.32	1967	3.4	1950						0.17	4.28	0.6	58.2
Wisc. Rapids	1.06	1920	7.7	1977						0.19	4.54	0.3	45.1

April 2

April 3

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	73	1999	1	1954	23	1971	44	2010		45	25	35	
Appleton	74	1921	8	1954	26	1954	54	2010		48	29	39	
Green Bay	75	1921	7	1954	27	1971	47	2010		48	31	39	
Manitowoc	70	1963	5	1982	27	1886,1954,1971	44	2010		45	30	38	
Marshfield	77	1999	4	1954	25	1954	48	1981		48	29	38	
Merrill	74	1999,2010	2	1954	27	1954	44	1999,2010		47	25	36	
Oshkosh	77	1921	6	1954	27	1954	51	1999		49	31	40	
Rhinelande	69	1925	-1	1954	19	1971	42	2017		46	24	35	
Stevens Point	77	1963,1999	1	1899	22	1971	48	1907		48	28	38	
Sturgeon Bay	69	1921	7	1954	28	1954,1971,2003	46	2010		45	28	36	
Wausau	77	1921	4	1954	25	1954	45	1910		48	28	38	
Wisc. Rapids	80	1929	3	1920	27	1954	45	1988		50	29	39	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.95	1982	6.5	2024						0.19	3.03	0.7	49.2
Appleton	2.30	1981	6.2	2018						0.29	4.70	0.5	45.8
Green Bay	1.72	1981	8.1	2018						0.27	4.82	0.7	51.6
Manitowoc	1.10	2006	3.5	2024						0.29	5.06	0.2	33.4
Marshfield	1.97	1934	6.0	2018						0.26	4.01	0.8	52.7
Merrill	1.10	1982	3.0	1950,2001,2024						0.25	4.25	0.8	49.5
Oshkosh	1.28	1982	4.5	2018						0.28	4.65	0.3	37.7
Rhinelande	1.77	1934	7.5	1945						0.25	4.37	1.5	70.7
Stevens Point	1.92	1934	6.0	1923						0.28	4.40	0.6	45.1
Sturgeon Bay	1.97	2024	6.0	1923,2024						0.26	5.21	0.6	54.0
Wausau	1.38	1913	9.3	2018						0.26	4.37	0.9	58.5
Wisc. Rapids	2.25	1981	7.1	2018						0.28	4.63	0.5	45.3

April 3

April 4

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	75	1921	4	1972,1975	21	2003	48	1921		46	26	36	
Appleton	76	1997	9	1995	27	1995,2003	53	1910		49	29	39	
Green Bay	75	1921,1997	11	1995	25	1995	57	1921		49	31	40	
Manitowoc	69	1912	5	1982	23	1887	44	1921		45	31	38	
Marshfield	78	1929	5	1972,1995	25	2003	53	1921		48	29	39	
Merrill	76	1929	2	1995	28	1936,2003	48	1910		47	25	36	
Oshkosh	77	1921,2021	11	1982,1995	24	1995	52	1921		50	32	41	
Rhineland	78	1921	-1	1923,2002	20	1995,2003	48	1921		47	25	36	
Stevens Point	77	1921	5	1899	26	2003	50	1910		48	28	38	
Sturgeon Bay	72	1921	2	1923	24	1995	44	2010		45	28	37	
Wausau	78	1921	4	1995	21	1995	54	1921		48	28	38	
Wisc. Rapids	79	1921	6	1995	24	1995	53	1929		50	29	40	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.68	1981	6.0	2018						0.26	3.10	0.9	49.4
Appleton	1.15	1969	8.0	1977						0.38	4.79	0.7	46.0
Green Bay	0.99	1897	9.8	1977						0.35	4.90	0.9	51.8
Manitowoc	1.04	1882	2.5	1936						0.38	5.15	0.3	33.5
Marshfield	1.35	1981	4.0	1977						0.35	4.10	1.0	52.9
Merrill	1.58	1981	4.5	1945						0.33	4.33	1.0	49.7
Oshkosh	2.28	1981	7.0	1977						0.37	4.74	0.3	37.7
Rhineland	1.34	1974	7.3	2014						0.35	4.47	2.0	71.2
Stevens Point	2.40	1981	7.0	2018						0.37	4.49	0.8	45.3
Sturgeon Bay	1.60	1981	10.0	2018						0.35	5.30	0.8	54.2
Wausau	0.96	1927	5.0	1977						0.35	4.46	1.1	58.7
Wisc. Rapids	1.26	1945	6.9	1977						0.38	4.73	0.6	45.4

April 4

April 5

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	77	2021	2	2018	25	2007	47	1929		46	26	36	
Appleton	77	1991	12	1996,2018	25	1982	46	1928,1997,2010		49	30	39	
Green Bay	77	1921,1991,2021	13	1887,1995	24	1982	55	1921		49	31	40	
Manitowoc	76	1929,1991	3	1979	29	1995	45	1912		46	31	38	
Marshfield	82	2021	4	2018	29	1982	52	1929		49	30	39	
Merrill	80	1921,2021	2	1995	21	1995	44	1929,1997		48	25	37	
Oshkosh	77	1929,2021	10	1995	33	1936,2003	53	1921		50	32	41	
Rhinelande	78	1895,1921,2021	2	2014	20	1995	52	1921		47	25	36	
Stevens Point	80	2021	6	1995	22	1995	52	1921		49	29	39	
Sturgeon Bay	72	1991	9	1923	25	1982	43	1912,2001,2010		46	28	37	
Wausau	81	2021	8	2018	24	1982	53	1929		49	28	38	
Wisc. Rapids	82	2021	6	2018	24	1982	64	1929		51	29	40	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.94	1947	6.0	1977						0.33	3.17	1.2	49.7
Appleton	1.55	1985	6.0	1985						0.48	4.89	0.9	46.2
Green Bay	1.42	1947	3.5	1935						0.45	5.00	1.1	52.0
Manitowoc	1.42	1947	3.0	2003						0.48	5.25	0.4	33.6
Marshfield	1.14	1958	3.5	1935						0.44	4.19	1.2	53.1
Merrill	1.10	1910	7.4	2003						0.43	4.43	1.3	50.0
Oshkosh	1.36	1947	2.0	1953						0.46	4.83	0.4	37.8
Rhinelande	1.60	1947	4.0	1995						0.44	4.56	2.5	71.7
Stevens Point	1.03	1947	6.0	1977						0.47	4.59	1.0	45.5
Sturgeon Bay	1.44	1947	6.1	1977						0.44	5.39	1.0	54.4
Wausau	1.23	1958	2.1	1995						0.45	4.56	1.4	59.0
Wisc. Rapids	1.27	1958	2.5	1982						0.48	4.83	0.8	45.6

April 5

April 6

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	76	2005	-1	2003	23	2007	52	1921,1929		47	27	37	
Appleton	86	1991	7	1979	29	1979	55	1991		50	30	40	
Green Bay	84	1991	12	2003	29	1939	63	1921		49	32	41	
Manitowoc	85	1991	4	1979,2003	28	2003	49	1929		46	31	39	
Marshfield	84	1991	6	1979	26	1923	57	1929		49	30	40	
Merrill	78	2021	4	2003	25	1995	47	1997		48	26	37	
Oshkosh	84	1991	10	1982	30	1979	59	1921		51	32	42	
Rhinelande	80	1991	-4	1982,2003	20	2007	53	1921		48	26	37	
Stevens Point	79	1991	9	1979,2018	28	1982,2007,2018	59	1921		49	29	39	
Sturgeon Bay	83	1991	9	1979,2003	28	1939	49	1921		46	29	37	
Wausau	85	1991	8	1979	27	2007	58	1921		49	29	39	
Wisc. Rapids	85	1991	7	1982	23	1926	67	1929		51	30	41	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.95	1958	5.5	1914						0.41	3.25	1.4	49.9
Appleton	1.44	2010	4.0	1911						0.59	5.00	1.1	46.4
Green Bay	1.22	2010	5.0	1914						0.54	5.09	1.4	52.3
Manitowoc	1.50	1929	4.5	1911						0.58	5.35	0.4	33.6
Marshfield	1.60	1958	4.0	1914						0.54	4.29	1.5	53.4
Merrill	2.01	1958	4.2	1914						0.52	4.52	1.5	50.2
Oshkosh	1.38	2010	6.0	1911,1914						0.57	4.94	0.5	37.9
Rhinelande	1.04	1929	12.0	1958						0.54	4.66	3.0	72.2
Stevens Point	1.10	1942	6.0	1914						0.58	4.70	1.1	45.6
Sturgeon Bay	1.85	1958	5.0	1914,1985						0.54	5.49	1.2	54.6
Wausau	0.58	1929	8.5	1914						0.55	4.66	1.7	59.3
Wisc. Rapids	1.17	2010	5.9	1914						0.59	4.94	0.9	45.7

April 6

April 7

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	81	1991	7	1982	22	1923	53	1991		47	27	37	
Appleton	79	1893,1991,2021	12	2018	25	1972	55	1929		50	30	40	
Green Bay	81	1991	11	2018	24	1923,1972	54	1991		50	32	41	
Manitowoc	80	1893,1991	15	2018	27	1902,2003	54	1991		47	32	39	
Marshfield	82	1991	7	1936	25	1920	56	1991		50	30	40	
Merrill	82	1991	2	1982	24	1920	54	2021		49	26	37	
Oshkosh	80	1991,2021	13	2018	28	1972	58	1921,1991		51	33	42	
Rhinelande	80	1991	3	2018	23	2007	52	1921,2021		48	26	37	
Stevens Point	85	1991	7	1982	28	1979,2018	56	1991		50	29	40	
Sturgeon Bay	83	1991	13	1979,1982,2018	26	1936	48	1921		47	29	38	
Wausau	82	1991	7	2018	22	1923	57	1991		50	29	39	
Wisc. Rapids	81	1991	2	1982	23	1928	57	1991		52	30	41	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.40	1929	6.0	1933						0.49	3.33	1.6	50.1
Appleton	1.40	1929	3.5	1907						0.69	5.10	1.2	46.5
Green Bay	1.16	1919,1929	3.5	1923						0.64	5.19	1.6	52.5
Manitowoc	0.96	1924	5.0	1907						0.68	5.45	0.5	33.7
Marshfield	1.66	1919	7.0	1928						0.63	4.38	1.7	53.6
Merrill	1.29	1932	7.5	1907						0.62	4.62	1.8	50.5
Oshkosh	1.13	1929	2.5	1928						0.67	5.04	0.6	38.0
Rhinelande	0.74	1932	8.0	1923						0.63	4.75	3.5	72.7
Stevens Point	1.55	1929	8.0	1907						0.69	4.81	1.3	45.8
Sturgeon Bay	0.93	1948	4.0	1928						0.64	5.59	1.4	54.8
Wausau	1.32	1919	8.0	1907						0.65	4.76	2.0	59.6
Wisc. Rapids	1.26	1954	8.0	1907						0.70	5.05	1.0	45.8

April 7

April 8

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	80	1991	-8	2018	22	1914	50	1970,2021		47	27	37	
Appleton	75	1929	10	2018	27	1914	49	2021		51	31	41	
Green Bay	71	1971	9	2018	24	1914,1928	49	2021		50	32	41	
Manitowoc	71	2001	10	1979	21	1914	45	2021		47	32	40	
Marshfield	79	1991	6	2018	23	1914	52	2021		50	31	41	
Merrill	81	1991	1	2018	22	1928	55	2021		49	27	38	
Oshkosh	73	1931	10	1972	27	1928	51	1991		52	33	42	
Rhinelande	80	1931	-4	2018	20	1914	53	2021		49	26	37	
Stevens Point	81	1991	7	2018	25	1928	55	2021		50	30	40	
Sturgeon Bay	68	1934,1991	10	1914,1977,2018	24	1914	45	1991		47	29	38	
Wausau	76	1931	4	2018	25	1914,1928	55	2021		50	29	40	
Wisc. Rapids	75	1930,2019	3	1928	26	1939	50	2021		52	30	41	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.00	1907,1919	8.0	1928						0.56	3.40	1.8	50.3
Appleton	1.10	1993	5.8	1907						0.80	5.21	1.4	46.7
Green Bay	1.11	1980	4.6	1908						0.73	5.28	1.8	52.7
Manitowoc	1.08	1951	2.0	1928						0.78	5.55	0.6	33.8
Marshfield	0.67	1980	2.0	1927						0.73	4.48	1.9	53.8
Merrill	0.98	1919	6.0	2023						0.71	4.71	2.0	50.7
Oshkosh	1.11	2008	2.0	2010						0.78	5.15	0.7	38.1
Rhinelande	1.40	1991	5.0	1923						0.73	4.85	4.0	73.2
Stevens Point	0.91	1924	4.0	1928						0.79	4.91	1.5	46.0
Sturgeon Bay	1.11	1907	1.0	1923,2023						0.73	5.68	1.6	55.0
Wausau	1.54	1991	4.0	1907						0.74	4.85	2.2	59.8
Wisc. Rapids	0.91	1919	1.5	1973						0.81	5.16	1.2	46.0

April 8

April 9

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	74	1955	3	2016	26	1997	49	1945		48	28	38	
Appleton	76	1987	12	2016	22	1928	50	1945		51	31	41	
Green Bay	76	1945,1955	12	1928	27	1989	55	2017		51	33	42	
Manitowoc	76	1887	11	1989	31	2016	50	1883,1955		47	32	40	
Marshfield	77	1987	5	1928	29	1997	50	2017		51	31	41	
Merrill	75	1955	8	1997	29	1997	49	1945		50	27	38	
Oshkosh	77	1945	14	1928,1997	31	1909	52	2017		52	33	43	
Rhinelande	83	1931	-3	1923	24	1920,1928	50	1945,2017		49	27	38	
Stevens Point	76	1931,1955	7	2018	28	1997	48	1945		51	30	40	
Sturgeon Bay	75	1955	10	1923	30	1909	45	1955		47	30	39	
Wausau	75	1955,1987	10	1923,1928	24	1989	54	2017		51	30	40	
Wisc. Rapids	84	1930	8	1928	28	1989	54	2017		53	31	42	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.39	2015	4.0	2008						0.64	3.48	2.0	50.5
Appleton	1.20	1922	5.0	1973						0.90	5.31	1.6	46.9
Green Bay	0.81	1978	4.4	1973						0.83	5.38	2.0	52.9
Manitowoc	1.05	1991	T	1921,1948,1959,1962,1972						0.88	5.65	0.6	33.8
Marshfield	1.97	1922	6.0	1973						0.83	4.58	2.1	54.0
Merrill	1.30	1980	1.5	2008						0.80	4.80	2.2	50.9
Oshkosh	1.41	1953	4.0	1973						0.88	5.25	0.7	38.1
Rhinelande	1.84	2017	1.9	2008						0.83	4.95	4.5	73.7
Stevens Point	1.79	1922	6.0	1896						0.90	5.02	1.6	46.1
Sturgeon Bay	1.47	1922	2.5	1973						0.83	5.78	1.7	55.1
Wausau	1.81	2015	8.5	1973						0.84	4.95	2.5	60.1
Wisc. Rapids	1.80	1978	5.0	1973						0.91	5.26	1.3	46.1

April 9

April 10

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	81	1977	9	2018	24	1989	54	1945		48	28	38	
Appleton	79	1977	14	1909	35	1928	55	2017		51	32	42	
Green Bay	79	1977	18	1909	35	1894	61	1945		51	33	42	
Manitowoc	82	1977	17	1909	35	1900	54	1955		48	33	40	
Marshfield	82	1977	14	1928,1989	32	1952	54	1945		51	31	41	
Merrill	78	1955	11	1997	25	1989	57	1945		50	27	39	
Oshkosh	82	1977	15	1909	35	2013	56	1945		52	34	43	
Rhinelande	82	1977	1	1909	27	1973	57	1945		50	27	38	
Stevens Point	81	1930	8	1997	32	1989	57	1930		51	31	41	
Sturgeon Bay	77	1955	9	1909	34	1992	47	1955		48	30	39	
Wausau	81	1977	14	1909	33	1924	55	1945		51	30	41	
Wisc. Rapids	85	1977	11	1960	33	1929	57	1945		53	31	42	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.92	2011	4.1	1897						0.72	3.56	2.2	50.7
Appleton	1.30	2008	2.8	1957						1.00	5.41	1.7	47.0
Green Bay	1.44	1953	8.0	1894						0.92	5.47	2.1	53.0
Manitowoc	1.80	1879	6.0	1894						0.99	5.76	0.7	33.9
Marshfield	1.21	1953	3.5	1992						0.93	4.68	2.3	54.2
Merrill	1.14	1953	4.8	2015						0.89	4.89	2.4	51.1
Oshkosh	1.27	2008	1.9	1973						0.98	5.35	0.8	38.2
Rhinelande	1.20	1992	6.0	1992						0.93	5.05	5.0	74.2
Stevens Point	1.75	2013	5.0	1894						1.00	5.12	1.8	46.3
Sturgeon Bay	1.45	1953	6.0	1973						0.93	5.88	1.9	55.3
Wausau	1.38	2011	5.2	1992						0.94	5.05	2.7	60.3
Wisc. Rapids	1.51	2011	1.5	1957						1.02	5.37	1.4	46.2

April 10

April 11

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	80	1977	14	1895,1975	28	1992	59	1977		49	29	39	
Appleton	81	1977	20	1957	34	1957	58	1945		52	32	42	
Green Bay	82	1977	18	1973	33	1957	54	1945		52	33	42	
Manitowoc	83	1977	15	1973	35	1900,1939	47	1945,2011		48	33	41	
Marshfield	82	1977	12	1957	32	2019	55	1945		52	32	42	
Merrill	81	1977	11	1940	30	1992	60	1945		51	28	39	
Oshkosh	83	1977	20	1959	34	1957	58	1945		53	34	43	
Rhinelande	80	1977	6	1952	29	1939	55	1945		50	27	39	
Stevens Point	82	1977	18	1952	32	2007,2019	59	1977		52	31	41	
Sturgeon Bay	81	1977	12	1973	28	1970	47	2023		48	30	39	
Wausau	82	1977	13	1940	31	1904,2019	57	1977		52	31	41	
Wisc. Rapids	85	1977	16	1952	30	1940	58	1977		54	31	43	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.43	2019	12.0	2019						0.79	3.63	2.4	50.9
Appleton	1.30	2008	6.5	2019						1.11	5.52	1.9	47.2
Green Bay	1.21	2001	4.5	2019						1.02	5.57	2.3	53.2
Manitowoc	1.46	2001	4.5	1900						1.10	5.87	0.7	33.9
Marshfield	2.33	1922	9.0	1922						1.03	4.78	2.5	54.4
Merrill	1.90	2019	8.1	2019						0.99	4.99	2.6	51.3
Oshkosh	1.00	1900	4.2	2019						1.08	5.45	0.9	38.3
Rhinelande	1.29	2019	8.7	2019						1.03	5.15	5.5	74.7
Stevens Point	2.05	2019	7.0	1929						1.11	5.23	1.9	46.4
Sturgeon Bay	1.25	2001	5.0	2007						1.03	5.98	2.1	55.5
Wausau	1.81	2019	11.6	2019						1.04	5.15	3.0	60.6
Wisc. Rapids	2.29	2019	9.0	2019						1.12	5.47	1.5	46.3

April 11

April 12

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	79	2023	10	1907	30	1950	53	2023		49	29	39	
Appleton	85	2023	17	1939,1990	29	1950	55	2023		52	32	42	
Green Bay	86	2023	17	1939	29	1950	56	2023		52	34	43	
Manitowoc	84	2023	12	1939	32	1939	47	2023		49	33	41	
Marshfield	86	2023	13	1939,1957	31	1950	53	2023		52	32	42	
Merrill	84	2023	11	1950	32	1939	52	1968		51	28	40	
Oshkosh	84	2023	17	1939	32	1997	57	2023		53	34	44	
Rhinelande	79	1930,2023	8	1940	22	1950	54	1968		51	28	39	
Stevens Point	83	1977,2023	14	1957	32	1950	55	1968		52	31	42	
Sturgeon Bay	84	2023	16	1939,1940	30	1934	47	2023		49	31	40	
Wausau	86	2023	14	1939	26	1950	55	2023		52	31	42	
Wisc. Rapids	87	2023	13	1939	30	1928	58	1968		54	32	43	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.93	2002	8.0	1922						0.87	3.71	2.6	51.1
Appleton	0.74	1995	3.2	2007						1.22	5.63	2.0	47.3
Green Bay	0.85	1900	6.5	1900						1.12	5.67	2.5	53.4
Manitowoc	2.20	2014	2.0	1907						1.21	5.98	0.8	34.0
Marshfield	1.03	2001	4.6	2020						1.13	4.88	2.7	54.6
Merrill	1.30	2001	8.2	1929						1.08	5.08	2.8	51.5
Oshkosh	1.72	2014	2.1	1997						1.19	5.56	1.0	38.4
Rhinelande	0.74	1977	9.1	2020						1.14	5.26	6.0	75.2
Stevens Point	1.21	2001	8.0	1900						1.22	5.34	2.1	46.6
Sturgeon Bay	1.60	1965	4.0	1907						1.13	6.08	2.2	55.6
Wausau	0.99	1968	4.5	2020						1.14	5.25	3.2	60.8
Wisc. Rapids	0.75	1984	5.0	1991						1.23	5.58	1.6	46.4

April 12

April 13

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	81	2023	11	1907,1950	31	1992	59	1941		50	30	40	
Appleton	83	2023	19	1950	33	1907	56	2023		53	33	43	
Green Bay	82	2023	18	1950	30	1907,1943	61	1941		53	34	43	
Manitowoc	82	2023	18	1885	32	1907	52	1931		49	34	41	
Marshfield	83	2023	15	1950	32	2020	55	2023		53	33	43	
Merrill	83	2023	12	1907,1950	25	1928	54	1941		52	29	40	
Oshkosh	82	2023	17	1950	34	1907	61	1941		54	35	44	
Rhinelande	81	2023	11	1940	25	1943	57	1941		51	28	40	
Stevens Point	82	1899,2023	15	1950	34	1907,1952,1992	55	1931		52	32	42	
Sturgeon Bay	77	2023	16	1940	30	1907	48	1998,2023		49	31	40	
Wausau	83	2023	14	1950	28	1943	61	1941		52	31	42	
Wisc. Rapids	83	2023	14	1989	27	1928	58	1941		55	32	43	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.10	1968	5.5	2020						0.95	3.79	2.8	51.3
Appleton	1.51	2014	5.0	1907						1.33	5.74	2.2	47.5
Green Bay	1.53	2018	2.5	2018						1.22	5.77	2.7	53.6
Manitowoc	1.47	1952	1.0	1907,1933,1962						1.32	6.09	0.8	34.0
Marshfield	0.98	1968	6.0	2018						1.23	4.98	2.9	54.8
Merrill	1.54	1938	8.0	2020						1.18	5.18	3.0	51.7
Oshkosh	2.16	2014	0.5	1952						1.29	5.66	1.0	38.4
Rhinelande	1.41	2022	4.0	1952						1.24	5.36	6.5	75.7
Stevens Point	1.05	2020	4.0	1991						1.34	5.46	2.3	46.8
Sturgeon Bay	1.05	2014	2.0	1907						1.24	6.19	2.4	55.8
Wausau	0.80	1955	3.9	1952						1.25	5.36	3.5	61.1
Wisc. Rapids	0.96	1955	3.0	1952						1.34	5.69	1.7	46.5

April 13

April 14

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	83	2003	14	2013	24	1928	58	1941		50	30	40	
Appleton	84	2003	17	1907	30	1943	51	1941		53	33	43	
Green Bay	82	2023	16	1928	27	1928	61	1941		53	34	44	
Manitowoc	79	2006	17	1983	30	1928	56	1941		49	34	42	
Marshfield	85	2003	15	2020	26	1928	56	1941		53	33	43	
Merrill	81	2023	12	1907	28	2018,2020	50	1938		52	29	41	
Oshkosh	84	2003	15	1907	29	1928	62	1941		54	35	45	
Rhinelande	83	2003	2	2014	26	2020	52	1941,2003		52	28	40	
Stevens Point	85	2003	17	1907	27	2018	59	1941		53	32	43	
Sturgeon Bay	78	2006	18	1907	30	2018	54	1941		49	32	41	
Wausau	84	2003	14	1907,1928	24	1928	68	1941		53	32	42	
Wisc. Rapids	85	2003	-4	1928	29	2018	58	1941		55	32	44	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.13	1941	8.0	1928						1.04	3.88	3.0	51.5
Appleton	1.61	2014	5.7	2018						1.44	5.85	2.3	47.6
Green Bay	1.18	2018	11.0	2018						1.33	5.88	2.9	53.8
Manitowoc	1.55	1974	9.5	1928						1.43	6.20	0.9	34.1
Marshfield	1.24	1938	7.0	1928,2018						1.33	5.08	3.0	54.9
Merrill	1.04	1955	8.6	1928						1.28	5.28	3.2	51.9
Oshkosh	1.22	1974	5.0	1928						1.40	5.77	1.1	38.5
Rhinelande	1.20	1938	4.5	2014						1.35	5.47	6.9	76.1
Stevens Point	2.22	2018	11.0	1928						1.45	5.57	2.4	46.9
Sturgeon Bay	1.96	2018	17.0	2018						1.34	6.29	2.5	55.9
Wausau	1.08	1941	9.0	1909						1.35	5.46	3.7	61.3
Wisc. Rapids	2.43	2018	7.0	2018						1.45	5.80	1.8	46.6

April 14

April 15

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	83	2002	3	1928,2014	23	2018	52	1942		51	30	41	
Appleton	86	2002	11	1928	29	1928	55	1910,1976		54	34	44	
Green Bay	84	1896,2002	14	1928	28	1935,2018	58	2010		54	35	44	
Manitowoc	84	2003	15	1928	30	2018	55	1942		50	34	42	
Marshfield	87	2002	3	1928	24	2018	57	1938		54	33	43	
Merrill	85	2003	2	1928	25	2018	53	2003		53	29	41	
Oshkosh	86	2002	10	1928	27	2018	57	1896		55	35	45	
Rhinelande	83	2002	-3	1928	23	2018	53	1942		52	29	40	
Stevens Point	86	2002	0	1928	24	2018	56	1910,2023		53	32	43	
Sturgeon Bay	79	2010	15	1928	25	1935	53	1976		50	32	41	
Wausau	85	2002	5	1928	25	2018	53	1976,2010,2012		53	32	43	
Wisc. Rapids	89	2002	12	2014	25	2018	56	2010		56	33	44	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.40	1904	14.0	1904						1.12	3.96	3.1	51.6
Appleton	1.35	2018	13.2	2018						1.55	5.96	2.4	47.7
Green Bay	1.18	2017	10.2	2018						1.42	5.97	3.0	53.9
Manitowoc	1.70	1993	7.0	1904,1923						1.55	6.32	0.9	34.1
Marshfield	1.15	2003	4.0	1993						1.44	5.19	3.2	55.1
Merrill	1.24	1924	5.8	2018						1.37	5.37	3.4	52.1
Oshkosh	1.57	2017	10.0	1904						1.50	5.87	1.1	38.5
Rhinelande	1.46	2018	16.6	2018						1.46	5.58	7.4	76.6
Stevens Point	1.32	1938	6.0	2018						1.56	5.68	2.6	47.1
Sturgeon Bay	1.48	2003	12.0	2018						1.45	6.40	2.7	56.1
Wausau	1.69	1973	9.2	1993						1.46	5.57	4.0	61.6
Wisc. Rapids	1.31	1973	6.0	1993,2018						1.56	5.91	2.0	46.8

April 15

April 16

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	86	1896	4	1904	28	2018	59	1976		51	31	41	
Appleton	84	2003	15	1904	26	1935	66	2002		54	34	44	
Green Bay	84	1896	14	1904	31	1921	62	2002		54	35	44	
Manitowoc	79	1942	14	1904	33	1921,1935	53	1958		50	35	42	
Marshfield	83	2002	18	2020	29	2018	59	2002		54	34	44	
Merrill	87	2002	10	2020	28	2018	56	1942		53	30	41	
Oshkosh	86	1896	14	1904	33	2018	63	2002		55	36	45	
Rhinelande	84	2002	9	2014	27	2018	65	2002		53	29	41	
Stevens Point	83	2002	17	1962	28	2018	59	1942,1976		54	33	43	
Sturgeon Bay	75	1942	15	1923	32	2018	56	2002		50	32	41	
Wausau	84	2002	7	1904	30	2018	62	2002		54	33	43	
Wisc. Rapids	85	1977,2002	12	1904	30	1904	66	2002		56	33	45	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	2.06	1973	6.0	2018						1.20	4.04	3.3	51.8
Appleton	1.54	1945	2.5	1961						1.65	6.06	2.6	47.9
Green Bay	1.83	1945	2.1	1998						1.52	6.07	3.2	54.1
Manitowoc	1.48	2011	6.0	1879						1.66	6.43	1.0	34.2
Marshfield	1.42	1945	2.0	1961,1993						1.54	5.29	3.4	55.3
Merrill	1.43	2003	6.0	2018						1.47	5.47	3.6	52.3
Oshkosh	1.77	1967	7.5	1897						1.60	5.97	1.2	38.6
Rhinelande	1.27	1973	3.7	2014						1.56	5.68	7.8	77.0
Stevens Point	1.50	1945	5.6	2018						1.67	5.79	2.7	47.2
Sturgeon Bay	1.46	1993	3.0	1943						1.55	6.50	2.8	56.2
Wausau	1.65	2003	5.8	1998						1.56	5.67	4.2	61.8
Wisc. Rapids	1.44	1945	6.0	2018						1.67	6.02	2.1	46.9

April 16

April 17

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	78	1964	14	1983	28	2023	57	1976		52	31	42	
Appleton	83	1958,2016	22	1983,2020,2022	34	2018	57	1976		55	34	45	
Green Bay	83	1958	21	1983	33	1983	61	1976		54	35	45	
Manitowoc	82	1958	22	1983	36	2000,2022	50	1931,2002,2008		51	35	43	
Marshfield	82	2016	20	1930	33	2023	58	1925		55	34	44	
Merrill	85	2002	11	1983	31	2023	60	1964		54	30	42	
Oshkosh	83	1958	17	1983	34	2023	59	1976		55	36	46	
Rhinelande	80	1964	12	1928,1983	28	2023	58	1958		53	29	41	
Stevens Point	83	1964	12	1983	33	2000,2001	62	1964		54	33	44	
Sturgeon Bay	82	1958	18	1928	33	1993	47	1964,2002		51	33	42	
Wausau	81	2016	17	1983	32	2023	58	1976		54	33	44	
Wisc. Rapids	83	2016	17	1983	34	2023	57	1976		56	33	45	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.20	2003	5.2	2023						1.29	4.13	3.5	52.0
Appleton	1.45	1959	2.0	1960,1965						1.76	6.17	2.7	48.0
Green Bay	1.03	1968	2.7	1888						1.63	6.18	3.4	54.3
Manitowoc	1.30	1881	3.0	1917						1.78	6.55	1.0	34.2
Marshfield	2.10	2019	3.0	1965						1.64	5.39	3.6	55.5
Merrill	1.73	1939	5.0	2023						1.57	5.57	3.8	52.5
Oshkosh	1.15	1922	3.1	1965						1.71	6.08	1.3	38.7
Rhinelande	1.46	1959	7.5	2014						1.68	5.80	8.2	77.4
Stevens Point	1.43	1900	3.5	2023						1.79	5.91	2.9	47.4
Sturgeon Bay	1.51	1967	2.8	1965						1.65	6.60	2.9	56.3
Wausau	1.94	2019	2.8	2023						1.67	5.78	4.4	62.0
Wisc. Rapids	1.09	2024	4.0	1949						1.78	6.13	2.1	46.9

April 17

April 18

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	78	1977	15	1983	32	2003	55	1976		52	32	42	
Appleton	83	1915	22	1910,1983	34	1953	56	1976		55	35	45	
Green Bay	83	1994	17	1960	36	1953,2018	56	1914		55	36	45	
Manitowoc	81	1915	23	1983	35	1926	51	1938,2009		51	35	43	
Marshfield	85	1987	19	1930	36	1967,2022	57	1925		55	34	45	
Merrill	80	1915	12	1983	33	2003	52	1976,1977		54	31	42	
Oshkosh	82	1915	17	1983	34	1953	57	1976		56	36	46	
Rhinelande	85	1987	10	1926	35	1939,2022	52	1914,1915,1977		54	30	42	
Stevens Point	83	1915	18	1983	32	1953	57	1976		55	34	44	
Sturgeon Bay	77	1915,1958	15	1928	35	2022	47	1938		51	33	42	
Wausau	83	1987	11	1907	31	1953	55	1977		55	33	44	
Wisc. Rapids	88	1985	16	1983	31	1928	61	1985		57	34	45	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	2.86	1976	6.0	1951						1.37	4.21	3.6	52.1
Appleton	1.37	1941	4.0	1940						1.88	6.29	2.9	48.2
Green Bay	1.04	1995	1.2	1940						1.73	6.28	3.5	54.4
Manitowoc	1.15	1925	4.0	1947						1.90	6.67	1.1	34.3
Marshfield	1.31	1976	1.0	2022						1.75	5.50	3.7	55.6
Merrill	1.67	1976	3.0	1951						1.67	5.67	4.0	52.7
Oshkosh	1.25	1900	7.0	1947						1.82	6.19	1.3	38.7
Rhinelande	4.02	2002	2.4	2022						1.79	5.91	8.6	77.8
Stevens Point	1.26	1930	6.0	1898						1.91	6.03	3.0	47.5
Sturgeon Bay	1.50	1995	2.5	1940						1.76	6.71	3.1	56.5
Wausau	1.25	2008	3.0	1951						1.78	5.89	4.7	62.3
Wisc. Rapids	1.17	2008	T	1910						1.90	6.25	2.2	47.0

April 18

April 19

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	82	1985	11	1897	32	1928	53	1977		53	32	43	
Appleton	83	1985	20	1918	40	1904,1953	56	1915,1927		56	35	45	
Green Bay	80	1915,2005	17	1897	34	1904	53	1977		55	36	46	
Manitowoc	80	1915	18	1897	36	1904	58	1915		51	36	44	
Marshfield	86	1915	17	1918	34	2013	59	1985		56	35	45	
Merrill	83	1911,1915,1987	14	1983	31	1928	58	1948		55	31	43	
Oshkosh	84	1985	17	1983	35	1897	57	1889,1985		56	37	47	
Rhinelande	79	1915,1931	14	1947	33	2013,2023	50	1927,1977		54	30	42	
Stevens Point	86	1985	17	1897	35	2011,2013	57	1985		55	34	45	
Sturgeon Bay	79	1915	19	1926	37	1993,2011	55	1915		52	33	42	
Wausau	81	1985	15	1897	36	1925,2013,2023	57	1941		55	34	45	
Wisc. Rapids	86	1985	12	1947	36	2011	64	1985		57	34	46	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.94	1972	9.2	1898						1.46	4.30	3.8	52.3
Appleton	1.33	1957	9.4	2011						1.99	6.40	3.0	48.3
Green Bay	1.40	1898	9.9	2011						1.84	6.39	3.7	54.6
Manitowoc	1.64	1882	2.0	1898,1922						2.01	6.78	1.1	34.3
Marshfield	1.30	2005	2.0	1924,1982						1.85	5.60	3.9	55.8
Merrill	1.03	2008	0.8	1928						1.77	5.77	4.2	52.9
Oshkosh	1.90	1898	4.6	2011						1.93	6.30	1.4	38.8
Rhinelande	0.86	1928	4.0	1928						1.90	6.02	9.0	78.2
Stevens Point	1.12	1995	4.0	2011						2.03	6.15	3.1	47.6
Sturgeon Bay	1.96	1925	5.0	2011						1.87	6.82	3.2	56.6
Wausau	1.10	2017	2.2	1922						1.89	6.00	4.9	62.5
Wisc. Rapids	1.27	1957	6.0	2011						2.02	6.37	2.3	47.1

April 19

April 20

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	80	1952	15	1904	35	1922	56	1957,1977		53	33	43	
Appleton	85	1985	21	2020	35	1928	62	1987		56	36	46	
Green Bay	84	1987	20	1904	36	1982	59	1973		56	36	46	
Manitowoc	77	1889,1957	23	1897	35	1904	52	1952		52	36	44	
Marshfield	85	1987	19	1922,1928	37	1922	57	1973		56	35	46	
Merrill	86	1987	14	1928	39	1993,2024	56	1973		55	31	43	
Oshkosh	84	1985	18	1904	37	1904	61	1957		57	37	47	
Rhinelande	85	1987	5	1928	27	1928	56	1957		55	31	43	
Stevens Point	86	1985	16	1897,1904	38	1970,2009,2024	61	1985		56	34	45	
Sturgeon Bay	78	1906	20	1907	35	1982	52	1952		52	34	43	
Wausau	86	1987	14	1907	37	1922,1970,1982,2009	60	1985		56	34	45	
Wisc. Rapids	89	1987	17	1904	33	1927	60	1985		58	34	46	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.56	1916	4.0	1925,1982,2012						1.55	4.39	3.9	52.4
Appleton	1.34	2000	2.0	1893						2.11	6.52	3.1	48.4
Green Bay	1.51	2000	3.4	1893						1.95	6.50	3.8	54.7
Manitowoc	1.60	1893	T	1924						2.13	6.90	1.2	34.4
Marshfield	1.16	1968	1.0	1924,1970,2012						1.96	5.71	4.0	55.9
Merrill	1.04	2005	5.0	1925						1.87	5.87	4.3	53.0
Oshkosh	1.00	1968	1.0	1924						2.05	6.42	1.4	38.8
Rhinelande	1.04	1916	6.9	2009						2.00	6.12	9.4	78.6
Stevens Point	1.43	2005	1.1	2012						2.15	6.27	3.3	47.8
Sturgeon Bay	1.63	1970	2.0	1982						1.98	6.93	3.3	56.7
Wausau	1.27	2000	2.0	1982						1.99	6.10	5.1	62.7
Wisc. Rapids	1.83	2000	0.5	1966						2.14	6.49	2.4	47.2

April 20

April 21

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	82	1985	17	1982	33	1982	57	1973,1974		54	33	43	
Appleton	87	1985	24	2018,2021	36	1918	61	1985		57	36	46	
Green Bay	82	1985	21	1959	37	1918,1924	62	1985		56	37	47	
Manitowoc	80	1926	26	1904,1936,1983	38	2013,2021	52	1949		52	36	44	
Marshfield	88	1980	22	1988	40	1936,1995	59	1973		57	35	46	
Merrill	82	1985	14	1982	34	1927	59	1973		56	32	44	
Oshkosh	83	1926	22	1904	39	1918	59	1985		57	37	47	
Rhinelande	84	1980	15	1928	32	1936	55	1973		55	31	43	
Stevens Point	87	1987	18	1904	37	1907	57	1985		56	35	46	
Sturgeon Bay	78	1926	20	2021	35	1936,1937	51	1926,1949		52	34	43	
Wausau	87	1980	18	1904	33	1924	57	1985		56	35	46	
Wisc. Rapids	86	1980	19	1982	38	1937	58	1985		58	35	47	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.10	1912	4.0	1924,1927						1.64	4.48	4.1	52.6
Appleton	0.98	1972	2.5	2002						2.22	6.63	3.2	48.5
Green Bay	1.27	1937	3.8	2002						2.05	6.60	3.9	54.8
Manitowoc	1.41	1937	3.0	1927						2.25	7.02	1.2	34.4
Marshfield	1.51	1954	6.0	1924						2.07	5.82	4.2	56.1
Merrill	1.14	1964	5.0	2002						1.97	5.97	4.5	53.2
Oshkosh	1.80	1937	2.0	1924,2002						2.16	6.53	1.5	38.9
Rhinelande	1.42	1912	3.3	2009						2.11	6.23	9.7	78.9
Stevens Point	1.26	1924	7.0	1924						2.27	6.39	3.4	47.9
Sturgeon Bay	1.01	1977	4.0	1909,2002						2.09	7.04	3.4	56.8
Wausau	1.31	1964	7.0	2002						2.10	6.21	5.2	62.8
Wisc. Rapids	1.13	1964	2.0	2002						2.26	6.61	2.5	47.3

April 21

April 22

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	87	1980	18	1986	33	2015	57	1985		54	33	44	
Appleton	89	1980	20	1904	36	1927	61	1985		57	37	47	
Green Bay	89	1980	24	1956,1986	38	1927,1931	61	1985		57	37	47	
Manitowoc	90	1980	25	1936,1986	37	1927	50	1926		53	37	45	
Marshfield	91	1980	20	1930	37	1927	58	1925		57	36	46	
Merrill	88	1980	16	1986	35	1951	56	1913		56	32	44	
Oshkosh	91	1980	21	1936	39	1927	59	1985		58	38	48	
Rhinelande	89	1980	17	2021	31	1927	57	2007		56	31	43	
Stevens Point	88	1980	22	1905,1936,1986	38	2002	59	1985		57	35	46	
Sturgeon Bay	84	1908	15	1909	38	1930	51	1946		53	34	44	
Wausau	88	1980	20	1986	36	1931	61	1985		57	35	46	
Wisc. Rapids	92	1980	16	1936	41	1951	60	1985		59	35	47	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.01	1902	4.0	1924,2002						1.73	4.57	4.2	52.7
Appleton	1.16	1912	3.1	1963						2.34	6.75	3.4	48.7
Green Bay	1.20	1921	2.9	1963						2.16	6.71	4.1	55.0
Manitowoc	2.18	1878	0.5	1963						2.37	7.14	1.2	34.4
Marshfield	1.19	1920	0.8	2013						2.18	5.93	4.3	56.2
Merrill	1.12	1910	2.0	1937						2.08	6.08	4.6	53.3
Oshkosh	1.10	1921	2.0	1963						2.28	6.65	1.5	38.9
Rhinelande	1.24	1972	6.5	1972						2.22	6.34	10.0	79.2
Stevens Point	2.00	1910	3.5	2002						2.39	6.51	3.5	48.0
Sturgeon Bay	1.64	1921	1.2	1937						2.20	7.15	3.5	56.9
Wausau	1.13	1920	5.0	1963						2.21	6.32	5.4	63.0
Wisc. Rapids	1.10	1999	6.0	1963						2.38	6.73	2.6	47.4

April 22

April 23

					Rec		Rec						
	Rec		Rec		Low		High				1991-2020 Normals		
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	83	1925	18	1909	30	1910	60	1985		55	34	44	
Appleton	83	1915,1946	23	1910	36	1910	61	1985		57	37	47	
Green Bay	82	1925	18	1956	32	1910	61	1913		57	37	47	
Manitowoc	83	1980	24	1982	38	1887	53	1946		53	37	45	
Marshfield	84	1980	19	1930	36	1967	57	1925		58	36	47	
Merrill	82	1925	20	1910	31	1910	59	1985		57	33	45	
Oshkosh	85	1915	22	1930	38	1910	59	1985		58	38	48	
Rhinelande	81	1915	16	1909	33	1967	56	1913		56	32	44	
Stevens Point	85	1960	21	1909,1910	36	1910,1967	59	1985		57	36	46	
Sturgeon Bay	76	1942	18	1956	36	1910	49	1913		53	35	44	
Wausau	83	1925	20	1909	37	1967	56	1985		57	35	46	
Wisc. Rapids	86	1925	18	1936	30	1910	59	1960		59	36	47	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.12	1975	3.0	1963						1.83	4.67	4.4	52.9
Appleton	1.34	2019	8.0	1910						2.45	6.86	3.5	48.8
Green Bay	0.85	1944	8.2	1910						2.27	6.82	4.2	55.1
Manitowoc	1.39	1910	8.0	1910						2.49	7.26	1.3	34.5
Marshfield	1.46	1981	2.0	1963,1988						2.29	6.04	4.4	56.3
Merrill	1.74	1975	5.0	1910						2.18	6.18	4.8	53.5
Oshkosh	1.37	1919	10.0	1910						2.39	6.76	1.6	39.0
Rhinelande	1.29	1975	3.0	1910						2.33	6.45	10.3	79.5
Stevens Point	0.86	1896	3.0	1963						2.52	6.64	3.6	48.1
Sturgeon Bay	1.12	2019	4.0	1910,1963,1988						2.31	7.26	3.6	57.0
Wausau	0.95	1975	2.0	1910						2.33	6.44	5.6	63.2
Wisc. Rapids	0.97	1985	2.0	1910						2.51	6.86	2.6	47.4

April 23

April 24

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	83	1915	20	1918	31	1910	59	1925		55	34	45	
Appleton	83	1915,1990	24	1918	38	1909,1927	60	1985,1990		58	37	48	
Green Bay	86	1990	21	1956	36	1910	62	1915		58	38	48	
Manitowoc	82	1994	23	1888	37	2005	61	1946		53	37	45	
Marshfield	86	2009	17	1956	38	1928	66	1915		58	36	47	
Merrill	85	1915	18	1974	31	1910	59	1913		57	33	45	
Oshkosh	86	1915,1990	22	1956	38	1892	62	1925		59	38	48	
Rhineland	85	1915	15	1909	37	1934	58	1990		57	32	44	
Stevens Point	88	1915	18	1956	39	1910,1934	61	1925		58	36	47	
Sturgeon Bay	78	1925,1994	20	1907	37	1910	51	1994		54	35	44	
Wausau	84	1990	20	1956	36	1968	59	1913,1925,1990		58	36	47	
Wisc. Rapids	86	1939	16	1956	34	1968	62	1915		60	36	48	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.86	1937	3.0	1910						1.92	4.76	4.5	53.0
Appleton	1.12	1976	2.0	1907						2.56	6.97	3.6	48.9
Green Bay	1.75	1994	4.0	1907						2.38	6.93	4.3	55.2
Manitowoc	1.40	1955	2.0	1907						2.61	7.38	1.3	34.5
Marshfield	1.57	1926	1.0	1927						2.41	6.16	4.6	56.5
Merrill	1.05	1938	3.0	1910						2.29	6.29	4.9	53.6
Oshkosh	1.29	1926	5.0	1909						2.51	6.88	1.6	39.0
Rhineland	1.13	2009	1.4	2014						2.44	6.56	10.6	79.8
Stevens Point	1.25	1926	2.0	1927						2.64	6.76	3.7	48.2
Sturgeon Bay	1.62	1907	6.0	1907						2.42	7.37	3.6	57.0
Wausau	1.83	1994	1.0	1907,1909,1910						2.44	6.55	5.8	63.4
Wisc. Rapids	0.97	1908	3.8	1910						2.63	6.98	2.7	47.5

April 24

April 25

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	84	1990	20	1919	37	1926	58	1915,1948		56	35	45	
Appleton	86	1990	27	1893,1907,1918	35	1907	60	1990		58	38	48	
Green Bay	88	1990	25	1967	34	1907	63	1915		58	38	48	
Manitowoc	85	1990	25	1890	37	1907	57	1962		54	38	46	
Marshfield	84	1948,1990	20	1934	37	1965	59	1921		59	37	48	
Merrill	84	2009	20	1919,1934	34	1932	63	1948		58	34	46	
Oshkosh	85	1915,1990	23	1934	35	1907	60	1921,1990		59	39	49	
Rhinelande	84	1990	19	1926,1972	30	1950	58	1948		57	32	45	
Stevens Point	88	1990	22	1918	38	1965	60	1921,1990		58	37	47	
Sturgeon Bay	85	1990	24	1905,1967	38	1907,1910	54	1990		54	35	45	
Wausau	85	1990	23	1934	37	1917	61	1990		58	36	47	
Wisc. Rapids	85	1948	14	1934	37	1965	60	1921		60	36	48	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.31	2009	2.0	1917, 2013						2.02	4.86	4.6	53.1
Appleton	1.97	1994	5.0	1907						2.67	7.08	3.7	49.0
Green Bay	1.86	1994	2.0	1907						2.48	7.03	4.4	55.3
Manitowoc	2.63	1929	2.0	1917						2.72	7.49	1.3	34.5
Marshfield	1.40	1932	3.0	1917						2.52	6.27	4.7	56.6
Merrill	1.48	2009	4.3	1917						2.40	6.40	5.1	53.8
Oshkosh	1.78	1929	T	1937						2.62	6.99	1.7	39.1
Rhinelande	0.70	1950	5.3	1909						2.55	6.67	11.0	80.2
Stevens Point	1.56	1994	6.0	1917						2.76	6.88	3.8	48.3
Sturgeon Bay	1.66	1994	3.0	1917						2.53	7.48	3.7	57.1
Wausau	1.21	1965	4.9	1917						2.56	6.67	6.0	63.6
Wisc. Rapids	1.13	1929	0.5	1965						2.76	7.11	2.8	47.6

April 25

April 26

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	84	1962,1990	20	1936	32	2022	57	1948,1962,1990		56	35	46	
Appleton	85	1962,1990	23	1907	37	1950	62	1990		59	38	49	
Green Bay	87	1962	24	1958	37	1966	61	1990		59	38	49	
Manitowoc	86	1962	26	1887,1890,1926	39	1907	51	1990		54	38	46	
Marshfield	83	1915,1962	23	1926,1933	34	1950	58	1948		59	37	48	
Merrill	85	1915	20	1926	34	2022	63	1990		58	34	46	
Oshkosh	86	1915	23	1926	38	2022	59	1899		59	39	49	
Rhinelande	85	1962	18	1919	30	1950	62	1990		58	33	45	
Stevens Point	88	1915	17	1907	39	1950	60	1990		58	37	48	
Sturgeon Bay	85	1962	20	1933	38	1907	53	1962		55	36	45	
Wausau	84	1915,1962	23	1958	32	1950	62	1990		59	37	48	
Wisc. Rapids	85	1923	16	1907	37	1950	62	1962		61	37	49	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.00	1949	4.0	1965						2.12	4.96	4.7	53.2
Appleton	1.73	2011	T	1932,1950,1953,1965,1966,2000,2022						2.79	7.20	3.8	49.1
Green Bay	1.75	2011	0.7	1966						2.59	7.14	4.5	55.4
Manitowoc	1.38	2009	T	1932,1953,1966						2.84	7.61	1.3	34.5
Marshfield	1.59	2009	T	1966						2.64	6.39	4.8	56.7
Merrill	0.90	1949	3.0	1988						2.51	6.51	5.2	53.9
Oshkosh	1.54	2011	T	1931						2.74	7.11	1.7	39.1
Rhinelande	1.30	1954	4.0	1965						2.65	6.77	11.2	80.4
Stevens Point	1.75	1949	T	1965,1966						2.89	7.01	3.9	48.4
Sturgeon Bay	1.21	1949	2.0	1966						2.64	7.59	3.8	57.2
Wausau	1.04	1902	0.8	1950						2.67	6.78	6.1	63.7
Wisc. Rapids	1.52	1949	0.3	1950						2.89	7.24	2.8	47.6

April 26

April 27

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	83	1952	20	1946	34	1950	60	1938		57	36	46	
Appleton	84	1986	22	1996	36	1950	64	1990		59	39	49	
Green Bay	84	1952,1986	26	1996	36	1950	62	1915		59	39	49	
Manitowoc	83	1952	25	1996	38	1885,1950,2022	52	1957		55	38	46	
Marshfield	84	1970,1977	20	1946	34	1950	57	1915,1990		60	38	49	
Merrill	84	1952,1962	21	1945,1976	32	2017	60	1990		59	34	47	
Oshkosh	86	1952	24	1946	38	1950	67	1899		60	40	50	
Rhinelande	83	1952,1962,1986	19	2012	32	1931	58	1915,1938		58	33	46	
Stevens Point	86	1962	20	2008	35	1950	60	1915,1986		59	37	48	
Sturgeon Bay	83	1962	24	1933	38	1926	50	1990		55	36	46	
Wausau	85	1986	21	1934,1946	33	1950	61	1986		59	37	48	
Wisc. Rapids	85	1952	16	1933	37	1950	59	1990		61	37	49	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.90	1921	3.0	1988						2.21	5.05	4.8	53.3
Appleton	1.23	1908	T	1931,1950						2.90	7.31	3.8	49.1
Green Bay	0.93	1964	T	1913,1950,1988,1995, 2017						2.69	7.24	4.5	55.4
Manitowoc	1.00	1926,1964	1.0	1913						2.95	7.72	1.4	34.6
Marshfield	2.04	1975	4.0	1988						2.75	6.50	4.9	56.8
Merrill	1.37	2009	0.5	1907						2.61	6.61	5.3	54.0
Oshkosh	2.25	1899	T	1936						2.86	7.23	1.7	39.1
Rhinelande	1.30	1921	3.1	2017						2.74	6.86	11.4	80.6
Stevens Point	2.11	1921	3.5	1988						3.01	7.13	4.0	48.5
Sturgeon Bay	1.29	1908	T	1943,2004						2.75	7.70	3.9	57.3
Wausau	2.10	1899	2.4	2002						2.78	6.89	6.2	63.8
Wisc. Rapids	1.87	1908	2.0	1988						3.01	7.36	2.9	47.7

April 27

April 28

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	90	1952	24	1909,1913,1992,2010	37	2002	60	1900,1974		57	36	47	
Appleton	85	1915	22	1996	35	1994	57	1938		60	39	49	
Green Bay	85	1974	25	1965	36	1956	59	1974		60	39	49	
Manitowoc	85	1915	27	1965	38	1994	52	1952		55	38	47	
Marshfield	86	1952	24	1950	39	2008	57	1974		60	38	49	
Merrill	92	1952	21	1965	38	1907,1908,2002	62	1986		59	35	47	
Oshkosh	85	1915	26	1965	41	1908	62	1901,1986		60	40	50	
Rhinelande	92	1952	17	1909	36	1926	56	1911		59	34	46	
Stevens Point	90	1952	17	2008	35	1907	61	1974		59	38	49	
Sturgeon Bay	81	1951,1952	19	1909	39	2002	56	1974		55	36	46	
Wausau	91	1952	25	1953,1958,2019	34	1994	62	1974		60	37	49	
Wisc. Rapids	88	1952	22	1929	36	1994	60	1974		61	37	49	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.84	1962	4.0	2002						2.31	5.15	4.9	53.4
Appleton	1.20	1975	3.0	1909						3.01	7.42	3.9	49.2
Green Bay	1.16	1899	1.3	2008						2.80	7.35	4.6	55.5
Manitowoc	2.15	1896	5.0	1909						3.07	7.84	1.4	34.6
Marshfield	1.05	1918	2.0	1971						2.86	6.61	5.0	56.9
Merrill	1.17	2002	5.0	2002						2.72	6.72	5.4	54.1
Oshkosh	1.84	1896	3.0	1909						2.98	7.35	1.8	39.2
Rhinelande	1.34	1914	1.0	1971						2.84	6.96	11.6	80.8
Stevens Point	1.55	1914	1.5	1909						3.13	7.25	4.1	48.6
Sturgeon Bay	1.15	1908	T	1969						2.86	7.81	3.9	57.3
Wausau	1.18	2024	1.0	1969						2.90	7.01	6.3	63.9
Wisc. Rapids	1.24	1959	0.2	1923						3.14	7.49	2.9	47.7

April 28

April 29

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	88	1952	17	1958	34	1994	56	1970		58	36	47	
Appleton	87	1970	23	1958	34	1909	57	1970,1991		60	40	50	
Green Bay	85	2007	22	1956,1969	34	1956	56	1970		60	40	50	
Manitowoc	82	2007	26	1958,1969,1977	36	1888	59	1942		55	39	47	
Marshfield	89	1952	19	1958	40	1956	59	1952		60	38	49	
Merrill	91	1952	17	1958	35	1994	52	1940		60	35	47	
Oshkosh	88	1970	23	1958	36	1909	66	1899		61	40	50	
Rhinelande	89	1952	16	1958	36	1909	56	1970		59	34	47	
Stevens Point	90	1952	14	2008	33	1909	60	1970		60	38	49	
Sturgeon Bay	83	2007	24	1958	35	1956	55	1941		56	37	46	
Wausau	91	1952	19	1956,1958	35	1956	59	1970		60	38	49	
Wisc. Rapids	90	1952	17	1958	32	1909	60	1970		62	38	50	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.42	1991	5.0	1909,1956						2.41	5.25	5.0	53.5
Appleton	1.12	1909	5.0	1956						3.13	7.54	4.0	49.3
Green Bay	1.98	1896	3.5	1956						2.90	7.45	4.7	55.6
Manitowoc	2.00	1896	1.0	1956						3.18	7.95	1.4	34.6
Marshfield	1.47	1942	8.0	1956						2.97	6.72	5.1	57.0
Merrill	1.07	2020	7.5	1996						2.82	6.82	5.4	54.1
Oshkosh	1.72	1984	3.0	1996						3.09	7.46	1.8	39.2
Rhinelande	2.00	1984	3.7	1909						2.94	7.06	11.8	81.0
Stevens Point	1.44	1942	5.5	1956						3.25	7.37	4.2	48.7
Sturgeon Bay	1.97	1909	8.0	1909						2.97	7.92	4.0	57.4
Wausau	1.92	1984	9.0	1956						3.01	7.12	6.4	64.0
Wisc. Rapids	1.83	1984	4.5	1956						3.26	7.61	3.0	47.8

April 29

April 30

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	86	1952,1970	5	1956	30	1909	58	1904		58	37	47	
Appleton	87	2013	22	1956	37	1909	59	1970		61	40	50	
Green Bay	84	1901, 2013	12	1956	35	1888	59	1891		61	40	50	
Manitowoc	85	1901	27	1903	35	1888	55	1941		56	39	47	
Marshfield	85	1952	12	1956	40	2019,2023	58	2010		61	39	50	
Merrill	88	1952	8	1956	28	1911	53	1934,1942		60	36	48	
Oshkosh	85	2013	18	1956	37	1909	61	1970		61	41	51	
Rhinelande	89	1952	20	1956	31	1909	57	2001		60	34	47	
Stevens Point	89	1952	17	1956	35	1909	57	1901,1970		60	39	49	
Sturgeon Bay	79	1957	20	1956	36	1909	50	1965		56	37	47	
Wausau	88	1952	11	1956	35	1909,1950	59	2001		61	38	50	
Wisc. Rapids	88	1952	11	1956	34	1909	60	2001		62	38	50	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.98	1984	5.0	1909						2.51	5.35	5.0	53.5
Appleton	1.55	1984	1.5	1996						3.24	7.65	4.0	49.3
Green Bay	1.36	1997	0.9	1996						3.00	7.55	4.7	55.6
Manitowoc	1.56	1909	1.0	1909						3.29	8.06	1.4	34.6
Marshfield	2.18	1984	1.0	1950,1984,1996						3.08	6.83	5.1	57.0
Merrill	2.21	1984	4.0	1956						2.93	6.93	5.5	54.2
Oshkosh	2.10	1909	2.2	1927						3.21	7.58	1.8	39.2
Rhinelande	1.09	1933	10.0	1996						3.04	7.16	11.9	81.1
Stevens Point	2.16	1984	3.5	1909						3.37	7.49	4.2	48.7
Sturgeon Bay	1.91	1909	T	1909,1918,1940,1953						3.07	8.02	4.0	57.4
Wausau	1.05	1954	6.0	1909						3.12	7.23	6.5	64.1
Wisc. Rapids	1.32	2007	1.0	1912						3.38	7.73	3.0	47.8

April 30