

AUGUST 2

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	97	1964	39	1965	63	1912,1991	71	1957		78	55	66	
APPLETON	99	1988	47	1907	62	1950	79	1988		81	62	71	
GREEN BAY	99	1988	45	1959	62	1912,1950	74	1988		79	58	69	
MANITOWOC	97	1964	46	1905	62	1924	74	1987,2001,2007		77	62	69	
MARSHFIELD	102	1988	39	1920	63	1950	71	1955,1987		79	59	69	
MERRILL	97	1964	32	1976	61	1950	73	1964		79	56	68	
OSHKOSH	98	1964,1988	45	1940	63	1915	77	1988		81	61	71	
RHINELANDER	97	1964	40	1927	59	1971	71	1957		79	54	67	
STEVENS POINT	97	1988	45	1904	66	1950	76	1988		79	59	69	
STURGEON BAY	96	1988	43	1927	64	1912	73	2001		79	59	69	
WAUSAU	99	1964	41	1920	57	1915	76	1988		79	58	69	
WISCONSIN RAPIDS	99	1964	42	1948	66	1933	74	1988		82	59	70	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	3.04	1975	0.0							0.25	15.69	0.0	0.0
APPLETON	2.75	2006	0.0							0.26	18.08	0.0	0.0
GREEN BAY	2.01	1934	0.0							0.21	17.24	0.0	0.0
MANITOWOC	2.00	1884	0.0							0.26	18.31	0.0	0.0
MARSHFIELD	2.28	1943	0.0							0.28	18.69	0.0	0.0
MERRILL	2.75	2006	0.0							0.28	17.74	0.0	0.0
OSHKOSH	1.67	1940	0.0							0.25	18.43	0.0	0.0
RHINELANDER	2.30	1955	0.0							0.21	17.80	0.0	0.0
STEVENS POINT	1.28	1972	0.0							0.26	19.07	0.0	0.0
STURGEON BAY	2.06	1987	0.0							0.23	17.98	0.0	0.0
WAUSAU	2.45	2006	0.0							0.28	18.33	0.0	0.0
WISCONSIN RAPIDS	2.25	1935	0.0							0.28	18.87	0.0	0.0

AUGUST 2

AUGUST 3

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	95	1964	40	1912	55	1915	73	1938		78	55	66
APPLETON	97	1988	46	1907,1918	59	1915	77	1988		80	62	71
GREEN BAY	96	1988	44	1972	60	1915	74	1938		79	58	69
MANITOWOC	94	1908	45	1886	60	1915	74	1964		77	62	69
MARSHFIELD	99	1988	40	1950	56	1915	72	1938,1955		79	59	69
MERRILL	96	1916	40	1978	56	1915	77	1975		79	56	67
OSHKOSH	95	1944	46	1912	60	1915	77	1988		81	61	71
RHINELANDER	92	1964,1988	41	1912	53	1915	72	2005		79	54	67
STEVENS POINT	97	1964	41	1950	58	1915	75	1938		79	59	69
STURGEON BAY	95	1908	44	1907	57	1915	74	1988		79	59	69
WAUSAU	94	1988	41	1912	55	1915	74	1938		79	58	69
WISCONSIN RAPIDS	98	1988	43	1912	58	1915	75	1938		82	59	70

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.38	1990	0.0						0.38	15.82	0.0	0.0
APPLETON	1.64	1924	0.0						0.39	18.21	0.0	0.0
GREEN BAY	1.79	1890	0.0						0.32	17.35	0.0	0.0
MANITOWOC	1.01	1953	0.0						0.39	18.44	0.0	0.0
MARSHFIELD	2.14	1997	0.0						0.42	18.83	0.0	0.0
MERRILL	1.34	1955	0.0						0.41	17.87	0.0	0.0
OSHKOSH	1.75	1990	0.0						0.38	18.56	0.0	0.0
RHINELANDER	2.14	1974	0.0						0.32	17.91	0.0	0.0
STEVENS POINT	2.06	1924	0.0						0.39	19.20	0.0	0.0
STURGEON BAY	1.05	1915	0.0						0.34	18.09	0.0	0.0
WAUSAU	2.47	1961	0.0						0.41	18.46	0.0	0.0
WISCONSIN RAPIDS	1.58	2017	0.0						0.42	19.01	0.0	0.0

AUGUST 3

AUGUST 4

	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	99	1947	37	1912	55	1915	72	1930		78	55	66
APPLETON	96	1947	47	1912	62	1915	75	1955,1988		80	62	71
GREEN BAY	95	1896,1931,1988	40	1951	61	1915	74	1944		79	58	69
MANITOWOC	95	1881	40	1971	65	1915	75	1955		77	62	69
MARSHFIELD	97	1988	35	1978	56	1915	71	1930,1989		79	58	69
MERRILL	98	1947	37	1951	57	1915	72	1955		79	55	67
OSHKOSH	99	1947	44	1951	59	1915	76	1988		81	61	71
RHINELANDER	96	1947	37	1951	54	1915	72	1955		79	54	66
STEVENS POINT	102	1947	39	1951	58	1915	74	1930		79	59	69
STURGEON BAY	94	1955	38	1927,1972	63	1915	73	1930,1955,2005		79	59	69
WAUSAU	98	1947	40	1907,1912	56	1915	70	1989		79	58	69
WISCONSIN RAPIDS	103	1947	40	1907	58	1915	73	1988		82	59	70
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.86	1928	0.0						0.51	15.95	0.0	0.0
APPLETON	3.76	1924	0.0						0.52	18.34	0.0	0.0
GREEN BAY	1.31	1896	0.0						0.43	17.46	0.0	0.0
MANITOWOC	3.15	1924	0.0						0.51	18.56	0.0	0.0
MARSHFIELD	1.60	1919	0.0						0.55	18.96	0.0	0.0
MERRILL	2.07	1956	0.0						0.55	18.01	0.0	0.0
OSHKOSH	5.42	1924	0.0						0.51	18.69	0.0	0.0
RHINELANDER	1.95	1976	0.0						0.43	18.02	0.0	0.0
STEVENS POINT	2.32	1943	0.0						0.52	19.33	0.0	0.0
STURGEON BAY	2.21	1956	0.0						0.45	18.20	0.0	0.0
WAUSAU	1.57	1995	0.0						0.55	18.60	0.0	0.0
WISCONSIN RAPIDS	3.84	1924	0.0						0.55	19.14	0.0	0.0

AUGUST 4

AUGUST 5

	REC		REC		REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	98	1947	37	1971	62	1915	73	1947		78	55	66
APPLETON	101	1947	44	1994	63	1929	78	1947		80	62	71
GREEN BAY	99	1947	41	1957	63	1915,1929	77	1896		79	58	68
MANITOWOC	95	1900,2001	45	1999	65	1972	74	1955		77	62	69
MARSHFIELD	96	1931,1947	36	1971	64	1915	73	1947		79	58	69
MERRILL	97	1947	37	2004	62	1915	70	1947		79	55	67
OSHKOSH	99	1931	41	1957	64	1929	76	1947		81	61	71
RHINELANDER	95	1947	35	1912	67	1926,1951,1990	73	1947		79	54	66
STEVENS POINT	102	1947	41	1957	65	1915	74	1947		79	59	69
STURGEON BAY	95	1955	43	1927	62	1915	70	1916,1955		79	59	69
WAUSAU	98	1947	42	1957	60	1929	75	1947		79	58	69
WISCONSIN RAPIDS	103	1947	40	1957	62	1912	72	1996		81	59	70

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.10	1903	0.0							0.63	16.07	0.0	0.0
APPLETON	0.88	1903	0.0							0.64	18.46	0.0	0.0
GREEN BAY	2.32	2019	0.0							0.54	17.57	0.0	0.0
MANITOWOC	1.00	1881	0.0							0.64	18.69	0.0	0.0
MARSHFIELD	1.34	1917	0.0							0.69	19.10	0.0	0.0
MERRILL	3.03	1906	0.0							0.68	18.14	0.0	0.0
OSHKOSH	1.35	1998	0.0							0.64	18.82	0.0	0.0
RHINELANDER	2.02	1935	0.0							0.53	18.12	0.0	0.0
STEVENS POINT	1.51	1926	0.0							0.66	19.47	0.0	0.0
STURGEON BAY	0.69	1980	0.0							0.55	18.30	0.0	0.0
WAUSAU	1.88	2019	0.0							0.69	18.74	0.0	0.0
WISCONSIN RAPIDS	1.33	1984	0.0							0.69	19.28	0.0	0.0

AUGUST 5

--	--	--	--	--	--	--	--	--	--	--	--	--

AUGUST 6

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	94	1947	40	1975	61	1951	73	1947,2001		78	55	66
APPLETON	100	1947	47	1902	65	1993	77	1947		80	62	71
GREEN BAY	99	1947	47	1893,1976	64	1951	74	1900,2001		79	58	68
MANITOWOC	98	1918	47	1991	66	1929	71	1939		77	62	69
MARSHFIELD	96	1988	40	1975	67	1951	71	2001		79	58	69
MERRILL	95	1909	35	1976	64	1951	71	1947,2001		79	55	67
OSHKOSH	100	1918	44	1976	67	1951	75	1947		81	60	71
RHINELANDER	92	1916,1947	40	1910	61	1951	72	1947		79	54	66
STEVENS POINT	99	1947	41	1910	65	1951	74	1947		79	59	69
STURGEON BAY	92	1937,2001	45	1994	64	1912,1951	73	2001		79	59	69
WAUSAU	94	1947	40	1902	61	1918	75	2001		79	58	69
WISCONSIN RAPIDS	100	1947	40	1948	66	1972	73	1947		81	58	70
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.76	1935	0.0						0.77	16.21	0.0	0.0
APPLETON	1.74	2019	0.0						0.78	18.60	0.0	0.0
GREEN BAY	1.90	1998	0.0						0.65	17.68	0.0	0.0
MANITOWOC	2.50	1998	0.0						0.76	18.81	0.0	0.0
MARSHFIELD	1.32	1968	0.0						0.83	19.24	0.0	0.0
MERRILL	1.90	2011	0.0						0.82	18.28	0.0	0.0
OSHKOSH	0.97	1968	0.0						0.77	18.95	0.0	0.0
RHINELANDER	1.65	1918	0.0						0.64	18.23	0.0	0.0
STEVENS POINT	1.41	1922	0.0						0.79	19.60	0.0	0.0
STURGEON BAY	1.04	1935	0.0						0.66	18.41	0.0	0.0
WAUSAU	2.43	2011	0.0						0.82	18.87	0.0	0.0

WISCONSIN RAPIDS	1.19	1935	0.0							0.83	19.42	0.0	0.0
------------------	------	------	-----	--	--	--	--	--	--	------	-------	-----	-----

AUGUST 6

--	--	--	--	--	--	--	--	--	--	--	--	--	--

AUGUST 7

					REC		REC						
	REC		REC		LOW		HIGH		NORMAL				
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	93	2001	30	1903	63	2015	70	1916		77	55	66	
APPLETON	99	2001	46	1917	68	1972	77	2001		80	62	71	
GREEN BAY	97	2001	45	1975	64	1904	74	2001		79	58	68	
MANITOWOC	94	1900	47	1903	62	1884	78	2001		77	62	69	
MARSHFIELD	95	1937,1988	35	1975	64	2009	74	2001		79	58	68	
MERRILL	96	1937	36	1975	63	1917	70	1933		79	55	67	
OSHKOSH	98	1918	44	1976	68	1989	76	1916		81	60	71	
RHINELANDER	94	1937	40	1921	60	1917,1972	68	1983		79	54	66	
STEVENS POINT	98	1937	44	1903,2006	63	1904	75	2001		79	59	69	
STURGEON BAY	95	2001	42	1989	65	1917	73	1947,2001		78	59	69	
WAUSAU	95	2001	43	1903	60	1972	74	2001		79	58	69	
WISCONSIN RAPIDS	97	1937,2001	40	1975	65	2009	74	1916		81	58	70	

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	3.78	1960	0.0						0.90	16.34	0.0	0.0
APPLETON	1.53	1980	0.0						0.91	18.73	0.0	0.0
GREEN BAY	1.24	2015	0.0						0.77	17.80	0.0	0.0
MANITOWOC	2.25	1981	0.0						0.89	18.94	0.0	0.0
MARSHFIELD	1.53	1967	0.0						0.98	19.39	0.0	0.0
MERRILL	2.20	1960	0.0						0.96	18.42	0.0	0.0
OSHKOSH	1.28	1933	0.0						0.91	19.09	0.0	0.0
RHINELANDER	2.10	1966	0.0						0.76	18.35	0.0	0.0
STEVENS POINT	2.03	2015	0.0						0.93	19.74	0.0	0.0
STURGEON BAY	2.29	1959	0.0						0.78	18.53	0.0	0.0

WAUSAU	1.48	2015	0.0						0.96	19.01	0.0	0.0
WISCONSIN RAPIDS	1.20	1980	0.0						0.97	19.56	0.0	0.0

AUGUST 7

--	--	--	--	--	--	--	--	--	--	--	--	--

AUGUST 8

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	95	1894	40	1908	60	1994	70	1909		77	55	66
APPLETON	96	2001	44	1904	65	1964	77	2001		80	62	71
GREEN BAY	98	1891	45	1904	64	1918	75	1900		79	58	68
MANITOWOC	99	1891	40	1926	64	1904	78	2001		77	62	69
MARSHFIELD	92	1936,1983	38	1942	64	1972	71	2001		79	58	68
MERRILL	94	1928	34	1923	63	1994	69	1968		79	55	67
OSHKOSH	98	1891	40	1921	68	1987	78	2001		81	60	71
RHINELANDER	93	2005	40	1923	61	1924	69	2001		78	54	66
STEVENS POINT	97	1914	34	1904	68	1972	77	1900		79	59	69
STURGEON BAY	97	2001	42	1926	67	1922,1972,1994	76	1946		78	59	69
WAUSAU	95	1937	42	1904	61	1972	72	2001		79	58	69
WISCONSIN RAPIDS	99	1937	37	1904	63	1972	72	2001		81	58	70

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	2.00	2010	0.0						1.04	16.48	0.0	0.0
APPLETON	2.15	2009	0.0						1.05	18.87	0.0	0.0
GREEN BAY	0.98	1950	0.0						0.89	17.92	0.0	0.0
MANITOWOC	3.00	1905	0.0						1.02	19.07	0.0	0.0
MARSHFIELD	2.58	1980	0.0						1.13	19.54	0.0	0.0
MERRILL	1.81	1918	0.0						1.10	18.56	0.0	0.0
OSHKOSH	1.88	1980	0.0						1.04	19.22	0.0	0.0
RHINELANDER	1.95	1918	0.0						0.87	18.46	0.0	0.0
STEVENS POINT	2.48	1918	0.0						1.06	19.87	0.0	0.0

STURGEON BAY	1.13	2010	0.0						0.89	18.64	0.0	0.0
WAUSAU	1.64	2010	0.0						1.10	19.15	0.0	0.0
WISCONSIN RAPIDS	3.53	1918	0.0						1.11	19.70	0.0	0.0

AUGUST 8

AUGUST 9

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	90	1914	37	1972	60	1904	70	2001,2005		77	55	66
APPLETON	97	1936	41	1903	64	1982	73	1984		80	62	71
GREEN BAY	94	1900,1934	41	1964	64	1960	77	1891		79	58	68
MANITOWOC	96	1891,1934	43	1926	60	1924	76	1949		76	62	69
MARSHFIELD	96	1936	39	1927,1964,1972	62	1966	70	1934,2001		79	58	68
MERRILL	93	1934	36	1923	64	1994	70	1995,2001		79	55	67
OSHKOSH	99	1936	42	1972	65	1994	77	1891		81	60	70
RHINELANDER	92	1975	38	1964	59	1982	69	1914		78	54	66
STEVENS POINT	97	1936	42	1972	61	1904	80	1914		79	59	69
STURGEON BAY	92	2001	42	1964	64	1972	75	2001		78	59	69
WAUSAU	92	1934,1958,1975	40	1903,1964	61	1982	71	1936		79	58	68
WISCONSIN RAPIDS	98	1949	39	1964	65	1982	70	1914		81	58	70

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.75	1985	0.0							1.17	16.61	0.0	0.0
APPLETON	3.45	1961	0.0							1.18	19.00	0.0	0.0
GREEN BAY	2.16	1906	0.0							1.01	18.04	0.0	0.0
MANITOWOC	1.47	1942	0.0							1.14	19.19	0.0	0.0
MARSHFIELD	1.85	1938	0.0							1.26	19.67	0.0	0.0
MERRILL	1.96	1985	0.0							1.25	18.71	0.0	0.0
OSHKOSH	2.80	1977	0.0							1.17	19.35	0.0	0.0
RHINELANDER	2.65	1912	0.0							0.98	18.57	0.0	0.0

STEVENS POINT	2.11	1965	0.0						1.19	20.00	0.0	0.0
STURGEON BAY	2.57	1912	0.0						1.00	18.75	0.0	0.0
WAUSAU	2.11	1979	0.0						1.24	19.29	0.0	0.0
WISCONSIN RAPIDS	2.04	1912	0.0						1.25	19.84	0.0	0.0

AUGUST 9

AUGUST 10

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	92	1944	37	1982	57	2004	69	1937		77	55	66
APPLETON	98	1944	49	1972,1982,2008	58	1994	72	1937,1995		80	62	71
GREEN BAY	95	1944	44	1972	60	1994	74	1900		79	58	68
MANITOWOC	98	1944	45	1890,1972	60	1994	72	1949		76	62	69
MARSHFIELD	95	1944	42	1967,1982	60	2004	71	1995		78	58	68
MERRILL	95	1944	36	1982	55	2004	70	1944		79	55	67
OSHKOSH	99	1944	45	1982	59	1994	71	1995		81	60	70
RHINELANDER	91	1944	38	1982	58	2004	71	1944		78	54	66
STEVENS POINT	99	1944	42	1982	59	2004	72	1937		79	59	69
STURGEON BAY	95	1944	40	1972	62	1994	70	1949,1995,2016		78	59	69
WAUSAU	98	1899	39	1903	57	1994	71	1995		79	58	68
WISCONSIN RAPIDS	102	1944	39	1930	56	1994	72	1995		81	58	69

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.94	1912	0.0							1.30	16.74	0.0	0.0
APPLETON	1.68	1938	0.0							1.31	19.13	0.0	0.0
GREEN BAY	1.85	1921	0.0							1.13	18.16	0.0	0.0
MANITOWOC	2.04	2020	0.0							1.26	19.31	0.0	0.0
MARSHFIELD	2.34	1938	0.0							1.40	19.81	0.0	0.0
MERRILL	1.77	1912	0.0							1.39	18.85	0.0	0.0
OSHKOSH	3.29	1938	0.0							1.29	19.47	0.0	0.0

RHINELANDER	1.65	1958	0.0							1.09	18.68	0.0	0.0
STEVENS POINT	4.46	1938	0.0							1.32	20.13	0.0	0.0
STURGEON BAY	1.60	1958	0.0							1.12	18.87	0.0	0.0
WAUSAU	2.74	1941	0.0							1.38	19.43	0.0	0.0
WISCONSIN RAPIDS	0.71	1912	0.0							1.39	19.98	0.0	0.0

AUGUST 10

--	--	--	--	--	--	--	--	--	--	--	--	--	--

AUGUST 11

					REC		REC						
	REC		REC		LOW		HIGH		NORMAL				
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	94	1947	33	1967	52	2004	74	1944		77	55	66	
APPLETON	98	1944	46	1967	57	2004	74	2016		80	62	71	
GREEN BAY	95	1944	40	1967	61	2004	70	1905,2010,2016		78	58	68	
MANITOWOC	98	1944	42	1967	59	2004	75	1944		76	62	69	
MARSHFIELD	92	1988	37	1967	56	2004	72	1944		78	58	68	
MERRILL	94	1944	33	1982	52	2004	73	1944		79	55	67	
OSHKOSH	99	1944	41	1967	59	2004	74	1944		80	60	70	
RHINELANDER	90	1947,2018	39	1950	52	2004	71	1947		78	54	66	
STEVENS POINT	97	1944	38	1902	55	2004	75	1944		79	59	69	
STURGEON BAY	94	1944	40	1967	59	2004	71	1995,2016		78	59	69	
WAUSAU	93	1947	42	1967,1982	55	2004	70	2016		79	58	68	
WISCONSIN RAPIDS	99	1944	38	1930	56	2004	73	1944		81	58	69	

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	2.13	1896	0.0						1.43	16.87	0.0	0.0
APPLETON	1.97	2010	0.0						1.43	19.25	0.0	0.0
GREEN BAY	1.52	2002	0.0						1.25	18.28	0.0	0.0
MANITOWOC	1.88	1941	0.0						1.39	19.44	0.0	0.0
MARSHFIELD	2.35	2002	0.0						1.55	19.96	0.0	0.0
MERRILL	1.85	1995	0.0						1.53	18.99	0.0	0.0

OSHKOSH	1.52	1941	0.0							1.41	19.59	0.0	0.0
RHINELANDER	2.62	2016	0.0							1.19	18.78	0.0	0.0
STEVENS POINT	1.61	2005	0.0							1.45	20.26	0.0	0.0
STURGEON BAY	1.48	1995	0.0							1.23	18.98	0.0	0.0
WAUSAU	1.35	1995	0.0							1.52	19.57	0.0	0.0
WISCONSIN RAPIDS	1.30	1909	0.0							1.53	20.12	0.0	0.0

AUGUST 11

--	--	--	--	--	--	--	--	--	--	--	--	--	--

AUGUST 12

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	96	1947	37	1903	52	1902	72	1947		77	55	66	
APPLETON	96	1988	45	1903	60	1992	77	1988		80	62	71	
GREEN BAY	94	1947	44	1954	63	1992	75	1947		78	58	68	
MANITOWOC	94	1944	45	1983	64	1997,2004	73	1988		76	62	69	
MARSHFIELD	94	1947	38	1966	61	1964	70	1995		78	58	68	
MERRILL	96	1947	37	1982	61	1964	74	1947		79	55	67	
OSHKOSH	94	1947,1988	46	1902,1954,1982	58	1992	81	1901		80	60	70	
RHINELANDER	94	1947	37	1930	56	1964	74	1947		78	54	66	
STEVENS POINT	97	1944	41	1903	62	1964	72	1947		79	59	69	
STURGEON BAY	92	1947	41	1950	63	1997	69	1947,1965,1995,2007		78	59	69	
WAUSAU	95	1947	38	1902	61	1916	73	1947		79	58	68	
WISCONSIN RAPIDS	103	1947	41	1967	59	1964	70	2010		81	58	69	

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	2.57	1985	0.0							1.56	17.00	0.0	0.0
APPLETON	1.40	1918	0.0							1.56	19.38	0.0	0.0
GREEN BAY	1.60	1995	0.0							1.36	18.39	0.0	0.0
MANITOWOC	2.10	1900	0.0							1.51	19.56	0.0	0.0
MARSHFIELD	1.58	1985	0.0							1.69	20.10	0.0	0.0

MERRILL	2.25	1985	0.0							1.67	19.13	0.0	0.0
OSHKOSH	1.62	1985	0.0							1.54	19.72	0.0	0.0
RHINELANDER	2.00	1963	0.0							1.30	18.89	0.0	0.0
STEVENS POINT	2.15	2002	0.0							1.58	20.39	0.0	0.0
STURGEON BAY	3.10	2014	0.0							1.35	19.10	0.0	0.0
WAUSAU	2.81	1985	0.0							1.66	19.71	0.0	0.0
WISCONSIN RAPIDS	1.95	1985	0.0							1.66	20.25	0.0	0.0

AUGUST 12

AUGUST 13

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	93	1944	37	1902,2004	63	1992	74	1947		77	55	66	
APPLETON	97	1944	44	1903	64	1951,2004	77	1988		79	62	70	
GREEN BAY	97	1944	44	1964	62	1887,1951	73	1947		78	58	68	
MANITOWOC	95	1944	45	1903	62	1883,1992	72	1947		76	62	69	
MARSHFIELD	94	1944,1947	39	1916,1924	61	1992	70	1988		78	58	68	
MERRILL	96	1944	32	2004	64	1992,2004	76	1947		79	55	67	
OSHKOSH	100	1944	44	1950	64	2004	75	1918		80	60	70	
RHINELANDER	91	1944,1947	38	2013	64	1964, 2013	71	1988		78	54	66	
STEVENS POINT	99	1944	37	1897	61	1992	73	1947,2010		78	59	68	
STURGEON BAY	96	1944	41	1950	64	1924	74	1918		78	59	68	
WAUSAU	96	1944	42	1916	62	1951	72	1988		78	58	68	
WISCONSIN RAPIDS	103	1944	41	1950	62	1929	72	1988		80	58	69	

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW	MONTH	SEASON
ANTIGO	1.65	2006	0.0							1.69	17.13	0.0	0.0
APPLETON	2.00	1985	0.0							1.69	19.51	0.0	0.0
GREEN BAY	1.12	1975	0.0							1.48	18.51	0.0	0.0
MANITOWOC	1.35	1985	0.0							1.63	19.68	0.0	0.0

MARSHFIELD	3.00	1917	0.0						1.83	20.24	0.0	0.0
MERRILL	1.36	1995	0.0						1.81	19.27	0.0	0.0
OSHKOSH	1.90	1995	0.0						1.67	19.85	0.0	0.0
RHINELANDER	1.29	1923	0.0						1.40	18.99	0.0	0.0
STEVENS POINT	1.42	1995	0.0						1.71	20.52	0.0	0.0
STURGEON BAY	1.72	1929	0.0						1.47	19.22	0.0	0.0
WAUSAU	1.94	1940	0.0						1.79	19.84	0.0	0.0
WISCONSIN RAPIDS	2.53	1995	0.0						1.80	20.39	0.0	0.0

AUGUST 13

AUGUST 14

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	93	1944	36	2013	61	1951	73	1938		77	54	66	
APPLETON	96	1913	41	2013	61	1929	75	1988		79	61	70	
GREEN BAY	96	1965	40	1964	59	1929	75	1938		78	58	68	
MANITOWOC	93	1938	45	1964	63	1885	73	2015		76	62	69	
MARSHFIELD	92	1978,1983	38	1964	64	1929,1951	71	1938		78	58	68	
MERRILL	96	1944	35	1933	64	1951	73	1938		78	55	66	
OSHKOSH	95	1937	42	1964	64	1929	74	1988		80	60	70	
RHINELANDER	90	1922,1965,2018	34	2013	61	1979,1997	70	1965		78	53	66	
STEVENS POINT	98	1944	38	1964	66	1951	72	1938		78	58	68	
STURGEON BAY	95	1965	42	1924,1934	65	1907	72	1988		78	59	68	
WAUSAU	92	1938,1965,2015	38	1964	60	1929	73	1938		78	58	68	
WISCONSIN RAPIDS	99	1944	34	1964	66	1979	71	1965		80	58	69	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.43	2000	0.0							1.82	17.26	0.0	0.0
APPLETON	3.26	1995	0.0							1.82	19.64	0.0	0.0
GREEN BAY	1.00	1986	0.0							1.59	18.62	0.0	0.0

MANITOWOC	1.94	1911	0.0						1.75	19.80	0.0	0.0
MARSHFIELD	3.48	1995	0.0						1.97	20.38	0.0	0.0
MERRILL	1.90	2000	0.0						1.95	19.41	0.0	0.0
OSHKOSH	1.83	2000	0.0						1.79	19.97	0.0	0.0
RHINELANDER	2.18	1978	0.0						1.51	19.10	0.0	0.0
STEVENS POINT	1.95	1995	0.0						1.83	20.64	0.0	0.0
STURGEON BAY	2.33	2000	0.0						1.58	19.33	0.0	0.0
WAUSAU	1.84	2009	0.0						1.93	19.98	0.0	0.0
WISCONSIN RAPIDS	1.83	1981	0.0						1.93	20.52	0.0	0.0

AUGUST 14

AUGUST 15

					REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	94	1936	34	1976	61	1951	68	1978		77	54	66
APPLETON	94	1913,1922	42	1992	62	1905,1951	75	1987		79	61	70
GREEN BAY	93	1937	41	1992	63	1951	72	1937		78	57	68
MANITOWOC	92	1965	45	1885,1976	65	1879	76	1878		76	61	69
MARSHFIELD	100	1936	36	1979	63	1951,2001	69	1987		78	58	68
MERRILL	101	1936	32	1976	62	1979	69	1913		78	54	66
OSHKOSH	96	1937	41	1976	63	1951	72	1940		80	60	70
RHINELANDER	93	1936	37	1979	63	2001	69	1937,1988,2009		78	53	65
STEVENS POINT	96	1936	41	1929	61	1951	69	1913		78	58	68
STURGEON BAY	94	1965	43	1927,1960,1992	63	1912	70	1938,1987		78	59	68
WAUSAU	95	1936	41	1992	62	1951	71	1987		78	58	68
WISCONSIN RAPIDS	96	1913	35	1992	61	1910	75	1948		80	57	69
	REC		REC							NORMAL		
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.50	1944	0.0						1.95	17.39	0.0	0.0
APPLETON	1.09	1951	0.0						1.94	19.76	0.0	0.0

GREEN BAY	1.68	1997	0.0						1.71	18.74	0.0	0.0
MANITOWOC	1.70	1924	0.0						1.87	19.92	0.0	0.0
MARSHFIELD	0.94	2000	0.0						2.12	20.53	0.0	0.0
MERRILL	1.45	1959	0.0						2.09	19.55	0.0	0.0
OSHKOSH	2.59	1966	0.0						1.92	20.10	0.0	0.0
RHINELANDER	3.48	1978	0.0						1.61	19.20	0.0	0.0
STEVENS POINT	2.00	1944	0.0						1.96	20.77	0.0	0.0
STURGEON BAY	1.64	1944	0.0						1.70	19.45	0.0	0.0
WAUSAU	2.08	1940	0.0						2.07	20.12	0.0	0.0
WISCONSIN RAPIDS	1.80	1951	0.0						2.06	20.65	0.0	0.0

AUGUST 15

--	--	--	--	--	--	--	--	--	--	--	--	--

AUGUST 16

					REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	94	1936,1988	37	1976	64	1977	71	1913		77	54	65
APPLETON	103	1988	45	1992	67	1980	74	1913,1988		79	61	70
GREEN BAY	99	1988	44	1992	68	1912	76	1937		78	57	68
MANITOWOC	99	1878	45	1998	65	1998	77	1878		76	61	69
MARSHFIELD	102	1988	37	1979	63	2004	71	1937		78	57	68
MERRILL	98	1988	34	1976	64	1942	71	1913		78	54	66
OSHKOSH	102	1937	44	1979	67	1912	73	1987		80	60	70
RHINELANDER	97	1988	38	1979	59	1924	69	1937		77	53	65
STEVENS POINT	97	1937	43	1899	63	2001	72	1913		78	58	68
STURGEON BAY	96	1913,1937	40	1912	63	1941	70	1987		78	59	68
WAUSAU	99	1988	42	1979	64	1979	73	1913		78	57	68
WISCONSIN RAPIDS	103	1988	34	1979	57	1927	74	1937		80	57	69
	REC		REC							NORMAL		
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW
									MONTH	YEAR	MONTH	SEASON
ANTIGO	2.02	1940	0.0						2.07	17.51	0.0	0.0

APPLETON	2.15	1907	0.0							2.07	19.89	0.0	0.0
GREEN BAY	2.36	1907	0.0							1.82	18.85	0.0	0.0
MANITOWOC	1.10	1907	0.0							1.99	20.04	0.0	0.0
MARSHFIELD	1.66	1928	0.0							2.26	20.67	0.0	0.0
MERRILL	2.46	1940	0.0							2.23	19.69	0.0	0.0
OSHKOSH	2.71	1983	0.0							2.05	20.23	0.0	0.0
RHINELANDER	2.00	1974	0.0							1.72	19.31	0.0	0.0
STEVENS POINT	1.42	1966	0.0							2.09	20.90	0.0	0.0
STURGEON BAY	1.53	1907	0.0							1.81	19.56	0.0	0.0
WAUSAU	2.35	1940	0.0							2.21	20.26	0.0	0.0
WISCONSIN RAPIDS	2.28	1949	0.0							2.20	20.79	0.0	0.0

AUGUST 16

AUGUST 17

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	95	1947	34	1896	56	1997	78	1902		76	54	65	
APPLETON	100	1988	47	1963	61	1997	72	1990,1995		79	61	70	
GREEN BAY	96	1947	42	1954	61	1997	72	1922,1995		78	57	68	
MANITOWOC	93	1922	47	1889,1962	62	1924	72	1995		76	61	69	
MARSHFIELD	100	1988	40	1924,1963,1976	62	1927	73	1983		78	57	67	
MERRILL	96	1947	34	1981	57	1997	71	1913,1988		78	54	66	
OSHKOSH	100	1988	46	1924	62	1997	76	1988		80	60	70	
RHINELANDER	94	1947	36	1924	62	2000	68	1908,1922		77	53	65	
STEVENS POINT	100	1947	42	1953	63	2000	79	1988		78	58	68	
STURGEON BAY	93	1922	42	1941	61	1997	79	1922		78	59	68	
WAUSAU	97	1947	44	1924,1963,1976	58	1927	70	1983,1995		78	57	68	
WISCONSIN RAPIDS	103	1988	39	1992	63	1997	71	1988		80	57	68	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON

ANTIGO	1.85	1972	0.0						2.20	17.64	0.0	0.0
APPLETON	2.22	1946	0.0						2.19	20.01	0.0	0.0
GREEN BAY	2.61	1951	0.0						1.93	18.96	0.0	0.0
MANITOWOC	1.13	1914	0.0						2.12	20.17	0.0	0.0
MARSHFIELD	1.68	1983	0.0						2.40	20.81	0.0	0.0
MERRILL	1.00	1912	0.0						2.37	19.83	0.0	0.0
OSHKOSH	2.00	1922	0.0						2.17	20.35	0.0	0.0
RHINELANDER	2.78	1973	0.0						1.81	19.40	0.0	0.0
STEVENS POINT	1.80	1983	0.0						2.22	21.03	0.0	0.0
STURGEON BAY	1.33	1912	0.0						1.93	19.68	0.0	0.0
WAUSAU	0.95	1998	0.0						2.34	20.39	0.0	0.0
WISCONSIN RAPIDS	1.35	1932	0.0						2.33	20.92	0.0	0.0

AUGUST 17

AUGUST 18

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	95	1916	33	1977	60	1927	68	1947		76	54	65
APPLETON	99	1947	43	1915	64	1924,2007	71	1955		79	61	70
GREEN BAY	97	1955	41	1963	63	1898,1927,1929	71	1947,1995		78	57	67
MANITOWOC	92	1934	42	1950	62	2007	76	1947		76	61	68
MARSHFIELD	94	1936,1947,1988	35	1950	59	1997	70	1947		77	57	67
MERRILL	96	1916	33	1977	61	1985	69	1905		78	54	66
OSHKOSH	97	1947	39	1950	62	1991	74	1947		80	59	70
RHINELANDER	96	1934	36	1950	59	1985	68	1955		77	53	65
STEVENS POINT	101	1947	37	1950	58	1997	72	1947		78	58	68
STURGEON BAY	99	1955	39	1963	64	1927	71	1947		77	59	68
WAUSAU	94	1916,1947	38	1950	60	2007	69	1955,1995		78	57	67
WISCONSIN RAPIDS	103	1947	39	1929	61	2007	71	1921		80	57	68
	REC		REC							NORMAL		

	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.49	1990	0.0						2.31	17.75	0.0	0.0
APPLETON	1.80	1914	0.0						2.31	20.13	0.0	0.0
GREEN BAY	1.66	2005	0.0						2.04	19.07	0.0	0.0
MANITOWOC	1.96	1937	0.0						2.24	20.29	0.0	0.0
MARSHFIELD	2.60	1990	0.0						2.54	20.95	0.0	0.0
MERRILL	1.95	1990	0.0						2.50	19.96	0.0	0.0
OSHKOSH	3.83	1990	0.0						2.29	20.47	0.0	0.0
RHINELANDER	2.07	1994	0.0						1.91	19.50	0.0	0.0
STEVENS POINT	3.00	1914	0.0						2.34	21.15	0.0	0.0
STURGEON BAY	2.18	1985	0.0						2.04	19.79	0.0	0.0
WAUSAU	2.03	1990	0.0						2.47	20.52	0.0	0.0
WISCONSIN RAPIDS	3.61	2014	0.0						2.46	21.05	0.0	0.0

AUGUST 18

AUGUST 19

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	93	1916	34	1896	56	1990	68	1916		76	54	65
APPLETON	96	1916,1955	45	2004	61	2007	74	1916,1993		79	61	70
GREEN BAY	96	1900,1955	42	2004	62	2007	75	1916		78	57	67
MANITOWOC	94	1983	46	2004	61	1904	75	1955		76	61	68
MARSHFIELD	93	1916	36	1967	59	2007	70	1983		77	57	67
MERRILL	95	1916	34	2004	58	1990	70	1935		78	54	66
OSHKOSH	95	1916	41	1930	63	1990,2007	72	1916		80	59	70
RHINELANDER	93	1916	36	2004	56	1990	69	1976		77	53	65
STEVENS POINT	100	1916	38	1897	60	1967,2007	71	1983		78	58	68
STURGEON BAY	96	1955	41	1929	60	1927	71	1955		77	58	68
WAUSAU	95	1955	35	1897	58	1990,2007	70	1916		78	57	67
WISCONSIN RAPIDS	98	1955	37	2004	62	2007	76	1917		79	57	68

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.43	1997	0.0						2.43	17.87	0.0	0.0
APPLETON	2.30	1994	0.0						2.43	20.25	0.0	0.0
GREEN BAY	2.08	1994	0.0						2.15	19.18	0.0	0.0
MANITOWOC	2.34	1947	0.0						2.35	20.40	0.0	0.0
MARSHFIELD	3.30	1935	0.0						2.67	21.08	0.0	0.0
MERRILL	3.12	1947	0.0						2.63	20.09	0.0	0.0
OSHKOSH	2.40	1937	0.0						2.41	20.59	0.0	0.0
RHINELANDER	1.14	1938	0.0						2.01	19.60	0.0	0.0
STEVENS POINT	5.01	1947	0.0						2.47	21.28	0.0	0.0
STURGEON BAY	1.55	1947	0.0						2.15	19.90	0.0	0.0
WAUSAU	1.84	1968	0.0						2.61	20.66	0.0	0.0
WISCONSIN RAPIDS	1.38	1947	0.0						2.59	21.18	0.0	0.0

AUGUST 19

AUGUST 20

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME	
ANTIGO	96	1916	33	1950	59	1997	72	1955	76	54	65	
APPLETON	98	1916	40	1908	63	1997,2007	74	1916,1955	79	61	70	
GREEN BAY	97	1955	39	1950	64	1907,1985,1990	75	1916	77	57	67	
MANITOWOC	97	1955	44	1897	61	1924	75	1955	75	61	68	
MARSHFIELD	95	1916	34	1950	63	1926,1990,2007	69	1947,2003	77	57	67	
MERRILL	96	1916	34	1950	62	2015	70	1906	78	54	66	
OSHKOSH	97	1916	40	1950	63	1990	75	1955	80	59	69	
RHINELANDER	94	1916	34	1908	58	1997	69	1959	77	53	65	
STEVENS POINT	95	1916	34	1908	60	1990	72	1935	78	58	68	
STURGEON BAY	98	1916	36	1908	59	1997	73	1916,1955	77	58	68	
WAUSAU	95	1916	36	1950	62	1895,2007	71	1906	77	57	67	

WISCONSIN RAPIDS	98	1916	36	1940	57	1940	72	1959		79	56	68
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.27	2009	0.0						2.55	17.99	0.0	0.0
APPLETON	1.81	1960	0.0						2.55	20.37	0.0	0.0
GREEN BAY	2.98	2010	0.0						2.26	19.29	0.0	0.0
MANITOWOC	1.83	2007	0.0						2.47	20.52	0.0	0.0
MARSHFIELD	4.17	1926	0.0						2.81	21.22	0.0	0.0
MERRILL	1.50	1980	0.0						2.76	20.22	0.0	0.0
OSHKOSH	1.84	1926	0.0						2.53	20.71	0.0	0.0
RHINELANDER	4.06	1926	0.0						2.11	19.70	0.0	0.0
STEVENS POINT	2.50	2007	0.0						2.59	21.40	0.0	0.0
STURGEON BAY	2.60	1997	0.0						2.26	20.01	0.0	0.0
WAUSAU	5.16	1926	0.0						2.74	20.79	0.0	0.0
WISCONSIN RAPIDS	1.47	1952	0.0						2.72	21.31	0.0	0.0

AUGUST 20

AUGUST 21

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	97	1955,2002	34	1894,2004	60	2009	71	2002		76	54	65
APPLETON	99	1955	41	1909	63	1966	71	1918		79	60	69
GREEN BAY	99	1955	39	2004	63	1966	72	1906,1918		77	57	67
MANITOWOC	99	1955	43	2004	63	1907	72	1906		75	61	68
MARSHFIELD	97	1955	35	2004	63	1923	70	2003		77	57	67
MERRILL	94	1955	30	2004	61	1950	69	1968		77	53	65
OSHKOSH	99	1955	38	1890	66	1939	78	1942		80	59	69
RHINELANDER	91	1955	34	2004	58	1923	68	1959		76	52	64
STEVENS POINT	101	1955	34	2004	63	1964	72	1959		77	57	67

STURGEON BAY	102	1955	39	1907	63	1907	71	1906		77	58	68	
WAUSAU	99	1955	39	2004	58	1923,1966	70	1898		77	57	67	
WISCONSIN RAPIDS	103	1955	32	1925	56	1939	71	1906		79	56	68	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	3.82	1926	0.0							2.67	18.11	0.0	0.0
APPLETON	2.30	1939	0.0							2.66	20.48	0.0	0.0
GREEN BAY	2.57	1983	0.0							2.36	19.39	0.0	0.0
MANITOWOC	2.57	1959	0.0							2.59	20.64	0.0	0.0
MARSHFIELD	3.36	1939	0.0							2.95	21.36	0.0	0.0
MERRILL	2.27	1926	0.0							2.90	20.36	0.0	0.0
OSHKOSH	1.73	1975	0.0							2.64	20.82	0.0	0.0
RHINELANDER	1.80	1936	0.0							2.22	19.81	0.0	0.0
STEVENS POINT	3.14	1928	0.0							2.71	21.52	0.0	0.0
STURGEON BAY	2.10	2002	0.0							2.37	20.12	0.0	0.0
WAUSAU	2.98	1924	0.0							2.87	20.92	0.0	0.0
WISCONSIN RAPIDS	4.35	1926	0.0							2.84	21.43	0.0	0.0

AUGUST 21

AUGUST 22

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	93	1947	32	1967	58	1923	70	1906		76	54	65	
APPLETON	97	1947	41	1967	66	1923,1940	74	1968		78	60	69	
GREEN BAY	95	1947	38	1950,1967	60	1890	74	1968		77	56	67	
MANITOWOC	96	1955	44	1967	60	1902	72	1942		75	61	68	
MARSHFIELD	93	1947	33	1967	61	1966	72	1968		77	56	67	
MERRILL	93	1968	33	1950	62	1964	72	1968		77	53	65	
OSHKOSH	95	1947	38	1967	63	1890	77	1898		79	59	69	

RHINELANDER	92	1947	35	1920	58	1940,1964	69	1959,1968		76	52	64	
STEVENS POINT	97	1947	37	1950	62	1966	74	1968		77	57	67	
STURGEON BAY	96	1968	36	1950,1967	61	1940	68	1906		77	58	67	
WAUSAU	93	1947	39	1920,1950,1967	60	1964	74	1968		77	56	67	
WISCONSIN RAPIDS	99	1947	34	2004	63	1966	75	1968		79	56	67	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	5.16	1959	0.0							2.79	18.23	0.0	0.0
APPLETON	2.53	1924	0.0							2.78	20.60	0.0	0.0
GREEN BAY	2.38	1910	0.0							2.46	19.49	0.0	0.0
MANITOWOC	3.35	1883	0.0							2.70	20.75	0.0	0.0
MARSHFIELD	2.10	1928	0.0							3.09	21.50	0.0	0.0
MERRILL	2.09	1959	0.0							3.03	20.49	0.0	0.0
OSHKOSH	1.34	1924	0.0							2.75	20.93	0.0	0.0
RHINELANDER	2.47	1936	0.0							2.32	19.91	0.0	0.0
STEVENS POINT	2.32	1924	0.0							2.84	21.65	0.0	0.0
STURGEON BAY	2.35	1924	0.0							2.49	20.24	0.0	0.0
WAUSAU	1.50	1988	0.0							3.00	21.05	0.0	0.0
WISCONSIN RAPIDS	2.82	1924	0.0							2.96	21.55	0.0	0.0

AUGUST 22

AUGUST 23

					REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	92	1894,1947	35	1908	60	1927	73	1947		75	53	64
APPLETON	97	1947	43	1908	64	1942,1973	76	1947		78	60	69
GREEN BAY	95	1947	41	1890,1952	61	1887,1891	75	1968		77	56	67
MANITOWOC	96	1968	43	1920	62	1887	72	1947		75	61	68
MARSHFIELD	93	1968	37	1920	60	1940	71	1968,2014		76	56	66

MERRILL	97	1948	35	1940	61	2015	76	1947		77	53	65	
OSHKOSH	97	1947	41	1940	63	1890,1891	75	1898		79	58	69	
RHINELANDER	93	1968	36	1940	56	1966	71	1947,1968		76	52	64	
STEVENS POINT	100	1948	36	1908	63	1940	73	1968		77	57	67	
STURGEON BAY	95	1947,1968	41	1940,1946,1952	63	2004	75	1968		77	58	67	
WAUSAU	96	1948	38	1897	64	1897,1939,1940	74	1968		77	56	67	
WISCONSIN RAPIDS	103	1948	33	1927	61	1972	74	1968		79	56	67	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.70	1948	0.0							2.91	18.35	0.0	0.0
APPLETON	1.60	1962	0.0							2.90	20.72	0.0	0.0
GREEN BAY	1.40	1975	0.0							2.56	19.59	0.0	0.0
MANITOWOC	1.45	1975	0.0							2.80	20.85	0.0	0.0
MARSHFIELD	1.76	1959	0.0							3.22	21.63	0.0	0.0
MERRILL	1.56	1962	0.0							3.16	20.62	0.0	0.0
OSHKOSH	1.65	1995	0.0							2.86	21.04	0.0	0.0
RHINELANDER	3.00	1943	0.0							2.42	20.01	0.0	0.0
STEVENS POINT	2.01	1975	0.0							2.96	21.77	0.0	0.0
STURGEON BAY	1.45	1957	0.0							2.60	20.35	0.0	0.0
WAUSAU	1.81	1978	0.0							3.13	21.18	0.0	0.0
WISCONSIN RAPIDS	3.51	1975	0.0							3.08	21.67	0.0	0.0

AUGUST 23

AUGUST 24

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	96	1948	32	1896	57	2015	74	1948		75	53	64	
APPLETON	100	1948	42	1908,1942	62	2015	76	1948		78	60	69	
GREEN BAY	100	1948	41	1987	60	1890	78	1948		77	56	66	

MANITOWOC	100	1948	43	1920	64	1887,1890,1914,2017	73	1948		75	60	68
MARSHFIELD	99	1948	35	1934	58	1940	74	1947		76	56	66
MERRILL	97	1948	31	1977	57	1915	72	1948		77	53	65
OSHKOSH	101	1948	39	1942	62	1890	76	1892,1948		79	58	69
RHINELANDER	93	1948	34	1934	50	1917	72	1948		76	52	64
STEVENS POINT	102	1948	37	1908	58	2015	75	1948		77	57	67
STURGEON BAY	96	1948	39	1927,1940,1942	61	1914	72	1947		77	58	67
WAUSAU	99	1948	35	1942	56	1915,1917	72	1948		77	56	66
WISCONSIN RAPIDS	107	1948	32	1942	61	2015	73	1948		78	56	67

	REC		REC							NORMAL		
--	-----	--	-----	--	--	--	--	--	--	--------	--	--

	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW	
--	------	---------	------	---------	--	--	--	--	--	------	------	--

										MONTH	YEAR	MONTH	SEASON
--	--	--	--	--	--	--	--	--	--	-------	------	-------	--------

ANTIGO	2.70	1978	0.0							3.03	18.47	0.0	0.0
APPLETON	1.45	1975	0.0							3.01	20.83	0.0	0.0
GREEN BAY	1.10	2016	0.0							2.66	19.69	0.0	0.0
MANITOWOC	1.33	1936	0.0							2.89	20.94	0.0	0.0
MARSHFIELD	1.74	1978	0.0							3.36	21.77	0.0	0.0
MERRILL	3.74	1962	0.0							3.29	20.75	0.0	0.0
OSHKOSH	1.48	1962	0.0							2.97	21.15	0.0	0.0
RHINELANDER	1.26	1980	0.0							2.53	20.12	0.0	0.0
STEVENS POINT	0.91	1899,2016	0.0							3.07	21.88	0.0	0.0
STURGEON BAY	1.34	1922	0.0							2.71	20.46	0.0	0.0
WAUSAU	1.55	2006	0.0							3.27	21.32	0.0	0.0
WISCONSIN RAPIDS	1.20	1978	0.0							3.19	21.78	0.0	0.0

AUGUST 24

AUGUST 25

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	93	1948	35	1917	58	2015	69	1959		75	53	64	

APPLETON	95	1948	39	1917	62	1940,2015	76	1959		78	59	69
GREEN BAY	96	1948	40	1917,1958	62	1887	74	1948		77	56	66
MANITOWOC	95	1948	41	1917	62	1940	78	1948		75	60	67
MARSHFIELD	100	1948	34	1917	59	2015	71	2013		76	56	66
MERRILL	97	1948	32	1977	59	1982,2015	71	1948		77	53	65
OSHKOSH	97	1917,1948	39	1917	61	2015	73	1959		79	58	69
RHINELANDER	92	2013	34	1917,2008	57	2015	71	1948		75	52	64
STEVENS POINT	101	1948	36	1958	59	2015	73	1948		77	57	67
STURGEON BAY	93	1925,1949	39	1934	57	1940	70	1991		76	57	67
WAUSAU	96	1948	37	1917	60	2015	73	2013		76	56	66
WISCONSIN RAPIDS	105	1948	33	1942	60	2015	74	2013		78	55	67

	REC		REC							NORMAL		
--	-----	--	-----	--	--	--	--	--	--	--------	--	--

	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW	
--	------	---------	------	---------	--	--	--	--	--	------	------	--

										MONTH	YEAR	MONTH	SEASON
--	--	--	--	--	--	--	--	--	--	-------	------	-------	--------

ANTIGO	2.68	1936	0.0							3.15	18.59	0.0	0.0
APPLETON	1.45	1910	0.0							3.12	20.94	0.0	0.0
GREEN BAY	2.75	1906	0.0							2.76	19.79	0.0	0.0
MANITOWOC	1.79	1985	0.0							2.99	21.04	0.0	0.0
MARSHFIELD	0.95	2001	0.0							3.49	21.90	0.0	0.0
MERRILL	1.95	1936	0.0							3.42	20.88	0.0	0.0
OSHKOSH	1.25	1940	0.0							3.08	21.26	0.0	0.0
RHINELANDER	1.32	1932	0.0							2.63	20.22	0.0	0.0
STEVENS POINT	1.16	2018	0.0							3.20	22.01	0.0	0.0
STURGEON BAY	4.57	1910	0.0							2.82	20.57	0.0	0.0
WAUSAU	3.09	1953	0.0							3.40	21.45	0.0	0.0
WISCONSIN RAPIDS	0.88	1954	0.0							3.31	21.90	0.0	0.0

AUGUST 25												
------------------	--	--	--	--	--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--	--	--	--	--	--

AUGUST 26												
------------------	--	--	--	--	--	--	--	--	--	--	--	--

					REC		REC					
--	--	--	--	--	-----	--	-----	--	--	--	--	--

	REC		REC		LOW		HIGH			NORMAL		
--	-----	--	-----	--	-----	--	------	--	--	--------	--	--

LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
----------	------	---------	-----	---------	-----	---------	-----	---------	--	----	----	----

ANTIGO	91	1953	36	1915	57	1940	70	1948		75	53	64
APPLETON	94	1948	39	1915	61	1940	72	1991,1993		78	59	68
GREEN BAY	95	1948	42	1915,1968	58	1915	73	1948		77	56	66
MANITOWOC	94	1953	41	1885	61	1940	75	1959		75	60	67
MARSHFIELD	97	1948	36	1915	60	1940	70	1973		76	56	66
MERRILL	97	1909	35	1915	59	1940	68	1948		76	52	64
OSHKOSH	96	1948	38	1915	61	1940	72	1948		79	58	68
RHINELANDER	90	1991	34	1915	56	1940	71	1991		75	52	63
STEVENS POINT	98	1948	32	1915	58	1940	71	1959		76	56	66
STURGEON BAY	95	1953	41	1934	62	1915	75	1959		76	57	67
WAUSAU	93	1953	36	1915	57	1940	70	1973		76	56	66
WISCONSIN RAPIDS	101	1948	34	1934	59	1940	71	1973, 2013		78	55	66

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	

										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.31	1993	0.0							3.28	18.72	0.0	0.0
APPLETON	1.72	2005	0.0							3.24	21.06	0.0	0.0
GREEN BAY	2.65	1921	0.0							2.86	19.89	0.0	0.0
MANITOWOC	1.82	1921	0.0							3.09	21.14	0.0	0.0
MARSHFIELD	1.84	1981	0.0							3.63	22.04	0.0	0.0
MERRILL	2.08	2013	0.0							3.55	21.01	0.0	0.0
OSHKOSH	1.25	2018	0.0							3.19	21.37	0.0	0.0
RHINELANDER	1.85	1967	0.0							2.74	20.33	0.0	0.0
STEVENS POINT	1.72	1972	0.0							3.32	22.13	0.0	0.0
STURGEON BAY	1.47	1906	0.0							2.92	20.67	0.0	0.0
WAUSAU	1.69	2013	0.0							3.53	21.58	0.0	0.0
WISCONSIN RAPIDS	1.63	1972	0.0							3.42	22.01	0.0	0.0

AUGUST 26

AUGUST 27

					REC		REC						
--	--	--	--	--	-----	--	-----	--	--	--	--	--	--

	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	95	1973	33	1896	57	1903	70	1948		74	53	64	
APPLETON	94	1973	35	1915	60	1986	72	1977,1990		77	59	68	
GREEN BAY	98	1976	39	1968	59	1957	74	1977		76	55	66	
MANITOWOC	96	1973	40	1915	63	1885,1992,2015	75	1953		74	60	67	
MARSHFIELD	95	2013	32	1915	60	1940	73	2013		76	55	65	
MERRILL	97	1973	34	1915	58	1986	70	1948		76	52	64	
OSHKOSH	96	1973	35	1915	57	1986	74	1977		79	58	68	
RHINELANDER	92	1973,1976,1984	30	1915	57	1986	69	1948,1991		75	51	63	
STEVENS POINT	97	1937	33	1915	61	1923	73	1977		76	56	66	
STURGEON BAY	95	1953,1973,1976	33	1915	60	1934	71	1991		76	57	67	
WAUSAU	97	1973	36	1915	58	1986	72	2013		76	55	66	
WISCONSIN RAPIDS	97	2013	35	1915	54	1986	75	2013		78	55	66	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	2.43	1959	0.0							3.40	18.84	0.0	0.0
APPLETON	2.12	2018	0.0							3.35	21.17	0.0	0.0
GREEN BAY	1.81	1979	0.0							2.96	19.99	0.0	0.0
MANITOWOC	3.14	2018	0.0							3.19	21.24	0.0	0.0
MARSHFIELD	2.25	1967	0.0							3.77	22.18	0.0	0.0
MERRILL	1.98	1995	0.0							3.68	21.14	0.0	0.0
OSHKOSH	2.53	2018	0.0							3.30	21.48	0.0	0.0
RHINELANDER	2.16	1921	0.0							2.85	20.44	0.0	0.0
STEVENS POINT	1.49	1995	0.0							3.44	22.25	0.0	0.0
STURGEON BAY	2.44	1967	0.0							3.03	20.78	0.0	0.0
WAUSAU	1.05	1980	0.0							3.65	21.70	0.0	0.0
WISCONSIN RAPIDS	2.45	1943	0.0							3.54	22.13	0.0	0.0
AUGUST 27													
AUGUST 28													

AUGUST 29

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	90	1953	31	1965	57	1903,2009	69	1973		74	52	63
APPLETON	93	1937,1953	40	1934	61	1982,2009	74	1991		77	58	68
GREEN BAY	93	1953	38	1965	57	1915	71	1937		76	55	65
MANITOWOC	93	1953	41	1965	58	1915	74	1973		74	59	67
MARSHFIELD	93	1921,1925,1984	34	1965	59	1965	69	1995		75	55	65
MERRILL	94	1925	32	1976	58	1915,2009	72	1967		76	52	64
OSHKOSH	95	1932	38	1934	63	1929,2009	72	1973		78	57	68
RHINELANDER	91	1984	33	1934	54	2009	69	1973		74	51	62
STEVENS POINT	93	1921	35	1911	60	1903	70	1991		76	56	66
STURGEON BAY	96	1953	33	1934	58	1915	73	1973		76	57	66
WAUSAU	93	1973	35	1965	56	1915	70	1973		75	55	65
WISCONSIN RAPIDS	96	1932	30	1934	58	1982	73	2012		77	54	66
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	2.12	2014	0.0						3.63	19.07	0.0	0.0
APPLETON	2.50	2018	0.0						3.57	21.39	0.0	0.0
GREEN BAY	0.78	1975	0.0						3.16	20.19	0.0	0.0
MANITOWOC	0.90	1970	0.0						3.39	21.44	0.0	0.0
MARSHFIELD	1.88	1942	0.0						4.03	22.44	0.0	0.0
MERRILL	1.55	1983	0.0						3.92	21.38	0.0	0.0
OSHKOSH	1.70	1995	0.0						3.52	21.70	0.0	0.0
RHINELANDER	2.40	1941	0.0						3.06	20.65	0.0	0.0
STEVENS POINT	1.35	1960	0.0						3.67	22.48	0.0	0.0
STURGEON BAY	1.20	1932	0.0						3.25	21.00	0.0	0.0
WAUSAU	1.88	1962	0.0						3.90	21.95	0.0	0.0
WISCONSIN RAPIDS	1.44	1958	0.0						3.76	22.35	0.0	0.0

AUGUST 29

AUGUST 30

	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	90	1908	30	1915	55	1965	72	1932		74	52	63	
APPLETON	94	1937	35	1915	58	1965	74	1932		77	58	67	
GREEN BAY	93	1932,1937,1969	38	1915	60	1965	77	1932		76	55	65	
MANITOWOC	94	1961	38	1915	60	1915	76	1953		74	59	66	
MARSHFIELD	93	1969, 2012	28	1915	56	1965	72	1932		75	55	65	
MERRILL	96	1937	30	1915	56	1965	70	1942		75	51	63	
OSHKOSH	96	1932	32	1915	60	1965	76	1921		78	57	67	
RHINELANDER	92	2012	28	1915	56	1965	71	1969,2010		74	51	62	
STEVENS POINT	95	1908	31	1915	58	1965	73	1932		76	55	65	
STURGEON BAY	95	1969	32	1934	61	1950	71	1973,1991		75	56	66	
WAUSAU	93	1908,2012	32	1915	57	1965	75	1932		75	55	65	
WISCONSIN RAPIDS	94	1921	33	1915	57	1965	71	1995,2010		77	54	65	
	REC	YEAR(S)	REC	YEAR(S)						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	3.48	1941	0.0							3.74	19.18	0.0	0.0
APPLETON	1.54	1966	0.0							3.68	21.50	0.0	0.0
GREEN BAY	1.28	1997	0.0							3.26	20.29	0.0	0.0
MANITOWOC	1.45	1881	0.0							3.49	21.54	0.0	0.0
MARSHFIELD	1.45	1993	0.0							4.15	22.56	0.0	0.0
MERRILL	3.10	1941	0.0							4.05	21.51	0.0	0.0
OSHKOSH	1.89	1958	0.0							3.63	21.81	0.0	0.0
RHINELANDER	2.00	1941	0.0							3.17	20.76	0.0	0.0
STEVENS POINT	2.74	1958	0.0							3.79	22.60	0.0	0.0
STURGEON BAY	1.28	1997	0.0							3.36	21.11	0.0	0.0
WAUSAU	1.94	1941	0.0							4.03	22.08	0.0	0.0
WISCONSIN RAPIDS	2.42	1983	0.0							3.87	22.46	0.0	0.0

AUGUST 30

--	--	--	--	--	--	--	--	--	--	--	--	--

AUGUST 31

	REC		REC		REC		REC						
	REC		REC		LOW		HIGH		NORMAL				
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	91	2000	33	1967,2009	61	1949	68	1937		73	51	62	
APPLETON	94	1937	40	2009	61	1994	75	1932		77	58	67	
GREEN BAY	94	1937	39	1967	63	1888,1909,1935,1994	71	2010		75	54	65	
MANITOWOC	95	1898	38	1915	61	1888,1994	73	1879		73	59	66	
MARSHFIELD	94	1937	37	1967	61	1994	68	1973		74	54	64	
MERRILL	93	1937	35	2009	62	1934	69	1932		75	51	63	
OSHKOSH	96	1937	39	1967	60	1891	77	1898		78	56	67	
RHINELANDER	90	2000	33	2009	57	1949	69	1960,1961		73	50	62	
STEVENS POINT	95	1932	41	1931	63	1965	71	1898,2010		75	55	65	
STURGEON BAY	91	1991	40	2009	60	1994	69	1995,2010		75	56	66	
WAUSAU	93	1898	35	1915	57	1958	70	1908		75	54	65	
WISCONSIN RAPIDS	95	1937	38	1925	60	1958	70	1960,2000		76	54	65	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	2.11	1957	0.0							3.85	19.29	0.0	0.0
APPLETON	1.29	1972	0.0							3.79	21.61	0.0	0.0
GREEN BAY	2.19	1922	0.0							3.37	20.40	0.0	0.0
MANITOWOC	2.19	1877	0.0							3.59	21.64	0.0	0.0
MARSHFIELD	2.33	1945	0.0							4.29	22.70	0.0	0.0
MERRILL	2.49	1941	0.0							4.18	21.64	0.0	0.0
OSHKOSH	1.21	1944	0.0							3.75	21.93	0.0	0.0
RHINELANDER	2.66	1977	0.0							3.29	20.88	0.0	0.0
STEVENS POINT	2.22	1945	0.0							3.91	22.72	0.0	0.0
STURGEON BAY	3.53	1941	0.0							3.47	21.22	0.0	0.0
WAUSAU	4.42	1938	0.0							4.16	22.21	0.0	0.0

WISCONSIN RAPIDS	2.47	1969	0.0					3.98	22.57	0.0	0.0
------------------	------	------	-----	--	--	--	--	------	-------	-----	-----

AUGUST 31