

December 1

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		1991-2020 Normals			
										High	Low	Mean	
Antigo	55	1962	-16	2014	4	1919	39	1914		31	17	24	
Appleton	59	1970	0	1930	11	1966	40	1914		36	21	29	
Green Bay	62	1970	-11	1893	3	1893	41	1912		36	23	30	
Manitowoc	60	1970	-10	1893	10	1919	43	1914		37	25	31	
Marshfield	59	1998	-19	1919	6	1919	36	1913		33	19	26	
Merrill	62	1909	-20	1976	7	1976	39	1914		32	17	25	
Oshkosh	60	1970	-5	1896	7	1919	40	1914		37	23	30	
Rhineland	55	1962,1998	-18	1919	4	2014	35	1913,1914		32	16	24	
Stevens Point	58	1962	-11	1919	4	1919	37	1914		34	19	27	
Sturgeon Bay	59	1998	0	1919	11	1919	42	1914		36	24	30	
Wausau	56	1998	-12	1919	-2	1919	39	1914		33	19	26	
Wisc. Rapids	62	1962	-12	1919	3	1919	39	1912		35	19	27	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.66	2007	12.0	1985						0.05	28.19	0.3	6.3
Appleton	1.22	1985	13.0	1985						0.07	31.46	0.3	3.0
Green Bay	1.20	1921	11.1	1985						0.06	29.92	0.3	3.7
Manitowoc	1.20	1985	6.0	2006,2007						0.07	29.87	0.2	1.3
Marshfield	1.02	1985	10.0	1985						0.05	32.51	0.4	6.0
Merrill	0.68	1985	8.0	1985						0.06	32.29	0.3	6.2
Oshkosh	1.05	2007	7.2	1985						0.06	31.76	0.2	2.3
Rhineland	0.52	1985	7.0	2007						0.05	32.97	0.5	12.3
Stevens Point	1.08	2007	6.0	1985						0.06	32.49	0.3	2.5
Sturgeon Bay	1.33	1985	13.0	1985						0.07	30.96	0.3	2.9
Wausau	0.68	1985,2007	9.9	1985						0.06	32.43	0.4	7.8
Wisc. Rapids	1.37	1985	13.7	1985						0.06	32.69	0.3	3.8

December 1

December 2

December 2													
	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		1991-2020 Normals			
										High	Low	Mean	
Antigo	53	1982	-15	1919,1978	5	1919	40	1962		31	16	23	
Appleton	60	1982	-8	1976	8	1930,1976	46	1982		36	21	28	
Green Bay	60	1982	-14	1893	7	1919	47	1982		36	23	29	
Manitowoc	61	1962	-9	1893	10	1919	45	1998		36	24	30	
Marshfield	62	1998	-19	1919	0	1919	42	1982		33	19	26	
Merrill	56	1998	-21	1978	9	1966	43	1962		32	16	24	
Oshkosh	63	1962	-11	1976	7	1919	43	1998		37	22	29	
Rhineland	62	1998	-21	1976	5	1919	44	1962		32	16	24	
Stevens Point	60	1962	-14	1897	2	1919	42	1962		34	19	26	
Sturgeon Bay	56	1982	0	1930	11	1919	46	1982		36	23	29	
Wausau	61	1982	-14	1919	2	1919	47	1982		33	18	25	
Wisc. Rapids	61	1982	-15	1919	3	1919	49	1982		34	19	27	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.62	2018	7.0	2007						0.10	28.24	0.7	6.7
Appleton	1.40	1921	7.2	2007						0.13	31.52	0.5	3.2
Green Bay	0.64	1921	4.7	1972						0.13	29.99	0.6	4.0
Manitowoc	1.50	1921	6.0	1904,1980						0.13	29.93	0.4	1.5
Marshfield	0.47	1984	5.1	1984						0.11	32.57	0.7	6.3
Merrill	0.70	2007	6.5	2007						0.11	32.34	0.6	6.5
Oshkosh	1.05	1921	8.2	1980						0.12	31.82	0.4	2.5
Rhineland	0.80	1984	6.0	1950						0.10	33.02	0.9	12.7
Stevens Point	0.49	1985	4.5	1985						0.12	32.55	0.5	2.7
Sturgeon Bay	1.32	1921	7.0	2007						0.14	31.03	0.6	3.2
Wausau	0.89	1984	8.1	1984						0.11	32.48	0.8	8.2
Wisc. Rapids	0.92	1912	5.3	1950						0.12	32.75	0.6	4.1

December 2

December 3

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		1991-2020 Normals			
										High	Low	Mean	
Antigo	59	1982	-18	1940	2	1940	45	1962		30	16	23	
Appleton	61	1998,2012	-14	1940	10	1942	43	1999		35	21	28	
Green Bay	62	1998,2012	-13	1940	8	1940	43	1999		36	22	29	
Manitowoc	62	1998	-10	1940	5	1940	46	1982		36	24	30	
Marshfield	63	1998	-23	1940	1	1940	44	1951,1962		32	18	25	
Merrill	61	1982	-25	1919	3	1940	44	1962		32	16	24	
Oshkosh	63	1998	-15	1940	5	1940	46	1998		36	22	29	
Rhineland	61	1998	-20	1940	2	1940	47	1962		31	15	23	
Stevens Point	61	1982	-18	1940	2	1940	46	1951		33	19	26	
Sturgeon Bay	56	1962,1998	-4	1919,1976	12	1919	49	1982		35	23	29	
Wausau	60	1998	-17	1940	2	1940	47	1962		32	18	25	
Wisc. Rapids	64	1998	-20	1919	12	1972	48	1962		34	19	26	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.45	1934	6.0	1934						0.14	28.28	1.0	7.0
Appleton	0.84	1990	12.0	1990						0.19	31.58	0.8	3.5
Green Bay	0.92	1990	14.4	1990						0.19	30.05	0.9	4.3
Manitowoc	1.03	1990	10.0	1990						0.19	29.99	0.7	1.8
Marshfield	0.72	1934	8.5	1990						0.16	32.62	1.1	6.7
Merrill	0.50	1934	4.1	1984						0.17	32.40	0.9	6.8
Oshkosh	0.70	1933,1997	12.0	1990						0.18	31.88	0.6	2.7
Rhineland	0.55	1934	5.0	2013						0.15	33.07	1.4	13.2
Stevens Point	0.72	1902	6.0	1934						0.17	32.60	0.8	3.0
Sturgeon Bay	0.63	1990	6.0	1990						0.21	31.10	1.0	3.6
Wausau	0.52	1953	10.1	1990						0.17	32.54	1.2	8.6
Wisc. Rapids	0.75	2011	9.0	1990						0.17	32.80	0.9	4.4

December 3

December 4

December 4													
	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		1991-2020 Normals			
										High	Low	Mean	
Antigo	57	1998	-13	1985	8	1991	42	1941		30	15	22	
Appleton	59	2001	-9	1940	14	1929,1942	43	2001		35	20	28	
Green Bay	61	2017	-8	1977	15	1976	46	2001,2017		35	22	29	
Manitowoc	62	2001	-2	1976	13	1976	41	1999		36	23	29	
Marshfield	60	2001	-16	1919	11	1972	47	2001		32	18	25	
Merrill	59	1916	-23	1919	8	1976	41	1941		31	16	23	
Oshkosh	61	2001	-5	1977,1985	11	1991	48	2001		36	22	29	
Rhineland	56	1916,2017	-22	1927	8	1972	42	1941		31	15	23	
Stevens Point	62	2001	-11	1902	10	1972	49	2001		33	18	26	
Sturgeon Bay	59	1998	-1	1940	12	1976	40	2012		35	23	29	
Wausau	58	2001	-7	1991	12	1991	43	1941		32	18	25	
Wisc. Rapids	62	2001	-18	1940	9	1991	46	2001		34	18	26	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.54	1953	7.0	1990						0.19	28.33	1.4	7.4
Appleton	0.74	1932	6.0	1947						0.26	31.65	1.1	3.8
Green Bay	0.50	1973	5.4	1944						0.25	30.11	1.3	4.7
Manitowoc	0.60	1880	5.0	1885						0.25	30.05	0.9	2.0
Marshfield	1.07	1925	4.0	1973						0.22	32.68	1.5	7.1
Merrill	2.00	1990	5.0	1990						0.22	32.45	1.3	7.2
Oshkosh	0.73	1925	3.5	1967						0.24	31.94	0.9	3.0
Rhineland	0.89	1970	4.0	1955						0.19	33.11	1.9	13.7
Stevens Point	0.65	1947	6.0	1947						0.23	32.66	1.1	3.3
Sturgeon Bay	0.53	2011	5.0	1940						0.28	31.17	1.3	3.9
Wausau	0.59	2017	4.0	1897						0.22	32.59	1.6	9.0
Wisc. Rapids	0.77	1932	3.0	2007,2016						0.23	32.86	1.2	4.7

December 4

December 5

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	57	2001	-12	1919	6	2000	41	1960		29	15	22	
Appleton	59	2001	0	2000,2005	12	2005	42	1941,1998		34	20	27	
Green Bay	64	2001	-2	1976	13	2005	43	1998		35	22	28	
Manitowoc	64	2001	0	1895	13	2005	45	1998		35	23	29	
Marshfield	61	2001	-7	1991,2007	8	2000,2005	37	2001		31	17	24	
Merrill	61	2001	-13	1976	7	1922	38	1960		31	15	23	
Oshkosh	65	2001	-1	2005	11	1991,2000	41	1960		35	21	28	
Rhineland	57	1998,2001	-11	2000	6	2000	39	1960		30	14	22	
Stevens Point	61	2001	-2	1984,2005	6	2000	47	1960		33	18	25	
Sturgeon Bay	60	2001	4	1936	19	1908,2006	46	2001		35	22	28	
Wausau	61	2001	-10	1955	8	1958	40	1998		31	17	24	
Wisc. Rapids	62	2001	-17	1926	11	1958,2005	42	1941		33	18	26	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.57	1973	6.0	1973						0.23	28.37	1.8	7.8
Appleton	0.86	1982	6.0	1926						0.32	31.71	1.4	4.1
Green Bay	1.01	1982	5.5	2021						0.31	30.17	1.6	5.0
Manitowoc	1.00	1991	4.5	1908						0.31	30.11	1.2	2.3
Marshfield	0.80	1971	7.0	1972						0.27	32.73	1.9	7.5
Merrill	0.42	1925	6.4	1925						0.28	32.51	1.6	7.5
Oshkosh	0.69	1982	3.9	1926						0.30	32.00	1.1	3.2
Rhineland	0.53	2001	7.8	2021						0.24	33.16	2.4	14.2
Stevens Point	1.00	1909	4.0	1925						0.28	32.71	1.4	3.6
Sturgeon Bay	0.90	1925	10.0	1991						0.35	31.24	1.7	4.3
Wausau	0.74	1982	7.8	1972						0.27	32.64	2.0	9.4
Wisc. Rapids	0.91	1982	4.0	1991						0.28	32.91	1.5	5.0

December 5

December 6

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	50	1939,1998	-18	2007	7	1958,2005	36	1998	29	14	22	
Appleton	52	1998	-12	1926	9	2005	36	1967	34	20	27	
Green Bay	52	1998	-15	1972	7	1893	37	1913,1967	34	21	28	
Manitowoc	57	1975	-10	1885	3	1885	39	1951,1967	35	23	29	
Marshfield	52	1939	-15	1972	5	2005	33	1980	31	17	24	
Merrill	52	1998	-18	1955	8	2005	38	1998	30	15	23	
Oshkosh	58	1998	-8	1972	11	1958,2005	44	1998	35	21	28	
Rhineland	52	1998	-18	1926	5	2013	33	1951	30	14	22	
Stevens Point	56	1960	-14	1926	7	2005	35	1967	32	17	25	
Sturgeon Bay	54	1975,1998	0	1955	14	2005	37	1914,1916	34	22	28	
Wausau	51	1939	-21	1972	5	2005,2013	34	1967,1980	31	17	24	
Wisc. Rapids	48	1916	-23	1972	8	2005	34	1967	33	18	25	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.63	1982	6.0	1936					0.28	28.42	2.2	8.2
Appleton	0.53	1936	5.0	1908,1949					0.38	31.77	1.7	4.4
Green Bay	0.44	1908	5.0	1908					0.38	30.24	2.0	5.4
Manitowoc	1.82	1883	4.5	1950					0.37	30.17	1.5	2.6
Marshfield	0.40	1926	4.0	1926					0.31	32.77	2.3	7.9
Merrill	0.93	2001	4.0	1991					0.33	32.56	2.0	7.9
Oshkosh	0.60	1908	6.0	1908,2009					0.35	32.05	1.4	3.5
Rhineland	0.51	1912	3.5	1949					0.29	33.21	2.9	14.7
Stevens Point	1.45	1953	5.0	1908					0.34	32.77	1.7	3.9
Sturgeon Bay	0.87	1908	8.5	1908					0.42	31.31	2.1	4.7
Wausau	0.55	1936	7.0	1936					0.32	32.69	2.4	9.8
Wisc. Rapids	0.67	1948	4.5	1949					0.34	32.97	1.9	5.4

December 6

December 7

December 7													
	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		1991-2020 Normals			
										High	Low	Mean	
Antigo	45	1905	-29	1972	0	1936	35	1939		29	14	21	
Appleton	52	1998	-14	1936	8	1958,1972	38	1939		34	19	26	
Green Bay	50	1916,1946	-21	1972	5	1972	40	1916		34	21	27	
Manitowoc	53	1946	-15	1885	0	1882	41	1951		34	22	28	
Marshfield	50	1916	-26	1972	-1	1972	35	1939		31	17	24	
Merrill	46	1911	-29	1972	0	1972	36	1939		30	15	22	
Oshkosh	53	1946	-15	1936	4	1936	37	1916		35	20	28	
Rhineland	49	1939	-23	1936	-5	1972	32	1935,1967,2004		30	14	22	
Stevens Point	50	1916	-23	1972	-1	1936	37	1946		32	17	24	
Sturgeon Bay	49	1946	-10	1972	5	1972	39	1916,1951		34	22	28	
Wausau	47	1939	-25	1972	-2	1936	37	1939		31	16	24	
Wisc. Rapids	53	1916	-26	1972	1	1932	37	1916		32	17	25	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.01	1935	6.0	1927						0.32	28.46	2.6	8.6
Appleton	0.91	1950	6.5	1926						0.44	31.83	2.1	4.8
Green Bay	1.12	1927	11.2	1927						0.44	30.30	2.4	5.8
Manitowoc	0.93	1950	6.5	1926						0.43	30.23	1.8	2.9
Marshfield	0.41	1969	8.0	1969						0.36	32.82	2.7	8.3
Merrill	0.29	1949	4.0	1949						0.38	32.61	2.3	8.2
Oshkosh	0.76	1926	7.1	1927						0.41	32.11	1.7	3.8
Rhineland	0.65	1950	8.0	1950						0.34	33.26	3.4	15.2
Stevens Point	0.70	1926	6.0	1926,1950						0.39	32.82	2.1	4.3
Sturgeon Bay	1.05	1927	6.0	1927						0.49	31.38	2.5	5.1
Wausau	0.87	1927,1950	11.0	1927						0.37	32.74	2.9	10.3
Wisc. Rapids	0.45	1969	4.5	1969						0.39	33.02	2.2	5.7

December 7

December 8

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	49	1946	-15	1917,1995	3	1958	35	1946		28	13	21	
Appleton	59	1946	-10	1936	8	1958	37	1907,1946		33	19	26	
Green Bay	60	1946	-11	1927	5	1932	38	1894		34	20	27	
Manitowoc	54	1946	-8	1882	7	1976	40	1946		34	22	28	
Marshfield	55	1946	-19	1917	0	1932	35	1946,2015		30	16	23	
Merrill	52	1946	-27	1976	2	1917	36	1946		30	14	22	
Oshkosh	60	1946	-10	1927	5	1932	36	1907		34	20	27	
Rhineland	61	1939	-24	1972	3	1958	34	1946,2015		29	13	21	
Stevens Point	56	1946	-17	1917	2	1958	36	1946		31	17	24	
Sturgeon Bay	48	1923,1946	-7	1936	7	1976	37	1907		33	21	27	
Wausau	52	1946	-17	1927	-3	1932	36	1907,1946		30	16	23	
Wisc. Rapids	57	1946	-24	1927	0	1932	37	1907		32	17	24	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.50	1926	6.0	1950						0.36	28.50	3.0	9.0
Appleton	1.18	1926	7.0	1926,1977						0.50	31.89	2.4	5.1
Green Bay	0.52	1966	7.6	1977						0.50	30.36	2.8	6.2
Manitowoc	1.03	1883	8.8	1876						0.50	30.30	2.1	3.2
Marshfield	0.85	1926	10.0	1926						0.41	32.87	3.1	8.7
Merrill	0.54	1947	7.6	1927						0.43	32.66	2.7	8.6
Oshkosh	0.74	1966	5.9	1977						0.46	32.16	1.9	4.0
Rhineland	0.63	1969	8.0	1969						0.39	33.31	3.9	15.7
Stevens Point	0.51	1950	6.0	1927						0.44	32.87	2.4	4.6
Sturgeon Bay	0.82	1924	4.5	1936						0.55	31.44	2.9	5.5
Wausau	0.35	1963	4.5	2009						0.43	32.80	3.4	10.8
Wisc. Rapids	0.85	1926	4.0	1950						0.45	33.08	2.6	6.1

December 8

December 9

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	54	1946	-22	1927	-2	1932	34	1939	28	13	20	
Appleton	57	1946	-14	1927	-4	1927	42	1946	33	19	26	
Green Bay	59	1946	-14	1927	3	1995	40	1899	33	20	27	
Manitowoc	59	1946	-14	1876	0	1876	46	1946	34	22	28	
Marshfield	53	1946	-22	1927	-4	1932	34	1939	30	16	23	
Merrill	55	1930	-23	1927	2	1932	35	1939,2015	29	14	22	
Oshkosh	59	1946	-16	1902	-3	1995	37	1939	34	20	27	
Rhineland	54	1946	-26	1927	-8	1927	35	1946	29	13	21	
Stevens Point	52	1999	-19	1910	-1	1932	37	2015	31	16	24	
Sturgeon Bay	58	1946	-12	1927	0	1927	37	1946	33	21	27	
Wausau	50	1946	-20	1927	-5	1995	36	1939	30	16	23	
Wisc. Rapids	58	1946	-24	1927	-4	1995	33	1987	32	16	24	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.38	1963	6.5	1995					0.41	28.55	3.5	9.5
Appleton	0.81	2009	11.5	2009					0.56	31.95	2.8	5.5
Green Bay	0.92	1907	11.2	2009					0.56	30.42	3.2	6.6
Manitowoc	1.57	1885	13.0	1885					0.56	30.36	2.4	3.5
Marshfield	0.66	1918	5.5	2008					0.46	32.92	3.5	9.1
Merrill	1.10	1919	8.0	2009					0.48	32.71	3.1	9.0
Oshkosh	0.70	1907	6.0	1919					0.52	32.22	2.2	4.3
Rhineland	0.31	2019	6.9	2009					0.44	33.36	4.4	16.2
Stevens Point	0.69	2009	7.0	2009					0.49	32.92	2.8	5.0
Sturgeon Bay	1.30	2009	13.0	2009					0.62	31.51	3.3	5.9
Wausau	0.30	1899	5.5	2009					0.48	32.85	3.8	11.2
Wisc. Rapids	0.38	2009	4.4	2009					0.50	33.13	3.0	6.5

December 9

December 10

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	49	2020	-22	1919	0	1899	34	1899		28	12	20	
Appleton	56	2015	-11	1978	3	1995	40	1939		32	18	25	
Green Bay	54	2015	-15	1919,1972	-1	1919	40	2015		33	20	26	
Manitowoc	55	2015	-12	1919	5	1995	47	1946		33	22	27	
Marshfield	53	2015	-26	1919	-2	1919	37	2015		29	15	22	
Merrill	48	1939,1990	-21	1919,1927	-4	1995	34	2015		29	13	21	
Oshkosh	59	1890	-17	1919	5	1978	41	2015		34	19	26	
Rhineland	50	1930	-24	1919,1927	0	1927	36	2015		29	12	21	
Stevens Point	54	2015	-20	1919	-5	1995	36	1899		31	16	23	
Sturgeon Bay	53	1938	-13	1919	-13	1919	39	2004		33	20	27	
Wausau	51	2015	-20	1919	-5	1919	39	2015		30	15	22	
Wisc. Rapids	54	2015	-24	1919	-1	1919	37	2015		31	16	24	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.30	1911	5.0	1961						0.45	28.59	3.9	9.9
Appleton	0.89	1911	5.1	1992						0.62	32.01	3.2	5.9
Green Bay	0.82	1971	3.4	1992						0.62	30.48	3.6	7.0
Manitowoc	1.40	1971	6.5	1882						0.62	30.42	2.8	3.9
Marshfield	1.16	1971	6.5	2021						0.50	32.96	4.0	9.6
Merrill	1.05	1971	4.0	1961						0.53	32.76	3.5	9.4
Oshkosh	0.99	1911	5.0	1972						0.58	32.28	2.5	4.6
Rhineland	0.67	2021	8.1	2021						0.49	33.41	5.0	16.8
Stevens Point	0.54	1971	4.0	1910,2003						0.54	32.97	3.2	5.4
Sturgeon Bay	1.24	1911	5.5	1907						0.69	31.58	3.8	6.4
Wausau	1.14	1971	5.5	2021						0.53	32.90	4.3	11.7
Wisc. Rapids	0.73	1911	4.5	2021						0.55	33.18	3.4	6.9

December 10

December 11

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	48	1913	-22	1977	0	1995	35	2015		27	12	20	
Appleton	54	1949	-14	1972	-1	1995	39	2015		32	18	25	
Green Bay	57	1949	-17	1972,1977	2	1995	36	1931,1949		32	19	26	
Manitowoc	52	1896,1979	-15	1976	2	1995	39	1899		33	21	27	
Marshfield	50	1913	-20	1936	-2	1995	34	2015		29	15	22	
Merrill	52	1913	-25	1977	-1	2013	36	2015		29	13	21	
Oshkosh	58	1949	-11	1977	1	1995	37	2015		33	19	26	
Rhineland	52	1913	-25	1977	-3	1919	33	2015		28	12	20	
Stevens Point	52	1913	-17	1972	0	2013	36	2015		30	16	23	
Sturgeon Bay	48	1949	-10	1977	6	1995	40	2015		32	20	26	
Wausau	53	1949	-16	1977	-2	1995	34	2015		29	15	22	
Wisc. Rapids	52	1946	-20	1936	-3	1995	35	2015		31	16	23	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.71	1971	7.5	2021						0.49	28.63	4.3	10.3
Appleton	0.93	2021	5.0	1961						0.68	32.07	3.5	6.2
Green Bay	0.69	2010	6.5	2010						0.68	30.54	4.1	7.5
Manitowoc	0.82	2021	14.0	1904						0.68	30.48	3.2	4.3
Marshfield	1.30	2010	17.0	2010						0.55	33.01	4.4	10.0
Merrill	0.66	2021	10.0	2021						0.59	32.82	3.9	9.8
Oshkosh	0.75	1983	7.0	1932						0.63	32.33	2.9	5.0
Rhineland	0.64	1931	10.3	2010						0.55	33.47	5.6	17.4
Stevens Point	1.30	1931	9.5	2010						0.60	33.03	3.6	5.8
Sturgeon Bay	0.97	2021	2.2	2021						0.76	31.65	4.2	6.8
Wausau	1.00	2010	12.8	2010						0.58	32.95	4.8	12.2
Wisc. Rapids	1.12	2010	12.2	2010						0.61	33.24	3.9	7.4

December 11

December 12

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	49	1913	-16	1995	-3	1995	33	1965,2015		27	12	19	
Appleton	49	1946,1968	-10	1927	8	1933,2000	39	1968		32	18	25	
Green Bay	52	1968	-6	1903,1985	9	1922	43	1968		32	19	26	
Manitowoc	51	1883,1949,1968	-4	1962	11	1995	42	2001		33	21	27	
Marshfield	50	1998	-15	1927	1	1962	35	2015		29	15	22	
Merrill	54	1913	-19	1977	-1	1995	34	1965		28	13	21	
Oshkosh	58	1949	-10	1927	7	1986	43	1968		33	19	26	
Rhineland	53	1913	-18	1989	-1	1933	35	2006		28	12	20	
Stevens Point	51	1968	-14	1927	-3	1995	37	1928		30	15	23	
Sturgeon Bay	56	1913	-8	1927	4	1995	38	1968		32	20	26	
Wausau	49	1998	-10	1927,1962	1	1922	39	1968		29	15	22	
Wisc. Rapids	55	1949	-16	1932	5	1956	42	1968		30	15	23	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpr	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.50	1965	6.0	2010						0.53	28.67	4.8	10.8
Appleton	0.98	1965	14.0	1909						0.74	32.13	3.9	6.6
Green Bay	0.83	1965	6.0	1909						0.73	30.59	4.5	7.9
Manitowoc	1.48	1901	8.0	1909						0.73	30.53	3.5	4.6
Marshfield	1.23	1965	5.5	1972						0.59	33.05	4.9	10.5
Merrill	0.94	1965	10.0	1961						0.64	32.87	4.2	10.1
Oshkosh	0.94	1965	6.0	1915,1961						0.68	32.38	3.2	5.3
Rhineland	0.54	1991	8.0	1961						0.60	33.52	6.2	18.0
Stevens Point	1.21	1965	9.0	1961						0.65	33.08	4.0	6.2
Sturgeon Bay	1.64	1909	11.0	1909						0.82	31.71	4.7	7.3
Wausau	1.42	1965	7.2	1972						0.63	33.00	5.2	12.6
Wisc. Rapids	1.03	1965	6.2	1972						0.66	33.29	4.3	7.8

December 12

December 13

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	50	1913	-23	1903	-5	1903	35	1928,2015		27	11	19	
Appleton	55	2015	-21	1903	0	1985	40	2015		31	18	24	
Green Bay	55	2015	-20	1903	-5	1903	44	1920		32	19	25	
Manitowoc	55	1891	-19	1903	8	1898	42	1920,2015		32	21	27	
Marshfield	51	2015	-18	1961	3	2000	39	2015		28	14	21	
Merrill	55	1913	-22	1976	6	1922	35	2015		28	12	20	
Oshkosh	58	2015	-23	1903	1	1985	41	2015		33	18	25	
Rhineland	54	1913	-21	1976	-1	1922	35	2015		28	11	20	
Stevens Point	55	2015	-26	1903	5	1986	38	1920,2015		30	15	22	
Sturgeon Bay	50	1913,1998	-10	1976	9	1985	41	2015		32	19	26	
Wausau	49	1913,1998	-24	1903	-6	1903	38	2015		29	14	21	
Wisc. Rapids	56	2015	-21	1926	-6	1926	39	1920,2015		30	15	23	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.90	2015	7.8	1995						0.57	28.71	5.2	11.2
Appleton	0.92	2015	5.0	1909						0.79	32.18	4.3	7.0
Green Bay	1.60	2015	7.1	2017						0.79	30.65	4.9	8.3
Manitowoc	1.60	2015	8.0	1926						0.79	30.59	3.9	5.0
Marshfield	0.59	2015	3.3	1921						0.64	33.10	5.3	10.9
Merrill	1.07	2015	4.1	2019						0.68	32.91	4.6	10.5
Oshkosh	1.13	2015	2.5	1933						0.73	32.43	3.5	5.6
Rhineland	0.51	2017	6.3	2017						0.65	33.57	6.8	18.6
Stevens Point	1.30	2015	4.0	1914						0.69	33.12	4.4	6.6
Sturgeon Bay	1.05	1909	4.5	1909,2019						0.88	31.77	5.1	7.7
Wausau	1.09	2015	5.1	1995						0.68	33.05	5.7	13.1
Wisc. Rapids	1.33	2015	4.0	1995						0.71	33.34	4.7	8.2

December 13

December 14

December 14													
	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		1991-2020 Normals			
										High	Low	Mean	
Antigo	46	1920	-27	1901	-2	1985	36	1928		26	11	19	
Appleton	56	1975	-17	1901	4	1916	44	2015		31	17	24	
Green Bay	55	1975,2015	-17	1985	-3	1926	37	1993,2015		31	18	25	
Manitowoc	58	1975	-14	1901	3	1903	44	2015		32	20	26	
Marshfield	52	1998	-23	1926	0	1914,1926	39	2014		28	14	21	
Merrill	48	1912,1998	-24	1919	1	1916,1985	38	2015		28	12	20	
Oshkosh	56	1975	-20	1901	-12	1901	39	2014		32	18	25	
Rhineland	50	1998	-23	1926	-2	1919	36	2014		28	11	19	
Stevens Point	52	1975	-26	1901	-3	1985	38	2014		29	15	22	
Sturgeon Bay	57	1920	-13	1919	6	1919,1985	43	2015		32	19	25	
Wausau	52	1998	-25	1901	-8	1926	38	1928		28	14	21	
Wisc. Rapids	53	1975	-22	1919	-3	1926	38	1928,2014		30	15	22	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.35	1975	4.0	2017						0.61	28.75	5.6	11.6
Appleton	2.12	2015	3.3	2017						0.85	32.24	4.7	7.4
Green Bay	1.94	1891	7.8	1989						0.84	30.70	5.4	8.8
Manitowoc	1.55	2015	9.0	1884						0.84	30.64	4.3	5.4
Marshfield	1.13	1975	7.0	2005						0.68	33.14	5.8	11.4
Merrill	1.20	1975	6.0	1995						0.73	32.96	5.0	10.9
Oshkosh	0.99	1907	5.0	1983						0.78	32.48	3.8	5.9
Rhineland	1.17	2015	3.6	2009						0.71	33.63	7.4	19.2
Stevens Point	1.75	2015	4.7	2005						0.74	33.17	4.9	7.1
Sturgeon Bay	3.05	2014	10.0	1907						0.94	31.83	5.6	8.2
Wausau	1.48	2015	5.1	2005						0.72	33.09	6.2	13.6
Wisc. Rapids	1.17	2015	7.1	2005						0.76	33.39	5.1	8.6

December 14

December 15

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	51	2021	-28	1901	-7	1926	36	2014		26	11	18	
Appleton	64	2021	-20	1901	-5	1901,1926	38	2014		31	17	24	
Green Bay	64	2021	-20	1901	-4	1901	39	2014,2021		31	18	25	
Manitowoc	52	1979	-18	1901	-5	1901	39	1928,1998,2021		32	20	26	
Marshfield	59	2021	-27	1919	-6	1926	41	2014		28	14	21	
Merrill	54	2021	-24	1919	-5	1926	35	2014		27	12	20	
Oshkosh	63	2021	-19	1901	-1	1932	45	2021		32	18	25	
Rhineland	54	2021	-28	1919	-7	1926	37	2014,2021		27	11	19	
Stevens Point	59	2021	-28	1901	-8	1901	37	1928,2014		29	14	22	
Sturgeon Bay	51	1998	-14	1926	-3	1926	38	2014		31	19	25	
Wausau	58	2021	-27	1901	-7	1919,1926	39	2014,2021		28	14	21	
Wisc. Rapids	63	2021	-29	1932	0	1951	41	2014		29	14	22	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.65	2022	6.0	1937						0.65	28.79	6.1	12.1
Appleton	1.31	1971	11.0	1987						0.90	32.29	5.1	7.8
Green Bay	1.16	1971	9.5	1987						0.90	30.76	5.9	9.3
Manitowoc	2.18	1891	12.5	1900						0.90	30.70	4.8	5.9
Marshfield	0.88	2022	7.0	1990						0.73	33.19	6.3	11.9
Merrill	1.02	2022	6.0	2022						0.78	33.01	5.4	11.3
Oshkosh	1.26	1891	6.7	1987						0.83	32.53	4.2	6.3
Rhineland	1.06	2022	7.1	2022						0.76	33.68	8.1	19.9
Stevens Point	0.90	2022	6.5	1990						0.79	33.22	5.3	7.5
Sturgeon Bay	1.08	2022	9.0	1989						1.01	31.90	6.1	8.7
Wausau	1.21	1974	9.3	1974						0.77	33.14	6.7	14.1
Wisc. Rapids	0.91	1992	5.0	2022						0.81	33.44	5.5	9.0

December 15

December 16

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	53	2021	-22	1901	-2	1901	33	1928		26	10	18	
Appleton	64	2021	-19	1932	-3	1932	40	2014		30	17	24	
Green Bay	65	2021	-15	1932	3	1919,1932	40	2001		31	18	24	
Manitowoc	62	2021	-16	1876	5	1919	40	2001		32	20	26	
Marshfield	54	2021	-24	1932	1	1919	32	1928		27	13	20	
Merrill	54	2021	-24	1919	0	2008	33	2012		27	11	19	
Oshkosh	64	2021	-18	1932	5	1919	35	1939,2015		32	17	24	
Rhineland	51	2021	-28	1919	-9	1926	33	2001		27	10	19	
Stevens Point	60	2021	-22	1901	1	2008	36	1928,2012		29	14	21	
Sturgeon Bay	55	2021	-12	1919	3	1919	38	2021		31	18	25	
Wausau	56	2021	-19	1932	1	1919,1932	38	1928		28	13	20	
Wisc. Rapids	62	2021	-28	1932	-4	1919	37	2001		29	14	22	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.40	1894	8.0	1937,1940						0.69	28.83	6.6	12.6
Appleton	0.88	1940	6.0	1902,1987						0.96	32.35	5.5	8.2
Green Bay	0.89	1921	3.9	2016						0.95	30.81	6.3	9.7
Manitowoc	0.82	1921	4.0	1940						0.95	30.75	5.2	6.3
Marshfield	1.17	1921	7.8	1921						0.77	33.23	6.7	12.3
Merrill	0.95	1940	9.0	1940						0.82	33.05	5.8	11.7
Oshkosh	0.50	1940	4.0	2016						0.88	32.58	4.5	6.6
Rhineland	1.06	1940	6.0	1921						0.82	33.74	8.7	20.5
Stevens Point	1.28	1921	8.0	1921						0.84	33.27	5.8	8.0
Sturgeon Bay	0.95	1921	6.0	1908						1.07	31.96	6.6	9.2
Wausau	0.85	1940	4.9	1921						0.82	33.19	7.2	14.6
Wisc. Rapids	1.10	1940	4.0	1940						0.86	33.49	5.9	9.4

December 16

December 17

December 17													
	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		1991-2020 Normals			
										High	Low	Mean	
Antigo	48	1984	-20	1919	0	1945	34	1939,1977		26	10	18	
Appleton	45	1939	-15	1964,1983	-2	1985	38	1977		30	16	23	
Green Bay	49	1895	-14	1950,1985	-1	1945,1985	39	1939		31	18	24	
Manitowoc	47	1881,1939,1997,2006	-19	1884	-2	1884	41	1939		31	19	25	
Marshfield	47	1939	-19	1919	-3	1985	30	1966,2001		27	13	20	
Merrill	48	1939,1984	-23	1932	1	1919	36	1939		27	11	19	
Oshkosh	50	1939	-15	1919	1	1985	39	1939		31	17	24	
Rhineland	42	1913,1997	-25	1983	-8	1919	32	1939		27	10	18	
Stevens Point	49	1984	-19	1903	3	1919	35	1977		28	14	21	
Sturgeon Bay	49	1984	-11	1919	3	1919	38	2001		31	18	24	
Wausau	46	1939	-18	1901	-8	1945	37	1939,1977		27	13	20	
Wisc. Rapids	47	1962	-17	1932	-7	1919	36	1977		29	14	21	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.60	1908,1912	6.0	1908,1912						0.72	28.86	7.0	13.0
Appleton	1.23	1908	10.5	1908						1.02	32.41	6.0	8.7
Green Bay	0.59	1908	5.8	1888						1.01	30.87	6.8	10.2
Manitowoc	1.30	1908	8.8	1876						1.01	30.81	5.6	6.7
Marshfield	0.60	1915	6.0	1961,1990						0.81	33.27	7.2	12.8
Merrill	0.65	1908	8.0	1908						0.87	33.10	6.1	12.0
Oshkosh	1.00	1940	8.0	1921						0.92	32.62	4.9	7.0
Rhineland	0.46	1915	7.0	1908						0.87	33.79	9.3	21.1
Stevens Point	0.88	1921	7.0	1940						0.88	33.31	6.3	8.5
Sturgeon Bay	2.09	1908	13.0	1908						1.13	32.02	7.1	9.7
Wausau	0.84	1990	11.2	1990						0.87	33.24	7.7	15.1
Wisc. Rapids	0.89	1921	9.0	1990						0.91	33.54	6.4	9.9

December 17

December 18

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	45	2002	-30	1983	-3	1985	34	1977		25	10	17	
Appleton	48	2002	-19	1983	-3	1945	33	1977		30	16	23	
Green Bay	50	1931	-18	1983	-8	1983	36	1923		30	17	24	
Manitowoc	56	1923	-20	1884	-5	1884,1901	39	1941		31	19	25	
Marshfield	50	2002	-27	1983	-2	1983	36	2002		27	13	20	
Merrill	46	1923	-23	1983	-3	1985	35	1977		27	11	19	
Oshkosh	52	2002	-16	1983	-8	1983	35	1889,2002		31	17	24	
Rhineland	46	2002	-34	1983	-6	1922	33	1977		26	10	18	
Stevens Point	52	2002	-25	1950	-4	2016	36	1977		28	13	21	
Sturgeon Bay	46	1923	-10	1922,1983	5	1916	35	1923,1967		30	18	24	
Wausau	48	2002	-23	1983	-8	1983	35	1977		27	13	20	
Wisc. Rapids	51	1923,2002	-23	1922	-7	1983	33	1977,2002		29	13	21	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.67	1990	7.0	1990						0.76	28.90	7.5	13.5
Appleton	0.63	1957	4.5	2000						1.07	32.46	6.4	9.1
Green Bay	0.50	1957	6.1	2000						1.06	30.92	7.2	10.6
Manitowoc	0.51	2002	5.8	1878						1.06	30.86	6.0	7.1
Marshfield	0.31	1957	4.0	2000						0.86	33.32	7.7	13.3
Merrill	0.58	1990	3.3	1929						0.92	33.15	6.5	12.4
Oshkosh	0.46	1957	4.0	1934,2000						0.97	32.67	5.3	7.4
Rhineland	0.46	2002	3.0	1998						0.93	33.85	10.0	21.8
Stevens Point	0.50	1990	6.0	1990						0.93	33.36	6.7	8.9
Sturgeon Bay	0.54	1908	4.0	1973						1.19	32.08	7.6	10.2
Wausau	0.28	1957	4.2	1971						0.92	33.29	8.2	15.6
Wisc. Rapids	0.41	1957	4.0	2000						0.96	33.59	6.8	10.3

December 18

December 19

December 19													
	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		1991-2020 Normals			
										High	Low	Mean	
Antigo	49	1923	-35	1983	-8	1983	33	2002		25	9	17	
Appleton	48	1931	-20	1983	-6	1983	34	1918		29	16	23	
Green Bay	51	1918	-27	1983	-2	1983	36	1918		30	17	23	
Manitowoc	48	1931	-21	1884	-3	1983	44	1877		31	19	25	
Marshfield	52	1923	-27	1983	-5	1983	34	2002		27	12	19	
Merrill	55	1923	-31	1983	-8	1983	34	2002		26	10	18	
Oshkosh	51	1918	-20	1983	-3	1983	39	2002		31	16	24	
Rhineland	45	1931	-32	1983	0	1980,1989	33	2018		26	9	18	
Stevens Point	48	1923	-26	1983	-6	1983	32	1918		28	13	20	
Sturgeon Bay	54	1923	-8	1916,1942,2016	5	1989	37	2002		30	18	24	
Wausau	48	1923	-26	1983	-2	1955	32	1918,1923		27	12	20	
Wisc. Rapids	51	1923	-25	1983	-10	1983	32	1918,2018		28	13	21	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.00	1996	8.0	1968						0.80	28.94	8.0	14.0
Appleton	1.03	1968	7.5	1968						1.12	32.51	6.8	9.5
Green Bay	0.54	1968	5.9	1968						1.12	30.98	7.7	11.1
Manitowoc	1.00	1968	12.0	2000						1.11	30.91	6.5	7.6
Marshfield	0.95	1968	10.0	1968						0.90	33.36	8.1	13.7
Merrill	0.64	1939	4.0	1939						0.97	33.20	6.9	12.8
Oshkosh	0.86	1968	5.2	1966						1.02	32.72	5.6	7.7
Rhineland	1.16	1939	8.0	1968						0.98	33.90	10.6	22.4
Stevens Point	0.60	1968	6.0	1968						0.98	33.41	7.2	9.4
Sturgeon Bay	0.82	1968	8.0	2000						1.25	32.14	8.0	10.6
Wausau	0.55	1951	8.5	1968						0.97	33.34	8.7	16.1
Wisc. Rapids	0.67	1968	7.0	1968						1.00	33.63	7.2	10.7

December 19

December 20

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		1991-2020 Normals			
										High	Low	Mean	
Antigo	51	1894	-30	1983	-11	1989	34	1918		25	9	17	
Appleton	49	1967	-17	1924,1989	-7	1989	38	1918		29	16	22	
Green Bay	51	1894	-15	1924,1989	-7	1989	40	1923		30	17	23	
Manitowoc	48	1923,1988	-17	1983	-2	1924,1989	44	1877		30	19	25	
Marshfield	46	1967	-23	1924	-4	1963	36	1923		26	12	19	
Merrill	44	1956,1967	-29	1983	-1	1989	35	1923		26	10	18	
Oshkosh	49	1918	-18	1983	-4	1989	40	1923		30	16	23	
Rhineland	43	1994	-25	1989	-9	1989	30	1977		26	9	17	
Stevens Point	48	1923	-21	1901	-4	1924	38	1923		28	13	20	
Sturgeon Bay	46	1923	-16	1989	0	1989	39	1923		30	17	23	
Wausau	45	1967	-21	1989	-9	1989	37	1923		26	12	19	
Wisc. Rapids	49	1967	-24	1924	-8	1924	38	1923		28	13	20	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.50	1923	5.0	1951,2012						0.83	28.97	8.4	14.4
Appleton	0.95	2012	10.5	2012						1.18	32.57	7.2	9.9
Green Bay	1.18	2012	9.7	2012						1.17	31.03	8.2	11.6
Manitowoc	1.29	2012	6.5	1876						1.16	30.96	6.9	8.0
Marshfield	0.56	2012	10.7	2012						0.95	33.41	8.6	14.2
Merrill	0.41	1987	6.5	1951						1.02	33.25	7.3	13.2
Oshkosh	1.00	2012	11.9	2012						1.07	32.77	6.0	8.1
Rhineland	0.43	1978	4.0	2004						1.03	33.95	11.2	23.0
Stevens Point	0.70	1987	7.9	2012						1.03	33.46	7.6	9.8
Sturgeon Bay	0.85	1987	8.0	1951						1.31	32.20	8.5	11.1
Wausau	0.54	2012	10.9	2012						1.02	33.39	9.1	16.5
Wisc. Rapids	0.72	1977	11.0	2012						1.05	33.68	7.6	11.1

December 20

December 21

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	60	1895	-28	1983	-11	1989	38	1894	25	9	17	
Appleton	49	1967	-23	1989	-12	1989	42	1918	29	15	22	
Green Bay	52	1967	-20	1989	-8	1989	42	1918	29	16	23	
Manitowoc	51	1967	-20	1989,2000	-8	1989	43	1877	30	18	24	
Marshfield	54	1967	-27	1989	-8	1989	34	1923	26	12	19	
Merrill	49	1967	-27	1985	-9	1989	35	1923	26	10	18	
Oshkosh	53	1967	-19	1989	-10	1989	41	1918	30	16	23	
Rhineland	49	1967	-26	1989	-6	1989	32	1923,2007	26	9	17	
Stevens Point	51	1967	-23	1989	-4	1989	35	1918	27	13	20	
Sturgeon Bay	49	1923,1967	-17	1989	-5	1989	41	1918	29	17	23	
Wausau	50	1967	-25	1989	-9	1989	38	1918	26	12	19	
Wisc. Rapids	53	1967	-30	1924	-11	1989	36	1918	28	12	20	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.52	1984	5.0	2004					0.87	29.01	8.9	14.9
Appleton	0.76	1902	6.0	2012					1.23	32.62	7.6	10.3
Green Bay	0.53	1918	6.2	2010					1.23	31.09	8.6	12.0
Manitowoc	1.00	1889	8.0	1920					1.20	31.00	7.3	8.4
Marshfield	0.64	1984	7.0	1977					0.99	33.45	9.0	14.6
Merrill	0.40	2004	5.0	2008,2010					1.06	33.29	7.7	13.6
Oshkosh	0.63	1920	6.0	1914					1.11	32.81	6.4	8.5
Rhineland	0.46	1984	7.3	2010					1.08	34.00	11.8	23.6
Stevens Point	0.47	2006	6.0	1998					1.07	33.50	8.1	10.3
Sturgeon Bay	0.85	2012	8.0	2004					1.37	32.26	9.0	11.6
Wausau	0.53	1984	5.5	1920					1.07	33.44	9.6	17.0
Wisc. Rapids	0.63	1984	6.0	1984					1.10	33.73	8.0	11.5

December 21

December 22

December 22													
	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		1991-2020 Normals			
										High	Low	Mean	
Antigo	45	1941	-27	1989	-10	1989	34	1931		24	8	16	
Appleton	49	2019	-20	1983	-2	1983	36	1931,1941		29	15	22	
Green Bay	48	1941,1957	-16	1983	2	2008	42	1941		29	16	23	
Manitowoc	51	1877	-13	1989	1	1989	43	1877		30	18	24	
Marshfield	46	1941	-24	1916	-5	1989	37	1941		26	11	19	
Merrill	46	1941,1957	-27	1985	-8	1989	35	1941		26	9	17	
Oshkosh	49	1941	-21	1989	0	1983	40	1941		30	15	23	
Rhineland	45	1941,1957	-26	1983	-2	1924	38	1941		26	8	17	
Stevens Point	50	1957	-22	1989	-8	1989	35	1900		27	12	20	
Sturgeon Bay	45	1918,1941	-13	1916	7	1989	37	1918		29	17	23	
Wausau	45	1941	-20	1983	-1	1989,2008	38	1941		26	12	19	
Wisc. Rapids	51	1957	-22	1916	-4	1989	37	1931		27	12	20	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.66	1942	6.0	1942						0.90	29.04	9.3	15.3
Appleton	1.64	2006	4.9	2013						1.29	32.68	8.0	10.7
Green Bay	1.24	2006	6.0	2013						1.28	31.14	9.1	12.5
Manitowoc	1.35	2006	9.0	1884						1.25	31.05	7.8	8.9
Marshfield	0.87	2006	8.5	2006						1.04	33.50	9.5	15.1
Merrill	1.46	2006	7.6	1920						1.11	33.34	8.1	14.0
Oshkosh	1.78	2006	5.0	2013						1.16	32.86	6.8	8.9
Rhineland	0.90	2006	10.0	1968						1.14	34.06	12.4	24.2
Stevens Point	1.67	2006	5.0	2006						1.12	33.55	8.5	10.7
Sturgeon Bay	0.45	1942,1968	4.5	2022						1.44	32.33	9.5	12.1
Wausau	1.47	2006	6.8	1959						1.12	33.49	10.1	17.5
Wisc. Rapids	1.27	2006	6.2	1968						1.15	33.78	8.4	11.9

December 22

December 23

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		1991-2020 Normals			
										High	Low	Mean	
Antigo	47	2015	-32	1983	-11	1983	35	1941		24	8	16	
Appleton	53	2015	-21	1983	-5	1983	38	1931,1941		28	15	22	
Green Bay	53	2015	-21	1983	-13	1983	37	1931,2015		29	16	22	
Manitowoc	54	1888	-19	1983	-5	1983	43	1877		30	18	24	
Marshfield	48	2020	-26	1983	-12	1983	35	1941		26	11	18	
Merrill	48	1932	-26	1983	-9	1983	35	1941		25	9	17	
Oshkosh	54	2015	-24	1989	-10	1983	37	1941		30	15	22	
Rhineland	44	1957	-27	1983	-11	1983	33	1931		25	8	17	
Stevens Point	51	2015	-25	1983	-15	1983	37	1941		27	12	19	
Sturgeon Bay	50	2015	-19	1983	-2	1983	37	1931,1941		29	16	23	
Wausau	46	2020	-25	1983	-16	1983	37	1941		26	11	18	
Wisc. Rapids	53	2015	-25	1983	-10	1983	37	1941		27	12	20	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.90	2003	8.0	1933						0.94	29.08	9.8	15.8
Appleton	0.58	2014	5.5	1959						1.34	32.73	8.4	11.1
Green Bay	0.77	2007	9.0	1996						1.33	31.19	9.5	12.9
Manitowoc	0.81	1959	5.5	1914						1.30	31.10	8.2	9.3
Marshfield	0.55	2015	7.0	1938						1.08	33.54	10.0	15.6
Merrill	1.20	2015	6.0	2007						1.16	33.39	8.5	14.4
Oshkosh	0.68	1941	6.0	1920						1.21	32.91	7.2	9.3
Rhineland	1.01	2015	10.0	1933						1.19	34.11	13.0	24.8
Stevens Point	0.75	2015	6.5	1959						1.17	33.60	9.0	11.2
Sturgeon Bay	0.97	2006	5.5	2013						1.50	32.39	9.9	12.5
Wausau	1.00	2007	7.5	2007						1.17	33.54	10.6	18.0
Wisc. Rapids	0.47	2015	10.0	2007						1.20	33.83	8.9	12.4

December 23

December 24

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	47	2015	-27	1983	-15	1983	33	1936	24	8	16	
Appleton	45	1955	-16	1983	-2	1983	34	2014	28	15	21	
Green Bay	50	1889	-21	1983	-1	1983	42	1888	29	16	22	
Manitowoc	60	1889	-21	1983	-1	1983	45	1877	30	17	23	
Marshfield	41	1994	-27	1983	-8	1983	33	2014	25	11	18	
Merrill	42	1940	-28	1951	-12	1983	32	1979,2014	25	9	17	
Oshkosh	52	1888,1889	-27	1983	-5	1983	40	1888	29	15	22	
Rhineland	45	1994	-29	2004	-4	1983,2004	31	1936,1982,2005	25	8	16	
Stevens Point	50	1917	-28	1951	-13	1983	32	1936,2014	27	12	19	
Sturgeon Bay	45	1932	-14	1951,1983	4	1983	36	1979,2014	29	16	22	
Wausau	42	1940	-25	1951	-2	1983	33	1936,2005	26	11	18	
Wisc. Rapids	45	1936	-25	1983	-5	1983	33	1982,2014	27	12	19	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpr	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.41	2015	4.0	1956,1959,2002					0.98	29.12	10.2	16.2
Appleton	0.58	2007	7.3	1996					1.40	32.79	8.8	11.5
Green Bay	1.20	1893	5.6	1977					1.39	31.25	10.0	13.4
Manitowoc	1.10	1931	5.0	1918					1.34	31.14	8.6	9.7
Marshfield	0.98	1932	8.0	1977					1.13	33.59	10.4	16.0
Merrill	0.41	2009	6.0	1996					1.21	33.44	8.9	14.8
Oshkosh	0.96	1982	6.0	1910					1.26	32.96	7.5	9.6
Rhineland	1.10	1933	4.5	2009					1.24	34.16	13.6	25.4
Stevens Point	0.70	1932	5.0	1996					1.22	33.65	9.4	11.6
Sturgeon Bay	0.70	2015	6.0	1996					1.56	32.45	10.4	13.0
Wausau	1.04	1932	7.0	1977					1.22	33.59	11.1	18.5
Wisc. Rapids	0.89	1941	5.9	1914					1.24	33.87	9.2	12.7

December 24

December 25

	Rec	Year(s)	Rec	Year(s)	Low	Year(s)	High	Year(s)	1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	41	1936	-27	2000	-6	1924	34	1936	24	8	16	
Appleton	52	1936	-16	2000	-4	1983	35	1932	28	14	21	
Green Bay	50	1936	-22	2000	-4	1933,1983	40	1936	28	15	22	
Manitowoc	58	1982	-20	1983	-3	1983	41	1877	29	17	23	
Marshfield	48	1936	-25	1933	-6	1924	34	1936	25	11	18	
Merrill	45	1936	-27	1933	-3	1983	35	1936	25	8	17	
Oshkosh	54	1936	-24	1983	-2	1933	38	1936	29	15	22	
Rhineland	45	1994	-31	1933	-3	1924	34	1940	25	8	16	
Stevens Point	50	1936	-24	1921	-6	1924	36	1936	26	11	19	
Sturgeon Bay	50	1936	-20	1933	1	1983	36	1982	28	16	22	
Wausau	47	1994	-23	1933	-6	1983	35	1936	25	11	18	
Wisc. Rapids	51	1936	-26	1921	-8	1924	34	1956	27	11	19	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.49	1982	7.0	1945					1.01	29.15	10.6	16.6
Appleton	0.84	2009	5.0	1910					1.45	32.84	9.2	11.9
Green Bay	0.62	1973	5.4	1945					1.44	31.30	10.4	13.8
Manitowoc	0.87	2009	4.5	1962					1.39	31.19	8.9	10.0
Marshfield	0.75	1945,2009	8.0	1945					1.17	33.63	10.9	16.5
Merrill	0.60	1982	5.0	1945					1.26	33.49	9.3	15.2
Oshkosh	0.91	2009	6.0	1962					1.31	33.01	7.9	10.0
Rhineland	1.12	1932	9.2	1945					1.29	34.21	14.2	26.0
Stevens Point	1.37	1945	5.0	1910					1.27	33.70	9.8	12.0
Sturgeon Bay	0.60	1945	5.5	1907					1.62	32.51	10.9	13.5
Wausau	0.54	1982	6.2	1945					1.27	33.64	11.6	19.0
Wisc. Rapids	0.80	1945	2.5	2013					1.29	33.92	9.6	13.1

December 25

December 26

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	47	1936	-25	2000	-8	2017	38	1936		24	7	15	
Appleton	52	1936	-22	1914	-2	1933	39	1936		28	14	21	
Green Bay	51	1936	-19	1962,1996	-2	1933	48	1936		28	15	22	
Manitowoc	53	2019	-17	1903	-3	1880	41	1936		29	17	23	
Marshfield	49	1936	-29	1914	-7	1933	34	1936		25	10	18	
Merrill	49	1936	-27	1933	-6	1925	36	1936		25	8	16	
Oshkosh	49	1936	-26	1914	-2	1933	46	1936		29	14	22	
Rhineland	48	1936	-25	1990	-13	1933	37	1936		25	7	16	
Stevens Point	54	1936	-32	1914	-5	1933	44	1936		26	11	19	
Sturgeon Bay	51	1936	-20	1933	-4	1933	35	1936		28	15	22	
Wausau	49	1936	-24	1990	-6	2017	42	1936		25	10	18	
Wisc. Rapids	50	1936	-29	1914	-7	1934	44	1936		27	11	19	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.64	2016	3.0	1942						1.05	29.19	11.1	17.1
Appleton	0.62	2016	4.0	2008						1.50	32.89	9.6	12.3
Green Bay	0.89	1942	7.4	1888						1.50	31.36	10.8	14.2
Manitowoc	1.00	1888	5.0	1911						1.43	31.23	9.3	10.4
Marshfield	0.55	1941	7.0	1941						1.22	33.68	11.3	16.9
Merrill	0.79	2016	10.5	1911						1.31	33.54	9.7	15.6
Oshkosh	0.65	1888	7.0	1911						1.36	33.06	8.3	10.4
Rhineland	0.36	1942,1959	6.0	1938						1.34	34.26	14.7	26.5
Stevens Point	0.97	2016	6.5	1941						1.32	33.75	10.2	12.4
Sturgeon Bay	0.80	2009	6.0	1911						1.68	32.57	11.3	13.9
Wausau	0.60	1942	4.0	1941,2008						1.31	33.68	12.0	19.4
Wisc. Rapids	0.66	1910	4.5	1910						1.34	33.97	10.0	13.5

December 26

December 27

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	47	1936	-27	2017	-3	1933	35	1959	23	7	15	
Appleton	49	1936	-17	1933	-4	1933	39	1936	28	14	21	
Green Bay	49	1936	-22	1996	-7	1886	35	1959,2018	28	15	21	
Manitowoc	50	1936	-15	1985	-3	1886	38	1959	29	17	23	
Marshfield	49	1936	-26	1933	-4	2017	31	1928,1959	25	10	17	
Merrill	41	1994	-28	1933	-8	1933	34	1936,1959	24	8	16	
Oshkosh	50	1936	-17	1933	2	1977,2017	35	2018	29	14	21	
Rhineland	48	1936	-34	1924	-10	1933	35	2003	25	7	16	
Stevens Point	50	1936	-24	1933	-4	2017	37	2003	26	11	18	
Sturgeon Bay	50	1936	-22	1933	4	1933	35	1907,1959	28	15	21	
Wausau	49	1936	-21	1933,1950	-3	2017	36	1959	25	10	18	
Wisc. Rapids	47	1994,2008	-31	1933	0	1938,2017	35	1959	26	11	19	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpr	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.20	1904	12.0	1904					1.08	29.22	11.5	17.5
Appleton	1.55	1959	3.5	1968					1.56	32.95	10.0	12.7
Green Bay	1.57	1904	7.0	1904					1.55	31.41	11.3	14.7
Manitowoc	1.35	1904	10.0	1887					1.48	31.28	9.7	10.8
Marshfield	0.90	2018	3.6	2018					1.26	33.72	11.7	17.3
Merrill	0.52	1971	5.0	2014					1.35	33.58	10.1	16.0
Oshkosh	1.27	1946	6.0	1904					1.40	33.10	8.6	10.7
Rhineland	0.87	1946	7.6	1946					1.39	34.31	15.3	27.1
Stevens Point	0.57	1946	4.0	1944					1.36	33.79	10.6	12.8
Sturgeon Bay	0.91	1942	7.0	2009					1.74	32.63	11.8	14.4
Wausau	0.99	2018	4.1	1968					1.36	33.73	12.5	19.9
Wisc. Rapids	1.14	1923	9.0	1911					1.38	34.01	10.4	13.9

December 27

December 28

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	50	1984	-25	1924	-6	1924	33	2003		23	7	15	
Appleton	54	1984	-20	1924	3	1961	38	1984,2022		27	14	20	
Green Bay	52	1984	-20	1924	-3	1924	41	1984		28	15	21	
Manitowoc	62	1984	-21	1880,1924	-11	1880	35	1928		29	16	23	
Marshfield	53	1984	-29	1924	-5	1924	37	2003		24	10	17	
Merrill	46	2003	-25	1924	-6	1933	35	2003		24	8	16	
Oshkosh	57	1984	-21	1924	0	1924	39	2003		28	14	21	
Rhineland	45	1984	-28	1924	-8	1933	31	2003		24	7	16	
Stevens Point	53	1984	-25	1924	-7	1924	32	1927		26	11	18	
Sturgeon Bay	54	1984	-21	1933	0	1933	38	2003		28	15	21	
Wausau	48	1984,2003	-23	1924	-8	1917	38	1984		25	10	17	
Wisc. Rapids	54	1984	-33	1924	-11	1924	43	1984		26	11	18	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.28	1959	6.5	2015						1.12	29.26	11.9	17.9
Appleton	1.45	1946	12.2	2015						1.61	33.00	10.4	13.1
Green Bay	0.92	2015	11.5	2015						1.60	31.46	11.7	15.1
Manitowoc	2.29	1959	7.0	1968						1.52	31.32	10.0	11.1
Marshfield	1.21	1959	7.0	2015						1.30	33.76	12.1	17.7
Merrill	1.13	1959	8.0	1905						1.40	33.63	10.4	16.3
Oshkosh	1.37	1959	9.5	2015						1.45	33.15	9.0	11.1
Rhineland	0.87	1959	6.0	1966						1.43	34.35	15.9	27.7
Stevens Point	0.85	1982	8.9	2015						1.41	33.84	11.0	13.2
Sturgeon Bay	3.60	1959	12.0	2015						1.80	32.69	12.3	14.9
Wausau	0.66	1948	6.2	2015						1.41	33.78	13.0	20.4
Wisc. Rapids	0.72	1905	7.0	1948						1.43	34.06	10.8	14.3

December 28

December 29

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	46	2003	-26	1917	3	1963	32	1931		23	7	15	
Appleton	51	1984	-15	1917,1976	-3	1976	38	2022		27	13	20	
Green Bay	51	2022	-17	1976	-6	1976	38	2022		28	14	21	
Manitowoc	62	1984	-16	1880	4	1976	38	1896		28	16	22	
Marshfield	50	1984	-25	1917	-9	1976	34	2019		24	9	17	
Merrill	46	1984	-24	1976	-1	1976	30	2003		24	7	16	
Oshkosh	54	1984	-13	1976	-2	1976	36	2022		28	13	21	
Rhineland	42	1979,1999	-28	1917	-7	1933	33	2019,2022		24	7	15	
Stevens Point	55	1984	-21	1917	-2	1899	37	1896		25	10	18	
Sturgeon Bay	54	1984	-17	1976	4	1976	33	2006		28	14	21	
Wausau	44	1999	-21	1917	-5	1976	36	1896		24	10	17	
Wisc. Rapids	52	1984	-27	1925	0	1963	32	2022		26	10	18	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.58	2019	6.0	1966,1968						1.15	29.29	12.4	18.4
Appleton	0.61	1972	6.3	1978						1.66	33.05	10.8	13.5
Green Bay	0.78	2019	5.1	1978						1.65	31.51	12.2	15.6
Manitowoc	0.95	2019	5.8	2015						1.56	31.36	10.4	11.5
Marshfield	0.42	2019	4.0	1971,1972						1.34	33.80	12.5	18.1
Merrill	0.66	1972	10.0	1905						1.45	33.68	10.8	16.7
Oshkosh	0.62	1978	7.1	1978						1.50	33.20	9.3	11.4
Rhineland	0.82	2019	4.0	1964						1.48	34.40	16.5	28.3
Stevens Point	0.51	1946	11.5	1905						1.45	33.88	11.4	13.6
Sturgeon Bay	0.62	1905	8.0	1914						1.86	32.75	12.7	15.3
Wausau	1.00	1972	9.0	1905						1.45	33.82	13.4	20.8
Wisc. Rapids	0.72	1972	7.2	1972						1.47	34.10	11.2	14.7

December 29

December 30

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	47	1936	-27	2013	0	1983	34	1936,1965		23	6	15	
Appleton	52	2022	-15	1938	0	2013	39	2019		27	13	20	
Green Bay	55	1936	-19	2013	-1	1938	36	1896,1972		27	14	21	
Manitowoc	49	2022	-13	1887	-1	1976	38	1936		28	16	22	
Marshfield	47	1936	-23	2013	-5	1938,2017	34	1936,1965		24	9	17	
Merrill	48	1936	-24	1976	-4	1976	35	1965		24	7	15	
Oshkosh	53	2004	-15	1976	-4	1938	36	1896		28	13	21	
Rhineland	48	1936	-29	1917	-4	1938	34	1965		24	6	15	
Stevens Point	51	1936	-20	2013	-6	1976	35	1936		25	10	18	
Sturgeon Bay	48	1936	-16	1976	0	1976	36	1965,2019		27	14	21	
Wausau	49	1936	-19	1938,1963,2013	-3	2013	37	1965		24	9	17	
Wisc. Rapids	49	1936	-23	1925	-2	2017	36	1965		26	10	18	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.78	1972	5.0	1972						1.18	29.32	12.8	18.8
Appleton	0.80	1972	6.5	1971						1.71	33.10	11.2	13.9
Green Bay	0.78	1972	6.7	1971						1.70	31.56	12.6	16.0
Manitowoc	1.34	1978	10.0	1971						1.61	31.41	10.7	11.8
Marshfield	1.43	1972	7.0	2019						1.38	33.84	13.0	18.6
Merrill	1.24	1972	6.0	1911						1.49	33.72	11.2	17.1
Oshkosh	1.21	1972	10.5	1971						1.55	33.25	9.7	11.8
Rhineland	1.21	2019	8.9	2019						1.53	34.45	17.1	28.9
Stevens Point	0.90	1972	5.4	2008						1.50	33.93	11.9	14.1
Sturgeon Bay	1.05	1972	8.0	1907						1.92	32.81	13.2	15.8
Wausau	0.83	2019	7.5	2019						1.50	33.87	13.9	21.3
Wisc. Rapids	0.62	1971	6.0	1971						1.52	34.15	11.6	15.1

December 30

December 31

December 31													
	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		1991-2020 Normals			
										High	Low	Mean	
Antigo	47	1936,1965	-24	1967	-2	2017	31	1949		23	6	14	
Appleton	52	1965	-15	1924,1967,1968	2	2017	36	2010		27	13	20	
Green Bay	51	1965	-19	1967	4	1898,1899,1946	38	2006		27	14	20	
Manitowoc	54	1965	-12	1967,1968	0	1976	38	1949		28	16	22	
Marshfield	50	1965	-27	1967	-7	2017	34	1949		24	9	16	
Merrill	48	1965	-26	1946,1967	-2	2013	33	2006		24	7	15	
Oshkosh	53	1965	-16	1967	4	1899	36	2010		28	13	20	
Rhineland	46	1929,1965	-27	1967,1973	-3	2013	31	2006		24	6	15	
Stevens Point	53	1965	-22	1898	-4	2017	35	1949		25	10	17	
Sturgeon Bay	52	1965	-13	1967	1	2013	37	2010		27	14	20	
Wausau	49	1936	-24	1967	-4	2017	33	1933		24	9	17	
Wisc. Rapids	54	1965	-25	1967	-2	1968,2017	35	1949		26	10	18	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.60	1911	6.0	1911						1.21	29.35	13.2	19.2
Appleton	0.79	1906	8.0	1923						1.76	33.15	11.6	14.3
Green Bay	0.85	2006	6.2	1887						1.75	31.61	13.1	16.5
Manitowoc	1.27	1906	12.0	1923						1.65	31.45	11.1	12.2
Marshfield	0.57	2006	2.0	1923						1.42	33.88	13.4	19.0
Merrill	0.88	1906	6.0	1911						1.53	33.76	11.6	17.5
Oshkosh	1.10	1906	4.0	1912						1.59	33.29	10.0	12.1
Rhineland	0.40	1918	5.0	1911						1.57	34.49	17.7	29.5
Stevens Point	1.60	1906	6.0	1906						1.54	33.97	12.3	14.5
Sturgeon Bay	0.79	1906	9.0	1911						1.97	32.86	13.7	16.3
Wausau	0.55	1906	10.0	1906						1.54	33.91	14.4	21.8
Wisc. Rapids	0.87	2006	2.5	1981						1.56	34.19	12.0	15.5

December 31