

DECEMBER 2

	REC	YEAR(S)	REC	YEAR(S)	LOW	YEAR(S)	HIGH	YEAR(S)	NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME	
ANTIGO	53	1982	-15	1919	5	1919	40	1962	30	14	22	
APPLETON	60	1982	-8	1976	8	1976	46	1982	34	20	27	
GREEN BAY	60	1982	-14	1893	7	1919	47	1982	34	19	26	
MANITOWOC	61	1962	-6	1897	10	1919	45	1998	34	23	29	
MARSHFIELD	62	1998	-19	1919	0	1919	42	1982	31	17	24	
MERRILL	60	1998	-21	1978	9	1966	43	1962	31	15	23	
OSHKOSH	63	1962	-11	1976	7	1919	43	1998	36	20	28	
RHINELANDER	62	1998	-21	1976	6	1940	44	1962	29	14	22	
STEVENS POINT	60	1962	-14	1897	2	1919	42	1962	33	17	25	
STURGEON BAY	56	1962,1982,1998	0	1930	11	1919	46	1982	35	22	29	
WAUSAU	61	1982	-15	1897	2	1919	47	1982	31	17	24	
WISCONSIN RAPIDS	61	1982	-15	1919	3	1919	49	1982	33	17	25	
	REC	YEAR(S)	REC	YEAR(S)					NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.35	1945	4.0	1950,1984					0.09	28.20	1.0	9.4
APPLETON	1.40	1921	5.0	1980					0.12	29.64	0.6	3.6
GREEN BAY	0.64	1921	4.7	1972					0.12	28.13	0.7	4.9
MANITOWOC	1.50	1921	6.0	1904,1980					0.13	29.69	0.4	2.7
MARSHFIELD	0.47	1984	5.1	1984					0.11	31.58	0.7	6.3
MERRILL	0.55	1912	5.1	1929					0.12	30.94	0.7	6.1
OSHKOSH	1.05	1921	8.2	1980					0.13	30.21	0.6	2.8
RHINELANDER	0.80	1984	6.0	1950					0.11	30.07	0.7	9.3
STEVENS POINT	0.49	1985	4.5	1985					0.12	31.34	0.6	2.1
STURGEON BAY	1.32	1921	4.0	1980,1985					0.14	30.26	0.7	3.4
WAUSAU	0.89	1984	8.1	1984					0.11	31.16	0.8	9.1
WISCONSIN RAPIDS	0.92	1912	5.3	1950					0.10	30.71	0.8	4.4

DECEMBER 2

DECEMBER 3

	REC	YEAR(S)	REC	YEAR(S)	LOW	YEAR(S)	HIGH	YEAR(S)	NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME
ANTIGO	59	1982	-18	1940	2	1940	45	1962	29	13	21
APPLETON	61	1998,2012	-14	1940	13	1976	43	1999	34	19	27
GREEN BAY	62	1998,2012	-13	1940	8	1940	43	1999	33	19	26
MANITOWOC	62	1998	-10	1940	5	1940	46	1982	34	23	28
MARSHFIELD	63	1998	-23	1940	1	1940	44	1951,1962	30	16	23
MERRILL	61	1982	-25	1919	3	1940	44	1962	30	14	22
OSHKOSH	63	1998	-15	1940	5	1940	46	1998	35	20	27
RHINELANDER	61	1998	-22	1927	2	1940	47	1962	29	14	21
STEVENS POINT	61	1982	-18	1940	2	1940	46	1951	32	16	24
STURGEON BAY	59	1998	-4	1919,1976	12	1919	49	1982	35	22	28
WAUSAU	60	1998	-20	1940	6	1940	47	1962	31	16	24
WISCONSIN RAPIDS	64	1998	-20	1919	12	1972	48	1962	32	16	24
	REC	YEAR(S)	REC	YEAR(S)				NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)				PCPN		SNOW	
								MONTH	YEAR	MONTH	SEASON
ANTIGO	0.51	2011	7.0	1990				0.13	28.24	1.4	9.8
APPLETON	0.90	1990	12.0	1990				0.18	29.70	0.9	3.9
GREEN BAY	0.92	1990	14.4	1990				0.18	28.19	1.1	5.3
MANITOWOC	1.03	1990	10.0	1990				0.20	29.76	0.6	2.9
MARSHFIELD	0.72	1934	8.5	1990				0.16	31.63	1.1	6.7
MERRILL	0.50	1934	5.0	1990				0.17	30.99	1.0	6.4
OSHKOSH	0.70	1933,1997	12.0	1990				0.19	30.27	1.0	3.2
RHINELANDER	0.55	1934	6.7	1934				0.16	30.12	1.0	9.6
STEVENS POINT	0.72	1902	6.0	1934				0.17	31.39	0.9	2.4
STURGEON BAY	0.63	1990	6.0	1990				0.21	30.33	1.0	3.7
WAUSAU	0.52	1953	10.1	1990				0.16	31.21	1.2	9.5
WISCONSIN RAPIDS	0.75	2011	9.0	1990				0.16	30.77	1.2	4.8

DECEMBER 3

DECEMBER 4

	REC	YEAR(S)	REC	YEAR(S)	LOW	YEAR(S)	HIGH	YEAR(S)	NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME	
ANTIGO	57	1998	-13	1985	8	1991	42	1941	29	13	21	
APPLETON	61	2001	-9	1940	16	1936,1976,1984	43	2001	33	19	26	
GREEN BAY	61	2017	-8	1977	15	1976	46	2001,2017	33	19	26	
MANITOWOC	62	2001	-2	1976	13	1976	43	2001	33	23	28	
MARSHFIELD	60	2001	-16	1919	11	1972	47	2001	30	16	23	
MERRILL	59	1916	-23	1919	8	1976	41	1941	30	14	22	
OSHKOSH	61	2001	-5	1977,1985	11	1991	48	2001	35	19	27	
RHINELANDER	56	1916,2017	-22	1927	8	1972	42	1941,1942,1991	29	13	21	
STEVENS POINT	62	2001	-11	1902	10	1972	49	2001	32	16	24	
STURGEON BAY	58	1961	-1	1940	12	1976	46	2001	34	21	28	
WAUSAU	58	2001	-7	1991	12	1991	43	1941	30	16	23	
WISCONSIN RAPIDS	62	2001	-18	1940	9	1991	46	2001	32	16	24	
	REC	YEAR(S)	REC	YEAR(S)					NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.54	1953	6.0	1994					0.17	28.28	1.9	10.3
APPLETON	0.74	1932	6.0	1947					0.24	29.76	1.3	4.3
GREEN BAY	0.50	1973	5.4	1944					0.24	28.25	1.5	5.7
MANITOWOC	0.60	1880	4.0	1910					0.26	29.82	0.8	3.1
MARSHFIELD	1.07	1925	5.0	1885					0.21	31.68	1.5	7.1
MERRILL	0.88	1953	4.8	1927					0.23	31.05	1.3	6.7
OSHKOSH	0.73	1925	3.5	1967					0.25	30.33	1.3	3.5
RHINELANDER	0.89	1970	4.0	1955					0.21	30.17	1.4	10.0
STEVENS POINT	0.65	1947	6.0	1947					0.23	31.45	1.2	2.7
STURGEON BAY	0.60	2001	5.0	1940					0.28	30.40	1.4	4.1
WAUSAU	0.59	2017	4.0	1987					0.21	31.26	1.6	9.9
WISCONSIN RAPIDS	0.77	1932	3.0	2007,2016					0.20	30.81	1.6	5.2

DECEMBER 4

DECEMBER 6

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	50	1939	-18	2007	7	2005	36	1998		28	12	20	
APPLETON	53	1998	-12	1926	9	2005	36	1967		32	18	25	
GREEN BAY	52	1998	-15	1972	7	1893	37	1913,1967		32	18	25	
MANITOWOC	57	1975	-10	1885	3	1885	39	1951		32	22	27	
MARSHFIELD	52	1939	-15	1972	5	2005	33	1980		29	15	22	
MERRILL	51	1939	-18	1955	6	2005	38	1998		29	13	21	
OSHKOSH	58	1998	-8	1972	11	1958,2005	44	1998		34	18	26	
RHINELANDER	52	1998	-18	1926	5	1972,2013	33	1951		28	12	20	
STEVENS POINT	56	1960	-14	1926	7	2005	35	1967		31	15	23	
STURGEON BAY	54	1975	0	1955	10	2005	46	1998		33	21	27	
WAUSAU	51	1939	-21	1972	5	2005,2013	34	1967,1980		29	15	22	
WISCONSIN RAPIDS	48	1916	-23	1972	8	2005	34	1967		31	15	23	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.63	1982	6.0	1936						0.25	28.36	2.9	11.3
APPLETON	0.53	1936	5.0	1908,1949						0.36	29.88	1.9	5.0
GREEN BAY	0.44	1908	5.0	1908						0.35	28.36	2.3	6.5
MANITOWOC	1.82	1883	4.5	1950						0.39	29.95	1.2	3.5
MARSHFIELD	0.40	1926	4.0	1926						0.30	31.77	2.4	8.0
MERRILL	0.57	1982	2.8	1996						0.33	31.15	2.1	7.5
OSHKOSH	0.60	1908	6.0	1908						0.36	30.44	2.0	4.2
RHINELANDER	0.51	1912	3.5	1949						0.32	30.28	2.1	10.7
STEVENS POINT	1.45	1953	5.0	1908						0.33	31.55	1.9	3.4
STURGEON BAY	0.87	1908	8.5	1908						0.41	30.53	2.1	4.8
WAUSAU	0.55	1936	7.0	1936						0.30	31.35	2.5	10.8
WISCONSIN RAPIDS	0.67	1948	4.5	1949						0.30	30.91	2.5	6.1

DECEMBER 6

DECEMBER 7

	REC	YEAR(S)	REC	YEAR(S)	LOW	YEAR(S)	HIGH	YEAR(S)	NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME	
ANTIGO	45	1905	-29	1972	0	1936	35	1939	27	11	19	
APPLETON	59	1946	-14	1936	8	1958,1972	38	1939	32	18	25	
GREEN BAY	50	1916,1946	-21	1972	5	1972	40	1916	31	17	24	
MANITOWOC	53	1946	-15	1885	0	1882	41	1951	32	21	27	
MARSHFIELD	50	1916	-26	1972	-1	1972	35	1939	29	14	22	
MERRILL	46	1911	-29	1972	0	1972	36	1939	29	12	20	
OSHKOSH	53	1946	-15	1936	4	1936	37	1916	33	18	26	
RHINELANDER	49	1939	-23	1936	0	1936	32	1935,1967,2004	28	12	20	
STEVENS POINT	50	1916	-23	1972	-1	1936	37	1946	30	15	22	
STURGEON BAY	49	1946	-10	1972	5	1972	39	1916	33	20	27	
WAUSAU	47	1939	-25	1972	-2	1936	37	1939	29	14	22	
WISCONSIN RAPIDS	53	1916	-26	1972	1	1932	37	1916	31	14	23	
	REC	YEAR(S)	REC	YEAR(S)					NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.60	1927	6.0	1927					0.28	28.39	3.4	11.8
APPLETON	0.91	1950	6.5	1926					0.41	29.93	2.3	5.4
GREEN BAY	1.12	1927	11.2	1927					0.41	28.42	2.7	6.9
MANITOWOC	0.93	1950	6.5	1926					0.45	30.01	1.5	3.8
MARSHFIELD	0.41	1969	8.0	1969					0.35	31.82	2.8	8.4
MERRILL	0.29	1949	4.0	1949					0.38	31.20	2.5	7.9
OSHKOSH	0.76	1926	7.1	1927					0.42	30.50	2.4	4.6
RHINELANDER	0.65	1950	8.0	1950					0.37	30.33	2.6	11.2
STEVENS POINT	0.70	1926	6.0	1926,1950					0.38	31.60	2.3	3.8
STURGEON BAY	1.05	1927	6.0	1927					0.48	30.60	2.5	5.2
WAUSAU	0.87	1927,1950	11.0	1927					0.35	31.40	3.0	11.3
WISCONSIN RAPIDS	0.45	1969	4.5	1969					0.35	30.96	3.0	6.6

DECEMBER 7

DECEMBER 10

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	47	2015	-22	1919	0	1899	34	1899		26	10	18
APPLETON	56	2015	-11	1978	3	1995	40	1939		30	17	24
GREEN BAY	54	2015	-15	1919,1972	-1	1919	40	2015		30	16	23
MANITOWOC	52	1911	-12	1919	5	1995	47	1946		31	20	26
MARSHFIELD	53	2015	-26	1919	-2	1919	37	2015		28	13	20
MERRILL	50	2015	-21	1919	-2	1919	34	2015		28	11	19
OSHKOSH	59	1890	-17	1919	5	1978	41	2015		32	17	24
RHINELANDER	49	2015	-24	1919,1927	-3	1919	36	2015		27	10	18
STEVENS POINT	54	2015	-20	1919	-5	1995	36	1899		29	13	21
STURGEON BAY	53	1938	-13	1919	6	1995	38	1939		32	19	25
WAUSAU	51	2015	-20	1919	-5	1919	39	2015		28	13	21
WISCONSIN RAPIDS	54	2015	-24	1919	-1	1919	37	2015		30	13	21
	REC		REC							NORMAL		
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.30	1911	5.0	1961,2003					0.40	28.51	5.0	13.4
APPLETON	0.89	1911	4.0	1910,1970					0.57	30.09	3.4	6.5
GREEN BAY	0.82	1971	3.4	1992					0.58	28.59	4.0	8.2
MANITOWOC	1.40	1971	6.5	1882					0.64	30.20	2.2	4.5
MARSHFIELD	1.16	1971	4.0	2000,2003					0.48	31.95	4.2	9.8
MERRILL	1.05	1971	4.5	2003					0.53	31.35	3.7	9.1
OSHKOSH	0.99	1911	5.0	1972					0.59	30.67	3.6	5.8
RHINELANDER	0.65	1911	5.5	2003					0.52	30.48	4.2	12.8
STEVENS POINT	0.54	1971	4.0	1910,2003					0.53	31.75	3.5	5.0
STURGEON BAY	1.24	1911	5.5	1907					0.68	30.80	3.8	6.5
WAUSAU	1.14	1971	3.0	1961					0.49	31.54	4.4	12.7
WISCONSIN RAPIDS	0.73	1911	4.0	1910					0.49	31.10	4.5	8.1

DECEMBER 10

DECEMBER 11

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	48	1913	-22	1977	-3	1995	35	2015		26	9	18	
APPLETON	54	1949	-14	1972	-1	1995	39	2015		30	16	23	
GREEN BAY	57	1949	-17	1972,1977	2	1995	36	1931,1949		30	16	23	
MANITOWOC	52	1896	-15	1976	2	1995	39	1899		31	20	25	
MARSHFIELD	50	1913	-20	1936	-2	1995	34	2015		27	13	20	
MERRILL	52	1913	-25	1977	-1	1995,2013	36	2015		27	10	19	
OSHKOSH	58	1949	-11	1977	1	1995	37	2015		32	16	24	
RHINELANDER	52	1913	-25	1977	-2	2013	33	2015		26	10	18	
STEVENS POINT	52	1913	-17	1972	0	2013	36	2015		29	13	21	
STURGEON BAY	48	1946,1998	-10	1977	4	1995	40	2015		32	19	25	
WAUSAU	53	1949	-16	1977	-2	1995	34	2015		28	13	20	
WISCONSIN RAPIDS	52	1946	-20	1936	-3	1995	35	2015		29	13	21	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.71	1971	6.0	2010						0.44	28.55	5.5	13.9
APPLETON	0.87	1965	6.0	2010						0.63	30.15	3.8	6.9
GREEN BAY	0.69	2010	6.5	2010						0.63	28.64	4.5	8.7
MANITOWOC	0.65	1904	14.0	1904						0.71	30.27	2.5	4.8
MARSHFIELD	1.30	2010	17.0	2010						0.52	31.99	4.7	10.3
MERRILL	0.63	1931	3.0	1983						0.58	31.40	4.2	9.6
OSHKOSH	0.75	1983	7.0	1932						0.64	30.72	4.0	6.2
RHINELANDER	0.64	1931	10.3	2010						0.57	30.53	4.7	13.3
STEVENS POINT	1.30	1931	9.5	2010						0.59	31.81	4.0	5.5
STURGEON BAY	0.47	1931	3.0	2010						0.74	30.86	4.2	6.9
WAUSAU	1.00	2010	12.8	2010						0.54	31.59	4.9	13.2
WISCONSIN RAPIDS	1.12	2010	12.2	2010						0.54	31.15	5.0	8.6

DECEMBER 11

DECEMBER 12

	REC	YEAR(S)	REC	YEAR(S)	LOW	YEAR(S)	HIGH	YEAR(S)	NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME	
ANTIGO	49	1913	-16	1995	3	1989	33	1965,2015	26	9	17	
APPLETON	49	1913,1968	-10	1927	6	1932	39	1968	30	16	23	
GREEN BAY	52	1968	-6	1903,1985	9	1922	43	1968	29	15	22	
MANITOWOC	51	1883,1949	-4	1962	11	1995	40	1965	30	19	25	
MARSHFIELD	50	1998	-15	1927	1	1962	35	2015	27	12	20	
MERRILL	54	1913	-19	1977	5	1962	34	1965	27	10	18	
OSHKOSH	58	1949	-10	1927	7	1986	43	1968	31	16	23	
RHINELANDER	53	1913	-18	1989	-1	1922	35	2006	26	9	18	
STEVENS POINT	51	1968	-14	1927	-3	1995	37	1928	29	13	21	
STURGEON BAY	56	1913	-8	1927	12	1912	38	1968	31	18	25	
WAUSAU	49	1913,1998	-10	1927,1962	1	1922	39	1968	27	12	20	
WISCONSIN RAPIDS	55	1949	-16	1932	5	1956	42	1968	29	12	21	
	REC	YEAR(S)	REC	YEAR(S)					NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.74	1991	5.0	1961					0.48	28.59	6.1	14.5
APPLETON	0.98	1965	14.0	1909					0.68	30.20	4.2	7.3
GREEN BAY	0.83	1965	6.0	1909					0.68	28.69	4.9	9.1
MANITOWOC	1.48	1901	8.0	1909					0.76	30.32	2.8	5.1
MARSHFIELD	1.23	1965	5.5	1972					0.57	32.04	5.1	10.7
MERRILL	0.94	1965	10.0	1961					0.63	31.45	4.6	10.0
OSHKOSH	0.94	1965	6.0	1915,1961					0.70	30.78	4.4	6.6
RHINELANDER	0.54	1991	8.0	1961					0.62	30.58	5.2	13.8
STEVENS POINT	1.21	1965	9.0	1961					0.63	31.85	4.4	5.9
STURGEON BAY	1.64	1909	11.0	1909					0.80	30.92	4.6	7.3
WAUSAU	1.42	1965	7.2	1972					0.58	31.63	5.3	13.6
WISCONSIN RAPIDS	1.03	1965	6.2	1972					0.58	31.19	5.5	9.1

DECEMBER 12

DECEMBER 13

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	50	1913	-23	1903	-5	1903	35	1928,2015		25	8	17
APPLETON	55	2015	-21	1903	5	1985	40	2015		29	16	22
GREEN BAY	55	2015	-20	1903	-5	1903	44	1920		29	15	22
MANITOWOC	55	1891	-19	1903	8	1898	42	1920		30	19	25
MARSHFIELD	51	2015	-18	1961	3	2000	39	2015		27	12	19
MERRILL	55	1913	-22	1976	1	1985	35	2015		27	10	18
OSHKOSH	58	2015	-23	1903	1	1985	41	2015		31	15	23
RHINELANDER	54	1913	-21	1976	-2	1919	35	2015		26	9	17
STEVENS POINT	55	2015	-26	1903	5	1986	38	1920,2015		28	12	20
STURGEON BAY	53	2015	-10	1976	9	1985	41	2015		31	18	24
WAUSAU	49	1998	-24	1903	-6	1903	38	2015		27	12	19
WISCONSIN RAPIDS	56	2015	-21	1926	-6	1926	39	1920,2015		29	12	20
	REC		REC							NORMAL		
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.90	2015	7.8	1995					0.51	28.62	6.6	15.0
APPLETON	1.49	2015	5.0	1909					0.73	30.25	4.6	7.7
GREEN BAY	1.60	2015	7.1	2017					0.73	28.74	5.4	9.6
MANITOWOC	1.60	2015	8.0	1926					0.82	30.38	3.1	5.4
MARSHFIELD	0.59	2015	3.3	1921					0.60	32.07	5.6	11.2
MERRILL	1.07	2015	6.0	1995					0.68	31.50	5.0	10.4
OSHKOSH	1.13	2015	2.5	1933					0.75	30.83	4.8	7.0
RHINELANDER	0.51	2017	6.3	2017					0.66	30.62	5.8	14.4
STEVENS POINT	1.30	2015	4.0	1914					0.68	31.90	4.9	6.4
STURGEON BAY	1.05	1909	6.0	1995					0.86	30.98	5.1	7.8
WAUSAU	1.09	2015	5.1	1995					0.63	31.68	5.8	14.1
WISCONSIN RAPIDS	1.33	2015	4.0	1995					0.63	31.24	6.0	9.6

DECEMBER 13

DECEMBER 14

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	49	1998	-27	1901	-3	1901	36	1928		25	8	16	
APPLETON	56	1975	-17	1901,1926	-5	1926	44	2015		29	15	22	
GREEN BAY	55	1975,2015	-17	1985	-3	1926	37	1993,2015		29	15	22	
MANITOWOC	58	1975	-14	1901	3	1903	40	1975		30	19	24	
MARSHFIELD	52	1998	-23	1926	0	1914,1926	36	1928		26	12	19	
MERRILL	51	1998	-24	1919	1	1916	38	2015		26	9	18	
OSHKOSH	56	1975	-20	1901	-12	1901	36	1891,1928,1993		30	15	23	
RHINELANDER	50	1998	-23	1926	-7	1926	35	1928		25	9	17	
STEVENS POINT	52	1975	-26	1901	-3	1985	37	1928		28	12	20	
STURGEON BAY	57	1920	-13	1919	6	1919,1985	43	2015		31	17	24	
WAUSAU	52	1998	-25	1901	-8	1926	38	1928		27	12	19	
WISCONSIN RAPIDS	53	1975	-22	1919	-3	1926	38	1928		28	12	20	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.35	1975	4.0	1983,2017						0.54	28.65	7.1	15.5
APPLETON	2.12	2015	6.6	2005						0.78	30.30	5.0	8.1
GREEN BAY	1.94	1891	7.8	1989						0.77	28.78	5.8	10.0
MANITOWOC	1.55	2015	9.0	1884						0.88	30.44	3.4	5.7
MARSHFIELD	1.13	1975	7.0	2005						0.64	32.11	6.1	11.7
MERRILL	1.20	1975	3.2	1955						0.72	31.54	5.4	10.8
OSHKOSH	0.99	1907	5.0	1983						0.79	30.87	5.2	7.4
RHINELANDER	1.17	2015	3.8	2009						0.71	30.67	6.4	15.0
STEVENS POINT	1.75	2015	4.7	2005						0.73	31.95	5.4	6.9
STURGEON BAY	3.05	2015	10.0	1907						0.92	31.04	5.5	8.2
WAUSAU	1.48	2015	5.1	2005						0.67	31.72	6.3	14.6
WISCONSIN RAPIDS	1.17	2015	7.1	2005						0.67	31.28	6.5	10.1

DECEMBER 14

DECEMBER 15

	REC	YEAR(S)	REC	YEAR(S)	LOW	YEAR(S)	HIGH	YEAR(S)		HI	LO	ME	
ANTIGO	47	1993	-28	1901	-7	1926	32	1928		25	7	16	
APPLETON	52	1920	-20	1901	-5	1901	35	1992		29	15	22	
GREEN BAY	49	1998	-20	1901	-4	1901	37	1928		28	14	21	
MANITOWOC	52	1979	-18	1901	-5	1901	39	1928		29	18	24	
MARSHFIELD	47	1997	-27	1919	-6	1926	36	1928		26	11	19	
MERRILL	47	1984	-24	1919	-5	1926	33	2006		26	9	17	
OSHKOSH	51	1984	-19	1901	-1	1932	37	1928		30	15	22	
RHINELANDER	48	1993	-28	1919	-9	1926	34	1928		25	8	17	
STEVENS POINT	53	1998	-28	1901	-8	1901	37	1928		28	12	20	
STURGEON BAY	50	1998	-14	1926	-3	1926	36	1928		30	17	24	
WAUSAU	48	1997	-27	1901	-7	1919,1926	38	1928		26	11	19	
WISCONSIN RAPIDS	49	1923	-29	1932	0	1951	36	1928		28	11	20	
	REC	YEAR(S)	REC	YEAR(S)						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						MONTH	YEAR	MONTH	SEASON
ANTIGO	1.00	1940	7.0	2005						0.58	28.69	7.7	16.1
APPLETON	1.31	1971	11.0	1987						0.83	30.35	5.4	8.5
GREEN BAY	1.16	1971	9.5	1987						0.82	28.83	6.3	10.5
MANITOWOC	2.18	1891	12.5	1900						0.93	30.49	3.7	6.0
MARSHFIELD	0.45	1940	7.0	1990						0.68	32.15	6.5	12.1
MERRILL	0.78	1992	5.2	1990						0.76	31.58	5.9	11.3
OSHKOSH	1.26	1891	6.7	1987						0.84	30.92	5.6	7.8
RHINELANDER	0.58	1940	6.0	1940						0.75	30.71	6.9	15.5
STEVENS POINT	0.82	1971	6.5	1990						0.77	31.99	5.9	7.4
STURGEON BAY	1.04	1971	9.0	1989						0.97	31.09	6.0	8.7
WAUSAU	1.21	1974	9.3	1974						0.71	31.76	6.7	15.0
WISCONSIN RAPIDS	0.91	1992	4.5	1987						0.71	31.32	7.1	10.7

DECEMBER 15

DECEMBER 16

	REC	YEAR(S)	REC	YEAR(S)	LOW	YEAR(S)	HIGH	YEAR(S)	NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME	
ANTIGO	48	1984	-22	1901	-2	1901	33	1928	24	7	16	
APPLETON	54	1984	-19	1932	0	1901	39	2001	28	15	22	
GREEN BAY	54	1984	-15	1932	3	1919,1932	40	2001	28	14	21	
MANITOWOC	55	1984	-16	1876	5	1919	40	2001	29	18	24	
MARSHFIELD	48	1984	-24	1932	1	1919	32	1928	26	11	18	
MERRILL	52	1913	-24	1919	2	1919	32	1992	26	8	17	
OSHKOSH	56	1984	-18	1932	5	1919	35	1939,2015	30	14	22	
RHINELANDER	49	1913	-28	1919	-8	1919	33	2001	25	8	16	
STEVENS POINT	51	1997	-22	1901	2	1932	36	1928,2012	27	11	19	
STURGEON BAY	54	1984	-12	1919	3	1919	38	2001	30	17	23	
WAUSAU	48	1997	-19	1932	1	1919,1932	38	1928	26	11	19	
WISCONSIN RAPIDS	54	1959	-28	1932	-4	1919	37	2001	28	11	19	
	REC	YEAR(S)	REC	YEAR(S)					NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.40	1894	8.0	1937,1940					0.61	28.72	8.2	16.6
APPLETON	0.88	1940	6.0	1902,1987					0.88	30.40	5.8	8.9
GREEN BAY	0.89	1921	3.9	2016					0.87	28.88	6.7	10.9
MANITOWOC	0.82	1921	4.0	1940					0.98	30.54	4.0	6.3
MARSHFIELD	1.17	1921	7.8	1921					0.72	32.19	7.0	12.6
MERRILL	0.95	1940	9.0	1940					0.81	31.63	6.3	11.7
OSHKOSH	0.50	1940	4.0	2016					0.89	30.97	6.0	8.2
RHINELANDER	1.06	1940	6.0	1921					0.80	30.76	7.4	16.0
STEVENS POINT	1.28	1921	8.0	1921					0.81	32.03	6.4	7.9
STURGEON BAY	0.95	1921	6.0	1908					1.03	31.15	6.5	9.2
WAUSAU	0.83	1940	4.9	1921					0.75	31.80	7.2	15.5
WISCONSIN RAPIDS	1.10	1940	4.0	1940					0.75	31.36	7.6	11.2

DECEMBER 16

DECEMBER 17

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	45	1895	-20	1919	-3	1985	34	1939		24	7	15
APPLETON	47	1939	-15	1964,1983	-3	1945	38	1977		28	14	21
GREEN BAY	49	1895	-14	1950,1985	-1	1945,1985	39	1939		28	14	21
MANITOWOC	47	1881,1939,2006	-19	1884	-2	1884	41	1939		29	18	23
MARSHFIELD	47	1939	-19	1919	-3	1985	30	1966,2001		25	11	18
MERRILL	48	1939	-23	1932	-3	1985	36	1939		25	8	17
OSHKOSH	50	1939	-15	1919	1	1985	39	1939		29	14	22
RHINELANDER	42	1913,1997	-25	1983	-6	1922	32	1939		25	8	16
STEVENS POINT	49	1984	-19	1903	3	1919	35	1977		27	11	19
STURGEON BAY	49	1984	-11	1919	3	1919	36	1939		30	16	23
WAUSAU	48	1913	-18	1901	-8	1945	37	1939,1977		26	11	18
WISCONSIN RAPIDS	47	1962	-17	1932	-7	1919	36	1977		28	11	19
	REC		REC							NORMAL		
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.67	1990	7.0	1990					0.64	28.75	8.7	17.1
APPLETON	1.23	1908	10.5	1908					0.92	30.44	6.2	9.3
GREEN BAY	0.59	1908	5.8	1888					0.91	28.92	7.2	11.4
MANITOWOC	1.30	1908	8.8	1876					1.03	30.59	4.3	6.6
MARSHFIELD	0.60	1915	6.0	1961,1990					0.75	32.22	7.4	13.0
MERRILL	0.65	1908	8.0	1908					0.85	31.67	6.7	12.1
OSHKOSH	1.00	1940	8.0	1921					0.93	31.01	6.4	8.6
RHINELANDER	0.46	1915	7.0	1908					0.84	30.80	7.9	16.5
STEVENS POINT	0.88	1921	7.0	1940					0.86	32.08	6.8	8.3
STURGEON BAY	2.09	1908	13.0	1908					1.08	31.20	6.9	9.6
WAUSAU	0.84	1990	11.2	1990					0.79	31.84	7.6	15.9
WISCONSIN RAPIDS	0.89	1921	9.0	1990					0.79	31.40	8.1	11.7

DECEMBER 17

DECEMBER 18

	REC		REC		LOW		HIGH		NORMAL				
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	45	2002	-30	1983	-8	1983	34	1977		24	6	15	
APPLETON	52	2002	-19	1983	-2	1983	36	2002		28	14	21	
GREEN BAY	50	1931	-18	1983	-8	1983	36	1923		27	13	20	
MANITOWOC	56	1923	-20	1884	-5	1884,1901	39	1941		29	18	23	
MARSHFIELD	50	2002	-27	1983	-2	1983	36	2002		25	10	18	
MERRILL	47	2002	-23	1983	-8	1983	35	1977		25	8	16	
OSHKOSH	52	2002	-16	1983	-8	1983	35	1889,2002		29	14	21	
RHINELANDER	46	2002	-34	1983	-10	1983	33	1977		25	7	16	
STEVENS POINT	52	2002	-25	1950	-4	2016	36	1977		27	11	19	
STURGEON BAY	46	1923,2002	-10	1922	5	1916	35	1923,1967		29	16	23	
WAUSAU	48	2002	-23	1983	-8	1983	35	1977		25	10	18	
WISCONSIN RAPIDS	51	1923,2002	-23	1922	-7	1983	33	1977,2002		27	11	19	
	REC		REC						NORMAL				
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON	
ANTIGO	0.59	1977	4.0	1908,2000					0.67	28.78	9.1	17.5	
APPLETON	0.63	1957	5.2	2000					0.97	30.49	6.5	9.6	
GREEN BAY	0.50	1957	6.1	2000					0.96	28.97	7.6	11.8	
MANITOWOC	0.51	2002	5.8	1878					1.08	30.64	4.6	6.9	
MARSHFIELD	0.31	1957	4.0	2000					0.79	32.26	7.9	13.5	
MERRILL	0.23	2000	3.3	1929					0.89	31.71	7.1	12.5	
OSHKOSH	0.46	1957	4.0	1934,2000					0.97	31.05	6.8	9.0	
RHINELANDER	0.46	2002	3.0	1998					0.89	30.85	8.4	17.0	
STEVENS POINT	0.50	1990	6.0	1990					0.90	32.12	7.3	8.8	
STURGEON BAY	0.60	2000	8.0	2000					1.13	31.25	7.3	10.0	
WAUSAU	0.28	1957	4.2	1971					0.83	31.88	8.1	16.4	
WISCONSIN RAPIDS	0.41	1957	4.0	2000					0.83	31.44	8.5	12.1	

DECEMBER 18

DECEMBER 19

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	49	1923	-35	1983	-3	1989	33	2002		24	6	15	
APPLETON	50	2002	-20	1983	-6	1983	34	1918,2002		28	14	21	
GREEN BAY	51	1918	-27	1983	-2	1983	36	1918		27	13	20	
MANITOWOC	48	1931	-21	1884	-3	1983	44	1877		28	17	23	
MARSHFIELD	52	1923	-27	1983	-5	1983	34	2002		25	10	18	
MERRILL	55	1923	-31	1983	-1	1989	34	2002		25	7	16	
OSHKOSH	51	1918	-20	1983	-3	1983	39	2002		29	13	21	
RHINELANDER	44	1923	-32	1983	0	1980,1989	33	2018		24	7	16	
STEVENS POINT	48	1923	-26	1983	-6	1983	32	1918		27	10	18	
STURGEON BAY	54	1923	-8	1916	5	1989	37	2002		29	16	22	
WAUSAU	48	1923	-26	1983	-2	1955	32	1918,1923		25	10	18	
WISCONSIN RAPIDS	51	1923	-25	1983	-10	1983	32	1918,2018		27	10	19	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.91	1968	8.0	1968						0.70	28.81	9.6	18.0
APPLETON	1.03	1968	7.5	1968						1.02	30.54	6.9	10.0
GREEN BAY	0.54	1968	5.9	1968						1.00	29.01	8.0	12.2
MANITOWOC	1.00	1968	7.5	2008						1.13	30.69	4.9	7.2
MARSHFIELD	0.95	1968	10.0	1968						0.83	32.30	8.3	13.9
MERRILL	0.64	1939	5.3	1987						0.93	31.75	7.5	12.9
OSHKOSH	0.86	1968	5.2	1966						1.02	31.10	7.1	9.3
RHINELANDER	1.16	1939	8.0	1968						0.93	30.89	8.9	17.5
STEVENS POINT	0.60	1968	6.0	1968						0.94	32.16	7.7	9.2
STURGEON BAY	0.82	1968	5.0	1968						1.19	31.31	7.8	10.5
WAUSAU	0.55	1951	8.5	1968						0.87	31.92	8.5	16.8
WISCONSIN RAPIDS	0.67	1968	7.0	1968						0.87	31.48	8.9	12.5

DECEMBER 19

DECEMBER 20

	REC		REC		REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	51	1894	-30	1983	-11	1989	34	1918		23	6	15
APPLETON	49	1967	-17	1924,1989	-7	1989	38	1918		27	14	20
GREEN BAY	51	1894	-15	1924,1989	-7	1989	40	1923		27	13	20
MANITOWOC	48	1923	-17	1983	-2	1924	44	1877		28	17	22
MARSHFIELD	46	1967	-23	1924	-4	1963	36	1923		25	10	17
MERRILL	44	1956	-29	1983	-9	1989	35	1923		25	7	16
OSHKOSH	49	1918	-18	1983	-4	1989	40	1923		29	13	21
RHINELANDER	43	1994	-32	1983	-9	1989	30	1977		24	7	15
STEVENS POINT	48	1923	-21	1901	-4	1924	38	1923		26	10	18
STURGEON BAY	46	1923	-16	1989	0	1924,1989	39	1923		29	15	22
WAUSAU	45	1967	-21	1989	-9	1989	37	1923		25	10	17
WISCONSIN RAPIDS	49	1967	-24	1924	-8	1924	38	1923		27	10	18
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.50	1923	8.6	2012					0.73	28.84	10.0	18.4
APPLETON	0.95	2012	10.5	2012					1.06	30.58	7.3	10.4
GREEN BAY	1.18	2012	9.7	2012					1.04	29.05	8.5	12.7
MANITOWOC	1.29	2012	6.5	1876					1.18	30.74	5.2	7.5
MARSHFIELD	0.56	2012	10.7	2012					0.87	32.34	8.7	14.3
MERRILL	0.31	1975	6.5	1951					0.97	31.79	7.9	13.3
OSHKOSH	1.00	2012	11.9	2012					1.06	31.14	7.5	9.7
RHINELANDER	0.43	1978	4.0	2004					0.97	30.93	9.5	18.1
STEVENS POINT	0.70	1987	7.9	2012					0.98	32.20	8.2	9.7
STURGEON BAY	1.06	2012	8.0	1951					1.24	31.36	8.2	10.9
WAUSAU	0.54	2012	10.9	2012					0.91	31.96	8.9	17.2
WISCONSIN RAPIDS	0.72	1977	11.0	2012					0.90	31.51	9.4	13.0

DECEMBER 20

DECEMBER 21

	REC		REC		REC		REC						
	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	48	1967	-28	1983	-10	1989	38	1894		23	5	14	
APPLETON	49	1967	-23	1989	-12	1989	42	1918		27	13	20	
GREEN BAY	52	1967	-20	1989	-8	1989	42	1918		27	13	20	
MANITOWOC	51	1967	-20	1989	-8	1989	43	1877		28	17	22	
MARSHFIELD	54	1967	-27	1989	-8	1989	34	1923		25	9	17	
MERRILL	49	1967	-27	1985	-8	1989	35	1923		25	7	16	
OSHKOSH	53	1967	-19	1989	-10	1989	41	1918		28	13	21	
RHINELANDER	49	1967	-26	1989	-6	1989	32	1923,2007		24	6	15	
STEVENS POINT	51	1967	-23	1989	-4	1989	35	1918		26	10	18	
STURGEON BAY	49	1923,1967	-17	1989	-5	1989	41	1918		29	15	22	
WAUSAU	50	1967	-25	1989	-9	1989	38	1918		25	9	17	
WISCONSIN RAPIDS	53	1967	-30	1924	-11	1989	36	1918		27	10	18	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.52	1984	5.0	1984						0.76	28.87	10.5	18.9
APPLETON	0.76	1902	4.0	1920,2010						1.11	30.63	7.6	10.7
GREEN BAY	0.53	1918	6.2	2010						1.09	29.10	8.9	13.1
MANITOWOC	1.00	1889	8.0	1920						1.22	30.78	5.6	7.9
MARSHFIELD	0.64	1984	7.0	1977						0.90	32.37	9.1	14.7
MERRILL	0.49	2006	5.0	2008						1.02	31.84	8.3	13.7
OSHKOSH	0.63	1920	6.0	1914						1.10	31.18	7.8	10.0
RHINELANDER	0.46	1984	7.3	2010						1.02	30.98	10.1	18.7
STEVENS POINT	0.47	2006	6.0	1998						1.02	32.24	8.6	10.1
STURGEON BAY	0.50	1918	5.0	1914						1.29	31.41	8.6	11.3
WAUSAU	0.53	1984	5.5	1920						0.95	32.00	9.4	17.7

WISCONSIN RAPIDS	0.63	1984	6.0	1984					0.94	31.55	9.8	13.4
------------------	------	------	-----	------	--	--	--	--	------	-------	-----	------

DECEMBER 21

--	--	--	--	--	--	--	--	--	--	--	--	--

DECEMBER 22

	REC		REC		REC		REC					
	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	45	1941	-27	1989	-11	1983	34	1931		23	5	14
APPLETON	46	1957	-20	1983	-2	1983	36	1931,1941		27	13	20
GREEN BAY	48	1941,1957	-16	1983	2	2008	42	1941		26	12	19
MANITOWOC	51	1877	-13	1989	1	1989	43	1877		28	16	22
MARSHFIELD	46	1941	-24	1916	-5	1989	37	1941		24	9	17
MERRILL	46	1941	-27	1985	-9	1983	35	1941		24	6	15
OSHKOSH	49	1941	-21	1989	0	1983	40	1941		28	13	20
RHINELANDER	45	1941,1957	-26	1983	-7	1983	38	1941		24	6	15
STEVENS POINT	50	1957	-22	1989	-8	1989	35	1900		26	10	18
STURGEON BAY	45	1918	-13	1916	7	1989	37	1918		28	15	22
WAUSAU	45	1941	-20	1983	-1	1989,2008	38	1941		25	9	17
WISCONSIN RAPIDS	51	1957	-22	1916	-4	1989	37	1931		26	10	18

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.90	2006	6.0	1942,2006						0.79	28.90	10.9	19.3
APPLETON	1.64	2006	4.9	2013						1.16	30.68	8.0	11.1
GREEN BAY	1.24	2006	6.0	2013						1.13	29.14	9.3	13.5
MANITOWOC	1.35	2006	9.0	1884						1.27	30.83	6.0	8.3
MARSHFIELD	0.87	2006	8.5	2006						0.94	32.41	9.6	15.2
MERRILL	1.46	2006	7.6	1920						1.06	31.88	8.7	14.1
OSHKOSH	1.78	2006	5.0	2013						1.15	31.23	8.2	10.4
RHINELANDER	1.10	1933	10.0	1933,1968						1.06	31.02	10.7	19.3
STEVENS POINT	1.67	2006	5.0	2006						1.06	32.28	9.1	10.6
STURGEON BAY	0.97	2006	6.5	2013						1.35	31.47	9.1	11.8

WAUSAU	1.47	2006	6.8	1959					1.00	32.05	9.8	18.1
WISCONSIN RAPIDS	1.27	2006	6.2	1968					0.98	31.59	10.2	13.8

DECEMBER 22

DECEMBER 23

	REC		REC		REC		REC					
	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	47	2015	-32	1983	-15	1983	35	1941		23	5	14
APPLETON	53	2015	-21	1983	-5	1983	38	1931,1941		27	13	20
GREEN BAY	53	2015	-21	1983	-13	1983	37	1931,2015		26	12	19
MANITOWOC	54	1888	-19	1983	-5	1983	43	1877		27	16	22
MARSHFIELD	43	2015	-26	1983	-12	1983	35	1941		24	9	17
MERRILL	48	1932	-26	1983	-12	1983	35	1941		24	6	15
OSHKOSH	54	2015	-24	1989	-10	1983	37	1941		28	12	20
RHINELANDER	44	1957	-27	1983	-11	1983	33	1931		24	6	15
STEVENS POINT	51	2015	-25	1983	-15	1983	37	1941		26	9	18
STURGEON BAY	50	2015	-19	1983	-2	1983	37	1931,1941		28	15	21
WAUSAU	44	2015	-25	1983	-16	1983	33	2015		24	9	17
WISCONSIN RAPIDS	51	2015	-25	1983	-10	1983	37	1941		26	9	18

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON	
ANTIGO	0.55	1933	8.0	1933					0.82	28.93	11.4	19.8	
APPLETON	0.80	2014	5.5	1959,2007					1.21	30.73	8.4	11.5	
GREEN BAY	0.77	2007	9.0	1996					1.18	29.19	9.8	14.0	
MANITOWOC	0.81	1959	5.5	1914					1.31	30.87	6.4	8.7	
MARSHFIELD	0.55	2015	7.0	1938					0.98	32.45	10.0	15.6	
MERRILL	1.20	2015	6.0	1996,2007					1.10	31.92	9.1	14.5	
OSHKOSH	0.68	1941	6.0	1920					1.19	31.27	8.5	10.7	
RHINELANDER	1.01	2015	8.0	2007					1.11	31.07	11.3	19.9	
STEVENS POINT	0.75	2015	6.5	1959					1.11	32.33	9.5	11.0	

STURGEON BAY	0.70	2015	5.0	1933					1.41	31.53	9.5	12.2	
WAUSAU	1.00	2007	7.5	2007					1.04	32.09	10.2	18.5	
WISCONSIN RAPIDS	0.47	2015	10.0	2007					1.02	31.63	10.7	14.3	
DECEMBER 23													
DECEMBER 24													
					REC			REC					
	REC		REC		LOW			HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	40	1940	-27	1983	-5	1983	33	1936		22	5	14	
APPLETON	47	1932	-16	1983	-2	1983	33	1931,1982		26	13	20	
GREEN BAY	50	1889	-21	1983	-1	1983	42	1888		26	12	19	
MANITOWOC	60	1889	-21	1983	-1	1983	45	1877		27	16	22	
MARSHFIELD	41	1994	-27	1983	-8	1983	32	1940		24	9	16	
MERRILL	42	1940	-28	1951	-3	1983	32	1979		24	6	15	
OSHKOSH	52	1888,1889	-27	1983	-5	1983	40	1888		28	12	20	
RHINELANDER	45	1994	-29	2004	-4	1983	31	1936,1982,2005		23	6	14	
STEVENS POINT	50	1917	-28	1951	-13	1983	32	1936		25	9	17	
STURGEON BAY	50	1936	-14	1951,1983	4	1983	36	1979		28	14	21	
WAUSAU	40	1940,1955	-25	1951	-2	1983	33	1936,2005		24	9	16	
WISCONSIN RAPIDS	45	1936	-25	1983	-5	1983	33	1982		26	9	18	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.38	1941	4.0	1956						0.85	28.96	11.8	20.2
APPLETON	0.48	1941	5.0	1914						1.25	30.77	8.8	11.9
GREEN BAY	1.20	1893	5.6	1977						1.22	29.23	10.2	14.4
MANITOWOC	1.10	1931	5.0	1918						1.35	30.91	6.7	9.0
MARSHFIELD	0.98	1932	8.0	1977						1.02	32.49	10.4	16.0
MERRILL	0.41	2009	3.6	1933						1.15	31.97	9.6	15.0
OSHKOSH	0.96	1982	6.0	1910						1.23	31.31	8.9	11.1
RHINELANDER	1.12	1932	4.5	2009						1.15	31.11	11.9	20.5

STEVENS POINT	0.70	1932	5.0	1996					1.15	32.37	10.0	11.5
STURGEON BAY	0.59	1941	5.5	1977					1.46	31.58	10.0	12.7
WAUSAU	1.04	1932	7.0	1977					1.08	32.13	10.7	19.0
WISCONSIN RAPIDS	0.89	1941	5.9	1914					1.06	31.67	11.1	14.7

DECEMBER 24

DECEMBER 25

	REC		REC		REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	41	1936	-27	2000	-6	1924	34	1936		22	4	13
APPLETON	52	1936	-16	2000	-4	1983	35	1932		26	13	19
GREEN BAY	50	1936	-22	2000	-4	1933,1983	40	1936		26	12	19
MANITOWOC	58	1982	-20	1983	-3	1983	41	1877		27	16	21
MARSHFIELD	48	1936	-25	1933	-6	1924	34	1936		24	9	16
MERRILL	47	1994	-27	1933	-1	1996	35	1936		24	6	15
OSHKOSH	54	1936	-24	1983	-2	1933	38	1936		27	12	20
RHINELANDER	45	1994	-31	1933	-3	1924	34	1940		23	5	14
STEVENS POINT	50	1936	-24	1921	-6	1924	36	1936		25	9	17
STURGEON BAY	51	1936	-20	1933	-4	1933	36	1982		28	14	21
WAUSAU	47	1994	-23	1933	-6	1983	35	1936		24	8	16
WISCONSIN RAPIDS	51	1936	-26	1921	-8	1924	34	1956		26	9	17

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.49	1982	7.0	1945					0.88	28.99	12.2	20.6
APPLETON	0.84	2009	5.0	1910					1.30	30.82	9.1	12.2
GREEN BAY	0.62	1973	5.4	1945					1.27	29.28	10.6	14.8
MANITOWOC	0.87	2009	4.5	1962					1.39	30.95	7.1	9.4
MARSHFIELD	0.75	1945,2009	8.0	1945					1.05	32.52	10.8	16.4
MERRILL	0.60	1982	5.0	1945					1.19	32.01	10.0	15.4
OSHKOSH	0.91	2009	6.0	1962					1.27	31.35	9.2	11.4

RHINELANDER	0.86	1945	9.2	1945					1.19	31.15	12.4	21.0
STEVENS POINT	1.37	1945	5.0	1910					1.19	32.41	10.4	11.9
STURGEON BAY	0.80	2009	5.5	1907					1.51	31.63	10.4	13.1
WAUSAU	0.54	1982	6.2	1945					1.12	32.17	11.1	19.4
WISCONSIN RAPIDS	0.80	1945	2.5	2013					1.09	31.70	11.5	15.1

DECEMBER 25

DECEMBER 26

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	47	1936	-25	2000	-8	1933,2017	38	1936		22	4	13
APPLETON	49	1967	-22	1914	-4	1933	39	1936		26	12	19
GREEN BAY	51	1936	-19	1962,1996	-2	1933	48	1936		26	11	18
MANITOWOC	47	1936,2016	-16	1914	0	1990	41	1936		27	16	21
MARSHFIELD	49	1936	-29	1914	-7	1933	34	1936		24	8	16
MERRILL	49	1936	-27	1933	-6	1925	36	1936		24	5	14
OSHKOSH	49	1936	-26	1914	-2	1933	46	1936		27	12	20
RHINELANDER	48	1936	-26	1933	-10	1933	37	1936		23	5	14
STEVENS POINT	54	1936	-32	1914	-5	1933	44	1936		25	9	17
STURGEON BAY	50	1936	-20	1933	4	1925,1933	35	1936		27	14	21
WAUSAU	49	1936	-24	1990	6	2017	42	1936		24	8	16
WISCONSIN RAPIDS	50	1936	-29	1914	-7	1934	44	1936		26	9	17

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.64	2016	7.0	2008					0.92	29.03	12.7	21.1
APPLETON	0.39	1984	4.0	2008					1.34	30.86	9.5	12.6
GREEN BAY	0.89	1942	7.4	1888					1.31	29.32	11.0	15.2
MANITOWOC	1.00	1888	5.0	1911					1.43	30.99	7.4	9.7
MARSHFIELD	0.55	1941	7.0	1941					1.09	32.56	11.2	16.8
MERRILL	0.55	1911	10.5	1911					1.23	32.05	10.4	15.8

OSHKOSH	0.65	1888	7.0	1911					1.32	31.40	9.5	11.7
RHINELANDER	0.36	1942,1959	6.0	1938					1.24	31.20	12.9	21.5
STEVENS POINT	0.97	2016	6.5	1941					1.23	32.45	10.8	12.3
STURGEON BAY	0.70	1911	7.0	2009					1.57	31.69	10.9	13.6
WAUSAU	0.60	1942	4.0	1941,2008					1.16	32.21	11.6	19.9
WISCONSIN RAPIDS	0.66	1910	4.5	1910					1.13	31.74	11.9	15.5

DECEMBER 26

DECEMBER 27

	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	47	1936	-27	2017	-3	1933	35	1959		22	4	13
APPLETON	49	2003	-17	1933	0	2017	39	1936		26	12	19
GREEN BAY	49	1936	-22	1996	-7	1886	35	1959,2018		25	11	18
MANITOWOC	50	1936	-22	1998	-3	1886	38	1959		27	15	21
MARSHFIELD	49	1936	-26	1933	-4	2017	31	1928,1959		24	8	16
MERRILL	43	1984	-28	1933	-8	1933	34	1936		23	5	14
OSHKOSH	50	1936	-17	1933	2	1977,2017	35	2018		27	12	19
RHINELANDER	48	1936	-34	1924	-8	1933	35	2003		23	5	14
STEVENS POINT	50	1936	-24	1933	-4	2017	37	2003		25	9	17
STURGEON BAY	47	1994	-22	1933	-2	2017	35	1907,1959		27	13	20
WAUSAU	49	1936	-21	1933,1950	-3	2017	36	1959		24	8	16
WISCONSIN RAPIDS	47	1994,2008	-31	1933	0	1938,2017	35	1959		26	9	17

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.20	1904	12.0	1904					0.95	29.06	13.1	21.5
APPLETON	1.55	1959	3.5	1968					1.39	30.91	9.8	12.9
GREEN BAY	1.57	1904	7.0	1904					1.35	29.36	11.4	15.6
MANITOWOC	1.35	1904	10.0	1887					1.47	31.03	7.8	10.1
MARSHFIELD	0.90	2018	3.6	2018					1.12	32.59	11.6	17.2

MERRILL	0.79	2016	2.4	1981					1.27	32.09	10.8	16.2
OSHKOSH	1.27	1946	6.0	1904					1.36	31.44	9.8	12.0
RHINELANDER	0.87	1946	7.6	1946					1.28	31.24	13.4	22.0
STEVENS POINT	0.57	1946	4.0	1944					1.27	32.49	11.2	12.7
STURGEON BAY	0.91	1942	4.0	1968					1.62	31.74	11.3	14.0
WAUSAU	0.99	2018	4.1	1968					1.21	32.26	12.1	20.4
WISCONSIN RAPIDS	1.14	1923	9.0	1911					1.16	31.77	12.3	15.9

DECEMBER 27

DECEMBER 28

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	50	1984	-25	1924	-6	1924	33	2003		22	4	13	
APPLETON	54	1984	-20	1924	0	1933	38	1984		26	12	19	
GREEN BAY	52	1984	-20	1924	-3	1924	41	1984		25	11	18	
MANITOWOC	62	1984	-21	1880,1924	-11	1880	35	1928		27	15	21	
MARSHFIELD	53	1984	-29	1924	-5	1924	37	2003		23	8	16	
MERRILL	46	1984,2003	-25	1924	-6	1933	35	2003		23	5	14	
OSHKOSH	57	1984	-21	1924	0	1924	39	2003		27	11	19	
RHINELANDER	45	1984	-28	1924	-8	1917	31	2003		22	5	14	
STEVENS POINT	53	1984	-25	1924	-7	1924	32	1927		25	8	17	
STURGEON BAY	54	1984	-21	1933	-6	1924	38	2003		27	13	20	
WAUSAU	48	1984,2003	-23	1924	-8	1917	38	1984		24	8	16	
WISCONSIN RAPIDS	54	1984	-33	1924	-11	1924	43	1984		25	8	17	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.28	1959	6.5	2015						0.98	29.09	13.5	21.9
APPLETON	1.45	1946	12.2	2015						1.43	30.95	10.2	13.3
GREEN BAY	0.92	1959	11.5	2015						1.39	29.40	11.9	16.1
MANITOWOC	2.29	1959	7.0	1968						1.51	31.07	8.2	10.5

MARSHFIELD	1.21	1959	7.0	2015					1.15	32.62	12.0	17.6
MERRILL	1.13	1959	8.0	1905					1.31	32.13	11.2	16.6
OSHKOSH	1.37	1959	9.5	2015					1.40	31.48	10.1	12.3
RHINELANDER	0.87	1959	6.0	1966					1.32	31.28	13.9	22.5
STEVENS POINT	0.85	1982	8.9	2015					1.30	32.52	11.6	13.1
STURGEON BAY	3.60	1959	12.0	2015					1.67	31.79	11.8	14.5
WAUSAU	0.66	1948	6.2	2015					1.25	32.30	12.5	20.8
WISCONSIN RAPIDS	0.72	1905	7.0	1948					1.20	31.81	12.7	16.3

DECEMBER 28

--	--	--	--	--	--	--	--	--	--	--	--	--

DECEMBER 29

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	41	1979	-26	1917	0	1983	32	1931		22	3	12	
APPLETON	51	1984	-15	1917,1976	-3	1976	33	1931		26	12	19	
GREEN BAY	50	1984	-17	1976	-6	1976	36	1896,2019		25	11	18	
MANITOWOC	62	1984	-16	1880	-3	1880	38	1896		26	15	21	
MARSHFIELD	50	1984	-25	1917	-9	1976	34	2019		23	8	16	
MERRILL	45	1979	-24	1976	-1	1976	30	2003		23	5	14	
OSHKOSH	54	1984	-13	1976	-2	1976	35	1896		27	11	19	
RHINELANDER	42	1979,1999	-28	1917	-5	1924	29	1931		22	5	14	
STEVENS POINT	55	1984	-21	1917	-2	1899	37	1896		25	8	17	
STURGEON BAY	54	1984	-17	1976	4	1976	34	1984		27	13	20	
WAUSAU	44	1999	-21	1917	-5	1976	36	1896		24	8	16	
WISCONSIN RAPIDS	52	1984	-27	1925	0	1963	30	1931,2006		25	8	17	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.35	1905	6.0	1966						1.01	29.12	13.9	22.3
APPLETON	0.61	1972	6.3	1978						1.48	31.00	10.6	13.7
GREEN BAY	0.78	2019	5.1	1978						1.43	29.44	12.3	16.5

MANITOWOC	0.56	1948	5.8	2015					1.55	31.11	8.6	10.9
MARSHFIELD	0.42	2019	4.0	1971,1972					1.19	32.66	12.3	17.9
MERRILL	0.66	1972	10.0	1905					1.35	32.17	11.6	17.0
OSHKOSH	0.62	1978	7.1	1978					1.44	31.52	10.4	12.6
RHINELANDER	0.36	1978	4.0	1964					1.36	31.32	14.5	23.1
STEVENS POINT	0.51	1946	11.5	1905					1.34	32.56	12.0	13.5
STURGEON BAY	0.62	1905	8.0	1914					1.72	31.84	12.2	14.9
WAUSAU	1.00	1972	9.0	1905					1.29	32.34	13.0	21.3
WISCONSIN RAPIDS	0.72	1972	7.2	1972					1.23	31.84	13.1	16.7

DECEMBER 29

DECEMBER 30

					REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	47	1936	-27	2013	-3	2013	34	1965		21	3	12
APPLETON	51	1936	-15	1938	0	2013	35	1965		25	12	19
GREEN BAY	55	1936	-19	2013	-1	1938	36	1896,1972		25	11	18
MANITOWOC	47	1896	-13	1887	-1	1976	38	1936		26	15	21
MARSHFIELD	47	1936	-23	2013	-5	1938,2017	34	1936,1965		23	8	15
MERRILL	48	1936	-24	1976	-4	1976	35	1965		23	4	14
OSHKOSH	53	2004	-15	1976	-4	1938	36	1896		27	11	19
RHINELANDER	48	1936	-29	1917	-4	1938	34	1965		22	4	13
STEVENS POINT	51	1936	-20	2013	-6	1976	35	1936		25	8	16
STURGEON BAY	48	1936	-16	1976	0	1976	36	1965		27	13	20
WAUSAU	49	1936	-19	1938,1963,2013	-3	2013	37	1965		23	7	15
WISCONSIN RAPIDS	49	1936	-23	1925	-2	2017	36	1965		25	8	17

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.78	1972	5.0	1972						1.03	29.14	14.3	22.7
APPLETON	0.80	1972	6.5	1971						1.52	31.04	10.9	14.0

GREEN BAY	0.78	1972	6.7	1971					1.47	29.48	12.7	16.9
MANITOWOC	1.34	1978	10.0	1971					1.59	31.15	9.1	11.4
MARSHFIELD	1.43	1972	7.0	2019					1.22	32.69	12.7	18.3
MERRILL	1.24	1972	6.0	1911					1.39	32.21	12.0	17.4
OSHKOSH	1.21	1972	10.5	1971					1.47	31.55	10.7	12.9
RHINELANDER	0.58	1972	5.0	1972					1.40	31.36	15.1	23.7
STEVENS POINT	0.90	1972	5.4	2008					1.38	32.60	12.5	14.0
STURGEON BAY	1.05	1972	8.0	1907					1.77	31.89	12.6	15.3
WAUSAU	0.61	2008	7.3	2008					1.32	32.37	13.4	21.7
WISCONSIN RAPIDS	0.62	1971	6.0	1971					1.27	31.88	13.6	17.2

DECEMBER 30

DECEMBER 31

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	47	1936	-24	1967	-2	2017	31	1949		21	3	12	
APPLETON	52	1965	-15	1924,1967,1968	2	2017	36	2006,2010		25	11	18	
GREEN BAY	51	1965	-19	1967	4	1898,1899,1946	38	2006		25	10	18	
MANITOWOC	54	1965	-12	1967	0	1976	38	1949		26	15	20	
MARSHFIELD	50	1965	-27	1967	-7	2017	34	1949		23	7	15	
MERRILL	48	1965	-26	1946	-1	2013	33	2006		23	4	14	
OSHKOSH	53	1965	-16	1967	4	1899	36	2010		27	11	19	
RHINELANDER	46	1965	-27	1967,1973	-3	2013	31	2006		22	4	13	
STEVENS POINT	53	1965	-22	1898	-4	2017	35	1949		24	8	16	
STURGEON BAY	52	1965	-13	1967	4	2013	37	1965,2010		27	12	20	
WAUSAU	49	1936	-31	1946	-8	1946	33	1933		23	7	15	
WISCONSIN RAPIDS	54	1965	-25	1967	-2	1968,2017	35	1949		25	8	16	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.60	1911	6.0	1911						1.06	29.17	14.7	23.1

APPLETON	0.79	1906	8.0	1923					1.56	31.08	11.3	14.3
GREEN BAY	0.85	2006	6.2	1887					1.51	29.52	13.1	17.3
MANITOWOC	1.27	1906	12.0	1923					1.63	31.19	9.5	11.8
MARSHFIELD	0.57	2006	2.0	1923					1.25	32.72	13.1	18.7
MERRILL	0.88	1906	6.0	1911					1.42	32.24	12.4	17.8
OSHKOSH	1.10	1906	4.0	1912					1.51	31.59	10.9	13.1
RHINELANDER	0.40	1918	5.0	1911					1.44	31.40	15.7	24.3
STEVENS POINT	1.60	1906	6.0	1906					1.41	32.63	12.9	14.4
STURGEON BAY	0.79	1906	9.0	1911					1.82	31.94	13.1	15.8
WAUSAU	0.55	1906	10.0	1906					1.36	32.41	13.9	22.2
WISCONSIN RAPIDS	0.87	2006	2.5	1981					1.30	31.91	14.0	17.6

DECEMBER 31