

# December 1

File Updated: 01/2024					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	55	1962	-16	2014	4	1919	39	1914		31	17	24	
Appleton	59	1970	0	1930	11	1966	40	1914		36	21	29	
Green Bay	62	1970	-11	1893	3	1893	41	1912		36	23	30	
Manitowoc	60	1970	-10	1893	10	1919	43	1914		37	25	31	
Marshfield	59	1998	-19	1919	6	1919	36	1913		33	19	26	
Merrill	62	1909	-20	1976	7	1976	39	1914		32	17	25	
Oshkosh	60	1970	-5	1896	7	1919	40	1914		37	23	30	
Rhinelander	55	1962,1998	-18	1919	4	2014	35	1913,1914		32	16	24	
Stevens Point	58	1962	-11	1919	4	1919	37	1914		34	19	27	
Sturgeon Bay	59	1998	0	1919	11	1919	42	1914		36	24	30	
Wausau	56	1998	-12	1919	-2	1919	39	1914		33	19	26	
Wisc. Rapids	62	1962	-12	1919	3	1919	39	1912		35	19	27	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.66	2007	12.0	1985						0.05	28.19	0.3	6.3
Appleton	1.22	1985	13.0	1985						0.07	31.46	0.3	3.0
Green Bay	1.20	1921	11.1	1985						0.06	29.92	0.3	3.7
Manitowoc	1.20	1985	6.0	2006,2007						0.07	29.87	0.2	1.3
Marshfield	1.02	1985	10.0	1985						0.05	32.51	0.4	6.0
Merrill	0.68	1985	8.0	1985						0.06	32.29	0.3	6.2
Oshkosh	1.05	2007	7.2	1985						0.06	31.76	0.2	2.3
Rhinelander	0.52	1985	7.0	2007						0.05	32.97	0.5	12.3
Stevens Point	1.08	2007	6.0	1985						0.06	32.49	0.3	2.5
Sturgeon Bay	1.33	1985	13.0	1985						0.07	30.96	0.3	2.9
Wausau	0.68	1985,2007	9.9	1985						0.06	32.43	0.4	7.8
Wisc. Rapids	1.37	1985	13.7	1985						0.06	32.69	0.3	3.8

December 1

# December 2

					Rec		Rec					
	Rec		Rec		Low		High					1991-2020 Normals
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	53	1982	-15	1919,1978	5	1919	40	1962		31	16	23
Appleton	60	1982	-8	1976	8	1930,1976	46	1982		36	21	28
Green Bay	60	1982	-14	1893	7	1919	47	1982		36	23	29
Manitowoc	61	1962	-9	1893	10	1919	45	1998		36	24	30
Marshfield	62	1998	-19	1919	0	1919	42	1982		33	19	26
Merrill	56	1998	-21	1978	9	1966	43	1962		32	16	24
Oshkosh	63	1962	-11	1976	7	1919	43	1998		37	22	29
Rhinelander	62	1998	-21	1976	5	1919	44	1962		32	16	24
Stevens Point	60	1962	-14	1897	2	1919	42	1962		34	19	26
Sturgeon Bay	56	1982	0	1930	11	1919	46	1982		36	23	29
Wausau	61	1982	-14	1919	2	1919	47	1982		33	18	25
Wisc. Rapids	61	1982	-15	1919	3	1919	49	1982		34	19	27
												1991-2020 Normals
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.62	2018	7.0	2007					0.10	28.24	0.7	6.7
Appleton	1.40	1921	7.2	2007					0.13	31.52	0.5	3.2
Green Bay	0.64	1921	4.7	1972					0.13	29.99	0.6	4.0
Manitowoc	1.50	1921	6.0	1904,1980					0.13	29.93	0.4	1.5
Marshfield	0.47	1984	5.1	1984					0.11	32.57	0.7	6.3
Merrill	0.70	2007	6.5	2007					0.11	32.34	0.6	6.5
Oshkosh	1.05	1921	8.2	1980					0.12	31.82	0.4	2.5
Rhinelander	0.80	1984	6.0	1950					0.10	33.02	0.9	12.7
Stevens Point	0.49	1985	4.5	1985					0.12	32.55	0.5	2.7
Sturgeon Bay	1.32	1921	7.0	2007					0.14	31.03	0.6	3.2
Wausau	0.89	1984	8.1	1984					0.11	32.48	0.8	8.2
Wisc. Rapids	0.92	1912	5.3	1950					0.12	32.75	0.6	4.1

# December 2

# December 3

					Rec		Rec					
	Rec		Rec		Low		High					1991-2020 Normals
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	59	1982	-18	1940	2	1940	45	1962		30	16	23
Appleton	61	1998,2012	-14	1940	10	1942	43	1999		35	21	28
Green Bay	62	1998,2012	-13	1940	8	1940	43	1999		36	22	29
Manitowoc	62	1998	-10	1940	5	1940	46	1982		36	24	30
Marshfield	63	1998	-23	1940	1	1940	44	1951,1962		32	18	25
Merrill	61	1982	-25	1919	3	1940	44	1962		32	16	24
Oshkosh	63	1998	-15	1940	5	1940	46	1998		36	22	29
Rhinelander	61	1998	-20	1940	2	1940	47	1962		31	15	23
Stevens Point	61	1982	-18	1940	2	1940	46	1951		33	19	26
Sturgeon Bay	56	1962,1998	-4	1919,1976	12	1919	49	1982		35	23	29
Wausau	60	1998	-17	1940	2	1940	47	1962		32	18	25
Wisc. Rapids	64	1998	-20	1919	12	1972	48	1962		34	19	26
												1991-2020 Normals
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.45	1934	6.0	1934					0.14	28.28	1.0	7.0
Appleton	0.84	1990	12.0	1990					0.19	31.58	0.8	3.5
Green Bay	0.92	1990	14.4	1990					0.19	30.05	0.9	4.3
Manitowoc	1.03	1990	10.0	1990					0.19	29.99	0.7	1.8
Marshfield	0.72	1934	8.5	1990					0.16	32.62	1.1	6.7
Merrill	0.50	1934	4.1	1984					0.17	32.40	0.9	6.8
Oshkosh	0.70	1933,1997	12.0	1990					0.18	31.88	0.6	2.7
Rhinelander	0.55	1934	5.0	2013					0.15	33.07	1.4	13.2
Stevens Point	0.72	1902	6.0	1934					0.17	32.60	0.8	3.0
Sturgeon Bay	0.63	1990	6.0	1990					0.21	31.10	1.0	3.6
Wausau	0.52	1953	10.1	1990					0.17	32.54	1.2	8.6
Wisc. Rapids	0.75	2011	9.0	1990					0.17	32.80	0.9	4.4

# December 3

# December 4

					Rec		Rec					
	Rec		Rec		Low		High					1991-2020 Normals
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	57	1998	-13	1985	8	1991	42	1941		30	15	22
Appleton	59	2001	-9	1940	14	1929,1942	43	2001		35	20	28
Green Bay	61	2017	-8	1977	15	1976	46	2001,2017		35	22	29
Manitowoc	62	2001	-2	1976	13	1976	41	1999		36	23	29
Marshfield	60	2001	-16	1919	11	1972	47	2001		32	18	25
Merrill	59	1916	-23	1919	8	1976	41	1941		31	16	23
Oshkosh	61	2001	-5	1977,1985	11	1991	48	2001		36	22	29
Rhinelander	56	1916,2017	-22	1927	8	1972	42	1941		31	15	23
Stevens Point	62	2001	-11	1902	10	1972	49	2001		33	18	26
Sturgeon Bay	59	1998	-1	1940	12	1976	40	2012		35	23	29
Wausau	58	2001	-7	1991	12	1991	43	1941		32	18	25
Wisc. Rapids	62	2001	-18	1940	9	1991	46	2001		34	18	26
												1991-2020 Normals
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.54	1953	7.0	1990					0.19	28.33	1.4	7.4
Appleton	0.74	1932	6.0	1947					0.26	31.65	1.1	3.8
Green Bay	0.50	1973	5.4	1944					0.25	30.11	1.3	4.7
Manitowoc	0.60	1880	5.0	1885					0.25	30.05	0.9	2.0
Marshfield	1.07	1925	4.0	1973					0.22	32.68	1.5	7.1
Merrill	2.00	1990	5.0	1990					0.22	32.45	1.3	7.2
Oshkosh	0.73	1925	3.5	1967					0.24	31.94	0.9	3.0
Rhinelander	0.89	1970	4.0	1955					0.19	33.11	1.9	13.7
Stevens Point	0.65	1947	6.0	1947					0.23	32.66	1.1	3.3
Sturgeon Bay	0.53	2011	5.0	1940					0.28	31.17	1.3	3.9
Wausau	0.59	2017	4.0	1897					0.22	32.59	1.6	9.0
Wisc. Rapids	0.77	1932	3.0	2007,2016					0.23	32.86	1.2	4.7

December 4

# December 5

					Rec		Rec					
	Rec		Rec		Low		High					1991-2020 Normals
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	57	2001	-12	1919	6	2000	41	1960		29	15	22
Appleton	59	2001	0	2000,2005	12	2005	42	19411998		34	20	27
Green Bay	64	2001	-2	1976	13	2005	43	1998		35	22	28
Manitowoc	64	2001	0	1895	13	2005	45	1998		35	23	29
Marshfield	61	2001	-7	1991,2007	8	2000,2005	37	2001		31	17	24
Merrill	61	2001	-13	1976	7	1922	38	1960		31	15	23
Oshkosh	65	2001	-1	2005	11	1991,2000	41	1960		35	21	28
Rhinelander	57	1998,2001	-11	2000	6	2000	39	1960		30	14	22
Stevens Point	61	2001	-2	1984,2005	6	2000	47	1960		33	18	25
Sturgeon Bay	60	2001	4	1936	19	1908,2006	46	2001		35	22	28
Wausau	61	2001	-10	1955	8	1958	40	1998		31	17	24
Wisc. Rapids	62	2001	-17	1926	11	1958,2005	42	1941		33	18	26
												1991-2020 Normals
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.57	1973	6.0	1973					0.23	28.37	1.8	7.8
Appleton	0.86	1982	6.0	1926					0.32	31.71	1.4	4.1
Green Bay	1.01	1982	5.5	2021					0.31	30.17	1.6	5.0
Manitowoc	1.00	1991	4.5	1908					0.31	30.11	1.2	2.3
Marshfield	0.80	1971	7.0	1972					0.27	32.73	1.9	7.5
Merrill	0.42	1925	6.4	1925					0.28	32.51	1.6	7.5
Oshkosh	0.69	1982	3.9	1926					0.30	32.00	1.1	3.2
Rhinelander	0.53	2001	7.8	2021					0.24	33.16	2.4	14.2
Stevens Point	1.00	1909	4.0	1925					0.28	32.71	1.4	3.6
Sturgeon Bay	0.90	1925	10.0	1991					0.35	31.24	1.7	4.3
Wausau	0.74	1982	7.8	1972					0.27	32.64	2.0	9.4
Wisc. Rapids	0.91	1982	4.0	1991					0.28	32.91	1.5	5.0

# December 5

# December 6

					Rec		Rec					
	Rec		Rec		Low		High					1991-2020 Normals
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	50	1939,1998	-18	2007	7	1958,2005	36	1998		29	14	22
Appleton	52	1998	-12	1926	9	2005	36	1967		34	20	27
Green Bay	52	1998	-15	1972	7	1893	37	1913,1967		34	21	28
Manitowoc	57	1975	-10	1885	3	1885	39	1951,1967		35	23	29
Marshfield	52	1939	-15	1972	5	2005	33	1980		31	17	24
Merrill	52	1998	-18	1955	8	2005	38	1998		30	15	23
Oshkosh	58	1998	-8	1972	11	1958,2005	44	1998		35	21	28
Rhinelander	52	1998	-18	1926	5	2013	33	1951		30	14	22
Stevens Point	56	1960	-14	1926	7	2005	35	1967		32	17	25
Sturgeon Bay	54	1975,1998	0	1955	14	2005	37	1914,1916		34	22	28
Wausau	51	1939	-21	1972	5	2005,2013	34	1967,1980		31	17	24
Wisc. Rapids	48	1916	-23	1972	8	2005	34	1967		33	18	25
												1991-2020 Normals
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.63	1982	6.0	1936								
Appleton	0.53	1936	5.0	1908,1949								
Green Bay	0.44	1908	5.0	1908								
Manitowoc	1.82	1883	4.5	1950								
Marshfield	0.40	1926	4.0	1926								
Merrill	0.93	2001	4.0	1991								
Oshkosh	0.60	1908	6.0	1908,2009								
Rhinelander	0.51	1912	3.5	1949								
Stevens Point	1.45	1953	5.0	1908								
Sturgeon Bay	0.87	1908	8.5	1908								
Wausau	0.55	1936	7.0	1936								
Wisc. Rapids	0.67	1948	4.5	1949								

# December 6

# December 7

					Rec		Rec					
	Rec		Rec		Low		High					1991-2020 Normals
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	45	1905,2023	-29	1972	0	1936	35	1939		29	14	21
Appleton	52	1998	-14	1936	8	1958,1972	38	1939		34	19	26
Green Bay	50	1916,1946	-21	1972	5	1972	40	1916		34	21	27
Manitowoc	53	1946	-15	1885	0	1882	41	1951		34	22	28
Marshfield	50	1916	-26	1972	-1	1972	35	1939		31	17	24
Merrill	46	1911,2023	-29	1972	0	1972	36	1939		30	15	22
Oshkosh	53	1946	-15	1936	4	1936	37	1916		35	20	28
Rhinelander	49	1939	-23	1936	-5	1972	32	1935,1967,2004		30	14	22
Stevens Point	50	1916	-23	1972	-1	1936	37	1946		32	17	24
Sturgeon Bay	49	1946	-10	1972	5	1972	39	1916,1951		34	22	28
Wausau	47	1939,2023	-25	1972	-2	1936	37	1939		31	16	24
Wisc. Rapids	53	1916	-26	1972	1	1932	37	1916		32	17	25
												1991-2020 Normals
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.01	1935	6.0	1927					0.32	28.46	2.6	8.6
Appleton	0.91	1950	6.5	1926					0.44	31.83	2.1	4.8
Green Bay	1.12	1927	11.2	1927					0.44	30.30	2.4	5.8
Manitowoc	0.93	1950	6.5	1926					0.43	30.23	1.8	2.9
Marshfield	0.41	1969	8.0	1969					0.36	32.82	2.7	8.3
Merrill	0.29	1949	4.0	1949					0.38	32.61	2.3	8.2
Oshkosh	0.76	1926	7.1	1927					0.41	32.11	1.7	3.8
Rhinelander	0.65	1950	8.0	1950					0.34	33.26	3.4	15.2
Stevens Point	0.70	1926	6.0	1926,1950					0.39	32.82	2.1	4.3
Sturgeon Bay	1.05	1927	6.0	1927					0.49	31.38	2.5	5.1
Wausau	0.87	1927,1950	11.0	1927					0.37	32.74	2.9	10.3
Wisc. Rapids	0.45	1969	4.5	1969					0.39	33.02	2.2	5.7

December 7

# December 8

					Rec		Rec					
	Rec		Rec		Low		High					1991-2020 Normals
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	49	1946,2023	-15	1917,1995	3	1958	35	1946		28	13	21
Appleton	59	1946	-10	1936	8	1958	37	1907,1946		33	19	26
Green Bay	60	1946	-11	1927	5	1932	38	1894		34	20	27
Manitowoc	54	1946	-8	1882	7	1976	40	1946		34	22	28
Marshfield	55	1946	-19	1917	0	1932	35	1946,2015,2023		30	16	23
Merrill	52	1946	-27	1976	2	1917	36	1946		30	14	22
Oshkosh	60	1946	-10	1927	5	1932	37	2023		34	20	27
Rhinelander	61	1939	-24	1972	3	1958	34	1946,2015		29	13	21
Stevens Point	56	1946	-17	1917	2	1958	36	1946		31	17	24
Sturgeon Bay	51	2023	-7	1936	7	1976	37	1907		33	21	27
Wausau	52	1946	-17	1927	-3	1932	36	1907,1946		30	16	23
Wisc. Rapids	57	1946	-24	1927	0	1932	37	1907		32	17	24
												1991-2020 Normals
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.50	1926	6.0	1950								
Appleton	1.18	1926	7.0	1926,1977								
Green Bay	0.52	1966	7.6	1977								
Manitowoc	1.03	1883	8.8	1876								
Marshfield	0.85	1926	10.0	1926								
Merrill	0.54	1947	7.6	1927								
Oshkosh	0.74	1966	5.9	1977								
Rhinelander	0.63	1969	8.0	1969								
Stevens Point	0.51	1950	6.0	1927								
Sturgeon Bay	0.82	1924	4.5	1936								
Wausau	0.35	1963	4.5	2009								
Wisc. Rapids	0.85	1926	4.0	1950								

# December 8

# December 9

					Rec		Rec					
	Rec		Rec		Low		High			1991-2020 Normals		
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	54	1946	-22	1927	-2	1932	34	1939		28	13	20
Appleton	57	1946	-14	1927	-4	1927	42	1946		33	19	26
Green Bay	59	1946	-14	1927	3	1995	40	1899		33	20	27
Manitowoc	59	1946	-14	1876	0	1876	46	1946		34	22	28
Marshfield	53	1946	-22	1927	-4	1932	34	1939		30	16	23
Merrill	55	1930	-23	1927	2	1932	35	1939,2015		29	14	22
Oshkosh	59	1946	-16	1902	-3	1995	37	1939		34	20	27
Rhinelander	54	1946	-26	1927	-8	1927	35	1946		29	13	21
Stevens Point	52	1999	-19	1910	-1	1932	38	2023		31	16	24
Sturgeon Bay	58	1946	-12	1927	0	1927	38	2023		33	21	27
Wausau	50	1946	-20	1927	-5	1995	36	1939		30	16	23
Wisc. Rapids	58	1946	-24	1927	-4	1995	33	1987		32	16	24
									1991-2020 Normals			
	Max		Max						Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.38	1963	6.5	1995					0.41	28.55	3.5	9.5
Appleton	0.81	2009	11.5	2009					0.56	31.95	2.8	5.5
Green Bay	0.92	1907	11.2	2009					0.56	30.42	3.2	6.6
Manitowoc	1.57	1885	13.0	1885					0.56	30.36	2.4	3.5
Marshfield	0.66	1918	5.5	2008					0.46	32.92	3.5	9.1
Merrill	1.10	1919	8.0	2009					0.48	32.71	3.1	9.0
Oshkosh	0.70	1907	6.0	1919					0.52	32.22	2.2	4.3
Rhinelander	0.31	2019	6.9	2009					0.44	33.36	4.4	16.2
Stevens Point	0.69	2009	7.0	2009					0.49	32.92	2.8	5.0
Sturgeon Bay	1.30	2009	13.0	2009					0.62	31.51	3.3	5.9
Wausau	0.30	1899	5.5	2009					0.48	32.85	3.8	11.2
Wisc. Rapids	0.38	2009	4.4	2009					0.50	33.13	3.0	6.5

December 9

# December 10

					Rec		Rec					
	Rec		Rec		Low		High					1991-2020 Normals
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	49	2020	-22	1919	0	1899	34	1899		28	12	20
Appleton	56	2015	-11	1978	3	1995	40	1939		32	18	25
Green Bay	54	2015	-15	1919,1972	-1	1919	40	2015		33	20	26
Manitowoc	55	2015	-12	1919	5	1995	47	1946		33	22	27
Marshfield	53	2015	-26	1919	-2	1919	37	2015		29	15	22
Merrill	48	1939,1990	-21	1919,1927	-4	1995	34	2015		29	13	21
Oshkosh	59	1890	-17	1919	5	1978	41	2015		34	19	26
Rhinelander	50	1930	-24	1919,1927	0	1927	36	2015		29	12	21
Stevens Point	54	2015	-20	1919	-5	1995	36	1899		31	16	23
Sturgeon Bay	53	1938	-13	1919	-13	1919	39	2004		33	20	27
Wausau	51	2015	-20	1919	-5	1919	39	2015		30	15	22
Wisc. Rapids	54	2015	-24	1919	-1	1919	37	2015		31	16	24
												1991-2020 Normals
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.30	1911	5.0	1961					0.45	28.59	3.9	9.9
Appleton	0.89	1911	5.1	1992					0.62	32.01	3.2	5.9
Green Bay	0.82	1971	3.4	1992					0.62	30.48	3.6	7.0
Manitowoc	1.40	1971	6.5	1882					0.62	30.42	2.8	3.9
Marshfield	1.16	1971	6.5	2021					0.50	32.96	4.0	9.6
Merrill	1.05	1971	4.0	1961					0.53	32.76	3.5	9.4
Oshkosh	0.99	1911	5.0	1972					0.58	32.28	2.5	4.6
Rhinelander	0.67	2021	8.1	2021					0.49	33.41	5.0	16.8
Stevens Point	0.54	1971	4.0	1910,2003					0.54	32.97	3.2	5.4
Sturgeon Bay	1.24	1911	5.5	1907					0.69	31.58	3.8	6.4
Wausau	1.14	1971	5.5	2021					0.53	32.90	4.3	11.7
Wisc. Rapids	0.73	1911	4.5	2021					0.55	33.18	3.4	6.9

December 10

# December 11

					Rec		Rec					
	Rec		Rec		Low		High					1991-2020 Normals
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	48	1913	-22	1977	0	1995	35	2015		27	12	20
Appleton	54	1949	-14	1972	-1	1995	39	2015		32	18	25
Green Bay	57	1949	-17	1972,1977	2	1995	36	1931,1949		32	19	26
Manitowoc	52	1896,1979	-15	1976	2	1995	39	1899		33	21	27
Marshfield	50	1913	-20	1936	-2	1995	34	2015		29	15	22
Merrill	52	1913	-25	1977	-1	2013	36	2015		29	13	21
Oshkosh	58	1949	-11	1977	1	1995	37	2015		33	19	26
Rhinelander	52	1913	-25	1977	-3	1919	33	2015		28	12	20
Stevens Point	52	1913	-17	1972	0	2013	36	2015		30	16	23
Sturgeon Bay	48	1949	-10	1977	6	1995	40	2015		32	20	26
Wausau	53	1949	-16	1977	-2	1995	34	2015		29	15	22
Wisc. Rapids	52	1946	-20	1936	-3	1995	35	2015		31	16	23
												1991-2020 Normals
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.71	1971	7.5	2021					0.49	28.63	4.3	10.3
Appleton	0.93	2021	5.0	1961					0.68	32.07	3.5	6.2
Green Bay	0.69	2010	6.5	2010					0.68	30.54	4.1	7.5
Manitowoc	0.82	2021	14.0	1904					0.68	30.48	3.2	4.3
Marshfield	1.30	2010	17.0	2010					0.55	33.01	4.4	10.0
Merrill	0.66	2021	10.0	2021					0.59	32.82	3.9	9.8
Oshkosh	0.75	1983	7.0	1932					0.63	32.33	2.9	5.0
Rhinelander	0.64	1931	10.3	2010					0.55	33.47	5.6	17.4
Stevens Point	1.30	1931	9.5	2010					0.60	33.03	3.6	5.8
Sturgeon Bay	0.97	2021	2.2	2021					0.76	31.65	4.2	6.8
Wausau	1.00	2010	12.8	2010					0.58	32.95	4.8	12.2
Wisc. Rapids	1.12	2010	12.2	2010					0.61	33.24	3.9	7.4

December 11

# December 12

					Rec		Rec					
	Rec		Rec		Low		High					1991-2020 Normals
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	49	1913	-16	1995	-3	1995	33	1965,2015		27	12	19
Appleton	49	1946,1968	-10	1927	8	1933,2000	39	1968		32	18	25
Green Bay	52	1968	-6	1903,1985	9	1922	43	1968		32	19	26
Manitowoc	51	1883,1949,1968	-4	1962	11	1995	42	2001		33	21	27
Marshfield	50	1998	-15	1927	1	1962	35	2015		29	15	22
Merrill	54	1913	-19	1977	-1	1995	34	1965		28	13	21
Oshkosh	58	1949	-10	1927	7	1986	43	1968		33	19	26
Rhinelander	53	1913	-18	1989	-1	1933	35	2006		28	12	20
Stevens Point	51	1968	-14	1927	-3	1995	37	1928		30	15	23
Sturgeon Bay	56	1913	-8	1927	4	1995	38	1968		32	20	26
Wausau	49	1998	-10	1927,1962	1	1922	39	1968		29	15	22
Wisc. Rapids	55	1949	-16	1932	5	1956	42	1968		30	15	23
												1991-2020 Normals
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.50	1965	6.0	2010					0.53	28.67	4.8	10.8
Appleton	0.98	1965	14.0	1909					0.74	32.13	3.9	6.6
Green Bay	0.83	1965	6.0	1909					0.73	30.59	4.5	7.9
Manitowoc	1.48	1901	8.0	1909					0.73	30.53	3.5	4.6
Marshfield	1.23	1965	5.5	1972					0.59	33.05	4.9	10.5
Merrill	0.94	1965	10.0	1961					0.64	32.87	4.2	10.1
Oshkosh	0.94	1965	6.0	1915,1961					0.68	32.38	3.2	5.3
Rhinelander	0.54	1991	8.0	1961					0.60	33.52	6.2	18.0
Stevens Point	1.21	1965	9.0	1961					0.65	33.08	4.0	6.2
Sturgeon Bay	1.64	1909	11.0	1909					0.82	31.71	4.7	7.3
Wausau	1.42	1965	7.2	1972					0.63	33.00	5.2	12.6
Wisc. Rapids	1.03	1965	6.2	1972					0.66	33.29	4.3	7.8

December 12

# December 13

					Rec		Rec					
	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	50	1913	-23	1903	-5	1903	35	1928,2015	27	11	19	
Appleton	55	2015	-21	1903	0	1985	40	2015	31	18	24	
Green Bay	55	2015	-20	1903	-5	1903	44	1920	32	19	25	
Manitowoc	55	1891	-19	1903	8	1898	42	1920,2015	32	21	27	
Marshfield	51	2015	-18	1961	3	2000	39	2015	28	14	21	
Merrill	55	1913	-22	1976	6	1922	35	2015	28	12	20	
Oshkosh	58	2015	-23	1903	1	1985	41	2015	33	18	25	
Rhinelander	54	1913	-21	1976	-1	1922	35	2015	28	11	20	
Stevens Point	55	2015	-26	1903	5	1986	38	1920,2015	30	15	22	
Sturgeon Bay	50	1913,1998	-10	1976	9	1985	41	2015	32	19	26	
Wausau	49	1913,1998	-24	1903	-6	1903	38	2015	29	14	21	
Wisc. Rapids	56	2015	-21	1926	-6	1926	39	1920,2015	30	15	23	
									1991-2020 Normals			
	Max		Max						Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.90	2015	7.8	1995					0.57	28.71	5.2	11.2
Appleton	0.92	2015	5.0	1909					0.79	32.18	4.3	7.0
Green Bay	1.60	2015	7.1	2017					0.79	30.65	4.9	8.3
Manitowoc	1.60	2015	8.0	1926					0.79	30.59	3.9	5.0
Marshfield	0.59	2015	3.3	1921					0.64	33.10	5.3	10.9
Merrill	1.07	2015	4.1	2019					0.68	32.91	4.6	10.5
Oshkosh	1.13	2015	2.5	1933					0.73	32.43	3.5	5.6
Rhinelander	0.51	2017	6.3	2017					0.65	33.57	6.8	18.6
Stevens Point	1.30	2015	4.0	1914					0.69	33.12	4.4	6.6
Sturgeon Bay	1.05	1909	4.5	1909,2019					0.88	31.77	5.1	7.7
Wausau	1.09	2015	5.1	1995					0.68	33.05	5.7	13.1
Wisc. Rapids	1.33	2015	4.0	1995					0.71	33.34	4.7	8.2

December 13

# December 14

					Rec		Rec					
	Rec		Rec		Low		High					1991-2020 Normals
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	46	1920	-27	1901	-2	1985	36	1928		26	11	19
Appleton	56	1975	-17	1901	4	1916	44	2015		31	17	24
Green Bay	55	1975,2015	-17	1985	-3	1926	37	1993,2015		31	18	25
Manitowoc	58	1975	-14	1901	3	1903	44	2015		32	20	26
Marshfield	52	1998	-23	1926	0	1914,1926	39	2014		28	14	21
Merrill	48	1912,1998	-24	1919	1	1916,1985	38	2015		28	12	20
Oshkosh	56	1975	-20	1901	-12	1901	39	2014		32	18	25
Rhinelander	50	1998	-23	1926	-2	1919	36	2014		28	11	19
Stevens Point	52	1975	-26	1901	-3	1985	38	2014		29	15	22
Sturgeon Bay	57	1920	-13	1919	6	1919,1985	43	2015		32	19	25
Wausau	52	1998	-25	1901	-8	1926	38	1928		28	14	21
Wisc. Rapids	53	1975	-22	1919	-3	1926	38	1928,2014		30	15	22
												1991-2020 Normals
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.35	1975	4.0	2017					0.61	28.75	5.6	11.6
Appleton	2.12	2015	3.3	2017					0.85	32.24	4.7	7.4
Green Bay	1.94	1891	7.8	1989					0.84	30.70	5.4	8.8
Manitowoc	1.55	2015	9.0	1884					0.84	30.64	4.3	5.4
Marshfield	1.13	1975	7.0	2005					0.68	33.14	5.8	11.4
Merrill	1.20	1975	6.0	1995					0.73	32.96	5.0	10.9
Oshkosh	0.99	1907	5.0	1983					0.78	32.48	3.8	5.9
Rhinelander	1.17	2015	3.6	2009					0.71	33.63	7.4	19.2
Stevens Point	1.75	2015	4.7	2005					0.74	33.17	4.9	7.1
Sturgeon Bay	3.05	2014	10.0	1907					0.94	31.83	5.6	8.2
Wausau	1.48	2015	5.1	2005					0.72	33.09	6.2	13.6
Wisc. Rapids	1.17	2015	7.1	2005					0.76	33.39	5.1	8.6

December 14

# December 15

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	51	2021	-28	1901	-7	1926	36	2014		26	11	18	
Appleton	64	2021	-20	1901	-5	1901,1926	38	2014		31	17	24	
Green Bay	64	2021	-20	1901	-4	1901	39	2014,2021		31	18	25	
Manitowoc	52	1979	-18	1901	-5	1901	39	1928,1998,2021		32	20	26	
Marshfield	59	2021	-27	1919	-6	1926	41	2014		28	14	21	
Merrill	54	2021	-24	1919	-5	1926	35	2014		27	12	20	
Oshkosh	63	2021	-19	1901	-1	1932	45	2021		32	18	25	
Rhinelander	54	2021	-28	1919	-7	1926	37	2014,2021		27	11	19	
Stevens Point	59	2021	-28	1901	-8	1901	37	1928,2014		29	14	22	
Sturgeon Bay	51	1998	-14	1926	-3	1926	38	2014		31	19	25	
Wausau	58	2021	-27	1901	-7	1919,1926	39	2014,2021		28	14	21	
Wisc. Rapids	63	2021	-29	1932	0	1951	41	2014		29	14	22	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.65	2022	6.0	1937						0.65	28.79	6.1	12.1
Appleton	1.31	1971	11.0	1987						0.90	32.29	5.1	7.8
Green Bay	1.16	1971	9.5	1987						0.90	30.76	5.9	9.3
Manitowoc	2.18	1891	12.5	1900						0.90	30.70	4.8	5.9
Marshfield	0.88	2022	7.0	1990						0.73	33.19	6.3	11.9
Merrill	1.06	2022	6.0	2022						0.78	33.01	5.4	11.3
Oshkosh	1.26	1891	6.7	1987						0.83	32.53	4.2	6.3
Rhinelander	1.06	2022	7.1	2022						0.76	33.68	8.1	19.9
Stevens Point	0.90	2022	6.5	1990						0.79	33.22	5.3	7.5
Sturgeon Bay	1.08	2022	9.0	1989						1.01	31.90	6.1	8.7
Wausau	1.21	1974	9.3	1974						0.77	33.14	6.7	14.1
Wisc. Rapids	0.91	1992	5.0	2022						0.81	33.44	5.5	9.0

December 15

# December 16

					Rec		Rec					
	Rec		Rec		Low		High					1991-2020 Normals
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	53	2021	-22	1901	-2	1901	35	2023		26	10	18
Appleton	64	2021	-19	1932	-3	1932	40	2014		30	17	24
Green Bay	65	2021	-15	1932	3	1919,1932	40	2001		31	18	24
Manitowoc	62	2021	-16	1876	5	1919	40	2001		32	20	26
Marshfield	54	2021	-24	1932	1	1919	34	2023		27	13	20
Merrill	54	2021	-24	1919	0	2008	33	2012		27	11	19
Oshkosh	64	2021	-18	1932	5	1919	37	2023		32	17	24
Rhinelander	51	2021	-28	1919	-9	1926	33	2001		27	10	19
Stevens Point	60	2021	-22	1901	1	2008	36	1928,2012		29	14	21
Sturgeon Bay	55	2021	-12	1919	3	1919	38	2021		31	18	25
Wausau	56	2021	-19	1932	1	1919,1932	38	1928		28	13	20
Wisc. Rapids	62	2021	-28	1932	-4	1919	37	2001,2023		29	14	22
												1991-2020 Normals
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.40	1894	8.0	1937,1940					0.69	28.83	6.6	12.6
Appleton	0.88	1940	6.0	1902,1987					0.96	32.35	5.5	8.2
Green Bay	0.89	1921	3.9	2016					0.95	30.81	6.3	9.7
Manitowoc	0.82	1921	4.0	1940					0.95	30.75	5.2	6.3
Marshfield	1.17	1921	7.8	1921					0.77	33.23	6.7	12.3
Merrill	0.95	1940	9.0	1940					0.82	33.05	5.8	11.7
Oshkosh	0.50	1940	4.0	2016					0.88	32.58	4.5	6.6
Rhinelander	1.06	1940	6.0	1921					0.82	33.74	8.7	20.5
Stevens Point	1.28	1921	8.0	1921					0.84	33.27	5.8	8.0
Sturgeon Bay	0.95	1921	6.0	1908					1.07	31.96	6.6	9.2
Wausau	0.85	1940	4.9	1921					0.82	33.19	7.2	14.6
Wisc. Rapids	1.10	1940	4.0	1940					0.86	33.49	5.9	9.4

December 16

# December 17

					Rec		Rec					
	Rec		Rec		Low		High					1991-2020 Normals
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	48	1984	-20	1919	0	1945	34	1939,1977		26	10	18
Appleton	45	1939	-15	1964,1983	-2	1985	40	2023		30	16	23
Green Bay	49	1895	-14	1950,1985	-1	1945,1985	39	1939		31	18	24
Manitowoc	47	1881,1939,1997,2006	-19	1884	-2	1884	41	1939		31	19	25
Marshfield	47	1939	-19	1919	-3	1985	30	1966,2001,2023		27	13	20
Merrill	48	1939,1984	-23	1932	1	1919	36	1939		27	11	19
Oshkosh	50	1939	-15	1919	1	1985	39	1939		31	17	24
Rhinelander	42	1913,1997	-25	1983	-8	1919	32	1939		27	10	18
Stevens Point	49	1984	-19	1903	3	1919	37	2023		28	14	21
Sturgeon Bay	49	1984	-11	1919	3	1919	40	2023		31	18	24
Wausau	46	1939	-18	1901	-8	1945	37	1939,1977		27	13	20
Wisc. Rapids	47	1962	-17	1932	-7	1919	36	1977		29	14	21
												1991-2020 Normals
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.60	1908,1912	6.0	1908,1912					0.72	28.86	7.0	13.0
Appleton	1.23	1908	10.5	1908					1.02	32.41	6.0	8.7
Green Bay	0.59	1908	5.8	1888					1.01	30.87	6.8	10.2
Manitowoc	1.30	1908	8.8	1876					1.01	30.81	5.6	6.7
Marshfield	0.60	1915	6.0	1961,1990					0.81	33.27	7.2	12.8
Merrill	0.65	1908	8.0	1908					0.87	33.10	6.1	12.0
Oshkosh	1.00	1940	8.0	1921					0.92	32.62	4.9	7.0
Rhinelander	0.46	1915	7.0	1908					0.87	33.79	9.3	21.1
Stevens Point	0.88	1921	7.0	1940					0.88	33.31	6.3	8.5
Sturgeon Bay	2.09	1908	13.0	1908					1.13	32.02	7.1	9.7
Wausau	0.84	1990	11.2	1990					0.87	33.24	7.7	15.1
Wisc. Rapids	0.89	1921	9.0	1990					0.91	33.54	6.4	9.9

December 17

# December 18

					Rec		Rec					
	Rec		Rec		Low		High			1991-2020 Normals		
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	45	2002	-30	1983	-3	1985	34	1977		25	10	17
Appleton	48	2002	-19	1983	-3	1945	33	1977		30	16	23
Green Bay	50	1931	-18	1983	-8	1983	36	1923		30	17	24
Manitowoc	56	1923	-20	1884	-5	1884,1901	39	1941		31	19	25
Marshfield	50	2002	-27	1983	-2	1983	36	2002		27	13	20
Merrill	46	1923	-23	1983	-3	1985	35	1977		27	11	19
Oshkosh	52	2002	-16	1983	-8	1983	35	1889,2002		31	17	24
Rhinelander	46	2002	-34	1983	-6	1922	33	1977		26	10	18
Stevens Point	52	2002	-25	1950	-4	2016	36	1977		28	13	21
Sturgeon Bay	46	1923	-10	1922,1983	5	1916	35	1923,1967		30	18	24
Wausau	48	2002	-23	1983	-8	1983	35	1977		27	13	20
Wisc. Rapids	51	1923,2002	-23	1922	-7	1983	33	1977,2002		29	13	21
									1991-2020 Normals			
	Max		Max						Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.67	1990	7.0	1990					0.76	28.90	7.5	13.5
Appleton	0.63	1957	4.5	2000					1.07	32.46	6.4	9.1
Green Bay	0.50	1957	6.1	2000					1.06	30.92	7.2	10.6
Manitowoc	0.51	2002	5.8	1878					1.06	30.86	6.0	7.1
Marshfield	0.31	1957	4.0	2000					0.86	33.32	7.7	13.3
Merrill	0.58	1990	3.3	1929					0.92	33.15	6.5	12.4
Oshkosh	0.46	1957	4.0	1934,2000					0.97	32.67	5.3	7.4
Rhinelander	0.46	2002	3.0	1998					0.93	33.85	10.0	21.8
Stevens Point	0.50	1990	6.0	1990					0.93	33.36	6.7	8.9
Sturgeon Bay	0.54	1908	4.0	1973					1.19	32.08	7.6	10.2
Wausau	0.28	1957	4.2	1971					0.92	33.29	8.2	15.6
Wisc. Rapids	0.41	1957	4.0	2000					0.96	33.59	6.8	10.3

December 18

# December 19

					Rec		Rec					
	Rec		Rec		Low		High					1991-2020 Normals
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	49	1923	-35	1983	-8	1983	33	2002		25	9	17
Appleton	48	1931	-20	1983	-6	1983	34	1918		29	16	23
Green Bay	51	1918	-27	1983	-2	1983	36	1918		30	17	23
Manitowoc	48	1931	-21	1884	-3	1983	44	1877		31	19	25
Marshfield	52	1923	-27	1983	-5	1983	34	2002		27	12	19
Merrill	55	1923	-31	1983	-8	1983	34	2002		26	10	18
Oshkosh	51	1918	-20	1983	-3	1983	39	2002		31	16	24
Rhinelander	45	1931	-32	1983	0	1980,1989	33	2018		26	9	18
Stevens Point	48	1923	-26	1983	-6	1983	32	1918		28	13	20
Sturgeon Bay	54	1923	-8	1916,1942,2016	5	1989	37	2002		30	18	24
Wausau	48	1923	-26	1983	-2	1955	32	1918,1923		27	12	20
Wisc. Rapids	51	1923	-25	1983	-10	1983	32	1918,2018		28	13	21
												1991-2020 Normals
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.00	1996	8.0	1968					0.80	28.94	8.0	14.0
Appleton	1.03	1968	7.5	1968					1.12	32.51	6.8	9.5
Green Bay	0.54	1968	5.9	1968					1.12	30.98	7.7	11.1
Manitowoc	1.00	1968	12.0	2000					1.11	30.91	6.5	7.6
Marshfield	0.95	1968	10.0	1968					0.90	33.36	8.1	13.7
Merrill	0.64	1939	4.0	1939					0.97	33.20	6.9	12.8
Oshkosh	0.86	1968	5.2	1966					1.02	32.72	5.6	7.7
Rhinelander	1.16	1939	8.0	1968					0.98	33.90	10.6	22.4
Stevens Point	0.60	1968	6.0	1968					0.98	33.41	7.2	9.4
Sturgeon Bay	0.82	1968	8.0	2000					1.25	32.14	8.0	10.6
Wausau	0.55	1951	8.5	1968					0.97	33.34	8.7	16.1
Wisc. Rapids	0.67	1968	7.0	1968					1.00	33.63	7.2	10.7

December 19

# December 20

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	51	1894	-30	1983	-11	1989	34	1918		25	9	17	
Appleton	49	1967	-17	1924,1989	-7	1989	38	1918		29	16	22	
Green Bay	51	1894	-15	1924,1989	-7	1989	40	1923		30	17	23	
Manitowoc	48	1923,1988	-17	1983	-2	1924,1989	44	1877		30	19	25	
Marshfield	46	1967	-23	1924	-4	1963	36	1923		26	12	19	
Merrill	44	1956,1967	-29	1983	-1	1989	35	1923		26	10	18	
Oshkosh	49	1918	-18	1983	-4	1989	40	1923		30	16	23	
Rhinelander	43	1994	-25	1989	-9	1989	30	1977		26	9	17	
Stevens Point	48	1923	-21	1901	-4	1924	38	1923		28	13	20	
Sturgeon Bay	46	1923	-16	1989	0	1989	39	1923		30	17	23	
Wausau	45	1967	-21	1989	-9	1989	37	1923		26	12	19	
Wisc. Rapids	49	1967	-24	1924	-8	1924	38	1923		28	13	20	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.50	1923	5.0	1951,2012						0.83	28.97	8.4	14.4
Appleton	0.95	2012	10.5	2012						1.18	32.57	7.2	9.9
Green Bay	1.18	2012	9.7	2012						1.17	31.03	8.2	11.6
Manitowoc	1.29	2012	6.5	1876						1.16	30.96	6.9	8.0
Marshfield	0.56	2012	10.7	2012						0.95	33.41	8.6	14.2
Merrill	0.41	1987	6.5	1951						1.02	33.25	7.3	13.2
Oshkosh	1.00	2012	11.9	2012						1.07	32.77	6.0	8.1
Rhinelander	0.43	1978	4.0	2004						1.03	33.95	11.2	23.0
Stevens Point	0.70	1987	7.9	2012						1.03	33.46	7.6	9.8
Sturgeon Bay	0.85	1987	8.0	1951						1.31	32.20	8.5	11.1
Wausau	0.54	2012	10.9	2012						1.02	33.39	9.1	16.5
Wisc. Rapids	0.72	1977	11.0	2012						1.05	33.68	7.6	11.1

December 20

# December 21

					Rec		Rec					
	Rec		Rec		Low		High					1991-2020 Normals
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	60	1895	-28	1983	-11	1989	38	1894		25	9	17
Appleton	49	1967	-23	1989	-12	1989	42	1918		29	15	22
Green Bay	52	1967	-20	1989	-8	1989	42	1918		29	16	23
Manitowoc	51	1967	-20	1989,2000	-8	1989	43	1877		30	18	24
Marshfield	54	1967	-27	1989	-8	1989	34	1923		26	12	19
Merrill	49	1967	-27	1985	-9	1989	35	1923		26	10	18
Oshkosh	53	1967	-19	1989	-10	1989	41	1918		30	16	23
Rhinelander	49	1967	-26	1989	-6	1989	32	1923,2007		26	9	17
Stevens Point	51	1967	-23	1989	-4	1989	35	1918		27	13	20
Sturgeon Bay	49	1923,1967	-17	1989	-5	1989	41	1918		29	17	23
Wausau	50	1967	-25	1989	-9	1989	38	1918		26	12	19
Wisc. Rapids	53	1967	-30	1924	-11	1989	36	1918		28	12	20
												1991-2020 Normals
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.52	1984	5.0	2004					0.87	29.01	8.9	14.9
Appleton	0.76	1902	6.0	2012					1.23	32.62	7.6	10.3
Green Bay	0.53	1918	6.2	2010					1.23	31.09	8.6	12.0
Manitowoc	1.00	1889	8.0	1920					1.20	31.00	7.3	8.4
Marshfield	0.64	1984	7.0	1977					0.99	33.45	9.0	14.6
Merrill	0.40	2004	5.0	2008,2010					1.06	33.29	7.7	13.6
Oshkosh	0.63	1920	6.0	1914					1.11	32.81	6.4	8.5
Rhinelander	0.46	1984	7.3	2010					1.08	34.00	11.8	23.6
Stevens Point	0.47	2006	6.0	1998					1.07	33.50	8.1	10.3
Sturgeon Bay	0.85	2012	8.0	2004					1.37	32.26	9.0	11.6
Wausau	0.53	1984	5.5	1920					1.07	33.44	9.6	17.0
Wisc. Rapids	0.63	1984	6.0	1984					1.10	33.73	8.0	11.5

# December 21

# December 22

					Rec		Rec					
	Rec		Rec		Low		High					1991-2020 Normals
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	45	1941	-27	1989	-10	1989	34	1931		24	8	16
Appleton	49	2019	-20	1983	-2	1983	36	1931,1941		29	15	22
Green Bay	48	1941,1957	-16	1983	2	2008	42	1941		29	16	23
Manitowoc	51	1877	-13	1989	1	1989	43	1877		30	18	24
Marshfield	46	1941	-24	1916	-5	1989	37	1941		26	11	19
Merrill	46	1941,1957	-27	1985	-8	1989	35	1941		26	9	17
Oshkosh	49	1941	-21	1989	0	1983	40	1941		30	15	23
Rhinelander	45	1941,1957	-26	1983	-2	1924	38	1941		26	8	17
Stevens Point	50	1957	-22	1989	-8	1989	35	1900		27	12	20
Sturgeon Bay	45	1918,1941	-13	1916	7	1989	37	1918		29	17	23
Wausau	45	1941	-20	1983	-1	1989,2008	38	1941		26	12	19
Wisc. Rapids	51	1957	-22	1916	-4	1989	37	1931		27	12	20
												1991-2020 Normals
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.66	1942	6.0	1942					0.90	29.04	9.3	15.3
Appleton	1.64	2006	4.9	2013					1.29	32.68	8.0	10.7
Green Bay	1.24	2006	6.0	2013					1.28	31.14	9.1	12.5
Manitowoc	1.35	2006	9.0	1884					1.25	31.05	7.8	8.9
Marshfield	0.87	2006	8.5	2006					1.04	33.50	9.5	15.1
Merrill	1.46	2006	7.6	1920					1.11	33.34	8.1	14.0
Oshkosh	1.78	2006	5.0	2013					1.16	32.86	6.8	8.9
Rhinelander	0.90	2006	10.0	1968					1.14	34.06	12.4	24.2
Stevens Point	1.67	2006	5.0	2006					1.12	33.55	8.5	10.7
Sturgeon Bay	0.45	1942,1968	4.5	2022					1.44	32.33	9.5	12.1
Wausau	1.47	2006	6.8	1959					1.12	33.49	10.1	17.5
Wisc. Rapids	1.27	2006	6.2	1968					1.15	33.78	8.4	11.9

December 22

# December 23

					Rec		Rec					
	Rec		Rec		Low		High					1991-2020 Normals
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	47	2015	-32	1983	-11	1983	35	1941		24	8	16
Appleton	53	2015	-21	1983	-5	1983	38	1931,1941,2023		28	15	22
Green Bay	53	2015	-21	1983	-13	1983	38	2023		29	16	22
Manitowoc	54	1888	-19	1983	-5	1983	43	1877		30	18	24
Marshfield	48	2020	-26	1983	-12	1983	36	2023		26	11	18
Merrill	48	1932	-26	1983	-9	1983	35	1941		25	9	17
Oshkosh	54	2015	-24	1989	-10	1983	37	1941		30	15	22
Rhinelander	44	1957	-27	1983	-11	1983	35	2023		25	8	17
Stevens Point	51	2015	-25	1983	-15	1983	37	1941		27	12	19
Sturgeon Bay	50	2015	-19	1983	-2	1983	37	1931,1941		29	16	23
Wausau	46	2020	-25	1983	-16	1983	37	1941		26	11	18
Wisc. Rapids	53	2015	-25	1983	-10	1983	38	2023		27	12	20
												1991-2020 Normals
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.90	2003	8.0	1933					0.94	29.08	9.8	15.8
Appleton	0.58	2014	5.5	1959					1.34	32.73	8.4	11.1
Green Bay	0.77	2007	9.0	1996					1.33	31.19	9.5	12.9
Manitowoc	0.81	1959	5.5	1914					1.30	31.10	8.2	9.3
Marshfield	0.55	2015	7.0	1938					1.08	33.54	10.0	15.6
Merrill	1.20	2015	6.0	2007					1.16	33.39	8.5	14.4
Oshkosh	0.68	1941	6.0	1920					1.21	32.91	7.2	9.3
Rhinelander	1.01	2015	10.0	1933					1.19	34.11	13.0	24.8
Stevens Point	0.75	2015	6.5	1959					1.17	33.60	9.0	11.2
Sturgeon Bay	0.97	2006	5.5	2013					1.50	32.39	9.9	12.5
Wausau	1.00	2007	7.5	2007					1.17	33.54	10.6	18.0
Wisc. Rapids	0.47	2015	10.0	2007					1.20	33.83	8.9	12.4

December 23

# December 24

					Rec		Rec					
	Rec		Rec		Low		High			1991-2020 Normals		
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	47	2015	-27	1983	-15	1983	37	2023		24	8	16
Appleton	52	2023	-16	1983	-2	1983	40	2023		28	15	21
Green Bay	52	2023	-21	1983	-1	1983	42	1888		29	16	22
Manitowoc	60	1889	-21	1983	-1	1983	45	1877		30	17	23
Marshfield	49	2023	-27	1983	-8	1983	40	2023		25	11	18
Merrill	49	2023	-28	1951	-12	1983	36	2023		25	9	17
Oshkosh	54	2023	-27	1983	-5	1983	40	1888		29	15	22
Rhinelander	45	1994,2023	-29	2004	-4	1983,2004	38	2023		25	8	16
Stevens Point	50	1917,2023	-28	1951	-13	1983	37	2023		27	12	19
Sturgeon Bay	45	1932	-14	1951,1983	4	1983	38	2023		29	16	22
Wausau	47	2023	-25	1951	-2	1983	39	2023		26	11	18
Wisc. Rapids	54	2023	-25	1983	-5	1983	41	2023		27	12	19
									1991-2020 Normals			
	Max		Max						Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.41	2015	4.0	1956,1959,2002					0.98	29.12	10.2	16.2
Appleton	0.58	2007	7.3	1996					1.40	32.79	8.8	11.5
Green Bay	1.20	1893	5.6	1977					1.39	31.25	10.0	13.4
Manitowoc	1.10	1931	5.0	1918					1.34	31.14	8.6	9.7
Marshfield	0.98	1932	8.0	1977					1.13	33.59	10.4	16.0
Merrill	0.41	2009	6.0	1996					1.21	33.44	8.9	14.8
Oshkosh	0.96	1982	6.0	1910					1.26	32.96	7.5	9.6
Rhinelander	1.10	1933	4.5	2009					1.24	34.16	13.6	25.4
Stevens Point	0.70	1932	5.0	1996					1.22	33.65	9.4	11.6
Sturgeon Bay	0.70	2015	6.0	1996					1.56	32.45	10.4	13.0
Wausau	1.04	1932	7.0	1977					1.22	33.59	11.1	18.5
Wisc. Rapids	0.89	1941	5.9	1914					1.24	33.87	9.2	12.7

December 24

# December 25

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	47	2023	-27	2000	-6	1924	43	2023		24	8	16	
Appleton	54	2023	-16	2000	-4	1983	41	2023		28	14	21	
Green Bay	54	2023	-22	2000	-4	1933,1983	45	2023		28	15	22	
Manitowoc	58	1982	-20	1983	-3	1983	41	1877		29	17	23	
Marshfield	50	2023	-25	1933	-6	1924	47	2023		25	11	18	
Merrill	50	2023	-27	1933	-3	1983	40	2023		25	8	17	
Oshkosh	54	1936	-24	1983	-2	1933	46	2023		29	15	22	
Rhinelander	50	2023	-31	1933	-3	1924	45	2023		25	8	16	
Stevens Point	51	2023	-24	1921	-6	1924	41	2023		26	11	19	
Sturgeon Bay	52	2023	-20	1933	1	1983	39	2023		28	16	22	
Wausau	50	2023	-23	1933	-6	1983	47	2023		25	11	18	
Wisc. Rapids	51	1936,2023	-26	1921	-8	1924	48	2023		27	11	19	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.49	1982	7.0	1945						1.01	29.15	10.6	16.6
Appleton	0.84	2009	5.0	1910						1.45	32.84	9.2	11.9
Green Bay	0.62	1973	5.4	1945						1.44	31.30	10.4	13.8
Manitowoc	0.87	2009	4.5	1962						1.39	31.19	8.9	10.0
Marshfield	0.75	1945,2009	8.0	1945						1.17	33.63	10.9	16.5
Merrill	0.60	1982	5.0	1945						1.26	33.49	9.3	15.2
Oshkosh	0.91	2009	6.0	1962						1.31	33.01	7.9	10.0
Rhinelander	1.12	1932	9.2	1945						1.29	34.21	14.2	26.0
Stevens Point	1.37	1945	5.0	1910						1.27	33.70	9.8	12.0
Sturgeon Bay	0.60	1945	5.5	1907						1.62	32.51	10.9	13.5
Wausau	0.54	1982	6.2	1945						1.27	33.64	11.6	19.0
Wisc. Rapids	0.80	1945	2.5	2013						1.29	33.92	9.6	13.1

December 25

# December 26

					Rec		Rec					
	Rec		Rec		Low		High			1991-2020 Normals		
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	47	1936	-25	2000	-8	2017	38	1936		24	7	15
Appleton	52	1936	-22	1914	-2	1933	39	1936		28	14	21
Green Bay	51	1936	-19	1962,1996	-2	1933	48	1936		28	15	22
Manitowoc	53	2019	-17	1903	-3	1880	41	1936		29	17	23
Marshfield	49	1936	-29	1914	-7	1933	34	1936		25	10	18
Merrill	49	1936	-27	1933	-6	1925	40	2023		25	8	16
Oshkosh	50	2023	-26	1914	-2	1933	46	1936		29	14	22
Rhinelander	48	1936	-25	1990	-13	1933	37	1936		25	7	16
Stevens Point	54	1936	-32	1914	-5	1933	44	1936		26	11	19
Sturgeon Bay	51	1936	-20	1933	-4	1933	44	2023		28	15	22
Wausau	49	1936	-24	1990	-6	2017	42	1936		25	10	18
Wisc. Rapids	50	1936	-29	1914	-7	1934	44	1936		27	11	19
									1991-2020 Normals			
	Max		Max						Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.64	2016	3.0	1942					1.05	29.19	11.1	17.1
Appleton	0.62	2016	4.0	2008					1.50	32.89	9.6	12.3
Green Bay	0.89	1942	7.4	1888					1.50	31.36	10.8	14.2
Manitowoc	1.00	1888	5.0	1911					1.43	31.23	9.3	10.4
Marshfield	0.55	1941	7.0	1941					1.22	33.68	11.3	16.9
Merrill	0.79	2016	10.5	1911					1.31	33.54	9.7	15.6
Oshkosh	0.65	1888	7.0	1911					1.36	33.06	8.3	10.4
Rhinelander	0.36	1942,1959	6.0	1938					1.34	34.26	14.7	26.5
Stevens Point	0.97	2016	6.5	1941					1.32	33.75	10.2	12.4
Sturgeon Bay	0.80	2009	6.0	1911					1.68	32.57	11.3	13.9
Wausau	0.60	1942	4.0	1941,2008					1.31	33.68	12.0	19.4
Wisc. Rapids	0.66	1910	4.5	1910					1.34	33.97	10.0	13.5

December 26

# December 27

					Rec		Rec					
	Rec		Rec		Low		High					1991-2020 Normals
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	47	1936	-27	2017	-3	1933	35	1959		23	7	15
Appleton	49	1936	-17	1933	-4	1933	39	1936		28	14	21
Green Bay	49	1936	-22	1996	-7	1886	35	1959,2018		28	15	21
Manitowoc	50	1936	-15	1985	-3	1886	38	1959		29	17	23
Marshfield	49	1936	-26	1933	-4	2017	31	1928,1959		25	10	17
Merrill	41	1994	-28	1933	-8	1933	34	1936,1959		24	8	16
Oshkosh	50	1936	-17	1933	2	1977,2017	35	2018		29	14	21
Rhinelander	48	1936	-34	1924	-10	1933	35	2003		25	7	16
Stevens Point	50	1936	-24	1933	-4	2017	37	2003		26	11	18
Sturgeon Bay	50	1936	-22	1933	4	1933	35	1907,1959		28	15	21
Wausau	49	1936	-21	1933,1950	-3	2017	36	1959		25	10	18
Wisc. Rapids	47	1994,2008	-31	1933	0	1938,2017	35	1959		26	11	19
												1991-2020 Normals
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.20	1904	12.0	1904								
Appleton	1.55	1959	3.5	1968								
Green Bay	1.57	1904	7.0	1904								
Manitowoc	1.35	1904	10.0	1887								
Marshfield	0.90	2018	3.6	2018								
Merrill	0.52	1971	5.0	2014								
Oshkosh	1.27	1946	6.0	1904								
Rhinelander	0.87	1946	7.6	1946								
Stevens Point	0.57	1946	4.0	1944								
Sturgeon Bay	0.91	1942	7.0	2009								
Wausau	0.99	2018	4.1	1968								
Wisc. Rapids	1.14	1923	9.0	1911								

# December 27

# December 28

					Rec		Rec					
	Rec		Rec		Low		High					1991-2020 Normals
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	50	1984	-25	1924	-6	1924	33	2003		23	7	15
Appleton	54	1984	-20	1924	3	1961	38	1984,2022		27	14	20
Green Bay	52	1984	-20	1924	-3	1924	41	1984		28	15	21
Manitowoc	62	1984	-21	1880,1924	-11	1880	35	1928		29	16	23
Marshfield	53	1984	-29	1924	-5	1924	37	2003		24	10	17
Merrill	46	2003	-25	1924	-6	1933	35	2003		24	8	16
Oshkosh	57	1984	-21	1924	0	1924	39	2003		28	14	21
Rhinelander	45	1984	-28	1924	-8	1933	31	2003		24	7	16
Stevens Point	53	1984	-25	1924	-7	1924	32	1927		26	11	18
Sturgeon Bay	54	1984	-21	1933	0	1933	38	2003		28	15	21
Wausau	48	1984,2003	-23	1924	-8	1917	38	1984		25	10	17
Wisc. Rapids	54	1984	-33	1924	-11	1924	43	1984		26	11	18
												1991-2020 Normals
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.28	1959	6.5	2015								
Appleton	1.45	1946	12.2	2015								
Green Bay	0.92	2015	11.5	2015								
Manitowoc	2.29	1959	7.0	1968								
Marshfield	1.21	1959	7.0	2015								
Merrill	1.13	1959	8.0	1905								
Oshkosh	1.37	1959	9.5	2015								
Rhinelander	0.87	1959	6.0	1966								
Stevens Point	0.85	1982	8.9	2015								
Sturgeon Bay	3.60	1959	12.0	2015								
Wausau	0.66	1948	6.2	2015								
Wisc. Rapids	0.72	1905	7.0	1948								

# December 28

# December 29

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	46	2003	-26	1917	3	1963	32	1931		23	7	15	
Appleton	51	1984	-15	1917,1976	-3	1976	38	2022		27	13	20	
Green Bay	51	2022	-17	1976	-6	1976	38	2022		28	14	21	
Manitowoc	62	1984	-16	1880	4	1976	38	1896		28	16	22	
Marshfield	50	1984	-25	1917	-9	1976	34	2019		24	9	17	
Merrill	46	1984	-24	1976	-1	1976	30	2003		24	7	16	
Oshkosh	54	1984	-13	1976	-2	1976	36	2022		28	13	21	
Rhinelander	43	2023	-28	1917	-7	1933	33	2019,2022		24	7	15	
Stevens Point	55	1984	-21	1917	-2	1899	37	1896		25	10	18	
Sturgeon Bay	54	1984	-17	1976	4	1976	33	2006,2023		28	14	21	
Wausau	47	2023	-21	1917	-5	1976	36	1896		24	10	17	
Wisc. Rapids	52	1984	-27	1925	0	1963	32	2022		26	10	18	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.58	2019	6.0	1966,1968						1.15	29.29	12.4	18.4
Appleton	0.61	1972	6.3	1978						1.66	33.05	10.8	13.5
Green Bay	0.78	2019	5.1	1978						1.65	31.51	12.2	15.6
Manitowoc	0.95	2019	5.8	2015						1.56	31.36	10.4	11.5
Marshfield	0.42	2019	4.0	1971,1972						1.34	33.80	12.5	18.1
Merrill	0.66	1972	10.0	1905						1.45	33.68	10.8	16.7
Oshkosh	0.62	1978	7.1	1978						1.50	33.20	9.3	11.4
Rhinelander	0.82	2019	4.0	1964						1.48	34.40	16.5	28.3
Stevens Point	0.51	1946	11.5	1905						1.45	33.88	11.4	13.6
Sturgeon Bay	0.62	1905	8.0	1914						1.86	32.75	12.7	15.3
Wausau	1.00	1972	9.0	1905						1.45	33.82	13.4	20.8
Wisc. Rapids	0.72	1972	7.2	1972						1.47	34.10	11.2	14.7

December 29

# December 30

					Rec		Rec					
	Rec		Rec		Low		High					1991-2020 Normals
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	47	1936	-27	2013	0	1983	34	1936,1965		23	6	15
Appleton	52	2022	-15	1938	0	2013	39	2019		27	13	20
Green Bay	55	1936	-19	2013	-1	1938	36	1896,1972		27	14	21
Manitowoc	49	2022	-13	1887	-1	1976	38	1936		28	16	22
Marshfield	47	1936	-23	2013	-5	1938,2017	34	1936,1965		24	9	17
Merrill	48	1936	-24	1976	-4	1976	35	1965		24	7	15
Oshkosh	53	2004	-15	1976	-4	1938	36	1896		28	13	21
Rhinelander	48	1936	-29	1917	-4	1938	34	1965		24	6	15
Stevens Point	51	1936	-20	2013	-6	1976	35	1936		25	10	18
Sturgeon Bay	48	1936	-16	1976	0	1976	36	1965,2019		27	14	21
Wausau	49	1936	-19	1938,1963,2013	-3	2013	37	1965		24	9	17
Wisc. Rapids	49	1936	-23	1925	-2	2017	36	1965		26	10	18
												1991-2020 Normals
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.78	1972	5.0	1972					1.18	29.32	12.8	18.8
Appleton	0.80	1972	6.5	1971					1.71	33.10	11.2	13.9
Green Bay	0.78	1972	6.7	1971					1.70	31.56	12.6	16.0
Manitowoc	1.34	1978	10.0	1971					1.61	31.41	10.7	11.8
Marshfield	1.43	1972	7.0	2019					1.38	33.84	13.0	18.6
Merrill	1.24	1972	6.0	1911					1.49	33.72	11.2	17.1
Oshkosh	1.21	1972	10.5	1971					1.55	33.25	9.7	11.8
Rhinelander	1.21	2019	8.9	2019					1.53	34.45	17.1	28.9
Stevens Point	0.90	1972	5.4	2008					1.50	33.93	11.9	14.1
Sturgeon Bay	1.05	1972	8.0	1907					1.92	32.81	13.2	15.8
Wausau	0.83	2019	7.5	2019					1.50	33.87	13.9	21.3
Wisc. Rapids	0.62	1971	6.0	1971					1.52	34.15	11.6	15.1

December 30

# December 31

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	47	1936,1965	-24	1967	-2	2017	31	1949		23	6	14	
Appleton	52	1965	-15	1924,1967,1968	2	2017	36	2010		27	13	20	
Green Bay	51	1965	-19	1967	4	1898,1899,1946	38	2006		27	14	20	
Manitowoc	54	1965	-12	1967,1968	0	1976	38	1949		28	16	22	
Marshfield	50	1965	-27	1967	-7	2017	34	1949		24	9	16	
Merrill	48	1965	-26	1946,1967	-2	2013	33	2006		24	7	15	
Oshkosh	53	1965	-16	1967	4	1899	36	2010		28	13	20	
Rhinelander	46	1929,1965	-27	1967,1973	-3	2013	31	2006		24	6	15	
Stevens Point	53	1965	-22	1898	-4	2017	35	1949		25	10	17	
Sturgeon Bay	52	1965	-13	1967	1	2013	37	2010		27	14	20	
Wausau	49	1936	-24	1967	-4	2017	33	1933		24	9	17	
Wisc. Rapids	54	1965	-25	1967	-2	1968,2017	35	1949		26	10	18	
										1991-2020 Normals			
	Max		Max							Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.60	1911	6.0	1911						1.21	29.35	13.2	19.2
Appleton	0.79	1906	8.0	1923						1.76	33.15	11.6	14.3
Green Bay	0.85	2006	6.2	1887						1.75	31.61	13.1	16.5
Manitowoc	1.27	1906	12.0	1923						1.65	31.45	11.1	12.2
Marshfield	0.57	2006	2.0	1923						1.42	33.88	13.4	19.0
Merrill	0.88	1906	6.0	1911						1.53	33.76	11.6	17.5
Oshkosh	1.10	1906	4.0	1912						1.59	33.29	10.0	12.1
Rhinelander	0.40	1918	5.0	1911						1.57	34.49	17.7	29.5
Stevens Point	1.60	1906	6.0	1906						1.54	33.97	12.3	14.5
Sturgeon Bay	0.79	1906	9.0	1911						1.97	32.86	13.7	16.3
Wausau	0.55	1906	10.0	1906						1.54	33.91	14.4	21.8
Wisc. Rapids	0.87	2006	2.5	1981						1.56	34.19	12.0	15.5

December 31