

FEBRUARY 1

	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	42	1952	-33	1996	-10	1971	31	1952,1968		22	2	12
APPLETON	43	1987,1998	-25	1918	-5	1996	34	2012		26	10	18
GREEN BAY	42	1922	-24	1985	-6	1971	33	1892,1998		25	9	17
MANITOWOC	44	2012	-21	1918	-5	1895	36	1952		26	14	20
MARSHFIELD	47	1919,1931	-33	1918	-7	1971	31	1968		24	7	16
MERRILL	46	1931	-38	1996	-9	1996	30	1968		24	3	13
OSHKOSH	43	1987	-24	1918,1996	-4	1996	33	1892,1922		28	11	20
RHINELANDER	46	1931	-38	1996	-8	1971	29	1998		22	4	13
STEVENS POINT	51	1989	-31	1918	-8	1971	32	1922		25	7	16
STURGEON BAY	43	1987	-26	1918,1938	-2	1996	35	1952		26	10	18
WAUSAU	43	1931	-30	1918	-9	1996	32	1998		25	7	16
WISCONSIN RAPIDS	43	1987	-40	1918	-6	1971	33	1922		26	8	17
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.60	1917	6.0	1917					0.02	0.78	0.3	34.3
APPLETON	0.55	1986	5.0	1908					0.03	1.17	0.3	26.2
GREEN BAY	0.35	1925	3.6	1908					0.03	1.16	0.4	30.7
MANITOWOC	0.43	1915	5.6	2015					0.05	1.84	0.3	27.9
MARSHFIELD	0.70	1983	7.0	1983					0.03	0.93	0.3	29.6
MERRILL	0.75	1998	4.5	1998					0.03	1.10	0.4	30.4
OSHKOSH	0.45	1915	8.0	1915					0.03	1.13	0.3	20.8
RHINELANDER	0.67	1933	7.0	1933					0.03	1.14	0.3	40.5
STEVENS POINT	0.72	1933	6.0	1915					0.03	1.08	0.4	26.5
STURGEON BAY	0.97	1908	8.0	1908					0.04	1.69	0.4	30.8
WAUSAU	0.74	1998	6.2	1998					0.03	1.05	0.4	36.1
WISCONSIN RAPIDS	0.63	1998	6.0	1986					0.04	1.10	0.4	30.4

FEBRUARY 1

FEBRUARY 2

	REC		REC		REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	43	1991	-34	1996	-17	1996	28	1973,2012		22	2	12
APPLETON	48	2020	-28	1996	-18	1996	36	1997		26	10	18
GREEN BAY	47	2020	-26	1971,1996	-16	1996	33	1999		25	10	17
MANITOWOC	48	2020	-25	1996	-9	1996	33	1999		26	14	20
MARSHFIELD	46	1992	-32	1996	-11	1996	28	1973,2005,2012		24	7	16
MERRILL	46	2020	-38	1971,1996	-17	1996	31	1944		24	3	13
OSHKOSH	48	2020	-28	1996	-16	1996	33	1999		28	12	20
RHINELANDER	47	1935,1991	-36	1996	-15	1996	30	1999		23	4	13
STEVENS POINT	47	2020	-32	1996	-9	1996	33	1944		26	7	16
STURGEON BAY	43	2020	-27	1996	-15	1996	32	1999		26	10	18
WAUSAU	45	1992,2020	-33	1996	-20	1996	33	1999		25	7	16
WISCONSIN RAPIDS	49	2020	-31	1996	-15	1996	32	1999		26	8	17
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.70	1932	7.0	1983					0.05	0.81	0.6	34.6
APPLETON	0.66	1983	5.8	2016					0.07	1.21	0.7	26.6
GREEN BAY	0.65	2016	5.6	1891					0.06	1.19	0.8	31.1
MANITOWOC	0.50	1875,1881	6.0	1881,1989					0.09	1.88	0.7	28.3
MARSHFIELD	0.53	1998	6.0	2004					0.06	0.96	0.6	29.9
MERRILL	0.87	1983	8.5	1983					0.06	1.13	0.7	30.7
OSHKOSH	0.40	2016	4.0	1934					0.07	1.17	0.6	21.1
RHINELANDER	0.59	1983	5.8	1983					0.06	1.17	0.6	40.8
STEVENS POINT	0.49	1998	5.5	2016					0.06	1.11	0.7	26.8
STURGEON BAY	0.66	2016	6.0	2016					0.08	1.73	0.8	31.2
WAUSAU	0.75	1983	5.8	1983					0.06	1.08	0.7	36.4
WISCONSIN RAPIDS	1.29	1983	9.0	1983					0.07	1.13	0.7	30.7

FEBRUARY 2

FEBRUARY 3

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	46	1991	-38	1996	-8	1996	27	1931,1999		23	2	12
APPLETON	45	1991	-29	1996	-9	1996	32	1919		26	10	18
GREEN BAY	44	1931	-28	1996	-9	1996	32	1999,2019		25	10	18
MANITOWOC	47	1991	-27	1996	-12	1996	35	1919		26	14	20
MARSHFIELD	47	2005	-33	1996	-10	1996	36	2019		24	8	16
MERRILL	48	2005	-41	1996	-7	1996	29	1924		25	3	14
OSHKOSH	52	1892	-29	1996	-9	1996	36	1894		28	12	20
RHINELANDER	47	1991	-42	1996	-8	1917	32	2019		23	4	13
STEVENS POINT	49	1991	-32	1996	-20	1996	32	1935		26	7	16
STURGEON BAY	45	1991	-28	1996	-9	1996	34	1919		27	10	18
WAUSAU	45	1991	-32	1996	-11	1996	31	1999		25	7	16
WISCONSIN RAPIDS	47	1991	-33	1923	-9	1996	38	2019		26	8	17
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.80	1903	4.5	1974					0.07	0.83	0.9	34.9
APPLETON	0.41	2006	5.5	2018					0.10	1.24	1.0	26.9
GREEN BAY	0.47	1924,1936	6.7	1974					0.09	1.22	1.2	31.5
MANITOWOC	0.79	1936	10.0	1936					0.14	1.93	1.0	28.6
MARSHFIELD	0.48	1926	6.0	1926,1936					0.08	0.98	1.0	30.3
MERRILL	0.35	1926	5.6	2003					0.09	1.16	1.1	31.1
OSHKOSH	0.30	1983	5.0	1997					0.10	1.20	1.0	21.5
RHINELANDER	0.98	2003	8.0	2003					0.09	1.20	0.9	41.1
STEVENS POINT	0.55	1983	5.0	1926					0.09	1.14	1.1	27.2
STURGEON BAY	0.51	1983	5.0	1983					0.12	1.77	1.2	31.6
WAUSAU	0.43	1949	4.4	1926					0.09	1.11	1.1	36.8

WISCONSIN RAPIDS	0.33	2018		4.6	2018						0.10	1.16	1.1	31.1
------------------	------	------	--	-----	------	--	--	--	--	--	------	------	-----	------

FEBRUARY 3

FEBRUARY 4

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	48	2005	-35	1996	-8	1989	31	1991		23	2	13	
APPLETON	46	1991,2012	-24	1996	-5	2007	34	2019		26	10	18	
GREEN BAY	44	1890,1909,2012	-24	1996	-3	1917,1918,1996	32	1991		26	10	18	
MANITOWOC	53	1890	-21	1893,1996	-4	1895,1996	36	1991		27	14	21	
MARSHFIELD	51	2005	-29	1923	-9	2007	30	1991		24	8	16	
MERRILL	46	1915,2005,2012	-41	1907,1996	-8	2007	31	2019		25	3	14	
OSHKOSH	49	1964	-30	1996	-5	2007	33	1991		28	12	20	
RHINELANDER	52	1991	-36	1996	-10	2007	30	1962,1991		23	4	14	
STEVENS POINT	55	2005	-31	1996	-13	1996	31	1991		26	7	17	
STURGEON BAY	47	1991	-23	1996	-2	1996	33	1991		27	10	18	
WAUSAU	50	2005	-27	1996	-9	2007	29	1986		25	7	16	
WISCONSIN RAPIDS	55	2005	-26	1923	-7	2007	31	1991		26	8	17	

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.80	1903	8.0	1903						0.09	0.85	1.3	35.3
APPLETON	0.54	1924	7.0	1936						0.13	1.27	1.4	27.3
GREEN BAY	1.00	1889	10.0	1889						0.13	1.26	1.6	31.9
MANITOWOC	0.90	1938	9.5	1903						0.18	1.97	1.3	28.9
MARSHFIELD	0.45	1945	6.5	1997						0.11	1.01	1.3	30.6
MERRILL	0.53	2019	5.0	1945						0.12	1.19	1.4	31.4
OSHKOSH	0.58	1986	10.0	1903						0.13	1.23	1.3	21.8
RHINELANDER	0.49	2019	7.2	2019						0.12	1.23	1.3	41.5
STEVENS POINT	0.75	1945	8.0	1945						0.13	1.18	1.5	27.6

STURGEON BAY	0.82	1936	11.2	1936						0.16	1.81	1.6	32.0
WAUSAU	0.89	1945	8.0	1945						0.12	1.14	1.5	37.2
WISCONSIN RAPIDS	0.58	1924	5.0	1997						0.14	1.20	1.4	31.4

FEBRUARY 4

FEBRUARY 5

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	48	1991	-37	1895	-5	1913	31	1915		23	2	13	
APPLETON	47	1964,2005	-23	1936	-8	1936	32	1909,1915,1953		26	10	18	
GREEN BAY	50	2005	-24	1895	-10	1895	34	1938,2005		26	10	18	
MANITOWOC	48	1890	-22	1895,1936	-7	1895	34	1915		27	15	21	
MARSHFIELD	49	2005	-26	1936,1979	-9	1936	33	1915		25	8	16	
MERRILL	51	1991	-42	1907	-3	1947	30	1938		25	3	14	
OSHKOSH	51	2005	-24	1996	-4	1936	33	1938		28	12	20	
RHINELANDER	50	2005	-33	1936	-7	1913	31	1938		23	4	14	
STEVENS POINT	50	2005	-32	1907	-8	1933	32	1915		26	7	17	
STURGEON BAY	45	1925,1991	-27	1936	-12	1936	32	2005		27	10	19	
WAUSAU	52	1991	-31	1899	-5	1936	31	1938		25	7	16	
WISCONSIN RAPIDS	52	1991,2005	-29	1933	-9	1936	32	1915		27	8	17	

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.00	1908	11.0	1908						0.11	0.87	1.6	35.6
APPLETON	1.50	1903	9.0	1908						0.16	1.30	1.7	27.6
GREEN BAY	0.58	1953	6.0	1908						0.16	1.29	1.9	32.2
MANITOWOC	1.30	1924	15.0	1924						0.23	2.02	1.6	29.2
MARSHFIELD	0.88	1971	10.0	1971						0.14	1.04	1.6	30.9
MERRILL	0.75	1971	8.0	1908						0.15	1.22	1.8	31.8
OSHKOSH	0.53	1971	5.0	1908						0.16	1.26	1.6	22.1

RHINELANDER	0.82	1971	9.0	1971					0.15	1.26	1.7	41.9
STEVENS POINT	0.67	1971	8.0	1971					0.16	1.21	1.8	27.9
STURGEON BAY	1.26	1908	9.0	1908					0.20	1.85	2.0	32.4
WAUSAU	0.51	1971	13.0	1908					0.15	1.17	1.9	37.6
WISCONSIN RAPIDS	0.57	1971	6.0	1971					0.17	1.23	1.8	31.8

FEBRUARY 5

FEBRUARY 6

	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME	
ANTIGO	42	1946	-28	1982	-2	1895	32	2005	23	3	13	
APPLETON	47	1925	-24	1936	-1	1936	33	2005	27	11	19	
GREEN BAY	50	1925	-22	1936	-2	1936	37	2005	26	10	18	
MANITOWOC	53	1878	-19	1936	-1	1936	35	2005	27	15	21	
MARSHFIELD	47	1925	-28	1936	-6	1936	31	2005	25	8	17	
MERRILL	49	1925	-38	1907	0	1979	32	2005	25	3	14	
OSHKOSH	51	1925	-20	1936	-3	1936	39	2005	29	12	20	
RHINELANDER	46	1925	-31	1936	-6	1933	28	1991	24	4	14	
STEVENS POINT	48	1991	-38	1907	-6	1936	33	2005	26	7	17	
STURGEON BAY	47	1925	-24	1936	-4	1936	36	2005	27	10	19	
WAUSAU	43	1998,2002,2005	-28	1899	-4	1962	33	2005	26	8	17	
WISCONSIN RAPIDS	51	1925	-30	1907	-4	1936	33	2005	27	8	18	

	REC		REC		NORMAL							
	PCPN	YEAR(S)	SNOW	YEAR(S)	PCPN				SNOW			
					MONTH	YEAR	MONTH	SEASON				
ANTIGO	0.50	1938	6.0	1951	0.14	0.90	1.9	35.9				
APPLETON	0.60	1938	5.0	1911	0.20	1.34	2.0	27.9				
GREEN BAY	0.65	1938	3.6	1888	0.19	1.32	2.3	32.6				
MANITOWOC	0.62	1911	9.0	1911	0.27	2.06	1.9	29.5				
MARSHFIELD	0.30	1930,1953	4.0	1953	0.17	1.07	1.9	31.2				

MERRILL	0.60	1938	7.2	2019						0.19	1.26	2.1	32.1
OSHKOSH	0.85	1938	6.0	1923, 2004						0.19	1.29	1.9	22.4
RHINELANDER	0.50	1908	6.0	1938						0.18	1.29	2.0	42.2
STEVENS POINT	2.00	1938	6.5	1953						0.19	1.24	2.2	28.3
STURGEON BAY	0.77	1938	5.0	1985,2019						0.24	1.89	2.4	32.8
WAUSAU	0.60	1951	5.9	1951						0.18	1.20	2.2	37.9
WISCONSIN RAPIDS	0.88	1938	3.0	1951						0.20	1.26	2.1	32.1

FEBRUARY 6

FEBRUARY 7

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	45	1925	-34	1899	-4	1994	30	1965		24	3	13	
APPLETON	47	1991	-16	1936	3	1933	35	2005		27	11	19	
GREEN BAY	49	2009	-23	1899	0	1893	34	2009		26	10	18	
MANITOWOC	47	1878	-17	1899	-2	1893	35	1965		27	15	21	
MARSHFIELD	47	1987,1991	-20	1971	2	1972	29	1928,2009		25	8	17	
MERRILL	52	1925	-33	1982	-6	1933	32	2009		25	3	14	
OSHKOSH	50	2002	-24	1899	-4	1899	35	2005		29	12	21	
RHINELANDER	55	1991	-28	1988	-7	1933	29	1965		24	5	14	
STEVENS POINT	45	1925	-42	1899	2	1899	30	1928,2005		27	8	17	
STURGEON BAY	45	1991,2009	-22	1936	0	1934,1994	35	1965		27	11	19	
WAUSAU	47	1987	-36	1899	-4	1933	30	1928,2009,2016		26	8	17	
WISCONSIN RAPIDS	51	1987	-28	1905	-2	1933	31	1928,2005		27	9	18	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON	
ANTIGO	0.29	1945	4.0	1945					0.16	0.92	2.2	36.2	
APPLETON	0.60	1928	4.2	1948					0.23	1.37	2.3	28.2	
GREEN BAY	0.62	1892	5.8	1892					0.23	1.36	2.7	33.0	

MANITOWOC	1.35	1928	5.2	1933					0.32	2.11	2.2	29.8
MARSHFIELD	0.46	2019	5.9	2019					0.19	1.09	2.2	31.5
MERRILL	0.30	1989	4.2	1933					0.22	1.29	2.4	32.4
OSHKOSH	1.06	1928	5.0	1945					0.23	1.33	2.2	22.7
RHINELANDER	0.63	1928	7.9	2019					0.21	1.32	2.3	42.5
STEVENS POINT	0.90	1928	4.0	1981					0.22	1.27	2.5	28.6
STURGEON BAY	0.72	1953	5.0	1985					0.28	1.93	2.8	33.2
WAUSAU	0.65	1931	6.5	2019					0.21	1.23	2.6	38.3
WISCONSIN RAPIDS	0.86	1928	4.0	1905,2019					0.23	1.29	2.5	32.5

FEBRUARY 7

FEBRUARY 8

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	47	1991	-34	1971	-4	1933	35	1925		24	3	13	
APPLETON	49	1990	-18	1951	0	1933	35	1990		27	11	19	
GREEN BAY	56	1925	-22	1951	-3	1899	36	1925		26	11	18	
MANITOWOC	48	1991	-18	1888,1899	-8	1899	35	1996		27	15	21	
MARSHFIELD	50	1991	-27	1971	-5	1914,1933	33	1925,1996		25	9	17	
MERRILL	46	1987,2002	-35	1971	-1	1994	32	1925		26	4	15	
OSHKOSH	55	1925	-30	1899	-12	1985	37	1925		29	12	21	
RHINELANDER	55	1991	-34	1971	-7	1933	30	1990		24	5	14	
STEVENS POINT	50	1897	-27	1951	-4	1933	36	1925		27	8	17	
STURGEON BAY	46	1991	-19	1934	2	1934	32	1925		27	11	19	
WAUSAU	50	2002	-27	1971	-11	1899	35	1925		26	8	17	
WISCONSIN RAPIDS	52	2002	-25	1904	-7	1933	35	1925		27	9	18	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.40	1905,2001	5.0	1936						0.18	0.94	2.5	36.5

APPLETON	1.87	1966	6.0	1916					0.26	1.40	2.7	28.6
GREEN BAY	1.78	1966	5.7	1950					0.26	1.39	3.0	33.3
MANITOWOC	1.77	1966	8.0	1929					0.37	2.16	2.5	30.1
MARSHFIELD	0.64	1966	4.5	1952					0.22	1.12	2.5	31.8
MERRILL	0.55	2019	6.9	2019					0.25	1.32	2.7	32.7
OSHKOSH	1.19	1966	4.5	1928					0.26	1.36	2.5	23.0
RHINELANDER	0.35	1950	5.0	1950					0.24	1.35	2.6	42.8
STEVENS POINT	1.06	1966	6.0	1916,1952					0.25	1.30	2.8	28.9
STURGEON BAY	1.36	1966	4.0	1916					0.32	1.97	3.2	33.6
WAUSAU	0.80	1900	8.0	1900					0.24	1.26	2.9	38.6
WISCONSIN RAPIDS	0.90	1966	6.0	1952					0.27	1.33	2.8	32.8

FEBRUARY 8

FEBRUARY 9

					REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	45	1984	-32	1933	-8	1933	34	1966		24	3	14
APPLETON	48	1991	-26	1933	-1	1917,1933	36	1966		27	11	19
GREEN BAY	51	1925	-27	1888	-14	1888	41	1966		27	11	19
MANITOWOC	46	1925	-28	1886	-13	1899	36	1999		27	15	21
MARSHFIELD	44	1966,1977,1991,1999	-32	1933	-13	1933	34	1966		26	9	17
MERRILL	45	1961,2009	-33	1933	-9	1933	35	1966		26	4	15
OSHKOSH	53	1925	-33	1899	-18	1899	37	1966		29	13	21
RHINELANDER	49	1977	-40	1951	-10	1933	35	1966		24	5	15
STEVENS POINT	52	1991	-38	1951	-14	1899	35	1966		27	8	17
STURGEON BAY	46	1991	-29	1933	-5	1933	36	1966		28	11	19
WAUSAU	46	1938	-37	1951	-12	1899	38	1966		26	8	17
WISCONSIN RAPIDS	50	1984	-33	1951	-7	1933	41	1966		27	9	18
	REC		REC							NORMAL		
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW	

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.46	1939	5.0	1939					0.22	0.98	3.0	37.0
APPLETON	0.71	1959	8.0	1959					0.33	1.47	3.3	29.2
GREEN BAY	0.50	2013	5.8	2000					0.33	1.46	3.7	34.0
MANITOWOC	1.72	1959	7.0	1960					0.46	2.25	3.1	30.7
MARSHFIELD	0.62	2013	4.5	1959					0.27	1.17	3.2	32.5
MERRILL	0.63	2013	4.0	1985					0.31	1.38	3.4	33.4
OSHKOSH	0.50	1939	4.7	1959					0.33	1.43	3.1	23.6
RHINELANDER	0.54	2013	4.0	2000					0.31	1.42	3.3	43.5
STEVENS POINT	0.54	1959	7.0	1959					0.32	1.37	3.4	29.5
STURGEON BAY	1.01	1939	8.0	1912					0.40	2.05	4.0	34.4
WAUSAU	0.63	1953	7.0	1959					0.30	1.32	3.6	39.3
WISCONSIN RAPIDS	0.51	1959	5.0	1959					0.33	1.39	3.4	33.4

FEBRUARY 10

FEBRUARY 11

LOCATION	REC		REC		REC		REC		NORMAL			
	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	47	1999	-39	1899	-5	1899	34	1977		25	4	14
APPLETON	57	1999	-15	1917	-3	1917	35	1984		28	12	20
GREEN BAY	58	1999	-29	1899	-3	1899,1917	34	1915		27	11	19
MANITOWOC	55	1932	-24	1885	-4	1899	37	1932		28	16	22
MARSHFIELD	51	1918	-21	1914,1917	-6	1933	35	1915		26	9	18
MERRILL	55	1918	-28	1979	-5	1995	33	2009		26	4	15
OSHKOSH	60	1999	-29	1899	-5	1899	35	1977		30	13	21
RHINELANDER	50	1918	-32	1917	-6	1933	33	2009		25	5	15
STEVENS POINT	50	1977	-48	1899	-4	1899	34	1977		27	8	18
STURGEON BAY	50	1999	-18	1917	-3	1917,1995	36	1932		28	11	20
WAUSAU	48	1918,1999	-38	1899	-3	1933	33	1984		27	9	18
WISCONSIN RAPIDS	52	1999	-22	1917	0	1917	33	1984		28	9	19

	REC		REC						NORMAL				
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW		
									MONTH	YEAR	MONTH	SEASON	
ANTIGO	0.60	1999,2004	5.0	1916,1953					0.25	1.01	3.3	37.3	
APPLETON	0.60	1953	4.5	1916					0.37	1.51	3.6	29.5	
GREEN BAY	0.66	1887	6.8	1953					0.37	1.50	4.1	34.4	
MANITOWOC	0.93	1953	6.0	1879					0.51	2.30	3.4	31.0	
MARSHFIELD	0.69	1999	5.0	1985					0.30	1.20	3.5	32.8	
MERRILL	0.76	1984	4.0	1953					0.34	1.41	3.7	33.7	
OSHKOSH	0.82	1953	4.0	1953					0.36	1.46	3.4	23.9	
RHINELANDER	1.54	1932	5.0	1940					0.34	1.45	3.6	43.8	
STEVENS POINT	1.28	1953	6.0	1916,1953					0.35	1.40	3.8	29.9	
STURGEON BAY	0.76	1953	8.0	1953					0.44	2.09	4.3	34.7	
WAUSAU	0.55	1999	4.0	1965					0.33	1.35	3.9	39.6	
WISCONSIN RAPIDS	0.66	1999	3.0	1965					0.36	1.42	3.7	33.7	

FEBRUARY 11

FEBRUARY 12

					REC		REC						
	REC		REC		LOW		HIGH		NORMAL				
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	46	1984	-38	1967	-4	1981	34	1908		25	4	14	
APPLETON	47	1976,1990	-19	1917	4	1917	36	1908		28	12	20	
GREEN BAY	45	1966,1990,2005	-27	1899	-3	1899	36	1908		27	12	19	
MANITOWOC	46	1882,1976	-24	1899	-3	1899	41	1882		28	16	22	
MARSHFIELD	49	2005	-32	1917	2	1967	32	1984		26	10	18	
MERRILL	48	1906	-36	1967	-2	1981	36	1908		27	5	16	
OSHKOSH	48	1919,1990	-20	1917	-1	1995	34	1908		30	13	22	
RHINELANDER	47	1976	-33	1967	-5	1917	34	1908		25	6	16	
STEVENS POINT	51	1999	-33	1917	-3	1995	35	1908		28	9	18	
STURGEON BAY	43	1977	-29	1917	6	1917	34	1908,1919		28	12	20	

WAUSAU	48	2005	-35	1899	4	2003	36	1908		27	9	18
WISCONSIN RAPIDS	51	1976	-36	1917	5	1913	34	1984		28	10	19
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.05	2019	16.5	2019					0.27	1.03	3.6	37.6
APPLETON	0.64	1922	7.0	1922					0.40	1.54	3.9	29.8
GREEN BAY	0.55	2019	8.8	2019					0.41	1.54	4.4	34.7
MANITOWOC	1.06	1881	10.0	1905					0.56	2.35	3.7	31.3
MARSHFIELD	1.07	1984	15.0	2019					0.32	1.22	3.8	33.1
MERRILL	2.05	1965	9.0	1965					0.37	1.44	4.0	34.0
OSHKOSH	1.25	1908	10.0	1896					0.40	1.50	3.7	24.2
RHINELANDER	1.17	2019	14.9	2019					0.37	1.48	4.0	44.2
STEVENS POINT	0.75	2019	12.5	2019					0.39	1.44	4.1	30.2
STURGEON BAY	0.62	2019	10.0	2019					0.49	2.14	4.7	35.1
WAUSAU	1.11	1984	15.7	2019					0.36	1.38	4.2	39.9
WISCONSIN RAPIDS	1.14	2019	16.4	2019					0.40	1.46	4.0	34.0

FEBRUARY 12

FEBRUARY 13

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	45	1991	-26	1905	3	1905	32	1941		25	4	15
APPLETON	46	1990	-24	1905	6	1905	34	1911,1941		28	12	20
GREEN BAY	43	1888,1937,1976,1984,1990	-22	1905	-5	1905	33	1911,1919,1984		28	12	20
MANITOWOC	48	1890,1970	-22	1905	1	1905	36	1941		28	16	22
MARSHFIELD	50	2011	-18	1955	7	1914	32	1941,1984		27	10	18
MERRILL	49	1921	-31	1917	7	1995	33	1911,1984		27	5	16
OSHKOSH	50	1934	-26	1905	3	1905	35	1937,1984		30	13	22
RHINELANDER	46	2011	-27	1917,1971	3	1943	31	1984		26	6	16

STEVENS POINT	51	1976,2011	-30	1899	1	1905	34	1941		28	9	18	
STURGEON BAY	44	1976	-22	1912	8	1943	35	1984		28	12	20	
WAUSAU	50	2011	-25	1905	2	1943	33	1911		27	9	18	
WISCONSIN RAPIDS	51	2011	-28	1905	0	1905	33	1984		29	10	19	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.30	1904	3.0	1904						0.29	1.05	3.8	37.8
APPLETON	0.95	1938	7.0	2019						0.44	1.58	4.2	30.1
GREEN BAY	0.75	1906	7.1	1906						0.44	1.57	4.8	35.1
MANITOWOC	0.75	1906	10.0	1889						0.60	2.39	3.9	31.5
MARSHFIELD	1.25	1938	3.0	1945,1986						0.35	1.25	4.1	33.4
MERRILL	0.40	1938,2019	6.2	2019						0.41	1.48	4.3	34.3
OSHKOSH	1.15	1911	4.0	1950						0.44	1.54	4.1	24.6
RHINELANDER	0.42	1938	3.0	1939,1962						0.40	1.51	4.3	44.5
STEVENS POINT	0.61	1984	2.0	1979						0.42	1.47	4.5	30.6
STURGEON BAY	0.77	1938	9.8	1906						0.53	2.18	5.1	35.5
WAUSAU	1.18	1938	4.5	1906						0.39	1.41	4.5	40.2
WISCONSIN RAPIDS	0.84	1938	7.0	1979						0.43	1.49	4.3	34.3

FEBRUARY 13

FEBRUARY 14

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	44	1954,2002	-25	1970	4	1943	32	1915		26	4	15	
APPLETON	46	1934,1954,1967	-16	1905	3	1943	33	1911		29	12	20	
GREEN BAY	46	1934,1954	-18	1951	1	1923	33	1890		28	12	20	
MANITOWOC	51	1967	-13	1879	2	1879	35	1882,1915		28	16	22	
MARSHFIELD	48	1954	-22	2020	0	1943	31	1984		27	10	19	
MERRILL	45	2002	-26	1970	6	1936	31	1984		27	5	16	

OSHKOSH	52	1954	-16	1905,1951	2	1943	33	1984		30	14	22	
RHINELANDER	45	1954	-31	1951	-3	1923	31	1915,1983		26	6	16	
STEVENS POINT	49	2002	-27	1951	3	1943	32	1911		28	9	19	
STURGEON BAY	45	2005	-13	1970	1	1943	35	1915		29	12	20	
WAUSAU	49	2002	-26	1951	-1	1923	34	1915		28	10	19	
WISCONSIN RAPIDS	53	1954	-27	1922	-4	1923	32	1984		29	10	20	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.60	1919	6.0	1919						0.31	1.07	4.1	38.1
APPLETON	1.20	1911	4.3	1950						0.47	1.61	4.5	30.4
GREEN BAY	0.85	1918	5.6	1950						0.48	1.61	5.1	35.4
MANITOWOC	0.79	1919	8.0	1909						0.65	2.44	4.2	31.8
MARSHFIELD	0.60	1918	6.0	1918						0.38	1.28	4.5	33.8
MERRILL	0.68	1962	5.5	1918						0.44	1.51	4.6	34.6
OSHKOSH	0.59	1906	7.0	2008						0.47	1.57	4.4	24.9
RHINELANDER	0.60	1918	6.0	1918						0.43	1.54	4.6	44.8
STEVENS POINT	1.00	1915	4.5	1950						0.46	1.51	4.8	30.9
STURGEON BAY	1.37	1911	5.1	1962						0.57	2.22	5.4	35.8
WAUSAU	0.94	1950	9.4	1950						0.42	1.44	4.9	40.6
WISCONSIN RAPIDS	0.87	1915	4.5	1950						0.47	1.53	4.5	34.5

FEBRUARY 14

FEBRUARY 15

					REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	46	1921,1984	-21	1904,1930,2004	-1	1936	36	1954		26	5	15
APPLETON	53	1921	-16	1905	-2	1936	34	1954		29	12	21
GREEN BAY	57	1921	-17	1888,1905	-1	1904,1936	35	1976		28	12	20
MANITOWOC	56	1882	-16	1888	-2	1936	39	1954		29	17	23

MARSHFIELD	53	1921	-27	1930	-7	1936	36	1954		27	10	19
MERRILL	50	1913	-30	1906	6	1923	34	1954		28	5	16
OSHKOSH	57	1921	-20	1905	-3	1936	40	1954		31	14	22
RHINELANDER	50	1921,1931	-29	1943	-2	1936	33	1981		26	6	16
STEVENS POINT	50	1967	-32	1906	-5	1936	34	1954		29	9	19
STURGEON BAY	44	1907	-17	1930	4	1936	34	1954		29	12	21
WAUSAU	48	1921	-25	1904	-4	1936	34	1998		28	10	19
WISCONSIN RAPIDS	55	1921	-28	1906	-6	1936	35	1954		29	10	20

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.20	1918	12.0	1918						0.34	1.10	4.4	38.4
APPLETON	0.32	1967	3.1	1967						0.51	1.65	4.8	30.7
GREEN BAY	0.32	1910	3.9	1979,2014						0.52	1.65	5.4	35.7
MANITOWOC	0.56	1992	4.0	1979						0.70	2.49	4.5	32.1
MARSHFIELD	0.44	1967	4.1	1967						0.41	1.31	4.8	34.1
MERRILL	0.59	1976	5.0	1967						0.47	1.54	5.0	35.0
OSHKOSH	0.60	1894	4.5	1986						0.51	1.61	4.7	25.2
RHINELANDER	0.83	1945	11.0	1967						0.47	1.58	5.0	45.2
STEVENS POINT	0.42	1945	1.5	1949						0.49	1.54	5.1	31.2
STURGEON BAY	0.61	1967	9.0	1910						0.61	2.26	5.8	36.2
WAUSAU	0.52	1945	5.7	1979						0.45	1.47	5.2	40.9
WISCONSIN RAPIDS	0.54	1918	5.3	1967						0.50	1.56	4.8	34.8

FEBRUARY 15

FEBRUARY 16

	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	49	1916,1931	-25	1936	-4	1936	32	1981,1998		26	5	16
APPLETON	55	1981	-17	1936	1	1958	35	1981		29	13	21

ANTIGO	48	1981,1984	-29	1979	-4	1936	36	1981		26	5	16
APPLETON	56	1981	-17	1903	-1	1936	34	1981,1998		29	13	21
GREEN BAY	52	1981,2017	-19	1979	-2	1903,1936	36	1981		29	13	21
MANITOWOC	52	1981	-15	1888,1979	0	1936	36	1981		29	17	23
MARSHFIELD	55	1981	-23	1979	-6	1936	35	1981		28	11	19
MERRILL	53	1916,2017	-38	1936	-5	1936	33	1998		28	6	17
OSHKOSH	57	1981	-17	1979	-3	1936	37	2011		31	14	23
RHINELANDER	55	2017	-33	1979	-16	1936	36	1981		27	7	17
STEVENS POINT	55	1981,2017	-26	1904	-4	1936	34	1998		29	10	20
STURGEON BAY	49	1981	-23	1979	-4	1936	39	1981		29	13	21
WAUSAU	53	2017	-25	1979	-5	1936	37	1981		29	11	20
WISCONSIN RAPIDS	58	1981	-35	1936	-3	1929	37	1981		30	11	20

	REC		REC							NORMAL		
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW

										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.94	1932	8.0	1932						0.38	1.14	4.9	38.9
APPLETON	0.84	2008	8.2	2008						0.58	1.72	5.3	31.2
GREEN BAY	1.09	2008	6.6	2008						0.60	1.73	6.1	36.4
MANITOWOC	1.00	2008	4.5	1975						0.80	2.59	5.0	32.6
MARSHFIELD	0.65	1932	6.5	2008						0.46	1.36	5.4	34.7
MERRILL	0.50	1932	5.9	2013						0.53	1.60	5.6	35.6
OSHKOSH	0.91	2008	6.5	1975						0.59	1.69	5.3	25.8
RHINELANDER	0.43	1911	3.3	2014						0.53	1.64	5.8	46.0
STEVENS POINT	0.76	2008	8.8	2008						0.56	1.61	5.8	31.9
STURGEON BAY	0.75	2008	7.0	2008						0.70	2.35	6.5	36.9
WAUSAU	0.45	2008	6.0	1942,2014						0.51	1.53	5.8	41.5
WISCONSIN RAPIDS	0.72	2008	9.0	2008						0.57	1.63	5.4	35.4

FEBRUARY 17

FEBRUARY 18

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			

LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	53	1981,2017	-27	1936	-3	1936	38	1981		27	6	16	
APPLETON	59	2017	-23	1936	-2	1929	37	2017		30	13	21	
GREEN BAY	57	2017	-21	1936	-2	1936	38	2017		29	13	21	
MANITOWOC	55	2017	-20	1936	-2	1936	35	1981		29	17	23	
MARSHFIELD	55	1981	-23	2006	-6	1936	45	1954		28	11	20	
MERRILL	57	2017	-35	1979	-3	1936	35	1981,1998		28	6	17	
OSHKOSH	57	2017	-22	1936	-3	1936	42	1981		31	15	23	
RHINELANDER	54	1981,1994,2017	-28	2006	-6	1929	35	1997		27	7	17	
STEVENS POINT	58	1981	-28	2006	-4	1936	40	1981		29	10	20	
STURGEON BAY	56	2017	-24	1920	-4	1936	34	1981,1998		30	13	21	
WAUSAU	53	1981	-23	1936	-5	1936,1942	39	1981		29	11	20	
WISCONSIN RAPIDS	56	2017	-23	1936	-5	1941	33	1998		30	11	21	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.51	2020	5.0	2020						0.41	1.17	5.1	39.1
APPLETON	0.70	1929	8.0	1908						0.62	1.76	5.6	31.5
GREEN BAY	1.02	1887	6.6	1887						0.64	1.77	6.4	36.7
MANITOWOC	0.70	2019	6.0	1925						0.85	2.64	5.3	32.9
MARSHFIELD	0.49	1961	6.5	1961						0.49	1.39	5.7	35.0
MERRILL	0.49	1961	5.0	1961						0.57	1.64	5.8	35.8
OSHKOSH	0.74	1976	5.5	1925						0.63	1.73	5.6	26.1
RHINELANDER	0.42	1961	8.0	1961						0.56	1.67	6.1	46.3
STEVENS POINT	0.66	1976	6.0	1976						0.60	1.65	6.1	32.2
STURGEON BAY	0.60	1976	7.5	2020						0.74	2.39	6.9	37.3
WAUSAU	0.60	1961	8.0	1961						0.54	1.56	6.1	41.8
WISCONSIN RAPIDS	0.77	1976	7.7	1976						0.61	1.67	5.7	35.7
FEBRUARY 18													
FEBRUARY 19													

FEBRUARY 21

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	53	1930	-26	2008	-2	1963	37	2017		28	7	17	
APPLETON	59	2017	-21	1936	-6	1963	42	2017		31	14	22	
GREEN BAY	60	1930	-18	2008	-1	1963	44	2017		30	14	22	
MANITOWOC	58	2017	-14	1963	0	1963	37	1930		30	18	24	
MARSHFIELD	57	2017	-23	1963	-4	1963	38	2017		29	12	21	
MERRILL	55	1930	-35	1929	-1	1963	37	2017		29	7	18	
OSHKOSH	59	1930,2017	-20	1936	-2	1963	45	2017		32	15	24	
RHINELANDER	56	2017	-34	1929	-3	1963	38	2017		28	8	18	
STEVENS POINT	58	2017	-23	1936	1	1918	38	2017		30	11	21	
STURGEON BAY	58	2017	-16	1918	5	1918	38	2017		31	14	22	
WAUSAU	58	1930	-21	1936,1963	-6	1963	37	2017		30	12	21	
WISCONSIN RAPIDS	60	2017	-31	1936	0	1939	41	1930,2017		31	12	22	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.00	1937	3.0	1945						0.48	1.24	5.9	39.9
APPLETON	1.33	1937	7.0	1960						0.75	1.89	6.5	32.4
GREEN BAY	1.21	1985	4.5	1997,2011						0.77	1.90	7.5	37.8
MANITOWOC	1.08	1882	9.0	1882						1.01	2.80	6.1	33.7
MARSHFIELD	0.36	1954	6.1	1913						0.58	1.48	6.7	36.0
MERRILL	1.03	1937	14.0	1937						0.67	1.74	6.7	36.7
OSHKOSH	0.74	1960	8.3	1960						0.76	1.86	6.6	27.1
RHINELANDER	1.75	1937	20.0	1937						0.66	1.77	7.2	47.4
STEVENS POINT	1.00	1915	8.0	1942						0.71	1.76	7.1	33.2
STURGEON BAY	1.57	1937	4.0	1997						0.88	2.53	8.0	38.4
WAUSAU	1.50	1937	8.0	1913						0.64	1.66	7.1	42.8
WISCONSIN RAPIDS	0.84	1937	5.0	1974						0.72	1.78	6.5	36.5

FEBRUARY 21

FEBRUARY 22

	REC		REC		REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	54	1930,2017	-22	1896,1907	2	1965	44	1930		28	7	18
APPLETON	68	2017	-24	1936	4	1965	41	1930,2017		31	14	23
GREEN BAY	65	2017	-14	1936	-5	1899	42	1930		30	14	22
MANITOWOC	51	1930	-15	1889	4	1889	38	1930		30	19	24
MARSHFIELD	57	2017	-21	1936	0	1965	44	1930		29	13	21
MERRILL	58	1930	-29	1936	2	2015	39	1930		30	8	19
OSHKOSH	66	2017	-19	1936	6	1965	43	2017		33	16	24
RHINELANDER	56	1930,2000	-29	1936	4	1965	38	1930		29	9	19
STEVENS POINT	59	2017	-24	1936	4	2015	48	1930		31	12	21
STURGEON BAY	53	1930	-14	1965	8	1965	35	1930		31	14	23
WAUSAU	55	2017	-23	1936	1	1965	38	1930		30	12	21
WISCONSIN RAPIDS	61	2017	-31	1936	1	1939	35	1915		31	13	22
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.00	1913	10.0	1913					0.51	1.27	6.1	40.1
APPLETON	2.50	1922	8.0	1913					0.79	1.93	6.8	32.7
GREEN BAY	2.03	1922	11.0	1913					0.81	1.94	7.8	38.1
MANITOWOC	2.04	1922	9.0	1913					1.06	2.85	6.4	34.0
MARSHFIELD	0.80	1922	5.5	1928					0.61	1.51	7.0	36.3
MERRILL	1.14	1922	8.3	1922					0.70	1.77	7.1	37.1
OSHKOSH	1.82	1981	7.8	1928					0.80	1.90	6.8	27.3
RHINELANDER	0.69	1981	6.3	1913					0.69	1.80	7.6	47.8
STEVENS POINT	2.66	1922	12.0	1928					0.75	1.80	7.4	33.5
STURGEON BAY	1.45	1922	7.0	1922					0.93	2.58	8.4	38.8
WAUSAU	1.28	1981	5.0	1945					0.68	1.70	7.5	43.2
WISCONSIN RAPIDS	2.00	1922	5.5	1983					0.76	1.82	6.8	36.8

FEBRUARY 22

--	--	--	--	--	--	--	--	--	--	--	--	--

FEBRUARY 23

	REC		REC		REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	52	1930	-23	1910	4	1910,2015	33	1961		28	7	18
APPLETON	57	2000	-18	1910	6	1910	37	1985		31	15	23
GREEN BAY	53	1930	-24	1899	-8	1899	36	1896		31	15	23
MANITOWOC	57	1984	-21	1889	-6	1889	38	1896		31	19	25
MARSHFIELD	53	2000	-15	1989	9	1934,1965	34	1984		30	13	21
MERRILL	55	1930	-29	1936	6	1934	36	1906		30	8	19
OSHKOSH	56	1984,2000	-19	1910	10	1934	39	2000		33	16	24
RHINELANDER	58	1930	-27	1910	0	1934	30	1961,1985,1996		29	9	19
STEVENS POINT	58	1984	-22	1910	3	1910	36	1984		31	12	22
STURGEON BAY	58	1906	-15	1910	6	1934	35	1906		31	15	23
WAUSAU	50	2000	-20	1910	9	1934	36	1906		31	13	22
WISCONSIN RAPIDS	57	1931	-29	1936	1	1910	37	2000		32	13	22
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.80	1981	7.5	1938					0.53	1.29	6.4	40.4
APPLETON	1.15	1977	8.5	1959					0.83	1.97	7.1	33.0
GREEN BAY	1.06	1959	9.0	1959					0.86	1.99	8.2	38.5
MANITOWOC	1.21	1922	7.0	1959					1.11	2.90	6.7	34.3
MARSHFIELD	0.76	1979	4.0	1959,1991,1994					0.64	1.54	7.4	36.7
MERRILL	1.42	1922	10.2	1922					0.74	1.81	7.4	37.4
OSHKOSH	1.16	1959	9.2	1959					0.85	1.95	7.2	27.7
RHINELANDER	0.88	1922	6.1	1991					0.73	1.84	8.0	48.2
STEVENS POINT	1.55	1922	6.0	1909,1922					0.79	1.84	7.8	33.9
STURGEON BAY	1.12	1922	11.0	1913					0.98	2.63	8.8	39.2

WAUSAU	1.07	1922	9.2	1922					0.71	1.73	7.8	43.5
WISCONSIN RAPIDS	1.23	1922	9.0	1977					0.81	1.87	7.1	37.1

FEBRUARY 23

--	--	--	--	--	--	--	--	--	--	--	--	--

FEBRUARY 24

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	52	1931	-22	1964	6	1934	32	1896		29	8	18
APPLETON	51	1996	-11	1910	5	1928	38	2000		32	15	23
GREEN BAY	53	1930	-21	1899	-3	1899	35	1948,2000		31	15	23
MANITOWOC	49	1996	-17	1889	4	1889	36	2000		31	19	25
MARSHFIELD	56	1931	-18	1950,1967	5	1928,1934	37	2000		30	13	22
MERRILL	54	1930	-28	1910	6	1928	34	2000		31	8	20
OSHKOSH	52	1957	-15	1910	1	1900	40	2000		33	16	25
RHINELANDER	59	1976	-29	1964	0	1928	35	2000		29	9	19
STEVENS POINT	55	1931	-21	1913	3	1934	38	2000		31	12	22
STURGEON BAY	50	1918	-14	1910	5	1934	37	2000		31	15	23
WAUSAU	54	1976	-19	1913	-1	1900	39	2000		31	13	22
WISCONSIN RAPIDS	59	1976	-22	1913	1	1967	39	2000		32	13	23

--	--	--	--	--	--	--	--	--	--	--	--	--

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.84	1977	5.0	1915,1982						0.56	1.32	6.7	40.7
APPLETON	0.95	2019	6.0	1940						0.88	2.02	7.4	33.3
GREEN BAY	0.60	1948	3.9	2017						0.91	2.04	8.5	38.8
MANITOWOC	0.80	1935	8.0	1935						1.16	2.95	6.9	34.5
MARSHFIELD	1.10	2019	13.0	2019						0.68	1.58	7.7	37.0
MERRILL	1.11	2019	14.2	2019						0.78	1.85	7.7	37.7
OSHKOSH	0.85	2019	5.0	2007						0.89	1.99	7.5	28.0
RHINELANDER	1.05	2019	10.9	2019						0.77	1.88	8.4	48.6

STEVENS POINT	1.00	2019	6.0	1915						0.84	1.89	8.1	34.2
STURGEON BAY	1.00	2019	4.0	1975						1.03	2.68	9.1	39.5
WAUSAU	0.90	1930	7.6	2019						0.75	1.77	8.2	43.9
WISCONSIN RAPIDS	0.65	2019	9.0	2019						0.85	1.91	7.4	37.4

FEBRUARY 24

FEBRUARY 25

	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	51	1976	-28	1928	7	1934,2014	34	2000		29	8	19
APPLETON	55	1911	-28	1928	9	1967	36	2000		32	15	24
GREEN BAY	49	2000	-23	1928	4	1928	34	1951,2000		31	15	23
MANITOWOC	52	1932	-16	1928	6	1928	42	2000		31	19	25
MARSHFIELD	54	2000	-24	1928	3	2019	36	2000		30	14	22
MERRILL	56	1976	-31	1928	7	2014	37	2000		31	9	20
OSHKOSH	55	2000	-28	1928	6	1928	43	1957		34	17	25
RHINELANDER	54	1936	-35	1928	5	1934	36	2000		30	10	20
STEVENS POINT	55	1931	-36	1928	3	1967	37	2000		32	13	22
STURGEON BAY	48	1911,2000	-24	1928	4	1928	37	1957		32	15	23
WAUSAU	54	1976	-26	1928	4	2019	38	2000		32	13	22
WISCONSIN RAPIDS	55	2000	-40	1928	6	2019	37	2000		32	14	23

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.65	1930	8.0	1975						0.59	1.35	7.0	41.0
APPLETON	0.65	2007	8.5	2007						0.92	2.06	7.7	33.6
GREEN BAY	0.86	2007	9.8	2007						0.96	2.09	8.9	39.2
MANITOWOC	1.46	1926	10.0	2007						1.22	3.01	7.2	34.8
MARSHFIELD	0.70	1930	8.0	1926,2007						0.72	1.62	8.0	37.3
MERRILL	1.06	1930	5.4	2007						0.82	1.89	8.0	38.0

OSHKOSH	0.99	1926	7.0	1973						0.94	2.04	7.8	28.3
RHINELANDER	0.61	1930	6.0	1975						0.81	1.92	8.7	48.9
STEVENS POINT	3.24	1926	12.0	1926						0.88	1.93	8.4	34.5
STURGEON BAY	0.80	1926	9.0	1935						1.08	2.73	9.5	39.9
WAUSAU	0.99	1951	11.0	1926						0.79	1.81	8.5	44.2
WISCONSIN RAPIDS	0.60	2007	7.0	2007						0.90	1.96	7.7	37.7

FEBRUARY 25

FEBRUARY 26

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	56	2000	-21	2015	5	1919	36	2000		29	8	19	
APPLETON	59	2000	-16	1928	7	1919	41	2000		32	16	24	
GREEN BAY	61	2000	-15	1963	6	1919,1934	41	2000		32	16	24	
MANITOWOC	54	1932	-12	1963	5	1888	38	1882,2000		32	20	26	
MARSHFIELD	58	2000	-18	1963	-1	1919	36	2000		31	14	22	
MERRILL	57	2000	-30	1928	8	2014,2019	37	2000		31	9	20	
OSHKOSH	62	2000	-14	1963	5	1897	37	2000		34	17	25	
RHINELANDER	56	1958,2000	-34	1928	0	1934	42	2000		30	10	20	
STEVENS POINT	62	2000	-21	1963	8	1919	37	2000		32	13	23	
STURGEON BAY	53	1998	-15	1963	4	1934	36	2000		32	15	24	
WAUSAU	59	2000	-25	1963	3	1919	40	2000		32	14	23	
WISCONSIN RAPIDS	62	2000	-23	1963	6	1919	38	1998		33	14	23	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.97	1951	5.2	1936						0.62	1.38	7.2	41.2
APPLETON	0.62	1996	4.5	1910,2009						0.97	2.11	8.0	33.9
GREEN BAY	0.60	2009	5.6	2009						1.01	2.14	9.2	39.5
MANITOWOC	0.70	1912	8.0	1946						1.27	3.06	7.5	35.1

MARSHFIELD	0.70	1951	5.0	1929					0.76	1.66	8.4	37.7
MERRILL	0.64	1945	6.2	1929					0.86	1.93	8.3	38.3
OSHKOSH	0.75	2009	5.6	1962					0.99	2.09	8.1	28.6
RHINELANDER	0.71	1936	6.0	2007					0.85	1.96	9.0	49.2
STEVENS POINT	0.50	1910	5.0	1936					0.93	1.98	8.7	34.8
STURGEON BAY	1.06	2007	10.0	2007					1.14	2.79	9.9	40.3
WAUSAU	0.50	1899	5.0	1899,1946					0.83	1.85	8.9	44.6
WISCONSIN RAPIDS	0.80	1996	5.5	1910					0.95	2.01	8.0	38.0

FEBRUARY 26

FEBRUARY 27

	REC		REC		LOW		HIGH						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	59	1896	-17	1925,1935,1964,2014	4	2014	34	1998		30	9	19	
APPLETON	56	2016	-12	1925	8	1919	39	1998		33	16	24	
GREEN BAY	59	1896	-15	2014	8	2014	36	1998,1999,2018		32	16	24	
MANITOWOC	57	2018	-22	1879	6	1925	37	1895		32	20	26	
MARSHFIELD	56	2016	-18	1925	1	2014	36	1998		31	15	23	
MERRILL	54	1932	-25	1935	1	2014	34	2000		32	10	21	
OSHKOSH	60	1896	-11	1897,2014	4	1897	38	1998,2000		34	17	26	
RHINELANDER	54	2018	-26	1935	-1	2014	37	2018		30	10	20	
STEVENS POINT	57	2016	-20	1897	0	2014	37	1998		32	14	23	
STURGEON BAY	51	2016	-12	1934	6	2014	38	1998		32	16	24	
WAUSAU	56	1896	-17	2014	1	2014	34	1998		32	14	23	
WISCONSIN RAPIDS	59	2016	-22	1925	4	2014	34	1999		33	14	24	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.50	1902	2.0	1922,1971						0.66	1.42	7.5	41.5
APPLETON	1.09	1902	4.5	1997						1.02	2.16	8.3	34.2

GREEN BAY	0.69	1981	5.8	1948					1.06	2.19	9.5	39.8
MANITOWOC	1.02	1981	11.4	1890					1.32	3.11	7.7	35.3
MARSHFIELD	0.80	1948	5.5	1936					0.80	1.70	8.7	38.0
MERRILL	0.47	1936	5.5	1936					0.91	1.98	8.7	38.7
OSHKOSH	0.78	1981	4.8	2019					1.04	2.14	8.4	28.9
RHINELANDER	0.91	1948	9.5	1948					0.89	2.00	9.3	49.5
STEVENS POINT	0.72	1931	6.0	1931					0.97	2.02	9.1	35.2
STURGEON BAY	0.55	1936	7.0	2019					1.19	2.84	10.2	40.6
WAUSAU	0.56	1948	4.6	1931,1948					0.88	1.90	9.2	44.9
WISCONSIN RAPIDS	0.63	1998	5.8	2019					0.99	2.05	8.3	38.3

FEBRUARY 27

FEBRUARY 28

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	56	1895	-30	2014	8	2014	36	1895		30	9	20	
APPLETON	50	1998	-13	1962	14	1962	35	1999,2018		33	16	25	
GREEN BAY	54	1895	-21	2014	11	1891	37	1895		32	16	24	
MANITOWOC	53	1895,2016	-14	1884	3	1888	39	1895		32	20	26	
MARSHFIELD	51	1985	-18	1922,2014	10	2014	34	2017		31	15	23	
MERRILL	49	1985	-26	2014	8	2014	33	1999		32	10	21	
OSHKOSH	51	1983,2000	-14	2014	11	1913	36	2017		35	18	26	
RHINELANDER	48	1985	-25	2014	6	2014	33	2018		31	11	21	
STEVENS POINT	50	2004	-17	2014	10	1897	35	1992		33	14	23	
STURGEON BAY	48	1983	-12	2014	16	1922	34	1998,1999		33	16	24	
WAUSAU	49	1985,2000	-23	2014	-2	1962	33	1983		33	14	23	
WISCONSIN RAPIDS	55	1983	-20	2014	0	1962	31	1932		34	15	24	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON

ANTIGO	0.57	1981	8.0	1948					0.69	1.45	7.8	41.8
APPLETON	0.36	1951	3.6	2014					1.07	2.21	8.6	34.5
GREEN BAY	1.30	1902	11.1	1890					1.11	2.24	9.9	40.2
MANITOWOC	2.25	1902	2.0	1972					1.37	3.16	8.0	35.6
MARSHFIELD	0.50	1919	6.0	1948					0.84	1.74	9.1	38.4
MERRILL	0.53	1981	8.0	1939					0.95	2.02	9.0	39.0
OSHKOSH	1.45	1902	3.6	1930					1.09	2.19	8.7	29.2
RHINELANDER	0.99	1939	10.0	1939					0.93	2.04	9.6	49.8
STEVENS POINT	0.78	1948	8.0	1948					1.02	2.07	9.4	35.5
STURGEON BAY	0.55	1948	4.0	1948					1.25	2.90	10.6	41.0
WAUSAU	1.40	1902	8.5	1951					0.92	1.94	9.6	45.3
WISCONSIN RAPIDS	0.48	1948	5.5	1919					1.04	2.10	8.6	38.6

FEBRUARY 28

FEBRUARY 29

					REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	57	2000	-13	1976	11	1908	34	1904		30	10	20
APPLETON	57	2000	-5	1980	15	1980	40	2000		33	17	25
GREEN BAY	59	2000	-4	1980	16	1912,1980	36	2000		33	17	25
MANITOWOC	55	1964	-14	1884	10	1884	36	1932		32	21	26
MARSHFIELD	60	2000	-12	1980	13	1980	34	2000		32	15	23
MERRILL	59	2000	-14	1956	12	1966	32	1932		32	10	21
OSHKOSH	61	2000	-5	1980	15	1980	35	2000		35	18	26
RHINELANDER	59	2000	-20	1980	14	1996	39	2000		31	11	21
STEVENS POINT	53	2004	-10	1980	21	1980	33	1932		33	14	24
STURGEON BAY	58	2000	-5	1980	17	1912,1980	31	2000		33	16	25
WAUSAU	59	2000	-12	1980	15	1980,1996	41	2000		33	14	24
WISCONSIN RAPIDS	62	2000	-6	1920	12	1912	40	2000		34	15	24
	REC		REC							NORMAL		

