

# February 1

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	43	1989	-33	1996	-10	1971	31	1952,1968		21	3	12	
Appleton	43	1987,1998	-25	1918	-6	1971	34	2012		26	9	17	
Green Bay	42	1922,2022	-24	1985	-6	1971	33	1892,1998		26	10	18	
Manitowoc	45	2022	-21	1918	-5	1895	36	1952		27	13	20	
Marshfield	47	1919,1931	-33	1918	-7	1971	31	1968		23	7	15	
Merrill	48	1993	-38	1996	-7	1996	30	1968		23	2	12	
Oshkosh	43	1987,2022	-24	1918,1996	-4	1996	33	1892,1922		26	11	18	
Rhineland	41	1952	-38	1996	-10	1893	29	1998		23	3	13	
Stevens Point	51	1989	-31	1918	-8	1893,1971	32	1922,1968		24	6	15	
Sturgeon Bay	43	1987	-26	1918,1938	-2	1996	35	1952		25	9	17	
Wausau	43	1931	-30	1918	-9	1905,1996	32	1998		23	6	15	
Wisc. Rapids	43	1987	-40	1918	-6	1971	33	1922		25	7	16	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.60	1917	6.0	1917						0.03	0.86	0.4	31.8
Appleton	0.55	1986	5.0	1908						0.04	1.40	0.4	27.3
Green Bay	0.35	1925	3.6	1908						0.04	1.43	0.4	31.2
Manitowoc	0.43	1915	5.6	2015						0.04	1.82	0.4	20.4
Marshfield	0.70	1983	7.0	1983						0.03	1.11	0.4	31.8
Merrill	0.42	2002	7.9	2002						0.04	1.23	0.4	30.3
Oshkosh	0.45	1915	8.0	1915						0.04	1.38	0.4	22.3
Rhineland	0.67	1933	7.0	1933						0.04	1.25	0.5	43.8
Stevens Point	0.72	1933	6.0	1915						0.04	1.25	0.4	26.5
Sturgeon Bay	0.97	1908	8.0	1908						0.04	1.75	0.5	32.4
Wausau	0.74	1998	6.2	1998						0.04	1.24	0.5	37.1
Wisc. Rapids	0.63	1998	6.0	1986						0.04	1.24	0.4	28.1

# February 1

# February 2

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	40	1970	-34	1996	-17	1996	28	1973,2012		21	3	12	
Appleton	48	2020	-28	1996	-18	1996	32	1999,2020		26	9	17	
Green Bay	47	2020	-26	1971,1996	-16	1996	33	1999		26	10	18	
Manitowoc	48	2020	-25	1996	-9	1996	33	1999		27	13	20	
Marshfield	46	1992	-32	1996	-11	1996	28	1973,2005,2012		24	7	15	
Merrill	46	1935,2020	-38	1971,1996	-9	1996	31	1944		23	2	13	
Oshkosh	48	2020	-28	1996	-16	1996	33	1999		26	11	19	
Rhineland	47	1935,1991	-36	1895,1996	-15	1996	30	1999		23	3	13	
Stevens Point	47	2020	-32	1996	-9	1893,1996	30	2005		24	6	15	
Sturgeon Bay	43	2020	-27	1996	-15	1996	32	1999		25	9	17	
Wausau	45	1992,2020	-33	1996	-20	1996	33	1999		24	6	15	
Wisc. Rapids	49	2020	-31	1996	-15	1996	32	1999		26	8	17	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.70	1932	6.0	1932						0.05	0.88	0.8	32.2
Appleton	0.66	1983	5.9	1983						0.07	1.43	0.8	27.7
Green Bay	0.65	2016	5.6	1891						0.07	1.46	0.9	31.7
Manitowoc	0.50	1875,1881	6.0	1881,1989						0.09	1.87	0.8	20.8
Marshfield	0.53	1998	6.0	2004						0.06	1.14	0.8	32.2
Merrill	0.72	1998	4.5	1998						0.07	1.26	0.9	30.8
Oshkosh	0.40	2016	4.0	1934						0.07	1.41	0.8	22.7
Rhineland	0.59	1983	5.8	1914,1983						0.08	1.29	1.0	44.3
Stevens Point	0.49	1998	5.5	2016						0.07	1.28	0.8	26.9
Sturgeon Bay	0.66	2016	6.0	2016						0.09	1.80	0.9	32.8
Wausau	0.75	1983	5.8	1983						0.07	1.27	0.9	37.5
Wisc. Rapids	1.29	1983	9.0	1983						0.08	1.28	0.7	28.4

# February 2

# February 3

February 3													
	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	46	1991	-38	1996	-8	1996	29	1919		22	3	12	
Appleton	45	1991	-29	1996	-9	1996	32	1919		26	9	18	
Green Bay	44	1931	-28	1996	-9	1996	32	1999,2019		26	11	18	
Manitowoc	47	1991	-27	1996	-12	1996	35	1919,1999		27	13	20	
Marshfield	47	2005	-33	1996	-10	1996	36	2019		24	7	15	
Merrill	46	1931,1992,2020	-41	1996	-17	1996	29	1924,2012		23	2	13	
Oshkosh	52	1892	-29	1996	-9	1996	36	1894		27	11	19	
Rhineland	47	1991	-42	1996	-8	1917	32	2019		24	3	13	
Stevens Point	49	1991	-32	1996	-20	1996	32	1935		25	6	16	
Sturgeon Bay	45	1991	-28	1996	-9	1996	34	1919		25	9	17	
Wausau	45	1991	-32	1996	-11	1996	31	1999		24	7	15	
Wisc. Rapids	47	1991	-33	1923	-9	1996	38	2019		26	8	17	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.37	2016	7.0	1983						0.08	0.91	1.2	32.6
Appleton	0.41	2006	5.5	2018						0.10	1.46	1.2	28.1
Green Bay	0.47	1924,1936	6.7	1974						0.11	1.50	1.3	32.1
Manitowoc	0.79	1936	10.0	1936						0.13	1.91	1.2	21.2
Marshfield	0.48	1926	6.0	1926,1936						0.09	1.17	1.2	32.6
Merrill	0.87	1983	8.5	1983						0.11	1.30	1.3	31.2
Oshkosh	0.30	1983	5.0	1997						0.11	1.45	1.1	23.0
Rhineland	0.25	1936,2003	8.0	2003						0.12	1.33	1.5	44.8
Stevens Point	0.55	1983	5.0	1926						0.10	1.31	1.2	27.3
Sturgeon Bay	0.51	1983	5.0	1983						0.13	1.84	1.4	33.3
Wausau	0.43	1949	4.4	1926						0.10	1.30	1.4	38.0
Wisc. Rapids	0.33	2018	4.6	2018						0.12	1.32	1.1	28.8

# February 3

# February 4

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	48	2005	-35	1996	-8	1989	31	1991		22	3	12	
Appleton	46	1991,2012	-24	1996	-4	1918	34	2019		26	9	18	
Green Bay	44	1890,1909, 2012	-24	1996	-3	1917,1918,1996	32	1991		26	11	18	
Manitowoc	53	1890	-21	1893,1996	-4	1895,1996	36	1991		27	13	20	
Marshfield	51	2005	-29	1923	-9	2007	30	1991		24	7	15	
Merrill	48	2005	-41	1907,1996	-7	1907,1996	31	2019		23	2	13	
Oshkosh	49	1964	-30	1996	-5	2007	33	1991		27	11	19	
Rhineland	52	1991	-40	1895	-10	2007	30	1962,1991		24	3	13	
Stevens Point	55	2005	-35	1893	-13	1996	31	1991		25	7	16	
Sturgeon Bay	47	1991	-23	1996	-2	1996	33	1991		26	10	18	
Wausau	50	2005	-27	1996	-9	2007	29	1986		24	7	15	
Wisc. Rapids	55	2005	-26	1923	-7	2007	31	1991		26	8	17	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.80	1903	8.0	1903						0.10	0.93	1.6	33.0
Appleton	0.74	2021	7.0	1936						0.14	1.50	1.6	28.5
Green Bay	1.00	1889	10.0	1889						0.15	1.54	1.8	32.6
Manitowoc	0.90	1938	9.5	1903						0.18	1.96	1.6	21.6
Marshfield	0.55	2021	6.5	1997						0.13	1.21	1.6	33.0
Merrill	0.60	2021	6.5	2021						0.14	1.33	1.8	31.7
Oshkosh	0.63	2021	10.0	1903						0.15	1.49	1.5	23.4
Rhineland	0.89	2021	10.4	2021						0.16	1.37	2.0	45.3
Stevens Point	0.75	1945	8.0	1945						0.14	1.35	1.7	27.8
Sturgeon Bay	0.82	1936	11.2	1936						0.17	1.88	1.9	33.8
Wausau	0.89	1945	8.6	1945						0.14	1.34	1.9	38.5
Wisc. Rapids	0.58	1924	6.5	2021						0.16	1.36	1.5	29.2

# February 4

# February 5

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	48	1991	-37	1895	-5	1913	31	1915		22	3	12	
Appleton	47	1964	-23	1996	-5	2007	32	1909,1915,1953		26	9	18	
Green Bay	50	2005	-24	1895	-10	1895	34	1938,2005		26	11	19	
Manitowoc	48	1890	-22	1895,1936	-7	1895	34	1915,1925		27	14	20	
Marshfield	49	2005	-26	1936,1979	-9	1936	33	1915		24	7	16	
Merrill	50	1925	-42	1907	-8	2007	30	1938		23	3	13	
Oshkosh	51	2005	-24	1996	-4	1936	33	1938		27	11	19	
Rhineland	50	2005	-40	1895	-7	1913	31	1938		24	3	14	
Stevens Point	50	2005	-33	1895	-8	1933,2007	32	1915		25	7	16	
Sturgeon Bay	45	1925,1991	-27	1936	-12	1936	32	2005		26	10	18	
Wausau	52	1991	-31	1899	-5	1936	31	1938		24	7	16	
Wisc. Rapids	52	1991,2005	-29	1933	-9	1936	32	1915		26	8	17	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.00	1908	8.0	2021						0.13	0.96	2.0	33.4
Appleton	1.50	1903	9.0	1908						0.18	1.54	2.0	28.9
Green Bay	0.58	1953	6.0	1908						0.19	1.58	2.2	33.0
Manitowoc	1.30	1924	15.0	1924						0.22	2.00	1.9	21.9
Marshfield	0.88	1971	10.0	1971						0.16	1.24	2.0	33.4
Merrill	0.75	1971	8.0	1908						0.17	1.36	2.2	32.1
Oshkosh	0.53	1971	5.0	1908						0.18	1.52	1.9	23.8
Rhineland	0.82	1971	9.0	1971						0.20	1.41	2.6	45.9
Stevens Point	0.67	1971	8.0	1971						0.17	1.38	2.1	28.2
Sturgeon Bay	1.26	1908	9.0	1908						0.22	1.93	2.3	34.2
Wausau	0.51	1971	13.0	1908						0.17	1.37	2.3	38.9
Wisc. Rapids	0.57	1971	6.0	1971						0.20	1.40	1.9	29.6

# February 5

# February 6

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	42	1946	-28	1982	-4	1988	32	2005		22	3	13	
Appleton	47	1925	-24	1936	-8	1936	33	2005		27	9	18	
Green Bay	50	1925	-22	1936	-2	1936	37	2005		27	11	19	
Manitowoc	53	1878	-19	1936	-1	1936	33	1897		27	14	21	
Marshfield	47	1925	-28	1936	-6	1936	31	2005		24	7	16	
Merrill	51	1991	-38	1907	-1	1988	29	2005		24	3	13	
Oshkosh	51	1925	-20	1936	-3	1936	39	2005		27	11	19	
Rhineland	45	1996	-31	1936	-2	1936	28	1991		24	3	14	
Stevens Point	48	1991	-38	1907	-6	1936	33	2005		25	7	16	
Sturgeon Bay	47	1925	-24	1936	-4	1936	36	2005		26	10	18	
Wausau	43	1998,2002,2005	-28	1899	-4	1962	33	2005		25	7	16	
Wisc. Rapids	51	1925	-30	1907	-4	1936	33	2005		26	8	17	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.50	1938	6.0	1951						0.16	0.99	2.4	33.8
Appleton	0.60	1938	5.5	2004						0.21	1.57	2.5	29.4
Green Bay	0.65	1938	3.6	1888						0.23	1.62	2.7	33.5
Manitowoc	0.62	1911,1953	9.0	1911						0.27	2.05	2.3	22.3
Marshfield	0.30	1930,1953	4.0	1953						0.19	1.27	2.4	33.8
Merrill	0.60	1938	7.2	2019						0.21	1.40	2.6	32.5
Oshkosh	0.85	1938	6.0	1923, 2004						0.22	1.56	2.3	24.2
Rhineland	0.50	1908	6.0	1938						0.24	1.45	3.1	46.4
Stevens Point	2.00	1938	6.5	1953						0.21	1.42	2.5	28.6
Sturgeon Bay	0.77	1938	5.0	1985,2019						0.27	1.98	2.8	34.7
Wausau	0.60	1951	5.9	1951						0.21	1.41	2.8	39.4
Wisc. Rapids	0.88	1938	3.0	1951						0.24	1.44	2.3	30.0

# February 6

# February 7

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	45	1925	-34	1899	-2	1895	30	1965		22	3	13	
Appleton	49	2009	-20	2021	-3	1893	35	2005		27	10	18	
Green Bay	45	1991	-23	1899	0	1893	34	2009		27	11	19	
Manitowoc	47	1878	-17	1899	-2	1893	35	1965		28	14	21	
Marshfield	47	1987,1991	-20	1971	-4	2021	29	1928,2009		25	8	16	
Merrill	52	1925	-33	1982	-6	1933	31	1965		24	3	13	
Oshkosh	50	2002	-24	1899	-4	1899	35	2005		27	11	19	
Rhineland	55	1991	-28	1988	-3	1994	29	1965		24	4	14	
Stevens Point	45	1925,2005	-42	1899	-2	2021	30	1928,2005		26	7	16	
Sturgeon Bay	45	1991,2009	-22	1936	0	1934,1994,2021	35	1965		26	10	18	
Wausau	47	1987	-36	1899	-6	2021	30	1928,2009,2016		25	7	16	
Wisc. Rapids	51	1987	-28	1905	-2	1933	31	1928,2005		27	8	17	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.29	1945	4.0	1945						0.18	1.01	2.8	34.2
Appleton	0.60	1928	6.0	1916						0.25	1.61	2.9	29.8
Green Bay	0.62	1892	5.8	1892						0.27	1.66	3.1	33.9
Manitowoc	1.35	1928	6.6	1889						0.31	2.09	2.7	22.7
Marshfield	0.46	2019	5.9	2019						0.22	1.30	2.8	34.2
Merrill	0.25	1933,1945	4.2	1933						0.24	1.43	3.0	32.9
Oshkosh	1.06	1928	5.0	1945						0.26	1.60	2.7	24.6
Rhineland	0.51	2019	7.9	2019						0.28	1.49	3.6	46.9
Stevens Point	0.90	1928	4.0	1981						0.24	1.45	2.9	29.0
Sturgeon Bay	0.72	1953	5.0	1985						0.31	2.02	3.3	35.2
Wausau	0.65	1931	6.5	2019						0.25	1.45	3.3	39.9
Wisc. Rapids	0.86	1928	4.0	1905,2019						0.27	1.47	2.7	30.4

# February 7

# February 8

February 8													
	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	43	1991	-34	1971	-4	1994	35	1925		23	3	13	
Appleton	48	1991	-18	1951,2021	2	1994	35	1990		27	10	18	
Green Bay	56	1925	-22	1951	-3	1899	36	1925		27	11	19	
Manitowoc	48	1991	-18	1888,1899	-8	1899	35	1996		28	14	21	
Marshfield	50	1991	-27	1971	-5	1914,1933	33	1925,1996		25	8	16	
Merrill	46	1987,1991	-35	1971	-5	1994	32	1925		24	3	14	
Oshkosh	55	1925	-30	1899	-12	1985	37	1925		28	12	20	
Rhineland	55	1991	-34	1971	-7	1933	30	1990		25	4	14	
Stevens Point	50	1987	-27	1951,1971	-4	1933	36	1925		26	7	17	
Sturgeon Bay	46	1991,2023	-19	1934	2	1934	32	1925		26	10	18	
Wausau	50	2002	-27	1971	-11	1899	35	1925		25	7	16	
Wisc. Rapids	52	2002	-25	1904	-7	1933	35	1925		27	9	18	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.40	1905	5.0	1936						0.21	1.04	3.1	34.5
Appleton	1.87	1966	4.5	1952						0.29	1.65	3.3	30.2
Green Bay	1.78	1966	5.7	1950						0.31	1.70	3.6	34.4
Manitowoc	1.77	1966	8.0	1929						0.35	2.13	3.1	23.1
Marshfield	0.64	1966	4.5	1952						0.25	1.33	3.2	34.6
Merrill	0.55	2019	6.9	2019						0.28	1.47	3.4	33.3
Oshkosh	1.19	1966	4.5	1928						0.30	1.64	3.1	25.0
Rhineland	0.63	1928	5.0	1950						0.32	1.53	4.1	47.4
Stevens Point	1.06	1966	6.0	1916,1952						0.28	1.49	3.3	29.4
Sturgeon Bay	1.36	1966	4.0	1916						0.35	2.06	3.8	35.7
Wausau	0.80	1900	8.0	1900						0.28	1.48	3.8	40.4
Wisc. Rapids	0.90	1966	6.0	1952						0.31	1.51	3.1	30.8

# February 8



# February 9

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	47	1991	-32	1933	-4	1933	34	1966		23	3	13	
Appleton	48	1991	-26	1933	-1	1917	36	1966		27	10	19	
Green Bay	51	1925	-27	1888	-14	1888	41	1966		27	11	19	
Manitowoc	46	1925	-28	1886	-13	1899	36	1999		28	14	21	
Marshfield	44	1966,1977,1991,1999	-32	1933	-13	1933	34	1966		25	8	17	
Merrill	48	1991	-33	1933	-9	1933	35	1966		25	3	14	
Oshkosh	53	1925	-33	1899	-18	1899	37	1966		28	12	20	
Rhineland	49	1977	-40	1951	-7	1933	35	1966		25	4	14	
Stevens Point	52	1991	-38	1951	-14	1899	35	1966		26	7	17	
Sturgeon Bay	46	1991	-29	1933	-5	1933	36	1966		27	10	18	
Wausau	46	1938	-37	1951	-12	1899	38	1966		25	8	17	
Wisc. Rapids	50	1984	-33	1951	-7	1933	41	1966		27	9	18	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.82	1966	2.5	2001						0.23	1.06	3.5	34.9
Appleton	1.04	1925	7.0	1909						0.32	1.68	3.7	30.6
Green Bay	0.80	1894	8.0	1894						0.35	1.74	4.0	34.8
Manitowoc	1.00	1925	5.0	2010,2020						0.40	2.18	3.5	23.5
Marshfield	0.45	2001	5.0	2020						0.28	1.36	3.6	35.0
Merrill	0.48	2001	6.0	1936						0.31	1.50	3.9	33.8
Oshkosh	0.70	1925	10.6	2020						0.33	1.67	3.5	25.4
Rhineland	0.55	1939	4.0	1939						0.36	1.57	4.7	48.0
Stevens Point	0.63	2020	9.0	2020						0.31	1.52	3.7	29.8
Sturgeon Bay	1.40	1925	16.0	1909						0.40	2.11	4.2	36.1
Wausau	0.31	1966	5.8	2020						0.32	1.52	4.2	40.8
Wisc. Rapids	0.73	2020	8.5	2020						0.35	1.55	3.4	31.1

# February 9

# February 10

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	45	1984	-40	1899	-8	1899	33	2009		23	4	13	
Appleton	52	2009	-22	1933	-5	1917	33	1984		28	10	19	
Green Bay	50	2009	-33	1899	-10	1899	38	2009		27	12	20	
Manitowoc	55	2009	-29	1899	-11	1899	35	2009		28	15	21	
Marshfield	48	1999	-24	1937	-6	2008	38	2009		25	8	17	
Merrill	45	2009	-33	1933	0	1982	30	1966		25	3	14	
Oshkosh	53	1999	-24	1899	-8	1899	37	2009		28	12	20	
Rhineland	52	1977	-34	1933	-10	1933	36	2009		25	4	15	
Stevens Point	47	1903	-48	1899	-10	1899	31	1966,1976,2002		26	8	17	
Sturgeon Bay	51	2009	-29	1912,1933	-1	2008	39	2009		27	11	19	
Wausau	47	1977	-40	1899	-10	1899	38	2009		26	8	17	
Wisc. Rapids	55	1977	-30	1933	-8	1933	36	2009		27	9	18	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.46	1939	5.0	1939						0.26	1.09	3.8	35.2
Appleton	0.71	1959	8.0	1959						0.36	1.72	4.1	31.0
Green Bay	0.50	2013	5.8	2000						0.39	1.78	4.5	35.3
Manitowoc	1.72	1959	7.0	1962						0.44	2.22	3.9	23.9
Marshfield	0.62	2013	4.5	1959						0.31	1.39	4.0	35.4
Merrill	0.63	2013	2.3	1983						0.35	1.54	4.3	34.2
Oshkosh	0.50	1939	4.7	1959						0.37	1.71	3.9	25.8
Rhineland	0.54	2013	4.0	2000						0.40	1.61	5.2	48.5
Stevens Point	0.54	1959	7.0	1959						0.35	1.56	4.2	30.3
Sturgeon Bay	1.01	1939	8.0	1912						0.44	2.15	4.7	36.6
Wausau	0.63	1953	7.0	1959						0.36	1.56	4.7	41.3
Wisc. Rapids	0.51	1959	5.0	1959						0.39	1.59	3.8	31.5

# February 10

# February 11

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	46	1918	-39	1899	-5	1899	34	1977	24	4	14	
Appleton	57	1999	-15	1917	-3	1917	35	1984	28	10	19	
Green Bay	58	1999	-29	1899	-3	1899,1917	34	1915	28	12	20	
Manitowoc	55	1932,1999	-24	1885	-4	1899	37	1932	28	15	22	
Marshfield	51	1918	-21	1914,1917	-6	1933	35	1915	26	8	17	
Merrill	55	1918	-28	1979	-3	2008	33	2009	25	4	14	
Oshkosh	60	1999	-29	1899	-5	1899	35	1977	28	12	20	
Rhineland	50	1918	-32	1917	-8	1933	33	2009	26	4	15	
Stevens Point	50	1977	-48	1899	-4	1899	34	1977	27	8	17	
Sturgeon Bay	50	1999	-18	1917	-3	1917,1995	36	1932	27	11	19	
Wausau	48	1918,1999	-38	1899	-8	1899	33	1984	26	8	17	
Wisc. Rapids	52	1999	-22	1917	0	1917	33	1984	28	9	18	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.67	2019	5.0	1916,1953					0.28	1.11	4.2	35.6
Appleton	0.60	1953	4.5	1916					0.40	1.76	4.6	31.5
Green Bay	0.66	1887	6.8	1953					0.43	1.82	4.9	35.7
Manitowoc	0.93	1953	6.0	1879					0.48	2.26	4.3	24.3
Marshfield	0.69	1999	5.0	1985					0.35	1.43	4.5	35.9
Merrill	0.36	1985	4.0	1953,1959,1985					0.39	1.58	4.7	34.6
Oshkosh	0.82	1953	4.0	1953					0.41	1.75	4.2	26.1
Rhineland	0.65	1999	5.0	1940					0.45	1.66	5.8	49.1
Stevens Point	1.28	1953	6.0	1916,1953					0.39	1.60	4.6	30.7
Sturgeon Bay	0.76	1953	8.0	1953					0.49	2.20	5.2	37.1
Wausau	0.55	1999	4.0	1965					0.39	1.59	5.1	41.7
Wisc. Rapids	0.66	1999	3.0	1965					0.43	1.63	4.2	31.9

# February 11

# February 12

February 12													
	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	47	1999	-38	1967	-4	1981	32	1984		24	4	14	
Appleton	51	1932	-19	1917	4	1917	36	1908		28	11	19	
Green Bay	45	1966,1990,2005	-27	1899	-3	1899	36	1908		28	12	20	
Manitowoc	46	1882,1976,1999,2023	-24	1899	-3	1899	41	1882		29	15	22	
Marshfield	49	2005	-32	1917	-1	2021	32	1984		26	9	17	
Merrill	49	1999	-36	1967	-5	1995	36	1908		25	4	15	
Oshkosh	48	1919,1990	-20	1917	-1	1995	34	1908		29	13	21	
Rhineland	47	1976	-33	1967	-6	1933	34	1908		26	5	15	
Stevens Point	51	1999	-33	1917	-3	1995	35	1908		27	8	18	
Sturgeon Bay	46	2023	-29	1917	6	1917	34	1908,1919		27	11	19	
Wausau	48	2005	-35	1899	4	2003	36	1908		26	8	17	
Wisc. Rapids	51	1976	-36	1917	2	2021	34	1984		28	9	19	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.60	2004	16.5	2019						0.31	1.14	4.6	36.0
Appleton	0.64	1922	7.0	1922						0.44	1.80	5.0	31.9
Green Bay	0.55	2019	8.8	2019						0.48	1.87	5.3	36.1
Manitowoc	1.06	1881	10.0	1905						0.52	2.30	4.7	24.7
Marshfield	1.07	1984	15.0	2019						0.38	1.46	4.9	36.3
Merrill	2.05	1965	9.9	2019						0.43	1.62	5.2	35.1
Oshkosh	1.25	1908	10.0	1896						0.44	1.78	4.6	26.5
Rhineland	1.54	1932	14.9	2019						0.49	1.70	6.4	49.7
Stevens Point	0.75	2019	12.5	2019						0.43	1.64	5.0	31.1
Sturgeon Bay	0.62	2019	10.0	2019						0.54	2.25	5.6	37.5
Wausau	1.11	1984	15.7	2019						0.43	1.63	5.6	42.2
Wisc. Rapids	1.14	2019	16.4	2019						0.47	1.67	4.6	32.3

# February 12

# February 13

February 13													
	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	46	1984	-26	1905	-2	2021	32	1941		24	4	14	
Appleton	47	2023	-24	1905	3	2021	34	1911,1941		28	11	20	
Green Bay	45	2023	-22	1905	-5	1905	33	1911,1919,1984		28	12	20	
Manitowoc	48	1890,1990	-22	1905	1	1905	36	1941		29	15	22	
Marshfield	50	2011	-18	1955	-4	2021	32	1941,1984		26	9	18	
Merrill	49	1921	-31	1917	-3	2021	33	1911,1984		26	4	15	
Oshkosh	50	1934	-26	1905	2	2021	35	1937,1984		29	13	21	
Rhineland	46	2011	-27	1917,1971	-3	2021	31	1984		26	5	15	
Stevens Point	51	1976,2011	-30	1899	-2	2021	34	1941,1984		27	8	18	
Sturgeon Bay	45	2023	-22	1912	8	1943,2021	35	1984		27	11	19	
Wausau	50	2011	-29	1899	-2	2021	35	1911		27	9	18	
Wisc. Rapids	51	2011	-28	1905	-2	2021	33	1984		28	10	19	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.90	2019	3.0	1904						0.33	1.16	4.9	36.3
Appleton	0.95	1938	7.0	2019						0.48	1.84	5.4	32.3
Green Bay	0.75	1906	7.1	1906						0.52	1.91	5.8	36.6
Manitowoc	0.75	1906,1984	10.0	1889						0.56	2.34	5.1	25.1
Marshfield	1.25	1938	3.0	1945,1986						0.42	1.50	5.4	36.8
Merrill	0.49	1984	3.6	1922						0.47	1.66	5.6	35.5
Oshkosh	1.15	1911	4.0	1950						0.48	1.82	4.9	26.8
Rhineland	0.42	1938	3.0	1939,1962						0.54	1.75	7.0	50.3
Stevens Point	0.61	1984	2.7	2021						0.47	1.68	5.5	31.6
Sturgeon Bay	0.77	1938	9.8	1906						0.58	2.29	6.1	38.0
Wausau	1.18	1938	4.5	1906						0.47	1.67	6.1	42.7
Wisc. Rapids	0.84	1938	7.0	1979						0.51	1.71	4.9	32.6

# February 13

# February 14

February 14													
	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	High	Year(s)		1991-2020 Normals			
										High	Low	Mean	
Antigo	44	1954,2002	-25	1970	-1	2021	32	1915		25	5	15	
Appleton	47	2023	-16	1905	1	2021	33	1911		29	11	20	
Green Bay	47	2023	-18	1951	1	1923	33	1890		29	13	21	
Manitowoc	51	1967	-13	1879	3	2021	35	1882,1915		29	15	22	
Marshfield	48	1954	-22	2020	-5	2021	31	1984		27	9	18	
Merrill	44	2023	-26	1970	-5	2021	31	1984		26	5	15	
Oshkosh	52	1954	-16	1905,1951	0	2021	33	1984		29	13	21	
Rhineland	45	1954	-31	1951	-3	2021	32	2023		26	5	16	
Stevens Point	48	1954	-27	1951	-3	2021	32	1911,1984		28	9	18	
Sturgeon Bay	45	2005	-13	1970	1	1943	35	1915		28	11	20	
Wausau	49	2002	-26	1904,1951	-1	1923,2021	33	1983		27	9	18	
Wisc. Rapids	53	1954	-27	1922	-4	1923,2021	32	1984		29	10	19	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.60	1919	6.0	1919						0.36	1.19	5.3	36.7
Appleton	1.20	1911	4.3	1950						0.51	1.87	5.8	32.7
Green Bay	0.85	1918	5.6	1950						0.56	1.95	6.2	37.0
Manitowoc	0.79	1919	8.0	1909						0.60	2.38	5.4	25.4
Marshfield	0.60	1918	6.0	1918						0.45	1.53	5.8	37.2
Merrill	0.68	1962	5.5	1918						0.50	1.69	6.1	36.0
Oshkosh	0.59	1906	7.0	2008						0.52	1.86	5.3	27.2
Rhineland	0.60	1918	6.0	1918						0.58	1.79	7.6	50.9
Stevens Point	1.00	1915	4.5	1950						0.51	1.72	5.9	32.0
Sturgeon Bay	1.37	1911	5.1	1962						0.63	2.34	6.5	38.4
Wausau	0.94	1950	9.4	1950						0.51	1.71	6.5	43.1
Wisc. Rapids	0.87	1915	4.5	1950						0.55	1.75	5.3	33.0

# February 14

# February 15

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	46	1921	-32	2021	-1	1936	36	1954		25	5	15	
Appleton	53	1921	-16	1905	3	1943	36	2023		29	11	20	
Green Bay	57	1921	-17	1888,1905	-1	1904,1936	35	1976		29	13	21	
Manitowoc	56	1882	-16	1888	-2	1936	39	1954		29	16	23	
Marshfield	53	1921	-27	1930	-7	1936	36	1954		27	10	18	
Merrill	50	1913,1921	-30	1906	3	2021	34	1954		27	5	16	
Oshkosh	57	1921	-20	1905	-3	1936	40	1954		30	13	21	
Rhineland	49	1984	-33	2021	-2	1936	33	1981		27	5	16	
Stevens Point	50	1967	-32	1906	-5	1936	34	1954		28	9	19	
Sturgeon Bay	44	1907,2023	-17	1930	4	1936	35	2023		28	12	20	
Wausau	48	1921	-25	1904	-4	1936	34	1998		27	9	18	
Wisc. Rapids	55	1921	-28	1906	-6	1936	35	1954		29	10	20	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.20	1918	12.0	1918						0.38	1.21	5.7	37.1
Appleton	0.32	1967	3.1	1967						0.55	1.91	6.2	33.1
Green Bay	0.32	1910	3.9	1979,2014						0.60	1.99	6.6	37.4
Manitowoc	0.56	1992	4.0	1979,1992						0.65	2.43	5.8	25.8
Marshfield	0.44	1967	4.1	1967						0.48	1.56	6.2	37.6
Merrill	0.80	2023	5.0	1967						0.54	1.73	6.5	36.4
Oshkosh	0.60	1894	4.5	1986						0.55	1.89	5.7	27.6
Rhineland	0.83	1945	11.0	1967						0.63	1.84	8.2	51.5
Stevens Point	0.42	1945	2.0	1910						0.55	1.76	6.3	32.4
Sturgeon Bay	0.61	1967	9.0	1910						0.67	2.38	7.0	38.9
Wausau	0.61	1915	5.7	1979						0.54	1.74	7.0	43.6
Wisc. Rapids	0.54	1918	5.3	1967						0.60	1.80	5.6	33.3

# February 15

# February 16

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	49	1931	-25	1936	-4	1936	32	1981,1998		25	5	15	
Appleton	55	1981	-17	1936	-2	1936	35	1981		29	12	21	
Green Bay	55	1921	-18	1936	1	1936	35	1948,1981		29	13	21	
Manitowoc	52	1882,1921,1981	-15	1936	-5	1885	35	1998		30	16	23	
Marshfield	53	1981	-31	1936	-5	1936	36	1981		27	10	19	
Merrill	57	1916	-39	1936	2	1936	34	1911		27	5	16	
Oshkosh	55	1921	-22	1936	0	1936,1939	35	1998		30	14	22	
Rhineland	54	1981	-41	1936	-1	1920,1936,1958	34	1981		27	6	16	
Stevens Point	49	1981	-36	1904	-2	1936	38	1981		28	9	19	
Sturgeon Bay	47	1921,1981,2011	-22	1936	3	1936	34	1998		28	12	20	
Wausau	51	1981	-33	1936	-3	1936	36	1981		28	10	19	
Wisc. Rapids	60	1921	-37	1936	-1	1936	36	1981		29	11	20	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.41	1942	5.0	1942						0.41	1.24	6.0	37.4
Appleton	0.64	1942	6.0	2006						0.59	1.95	6.6	33.5
Green Bay	1.70	1889	10.0	2006						0.64	2.03	7.0	37.8
Manitowoc	0.80	1883,1889	4.7	2006						0.69	2.47	6.2	26.2
Marshfield	0.40	1942	5.5	1990						0.52	1.60	6.7	38.1
Merrill	0.30	2000	4.9	1957						0.58	1.77	6.9	36.8
Oshkosh	0.55	1938	3.0	2006						0.59	1.93	6.0	27.9
Rhineland	0.39	1962	3.0	1999,2006						0.68	1.89	8.8	52.1
Stevens Point	0.80	1942	8.0	1942						0.59	1.80	6.7	32.8
Sturgeon Bay	0.74	1942	11.0	2006						0.72	2.43	7.4	39.3
Wausau	0.42	1932	5.1	2006						0.58	1.78	7.4	44.0
Wisc. Rapids	0.70	1976	7.0	1976						0.64	1.84	6.0	33.7

# February 16



# February 17

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	48	1916	-29	1979	-4	1936	36	1981		26	5	15	
Appleton	56	1981	-17	1903	4	1936,1979	34	1981,1998		30	12	21	
Green Bay	52	1981,2017	-19	1979	-2	1903,1936	36	1981		29	14	22	
Manitowoc	52	1981	-15	1888,1979	0	1936	36	1981		30	16	23	
Marshfield	55	1981	-23	1979	-6	1936	35	1981		28	10	19	
Merrill	53	1916,2017	-38	1936	-5	1936	33	1998		27	5	16	
Oshkosh	57	1981	-17	1979	-3	1936	36	1981		30	14	22	
Rhineland	60	1931	-33	1979	-16	1936	36	1981		27	6	17	
Stevens Point	55	1981,2017	-26	1904	-4	1936	34	1998		29	10	19	
Sturgeon Bay	49	1981	-23	1979	-4	1936	39	1981		29	12	20	
Wausau	53	2017	-25	1979	-5	1936	37	1981		28	10	19	
Wisc. Rapids	58	1981	-35	1936	-3	1929	37	1981		30	11	20	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.94	1932	8.0	1932						0.43	1.26	6.4	37.8
Appleton	0.84	2008	8.2	2008						0.63	1.99	7.0	33.9
Green Bay	1.09	2008	6.6	2008						0.68	2.07	7.4	38.2
Manitowoc	1.00	2008	4.5	1975						0.73	2.51	6.5	26.5
Marshfield	0.65	1932	6.5	2008						0.55	1.63	7.1	38.5
Merrill	0.50	1932	5.9	2014						0.61	1.80	7.3	37.2
Oshkosh	0.91	2008	6.5	1975						0.63	1.97	6.4	28.3
Rhineland	0.43	1911	3.3	2014						0.72	1.93	9.4	52.7
Stevens Point	0.76	2008	8.8	2008						0.63	1.84	7.2	33.3
Sturgeon Bay	0.75	2008	7.0	2008						0.77	2.48	7.9	39.8
Wausau	0.45	2008	6.0	1942,2014						0.62	1.82	7.8	44.4
Wisc. Rapids	0.72	2008	9.0	2008						0.68	1.88	6.4	34.1

# February 17

# February 18

February 18													
	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	53	1981,2017	-27	1936	-3	1936	38	1981		26	6	16	
Appleton	59	2017	-23	1936	-1	1936	37	2017		30	12	21	
Green Bay	57	2017	-21	1936	-2	1936	38	2017		30	14	22	
Manitowoc	55	2017	-20	1936	-2	1936	35	1981,1998		30	17	23	
Marshfield	55	1981	-23	2006	-6	1936	45	1954		28	11	19	
Merrill	57	2017	-35	1979	-3	1936	35	1981,1998		28	6	17	
Oshkosh	57	2017	-22	1936	-3	1936	42	1981		31	14	22	
Rhineland	54	1981,1994,2017	-28	2006	-5	1942	35	1997		28	6	17	
Stevens Point	58	1981	-28	2006	-4	1936	40	1981		29	10	20	
Sturgeon Bay	56	2017	-24	1920	-4	1936	34	1981,1998		29	13	21	
Wausau	53	1981	-23	1936	-5	1936	39	1981		28	10	19	
Wisc. Rapids	56	2017	-23	1936	-5	1941	33	1998		30	11	21	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.51	2020	5.0	2020						0.46	1.29	6.8	38.2
Appleton	0.70	1929	8.0	1908						0.67	2.03	7.3	34.2
Green Bay	1.02	1887	6.6	1887						0.73	2.12	7.9	38.7
Manitowoc	0.70	2019	6.0	1925						0.78	2.56	6.9	26.9
Marshfield	0.49	1961	6.5	1961						0.58	1.66	7.5	38.9
Merrill	0.49	1961	5.0	1961						0.65	1.84	7.7	37.6
Oshkosh	0.74	1976	5.5	1925						0.67	2.01	6.7	28.6
Rhineland	0.42	1961	8.0	1961						0.77	1.98	10.0	53.3
Stevens Point	0.66	1976	6.0	1976						0.66	1.87	7.6	33.7
Sturgeon Bay	0.60	1976	7.5	2020						0.81	2.52	8.4	40.3
Wausau	0.60	1961	8.0	1961						0.65	1.85	8.3	44.9
Wisc. Rapids	0.77	1976	7.7	1976						0.72	1.92	6.7	34.4

# February 18

# February 19

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	50	1930	-28	1896	1	2006	32	1930,1951		26	6	16	
Appleton	58	1981,2017	-18	2006	-2	1929	39	1994		30	13	22	
Green Bay	57	2017	-17	1936	-2	1896	41	1994		30	14	22	
Manitowoc	55	1930	-12	1936	1	1929	37	1930		30	17	24	
Marshfield	56	1930	-25	1929	-4	1929	40	1994		28	11	20	
Merrill	57	1930,2017	-34	1929	2	2006,2015	32	1998		28	6	17	
Oshkosh	58	2017	-19	1929	-1	1929	38	2016		31	15	23	
Rhineland	58	2017	-37	1929	-6	1929	37	1994		28	7	17	
Stevens Point	58	2017	-26	1910	-3	1929	33	1998		29	10	20	
Sturgeon Bay	53	2017	-23	1936	1	1929	38	2017		29	13	21	
Wausau	57	2017	-25	1929	-3	1929	37	1913		29	11	20	
Wisc. Rapids	62	2017	-43	1929	2	1941	36	2002		30	12	21	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.42	1898	6.0	1962						0.48	1.31	7.1	38.5
Appleton	0.97	1971	4.3	1952						0.72	2.08	7.7	34.6
Green Bay	0.81	1971	4.0	1890						0.77	2.16	8.3	39.1
Manitowoc	0.70	1971	6.4	1890						0.82	2.60	7.2	27.2
Marshfield	0.82	1971	5.0	1962,1984						0.61	1.69	7.9	39.3
Merrill	0.92	1971	9.0	1962						0.69	1.88	8.1	38.0
Oshkosh	1.20	1971	3.3	1962						0.71	2.05	7.1	29.0
Rhineland	0.43	1971	4.0	1933						0.81	2.02	10.6	53.9
Stevens Point	0.56	1984	3.3	1992						0.70	1.91	8.0	34.1
Sturgeon Bay	0.57	1984	5.2	1962						0.86	2.57	8.8	40.7
Wausau	1.20	1898	12.0	1898						0.69	1.89	8.7	45.3
Wisc. Rapids	0.58	1971	5.5	1971						0.77	1.97	7.1	34.8

# February 19

# February 20

February 20													
	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	54	1981	-28	1896	0	1918	34	1954,2017		27	6	17	
Appleton	55	2017	-32	1929	2	1918,1929	38	1954		31	13	22	
Green Bay	54	1930	-24	1929	0	1894,1918	39	1930		31	15	23	
Manitowoc	59	1930	-17	1929	-2	1894	43	1930		31	17	24	
Marshfield	55	1930	-32	1929	6	1941,2008	39	2017		29	11	20	
Merrill	60	1930	-35	1929	5	1948	35	1954,2016		28	7	17	
Oshkosh	58	1930	-34	1929	4	1896	40	1930		31	15	23	
Rhineland	57	1930	-34	1929	2	1929	37	2017		29	7	18	
Stevens Point	58	1981	-35	1929	1	1894	37	1906,1954		30	11	20	
Sturgeon Bay	52	1930	-21	1929	3	1918	38	2016		29	13	21	
Wausau	53	1930	-27	1929	-3	1918	37	1906		29	11	20	
Wisc. Rapids	56	1930,2017	-38	1929	5	1941	39	2017		31	12	21	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.72	2004	6.5	2004						0.51	1.34	7.5	38.9
Appleton	1.23	1953	10.2	2011						0.76	2.12	8.1	35.0
Green Bay	1.32	1953	9.4	2011						0.81	2.20	8.7	39.5
Manitowoc	1.75	1937	7.0	2005						0.86	2.64	7.6	27.6
Marshfield	0.89	2014	6.0	2002						0.65	1.73	8.3	39.7
Merrill	0.98	2002	6.8	2004						0.72	1.91	8.5	38.4
Oshkosh	1.37	1953	8.0	2004,2011						0.75	2.09	7.4	29.3
Rhineland	0.81	1953	9.5	1953						0.86	2.07	11.2	54.5
Stevens Point	0.77	2011	11.0	2011						0.74	1.95	8.4	34.5
Sturgeon Bay	1.42	1953	6.0	2005						0.91	2.62	9.3	41.2
Wausau	0.83	1954	8.7	2011						0.73	1.93	9.2	45.8
Wisc. Rapids	1.55	2002	10.0	2011						0.81	2.01	7.4	35.1

# February 20

# February 21

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	53	1930	-26	2008	-2	1963	37	2017	27	7	17	
Appleton	59	2017	-21	1936	-6	1963	42	2017	31	13	22	
Green Bay	60	1930	-18	2008	-1	1963	44	2017	31	15	23	
Manitowoc	58	2017	-14	1963	0	1963	37	1930	31	17	24	
Marshfield	57	2017	-23	1963	-4	1963	38	2017	29	12	20	
Merrill	55	1930	-35	1929	-1	1963	37	2017	29	7	18	
Oshkosh	59	1930,2017	-20	1936	-2	1963	45	2017	32	15	23	
Rhineland	58	1930	-34	1929	-3	1963	38	2017	29	7	18	
Stevens Point	58	2017	-23	1936	1	1918,1963	38	2017	30	11	21	
Sturgeon Bay	58	2017	-16	1918	5	1918	38	2017	30	13	22	
Wausau	58	1930	-21	1936,1963	-6	1963	37	2017	30	11	21	
Wisc. Rapids	60	2017	-31	1936	0	1939	41	1930,2017	31	12	22	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.00	1937	3.8	2019					0.54	1.37	7.8	39.2
Appleton	1.33	1937	7.0	1960					0.80	2.16	8.5	35.4
Green Bay	1.21	1985	4.5	1997,2011					0.86	2.25	9.1	39.9
Manitowoc	1.08	1882	9.0	1882					0.91	2.69	7.9	27.9
Marshfield	0.36	1954	6.1	1913					0.68	1.76	8.8	40.2
Merrill	1.03	1937	14.0	1937					0.76	1.95	8.9	38.8
Oshkosh	0.74	1960	8.3	1960					0.79	2.13	7.8	29.7
Rhineland	1.75	1937	20.0	1937					0.90	2.11	11.8	55.1
Stevens Point	1.00	1915	7.0	1937,2002					0.79	2.00	8.8	34.9
Sturgeon Bay	1.57	1937	4.0	1997					0.96	2.67	9.7	41.6
Wausau	1.50	1937	8.0	1913					0.77	1.97	9.6	46.2
Wisc. Rapids	0.84	1937	5.0	1974					0.85	2.05	7.8	35.5

# February 21

# February 22

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		1991-2020 Normals			
										High	Low	Mean	
Antigo	54	1930,2017	-22	1896,1907	2	1965	44	1930		28	7	17	
Appleton	68	2017	-24	1936	4	1965	41	1930,2017		31	14	23	
Green Bay	65	2017	-14	1936	-5	1899	42	1930		31	15	23	
Manitowoc	51	1930	-15	1889	4	1889	38	1930		31	18	24	
Marshfield	57	2017	-21	1936	0	1965	44	1930		30	12	21	
Merrill	58	1930	-29	1936	2	2015	39	1930		29	7	18	
Oshkosh	66	2017	-19	1936	6	1965	43	2017		32	16	24	
Rhineland	55	1984,2017	-29	1936	2	2015	38	1930		29	8	19	
Stevens Point	59	2017	-24	1936	4	2015	48	1930		31	12	21	
Sturgeon Bay	53	1930	-14	1965	8	1965	35	1930		30	14	22	
Wausau	55	1930,2000,2017	-23	1936	1	1965	38	1930		30	12	21	
Wisc. Rapids	61	2017	-31	1936	1	1939	35	1915		32	13	22	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.00	1913	10.0	1913						0.56	1.39	8.2	39.6
Appleton	2.50	1922	8.0	1913						0.84	2.20	8.9	35.8
Green Bay	2.03	1922	11.0	1913						0.90	2.29	9.5	40.3
Manitowoc	2.04	1922	9.0	1913						0.95	2.73	8.3	28.3
Marshfield	0.80	1922	5.5	1928						0.72	1.80	9.2	40.6
Merrill	1.14	1922	8.3	1922						0.80	1.99	9.3	39.2
Oshkosh	1.82	1981	7.8	1928						0.83	2.17	8.1	30.0
Rhineland	0.69	1981	6.3	1913						0.95	2.16	12.4	55.7
Stevens Point	2.66	1922	12.0	1928						0.83	2.04	9.2	35.3
Sturgeon Bay	1.45	1922	7.0	1922						1.01	2.72	10.2	42.1
Wausau	1.28	1981	4.8	1971						0.81	2.01	10.1	46.7
Wisc. Rapids	2.00	1922	5.5	1983						0.90	2.10	8.1	35.8

# February 22

# February 23

February 23													
	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	52	1984	-23	1910	4	1910,2015	33	1961		28	7	18	
Appleton	59	1930	-18	1910	6	1910	34	1985,2000,2017		32	14	23	
Green Bay	53	1930	-24	1899	-8	1899	36	1896		32	16	24	
Manitowoc	57	1984	-21	1889	-6	1889	38	1896		32	18	25	
Marshfield	53	2000	-18	2015	9	1934,1965,2015	34	1984		30	12	21	
Merrill	55	1930,2000	-29	1936	6	1934	36	1906,1930		30	8	19	
Oshkosh	56	1984,2000	-19	1910	10	1934,2015	39	2000		32	16	24	
Rhineland	56	1930	-27	1910	0	1934	30	1961,1985,1996		30	8	19	
Stevens Point	58	1984	-22	1910	3	1910	36	1984		31	12	21	
Sturgeon Bay	58	1906	-15	1910	6	1934	35	1906		30	14	22	
Wausau	50	2000	-17	2015	7	2015	36	1906		30	12	21	
Wisc. Rapids	57	1931	-29	1936	1	1910	37	2000		32	13	23	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.80	1981	7.5	1938						0.59	1.42	8.5	39.9
Appleton	1.15	1977	8.5	1959,2023						0.89	2.25	9.3	36.2
Green Bay	1.06	1959	9.0	1959						0.95	2.34	10.0	40.8
Manitowoc	1.21	1922	7.0	1959						1.00	2.78	8.6	28.6
Marshfield	0.76	1979	4.0	1959,1991,1994						0.76	1.84	9.6	41.0
Merrill	1.42	1922	10.2	1922						0.84	2.03	9.7	39.6
Oshkosh	1.16	1959	9.2	1959						0.88	2.22	8.5	30.4
Rhineland	0.88	1922	6.2	2023						0.99	2.20	13.0	56.3
Stevens Point	1.55	1922	10.4	2023						0.87	2.08	9.6	35.7
Sturgeon Bay	1.12	1922	11.0	1913						1.06	2.77	10.6	42.5
Wausau	1.07	1922	9.2	1922						0.85	2.05	10.5	47.1
Wisc. Rapids	1.23	1922	9.0	1977						0.95	2.15	8.5	36.2

# February 23

# February 24

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	52	1931	-22	1964,2023	6	1934	32	1896		28	8	18	
Appleton	51	1996	-11	1910	5	1928	38	2000		32	14	23	
Green Bay	53	1930	-21	1899	-3	1899	35	1948,2000		32	16	24	
Manitowoc	49	1996	-17	1889	4	1889	36	2000		32	18	25	
Marshfield	56	1931	-18	1950,1967	5	1928,1934	37	2000		30	13	22	
Merrill	54	1930	-28	1910	6	1928	34	2000		30	8	19	
Oshkosh	52	1957	-15	1910	1	1900	40	2000		33	16	25	
Rhineland	59	1976	-29	1964	5	1934,1950	36	2000		30	9	19	
Stevens Point	55	1931	-23	1894	3	1934	38	2000		31	12	22	
Sturgeon Bay	50	1918	-14	1910	5	1934	37	2000		31	14	23	
Wausau	54	1976	-20	1910	0	1900,1950	39	2000		31	13	22	
Wisc. Rapids	59	1976	-22	1913	1	1967	39	2000		32	13	23	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.84	1977	5.4	1991						0.62	1.45	8.9	40.3
Appleton	0.95	2019	6.0	1940						0.94	2.30	9.7	36.6
Green Bay	0.60	1948	3.9	2017						1.00	2.39	10.4	41.2
Manitowoc	0.80	1935	8.0	1935						1.05	2.83	8.9	28.9
Marshfield	1.10	2019	13.0	2019						0.80	1.88	10.0	41.4
Merrill	1.11	2019	14.2	2019						0.88	2.07	10.1	40.0
Oshkosh	0.85	2019	5.0	2007						0.92	2.26	8.8	30.7
Rhineland	1.05	2019	10.9	2019						1.04	2.25	13.6	56.9
Stevens Point	1.00	2019	6.0	1915						0.92	2.13	10.0	36.1
Sturgeon Bay	1.00	2019	4.0	1975						1.12	2.83	11.1	43.0
Wausau	0.90	1930	7.6	2019						0.90	2.10	11.0	47.6
Wisc. Rapids	0.65	2019	9.0	2019						1.00	2.20	8.8	36.5

# February 24



# February 25

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	51	1976	-28	1928	7	1934,2014	34	2000		29	8	19	
Appleton	55	1911	-28	1928	9	1967	36	2000		33	15	24	
Green Bay	49	2000	-23	1928	4	1928	34	1951,2000		32	16	24	
Manitowoc	52	1932	-16	1928	6	1928	39	1957		32	19	25	
Marshfield	54	2000	-24	1928	3	2019	36	2000		31	13	22	
Merrill	56	1976	-31	1928	7	2014	37	2000		30	9	20	
Oshkosh	55	2000	-28	1928	6	1928	43	1957		33	17	25	
Rhineland	58	1931	-35	1928	0	1928	36	2000		31	9	20	
Stevens Point	55	1931	-36	1928	3	1967	37	2000		32	13	22	
Sturgeon Bay	48	1911,2000	-24	1928	4	1928	37	1957		31	15	23	
Wausau	54	1976	-26	1928	4	1934,2019	38	2000		31	13	22	
Wisc. Rapids	55	2000	-40	1928	6	2019	37	2000		33	14	23	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.65	1930	8.0	1975						0.65	1.48	9.3	40.7
Appleton	0.65	2007	8.5	2007						0.98	2.34	10.1	37.0
Green Bay	0.86	2007	9.8	2007						1.05	2.44	10.8	41.6
Manitowoc	1.46	1926	10.0	2007						1.09	2.87	9.2	29.2
Marshfield	0.70	1930	8.0	1926,2007						0.84	1.92	10.4	41.8
Merrill	1.06	1930	6.0	1992						0.93	2.12	10.5	40.4
Oshkosh	0.99	1926	7.0	1973						0.97	2.31	9.1	31.0
Rhineland	0.61	1930	6.0	1975						1.08	2.29	14.2	57.5
Stevens Point	1.24	1926	12.0	1926						0.97	2.18	10.4	36.5
Sturgeon Bay	0.80	1926	9.0	1935						1.17	2.88	11.6	43.5
Wausau	0.99	1951	11.0	1926						0.94	2.14	11.4	48.0
Wisc. Rapids	0.60	2007	7.0	2007						1.05	2.25	9.2	36.9

# February 25

# February 26

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	56	2000	-21	2015	5	1919	36	2000		29	9	19	
Appleton	59	2000	-16	1928	7	1919	41	2000		33	15	24	
Green Bay	61	2000	-15	1963	6	1919,1934	41	2000		33	17	25	
Manitowoc	54	1932	-12	1963	5	1888	38	1882,2000		32	19	26	
Marshfield	58	2000	-18	1963	-1	1919	36	2000		31	14	22	
Merrill	54	1976	-30	1928	7	2014	37	2000		31	9	20	
Oshkosh	62	2000	-14	1963	5	1897	37	2000		34	17	25	
Rhineland	56	1958	-34	1928	0	1934	38	2000		31	9	20	
Stevens Point	62	2000	-21	1963	8	1919,1963	37	2000		32	13	23	
Sturgeon Bay	53	1998	-15	1963	4	1934	36	2000		31	15	23	
Wausau	59	2000	-25	1963	3	1919	40	2000		32	13	23	
Wisc. Rapids	62	2000	-23	1963	6	1919	38	1998		33	14	24	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.97	1951	5.2	1936						0.68	1.51	9.6	41.0
Appleton	0.48	1962	5.5	1994						1.03	2.39	10.4	37.3
Green Bay	0.60	2009	5.6	2009						1.10	2.49	11.2	42.0
Manitowoc	0.70	1912	8.0	1946						1.14	2.92	9.5	29.5
Marshfield	0.70	1951	5.0	1929						0.88	1.96	10.9	42.3
Merrill	0.64	1945	6.2	1929						0.97	2.16	10.9	40.8
Oshkosh	0.75	2009	5.6	1962						1.01	2.35	9.5	31.4
Rhineland	0.71	1936	6.0	2007						1.13	2.34	14.7	58.0
Stevens Point	0.50	1910,1951	5.0	1936						1.01	2.22	10.8	36.9
Sturgeon Bay	1.06	2007	10.0	2007						1.23	2.94	12.0	43.9
Wausau	0.50	1899	5.0	1899						0.99	2.19	11.8	48.4
Wisc. Rapids	0.80	1996	5.5	1910						1.10	2.30	9.5	37.2

# February 26

# February 27

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	59	1896	-17	1925,1935,1964,2014	4	2014	34	1998		30	9	19	
Appleton	56	2016	-12	1925	8	1919	39	1998		33	16	24	
Green Bay	59	1896	-15	2014	8	2014	36	1998,1999,2018		33	17	25	
Manitowoc	57	2018	-22	1879	6	1925	37	1895		33	19	26	
Marshfield	56	2016	-18	1925	1	2014	36	1998		32	14	23	
Merrill	57	2000	-25	1935	1	2014	34	2000		31	9	20	
Oshkosh	60	1896	-11	1897,2014	4	1897	38	1998,2000		34	17	26	
Rhineland	52	2016	-26	1935	-1	2014	34	1895		31	10	21	
Stevens Point	59	1896	-20	1897	0	2014	37	1998		33	14	23	
Sturgeon Bay	51	2016	-12	1934	6	2014	38	1998		32	15	24	
Wausau	56	1896	-17	2014	1	2014	34	1998		32	14	23	
Wisc. Rapids	59	2016	-22	1925	4	2014	34	1999		34	15	24	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.50	1902	4.5	2019						0.71	1.54	10.0	41.4
Appleton	1.09	1902	4.5	1997						1.08	2.44	10.8	37.7
Green Bay	0.87	2023	5.8	1948						1.15	2.54	11.6	42.4
Manitowoc	1.52	2023	11.4	1890						1.19	2.97	9.8	29.8
Marshfield	0.80	1948	5.5	1936						0.92	2.00	11.3	42.7
Merrill	0.47	1936	5.8	2019						1.01	2.20	11.2	41.1
Oshkosh	0.78	1981	4.8	2019						1.06	2.40	9.8	31.7
Rhineland	0.91	1948	9.5	1948						1.17	2.38	15.3	58.6
Stevens Point	0.72	1931	6.0	1931						1.06	2.27	11.1	37.2
Sturgeon Bay	0.55	1936	7.0	2019						1.28	2.99	12.5	44.4
Wausau	0.56	1948	4.6	1931,1948						1.03	2.23	12.3	48.9
Wisc. Rapids	0.63	1998	5.8	2019						1.16	2.36	9.9	37.6

# February 27

# February 28

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	56	1895	-30	2014	8	2014	36	1895	30	10	20	
Appleton	50	1998	-13	1962	14	1962	35	2004,2018	34	16	25	
Green Bay	54	1895	-21	2014	11	1891	37	1895	34	18	26	
Manitowoc	53	1895	-14	1884	3	1888	39	1895	33	20	26	
Marshfield	51	1985	-18	1922,2014	10	2014	34	2017	32	15	23	
Merrill	49	1985	-26	2014	8	2014	33	1999	32	10	21	
Oshkosh	51	1983,2000	-14	2014	11	1913	36	2017	34	18	26	
Rhineland	54	1895	-25	2014	6	2014	36	1895,2000	32	10	21	
Stevens Point	54	1895	-17	2014	10	1897,1922	34	1892	33	14	24	
Sturgeon Bay	48	1983	-12	2014	16	1922	34	1998,1999	32	16	24	
Wausau	49	1985,2000	-23	2014	-2	1962	33	1983,1998	33	14	23	
Wisc. Rapids	55	1983	-20	2014	0	1962	36	2017	34	15	25	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.57	1981	8.0	1948					0.74	1.57	10.3	41.7
Appleton	0.36	1951	3.6	2014					1.13	2.49	11.2	38.1
Green Bay	1.30	1902	11.1	1890					1.20	2.59	12.0	42.8
Manitowoc	2.25	1902	2.0	1972					1.24	3.02	10.0	30.0
Marshfield	0.50	1919	6.0	1948					0.96	2.04	11.7	43.1
Merrill	0.53	1981	8.0	1939					1.06	2.25	11.6	41.5
Oshkosh	1.45	1902	3.6	1930					1.11	2.45	10.1	32.0
Rhineland	0.99	1939	10.0	1939					1.22	2.43	15.8	59.1
Stevens Point	0.72	1919	6.0	1919,1939					1.11	2.32	11.5	37.6
Sturgeon Bay	0.85	2023	4.4	2023					1.34	3.05	12.9	44.8
Wausau	1.40	1902	8.5	1951					1.08	2.28	12.7	49.3
Wisc. Rapids	0.48	1948	5.5	1919					1.21	2.41	10.2	37.9

# February 28

# February 29

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	57	2000	-13	1980	11	1908	34	1904		30	10	20	
Appleton	57	2000	-5	1980	15	1980	40	2000		34	16	25	
Green Bay	59	2000	-4	1980	16	1912,1980	36	2000		34	18	26	
Manitowoc	55	1964	-14	1884	10	1884	36	1932		33	20	26	
Marshfield	60	2000	-12	1980	13	1980	34	2000		32	15	23	
Merrill	59	2000	-14	1956	12	1964	32	1932		32	10	21	
Oshkosh	61	2000	-5	1980	15	1980	35	2000		35	17	26	
Rhineland	59	2000	-20	1980	14	1996	39	2000		32	10	21	
Stevens Point	60	2000	-10	1980	21	1980	33	1932		33	14	24	
Sturgeon Bay	58	2000	-5	1980	17	1912,1980	31	2000		32	16	24	
Wausau	59	2000	-12	1980	15	1980,1996	41	2000		33	14	23	
Wisc. Rapids	62	2000	-6	1920	12	1912	40	2000		34	15	25	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.53	2012	7.5	2012						0.74	1.57	10.3	41.7
Appleton	0.70	2012	4.0	1904						1.13	2.49	11.2	38.1
Green Bay	0.51	2012	3.7	1904						1.20	2.59	12.0	42.8
Manitowoc	0.49	1904	5.5	1904						1.24	3.02	10.0	30.0
Marshfield	0.61	2012	3.2	2012						0.96	2.04	11.7	43.1
Merrill	0.98	2012	8.3	2012						1.06	2.25	11.6	41.5
Oshkosh	0.68	2012	4.5	1948						1.11	2.45	10.1	32.0
Rhineland	1.63	2012	13.9	2012						1.22	2.43	15.8	59.1
Stevens Point	0.94	2012	3.0	1940						1.11	2.32	11.5	37.6
Sturgeon Bay	1.03	2012	8.0	2012						1.34	3.05	12.9	44.8
Wausau	0.60	2012	4.5	1908						1.08	2.28	12.7	49.3
Wisc. Rapids	0.50	2012	3.0	1908						1.21	2.41	10.2	37.9

# February 29