

# JANUARY 1

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	40	1905	-24	1899,1999	-1	1968	32	1921		21	3	12
APPLETON	46	2007	-16	1924,1968	-2	1969	35	2007		25	11	18
GREEN BAY	51	1897	-20	1968	-2	1924	37	1897		25	10	18
MANITOWOC	47	1892,1987	-16	1969	-1	1969	37	1897		26	15	20
MARSHFIELD	43	1998	-30	1924	-5	1974	29	1930,1950,2007		23	7	15
MERRILL	49	1910	-25	1968,1974	-2	2018	31	2007		23	4	13
OSHKOSH	52	1897	-17	1968,1969	1	1969	35	2007		26	11	19
RHINELANDER	42	1929	-34	1947	-1	1968	27	1921,1936		22	4	13
STEVENS POINT	50	1897	-27	1899	-4	1899	33	2007		24	8	16
STURGEON BAY	45	2005,2007	-17	1969	2	2018	37	1950		27	12	19
WAUSAU	46	1910	-32	1947	-5	1920	34	1897		23	7	15
WISCONSIN RAPIDS	43	1998	-28	1947	-3	1924,1928	34	2007		25	8	16
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.45	2007	5.5	2000					0.03	0.03	0.4	23.5
APPLETON	0.68	2007	4.5	1918					0.04	0.04	0.4	14.7
GREEN BAY	1.22	1892	6.0	1891					0.04	0.04	0.4	17.7
MANITOWOC	1.39	1876	9.0	1942					0.06	0.06	0.5	12.3
MARSHFIELD	0.57	2007	4.5	1918					0.03	0.03	0.3	19.0
MERRILL	0.62	1966	3.1	2012					0.04	0.04	0.4	18.2
OSHKOSH	1.40	1892	6.5	1942					0.04	0.04	0.2	13.3
RHINELANDER	0.33	1916	4.0	1939					0.04	0.04	E0.5	E24.8
STEVENS POINT	1.00	1918	10.0	1918					0.04	0.04	0.4	14.8
STURGEON BAY	0.77	2007	5.5	1985					0.05	0.05	0.4	16.2
WAUSAU	0.44	1918	5.4	1918					0.04	0.04	0.4	22.6
WISCONSIN RAPIDS	0.87	2007	4.0	1912					0.04	0.04	0.4	18.0

# JANUARY 1

## JANUARY 2

	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	44	1998	-27	1979	-5	1920	33	1950		21	3	12	
APPLETON	45	1998	-19	1979	-6	1979	36	1950		25	11	18	
GREEN BAY	49	1897	-20	1979	-5	1979	41	1897		25	10	17	
MANITOWOC	48	1897	-18	1879	-8	1879	40	1897		26	14	20	
MARSHFIELD	48	1998	-27	1979	-10	1920	33	1950,2006		23	7	15	
MERRILL	43	1998	-33	1974	-5	1920	32	1950		23	4	13	
OSHKOSH	53	1897	-21	1979	-4	1920	35	1897,1950,2006		26	11	19	
RHINELANDER	42	1944,1998	-29	1974	-6	1920	32	1950		22	4	13	
STEVENS POINT	49	1897	-25	1899	-8	1920	34	1897,2006		24	8	16	
STURGEON BAY	49	1998	-17	1969,1979	0	1912,1920	39	1950		26	12	19	
WAUSAU	45	1998	-27	1979	-8	1979	36	1897		23	7	15	
WISCONSIN RAPIDS	46	1998	-24	1920	-9	1920	34	1950,2006		25	8	16	
	REC	YEAR(S)	REC	YEAR(S)						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.80	1937	8.0	1937						0.06	0.06	0.7	23.8
APPLETON	0.78	1941	8.0	1999						0.08	0.08	0.7	15.0
GREEN BAY	0.58	1966	6.8	1892						0.08	0.08	0.8	18.1
MANITOWOC	1.75	1999	2.6	1892						0.11	0.11	1.1	12.9
MARSHFIELD	0.50	1936	6.5	1966						0.06	0.06	0.7	19.4
MERRILL	1.05	2000	9.0	2000						0.07	0.07	0.8	18.6
OSHKOSH	0.75	2005	6.0	1891						0.08	0.08	0.4	13.5
RHINELANDER	0.83	2000	8.3	1911						0.08	0.08	E1.0	E25.3
STEVENS POINT	0.60	1941	4.0	1936,1966						0.07	0.07	0.7	15.1
STURGEON BAY	0.81	1941	6.0	1999						0.11	0.11	0.9	16.7
WAUSAU	0.70	2000	8.1	1966						0.07	0.07	0.8	23.0
WISCONSIN RAPIDS	0.90	1911	9.5	1911						0.07	0.07	0.8	18.4

## JANUARY 2


## JANUARY 3

					REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	41	2007	-26	2014	-6	1912,1979	30	1964,1998		21	3	12
APPLETON	48	1998	-15	1904,1979	-2	1912	34	1992		25	11	18
GREEN BAY	50	1897	-18	2014	-2	1896,1912	33	1897,1992,2007		25	10	17
MANITOWOC	53	1998	-16	1879	-1	1979	39	1897		26	14	20
MARSHFIELD	48	1998	-23	1979	-1	1919	32	2006		23	7	15
MERRILL	43	1944	-30	1912	-5	1979	32	2006		23	4	13
OSHKOSH	50	1897,1998	-19	1904	0	1979	38	1897		26	11	18
RHINELANDER	42	1998	-29	1981	-2	1981	30	2006		22	4	13
STEVENS POINT	52	1897	-28	1904	-6	1979	37	1897		24	8	16
STURGEON BAY	49	1998	-16	1979	-3	1979	33	2006		26	12	19
WAUSAU	46	1998	-27	1904	-2	1912	32	2006		23	7	15
WISCONSIN RAPIDS	50	2007	-30	1904	-1	1912	33	2006		25	8	16

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.59	1966	6.7	1966						0.08	0.08	1.1	24.2
APPLETON	0.50	1982	7.0	1971						0.12	0.12	1.1	15.4
GREEN BAY	0.97	1897	8.2	1943						0.12	0.12	1.2	18.5
MANITOWOC	0.75	1880,1892	5.0	1971						0.17	0.17	1.6	13.4
MARSHFIELD	0.40	1934	5.0	1943						0.09	0.09	1.1	19.8
MERRILL	0.65	1906	7.0	1906						0.11	0.11	1.2	19.0
OSHKOSH	0.51	1890	7.0	1971						0.12	0.12	0.6	13.7
RHINELANDER	0.27	1999	8.0	1937						0.12	0.12	E1.5	E25.8
STEVENS POINT	0.70	1907	6.5	1999						0.11	0.11	1.1	15.5
STURGEON BAY	1.09	1906	6.5	2000,2002						0.17	0.17	1.4	17.2
WAUSAU	0.68	1897	4.3	1971						0.11	0.11	1.3	23.5

WISCONSIN RAPIDS	0.60	1906	6.0	1971						0.11	0.11	1.2	18.8
------------------	------	------	-----	------	--	--	--	--	--	------	------	-----	------

### JANUARY 3


### JANUARY 4

	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)				
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	42	2019	-24	1896	-6	1912	30	1927,2006		21	2	12
APPLETON	46	2007	-20	1911,1919	-6	1959	37	2007		25	11	18
GREEN BAY	46	2007	-18	1911,1912,1919	-4	1912	38	2007		25	10	17
MANITOWOC	49	2007	-22	1884	-12	1884	36	1921,2007		26	14	20
MARSHFIELD	45	2007	-28	1924	-8	1942	34	2007		23	7	15
MERRILL	43	2007	-32	1912	-7	1998	32	2006		23	4	13
OSHKOSH	48	2007	-21	1919	-2	1959	37	2007		26	10	18
RHINELANDER	45	2019	-28	1911	-10	1924	34	2007		22	4	13
STEVENS POINT	48	1897	-33	1904	-5	1969	34	2006		24	7	16
STURGEON BAY	47	2007	-16	1947	-2	1979	34	1921,2006		26	12	19
WAUSAU	42	2019	-25	1904	-10	1942	34	2007		23	7	15
WISCONSIN RAPIDS	46	2007	-34	1904	-13	1942	36	2006		25	7	16

	REC	YEAR(S)	REC	YEAR(S)						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.68	1971	11.0	1971						0.11	0.11	1.4	24.5
APPLETON	0.76	1997	7.5	1910						0.17	0.17	1.4	15.7
GREEN BAY	0.69	1922	8.8	1982						0.16	0.16	1.6	18.9
MANITOWOC	2.30	2000	6.0	1910						0.22	0.22	2.1	13.9
MARSHFIELD	0.85	1971	10.5	1971						0.13	0.13	1.4	20.1
MERRILL	0.65	1971	2.6	2015						0.15	0.15	1.5	19.3
OSHKOSH	1.00	1910	12.0	1910						0.16	0.16	0.8	13.9
RHINELANDER	1.12	1939	9.0	1971						0.15	0.15	E2.0	E26.3
STEVENS POINT	0.77	1971	9.0	1971						0.14	0.14	1.4	15.8

STURGEON BAY	1.17	1982	11.5	1982					0.22	0.22	1.8	17.6
WAUSAU	0.88	1997	7.0	1971					0.15	0.15	1.7	23.9
WISCONSIN RAPIDS	0.66	1971	7.0	1971					0.14	0.14	1.6	19.2

**JANUARY 4**

--	--	--	--	--	--	--	--	--	--	--	--	--

**JANUARY 5**

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	41	2019	-29	1972	-11	1912	33	2007		21	2	12
APPLETON	47	2019	-23	1979	-12	1912	35	2007		25	11	18
GREEN BAY	47	2007,2019	-22	1912,1924,1979	-10	1912	39	1946		24	10	17
MANITOWOC	48	2007,2012	-18	1884,1912	-10	1912	42	2007		26	14	20
MARSHFIELD	46	2019	-32	1924	-13	1942	35	2007		23	7	15
MERRILL	44	2019	-31	1972	-11	1912	36	2007		23	3	13
OSHKOSH	48	2007	-23	1912,1924	-4	1912,1942	37	1946		26	10	18
RHINELANDER	43	2019	-29	1972	-10	1912	34	1946		22	4	13
STEVENS POINT	46	2019	-27	1924	-8	1942	36	2007		24	7	16
STURGEON BAY	48	1946	-22	1912	-5	1912	37	2007		26	11	19
WAUSAU	45	1946	-27	1972	-12	1912	36	1946		23	6	15
WISCONSIN RAPIDS	49	2019	-34	1924	-19	1912	34	1946		25	7	16

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.23	1939	7.0	1905						0.14	0.14	1.8	24.9
APPLETON	0.62	1939	9.0	1905						0.21	0.21	1.8	16.1
GREEN BAY	1.05	1939,1946	9.9	1929						0.20	0.20	2.0	19.3
MANITOWOC	1.11	1929	7.0	1951						0.27	0.27	2.7	14.5
MARSHFIELD	1.03	1939	7.0	1929,1932						0.16	0.16	1.7	20.4
MERRILL	1.66	1939	5.0	1994						0.18	0.18	1.9	19.7
OSHKOSH	1.39	1939	9.0	1929						0.20	0.20	1.0	14.1

RHINELANDER	1.00	1946	6.0	1932					0.19	0.19	E2.6	E26.9
STEVENS POINT	1.42	1922	7.0	1922					0.18	0.18	1.8	16.2
STURGEON BAY	1.12	1946	12.0	1929					0.28	0.28	2.3	18.1
WAUSAU	0.98	1946	12.0	1929					0.18	0.18	2.1	24.3
WISCONSIN RAPIDS	1.06	1946	6.0	1994					0.18	0.18	1.9	19.5

## JANUARY 5


## JANUARY 6

	REC	YEAR(S)	REC	YEAR(S)	LOW	YEAR(S)	HIGH	YEAR(S)	NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME
ANTIGO	44	1933	-34	1912	-14	2014	32	1915,1930	21	2	11
APPLETON	49	1933	-26	1912	-12	1912	35	2008	25	11	18
GREEN BAY	51	1933	-26	1912	-12	1912	36	2008	24	9	17
MANITOWOC	49	2012	-22	1912	-9	1912	37	1880,1930,2008	26	14	20
MARSHFIELD	47	1933	-29	1924	-16	2014	35	2012	23	7	15
MERRILL	45	1933	-34	1909	-17	2014	32	2007	23	3	13
OSHKOSH	50	1933	-28	1912	-12	1912	36	2008	26	10	18
RHINELANDER	43	1928,2012	-40	1912	-17	2014	34	2008	21	3	12
STEVENS POINT	48	1933	-28	1909	-16	2014	35	1930	24	7	16
STURGEON BAY	47	1946	-27	1912	-12	2014	35	2008	26	11	19
WAUSAU	47	1933	-35	1912	-15	1912	34	2008	23	6	15
WISCONSIN RAPIDS	51	1933	-34	1912	-15	1912	36	2008	25	7	16

	REC	YEAR(S)	REC	YEAR(S)	NORMAL							
	PCPN	YEAR(S)	SNOW	YEAR(S)	PCPN				SNOW			
					MONTH	YEAR	MONTH	SEASON				
ANTIGO	1.10	1932	8.0	1932	0.16	0.16	2.1	25.2				
APPLETON	0.84	1929	11.0	1929	0.25	0.25	2.1	16.4				
GREEN BAY	0.86	1888	7.1	1994	0.24	0.24	2.4	19.7				
MANITOWOC	1.00	1885	7.0	1918	0.33	0.33	3.2	15.0				
MARSHFIELD	0.90	1964	8.5	1994	0.19	0.19	2.1	20.8				

MERRILL	1.22	1946	21.2	1929					0.22	0.22	2.3	20.1
OSHKOSH	1.20	1918	12.0	1918					0.24	0.24	1.2	14.3
RHINELANDER	0.65	1980	8.0	1929					0.23	0.23	E3.1	E27.4
STEVENS POINT	0.75	1920	8.0	1920					0.21	0.21	2.1	16.5
STURGEON BAY	0.45	1980	5.0	1913					0.34	0.34	2.7	18.5
WAUSAU	0.72	1980	9.0	1980					0.22	0.22	2.5	24.7
WISCONSIN RAPIDS	0.90	1980	8.9	1980					0.21	0.21	2.3	19.9

## JANUARY 6

--	--	--	--	--	--	--	--	--	--	--	--	--

## JANUARY 7

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	43	2003	-35	1912	-13	1912	33	1928		21	2	11	
APPLETON	45	2003	-27	1912	-14	1912	36	1965,2008		25	11	18	
GREEN BAY	44	1900,1965	-29	1887	-12	1912	37	1965		24	9	17	
MANITOWOC	47	1933	-22	1912	-9	1912	36	1965,2008		26	14	20	
MARSHFIELD	45	2003	-31	1968	-15	1942	31	2008,2019		23	7	15	
MERRILL	46	1928	-40	1912	-15	1912	32	1928,2008		23	3	13	
OSHKOSH	46	2003	-30	1912	-8	1942	35	1965,2008		26	10	18	
RHINELANDER	44	1990	-38	1912	-15	1912	30	1965,2008		21	3	12	
STEVENS POINT	50	1933	-30	1951	-7	1942	34	1900		24	7	16	
STURGEON BAY	42	1946,2007	-28	1912	-10	1912	34	1928,1965,2008		26	11	18	
WAUSAU	41	1949,2003	-32	1912	-14	1912	35	1965		23	6	15	
WISCONSIN RAPIDS	47	1949,2003	-35	1912	-12	1912	34	1965		24	7	16	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.62	1980	7.0	1980						0.19	0.19	2.4	25.5
APPLETON	0.97	2008	4.0	1919						0.29	0.29	2.5	16.8
GREEN BAY	0.91	2019	4.9	2010						0.28	0.28	2.8	20.1

MANITOWOC	0.47	1913	7.0	1905,1913					0.38	0.38	3.7	15.5
MARSHFIELD	0.60	1967	6.0	1967					0.21	0.21	2.4	21.1
MERRILL	0.54	1980	7.0	1980					0.25	0.25	2.7	20.5
OSHKOSH	0.81	2019	4.0	1913					0.27	0.27	1.4	14.5
RHINELANDER	0.41	2019	5.0	1967					0.26	0.26	E3.6	E27.9
STEVENS POINT	0.70	2019	4.0	1967					0.24	0.24	2.5	16.9
STURGEON BAY	0.63	1967	5.5	1918					0.39	0.39	3.2	19.0
WAUSAU	0.73	2019	5.3	1994					0.25	0.25	2.9	25.1
WISCONSIN RAPIDS	0.98	2019	3.0	1994,2010					0.24	0.24	2.7	20.3

**JANUARY 7**


**JANUARY 8**

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	46	2003	-26	1968	-5	1976	32	2008		20	2	11	
APPLETON	51	2003	-25	1929	-2	1976	35	2008		25	10	18	
GREEN BAY	49	2003	-21	1971	-12	1887	34	2008,2016		24	9	17	
MANITOWOC	52	2003	-17	1942	0	1912	38	1880		26	14	20	
MARSHFIELD	50	2003	-24	1968	-5	1976	32	2016		22	7	14	
MERRILL	50	2003	-32	1979	-2	1976	32	2008		23	3	13	
OSHKOSH	54	2003	-19	1912,1942	-2	1976	34	2008,2016		26	10	18	
RHINELANDER	48	2003	-30	1974	-3	1912	31	2008,2016		21	3	12	
STEVENS POINT	52	2003	-25	1951	-4	1976	34	1965		24	7	16	
STURGEON BAY	50	2003	-20	1929	-2	1912	36	2003		26	11	18	
WAUSAU	46	2003	-25	1971	-6	1976	33	2008		23	6	14	
WISCONSIN RAPIDS	53	2003	-28	1942	-1	1912	33	2008,2016		24	7	16	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.40	2001	6.0	1937						0.21	0.21	2.7	25.8



APPLETON	0.70	1937	5.1	1998					0.33	0.33	2.8	17.1
GREEN BAY	0.89	2008	5.3	1889					0.31	0.31	3.2	20.5
MANITOWOC	1.18	2008	4.0	1936,1952					0.43	0.43	4.2	16.0
MARSHFIELD	0.65	1937	6.5	1937					0.24	0.24	2.7	21.4
MERRILL	0.60	2016	3.6	1933					0.29	0.29	3.0	20.8
OSHKOSH	1.15	1998	5.0	1969					0.31	0.31	1.6	14.7
RHINELANDER	0.54	1969	9.0	1969					0.30	0.30	E4.1	E28.4
STEVENS POINT	0.72	1937	8.0	1937					0.28	0.28	2.8	17.2
STURGEON BAY	0.93	2008	9.0	1907					0.44	0.44	3.6	19.4
WAUSAU	0.41	1937	7.0	1898					0.28	0.28	3.3	25.5
WISCONSIN RAPIDS	0.80	1911	4.5	1969					0.27	0.27	3.1	20.7

**JANUARY 8**


**JANUARY 9**

					REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	46	2002	-33	1977	-6	1912	29	1939,2003		20	2	11
APPLETON	53	2002	-25	1982	-12	1982	32	2002		25	10	18
GREEN BAY	53	2002	-27	1977	-6	1912	37	1939		24	9	17
MANITOWOC	54	2002	-18	1982	-5	1912	35	1935		26	14	20
MARSHFIELD	50	2002	-28	1977	-7	1977	31	1939		22	6	14
MERRILL	47	2002	-39	1977	-14	1982	31	1992		22	3	13
OSHKOSH	54	2002	-25	1977	-2	1912	35	2003		26	10	18
RHINELANDER	44	2002	-37	1977	-6	1912	30	2002		21	3	12
STEVENS POINT	47	1990	-28	1977	-2	1976	32	1992		24	7	15
STURGEON BAY	51	2002	-23	1977	-3	1912	34	1972		26	11	18
WAUSAU	47	2002	-25	1977	-11	1982	34	2002		23	6	14
WISCONSIN RAPIDS	51	2002	-31	1977	-10	1912	35	2002		24	7	16
	REC		REC							NORMAL		
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW	



	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.40	2017	6.0	2017					0.26	0.26	3.4	26.5
APPLETON	0.80	1929	6.0	1929					0.40	0.40	3.5	17.8
GREEN BAY	0.72	2017	5.7	1901					0.39	0.39	4.0	21.3
MANITOWOC	0.90	2017	6.3	1924					0.54	0.54	5.3	17.1
MARSHFIELD	0.84	2017	8.4	2017					0.30	0.30	3.4	22.1
MERRILL	0.62	2017	6.0	2017					0.36	0.36	3.8	21.6
OSHKOSH	0.61	2017	6.0	1917					0.38	0.38	2.0	15.1
RHINELANDER	0.78	2017	7.0	2017					0.37	0.37	E5.1	E29.4
STEVENS POINT	0.77	1924	6.0	1929,2017					0.34	0.34	3.6	18.0
STURGEON BAY	0.59	2017	7.0	1985					0.56	0.56	4.6	20.4
WAUSAU	0.84	2017	8.4	2017					0.35	0.35	4.2	26.4
WISCONSIN RAPIDS	0.70	2017	4.0	2017					0.34	0.34	3.8	21.4

**JANUARY 10**


**JANUARY 11**

LOCATION	REC		REC		REC		REC		NORMAL		
	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME
ANTIGO	43	1980	-32	1979	-9	1912	33	1928	20	2	11
APPLETON	52	2012	-23	1979	-6	1912	35	1928	25	10	17
GREEN BAY	51	2012	-25	1979	-6	1912,1979	34	2013	24	9	17
MANITOWOC	54	2012	-19	1888	-5	1912	36	2013	25	14	20
MARSHFIELD	44	2002,2012	-26	1977,1979	-3	1979	33	2013	22	6	14
MERRILL	44	2012	-38	1979	-10	1912	33	2013	22	3	13
OSHKOSH	51	2012	-28	1912	-4	1912	38	2007	26	10	18
RHINELANDER	43	2012	-33	1979	-14	1912	33	2013	21	3	12
STEVENS POINT	47	2012	-29	1979	-3	1978	34	2013	24	7	15
STURGEON BAY	48	1975	-18	1979	-6	1912	38	2013	26	10	18
WAUSAU	45	2012	-31	1979	-3	1912	33	2013	23	6	14
WISCONSIN RAPIDS	49	2012	-31	1937	-7	1912	33	2013	24	7	16

	REC	YEAR(S)	REC	YEAR(S)									
	PCPN	YEAR(S)	SNOW	YEAR(S)						NORMAL			
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.70	1918	5.0	1976						0.28	0.28	3.8	26.9
APPLETON	0.40	1960	8.0	2000						0.44	0.44	3.9	18.2
GREEN BAY	0.52	1890	5.2	1890						0.43	0.43	4.4	21.7
MANITOWOC	0.95	1890	6.0	1905						0.59	0.59	5.8	17.6
MARSHFIELD	0.60	1938	6.0	1938						0.33	0.33	3.7	22.4
MERRILL	0.42	2018	6.0	1976						0.39	0.39	4.2	22.0
OSHKOSH	0.85	1890	8.0	1901						0.42	0.42	2.3	15.4
RHINELANDER	0.42	2018	4.0	1938						0.41	0.41	5.6	29.9
STEVENS POINT	0.40	1905	4.0	1905,1929						0.38	0.38	3.9	18.3
STURGEON BAY	0.43	2013	4.0	1929,2007						0.62	0.62	5.1	20.9
WAUSAU	0.38	1938	3.7	1996						0.39	0.39	4.7	26.9
WISCONSIN RAPIDS	0.40	1996	3.0	1991						0.37	0.37	4.2	21.8

**JANUARY 11**


**JANUARY 12**

	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)				
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	42	1928,1987	-33	1912	-2	1912,1975,1977	31	1932		20	2	11
APPLETON	47	2006	-24	1912	-7	1912	33	1995		25	10	17
GREEN BAY	48	1928	-25	1912	-4	1912	38	1932		24	9	16
MANITOWOC	50	1961	-20	1912	-5	1912	36	1932		25	13	19
MARSHFIELD	44	2013	-23	1974,1977	-3	1975	31	1932		22	6	14
MERRILL	44	2013	-48	1909	-10	1909	33	2013		22	2	12
OSHKOSH	51	2006	-27	1912	-1	1912	35	1932		26	10	18
RHINELANDER	44	2013	-38	1912	-13	1912	30	1995,2001		21	3	12
STEVENS POINT	46	2002	-23	1977	-2	1977	30	1932		24	7	15
STURGEON BAY	46	2013	-21	1912	-5	1912	33	1932,2007		26	10	18

WAUSAU	45	1987	-32	1909	-9	1912	35	1932		23	6	14
WISCONSIN RAPIDS	46	1987	-36	1912	-16	1929	36	1932		24	7	16
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.77	1960	4.2	1935					0.31	0.31	4.1	27.2
APPLETON	0.62	1966	6.5	1966					0.48	0.48	4.3	18.6
GREEN BAY	1.00	1890	11.5	1890					0.46	0.46	4.8	22.1
MANITOWOC	3.80	2000	11.0	1918					0.65	0.65	6.3	18.1
MARSHFIELD	1.12	1960	8.0	2000					0.36	0.36	4.1	22.8
MERRILL	0.46	1960	4.1	1993					0.42	0.42	4.6	22.4
OSHKOSH	0.86	1960	8.0	2000					0.46	0.46	2.5	15.6
RHINELANDER	0.55	1935	5.0	1935					0.45	0.45	6.2	30.5
STEVENS POINT	1.07	1960	6.0	1918					0.41	0.41	4.3	18.7
STURGEON BAY	0.82	1960	7.0	1993					0.67	0.67	5.5	21.3
WAUSAU	1.03	1960	3.7	1972					0.42	0.42	5.1	27.3
WISCONSIN RAPIDS	0.67	1960	5.0	1988					0.41	0.41	4.6	22.2

**JANUARY 12**


**JANUARY 13**

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	45	1987	-27	1929	-6	1917	35	1932		20	2	11
APPLETON	49	1961	-25	1929	-12	1929	37	1932		25	10	17
GREEN BAY	50	1961	-23	1929	-11	1929	35	1932,1995		24	9	16
MANITOWOC	55	1961	-23	1885	-8	1885	40	1932		25	13	19
MARSHFIELD	46	1987	-31	1929	-6	1929	34	1932		22	6	14
MERRILL	45	1987	-32	1912	-11	1929	32	1960,1995		22	2	12
OSHKOSH	52	1961	-25	1929	-6	1929	39	1932		26	10	18
RHINELANDER	49	1987	-33	1912	-15	1929	35	1932		21	3	12

STEVENS POINT	45	1928	-29	1929	1	1929	36	1932		24	7	15	
STURGEON BAY	48	1961	-24	1912	-2	1929	37	1932		25	10	18	
WAUSAU	45	1996	-28	1929	-16	1929	32	1899,1934,1960,1995,2001		23	6	14	
WISCONSIN RAPIDS	50	1996	-34	1929	-3	1927	33	1960,2001		24	7	16	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.70	1935	8.0	1935						0.33	0.33	4.5	27.6
APPLETON	0.52	1950	8.7	2000						0.51	0.51	4.7	19.0
GREEN BAY	0.48	1950	5.3	2008						0.50	0.50	5.2	22.5
MANITOWOC	0.97	1993	4.0	1935,1940						0.70	0.70	6.9	18.7
MARSHFIELD	0.87	1916	6.0	1916						0.39	0.39	4.4	23.1
MERRILL	1.00	1935	8.0	1935						0.46	0.46	5.0	22.8
OSHKOSH	0.60	1890	5.0	1979						0.49	0.49	2.7	15.8
RHINELANDER	1.45	1950	12.3	1950						0.48	0.48	6.7	31.0
STEVENS POINT	0.96	1935	11.0	2000						0.44	0.44	4.7	19.1
STURGEON BAY	0.70	1993	8.0	1935						0.73	0.73	6.0	21.8
WAUSAU	0.55	1935	3.9	1950						0.45	0.45	5.6	27.8
WISCONSIN RAPIDS	0.40	1935	3.0	1979						0.44	0.44	5.0	22.6

**JANUARY 13**


**JANUARY 14**

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	42	1987	-26	1994	-6	1917,1994	28	1928,1960,2001		20	2	11	
APPLETON	45	1932	-27	1929	-9	1994	31	2001		25	10	17	
GREEN BAY	42	1947,1952,1987	-24	1929	-7	1994	32	1947,1995,2001		24	9	16	
MANITOWOC	44	1894	-20	1881	-4	1917	33	1947		25	13	19	
MARSHFIELD	41	1914	-31	1929	-11	1917	30	1928,1960		22	6	14	
MERRILL	45	1944	-30	1924	-12	1929,1994	31	2001		22	2	12	

OSHKOSH	46	1901	-23	1929,1940	-15	1893	33	2001		26	10	18	
RHINELANDER	46	1980	-34	1916	-12	1972	30	2001		21	3	12	
STEVENS POINT	47	1961	-25	1916	-5	1917	32	1960		24	7	15	
STURGEON BAY	44	1932,1961	-23	1929	-4	1917	33	2001		25	10	18	
WAUSAU	44	1987	-30	1972	-11	1994	32	2001		23	6	14	
WISCONSIN RAPIDS	44	1987	-31	1916	-10	1994	32	1947,2001		24	7	16	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.45	1923	7.5	2014						0.36	0.36	4.8	27.9
APPLETON	0.44	1952	6.1	2014						0.55	0.55	5.0	19.3
GREEN BAY	0.58	1940	7.9	1940						0.54	0.54	5.6	22.9
MANITOWOC	0.92	1930	4.3	1885						0.76	0.76	7.4	19.2
MARSHFIELD	0.43	2014	9.0	2014						0.42	0.42	4.8	23.5
MERRILL	0.80	1950	9.5	2014						0.50	0.50	5.4	23.2
OSHKOSH	1.25	1940	11.0	1940						0.53	0.53	3.0	16.1
RHINELANDER	0.56	1952	7.0	1998						0.52	0.52	7.2	31.5
STEVENS POINT	1.00	1930	12.0	1930						0.48	0.48	5.1	19.5
STURGEON BAY	0.72	2014	11.0	2014						0.78	0.78	6.5	22.3
WAUSAU	0.54	2014	9.2	1930						0.48	0.48	6.0	28.2
WISCONSIN RAPIDS	0.55	1952	7.0	2014						0.48	0.48	5.4	23.0

### JANUARY 14


### JANUARY 15

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	40	1910	-38	1972	-19	1972	30	1906,2001		20	1	11	
APPLETON	47	1990	-28	1929,1972	-15	1972	32	1906,1949		25	10	17	
GREEN BAY	45	1949	-28	1972	-15	1972	34	1894		24	9	16	
MANITOWOC	50	1953	-26	1972	-10	1994	36	1953		25	13	19	

MARSHFIELD	44	1933	-33	1972	-16	1972	31	2001		22	6	14
MERRILL	47	1933	-38	1972	-12	1963,1994	31	1996,2001		22	2	12
OSHKOSH	49	1953	-28	1972,1998	-13	1972	33	1901		26	10	18
RHINELANDER	40	1990	-39	1972	-11	1972	28	1949		21	3	12
STEVENS POINT	45	1899	-34	1963	-16	1972	31	1906,2001		24	7	15
STURGEON BAY	42	1933,1953,1990	-26	1963,1972	-13	1972	34	1906		25	10	18
WAUSAU	41	1899,1933,1990	-36	1972	-17	1972	31	1906		23	6	14
WISCONSIN RAPIDS	46	1933	-35	1963	-16	1972	32	1906		24	7	16

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.53	1932	6.0	1932						0.38	0.38	5.2	28.3
APPLETON	0.74	1930	7.0	1930						0.59	0.59	5.4	19.7
GREEN BAY	0.79	1906	4.5	1890						0.58	0.58	6.1	23.4
MANITOWOC	1.29	1906	7.0	1879						0.82	0.82	8.0	19.8
MARSHFIELD	0.43	1953	5.0	1948						0.45	0.45	5.1	23.8
MERRILL	0.49	1952	8.6	1930						0.53	0.53	5.8	23.6
OSHKOSH	0.42	1906	4.0	1976						0.56	0.56	3.2	16.3
RHINELANDER	0.33	1950	4.0	1950						0.55	0.55	7.7	32.0
STEVENS POINT	0.56	1906	7.0	1932						0.51	0.51	5.4	19.8
STURGEON BAY	0.96	1906	6.0	2018						0.84	0.84	7.0	22.8
WAUSAU	0.68	1953	4.4	1925						0.52	0.52	6.5	28.7
WISCONSIN RAPIDS	0.58	1906	3.4	1969						0.51	0.51	5.8	23.4

**JANUARY 15**


**JANUARY 16**

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	49	1973	-32	1972	-7	1997	34	1913		20	1	11	
APPLETON	44	1973	-25	1982	-16	1982	34	1913		25	10	17	





ANTIGO	46	1973	-39	1982	-10	1982	36	1973		20	1	11
APPLETON	44	1973.1986.1996	-24	1982	-3	1948	37	1973		25	10	17
GREEN BAY	47	1913	-28	1982	-2	1948,1954,1994	38	1973		24	9	16
MANITOWOC	48	1913	-25	1982	1	1997	37	1894		25	13	19
MARSHFIELD	44	1986	-33	1982	-9	1954	32	1973		22	6	14
MERRILL	46	1996	-45	1982	-11	1982	32	1973		23	2	12
OSHKOSH	48	1996	-28	1982	-4	1994	38	1973		26	10	18
RHINELANDER	45	1973,1986	-38	1982	-7	1954,1994	31	1961		21	3	12
STEVENS POINT	49	1973	-32	1982	-9	1982	33	1973		24	6	15
STURGEON BAY	48	1961	-29	1982	-4	1982	35	1973		25	10	18
WAUSAU	43	1986	-31	1982	-7	1962,1994	35	1973		23	6	14
WISCONSIN RAPIDS	48	1986	-38	1982	-7	1994	36	1973		24	7	16


	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON

ANTIGO	0.80	1935	8.2	1935						0.43	0.43	5.9	29.0
APPLETON	0.58	1999	5.0	1906						0.66	0.66	6.2	20.5
GREEN BAY	0.47	1999	4.9	2008						0.65	0.65	6.9	24.2
MANITOWOC	0.45	2017	8.3	1886						0.95	0.95	9.1	20.9
MARSHFIELD	0.17	1932,2004	4.5	1998						0.50	0.50	5.8	24.5
MERRILL	0.71	1996	9.5	1906						0.60	0.60	6.6	24.4
OSHKOSH	0.60	1999	5.5	1953						0.63	0.63	3.7	16.8
RHINELANDER	0.96	1935	10.0	1935						0.62	0.62	8.7	33.0
STEVENS POINT	0.52	1980	6.0	1935						0.58	0.58	6.2	20.6
STURGEON BAY	1.24	1990	11.3	1906						0.95	0.95	8.0	23.8
WAUSAU	0.85	1915	6.6	1969						0.58	0.58	7.4	29.6
WISCONSIN RAPIDS	0.88	1915	5.0	1986						0.58	0.58	6.6	24.2

<b>JANUARY 17</b>												

<b>JANUARY 18</b>												
						REC				REC		
	REC		REC			LOW				HIGH		NORMAL

LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	44	1973	-39	1967	-19	1994	37	1973		20	1	11	
APPLETON	47	1996	-29	1994	-20	1994	36	1973		25	10	17	
GREEN BAY	48	1973,1996	-27	1994	-18	1994	41	1973		24	9	16	
MANITOWOC	44	1973	-25	1994	-11	1994	36	1973		25	13	19	
MARSHFIELD	45	1996	-32	1967,1994	-14	1994	36	1973		22	6	14	
MERRILL	49	1926	-43	1982	-20	1962	37	1973		23	2	12	
OSHKOSH	50	1996	-28	1994	-19	1994	43	1973		26	10	18	
RHINELANDER	46	1996	-36	1948	-19	1994	35	1973		21	3	12	
STEVENS POINT	47	1986	-33	1967	-9	1962	40	1973		24	6	15	
STURGEON BAY	46	1996	-25	1994	-15	1994	38	1973		25	10	18	
WAUSAU	46	1942	-40	1948	-19	1994	34	1973		23	6	14	
WISCONSIN RAPIDS	48	1996	-35	1948	-18	1994	33	1973		24	7	16	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.76	1996	7.0	1969						0.45	0.45	6.2	29.3
APPLETON	0.68	1907	4.0	2020						0.69	0.69	6.6	20.9
GREEN BAY	0.36	1973	3.7	1943						0.69	0.69	7.4	24.7
MANITOWOC	0.59	1960	11.0	1886						1.01	1.01	9.6	21.4
MARSHFIELD	1.12	1996	6.0	2020						0.53	0.53	6.1	24.8
MERRILL	1.05	1996	3.5	1945,2020						0.63	0.63	7.0	24.8
OSHKOSH	1.25	1896	12.5	1896						0.67	0.67	3.9	17.0
RHINELANDER	1.36	1996	5.0	1969						0.66	0.66	9.2	33.5
STEVENS POINT	0.59	1945	6.0	1945						0.61	0.61	6.6	21.0
STURGEON BAY	0.53	1999	5.5	2020						1.00	1.00	8.5	24.3
WAUSAU	1.48	1996	5.0	1945						0.61	0.61	7.8	30.0
WISCONSIN RAPIDS	0.99	1996	3.0	2011						0.61	0.61	7.0	24.6
<b>JANUARY 18</b>													
<b>JANUARY 19</b>													





## JANUARY 21

	REC		REC		REC		REC					
	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	45	1908	-30	1984	-10	1924	35	1921		21	1	11
APPLETON	49	1964	-22	1984	-5	1935	34	1921,1993		25	10	17
GREEN BAY	49	1934	-36	1888	-8	1888	35	2017		24	9	16
MANITOWOC	50	1906	-31	1888	-7	1924	35	1921		25	13	19
MARSHFIELD	43	1964,2018	-35	1924	-7	1924,1963	34	1944		23	6	14
MERRILL	45	1981	-32	1984	-10	1963	33	1921		23	2	12
OSHKOSH	50	1964	-29	1985	-4	1963	35	1921		26	10	18
RHINELANDER	46	1908	-30	1924	-11	1963	33	2017		21	3	12
STEVENS POINT	46	1908	-28	1924	-9	1924	34	1921		24	6	15
STURGEON BAY	46	1909,1939	-22	1984	-5	1924	34	1906		25	10	17
WAUSAU	46	1908	-27	1963	-7	1963	32	1921,2017		23	6	14
WISCONSIN RAPIDS	49	1964	-35	1924	-9	1935	35	1921		25	7	16
	REC		REC							NORMAL		
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.38	1943	6.0	2005					0.52	0.52	7.3	30.4
APPLETON	0.79	1959	6.0	1917,1959					0.80	0.80	7.8	22.1
GREEN BAY	0.84	1917	9.0	1917					0.79	0.79	8.7	26.0
MANITOWOC	0.95	1917	10.5	1917					1.19	1.19	11.1	22.9
MARSHFIELD	0.82	1917	8.2	1917					0.61	0.61	7.2	25.9
MERRILL	0.28	1995	4.0	1943,1995					0.73	0.73	8.2	26.0
OSHKOSH	0.65	1917	6.0	2008					0.77	0.77	4.7	17.8
RHINELANDER	0.39	1975	4.0	1962,1995					0.76	0.76	10.8	35.1
STEVENS POINT	1.80	1917	18.0	1917					0.71	0.71	7.8	22.2
STURGEON BAY	0.45	1993	6.0	1982,2005					1.16	1.16	10.0	25.8
WAUSAU	1.02	1917	10.2	1917					0.71	0.71	9.2	31.4
WISCONSIN RAPIDS	0.49	2005	6.0	2005					0.72	0.72	8.3	25.9

## JANUARY 21

## JANUARY 22

	REC		REC		LOW		HIGH		NORMAL				
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	48	1900	-25	1970	-7	1963	35	1934		21	1	11	
APPLETON	48	1964	-27	1930	-1	2004	35	1934		25	10	17	
GREEN BAY	48	1964	-22	1890	0	1963,2004	36	2017		24	9	16	
MANITOWOC	48	1933	-24	1885	-10	1883	36	1933		26	13	19	
MARSHFIELD	50	1964	-30	1936	-7	1963	33	1934,2017		23	6	14	
MERRILL	48	1933	-28	1924	-7	1963	33	2017		23	2	12	
OSHKOSH	50	1964	-23	1936	0	1963	36	1934		27	10	18	
RHINELANDER	45	1942,1989,2002	-29	1924	-9	1963	34	2017		21	3	12	
STEVENS POINT	50	1964	-25	1936	-4	1963	37	1934		24	6	15	
STURGEON BAY	42	1916,1964,1989	-16	1930	-1	1963,2004	35	2017		25	10	18	
WAUSAU	48	1964	-28	1963	-6	1963,2004	36	1934		23	6	14	
WISCONSIN RAPIDS	52	1964	-31	1930	-6	1963	35	1919,2017		25	7	16	
	REC		REC						NORMAL				
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.20	1917	5.0	1952						0.55	0.55	7.7	30.8
APPLETON	0.65	1952	7.3	1952						0.83	0.83	8.2	22.5
GREEN BAY	0.72	1933	8.2	1941						0.83	0.83	9.1	26.4
MANITOWOC	1.10	1933	9.0	2008						1.25	1.25	11.6	23.4
MARSHFIELD	1.11	1933	9.0	1952						0.64	0.64	7.5	26.2
MERRILL	0.50	2005	9.0	2005						0.77	0.77	8.6	26.4
OSHKOSH	0.61	1933	6.0	1897						0.80	0.80	4.9	18.0
RHINELANDER	0.60	1999	7.0	1952,1999						0.80	0.80	11.3	35.6
STEVENS POINT	1.00	1933	7.0	2005						0.74	0.74	8.2	22.6
STURGEON BAY	0.83	1999	12.0	1917						1.21	1.21	10.4	26.2
WAUSAU	1.21	1933	5.0	1929						0.74	0.74	9.6	31.8
WISCONSIN RAPIDS	0.71	1933	5.5	1952						0.75	0.75	8.7	26.3

## JANUARY 22

--	--	--	--	--	--	--	--	--	--	--	--	--

## JANUARY 23

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	52	1942	-32	1935,1963	-6	1987	33	1909,1969		21	1	11
APPLETON	50	1989	-26	1963	-9	1963	35	2017		25	10	17
GREEN BAY	46	1942,1989	-27	1963	-12	1963	35	2017		24	9	16
MANITOWOC	47	1989	-29	1886	-6	1886	36	1909		26	13	19
MARSHFIELD	47	1942	-37	1963	-16	1963	33	2017		23	6	15
MERRILL	57	1942	-34	1963	-12	1963	35	1909		23	2	12
OSHKOSH	47	1942	-28	1963	-12	1963	34	2017		27	10	19
RHINELANDER	52	1942	-36	1935	-16	1963	36	1967		21	3	12
STEVENS POINT	53	1964	-33	1963	-13	1936	35	1967		24	6	15
STURGEON BAY	46	1942	-26	1963	-6	1935	36	1967		26	9	18
WAUSAU	49	1942	-34	1963	-6	1963	35	1909		23	6	15
WISCONSIN RAPIDS	49	1942	-33	1937	-16	1935	34	2017		25	7	16
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.60	1899	7.0	2018					0.57	0.57	8.1	31.2
APPLETON	0.58	1999	5.0	1906					0.87	0.87	8.6	22.9
GREEN BAY	0.76	1887	8.0	1887					0.86	0.86	9.6	26.9
MANITOWOC	1.07	1999	7.0	1906					1.31	1.31	12.0	23.8
MARSHFIELD	0.57	1969	6.0	2020					0.67	0.67	7.9	26.6
MERRILL	0.46	1990	5.7	2018					0.80	0.80	9.0	26.8
OSHKOSH	0.88	1955	5.0	1899,1906					0.83	0.83	5.2	18.3
RHINELANDER	0.44	2012	5.3	1979					0.83	0.83	11.8	36.1
STEVENS POINT	0.90	1899	9.0	1899					0.78	0.78	8.6	23.0
STURGEON BAY	1.03	1999	5.0	1979					1.26	1.26	10.9	26.7



WAUSAU	0.60	1990	6.5	1990					0.77	0.77	10.1	32.3
WISCONSIN RAPIDS	1.23	1929	5.5	1990					0.78	0.78	9.1	26.7

### JANUARY 23


### JANUARY 24

	REC		REC		LOW		HIGH		NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME
ANTIGO	45	1942	-28	1935,1936	-3	1904	33	1909	21	1	11
APPLETON	47	1947	-26	1935,1936	-2	1936	35	1909	25	10	17
GREEN BAY	47	1916	-25	1935	-10	1904	36	1916	24	9	16
MANITOWOC	51	1934	-22	1936	-6	1936	36	2010	26	13	19
MARSHFIELD	49	1981	-36	1935	-9	1936	32	2017	23	6	15
MERRILL	52	1942	-36	1922	-3	1930	33	1909	23	2	13
OSHKOSH	50	1934,1947	-26	1935	-9	1897	34	1909	27	11	19
RHINELANDER	49	1981	-38	1935	-11	1926	33	2017	21	3	12
STEVENS POINT	47	1989	-32	1922	-10	1897	33	1947	24	6	15
STURGEON BAY	44	1947	-25	1935	-4	1936	33	1916,2010	26	9	18
WAUSAU	54	1942	-33	1948	-11	1897	33	2017	23	6	15
WISCONSIN RAPIDS	54	1981	-38	1922	-10	1904	33	2017	25	7	16

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.60	1938	6.0	1938,1997					0.59	0.59	8.4	31.5
APPLETON	1.00	1967	4.5	1938					0.90	0.90	9.0	23.3
GREEN BAY	1.20	1938	5.3	1893					0.90	0.90	10.0	27.3
MANITOWOC	1.30	1979	13.0	1979					1.37	1.37	12.5	24.3
MARSHFIELD	0.54	1967	6.3	1997					0.70	0.70	8.2	26.9
MERRILL	0.70	1967	4.0	1907,1997					0.83	0.83	9.4	27.2
OSHKOSH	1.85	1938	7.0	1938					0.87	0.87	5.5	18.6
RHINELANDER	0.69	1997	7.0	1938,1997					0.87	0.87	12.3	36.6

STEVENS POINT	0.60	1938	6.0	1990					0.81	0.81	9.0	23.4
STURGEON BAY	0.90	1938	9.0	1938					1.31	1.31	11.4	27.2
WAUSAU	1.17	1967	6.5	1997					0.80	0.80	10.5	32.7
WISCONSIN RAPIDS	1.05	1967	4.0	1997					0.82	0.82	9.6	27.2

**JANUARY 24**


**JANUARY 25**

	REC		REC		LOW		HIGH		NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME
ANTIGO	55	1944	-31	1904	-18	1904	33	1944	21	1	11
APPLETON	50	1944,1947	-28	1904	-13	1904	34	1933	25	10	17
GREEN BAY	55	1944	-27	1904	-5	1904	36	1944	24	9	16
MANITOWOC	55	1944	-27	1904	-4	1897	35	1942	26	13	20
MARSHFIELD	55	1981	-25	1936	-2	1936,2019	36	1944	23	6	15
MERRILL	54	1973	-34	1922	-1	1936,2019	33	1944	23	2	13
OSHKOSH	57	1944	-31	1904	-9	1904	36	1944	27	11	19
RHINELANDER	53	1981	-37	1922	-14	1972	33	1944	21	3	12
STEVENS POINT	55	1944	-33	1904	-12	1897	35	1981	25	6	15
STURGEON BAY	50	1944	-25	1935	2	1929	34	1919,1944	26	9	18
WAUSAU	53	1944	-31	1904	-6	1897	33	1944	23	6	15
WISCONSIN RAPIDS	57	1944	-38	1904	-4	1904	32	1981,2020	25	7	16

	REC		REC		NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)	PCPN		SNOW	
					MONTH	YEAR	MONTH	SEASON
ANTIGO	1.05	1918	8.0	1950	0.62	0.62	8.8	31.9
APPLETON	0.84	1929	5.0	1902	0.94	0.94	9.4	23.7
GREEN BAY	0.94	1950	5.4	1971	0.93	0.93	10.5	27.8
MANITOWOC	0.99	1950	5.5	1929,1957	1.44	1.44	13.0	24.8
MARSHFIELD	0.62	1967	6.0	1950	0.73	0.73	8.6	27.3
MERRILL	0.43	1967	4.8	1929	0.87	0.87	9.8	27.6

OSHKOSH	0.93	1950	7.5	1996					0.90	0.90	5.7	18.8
RHINELANDER	0.82	1967	6.0	1938					0.90	0.90	12.8	37.1
STEVENS POINT	1.09	1967	7.0	1929,1950					0.85	0.85	9.4	23.8
STURGEON BAY	1.12	1950	4.5	2020					1.36	1.36	11.9	27.7
WAUSAU	0.48	1899	7.0	1950					0.83	0.83	11.0	33.2
WISCONSIN RAPIDS	0.49	1950	5.0	1950					0.85	0.85	10.0	27.6

**JANUARY 25**


**JANUARY 26**

	REC		REC		LOW		HIGH		NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME
ANTIGO	52	1944	-29	1997	-6	1924	44	1944	21	1	11
APPLETON	55	1944	-25	1930	0	1936	38	1944	25	10	17
GREEN BAY	56	1944	-23	2019	-3	1924	45	1944	24	9	17
MANITOWOC	59	1944	-15	1885,1897	-4	1885,1924	40	1944	26	13	20
MARSHFIELD	51	1944	-26	1927,1930	-6	1924,1936	42	1944	23	7	15
MERRILL	53	1944	-34	1927	-7	1907	43	1944	23	2	13
OSHKOSH	58	1944	-24	2019	-1	1924	45	1944	27	11	19
RHINELANDER	51	1944	-32	1927	-11	1929	42	1944	21	3	12
STEVENS POINT	54	1981	-28	1963	-8	1972	47	1944	25	6	15
STURGEON BAY	55	1944	-22	2019	-2	1924	36	1944	26	9	18
WAUSAU	51	2002	-30	1963	-7	1946	39	1944	24	6	15
WISCONSIN RAPIDS	55	1944	-34	1904	-8	1924	38	1944	25	7	16

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.60	1902	8.0	1996					0.64	0.64	9.2	32.2
APPLETON	0.55	1996	11.5	1996					0.97	0.97	9.8	24.1
GREEN BAY	0.47	1895	11.3	1996					0.96	0.96	10.9	28.2
MANITOWOC	1.10	1978	3.1	2016					1.50	1.50	13.5	25.3

MARSHFIELD	0.50	1996	9.0	1996					0.76	0.76	9.0	27.7
MERRILL	0.52	1996	10.0	1996					0.90	0.90	10.2	28.0
OSHKOSH	0.82	1978	9.0	1978					0.93	0.93	6.0	19.1
RHINELANDER	0.32	1971	4.0	1908,1996					0.94	0.94	13.3	37.6
STEVENS POINT	0.35	1902	4.0	1902					0.88	0.88	9.8	24.2
STURGEON BAY	1.30	1938	13.0	1938					1.41	1.41	12.4	28.2
WAUSAU	0.41	1996	11.5	1996					0.86	0.86	11.4	33.6
WISCONSIN RAPIDS	0.36	1978	8.0	1996					0.89	0.89	10.4	28.0

**JANUARY 26**


**JANUARY 27**

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	48	2002	-29	1935	-3	1972	33	1911		21	2	11
APPLETON	52	2006	-17	1904,1935	0	1971	35	1944		25	10	17
GREEN BAY	51	2006	-19	1904	-4	1971	33	1934,1944,2006		25	9	17
MANITOWOC	54	1944	-21	1885	-3	1895	36	1944		26	14	20
MARSHFIELD	49	2002	-31	1950	-5	1948	32	2002		23	7	15
MERRILL	48	2002	-33	1927	-7	2014	34	1911		23	2	13
OSHKOSH	52	2006	-27	1915	1	1904,1971	36	2002		27	11	19
RHINELANDER	46	2006	-35	1935,1950	-7	1915	32	1944		22	3	12
STEVENS POINT	52	2006	-36	1904	-5	1972	32	1934		25	6	16
STURGEON BAY	52	2006	-16	1935,2019	-4	2014	34	2006		26	10	18
WAUSAU	49	2002	-31	1950	-8	1915	34	1911		24	6	15
WISCONSIN RAPIDS	53	2006	-37	1904	-2	1971	31	2002		25	7	16
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.33	1932	3.0	1996,2013					0.66	0.66	9.5	32.5
APPLETON	0.60	1916	5.0	1917					1.00	1.00	10.1	24.4

GREEN BAY	0.52	1916	4.1	1996					1.00	1.00	11.3	28.6
MANITOWOC	1.30	1916	6.0	1895					1.56	1.56	13.9	25.7
MARSHFIELD	0.57	1932	3.8	2013					0.79	0.79	9.3	28.0
MERRILL	0.42	1944	3.1	2013					0.93	0.93	10.7	28.5
OSHKOSH	0.85	1916	8.0	1908					0.97	0.97	6.3	19.4
RHINELANDER	0.52	1944	6.0	1968					0.97	0.97	13.8	38.1
STEVENS POINT	0.77	1916	7.0	1996					0.92	0.92	10.2	24.6
STURGEON BAY	1.15	1916	5.3	2019					1.46	1.46	12.8	28.6
WAUSAU	0.49	1944	5.3	2013					0.89	0.89	11.8	34.0
WISCONSIN RAPIDS	0.54	2013	4.0	2013					0.92	0.92	10.8	28.4

**JANUARY 27**


**JANUARY 28**

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	45	1906	-30	1915	-10	1966	31	1944		21	2	12	
APPLETON	44	1989,2008	-24	1966	-10	1966	31	1914,1989		25	10	18	
GREEN BAY	46	1914	-21	1915,1966	-10	1966	33	1944		25	9	17	
MANITOWOC	46	1934	-24	1885	-11	1966	35	1944		26	14	20	
MARSHFIELD	47	1919	-35	1915	-13	1966	32	1944		23	7	15	
MERRILL	55	1906	-34	1915	-10	1966	30	1944		24	2	13	
OSHKOSH	45	1919	-22	1966	-11	1966	36	1914,2002		27	11	19	
RHINELANDER	45	1919	-41	1915	-9	1966	31	1944		22	3	13	
STEVENS POINT	49	1906	-34	1902	-12	1966	32	1944		25	6	16	
STURGEON BAY	46	2006	-22	1915	-9	1966	33	1944		26	10	18	
WAUSAU	46	1906	-31	1915	-12	1966	30	1944		24	6	15	
WISCONSIN RAPIDS	47	1906	-32	1915	-12	1966	30	2013		25	7	16	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON

ANTIGO	0.50	1927	5.0	1927					0.69	0.69	9.9	32.9
APPLETON	0.98	2006	6.0	1994					1.04	1.04	10.5	24.8
GREEN BAY	0.54	2006	9.7	2019					1.03	1.03	11.8	29.1
MANITOWOC	1.14	1949	11.0	2019					1.62	1.62	14.4	26.2
MARSHFIELD	0.54	1949	6.0	1969					0.81	0.81	9.6	28.3
MERRILL	0.57	1969	4.2	1927					0.97	0.97	11.1	28.9
OSHKOSH	0.86	2006	8.2	2019					1.00	1.00	6.6	19.7
RHINELANDER	0.37	1956	3.0	1956,1969,1973					1.01	1.01	14.3	38.6
STEVENS POINT	0.77	1949	8.0	1949					0.95	0.95	10.6	25.0
STURGEON BAY	1.05	2006	7.5	2019					1.51	1.51	13.3	29.1
WAUSAU	0.48	1949	4.7	1957					0.93	0.93	12.3	34.5
WISCONSIN RAPIDS	0.78	1949	8.0	1949					0.96	0.96	11.2	28.8

**JANUARY 28**


**JANUARY 29**

					REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	42	1906	-30	1899,1951	-8	1899	28	2013		22	2	12
APPLETON	50	1914	-26	1951	-8	1951	33	1932		25	10	18
GREEN BAY	50	1914	-26	1899	-8	1899	33	2006		25	9	17
MANITOWOC	51	1914	-21	1899	-7	1989	33	2006		26	14	20
MARSHFIELD	47	1919	-29	1951	-11	1951,1966	31	2013		23	7	15
MERRILL	47	1906	-32	1915	-8	2019	30	2006		24	2	13
OSHKOSH	50	1914, 2013	-26	1899	-4	1951	34	2006		27	11	19
RHINELANDER	41	1914,1927	-33	1951	-12	1951	29	2013		22	3	13
STEVENS POINT	46	1906	-33	1904	-10	1965	30	1931,2013		25	6	16
STURGEON BAY	49	1914	-21	1965	0	1965	32	2006		26	10	18
WAUSAU	46	1906	-30	1915,1951	-17	1951	31	2013		24	6	15
WISCONSIN RAPIDS	48	1914	-34	1904	-8	1966	32	2013		25	7	16
	REC		REC							NORMAL		

	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.46	2001	6.0	1996					0.71	0.71	10.2	33.2
APPLETON	0.91	2013	5.2	1987					1.07	1.07	10.9	25.2
GREEN BAY	0.60	1891	6.0	1891					1.06	1.06	12.2	29.5
MANITOWOC	0.70	1975	4.7	1947					1.67	1.67	14.9	26.7
MARSHFIELD	0.51	1916	4.0	1975					0.84	0.84	10.0	28.7
MERRILL	0.98	1914	4.5	1975					1.00	1.00	11.5	29.3
OSHKOSH	0.97	2013	6.5	1987					1.03	1.03	6.8	19.9
RHINELANDER	0.71	1914	7.0	1987					1.04	1.04	14.8	39.1
STEVENS POINT	0.45	2001	3.0	1975,2006					0.98	0.98	11.0	25.4
STURGEON BAY	0.70	2001	4.0	1971,2011					1.56	1.56	13.7	29.5
WAUSAU	0.60	1914	6.0	1975					0.96	0.96	12.7	34.9
WISCONSIN RAPIDS	0.80	1947	5.0	1987					0.99	0.99	11.6	29.2

**JANUARY 29**


**JANUARY 30**

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	43	1974	-33	1951	-11	1899	29	1931		22	2	12
APPLETON	45	1989	-30	1951	-10	2019	38	1988		26	10	18
GREEN BAY	42	1989	-31	1951	-10	1899	37	1988		25	9	17
MANITOWOC	47	1988	-23	1951	-12	1899	35	1896		26	14	20
MARSHFIELD	47	1919	-35	1951	-15	2019	34	1988		24	7	15
MERRILL	42	1926	-37	1950	-7	2019	27	1942,1983		24	2	13
OSHKOSH	45	1989	-32	1951	-11	2019	32	1931		27	11	19
RHINELANDER	44	1999	-36	1950	-10	1928	33	1988		22	4	13
STEVENS POINT	44	2016	-33	1899	-14	1899	32	1931		25	7	16
STURGEON BAY	43	1988	-25	1951	-12	1951	35	1988		26	10	18
WAUSAU	43	1999	-40	1951	-14	2019	36	1988		24	6	15
WISCONSIN RAPIDS	46	1974	-37	1951	-11	2019	40	1988		25	7	16

	REC	YEAR(S)	SNOW	YEAR(S)						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.60	1937	6.0	1937						0.73	0.73	10.6	33.7
APPLETON	0.57	1947	9.0	2013						1.11	1.11	11.2	25.5
GREEN BAY	0.64	2013	8.2	2013						1.10	1.10	12.6	29.9
MANITOWOC	1.50	1947	15.0	1947						1.73	1.73	15.3	27.1
MARSHFIELD	0.65	1937	9.3	2013						0.87	0.87	10.3	29.0
MERRILL	0.34	2014	4.5	2014						1.04	1.04	11.8	29.6
OSHKOSH	1.00	1947	10.0	1947						1.07	1.07	7.1	20.2
RHINELANDER	0.49	1937	5.2	2014						1.08	1.08	15.3	39.6
STEVENS POINT	1.27	1947	12.0	1947						1.02	1.02	11.3	25.7
STURGEON BAY	0.57	1947	6.0	1947						1.60	1.60	14.2	30.0
WAUSAU	0.88	1937	6.0	1946						0.99	0.99	13.1	35.3
WISCONSIN RAPIDS	0.40	1947	7.0	2013						1.03	1.03	12.0	29.6

**JANUARY 30**


**JANUARY 31**

	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)				
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	44	1952	-36	1899	-6	1971,2019	30	1923		22	2	12
APPLETON	51	2012	-26	2019	-6	1996,2019	33	2001		26	10	18
GREEN BAY	49	1993	-26	1899,2019	-8	1971	32	1891,1896,1923,2016		25	9	17
MANITOWOC	52	1989	-23	2019	-9	2019	36	1989		26	14	20
MARSHFIELD	48	1989	-30	1996,2019	-8	2019	33	1989		24	7	15
MERRILL	45	1952	-31	1996	-7	1996	35	1988		24	2	13
OSHKOSH	51	1989	-26	1918,2019	-7	2019	39	1988		28	11	19
RHINELANDER	46	1952,1989	-33	1996	-11	1938	26	1989		22	4	13
STEVENS POINT	48	1989	-37	1899	-8	1996	33	1988		25	7	16
STURGEON BAY	47	1989,1993	-25	1918	-6	2019	36	1988		26	10	18
WAUSAU	48	1993	-34	1899	-8	1971	32	1989		24	7	15



WISCONSIN RAPIDS	53	1989	-33	1918	-7	2019	29	1989		26	7	17
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.60	1917	6.0	1917					0.76	0.76	10.9	34.0
APPLETON	0.55	1947	6.0	1947					1.14	1.14	11.6	25.9
GREEN BAY	0.70	1917	7.8	1917					1.13	1.13	13.0	30.3
MANITOWOC	0.60	1908	7.0	1917					1.79	1.79	15.8	27.6
MARSHFIELD	0.90	1917	9.0	1917					0.90	0.90	10.6	29.3
MERRILL	0.44	1937	7.9	2002					1.07	1.07	12.2	30.0
OSHKOSH	2.40	1917	4.5	2002					1.10	1.10	7.4	20.5
RHINELANDER	0.26	1981,1997	5.5	2002					1.11	1.11	15.9	40.2
STEVENS POINT	1.00	1917	10.0	1917					1.05	1.05	11.7	26.1
STURGEON BAY	0.85	1917	10.0	1917					1.65	1.65	14.6	30.4
WAUSAU	1.03	1917	10.0	1917					1.02	1.02	13.5	35.7
WISCONSIN RAPIDS	0.43	1907	5.0	2002					1.06	1.06	12.4	30.0

**JANUARY 31**