

January 1

| | Rec | | Rec | | Rec | | Rec | | | | | | |
|---------------|------|-----------|------|-----------|-----|-----------|-----|----------------|--|-------------------|------|-------|--------|
| | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | | High | Low | Mean | |
| Antigo | 40 | 1905 | -24 | 1899,1999 | -1 | 1968 | 32 | 1921 | | 22 | 6 | 14 | |
| Appleton | 46 | 2007 | -16 | 1968 | -2 | 1969 | 35 | 2007 | | 27 | 13 | 20 | |
| Green Bay | 51 | 1897 | -20 | 1968 | -2 | 1924 | 37 | 1897 | | 27 | 14 | 20 | |
| Manitowoc | 47 | 1892,1987 | -16 | 1969 | -1 | 1969 | 37 | 1897 | | 28 | 16 | 22 | |
| Marshfield | 43 | 1998 | -30 | 1924 | -5 | 1974 | 29 | 1930,1950,2007 | | 24 | 9 | 16 | |
| Merrill | 49 | 1910 | -25 | 1968,1974 | -2 | 2018 | 31 | 2007 | | 23 | 6 | 15 | |
| Oshkosh | 52 | 1897 | -17 | 1968,1969 | 1 | 1969 | 35 | 2007 | | 27 | 13 | 20 | |
| Rhineland | 42 | 1929 | -34 | 1947 | -1 | 1968 | 29 | 2023 | | 24 | 6 | 15 | |
| Stevens Point | 50 | 1897 | -27 | 1899 | -4 | 1899 | 33 | 2007 | | 25 | 10 | 17 | |
| Sturgeon Bay | 45 | 2005,2007 | -17 | 1969 | 2 | 2018 | 37 | 1950 | | 27 | 13 | 20 | |
| Wausau | 46 | 1910 | -32 | 1947 | -5 | 1920 | 34 | 1897 | | 24 | 9 | 16 | |
| Wisc. Rapids | 43 | 1998 | -28 | 1947 | -3 | 1924,1928 | 34 | 2007 | | 25 | 10 | 18 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | | Month | Year | Month | Season |
| | | | | | | | | | | | | | |
| Antigo | 0.45 | 2007 | 5.5 | 2000 | | | | | | 0.03 | 0.03 | 0.4 | 19.6 |
| Appleton | 0.68 | 2007 | 4.5 | 1918 | | | | | | 0.05 | 0.05 | 0.4 | 14.7 |
| Green Bay | 1.22 | 1892 | 6.0 | 1891 | | | | | | 0.05 | 0.05 | 0.5 | 17.0 |
| Manitowoc | 1.39 | 1876 | 9.0 | 1942 | | | | | | 0.05 | 0.05 | 0.3 | 12.5 |
| Marshfield | 0.57 | 2007 | 4.5 | 1918 | | | | | | 0.04 | 0.04 | 0.4 | 19.4 |
| Merrill | 0.50 | 2007 | 3.1 | 2012 | | | | | | 0.04 | 0.04 | 0.4 | 17.9 |
| Oshkosh | 1.40 | 1892 | 6.5 | 1942 | | | | | | 0.05 | 0.05 | 0.3 | 12.4 |
| Rhineland | 0.33 | 1916 | 4.0 | 1939 | | | | | | 0.05 | 0.05 | 0.5 | 30.0 |
| Stevens Point | 1.00 | 1918 | 10.0 | 1918 | | | | | | 0.04 | 0.04 | 0.4 | 14.9 |
| Sturgeon Bay | 0.77 | 2007 | 5.5 | 1985 | | | | | | 0.06 | 0.06 | 0.5 | 16.8 |
| Wausau | 0.44 | 1918 | 5.4 | 1918 | | | | | | 0.04 | 0.04 | 0.5 | 22.3 |
| Wisc. Rapids | 0.87 | 2007 | 4.0 | 1912 | | | | | | 0.04 | 0.04 | 0.4 | 15.9 |

January 1

January 2

| | Rec | | Rec | | Low | | High | | 1991-2020 Normals | | | |
|---------------|------|-----------|------|-----------|-----|-----------|------|----------------|-------------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | High | Low | Mean | |
| Antigo | 52 | 1899 | -27 | 1979 | -5 | 1920 | 33 | 1950 | 22 | 6 | 14 | |
| Appleton | 45 | 1998 | -19 | 1979 | -6 | 1979 | 36 | 1950 | 26 | 12 | 19 | |
| Green Bay | 49 | 1897 | -20 | 1979 | -5 | 1979 | 41 | 1897 | 27 | 13 | 20 | |
| Manitowoc | 48 | 1897 | -18 | 1879 | -8 | 1879 | 40 | 1897 | 28 | 15 | 22 | |
| Marshfield | 48 | 1998 | -27 | 1979 | -10 | 1920 | 33 | 1950,2006 | 24 | 9 | 16 | |
| Merrill | 42 | 1926,1933 | -33 | 1974 | -5 | 1920 | 32 | 1950 | 23 | 6 | 15 | |
| Oshkosh | 53 | 1897 | -21 | 1979 | -4 | 1920 | 35 | 1897,1950,2006 | 27 | 13 | 20 | |
| Rhinelander | 42 | 1944,1998 | -29 | 1974 | -18 | 1920 | 32 | 1950 | 24 | 6 | 15 | |
| Stevens Point | 49 | 1897 | -26 | 1899 | -8 | 1920 | 34 | 1897 | 25 | 9 | 17 | |
| Sturgeon Bay | 49 | 1998 | -17 | 1969,1979 | 0 | 1912,1920 | 39 | 1950 | 27 | 13 | 20 | |
| Wausau | 45 | 1998 | -27 | 1979 | -8 | 1979 | 36 | 1897 | 24 | 9 | 16 | |
| Wisc. Rapids | 46 | 1998 | -24 | 1920 | -9 | 1920 | 34 | 1950,2006 | 25 | 9 | 17 | |
| | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | Month | Year | Month | Season |
| Antigo | 0.80 | 1937 | 8.0 | 1937 | | | | | 0.06 | 0.06 | 0.8 | 20.0 |
| Appleton | 0.78 | 1941 | 8.0 | 1999 | | | | | 0.10 | 0.10 | 0.8 | 15.1 |
| Green Bay | 0.58 | 1966 | 6.8 | 1892 | | | | | 0.10 | 0.10 | 0.9 | 17.4 |
| Manitowoc | 1.75 | 1999 | 2.6 | 1892 | | | | | 0.11 | 0.11 | 0.5 | 12.7 |
| Marshfield | 0.50 | 1936 | 6.5 | 1966 | | | | | 0.08 | 0.08 | 0.8 | 19.8 |
| Merrill | 0.62 | 1966 | 5.2 | 1918 | | | | | 0.08 | 0.08 | 0.7 | 18.2 |
| Oshkosh | 0.75 | 2005 | 5.0 | 1986 | | | | | 0.09 | 0.09 | 0.6 | 12.7 |
| Rhinelander | 0.67 | 1950 | 8.3 | 1911 | | | | | 0.10 | 0.10 | 1.0 | 30.5 |
| Stevens Point | 0.60 | 1941 | 4.0 | 1937,1966 | | | | | 0.09 | 0.09 | 0.7 | 15.2 |
| Sturgeon Bay | 0.81 | 1941 | 6.0 | 1999 | | | | | 0.12 | 0.12 | 1.0 | 17.3 |
| Wausau | 0.70 | 2000 | 8.1 | 1966 | | | | | 0.09 | 0.09 | 0.9 | 22.7 |
| Wisc. Rapids | 0.90 | 1911 | 9.5 | 1911 | | | | | 0.08 | 0.08 | 0.8 | 16.3 |

January 2

January 3

| | Rec | | Rec | | Rec | | Rec | | | | | | |
|---------------|------|-----------|------|-----------|-----|-----------|-----|----------------|--|-------------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | | High | Low | Mean | |
| Antigo | 44 | 1998 | -26 | 2014 | -6 | 1912,1979 | 30 | 1964,1998 | | 22 | 6 | 14 | |
| Appleton | 48 | 1998 | -15 | 1904,1979 | -2 | 1912,1928 | 34 | 1992 | | 26 | 12 | 19 | |
| Green Bay | 50 | 1897 | -18 | 2014 | -2 | 1896,1912 | 33 | 1897,1992,2007 | | 27 | 13 | 20 | |
| Manitowoc | 53 | 1998 | -16 | 1879 | -1 | 1979 | 39 | 1897 | | 28 | 15 | 21 | |
| Marshfield | 48 | 1998 | -23 | 1979 | -1 | 1919 | 32 | 2006 | | 23 | 8 | 16 | |
| Merrill | 43 | 1944,1998 | -30 | 1912 | -5 | 1979 | 32 | 2006 | | 23 | 6 | 14 | |
| Oshkosh | 50 | 1897,1998 | -19 | 1904 | 0 | 1979 | 38 | 1897 | | 27 | 13 | 20 | |
| Rhinelander | 42 | 1998 | -29 | 1981 | -6 | 1920 | 30 | 2006 | | 23 | 6 | 14 | |
| Stevens Point | 52 | 1897 | -28 | 1904 | -6 | 1979 | 37 | 1897 | | 25 | 9 | 17 | |
| Sturgeon Bay | 49 | 1998 | -16 | 1979 | -3 | 1979 | 33 | 2006 | | 27 | 13 | 20 | |
| Wausau | 46 | 1998 | -27 | 1904 | -2 | 1912 | 32 | 2006 | | 24 | 9 | 16 | |
| Wisc. Rapids | 50 | 2007 | -30 | 1904 | -1 | 1912 | 33 | 2006 | | 25 | 9 | 17 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | | Month | Year | Month | Season |
| | | | | | | | | | | | | | |
| Antigo | 0.59 | 1966 | 6.7 | 1966 | | | | | | 0.08 | 0.08 | 1.2 | 20.4 |
| Appleton | 0.50 | 1982 | 7.0 | 1971 | | | | | | 0.15 | 0.15 | 1.2 | 15.5 |
| Green Bay | 0.97 | 1897 | 8.2 | 1943 | | | | | | 0.15 | 0.15 | 1.4 | 17.9 |
| Manitowoc | 0.75 | 1880,1892 | 5.0 | 1971,1977 | | | | | | 0.16 | 0.16 | 0.8 | 13.0 |
| Marshfield | 0.40 | 1934 | 5.0 | 1943,1999 | | | | | | 0.12 | 0.12 | 1.2 | 20.2 |
| Merrill | 1.05 | 2000 | 9.0 | 2000 | | | | | | 0.13 | 0.13 | 1.1 | 18.6 |
| Oshkosh | 0.51 | 1890 | 7.0 | 1971 | | | | | | 0.14 | 0.14 | 0.9 | 13.0 |
| Rhinelander | 0.29 | 2023 | 8.0 | 1937 | | | | | | 0.15 | 0.15 | 1.5 | 31.0 |
| Stevens Point | 0.70 | 1907 | 6.5 | 1999 | | | | | | 0.13 | 0.13 | 1.1 | 15.6 |
| Sturgeon Bay | 1.09 | 1906 | 6.5 | 2000,2002 | | | | | | 0.18 | 0.18 | 1.4 | 17.7 |
| Wausau | 0.68 | 1897 | 6.0 | 1943 | | | | | | 0.13 | 0.13 | 1.4 | 23.2 |
| Wisc. Rapids | 0.60 | 1906 | 6.0 | 1971 | | | | | | 0.13 | 0.13 | 1.2 | 16.7 |

January 3

January 4

| 1991-2020 Normals | | | | | | | | | | | | |
|-------------------|----------|---------|---------|----------------|---------|----------------|----------|----------------|---------------|------|-------|--------|
| Location | Rec High | Year(s) | Rec Low | Year(s) | Rec Max | Year(s) | Rec High | Year(s) | High | Low | Mean | |
| Antigo | 42 | 2019 | -24 | 1896 | -6 | 1912 | 30 | 1927,2006,2023 | 22 | 5 | 14 | |
| Appleton | 47 | 2007 | -20 | 1911,1919 | -6 | 1959 | 32 | 1927,1997,2023 | 26 | 12 | 19 | |
| Green Bay | 46 | 2007 | -18 | 1911,1912,1919 | -4 | 1912 | 38 | 2007 | 26 | 13 | 20 | |
| Manitowoc | 53 | 1998 | -22 | 1884 | -12 | 1884 | 36 | 1921,2007 | 27 | 15 | 21 | |
| Marshfield | 45 | 2007 | -28 | 1924 | -8 | 1942 | 34 | 2007 | 23 | 8 | 16 | |
| Merrill | 41 | 2007 | -32 | 1912 | -6 | 1924 | 32 | 2006 | 23 | 6 | 14 | |
| Oshkosh | 48 | 2007 | -21 | 1919 | -2 | 1959 | 37 | 2007 | 27 | 13 | 20 | |
| Rhinelander | 45 | 2019 | -28 | 1911 | -8 | 1988 | 34 | 2007 | 23 | 5 | 14 | |
| Stevens Point | 48 | 1897 | -33 | 1904 | -5 | 1969 | 32 | 1997,2006 | 24 | 9 | 17 | |
| Sturgeon Bay | 47 | 2007 | -16 | 1947 | -2 | 1979 | 34 | 1921,2006 | 26 | 13 | 19 | |
| Wausau | 42 | 2019 | -25 | 1904 | -5 | 1896,1924,1959 | 34 | 2007 | 24 | 8 | 16 | |
| Wisc. Rapids | 46 | 2007 | -34 | 1904 | -13 | 1942 | 36 | 2006 | 25 | 9 | 17 | |
| 1991-2020 Normals | | | | | | | | | | | | |
| | Max | Year(s) | Max | Year(s) | | | | | Precipitation | | Snow | |
| | Pcprn | Year(s) | Snow | Year(s) | | | | | Month | Year | Month | Season |
| Antigo | 0.68 | 1971 | 11.0 | 1971 | | | | | 0.11 | 0.11 | 1.6 | 20.8 |
| Appleton | 0.67 | 1971 | 6.5 | 1943 | | | | | 0.20 | 0.20 | 1.6 | 15.9 |
| Green Bay | 0.69 | 1922 | 8.8 | 1982 | | | | | 0.20 | 0.20 | 1.8 | 18.3 |
| Manitowoc | 2.30 | 2000 | 6.0 | 1910 | | | | | 0.21 | 0.21 | 1.0 | 13.2 |
| Marshfield | 0.85 | 1971 | 10.5 | 1971 | | | | | 0.16 | 0.16 | 1.7 | 20.7 |
| Merrill | 0.65 | 1971 | 2.6 | 2015 | | | | | 0.17 | 0.17 | 1.5 | 19.0 |
| Oshkosh | 1.00 | 1910 | 12.0 | 1910 | | | | | 0.19 | 0.19 | 1.2 | 13.3 |
| Rhinelander | 1.12 | 1939 | 9.0 | 1971 | | | | | 0.20 | 0.20 | 2.0 | 31.5 |
| Stevens Point | 0.77 | 1971 | 9.0 | 1971 | | | | | 0.17 | 0.17 | 1.5 | 16.0 |
| Sturgeon Bay | 1.17 | 1982 | 11.5 | 1982 | | | | | 0.24 | 0.24 | 1.9 | 18.2 |
| Wausau | 0.88 | 1997 | 7.0 | 1971 | | | | | 0.18 | 0.18 | 1.9 | 23.7 |
| Wisc. Rapids | 0.66 | 1971 | 7.0 | 1971 | | | | | 0.17 | 0.17 | 1.6 | 17.1 |

January 4

January 5

| | Rec | | Rec | | Rec | | Rec | | | | | | |
|---------------|------|-----------|------|----------------|-----|-----------|-----|---------|--|-------------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | | High | Low | Mean | |
| Antigo | 41 | 2019 | -29 | 1972 | -11 | 1912 | 33 | 2007 | | 22 | 5 | 14 | |
| Appleton | 47 | 2019 | -23 | 1979 | -12 | 1912 | 37 | 2007 | | 26 | 12 | 19 | |
| Green Bay | 47 | 2007,2019 | -22 | 1912,1924,1979 | -10 | 1912 | 39 | 1946 | | 26 | 13 | 19 | |
| Manitowoc | 48 | 2007 | -18 | 1884,1912 | -10 | 1912 | 42 | 2007 | | 27 | 15 | 21 | |
| Marshfield | 46 | 2019 | -32 | 1924 | -13 | 1942 | 35 | 2007 | | 23 | 8 | 16 | |
| Merrill | 44 | 2019 | -31 | 1972 | -11 | 1912 | 36 | 2007 | | 23 | 5 | 14 | |
| Oshkosh | 48 | 2007 | -23 | 1912,1924 | -4 | 1912,1942 | 37 | 1946 | | 27 | 12 | 20 | |
| Rhineland | 43 | 2019 | -29 | 1972 | -10 | 1912,1924 | 34 | 1946 | | 23 | 5 | 14 | |
| Stevens Point | 46 | 2019 | -27 | 1924 | -8 | 1942 | 36 | 2007 | | 24 | 9 | 16 | |
| Sturgeon Bay | 48 | 1946 | -22 | 1912 | -5 | 1912 | 37 | 2007 | | 26 | 12 | 19 | |
| Wausau | 45 | 1946 | -28 | 1912 | -12 | 1912 | 36 | 1946 | | 23 | 8 | 16 | |
| Wisc. Rapids | 49 | 2019 | -34 | 1924 | -19 | 1912 | 34 | 1946 | | 25 | 9 | 17 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | | Month | Year | Month | Season |
| | | | | | | | | | | | | | |
| Antigo | 1.23 | 1939 | 7.0 | 1905 | | | | | | 0.14 | 0.14 | 2.0 | 21.2 |
| Appleton | 0.64 | 1997 | 9.0 | 1905 | | | | | | 0.25 | 0.25 | 2.0 | 16.3 |
| Green Bay | 1.05 | 1939,1946 | 9.9 | 1929 | | | | | | 0.25 | 0.25 | 2.3 | 18.8 |
| Manitowoc | 1.11 | 1929 | 7.0 | 1951 | | | | | | 0.26 | 0.26 | 1.3 | 13.5 |
| Marshfield | 1.03 | 1939 | 7.0 | 1929,1932 | | | | | | 0.20 | 0.20 | 2.1 | 21.1 |
| Merrill | 1.66 | 1939 | 4.5 | 1922 | | | | | | 0.21 | 0.21 | 1.9 | 19.4 |
| Oshkosh | 1.39 | 1939 | 9.0 | 1929 | | | | | | 0.24 | 0.24 | 1.5 | 13.6 |
| Rhineland | 1.00 | 1946 | 5.5 | 2022 | | | | | | 0.25 | 0.25 | 2.5 | 32.0 |
| Stevens Point | 1.42 | 1922 | 7.0 | 1922,1929 | | | | | | 0.22 | 0.22 | 1.9 | 16.4 |
| Sturgeon Bay | 1.12 | 1946 | 12.0 | 1929 | | | | | | 0.30 | 0.30 | 2.4 | 18.7 |
| Wausau | 0.98 | 1946 | 12.0 | 1929 | | | | | | 0.22 | 0.22 | 2.4 | 24.2 |
| Wisc. Rapids | 1.06 | 1946 | 6.0 | 1994 | | | | | | 0.21 | 0.21 | 2.0 | 17.5 |

January 5

January 6

| | Rec | | Rec | | Low | | High | | 1991-2020 Normals | | | |
|---------------|------|---------|------|---------|-----|---------|------|---------------------|-------------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | High | Low | Mean | |
| Antigo | 44 | 1933 | -34 | 1912 | -14 | 2014 | 32 | 1915,1930 | 22 | 5 | 13 | |
| Appleton | 46 | 2007 | -26 | 1912 | -12 | 1912 | 34 | 1930,1939,1946,2007 | 26 | 12 | 19 | |
| Green Bay | 51 | 1933 | -26 | 1912 | -12 | 1912 | 36 | 2008 | 26 | 12 | 19 | |
| Manitowoc | 49 | 2012 | -22 | 1912 | -9 | 1912 | 37 | 1880,1930,2008 | 27 | 14 | 21 | |
| Marshfield | 47 | 1933 | -29 | 1924 | -16 | 2014 | 35 | 2012 | 23 | 8 | 15 | |
| Merrill | 45 | 1933 | -34 | 1909 | -17 | 2014 | 32 | 2007 | 23 | 5 | 14 | |
| Oshkosh | 50 | 1933 | -28 | 1912 | -12 | 1912 | 36 | 2008 | 27 | 12 | 19 | |
| Rhineland | 43 | 2012 | -40 | 1912 | -17 | 2014 | 34 | 2008 | 23 | 5 | 14 | |
| Stevens Point | 48 | 1933 | -28 | 1909 | -16 | 2014 | 35 | 1930 | 24 | 9 | 16 | |
| Sturgeon Bay | 47 | 1946 | -27 | 1912 | -12 | 2014 | 35 | 2008 | 26 | 12 | 19 | |
| Wausau | 47 | 1933 | -35 | 1912 | -15 | 1912 | 34 | 2008 | 23 | 8 | 16 | |
| Wisc. Rapids | 51 | 1933 | -34 | 1912 | -15 | 1912 | 36 | 2008 | 25 | 9 | 17 | |
| | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | Precipitation | | Snow | |
| | Pcpr | Year(s) | Snow | Year(s) | | | | | Month | Year | Month | Season |
| Antigo | 1.10 | 1932 | 8.0 | 1932 | | | | | 0.17 | 0.17 | 2.3 | 21.5 |
| Appleton | 0.84 | 1929 | 11.0 | 1929 | | | | | 0.30 | 0.30 | 2.4 | 16.7 |
| Green Bay | 0.86 | 1888 | 7.1 | 1994 | | | | | 0.30 | 0.30 | 2.7 | 19.2 |
| Manitowoc | 1.00 | 1885 | 7.0 | 1918 | | | | | 0.31 | 0.31 | 1.5 | 13.7 |
| Marshfield | 0.90 | 1964 | 8.5 | 1994 | | | | | 0.23 | 0.23 | 2.5 | 21.5 |
| Merrill | 1.22 | 1946 | 21.2 | 1929 | | | | | 0.26 | 0.26 | 2.2 | 19.7 |
| Oshkosh | 1.20 | 1918 | 12.0 | 1918 | | | | | 0.29 | 0.29 | 1.8 | 13.9 |
| Rhineland | 0.65 | 1980 | 8.0 | 1929 | | | | | 0.30 | 0.30 | 3.0 | 32.5 |
| Stevens Point | 0.75 | 1920 | 8.0 | 1920 | | | | | 0.26 | 0.26 | 2.2 | 16.7 |
| Sturgeon Bay | 0.45 | 1980 | 6.0 | 2022 | | | | | 0.36 | 0.36 | 2.9 | 19.2 |
| Wausau | 0.72 | 1980 | 9.0 | 1980 | | | | | 0.26 | 0.26 | 2.8 | 24.6 |
| Wisc. Rapids | 0.90 | 1980 | 8.9 | 1980 | | | | | 0.25 | 0.25 | 2.3 | 17.8 |

January 6

January 7

| | Rec | | Rec | | Rec | | Rec | | | | | | |
|---------------|------|-----------|------|-----------|-----|-----------|-----|----------------|--|-------------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | | High | Low | Mean | |
| Antigo | 43 | 2003 | -35 | 1912 | -13 | 1912 | 33 | 1928 | | 21 | 5 | 13 | |
| Appleton | 49 | 1933 | -27 | 1912 | -14 | 1912 | 36 | 1965,2008 | | 26 | 11 | 19 | |
| Green Bay | 44 | 1900,1965 | -29 | 1887 | -12 | 1912 | 37 | 1965 | | 26 | 12 | 19 | |
| Manitowoc | 47 | 1933 | -22 | 1912 | -9 | 1912,1942 | 36 | 1965,2008 | | 27 | 14 | 21 | |
| Marshfield | 45 | 2003 | -31 | 1968 | -15 | 1942 | 31 | 2008,2019 | | 23 | 8 | 15 | |
| Merrill | 46 | 1928 | -40 | 1912 | -15 | 1912 | 32 | 1928,2008 | | 22 | 5 | 14 | |
| Oshkosh | 46 | 2003 | -30 | 1912 | -8 | 1942 | 35 | 1965,2008 | | 26 | 12 | 19 | |
| Rhineland | 44 | 1990 | -38 | 1912 | -15 | 1912 | 30 | 1965,2008 | | 23 | 5 | 14 | |
| Stevens Point | 50 | 1933 | -30 | 1951 | -7 | 1942,1968 | 34 | 1900 | | 24 | 8 | 16 | |
| Sturgeon Bay | 42 | 1946,2007 | -28 | 1912 | -10 | 1912 | 34 | 1928,1965,2008 | | 26 | 12 | 19 | |
| Wausau | 41 | 1949,2003 | -32 | 1911,1912 | -14 | 1912 | 35 | 1965 | | 23 | 8 | 15 | |
| Wisc. Rapids | 47 | 1949,2003 | -35 | 1912 | -12 | 1912 | 34 | 1965 | | 25 | 9 | 17 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | | Month | Year | Month | Season |
| Antigo | 0.62 | 1980 | 7.0 | 1980 | | | | | | 0.20 | 0.20 | 2.7 | 21.9 |
| Appleton | 0.97 | 2008 | 4.0 | 1919 | | | | | | 0.35 | 0.35 | 2.7 | 17.0 |
| Green Bay | 0.91 | 2019 | 4.9 | 2010 | | | | | | 0.34 | 0.34 | 3.1 | 19.6 |
| Manitowoc | 0.47 | 1913 | 7.0 | 1905,1913 | | | | | | 0.36 | 0.36 | 1.8 | 14.0 |
| Marshfield | 0.60 | 1967 | 6.0 | 1967 | | | | | | 0.27 | 0.27 | 2.9 | 21.9 |
| Merrill | 0.54 | 1980 | 7.0 | 1980 | | | | | | 0.30 | 0.30 | 2.6 | 20.1 |
| Oshkosh | 0.81 | 2019 | 4.0 | 1913 | | | | | | 0.33 | 0.33 | 2.1 | 14.2 |
| Rhineland | 0.41 | 2019 | 5.0 | 1967 | | | | | | 0.34 | 0.34 | 3.5 | 33.0 |
| Stevens Point | 0.70 | 2019 | 4.0 | 1967,1994 | | | | | | 0.30 | 0.30 | 2.6 | 17.1 |
| Sturgeon Bay | 0.63 | 1967 | 5.5 | 1918 | | | | | | 0.41 | 0.41 | 3.4 | 19.7 |
| Wausau | 0.73 | 2019 | 5.3 | 1994 | | | | | | 0.30 | 0.30 | 3.3 | 25.1 |
| Wisc. Rapids | 0.98 | 2019 | 3.0 | 1994,2010 | | | | | | | | | |

January 7

January 8

| | Rec | | Rec | | Rec | | Rec | | | | | | |
|---------------|------|-----------|------|----------------|-----|---------|-----|-----------|--|-------------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | | High | Low | Mean | |
| Antigo | 46 | 2003 | -26 | 1968 | -5 | 1976 | 32 | 2008 | | 21 | 5 | 13 | |
| Appleton | 51 | 2003 | -25 | 1929 | -10 | 1942 | 35 | 2008 | | 26 | 11 | 18 | |
| Green Bay | 49 | 2003 | -21 | 1971 | -12 | 1887 | 34 | 2008,2016 | | 26 | 12 | 19 | |
| Manitowoc | 51 | 2003 | -17 | 1942 | 0 | 1912 | 38 | 1880 | | 27 | 14 | 20 | |
| Marshfield | 50 | 2003 | -24 | 1968 | -5 | 1976 | 32 | 2016 | | 23 | 7 | 15 | |
| Merrill | 48 | 2003 | -32 | 1979 | -2 | 1976 | 32 | 2008 | | 22 | 5 | 13 | |
| Oshkosh | 54 | 2003 | -19 | 1912,1942 | -2 | 1976 | 34 | 2008,2016 | | 26 | 12 | 19 | |
| Rhineland | 48 | 2003 | -30 | 1974 | -6 | 1929 | 31 | 2008,2016 | | 23 | 5 | 14 | |
| Stevens Point | 51 | 2003 | -32 | 1894 | -4 | 1976 | 34 | 1965 | | 24 | 8 | 16 | |
| Sturgeon Bay | 50 | 2003 | -20 | 1929 | -2 | 1912 | 36 | 2003 | | 26 | 12 | 19 | |
| Wausau | 46 | 2003 | -39 | 1942 | -6 | 1976 | 33 | 2008 | | 23 | 8 | 15 | |
| Wisc. Rapids | 53 | 2003 | -28 | 1942 | -1 | 1912 | 33 | 2008,2016 | | 25 | 8 | 16 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | | Month | Year | Month | Season |
| | | | | | | | | | | | | | |
| Antigo | 0.60 | 1937 | 6.0 | 1937 | | | | | | 0.22 | 0.22 | 3.0 | 22.2 |
| Appleton | 0.70 | 1937,2019 | 5.0 | 1952,1969 | | | | | | 0.39 | 0.39 | 3.1 | 17.4 |
| Green Bay | 0.89 | 2008 | 5.3 | 1889 | | | | | | 0.38 | 0.38 | 3.5 | 20.0 |
| Manitowoc | 1.18 | 2008 | 4.0 | 1936,1952,1998 | | | | | | 0.42 | 0.42 | 2.0 | 14.2 |
| Marshfield | 0.65 | 1937 | 6.5 | 1937 | | | | | | 0.31 | 0.31 | 3.2 | 22.2 |
| Merrill | 0.30 | 1911 | 3.6 | 1933 | | | | | | 0.33 | 0.33 | 3.0 | 20.5 |
| Oshkosh | 1.15 | 1998 | 5.0 | 1969 | | | | | | 0.37 | 0.37 | 2.3 | 14.4 |
| Rhineland | 0.54 | 1969 | 9.0 | 1969 | | | | | | 0.38 | 0.38 | 3.9 | 33.4 |
| Stevens Point | 0.72 | 1937 | 8.0 | 1937 | | | | | | 0.34 | 0.34 | 2.9 | 17.4 |
| Sturgeon Bay | 0.93 | 2008 | 9.0 | 1907 | | | | | | 0.47 | 0.47 | 3.8 | 20.1 |
| Wausau | 0.41 | 1937 | 7.0 | 1937 | | | | | | 0.34 | 0.34 | 3.7 | 25.5 |
| Wisc. Rapids | 0.80 | 1911 | 4.5 | 1969 | | | | | | 0.33 | 0.33 | 3.0 | 18.5 |

January 8

January 9

| | Rec | | Rec | | Rec | | Rec | | | | | | |
|---------------|------|---------|------|----------------|-----|-----------|-----|-----------|--|-------------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | | High | Low | Mean | |
| Antigo | 46 | 2002 | -33 | 1977 | -6 | 1912 | 29 | 1939,2003 | | 21 | 5 | 13 | |
| Appleton | 51 | 2002 | -25 | 1982 | -12 | 1982 | 33 | 2016 | | 26 | 11 | 18 | |
| Green Bay | 53 | 2002 | -27 | 1977 | -6 | 1912 | 37 | 1939 | | 26 | 12 | 19 | |
| Manitowoc | 52 | 2002 | -18 | 1982 | -5 | 1912 | 41 | 2002 | | 27 | 14 | 20 | |
| Marshfield | 50 | 2002 | -28 | 1977 | -7 | 1977 | 31 | 1939 | | 23 | 7 | 15 | |
| Merrill | 47 | 2002 | -39 | 1977 | -3 | 1976,1980 | 31 | 1992 | | 22 | 4 | 13 | |
| Oshkosh | 54 | 2002 | -25 | 1977 | -2 | 1912 | 35 | 2003 | | 26 | 12 | 19 | |
| Rhineland | 45 | 1990 | -37 | 1977 | -6 | 1912 | 30 | 2002 | | 23 | 4 | 14 | |
| Stevens Point | 47 | 1990 | -28 | 1977 | -2 | 1976 | 32 | 1992 | | 24 | 8 | 16 | |
| Sturgeon Bay | 51 | 2002 | -23 | 1977 | -3 | 1912 | 34 | 1972 | | 26 | 11 | 18 | |
| Wausau | 47 | 2002 | -25 | 1977 | -11 | 1982 | 34 | 2002 | | 23 | 7 | 15 | |
| Wisc. Rapids | 51 | 2002 | -31 | 1977 | -10 | 1912 | 35 | 2002 | | 24 | 8 | 16 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | | Month | Year | Month | Season |
| | | | | | | | | | | | | | |
| Antigo | 0.30 | 1992 | 9.5 | 1969 | | | | | | 0.25 | 0.25 | 3.4 | 22.6 |
| Appleton | 0.65 | 2008 | 5.1 | 1998 | | | | | | 0.44 | 0.44 | 3.5 | 17.8 |
| Green Bay | 1.78 | 1889 | 17.8 | 1889 | | | | | | 0.43 | 0.43 | 3.9 | 20.4 |
| Manitowoc | 0.80 | 1901 | 5.0 | 1930 | | | | | | 0.47 | 0.47 | 2.2 | 14.4 |
| Marshfield | 0.30 | 1936 | 3.0 | 1929,1936,1940 | | | | | | 0.34 | 0.34 | 3.6 | 22.6 |
| Merrill | 0.60 | 2016 | 3.5 | 1964 | | | | | | 0.37 | 0.37 | 3.4 | 20.9 |
| Oshkosh | 1.80 | 1889 | 12.0 | 1889 | | | | | | 0.41 | 0.41 | 2.6 | 14.7 |
| Rhineland | 0.36 | 1969 | 7.0 | 1969 | | | | | | 0.42 | 0.42 | 4.4 | 33.9 |
| Stevens Point | 0.40 | 1917 | 4.0 | 1917,1998 | | | | | | 0.38 | 0.38 | 3.3 | 17.8 |
| Sturgeon Bay | 0.69 | 1969 | 7.0 | 1969 | | | | | | 0.53 | 0.53 | 4.3 | 20.6 |
| Wausau | 0.35 | 1929 | 7.0 | 1935 | | | | | | 0.38 | 0.38 | 4.2 | 26.0 |
| Wisc. Rapids | 0.33 | 1923 | 1.0 | 1955 | | | | | | 0.37 | 0.37 | 3.4 | 18.9 |

January 9

January 10

| | Rec | | Rec | | Rec | | Rec | | | | | | |
|---------------|------|-----------|------|----------------|-----|---------|-----|----------------|--|-------------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | | High | Low | Mean | |
| Antigo | 43 | 2012 | -32 | 1982 | -16 | 1982 | 31 | 2002 | | 21 | 4 | 13 | |
| Appleton | 49 | 1975,2018 | -24 | 1982 | -9 | 1912 | 34 | 1975 | | 25 | 11 | 18 | |
| Green Bay | 48 | 1928,1975 | -25 | 1982 | -10 | 1912 | 33 | 1975,1983,2000 | | 26 | 12 | 19 | |
| Manitowoc | 48 | 1975 | -26 | 1982 | -9 | 1912 | 34 | 1975 | | 27 | 14 | 20 | |
| Marshfield | 51 | 2012 | -33 | 1982 | -11 | 1982 | 30 | 2018 | | 23 | 7 | 15 | |
| Merrill | 45 | 2012 | -37 | 1977 | 14 | 1982 | 29 | 2002 | | 22 | 4 | 13 | |
| Oshkosh | 50 | 1933 | -28 | 1982 | -5 | 1982 | 33 | 1975 | | 26 | 12 | 19 | |
| Rhineland | 44 | 2012 | -32 | 1912 | -13 | 1912 | 30 | 2018 | | 23 | 4 | 13 | |
| Stevens Point | 49 | 2002,2012 | -28 | 1982 | -14 | 1982 | 29 | 1939,2024 | | 24 | 8 | 16 | |
| Sturgeon Bay | 44 | 1928 | -23 | 1982 | -11 | 1912 | 35 | 1975 | | 25 | 11 | 18 | |
| Wausau | 47 | 2012 | -27 | 1982 | -6 | 1912 | 33 | 1975 | | 23 | 7 | 15 | |
| Wisc. Rapids | 50 | 2012 | -32 | 1937 | -10 | 1912 | 34 | 1975 | | 24 | 8 | 16 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | | Month | Year | Month | Season |
| | | | | | | | | | | | | | |
| Antigo | 0.38 | 1924 | 4.0 | 1924,1938,1971 | | | | | | 0.28 | 0.28 | 3.8 | 23.0 |
| Appleton | 0.80 | 1929 | 6.0 | 1929 | | | | | | 0.48 | 0.48 | 3.8 | 18.1 |
| Green Bay | 0.72 | 2017 | 5.7 | 1901 | | | | | | 0.48 | 0.48 | 4.3 | 20.8 |
| Manitowoc | 0.90 | 2017 | 6.3 | 1924 | | | | | | 0.53 | 0.53 | 2.4 | 14.6 |
| Marshfield | 0.84 | 2017 | 8.4 | 2017 | | | | | | 0.38 | 0.38 | 4.0 | 23.0 |
| Merrill | 0.62 | 2017 | 6.0 | 2017 | | | | | | 0.41 | 0.41 | 3.8 | 21.3 |
| Oshkosh | 0.61 | 2017 | 6.0 | 1917 | | | | | | 0.46 | 0.46 | 2.9 | 15.0 |
| Rhineland | 0.78 | 2017 | 7.0 | 2017 | | | | | | 0.46 | 0.46 | 4.8 | 34.3 |
| Stevens Point | 0.77 | 1924 | 6.0 | 1929 | | | | | | 0.42 | 0.42 | 3.6 | 18.1 |
| Sturgeon Bay | 0.59 | 2017 | 7.0 | 1985 | | | | | | 0.58 | 0.58 | 4.8 | 21.1 |
| Wausau | 0.84 | 2017 | 8.4 | 2017 | | | | | | 0.42 | 0.42 | 4.6 | 26.4 |
| Wisc. Rapids | 0.70 | 2017 | 4.0 | 2017,2023 | | | | | | 0.41 | 0.41 | 3.7 | 19.2 |

January 10

January 11

| | Rec | | Rec | | Rec | | Rec | | | | | | |
|---------------|------|-----------|------|-----------|-----|-----------|-----|---------|--|-------------------|------|-------|--------|
| | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | | 1991-2020 Normals | | | |
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | | High | Low | Mean | |
| Antigo | 43 | 1980 | -32 | 1979 | -9 | 1912 | 30 | 2023 | | 21 | 4 | 13 | |
| Appleton | 52 | 2012 | -23 | 1979 | -6 | 1912 | 35 | 1928 | | 25 | 11 | 18 | |
| Green Bay | 51 | 2012 | -25 | 1979 | -6 | 1912,1979 | 34 | 2013 | | 26 | 11 | 19 | |
| Manitowoc | 48 | 1980 | -19 | 1888 | -5 | 1912 | 36 | 2013 | | 27 | 14 | 20 | |
| Marshfield | 44 | 2002,2012 | -26 | 1977,1979 | -3 | 1979 | 33 | 2013 | | 23 | 7 | 15 | |
| Merrill | 45 | 2012 | -38 | 1979 | -10 | 1912 | 32 | 1928 | | 22 | 4 | 13 | |
| Oshkosh | 51 | 2012 | -28 | 1912 | -4 | 1912 | 38 | 2007 | | 26 | 11 | 19 | |
| Rhineland | 44 | 1928 | -33 | 1979 | -14 | 1912 | 33 | 2013 | | 23 | 4 | 13 | |
| Stevens Point | 47 | 2012 | -29 | 1979 | -3 | 1978 | 32 | 1928 | | 24 | 8 | 16 | |
| Sturgeon Bay | 48 | 1975 | -18 | 1979 | -6 | 1912 | 38 | 2013 | | 25 | 11 | 18 | |
| Wausau | 45 | 2012 | -31 | 1979 | -7 | 1912 | 33 | 2013 | | 23 | 7 | 15 | |
| Wisc. Rapids | 49 | 2012 | -31 | 1937 | -7 | 1912 | 33 | 2013 | | 24 | 8 | 16 | |
| | | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | | Month | Year | Month | Season |
| Antigo | 0.70 | 1918 | 6.0 | 2017 | | | | | | 0.31 | 0.31 | 4.2 | 23.4 |
| Appleton | 0.57 | 2017 | 8.0 | 2000 | | | | | | 0.53 | 0.53 | 4.2 | 18.5 |
| Green Bay | 0.52 | 1890 | 5.2 | 1890 | | | | | | 0.52 | 0.52 | 4.8 | 21.3 |
| Manitowoc | 0.95 | 1890 | 6.0 | 1905 | | | | | | 0.59 | 0.59 | 2.7 | 14.9 |
| Marshfield | 0.60 | 1938 | 6.0 | 1938 | | | | | | 0.42 | 0.42 | 4.4 | 23.4 |
| Merrill | 0.30 | 1976 | 6.0 | 1976 | | | | | | 0.45 | 0.45 | 4.1 | 21.6 |
| Oshkosh | 0.85 | 1890 | 8.0 | 1901 | | | | | | 0.50 | 0.50 | 3.2 | 15.3 |
| Rhineland | 0.42 | 2018 | 4.0 | 1938 | | | | | | 0.50 | 0.50 | 5.3 | 34.8 |
| Stevens Point | 0.66 | 2017 | 5.2 | 2017 | | | | | | 0.46 | 0.46 | 4.0 | 18.5 |
| Sturgeon Bay | 0.43 | 2013 | 4.0 | 1929,2007 | | | | | | 0.64 | 0.64 | 5.2 | 21.5 |
| Wausau | 0.38 | 1938 | 3.7 | 1996 | | | | | | 0.46 | 0.46 | 5.1 | 26.9 |
| Wisc. Rapids | 0.40 | 1996 | 3.0 | 1991 | | | | | | 0.45 | 0.45 | 4.1 | 19.6 |

January 11

January 12

| | Rec | | Rec | | Rec | | Rec | | | | | | |
|---------------|------|-----------|------|-----------|-----|----------------|-----|-----------|--|-------------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | | High | Low | Mean | |
| Antigo | 42 | 1928,1987 | -33 | 1912 | -2 | 1912,1975,1977 | 31 | 1932 | | 21 | 4 | 12 | |
| Appleton | 47 | 2006 | -24 | 1912 | -7 | 1912 | 34 | 2013 | | 25 | 10 | 18 | |
| Green Bay | 48 | 1928 | -25 | 1912 | -4 | 1912 | 38 | 1932 | | 25 | 11 | 18 | |
| Manitowoc | 50 | 1961 | -20 | 1912 | -5 | 1912 | 36 | 1932 | | 26 | 13 | 20 | |
| Marshfield | 44 | 2013 | -23 | 1974,1977 | -3 | 1975 | 31 | 1932 | | 23 | 7 | 15 | |
| Merrill | 44 | 2013 | -48 | 1909 | -10 | 1909 | 33 | 2013 | | 22 | 4 | 13 | |
| Oshkosh | 51 | 2006 | -27 | 1912 | -1 | 1912 | 35 | 1932 | | 26 | 11 | 19 | |
| Rhineland | 47 | 1987 | -38 | 1912 | -13 | 1912 | 30 | 1995,2001 | | 22 | 4 | 13 | |
| Stevens Point | 47 | 2012 | -23 | 1977 | -2 | 1977 | 34 | 2013 | | 23 | 7 | 15 | |
| Sturgeon Bay | 46 | 2013 | -21 | 1912 | -5 | 1912 | 33 | 1932,2007 | | 25 | 11 | 18 | |
| Wausau | 45 | 1987 | -32 | 1909 | -9 | 1912 | 35 | 1932 | | 23 | 7 | 15 | |
| Wisc. Rapids | 46 | 1987 | -36 | 1912 | -16 | 1929 | 36 | 1932 | | 24 | 8 | 16 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | | Month | Year | Month | Season |
| | | | | | | | | | | | | | |
| Antigo | 0.77 | 1960 | 4.2 | 1935 | | | | | | 0.34 | 0.34 | 4.6 | 23.8 |
| Appleton | 0.80 | 1966,2024 | 10.0 | 2024 | | | | | | 0.57 | 0.57 | 4.6 | 18.9 |
| Green Bay | 1.00 | 1890 | 11.8 | 2024 | | | | | | 0.57 | 0.57 | 5.2 | 21.7 |
| Manitowoc | 1.10 | 1918 | 11.0 | 1918 | | | | | | 0.64 | 0.64 | 2.9 | 15.1 |
| Marshfield | 1.12 | 1960 | 8.0 | 2000 | | | | | | 0.45 | 0.45 | 4.8 | 23.8 |
| Merrill | 0.46 | 1960 | 4.0 | 1907 | | | | | | 0.49 | 0.49 | 4.5 | 22.0 |
| Oshkosh | 0.86 | 1960 | 8.0 | 2000 | | | | | | 0.55 | 0.55 | 3.5 | 15.6 |
| Rhineland | 0.55 | 1935 | 5.0 | 1935 | | | | | | 0.54 | 0.54 | 5.7 | 35.2 |
| Stevens Point | 1.07 | 1960 | 6.0 | 1918 | | | | | | 0.50 | 0.50 | 4.4 | 18.9 |
| Sturgeon Bay | 0.82 | 1960 | 7.0 | 1993 | | | | | | 0.70 | 0.70 | 5.7 | 22.0 |
| Wausau | 1.03 | 1960 | 7.0 | 1898 | | | | | | 0.50 | 0.50 | 5.6 | 27.4 |
| Wisc. Rapids | 0.67 | 1960 | 6.2 | 2024 | | | | | | | | | |

January 12

January 13

| | Rec | | Rec | | Rec | | Rec | | | | | | |
|---------------|------|---------|------|-----------|-----|-----------|-----|--------------------------|--|-------------------|------|-------|--------|
| | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | | 1991-2020 Normals | | | |
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | | High | Low | Mean | |
| Antigo | 45 | 1987 | -27 | 1929 | 1 | 1999 | 35 | 1932 | | 21 | 4 | 12 | |
| Appleton | 49 | 1961 | -25 | 1929 | -12 | 1929 | 37 | 1932 | | 25 | 10 | 18 | |
| Green Bay | 50 | 1961 | -23 | 1929 | -11 | 1929 | 35 | 1932,1995 | | 25 | 11 | 18 | |
| Manitowoc | 55 | 1961 | -23 | 1885 | -8 | 1885 | 40 | 1932 | | 26 | 13 | 20 | |
| Marshfield | 46 | 1987 | -31 | 1929 | -6 | 1929 | 34 | 1932 | | 22 | 7 | 15 | |
| Merrill | 47 | 1987 | -32 | 1912 | -11 | 1929 | 32 | 1960,1995 | | 22 | 4 | 13 | |
| Oshkosh | 52 | 1961 | -25 | 1929 | -6 | 1929 | 39 | 1932 | | 26 | 11 | 18 | |
| Rhinelander | 49 | 1987 | -33 | 1912 | -6 | 1929 | 35 | 1932 | | 22 | 4 | 13 | |
| Stevens Point | 45 | 1928 | -28 | 1929 | 1 | 1929,1997 | 36 | 1932 | | 23 | 7 | 15 | |
| Sturgeon Bay | 48 | 1961 | -24 | 1912 | -2 | 1929 | 37 | 1932 | | 25 | 10 | 18 | |
| Wausau | 45 | 1996 | -28 | 1929 | -16 | 1929 | 32 | 1899,1934,1960,1995,2001 | | 23 | 7 | 15 | |
| Wisc. Rapids | 50 | 1996 | -34 | 1929 | -3 | 1927 | 33 | 1960,2001 | | 24 | 8 | 16 | |
| | | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | | Precipitation | | Snow | |
| | Pcpr | Year(s) | Snow | Year(s) | | | | | | Month | Year | Month | Season |
| Antigo | 0.70 | 1935 | 8.0 | 1935 | | | | | | 0.36 | 0.36 | 5.0 | 24.2 |
| Appleton | 0.52 | 1950 | 8.7 | 2000 | | | | | | 0.62 | 0.62 | 5.0 | 19.3 |
| Green Bay | 0.48 | 1950 | 5.3 | 2008 | | | | | | 0.61 | 0.61 | 5.7 | 22.2 |
| Manitowoc | 0.97 | 1993 | 4.0 | 1935,1940 | | | | | | 0.70 | 0.70 | 3.1 | 15.3 |
| Marshfield | 0.87 | 1916 | 6.0 | 1916 | | | | | | 0.49 | 0.49 | 5.2 | 24.2 |
| Merrill | 1.00 | 1935 | 8.0 | 1935 | | | | | | 0.53 | 0.53 | 4.9 | 22.4 |
| Oshkosh | 0.60 | 1890 | 5.0 | 1979 | | | | | | 0.59 | 0.59 | 3.8 | 15.9 |
| Rhinelander | 1.45 | 1950 | 12.3 | 1950 | | | | | | 0.58 | 0.58 | 6.1 | 35.6 |
| Stevens Point | 0.96 | 1935 | 11.0 | 2000 | | | | | | 0.54 | 0.54 | 4.7 | 19.2 |
| Sturgeon Bay | 0.83 | 2024 | 14.0 | 2024 | | | | | | 0.76 | 0.76 | 6.2 | 22.5 |
| Wausau | 0.55 | 1935 | 7.0 | 1935 | | | | | | 0.54 | 0.54 | 6.1 | 27.9 |
| Wisc. Rapids | 0.40 | 1935 | 3.0 | 1979 | | | | | | 0.53 | 0.53 | 4.9 | 20.4 |

January 13

January 14

| 1991-2020 Normals | | | | | | | | | | | | |
|-------------------|------|----------------|------|-----------|-----|-----------|-----|----------------|---------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | High | Low | Mean | |
| Antigo | 42 | 1987 | -34 | 1917 | -6 | 1917,1994 | 29 | 1947 | 21 | 4 | 12 | |
| Appleton | 45 | 1932 | -27 | 1929 | -9 | 1994 | 32 | 2023 | 25 | 10 | 18 | |
| Green Bay | 42 | 1947,1952,1987 | -24 | 1929 | -7 | 1994 | 32 | 1947,1995,2001 | 25 | 11 | 18 | |
| Manitowoc | 43 | 1961 | -20 | 1881 | -4 | 1917 | 33 | 1947,1959,1960 | 26 | 13 | 20 | |
| Marshfield | 41 | 1914 | -31 | 1929 | -11 | 1917 | 30 | 1928,1960 | 22 | 7 | 15 | |
| Merrill | 45 | 1944,1987,1996 | -30 | 1924 | -12 | 1929 | 31 | 2001 | 22 | 3 | 13 | |
| Oshkosh | 46 | 1901 | -23 | 1929,1940 | -15 | 1893 | 33 | 2001 | 26 | 11 | 18 | |
| Rhineland | 46 | 1980 | -34 | 1916 | -15 | 1929 | 30 | 2001 | 22 | 4 | 13 | |
| Stevens Point | 47 | 1961,1987 | -25 | 1916,1924 | -5 | 1917 | 32 | 1960 | 23 | 7 | 15 | |
| Sturgeon Bay | 44 | 1932,1961 | -23 | 1929 | -4 | 1917 | 33 | 2001 | 25 | 10 | 18 | |
| Wausau | 44 | 1987 | -30 | 1972 | -11 | 1994 | 32 | 2001 | 23 | 7 | 15 | |
| Wisc. Rapids | 44 | 1987 | -31 | 1916 | -10 | 1994 | 32 | 1947,2001 | 24 | 8 | 16 | |
| 1991-2020 Normals | | | | | | | | | | | | |
| | Max | | Max | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | Month | Year | Month | Season |
| Antigo | 0.45 | 1923 | 7.5 | 2014 | | | | | 0.39 | 0.39 | 5.4 | 24.6 |
| Appleton | 0.44 | 1952 | 6.1 | 2014 | | | | | 0.66 | 0.66 | 5.4 | 19.7 |
| Green Bay | 0.58 | 1940 | 7.9 | 1940 | | | | | 0.66 | 0.66 | 6.1 | 22.6 |
| Manitowoc | 0.92 | 1930 | 4.3 | 1885 | | | | | 0.76 | 0.76 | 3.3 | 15.5 |
| Marshfield | 0.43 | 2014 | 9.0 | 2014 | | | | | 0.52 | 0.52 | 5.6 | 24.6 |
| Merrill | 0.80 | 1950 | 9.5 | 2014 | | | | | 0.57 | 0.57 | 5.3 | 22.8 |
| Oshkosh | 1.25 | 1940 | 11.0 | 1940 | | | | | 0.63 | 0.63 | 4.1 | 16.2 |
| Rhineland | 0.56 | 1952 | 7.0 | 1998 | | | | | 0.61 | 0.61 | 6.5 | 36.0 |
| Stevens Point | 1.00 | 1930 | 12.0 | 1930 | | | | | 0.58 | 0.58 | 5.0 | 19.5 |
| Sturgeon Bay | 0.72 | 2014 | 11.0 | 2014 | | | | | 0.81 | 0.81 | 6.8 | 23.1 |
| Wausau | 0.54 | 2014 | 9.2 | 1930 | | | | | 0.58 | 0.58 | 6.6 | 28.4 |
| Wisc. Rapids | 0.55 | 1952 | 7.0 | 2014 | | | | | 0.57 | 0.57 | 5.2 | 20.7 |

January 14

January 15

| | Rec | | Rec | | Rec | | Rec | | | | | | |
|---------------|------|----------------|------|-----------|-----|-----------|-----|-----------|--|-------------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | | High | Low | Mean | |
| Antigo | 40 | 1910 | -38 | 1972 | -19 | 1972 | 32 | 2021 | | 21 | 4 | 12 | |
| Appleton | 47 | 1990 | -28 | 1929,1972 | -15 | 1972 | 32 | 1906,1949 | | 25 | 10 | 17 | |
| Green Bay | 45 | 1949 | -28 | 1972 | -15 | 1972 | 34 | 1894 | | 25 | 11 | 18 | |
| Manitowoc | 50 | 1953 | -26 | 1972 | -10 | 1994 | 36 | 1953 | | 26 | 13 | 20 | |
| Marshfield | 44 | 1933 | -33 | 1972 | -16 | 1972 | 32 | 2021 | | 22 | 7 | 14 | |
| Merrill | 47 | 1933 | -38 | 1972 | -12 | 1963,1994 | 31 | 1996,2001 | | 22 | 3 | 12 | |
| Oshkosh | 49 | 1953 | -28 | 1972,1998 | -13 | 1972 | 33 | 1901,2021 | | 26 | 11 | 18 | |
| Rhinelander | 40 | 1990 | -39 | 1972 | -17 | 1972 | 32 | 2021 | | 22 | 4 | 13 | |
| Stevens Point | 45 | 1899,1987 | -34 | 1963 | -16 | 1972 | 34 | 1894 | | 23 | 7 | 15 | |
| Sturgeon Bay | 42 | 1933,1953,1990 | -26 | 1963,1972 | -13 | 1972 | 34 | 1906,2021 | | 25 | 10 | 18 | |
| Wausau | 41 | 1899,1933,1990 | -36 | 1972 | -17 | 1972 | 32 | 2021 | | 22 | 6 | 14 | |
| Wisc. Rapids | 46 | 1933 | -35 | 1963 | -16 | 1972 | 33 | 2021 | | 24 | 7 | 16 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | | Month | Year | Month | Season |
| Antigo | 0.53 | 1932 | 6.0 | 1998 | | | | | | 0.42 | 0.42 | 5.8 | 25.0 |
| Appleton | 0.74 | 1930 | 7.0 | 1930 | | | | | | 0.70 | 0.70 | 5.8 | 20.1 |
| Green Bay | 0.79 | 1906 | 4.5 | 1890 | | | | | | 0.70 | 0.70 | 6.6 | 23.1 |
| Manitowoc | 1.29 | 1906 | 7.0 | 1879 | | | | | | 0.82 | 0.82 | 3.5 | 15.7 |
| Marshfield | 0.43 | 1953 | 5.0 | 1948 | | | | | | 0.56 | 0.56 | 6.0 | 25.0 |
| Merrill | 0.49 | 1952 | 8.6 | 1930 | | | | | | 0.61 | 0.61 | 5.7 | 23.2 |
| Oshkosh | 0.42 | 1906 | 4.0 | 1976 | | | | | | 0.68 | 0.68 | 4.4 | 16.5 |
| Rhinelander | 0.33 | 1928,1950 | 5.0 | 1928 | | | | | | 0.64 | 0.64 | 6.9 | 36.4 |
| Stevens Point | 0.56 | 1906,1932 | 7.0 | 1932 | | | | | | 0.62 | 0.62 | 5.4 | 19.9 |
| Sturgeon Bay | 0.96 | 1906 | 6.0 | 2018 | | | | | | 0.87 | 0.87 | 7.3 | 23.6 |
| Wausau | 0.68 | 1953 | 4.4 | 1925 | | | | | | 0.62 | 0.62 | 7.1 | 28.9 |
| Wisc. Rapids | 0.58 | 1906 | 3.4 | 1969 | | | | | | 0.61 | 0.61 | 5.6 | 21.1 |

January 15

January 16

| | Rec | | Rec | | Low | | High | | 1991-2020 Normals | | | |
|---------------|------|-----------|------|---------|-----|---------|------|-----------|-------------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | High | Low | Mean | |
| Antigo | 49 | 1973 | -32 | 1972 | -7 | 1997 | 34 | 1913,2023 | 21 | 3 | 12 | |
| Appleton | 44 | 1949,1973 | -25 | 1982 | -16 | 1982 | 34 | 1913 | 25 | 10 | 17 | |
| Green Bay | 45 | 1913 | -28 | 1888 | -6 | 1888 | 37 | 2023 | 25 | 11 | 18 | |
| Manitowoc | 48 | 1949 | -26 | 1888 | -2 | 1977 | 37 | 1880 | 26 | 13 | 20 | |
| Marshfield | 45 | 1973 | -31 | 1972 | -10 | 1977 | 34 | 1913 | 22 | 6 | 14 | |
| Merrill | 45 | 1973 | -33 | 1972 | -12 | 1994 | 31 | 1913,1980 | 22 | 3 | 12 | |
| Oshkosh | 48 | 1894 | -25 | 1982 | -6 | 1977 | 36 | 2023 | 26 | 11 | 18 | |
| Rhineland | 41 | 1999 | -40 | 1982 | -9 | 1972 | 32 | 1980 | 22 | 3 | 13 | |
| Stevens Point | 48 | 1973 | -28 | 1972 | -9 | 1994 | 34 | 1980 | 23 | 7 | 15 | |
| Sturgeon Bay | 44 | 1973 | -21 | 1994 | -1 | 1994 | 34 | 1980,2023 | 25 | 10 | 17 | |
| Wausau | 45 | 1973 | -28 | 1972 | -8 | 1982 | 34 | 2023 | 22 | 6 | 14 | |
| Wisc. Rapids | 48 | 1973 | -30 | 1972 | -8 | 1982 | 34 | 2023 | 24 | 7 | 16 | |
| | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | Month | Year | Month | Season |
| Antigo | 0.46 | 1969 | 3.0 | 1925 | | | | | 0.44 | 0.44 | 6.2 | 25.4 |
| Appleton | 1.23 | 1980 | 6.0 | 1920 | | | | | 0.75 | 0.75 | 6.2 | 20.5 |
| Green Bay | 0.94 | 1980 | 7.5 | 1887 | | | | | 0.75 | 0.75 | 7.1 | 23.6 |
| Manitowoc | 0.92 | 1969 | 10.0 | 1920 | | | | | 0.88 | 0.88 | 3.8 | 16.0 |
| Marshfield | 0.85 | 1915 | 7.0 | 1994 | | | | | 0.59 | 0.59 | 6.3 | 25.3 |
| Merrill | 0.57 | 1967 | 4.0 | 1994 | | | | | 0.65 | 0.65 | 6.1 | 23.6 |
| Oshkosh | 0.94 | 1969 | 6.0 | 1920 | | | | | 0.72 | 0.72 | 4.6 | 16.7 |
| Rhineland | 0.54 | 1935 | 7.0 | 1967 | | | | | 0.68 | 0.68 | 7.3 | 36.8 |
| Stevens Point | 1.30 | 1915 | 9.0 | 1920 | | | | | 0.66 | 0.66 | 5.7 | 20.2 |
| Sturgeon Bay | 1.32 | 1980 | 7.0 | 2018 | | | | | 0.92 | 0.92 | 7.8 | 24.1 |
| Wausau | 0.67 | 1980 | 7.9 | 1967 | | | | | 0.65 | 0.65 | 7.6 | 29.4 |
| Wisc. Rapids | 0.29 | 1994 | 4.5 | 1994 | | | | | 0.65 | 0.65 | 6.0 | 21.5 |

January 16

January 17

| | Rec | | Rec | | Rec | | Rec | | | | | | |
|---------------|------|---------------------|------|---------|-----|----------------|-----|----------------|--|-------------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | | High | Low | Mean | |
| Antigo | 46 | 1973 | -39 | 1982 | -10 | 1982 | 36 | 1973 | | 20 | 3 | 12 | |
| Appleton | 44 | 1913,1973.1986.1996 | -24 | 1982 | -3 | 1948 | 37 | 1973 | | 25 | 10 | 17 | |
| Green Bay | 47 | 1913 | -28 | 1982 | -2 | 1948,1954,1994 | 38 | 1973 | | 25 | 11 | 18 | |
| Manitowoc | 48 | 1913 | -25 | 1982 | 1 | 1997,2024 | 37 | 1894 | | 26 | 13 | 20 | |
| Marshfield | 44 | 1986 | -33 | 1982 | -9 | 1954 | 32 | 1973,2023 | | 22 | 6 | 14 | |
| Merrill | 42 | 1913,1973 | -45 | 1982 | -19 | 1982 | 32 | 1973,1980,2023 | | 22 | 3 | 12 | |
| Oshkosh | 48 | 1996 | -28 | 1982 | -4 | 1994 | 38 | 1973 | | 26 | 11 | 18 | |
| Rhinelander | 46 | 1973 | -38 | 1982 | -7 | 1954,1994 | 31 | 1961 | | 22 | 3 | 13 | |
| Stevens Point | 49 | 1973 | -32 | 1982 | -9 | 1982 | 33 | 1894,1973 | | 23 | 7 | 15 | |
| Sturgeon Bay | 48 | 1961 | -29 | 1982 | -4 | 1982 | 35 | 1973,2023 | | 25 | 10 | 17 | |
| Wausau | 43 | 1986 | -31 | 1982 | -7 | 1962,1994 | 35 | 1973 | | 22 | 6 | 14 | |
| Wisc. Rapids | 48 | 1986 | -38 | 1982 | -7 | 1994 | 36 | 1973 | | 24 | 7 | 16 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | | Month | Year | Month | Season |
| | | | | | | | | | | | | | |
| Antigo | 0.80 | 1935 | 8.2 | 1935 | | | | | | 0.47 | 0.47 | 6.6 | 25.8 |
| Appleton | 0.70 | 2017 | 5.8 | 1994 | | | | | | 0.79 | 0.79 | 6.6 | 20.9 |
| Green Bay | 0.47 | 1999 | 4.9 | 2008 | | | | | | 0.79 | 0.79 | 7.6 | 24.1 |
| Manitowoc | 0.45 | 2017 | 8.3 | 1888 | | | | | | 0.94 | 0.94 | 4.0 | 16.2 |
| Marshfield | 0.17 | 1932,2004 | 4.5 | 1998 | | | | | | 0.62 | 0.62 | 6.8 | 25.8 |
| Merrill | 0.67 | 1915 | 9.5 | 1906 | | | | | | 0.68 | 0.68 | 6.5 | 24.0 |
| Oshkosh | 0.60 | 1999 | 5.5 | 1953 | | | | | | 0.77 | 0.77 | 5.0 | 17.1 |
| Rhinelander | 0.96 | 1935 | 10.0 | 1935 | | | | | | 0.71 | 0.71 | 7.8 | 37.3 |
| Stevens Point | 0.52 | 1980 | 6.0 | 1935 | | | | | | 0.69 | 0.69 | 6.1 | 20.6 |
| Sturgeon Bay | 1.24 | 1990 | 11.3 | 1906 | | | | | | 0.98 | 0.98 | 8.3 | 24.6 |
| Wausau | 0.85 | 1915 | 6.6 | 1969 | | | | | | 0.69 | 0.69 | 8.0 | 29.8 |
| Wisc. Rapids | 0.88 | 1915 | 5.0 | 1986 | | | | | | 0.68 | 0.68 | 6.4 | 21.9 |

January 17

January 18

| | Rec | | Rec | | Rec | | Rec | | | | | | |
|---------------|------|-----------|------|-----------|-----|---------|-----|---------|--|-------------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | | High | Low | Mean | |
| Antigo | 44 | 1973 | -39 | 1967 | -19 | 1994 | 37 | 1973 | | 20 | 3 | 12 | |
| Appleton | 47 | 1996 | -29 | 1994 | -20 | 1994 | 36 | 1973 | | 25 | 9 | 17 | |
| Green Bay | 48 | 1973,1996 | -27 | 1994 | -18 | 1994 | 41 | 1973 | | 25 | 11 | 18 | |
| Manitowoc | 44 | 1894,1973 | -25 | 1982,1994 | -11 | 1994 | 36 | 1973 | | 26 | 13 | 19 | |
| Marshfield | 45 | 1996 | -32 | 1967,1994 | -14 | 1994 | 36 | 1973 | | 22 | 6 | 14 | |
| Merrill | 49 | 1926 | -43 | 1982 | -20 | 1962 | 37 | 1973 | | 22 | 3 | 12 | |
| Oshkosh | 50 | 1996 | -28 | 1994 | -19 | 1994 | 43 | 1973 | | 26 | 11 | 18 | |
| Rhinelander | 46 | 1996 | -36 | 1948 | -19 | 1994 | 35 | 1973 | | 22 | 3 | 13 | |
| Stevens Point | 47 | 1986,1996 | -33 | 1967 | -9 | 1962 | 40 | 1973 | | 23 | 6 | 15 | |
| Sturgeon Bay | 46 | 1996 | -25 | 1994 | -15 | 1994 | 38 | 1973 | | 25 | 10 | 17 | |
| Wausau | 46 | 1942 | -32 | 1994 | -19 | 1994 | 34 | 1973 | | 22 | 6 | 14 | |
| Wisc. Rapids | 48 | 1996 | -35 | 1948 | -18 | 1994 | 33 | 1973 | | 24 | 7 | 16 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | | Month | Year | Month | Season |
| | | | | | | | | | | | | | |
| Antigo | 0.76 | 1996 | 7.0 | 1969 | | | | | | 0.49 | 0.49 | 7.0 | 26.2 |
| Appleton | 0.68 | 1907 | 4.0 | 2008,2020 | | | | | | 0.83 | 0.83 | 7.0 | 21.3 |
| Green Bay | 0.36 | 1973 | 3.7 | 1943 | | | | | | 0.84 | 0.84 | 8.0 | 24.5 |
| Manitowoc | 0.59 | 1960 | 11.0 | 1886 | | | | | | 1.01 | 1.01 | 4.2 | 16.4 |
| Marshfield | 1.12 | 1996 | 6.0 | 2020 | | | | | | 0.66 | 0.66 | 7.2 | 26.2 |
| Merrill | 1.05 | 1996 | 3.5 | 1945,2020 | | | | | | 0.72 | 0.72 | 6.9 | 24.4 |
| Oshkosh | 1.25 | 1896 | 12.5 | 1896 | | | | | | 0.81 | 0.81 | 5.3 | 17.4 |
| Rhinelander | 1.36 | 1996 | 5.0 | 1969 | | | | | | 0.75 | 0.75 | 8.2 | 37.7 |
| Stevens Point | 0.59 | 1945 | 6.0 | 1945 | | | | | | 0.73 | 0.73 | 6.5 | 21.0 |
| Sturgeon Bay | 0.53 | 1999 | 5.5 | 2020 | | | | | | 1.03 | 1.03 | 8.9 | 25.2 |
| Wausau | 1.48 | 1996 | 4.7 | 1949 | | | | | | 0.73 | 0.73 | 8.5 | 30.3 |
| Wisc. Rapids | 0.99 | 1996 | 3.0 | 2011 | | | | | | 0.72 | 0.72 | 6.9 | 22.4 |

January 18

January 19

| | Rec | | Rec | | Rec | | Rec | | | | | | |
|---------------|------|-----------|------|---------|-----|----------------|-----|-----------|--|-------------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | | High | Low | Mean | |
| Antigo | 45 | 1947 | -35 | 1994 | -13 | 1985 | 28 | 1914 | | 20 | 3 | 12 | |
| Appleton | 47 | 1907 | -28 | 1994 | -7 | 1994 | 39 | 1907 | | 25 | 9 | 17 | |
| Green Bay | 44 | 1921,1933 | -28 | 1994 | -5 | 1970,1994 | 33 | 2017 | | 25 | 10 | 18 | |
| Manitowoc | 49 | 1907 | -25 | 1994 | -7 | 1994 | 34 | 1907 | | 26 | 13 | 19 | |
| Marshfield | 44 | 1947 | -33 | 1994 | -8 | 1963,1985 | 30 | 1914 | | 22 | 6 | 14 | |
| Merrill | 49 | 1981 | -35 | 1994 | -19 | 1994 | 28 | 2023 | | 22 | 3 | 12 | |
| Oshkosh | 49 | 1894 | -29 | 1994 | -6 | 1985 | 33 | 1914 | | 26 | 10 | 18 | |
| Rhinelander | 45 | 1908,1973 | -33 | 1994 | -5 | 1963,1994,2008 | 27 | 1919,2017 | | 22 | 3 | 13 | |
| Stevens Point | 47 | 1996 | -31 | 1994 | -17 | 1994 | 29 | 1914,2023 | | 23 | 6 | 15 | |
| Sturgeon Bay | 53 | 1908 | -26 | 1994 | -8 | 1994 | 34 | 1907 | | 25 | 10 | 17 | |
| Wausau | 50 | 1908 | -32 | 1994 | -7 | 2008 | 29 | 2017,2023 | | 22 | 6 | 14 | |
| Wisc. Rapids | 48 | 1947 | -31 | 1994 | -6 | 1943 | 32 | 1944 | | 24 | 7 | 16 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | | Month | Year | Month | Season |
| Antigo | 0.55 | 1935 | 6.2 | 1935 | | | | | | 0.52 | 0.52 | 7.4 | 26.6 |
| Appleton | 0.67 | 1931 | 5.5 | 1931 | | | | | | 0.88 | 0.88 | 7.5 | 21.8 |
| Green Bay | 0.66 | 1907 | 4.1 | 1988 | | | | | | 0.88 | 0.88 | 8.5 | 25.0 |
| Manitowoc | 0.47 | 1952 | 4.4 | 2019 | | | | | | 1.07 | 1.07 | 4.5 | 16.7 |
| Marshfield | 0.50 | 1935 | 5.5 | 1935 | | | | | | 0.69 | 0.69 | 7.6 | 26.6 |
| Merrill | 0.38 | 2023 | 5.5 | 2023 | | | | | | 0.76 | 0.76 | 7.3 | 24.8 |
| Oshkosh | 0.97 | 1988 | 10.0 | 1920 | | | | | | 0.85 | 0.85 | 5.6 | 17.7 |
| Rhinelander | 0.75 | 1935 | 9.2 | 2023 | | | | | | 0.78 | 0.78 | 8.6 | 38.1 |
| Stevens Point | 1.37 | 1906 | 9.0 | 1906 | | | | | | 0.77 | 0.77 | 6.8 | 21.3 |
| Sturgeon Bay | 0.92 | 1973 | 4.5 | 1995 | | | | | | 1.09 | 1.09 | 9.4 | 25.7 |
| Wausau | 0.64 | 2023 | 8.5 | 1935 | | | | | | 0.77 | 0.77 | 9.0 | 30.8 |
| Wisc. Rapids | 0.62 | 1907 | 4.7 | 1920 | | | | | | 0.76 | 0.76 | 7.3 | 22.8 |

January 19

January 20

| | Rec | | Rec | | Low | | High | | 1991-2020 Normals | | | |
|---------------|-------|-----------|------|---------------------|-----|---------|------|-----------|-------------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | High | Low | Mean | |
| Antigo | 50 | 1908 | -34 | 1994 | -11 | 1984 | 33 | 1921 | 20 | 3 | 12 | |
| Appleton | 47 | 1906 | -28 | 1985 | -9 | 1985 | 34 | 1921 | 25 | 9 | 17 | |
| Green Bay | 47 | 1906 | -25 | 1985 | -7 | 1984 | 35 | 1921 | 25 | 10 | 18 | |
| Manitowoc | 55 | 1906 | -25 | 1985 | -8 | 1888 | 35 | 1921 | 26 | 13 | 19 | |
| Marshfield | 46 | 1921 | -28 | 1985 | -13 | 1985 | 32 | 2017 | 22 | 6 | 14 | |
| Merrill | 47 | 1921 | -34 | 1994 | -13 | 1985 | 30 | 1914,2017 | 22 | 2 | 12 | |
| Oshkosh | 47 | 1906 | -29 | 1985 | -8 | 1984 | 33 | 2017 | 26 | 10 | 18 | |
| Rhinelander | 51 | 1908 | -31 | 1994 | -10 | 1984 | 26 | 1938,2017 | 22 | 3 | 13 | |
| Stevens Point | 48 | 1906,1908 | -28 | 1985 | -7 | 1994 | 34 | 1921 | 23 | 6 | 15 | |
| Sturgeon Bay | 52 | 1908 | -25 | 1994 | -6 | 1985 | 35 | 1921 | 25 | 9 | 17 | |
| Wausau | 48 | 1908 | -27 | 1985 | -12 | 1984 | 34 | 1921 | 22 | 6 | 14 | |
| Wisc. Rapids | 49 | 1908 | -30 | 1943 | -8 | 1984 | 33 | 2017 | 24 | 7 | 16 | |
| | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | Precipitation | | Snow | |
| | Pcprn | Year(s) | Snow | Year(s) | | | | | Month | Year | Month | Season |
| Antigo | 0.30 | 1937 | 3.0 | 1920,1937,1946,1950 | | | | | 0.55 | 0.55 | 7.8 | 27.0 |
| Appleton | 0.79 | 1982 | 9.3 | 1988 | | | | | 0.92 | 0.92 | 7.9 | 22.2 |
| Green Bay | 0.84 | 1894,1974 | 6.0 | 1982 | | | | | 0.93 | 0.93 | 9.0 | 25.5 |
| Manitowoc | 1.00 | 1988 | 7.0 | 1988 | | | | | 1.13 | 1.13 | 4.7 | 16.9 |
| Marshfield | 0.71 | 1988 | 5.5 | 1988 | | | | | 0.72 | 0.72 | 8.0 | 27.0 |
| Merrill | 0.53 | 1988 | 7.0 | 1988 | | | | | 0.79 | 0.79 | 7.7 | 25.2 |
| Oshkosh | 0.50 | 1995 | 5.0 | 1995 | | | | | 0.90 | 0.90 | 5.9 | 18.0 |
| Rhinelander | 0.50 | 1979 | 4.0 | 1946 | | | | | 0.82 | 0.82 | 9.0 | 38.5 |
| Stevens Point | 0.82 | 1988 | 7.0 | 1988 | | | | | 0.81 | 0.81 | 7.2 | 21.7 |
| Sturgeon Bay | 0.70 | 1988 | 6.5 | 1988 | | | | | 1.14 | 1.14 | 9.9 | 26.2 |
| Wausau | 0.52 | 1988 | 6.3 | 1982 | | | | | 0.80 | 0.80 | 9.5 | 31.3 |
| Wisc. Rapids | 0.48 | 1935 | 4.0 | 1988 | | | | | 0.80 | 0.80 | 7.7 | 23.2 |

January 20

January 21

| | Rec | | Rec | | Rec | | Rec | | | | | | |
|---------------|------|-----------|------|-----------|-----|-----------|-----|----------------|--|-------------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | | High | Low | Mean | |
| Antigo | 45 | 1921 | -30 | 1984 | -10 | 1924 | 35 | 1921 | | 20 | 3 | 12 | |
| Appleton | 49 | 1964 | -22 | 1984 | -1 | 1963 | 33 | 1916,1957,1993 | | 25 | 9 | 17 | |
| Green Bay | 49 | 1934 | -36 | 1888 | -8 | 1888 | 35 | 2017 | | 25 | 10 | 18 | |
| Manitowoc | 50 | 1906,1921 | -31 | 1888 | -7 | 1924 | 35 | 1921,1957 | | 26 | 13 | 19 | |
| Marshfield | 43 | 1964,2018 | -35 | 1924 | -7 | 1924,1963 | 34 | 1944 | | 22 | 6 | 14 | |
| Merrill | 45 | 1981 | -32 | 1984,1994 | -10 | 1963,1984 | 33 | 1921 | | 22 | 2 | 12 | |
| Oshkosh | 50 | 1964 | -29 | 1985 | -4 | 1963 | 35 | 1921 | | 26 | 10 | 18 | |
| Rhinelanders | 46 | 1908 | -30 | 1924 | -10 | 1924 | 33 | 2017 | | 22 | 3 | 13 | |
| Stevens Point | 46 | 1908 | -28 | 1924 | -9 | 1924 | 34 | 1921 | | 23 | 6 | 15 | |
| Sturgeon Bay | 46 | 1909,1939 | -22 | 1984 | -5 | 1924 | 34 | 1906 | | 25 | 9 | 17 | |
| Wausau | 46 | 1908 | -27 | 1963 | -7 | 1963 | 32 | 1921,2017 | | 22 | 6 | 14 | |
| Wisc. Rapids | 49 | 1964 | -35 | 1964 | -9 | 1935 | 35 | 1921 | | 24 | 7 | 16 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | | Month | Year | Month | Season |
| Antigo | 0.36 | 1895 | 6.0 | 2005 | | | | | | 0.57 | 0.57 | 8.2 | 27.4 |
| Appleton | 0.79 | 1959 | 6.0 | 1917,1959 | | | | | | 0.96 | 0.96 | 8.3 | 22.6 |
| Green Bay | 0.84 | 1917 | 9.0 | 1917 | | | | | | 0.97 | 0.97 | 9.5 | 26.0 |
| Manitowoc | 0.95 | 1917 | 10.5 | 1917 | | | | | | 1.20 | 1.20 | 5.0 | 17.2 |
| Marshfield | 0.82 | 1917 | 8.2 | 1917 | | | | | | 0.75 | 0.75 | 8.4 | 27.4 |
| Merrill | 0.38 | 1993 | 4.0 | 1943 | | | | | | 0.83 | 0.83 | 8.1 | 25.6 |
| Oshkosh | 0.65 | 1917 | 6.0 | 2008 | | | | | | 0.94 | 0.94 | 6.3 | 18.4 |
| Rhinelanders | 0.39 | 1975 | 4.0 | 1962,1995 | | | | | | 0.85 | 0.85 | 9.5 | 39.0 |
| Stevens Point | 1.80 | 1917 | 18.0 | 1917 | | | | | | 0.85 | 0.85 | 7.6 | 22.1 |
| Sturgeon Bay | 0.45 | 1993 | 6.0 | 1982,2005 | | | | | | 1.20 | 1.20 | 10.4 | 26.7 |
| Wausau | 1.02 | 1917 | 10.2 | 1917 | | | | | | 0.84 | 0.84 | 10.0 | 31.8 |
| Wisc. Rapids | 0.49 | 2005 | 6.0 | 2005 | | | | | | 0.83 | 0.83 | 8.1 | 23.6 |

January 21

January 22

| | Rec | | Rec | | Rec | | Rec | | | | | | |
|---------------|------|----------------|------|-----------|-----|-----------|-----|-----------|--|-------------------|------|-------|--------|
| | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | | High | Low | Mean | |
| Antigo | 48 | 1900 | -25 | 1970 | -7 | 1963 | 35 | 1934 | | 20 | 3 | 12 | |
| Appleton | 48 | 1964 | -27 | 1930 | -5 | 1935 | 35 | 1934 | | 25 | 9 | 17 | |
| Green Bay | 48 | 1964 | -22 | 1890 | 0 | 1963,2004 | 36 | 2017 | | 25 | 10 | 18 | |
| Manitowoc | 48 | 1933 | -24 | 1885 | -10 | 1883 | 36 | 1933 | | 26 | 13 | 19 | |
| Marshfield | 50 | 1964 | -30 | 1936 | -7 | 1963 | 33 | 1934,2017 | | 22 | 6 | 14 | |
| Merrill | 48 | 1933 | -28 | 1924 | -7 | 1963 | 33 | 2017 | | 22 | 2 | 12 | |
| Oshkosh | 50 | 1964 | -23 | 1936 | 0 | 1963 | 36 | 1934 | | 26 | 10 | 18 | |
| Rhinelander | 45 | 1942,1989,2002 | -29 | 1924 | -9 | 1963 | 34 | 2017 | | 22 | 3 | 13 | |
| Stevens Point | 50 | 1964 | -25 | 1936 | -4 | 1963 | 37 | 1934 | | 23 | 6 | 15 | |
| Sturgeon Bay | 42 | 1916,1964,1989 | -16 | 1930 | -1 | 1963,2004 | 35 | 2017 | | 25 | 9 | 17 | |
| Wausau | 48 | 1964 | -28 | 1963 | -6 | 1963,2004 | 36 | 1934 | | 22 | 6 | 14 | |
| Wisc. Rapids | 52 | 1964 | -31 | 1930 | -6 | 1963 | 35 | 1919,2017 | | 24 | 7 | 16 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | | Month | Year | Month | Season |
| Antigo | 1.20 | 1917 | 5.0 | 1952 | | | | | | 0.60 | 0.60 | 8.6 | 27.8 |
| Appleton | 0.65 | 1952 | 7.3 | 1952 | | | | | | 1.01 | 1.01 | 8.8 | 23.1 |
| Green Bay | 0.72 | 1933 | 8.2 | 1941 | | | | | | 1.02 | 1.02 | 10.0 | 26.5 |
| Manitowoc | 2.60 | 2008 | 9.0 | 2008 | | | | | | 1.26 | 1.26 | 5.3 | 17.5 |
| Marshfield | 1.11 | 1933 | 9.0 | 1952 | | | | | | 0.79 | 0.79 | 8.8 | 27.8 |
| Merrill | 0.50 | 2005 | 9.0 | 2005 | | | | | | 0.87 | 0.87 | 8.6 | 26.1 |
| Oshkosh | 0.61 | 1933 | 6.0 | 1897 | | | | | | 0.98 | 0.98 | 6.6 | 18.7 |
| Rhinelander | 0.60 | 1999 | 7.0 | 1999,1952 | | | | | | 0.89 | 0.89 | 9.9 | 39.4 |
| Stevens Point | 1.00 | 1933 | 7.0 | 2005 | | | | | | 0.88 | 0.88 | 8.0 | 22.5 |
| Sturgeon Bay | 0.83 | 1999 | 12.0 | 1917 | | | | | | 1.25 | 1.25 | 11.0 | 27.3 |
| Wausau | 1.21 | 1933 | 7.0 | 2023 | | | | | | 0.88 | 0.88 | 10.5 | 32.3 |
| Wisc. Rapids | 0.71 | 1933 | 5.5 | 1952 | | | | | | 0.87 | 0.87 | 8.5 | 24.0 |

January 22

January 23

| | Rec | | Rec | | Rec | | Rec | | | | | | |
|---------------|------|-----------|------|-----------|-----|---------|-----|---------|--|-------------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | | High | Low | Mean | |
| Antigo | 52 | 1942 | -32 | 1935,1963 | -6 | 1987 | 33 | 1909 | | 20 | 3 | 12 | |
| Appleton | 50 | 1989 | -26 | 1963 | -9 | 1963 | 35 | 2017 | | 25 | 9 | 17 | |
| Green Bay | 46 | 1942,1989 | -27 | 1963 | -12 | 1963 | 35 | 2017 | | 25 | 10 | 18 | |
| Manitowoc | 47 | 1989 | -29 | 1886 | -6 | 1886 | 36 | 1909 | | 26 | 13 | 19 | |
| Marshfield | 47 | 1942 | -37 | 1963 | -16 | 1963 | 33 | 2017 | | 22 | 6 | 14 | |
| Merrill | 57 | 1942 | -34 | 1963 | -12 | 1963 | 35 | 1909 | | 22 | 2 | 12 | |
| Oshkosh | 47 | 1942 | -28 | 1963 | -12 | 1963 | 34 | 2017 | | 26 | 10 | 18 | |
| Rhinelander | 52 | 1942 | -36 | 1935 | -16 | 1963 | 36 | 1967 | | 22 | 3 | 13 | |
| Stevens Point | 53 | 1964 | -33 | 1963 | -13 | 1936 | 35 | 1967 | | 23 | 6 | 15 | |
| Sturgeon Bay | 46 | 1942 | -26 | 1963 | -6 | 1935 | 36 | 1967 | | 25 | 9 | 17 | |
| Wausau | 49 | 1942 | -34 | 1963 | -6 | 1963 | 35 | 1909 | | 22 | 6 | 14 | |
| Wisc. Rapids | 49 | 1942 | -33 | 1937 | -16 | 1935 | 34 | 2017 | | 24 | 7 | 16 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | | Month | Year | Month | Season |
| | | | | | | | | | | | | | |
| Antigo | 0.60 | 1899 | 7.0 | 2018 | | | | | | 0.62 | 0.62 | 9.1 | 28.3 |
| Appleton | 0.40 | 1979 | 5.0 | 1906 | | | | | | 1.05 | 1.05 | 9.2 | 23.5 |
| Green Bay | 0.76 | 1887 | 8.0 | 1887 | | | | | | 1.06 | 1.06 | 10.5 | 27.0 |
| Manitowoc | 1.07 | 1999 | 7.0 | 1906 | | | | | | 1.32 | 1.32 | 5.5 | 17.7 |
| Marshfield | 0.57 | 1969 | 6.0 | 2020 | | | | | | 0.82 | 0.82 | 9.2 | 28.2 |
| Merrill | 0.44 | 1999 | 7.3 | 1999 | | | | | | 0.90 | 0.90 | 9.0 | 26.5 |
| Oshkosh | 0.88 | 1955 | 5.0 | 1899,1906 | | | | | | 1.02 | 1.02 | 7.0 | 19.1 |
| Rhinelander | 0.44 | 2012 | 5.0 | 1951 | | | | | | 0.93 | 0.93 | 10.3 | 39.8 |
| Stevens Point | 0.90 | 1899 | 9.0 | 1899 | | | | | | 0.92 | 0.92 | 8.4 | 22.9 |
| Sturgeon Bay | 1.03 | 1999 | 5.0 | 1979 | | | | | | 1.31 | 1.31 | 11.5 | 27.8 |
| Wausau | 0.60 | 1990 | 6.5 | 1990 | | | | | | 0.91 | 0.91 | 11.0 | 32.8 |
| Wisc. Rapids | 1.23 | 1929 | 5.5 | 1990 | | | | | | 0.91 | 0.91 | 8.9 | 24.4 |

January 23

January 24

| | Rec | | Rec | | Rec | | Rec | | | | | | |
|---------------|------|-----------|------|-----------|-----|----------------|-----|-----------|--|-------------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | | High | Low | Mean | |
| Antigo | 45 | 1942 | -28 | 1935,1936 | -3 | 1904 | 33 | 1909 | | 20 | 3 | 12 | |
| Appleton | 46 | 1916 | -26 | 1935,1936 | -11 | 1935 | 35 | 1909 | | 25 | 9 | 17 | |
| Green Bay | 47 | 1916 | -25 | 1935 | -10 | 1904 | 36 | 1916 | | 25 | 10 | 18 | |
| Manitowoc | 51 | 1934 | -22 | 1936 | -6 | 1936 | 36 | 2010 | | 26 | 13 | 19 | |
| Marshfield | 49 | 1981 | -36 | 1935 | -9 | 1936 | 32 | 2017 | | 22 | 6 | 14 | |
| Merrill | 52 | 1942 | -36 | 1922 | -4 | 1987 | 33 | 1909 | | 22 | 2 | 12 | |
| Oshkosh | 50 | 1934,1947 | -26 | 1935 | -9 | 1897 | 34 | 1909 | | 26 | 10 | 18 | |
| Rhinelander | 49 | 1981 | -38 | 1935 | -4 | 1922 | 33 | 2017 | | 22 | 3 | 13 | |
| Stevens Point | 47 | 1989 | -32 | 1922 | -10 | 1897 | 33 | 1947,1990 | | 23 | 6 | 15 | |
| Sturgeon Bay | 44 | 1947 | -25 | 1935 | -4 | 1936 | 33 | 1916,2010 | | 25 | 9 | 17 | |
| Wausau | 54 | 1942 | -33 | 1948 | -5 | 1904,1935,1936 | 33 | 2017 | | 23 | 6 | 14 | |
| Wisc. Rapids | 54 | 1981 | -38 | 1922 | -10 | 1904 | 33 | 2017 | | 24 | 7 | 16 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | | Precipitation | | Snow | |
| | Pcpr | Year(s) | Snow | Year(s) | | | | | | Month | Year | Month | Season |
| | | | | | | | | | | | | | |
| Antigo | 0.60 | 1938 | 6.0 | 1938 | | | | | | 0.65 | 0.65 | 9.5 | 28.7 |
| Appleton | 1.00 | 1967 | 4.7 | 2019 | | | | | | 1.09 | 1.09 | 9.6 | 23.9 |
| Green Bay | 1.20 | 1938 | 5.3 | 1893 | | | | | | 1.10 | 1.10 | 11.0 | 27.5 |
| Manitowoc | 1.30 | 1979 | 13.0 | 1979 | | | | | | 1.38 | 1.38 | 5.8 | 18.0 |
| Marshfield | 0.54 | 1967 | 6.3 | 1997 | | | | | | 0.85 | 0.85 | 9.6 | 28.6 |
| Merrill | 0.70 | 1967 | 4.8 | 1999 | | | | | | 0.94 | 0.94 | 9.4 | 26.9 |
| Oshkosh | 1.85 | 1938 | 7.0 | 1938 | | | | | | 1.06 | 1.06 | 7.3 | 19.4 |
| Rhinelander | 0.69 | 1997 | 7.0 | 1938,1997 | | | | | | 0.96 | 0.96 | 10.8 | 40.3 |
| Stevens Point | 0.60 | 1938 | 6.0 | 1990 | | | | | | 0.96 | 0.96 | 8.8 | 23.3 |
| Sturgeon Bay | 0.90 | 1938 | 9.0 | 1938 | | | | | | 1.36 | 1.36 | 12.0 | 28.3 |
| Wausau | 1.17 | 1967 | 6.5 | 1997 | | | | | | 0.95 | 0.95 | 11.5 | 33.3 |
| Wisc. Rapids | 1.05 | 1967 | 4.0 | 1997 | | | | | | 0.95 | 0.95 | 9.4 | 24.9 |

January 24

January 25

| | Rec | | Rec | | Rec | | Rec | | | | | | |
|---------------|------|---------|------|-----------|-----|----------------|-----|-----------|--|-------------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | | High | Low | Mean | |
| Antigo | 55 | 1944 | -31 | 1904 | -18 | 1904 | 33 | 1944 | | 20 | 3 | 12 | |
| Appleton | 49 | 1973 | -28 | 1904 | -13 | 1904 | 34 | 1933 | | 25 | 9 | 17 | |
| Green Bay | 55 | 1944 | -27 | 1904 | -5 | 1904 | 36 | 1944 | | 25 | 10 | 18 | |
| Manitowoc | 55 | 1944 | -27 | 1904 | -4 | 1897,1904 | 35 | 1942 | | 26 | 13 | 19 | |
| Marshfield | 55 | 1981 | -25 | 1936 | -2 | 1936,2019,2022 | 36 | 1944 | | 23 | 6 | 14 | |
| Merrill | 54 | 1973 | -34 | 1922,1935 | -1 | 1936,2019 | 33 | 1944 | | 22 | 2 | 12 | |
| Oshkosh | 57 | 1944 | -31 | 1904 | -9 | 1904 | 36 | 1944 | | 26 | 10 | 18 | |
| Rhinelander | 53 | 1981 | -37 | 1922 | -2 | 1920 | 33 | 1944 | | 22 | 3 | 13 | |
| Stevens Point | 55 | 1944 | -33 | 1904 | -12 | 1897 | 35 | 1981 | | 23 | 6 | 15 | |
| Sturgeon Bay | 50 | 1944 | -25 | 1935 | 2 | 1929 | 34 | 1919,1944 | | 25 | 9 | 17 | |
| Wausau | 53 | 1944 | -31 | 1904 | -6 | 1897 | 33 | 1944,2024 | | 23 | 6 | 14 | |
| Wisc. Rapids | 57 | 1944 | -38 | 1904 | -4 | 1904 | 33 | 2024 | | 24 | 7 | 16 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | | Month | Year | Month | Season |
| | | | | | | | | | | | | | |
| Antigo | 1.05 | 1918 | 8.0 | 1950 | | | | | | 0.67 | 0.67 | 9.9 | 29.1 |
| Appleton | 0.84 | 1929 | 5.0 | 1902 | | | | | | 1.13 | 1.13 | 10.1 | 24.4 |
| Green Bay | 0.94 | 1950 | 5.4 | 1971 | | | | | | 1.15 | 1.15 | 11.5 | 28.0 |
| Manitowoc | 0.99 | 1950 | 6.0 | 1895 | | | | | | 1.44 | 1.44 | 6.1 | 18.3 |
| Marshfield | 0.62 | 1967 | 6.0 | 1950 | | | | | | 0.89 | 0.89 | 10.0 | 29.0 |
| Merrill | 0.43 | 1967 | 4.8 | 1929 | | | | | | 0.98 | 0.98 | 9.8 | 27.3 |
| Oshkosh | 0.93 | 1950 | 7.5 | 1996 | | | | | | 1.10 | 1.10 | 7.6 | 19.7 |
| Rhinelander | 0.82 | 1967 | 6.0 | 1938 | | | | | | 1.00 | 1.00 | 11.2 | 40.7 |
| Stevens Point | 1.09 | 1967 | 7.0 | 1929,1950 | | | | | | 0.99 | 0.99 | 9.2 | 23.7 |
| Sturgeon Bay | 1.12 | 1950 | 4.5 | 2020 | | | | | | 1.41 | 1.41 | 12.6 | 28.9 |
| Wausau | 0.48 | 1899 | 7.0 | 1950 | | | | | | 0.99 | 0.99 | 12.0 | 33.8 |
| Wisc. Rapids | 0.49 | 1950 | 5.0 | 1950 | | | | | | 0.98 | 0.98 | 9.8 | 25.3 |

January 25

January 26

| | Rec | | Rec | | Rec | | Rec | | | | | | |
|---------------|------|-----------|------|----------------|-----|-----------|-----|---------|--|-------------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | | High | Low | Mean | |
| Antigo | 52 | 1944 | -30 | 2022 | -6 | 1924 | 44 | 1944 | | 21 | 3 | 12 | |
| Appleton | 55 | 1944 | -25 | 1930 | 0 | 1936 | 38 | 1944 | | 25 | 9 | 17 | |
| Green Bay | 56 | 1944 | -23 | 2019 | -3 | 1924 | 45 | 1944 | | 25 | 10 | 18 | |
| Manitowoc | 59 | 1944 | -15 | 1885,1897,1936 | -4 | 1885,1924 | 40 | 1944 | | 26 | 13 | 19 | |
| Marshfield | 51 | 1944 | -26 | 1927,1930 | -6 | 1924,1936 | 42 | 1944 | | 23 | 6 | 14 | |
| Merrill | 53 | 1944,1981 | -34 | 1927 | -7 | 1907 | 43 | 1944 | | 22 | 2 | 12 | |
| Oshkosh | 58 | 1944 | -24 | 2019 | -1 | 1924 | 45 | 1944 | | 26 | 10 | 18 | |
| Rhinelander | 51 | 1944,1973 | -32 | 1927 | -14 | 1972 | 42 | 1944 | | 22 | 3 | 13 | |
| Stevens Point | 54 | 1981 | -28 | 1963 | -8 | 1972 | 47 | 1944 | | 23 | 6 | 15 | |
| Sturgeon Bay | 55 | 1944 | -22 | 2019 | -2 | 1924 | 36 | 1944 | | 25 | 9 | 17 | |
| Wausau | 51 | 2002 | -30 | 1963 | -7 | 1946 | 39 | 1944 | | 23 | 6 | 14 | |
| Wisc. Rapids | 55 | 1944 | -34 | 1904 | -8 | 1924 | 38 | 1944 | | 25 | 7 | 16 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | | Month | Year | Month | Season |
| | | | | | | | | | | | | | |
| Antigo | 0.60 | 1902 | 8.0 | 1996 | | | | | | 0.70 | 0.70 | 10.2 | 29.4 |
| Appleton | 0.55 | 1996 | 11.5 | 1996 | | | | | | 1.17 | 1.17 | 10.5 | 24.8 |
| Green Bay | 0.47 | 1895 | 11.3 | 1996 | | | | | | 1.19 | 1.19 | 12.0 | 28.5 |
| Manitowoc | 1.10 | 1978 | 3.1 | 2016 | | | | | | 1.50 | 1.50 | 6.3 | 18.5 |
| Marshfield | 0.50 | 1996 | 9.0 | 1996 | | | | | | 0.92 | 0.92 | 10.4 | 29.4 |
| Merrill | 0.52 | 1996 | 10.0 | 1996 | | | | | | 1.01 | 1.01 | 10.3 | 27.8 |
| Oshkosh | 0.82 | 1978 | 9.0 | 1978 | | | | | | 1.14 | 1.14 | 8.0 | 20.1 |
| Rhinelander | 0.32 | 1971 | 4.0 | 1908,1925,1996 | | | | | | 1.03 | 1.03 | 11.6 | 41.1 |
| Stevens Point | 0.35 | 1895,1902 | 5.0 | 1895 | | | | | | 1.03 | 1.03 | 9.6 | 24.1 |
| Sturgeon Bay | 1.30 | 1938 | 13.0 | 1938 | | | | | | 1.46 | 1.46 | 13.1 | 29.4 |
| Wausau | 0.41 | 1996 | 11.5 | 1996 | | | | | | 1.02 | 1.02 | 12.4 | 34.2 |
| Wisc. Rapids | 0.36 | 1978 | 8.0 | 1996 | | | | | | 1.02 | 1.02 | 10.2 | 25.7 |

January 26

January 27

| 1991-2020 Normals | | | | | | | | | | | | |
|-------------------|------|-----------|------|-----------|-----|-----------|-----|---------------------|---------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | High | Low | Mean | |
| Antigo | 48 | 2002 | -29 | 1935 | -3 | 1972 | 33 | 1911 | 21 | 3 | 12 | |
| Appleton | 52 | 2006 | -17 | 1904,1935 | 0 | 1936,1971 | 35 | 1944 | 25 | 9 | 17 | |
| Green Bay | 51 | 2006 | -19 | 1904 | -4 | 1971 | 33 | 1934,1944,2006,2024 | 25 | 10 | 18 | |
| Manitowoc | 54 | 1944 | -21 | 1885 | -3 | 1895 | 36 | 1944 | 26 | 13 | 19 | |
| Marshfield | 49 | 2002 | -31 | 1950 | -5 | 1948 | 32 | 2002,2024 | 23 | 6 | 14 | |
| Merrill | 45 | 1919,1944 | -33 | 1927,1935 | -7 | 2014 | 33 | 1944 | 22 | 2 | 12 | |
| Oshkosh | 52 | 2006 | -27 | 1915 | 1 | 1904,1971 | 36 | 2002 | 26 | 10 | 18 | |
| Rhineland | 50 | 1973 | -35 | 1935,1950 | -11 | 1929 | 32 | 1944 | 23 | 3 | 13 | |
| Stevens Point | 52 | 2006 | -36 | 1904 | -5 | 1972 | 33 | 2024 | 24 | 6 | 15 | |
| Sturgeon Bay | 52 | 2006 | -16 | 1935,2019 | -4 | 2014 | 34 | 2006 | 25 | 9 | 17 | |
| Wausau | 49 | 2002 | -31 | 1950 | -8 | 1915 | 33 | 2024 | 23 | 6 | 14 | |
| Wisc. Rapids | 53 | 2006 | -37 | 1904 | -2 | 1971 | 33 | 2024 | 25 | 7 | 16 | |
| 1991-2020 Normals | | | | | | | | | | | | |
| | Max | | Max | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | Month | Year | Month | Season |
| Antigo | 0.33 | 1932 | 3.8 | 2004 | | | | | 0.72 | 0.72 | 10.6 | 29.8 |
| Appleton | 0.60 | 1916 | 5.0 | 1917 | | | | | 1.21 | 1.21 | 10.9 | 25.2 |
| Green Bay | 0.52 | 1916 | 4.1 | 1996 | | | | | 1.23 | 1.23 | 12.5 | 29.0 |
| Manitowoc | 1.30 | 1916 | 5.0 | 1912 | | | | | 1.56 | 1.56 | 6.6 | 18.8 |
| Marshfield | 0.57 | 1932 | 3.8 | 2013 | | | | | 0.95 | 0.95 | 10.9 | 29.9 |
| Merrill | 0.42 | 1944 | 4.3 | 1997 | | | | | 1.05 | 1.05 | 10.7 | 28.2 |
| Oshkosh | 0.85 | 1916 | 8.0 | 1908 | | | | | 1.18 | 1.18 | 8.4 | 20.5 |
| Rhineland | 0.52 | 1944 | 6.0 | 1968 | | | | | 1.07 | 1.07 | 12.1 | 41.6 |
| Stevens Point | 0.77 | 1916 | 7.0 | 1996 | | | | | 1.07 | 1.07 | 10.1 | 24.6 |
| Sturgeon Bay | 1.15 | 1916 | 5.3 | 2019 | | | | | 1.51 | 1.51 | 13.6 | 29.9 |
| Wausau | 0.46 | 1908 | 5.3 | 2013 | | | | | 1.06 | 1.06 | 12.9 | 34.7 |
| Wisc. Rapids | 0.54 | 2013 | 4.0 | 2013 | | | | | 1.06 | 1.06 | 10.6 | 26.1 |

January 27

January 28

| | Rec | | Rec | | Rec | | Rec | | | | | | |
|---------------|------|-----------|------|---------------------|-----|---------|-----|-----------|--|-------------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | | High | Low | Mean | |
| Antigo | 45 | 1906 | -30 | 1915 | -10 | 1966 | 31 | 1944 | | 21 | 2 | 12 | |
| Appleton | 43 | 1947,1989 | -24 | 1966 | -10 | 1966 | 32 | 2024 | | 25 | 9 | 17 | |
| Green Bay | 46 | 1914 | -21 | 1915,1966 | -10 | 1966 | 33 | 1944 | | 25 | 10 | 18 | |
| Manitowoc | 46 | 1934 | -24 | 1885 | -11 | 1966 | 35 | 1944 | | 26 | 13 | 20 | |
| Marshfield | 47 | 1919 | -35 | 1915 | -13 | 1966 | 32 | 1944 | | 23 | 6 | 15 | |
| Merrill | 55 | 1906 | -34 | 1915 | -10 | 1966 | 30 | 1944 | | 22 | 2 | 12 | |
| Oshkosh | 45 | 1919 | -22 | 1966 | -11 | 1966 | 36 | 1914,2002 | | 26 | 10 | 18 | |
| Rhinelander | 50 | 1934 | -41 | 1915 | -9 | 1966 | 31 | 1944 | | 23 | 3 | 13 | |
| Stevens Point | 51 | 2002 | -34 | 1902 | -12 | 1966 | 32 | 1944,2024 | | 24 | 6 | 15 | |
| Sturgeon Bay | 46 | 2006 | -22 | 1915 | -9 | 1966 | 33 | 1944 | | 25 | 9 | 17 | |
| Wausau | 46 | 1906 | -31 | 1915 | -12 | 1966 | 30 | 1944,2013 | | 23 | 6 | 14 | |
| Wisc. Rapids | 47 | 1906 | -32 | 1915 | -12 | 1966 | 30 | 2013 | | 25 | 7 | 16 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | | Month | Year | Month | Season |
| | | | | | | | | | | | | | |
| Antigo | 0.50 | 1927 | 5.0 | 1927 | | | | | | 0.75 | 0.75 | 11.0 | 30.2 |
| Appleton | 0.98 | 2006 | 6.0 | 1994 | | | | | | 1.24 | 1.24 | 11.4 | 25.7 |
| Green Bay | 0.54 | 2006 | 9.7 | 2019 | | | | | | 1.27 | 1.27 | 12.9 | 29.4 |
| Manitowoc | 1.14 | 1949 | 11.0 | 2019 | | | | | | 1.62 | 1.62 | 6.9 | 19.1 |
| Marshfield | 0.54 | 1949 | 6.0 | 1969 | | | | | | 0.98 | 0.98 | 11.2 | 30.2 |
| Merrill | 0.57 | 1969 | 4.2 | 1927 | | | | | | 1.08 | 1.08 | 11.1 | 28.6 |
| Oshkosh | 0.86 | 2006 | 8.2 | 2019 | | | | | | 1.22 | 1.22 | 8.7 | 20.8 |
| Rhinelander | 0.37 | 1956 | 3.0 | 1927,1956,1969,1973 | | | | | | 1.10 | 1.10 | 12.5 | 42.0 |
| Stevens Point | 0.77 | 1949 | 8.0 | 1949 | | | | | | 1.10 | 1.10 | 10.4 | 24.9 |
| Sturgeon Bay | 1.05 | 2006 | 7.5 | 2019 | | | | | | 1.56 | 1.56 | 14.1 | 30.4 |
| Wausau | 0.48 | 1949 | 4.7 | 1957 | | | | | | 1.09 | 1.09 | 13.4 | 35.2 |
| Wisc. Rapids | 0.78 | 1949 | 8.0 | 1949 | | | | | | 1.09 | 1.09 | 11.0 | 26.5 |

January 28

January 29

| | Rec | | Rec | | Low | | High | | 1991-2020 Normals | | | |
|---------------|------|------------|------|-----------|-----|-----------|------|---------------------|-------------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | High | Low | Mean | |
| Antigo | 42 | 1906 | -30 | 1899,1951 | -8 | 1899 | 28 | 2013 | 21 | 2 | 12 | |
| Appleton | 50 | 1914 | -26 | 1951 | -8 | 1951 | 33 | 1932 | 25 | 9 | 17 | |
| Green Bay | 50 | 1914 | -26 | 1899 | -8 | 1899 | 33 | 2006 | 25 | 10 | 18 | |
| Manitowoc | 51 | 1914 | -21 | 1899 | -7 | 1989 | 33 | 2006 | 26 | 13 | 20 | |
| Marshfield | 47 | 1919 | -29 | 1951 | -11 | 1951,1966 | 31 | 2013 | 23 | 6 | 15 | |
| Merrill | 47 | 1906 | -32 | 1915 | -8 | 2019 | 29 | 2013 | 22 | 2 | 12 | |
| Oshkosh | 50 | 1914, 2013 | -26 | 1899 | -4 | 1951 | 34 | 2006 | 26 | 10 | 18 | |
| Rhineland | 41 | 1914 | -33 | 1951 | -12 | 1951 | 29 | 2013 | 23 | 3 | 13 | |
| Stevens Point | 46 | 1906 | -33 | 1904 | -10 | 1965,1966 | 30 | 1931,1944,1968,2013 | 24 | 6 | 15 | |
| Sturgeon Bay | 49 | 1914 | -21 | 1965 | 0 | 1965 | 32 | 2006 | 25 | 9 | 17 | |
| Wausau | 46 | 1906 | -30 | 1915,1951 | -17 | 1951 | 31 | 2013 | 23 | 6 | 14 | |
| Wisc. Rapids | 48 | 1914 | -34 | 1904 | -8 | 1966 | 32 | 2013 | 25 | 7 | 16 | |
| | | | | | | | | | 1991-2020 Normals | | | |
| | Max | | Max | | | | | | Precipitation | | Snow | |
| | Pcpr | Year(s) | Snow | Year(s) | | | | | Month | Year | Month | Season |
| Antigo | 0.46 | 2001 | 6.0 | 1996 | | | | | 0.78 | 0.78 | 11.4 | 30.6 |
| Appleton | 0.91 | 2013 | 5.4 | 2019 | | | | | 1.28 | 1.28 | 11.8 | 26.1 |
| Green Bay | 0.60 | 1891 | 6.0 | 1891 | | | | | 1.31 | 1.31 | 13.4 | 29.9 |
| Manitowoc | 1.20 | 2001 | 4.7 | 1947 | | | | | 1.67 | 1.67 | 7.2 | 19.4 |
| Marshfield | 0.51 | 1916 | 4.0 | 1975 | | | | | 1.02 | 1.02 | 11.6 | 30.6 |
| Merrill | 0.98 | 1914 | 4.5 | 1975 | | | | | 1.12 | 1.12 | 11.6 | 29.1 |
| Oshkosh | 0.97 | 2013 | 6.5 | 1987 | | | | | 1.26 | 1.26 | 9.1 | 21.2 |
| Rhineland | 0.71 | 1914 | 7.0 | 1987 | | | | | 1.14 | 1.14 | 12.9 | 42.4 |
| Stevens Point | 0.42 | 2006 | 3.0 | 1975,2006 | | | | | 1.14 | 1.14 | 10.8 | 25.3 |
| Sturgeon Bay | 0.70 | 2001 | 4.0 | 1971,2011 | | | | | 1.61 | 1.61 | 14.6 | 30.9 |
| Wausau | 0.60 | 1914 | 6.0 | 1975 | | | | | 1.13 | 1.13 | 13.9 | 35.7 |
| Wisc. Rapids | 0.80 | 1947 | 5.0 | 1987 | | | | | 1.13 | 1.13 | 11.4 | 26.9 |

January 29

January 30

| 1991-2020 Normals | | | | | | | | | | | | |
|-------------------|------|---------|------|---------|-----|---------|-----|---------------------|---------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | High | Low | Mean | |
| Antigo | 43 | 1974 | -33 | 1951 | -11 | 1899 | 31 | 2024 | 21 | 2 | 12 | |
| Appleton | 45 | 1989 | -30 | 1951 | -10 | 2019 | 38 | 1988 | 26 | 9 | 17 | |
| Green Bay | 42 | 1989 | -31 | 1951 | -10 | 1899 | 37 | 1988 | 25 | 10 | 18 | |
| Manitowoc | 47 | 1988 | -23 | 1951 | -12 | 1899 | 33 | 1896,1913,1988,2024 | 26 | 13 | 20 | |
| Marshfield | 47 | 1919 | -35 | 1951 | -15 | 2019 | 34 | 1988 | 23 | 6 | 15 | |
| Merrill | 42 | 1926 | -37 | 1950 | -8 | 2019 | 27 | 1942,1946,1983,2024 | 22 | 2 | 12 | |
| Oshkosh | 45 | 1989 | -32 | 1951 | -11 | 2019 | 35 | 2024 | 26 | 10 | 18 | |
| Rhineland | 44 | 1999 | -36 | 1950 | -9 | 1951 | 32 | 2001 | 23 | 3 | 13 | |
| Stevens Point | 44 | 2016 | -33 | 1899 | -14 | 1899 | 32 | 1931 | 24 | 6 | 15 | |
| Sturgeon Bay | 43 | 1988 | -25 | 1951 | -12 | 1951 | 35 | 1988 | 25 | 9 | 17 | |
| Wausau | 43 | 1999 | -40 | 1951 | -14 | 2019 | 36 | 1988 | 23 | 6 | 15 | |
| Wisc. Rapids | 46 | 1974 | -37 | 1951 | -11 | 2019 | 40 | 1988 | 25 | 7 | 16 | |
| 1991-2020 Normals | | | | | | | | | | | | |
| | Max | | Max | | | | | | Precipitation | | Snow | |
| | Pcpr | Year(s) | Snow | Year(s) | | | | | Month | Year | Month | Season |
| Antigo | 0.60 | 1937 | 6.0 | 1937 | | | | | 0.80 | 0.80 | 11.8 | 31.0 |
| Appleton | 0.57 | 1947 | 9.0 | 2013 | | | | | 1.32 | 1.32 | 12.2 | 26.5 |
| Green Bay | 0.64 | 2013 | 8.2 | 2013 | | | | | 1.35 | 1.35 | 13.8 | 30.3 |
| Manitowoc | 1.50 | 1947 | 15.0 | 1947 | | | | | 1.73 | 1.73 | 7.5 | 19.7 |
| Marshfield | 0.65 | 1937 | 9.3 | 2013 | | | | | 1.05 | 1.05 | 12.0 | 31.0 |
| Merrill | 0.40 | 2001 | 4.3 | 1987 | | | | | 1.15 | 1.15 | 12.0 | 29.5 |
| Oshkosh | 1.00 | 1947 | 10.0 | 1947 | | | | | 1.30 | 1.30 | 9.4 | 21.5 |
| Rhineland | 0.49 | 1937 | 5.2 | 2014 | | | | | 1.17 | 1.17 | 13.3 | 42.8 |
| Stevens Point | 1.20 | 1947 | 12.0 | 1947 | | | | | 1.17 | 1.17 | 11.2 | 25.7 |
| Sturgeon Bay | 0.57 | 1947 | 6.0 | 1947 | | | | | 1.66 | 1.66 | 15.1 | 31.4 |
| Wausau | 0.88 | 1937 | 5.7 | 2013 | | | | | 1.16 | 1.16 | 14.3 | 36.1 |
| Wisc. Rapids | 0.40 | 1947 | 7.0 | 2013 | | | | | 1.16 | 1.16 | 11.8 | 27.3 |

January 30

January 31

| 1991-2020 Normals | | | | | | | | | | | | |
|-------------------|------|-----------|------|-----------|-----|-----------|-----|-----------|---------------|------|-------|--------|
| Location | High | Year(s) | Low | Year(s) | Max | Year(s) | Min | Year(s) | High | Low | Mean | |
| Antigo | 44 | 1952 | -36 | 1899 | -6 | 1971,2019 | 30 | 1923 | 21 | 3 | 12 | |
| Appleton | 51 | 2012 | -26 | 2019 | -6 | 1996,2019 | 33 | 2024 | 26 | 9 | 17 | |
| Green Bay | 49 | 1993 | -26 | 1899,2019 | -8 | 1971 | 34 | 2024 | 26 | 10 | 18 | |
| Manitowoc | 52 | 1989 | -23 | 2019 | -9 | 2019 | 36 | 1989 | 27 | 13 | 20 | |
| Marshfield | 48 | 1989 | -30 | 1996,2019 | -8 | 2019 | 33 | 1989 | 23 | 6 | 15 | |
| Merrill | 47 | 2024 | -31 | 1996 | -6 | 1971 | 35 | 1988 | 22 | 2 | 12 | |
| Oshkosh | 51 | 1989 | -26 | 1918,2019 | -7 | 2019 | 39 | 1988 | 26 | 11 | 18 | |
| Rhinelander | 46 | 1952,1989 | -33 | 1996 | -11 | 1938 | 29 | 2024 | 23 | 3 | 13 | |
| Stevens Point | 48 | 1989,2024 | -37 | 1899 | -8 | 1996 | 37 | 1989 | 24 | 6 | 15 | |
| Sturgeon Bay | 47 | 1989,1993 | -25 | 1918 | -6 | 2019 | 36 | 1988 | 25 | 9 | 17 | |
| Wausau | 48 | 1993 | -27 | 1996,2019 | -8 | 1971 | 32 | 1989,2024 | 23 | 6 | 15 | |
| Wisc. Rapids | 53 | 1989 | -33 | 1918 | -7 | 2019 | 31 | 2024 | 25 | 7 | 16 | |
| 1991-2020 Normals | | | | | | | | | | | | |
| | Max | | Max | | | | | | Precipitation | | Snow | |
| | Pcpn | Year(s) | Snow | Year(s) | | | | | Month | Year | Month | Season |
| Antigo | 0.60 | 1917 | 6.0 | 1917 | | | | | 0.83 | 0.83 | 12.2 | 31.4 |
| Appleton | 0.55 | 1947 | 6.0 | 1947 | | | | | 1.36 | 1.36 | 12.6 | 26.9 |
| Green Bay | 0.70 | 1917 | 7.8 | 1917 | | | | | 1.39 | 1.39 | 14.3 | 30.8 |
| Manitowoc | 0.60 | 1908 | 7.0 | 1917 | | | | | 1.78 | 1.78 | 7.8 | 20.0 |
| Marshfield | 0.90 | 1917 | 9.0 | 1917 | | | | | 1.08 | 1.08 | 12.4 | 31.4 |
| Merrill | 0.44 | 1937 | 6.0 | 1949 | | | | | 1.19 | 1.19 | 12.4 | 29.9 |
| Oshkosh | 2.40 | 1917 | 4.5 | 2002 | | | | | 1.34 | 1.34 | 9.8 | 21.9 |
| Rhinelander | 0.26 | 1981,1997 | 3.5 | 1981 | | | | | 1.21 | 1.21 | 13.8 | 43.3 |
| Stevens Point | 1.00 | 1917 | 10.0 | 1917 | | | | | 1.21 | 1.21 | 11.6 | 26.1 |
| Sturgeon Bay | 0.85 | 1917 | 10.0 | 1917 | | | | | 1.71 | 1.71 | 15.6 | 31.9 |
| Wausau | 1.03 | 1917 | 10.0 | 1917 | | | | | 1.20 | 1.20 | 14.8 | 36.6 |
| Wisc. Rapids | 0.43 | 1907 | 5.0 | 2002 | | | | | 1.20 | 1.20 | 12.2 | 27.7 |

January 31