

# July 1

	Rec	Year(s)	Rec	Year(s)	Rec	Year(s)	Rec	Year(s)	1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	97	1910	38	1948,1988	59	2009	76	1931	77	57	67	
Appleton	99	1910	45	2015	67	1904,2009	76	1931	81	60	70	
Green Bay	100	1910	44	1965	64	1959	76	2011	80	59	70	
Manitowoc	100	1931	44	1965	58	2015	74	1931,1975	76	59	67	
Marshfield	94	1931,1970	40	1924	63	1959	74	1970	79	58	68	
Merrill	98	1910	38	1982	63	1923	75	1910	79	57	68	
Oshkosh	100	1910	43	1965	64	1959	77	1970	81	60	70	
Rhineland	96	1910,1963	37	1948,2015	58	1924	74	1970	79	54	66	
Stevens Point	104	1931	43	1904,1924,1948	57	1959	77	1970	79	59	69	
Sturgeon Bay	100	1931	41	1948	58	1959	73	1931	77	57	67	
Wausau	98	1910	38	1948	64	1945,1986	74	2002	80	58	69	
Wisc. Rapids	99	1910	39	1924	64	2009	76	1911	82	58	70	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.50	1903	0.0						0.13	13.23	0.0	0.0
Appleton	2.08	1903	0.0						0.14	16.08	0.0	0.0
Green Bay	1.20	1967	0.0						0.13	15.13	0.0	0.0
Manitowoc	2.15	1903	0.0						0.12	15.67	0.0	0.0
Marshfield	1.70	1949	0.0						0.13	15.88	0.0	0.0
Merrill	2.07	1958	0.0						0.13	15.41	0.0	0.0
Oshkosh	1.20	1978	0.0						0.13	16.47	0.0	0.0
Rhineland	2.75	1958	0.0						0.15	16.18	0.0	0.0
Stevens Point	2.30	1956	0.0						0.14	16.71	0.0	0.0
Sturgeon Bay	1.56	1956	0.0						0.12	15.58	0.0	0.0
Wausau	4.68	1903	0.0						0.13	15.82	0.0	0.0
Wisc. Rapids	1.69	1949	0.0						0.13	16.64	0.0	0.0

# July 1

# July 2

	Rec	Year(s)	Rec	Year(s)	Rec	Year(s)	Rec	Year(s)	1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	100	1931	39	2001	60	1978	74	1931	78	57	67	
Appleton	101	1911	45	1907	61	1978	74	1911,2002	81	60	71	
Green Bay	97	1911	46	1968	58	1892	76	1911,2002	80	60	70	
Manitowoc	98	1911	43	1895	59	1978	75	2002	76	59	67	
Marshfield	94	2012	41	1924	66	1962	71	2002	79	58	68	
Merrill	94	1910,2012	35	1934	60	1917	74	2002	80	57	68	
Oshkosh	100	1911	43	1924	59	1892	75	2002	81	60	71	
Rhineland	98	1911	37	1924	58	1992	75	1911	79	54	66	
Stevens Point	101	1911	38	1907	66	2001	72	1934,2002	79	59	69	
Sturgeon Bay	99	1911	43	1940	60	1917,2009	75	2002	77	57	67	
Wausau	99	1911	40	1904,1940	59	1917,1978	75	1934	80	58	69	
Wisc. Rapids	99	1911	39	1929	57	1940	73	1911,2002	82	58	70	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.28	1978	0.0						0.25	13.35	0.0	0.0
Appleton	3.29	1952	0.0						0.28	16.22	0.0	0.0
Green Bay	2.16	1887	0.0						0.25	15.25	0.0	0.0
Manitowoc	2.30	1903	0.0						0.24	15.79	0.0	0.0
Marshfield	2.13	1997	0.0						0.26	16.01	0.0	0.0
Merrill	1.68	1934	0.0						0.26	15.54	0.0	0.0
Oshkosh	1.80	2012	0.0						0.26	16.60	0.0	0.0
Rhineland	1.92	1931	0.0						0.31	16.34	0.0	0.0
Stevens Point	1.25	1900,1903	0.0						0.28	16.85	0.0	0.0
Sturgeon Bay	0.95	1974	0.0						0.24	15.70	0.0	0.0
Wausau	1.98	1900	0.0						0.26	15.95	0.0	0.0
Wisc. Rapids	2.30	1903	0.0						0.26	16.77	0.0	0.0

# July 2

# July 3

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	95	1911	36	1968	61	1992	80	1949,2002		78	57	67	
Appleton	96	1966	46	2014	65	1997	77	1949		81	60	71	
Green Bay	97	1966	43	1968	61	1950	75	1897		80	60	70	
Manitowoc	96	1966	39	2001	61	1927	76	2002		76	59	67	
Marshfield	93	1966	40	1915	65	1954	72	2002		79	58	68	
Merrill	94	1949	38	1930	60	1978	73	2002		80	57	68	
Oshkosh	97	1949	44	1915,1968	64	1932	75	1897,2002		81	60	71	
Rhineland	93	1911	38	1924,1927	59	1967	71	1966		79	54	66	
Stevens Point	99	1911	42	1968	65	1917,1954	74	2002		79	59	69	
Sturgeon Bay	96	1921	41	1968	61	1950	73	2002		77	58	67	
Wausau	94	1897	42	1968	60	1932,1951	74	1897		80	58	69	
Wisc. Rapids	99	1949	40	1945	61	1992	74	2002		82	58	70	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.49	1952	0.0							0.37	13.47	0.0	0.0
Appleton	1.19	1951	0.0							0.41	16.35	0.0	0.0
Green Bay	1.63	1951	0.0							0.37	15.37	0.0	0.0
Manitowoc	2.05	1912	0.0							0.35	15.90	0.0	0.0
Marshfield	1.39	1977	0.0							0.39	16.14	0.0	0.0
Merrill	1.56	1952	0.0							0.39	15.67	0.0	0.0
Oshkosh	2.40	1994	0.0							0.38	16.72	0.0	0.0
Rhineland	2.08	1928	0.0							0.46	16.49	0.0	0.0
Stevens Point	2.15	1896	0.0							0.41	16.98	0.0	0.0
Sturgeon Bay	1.28	1951	0.0							0.35	15.81	0.0	0.0
Wausau	4.42	1900	0.0							0.39	16.08	0.0	0.0
Wisc. Rapids	1.40	1903	0.0							0.38	16.89	0.0	0.0

# July 3

# July 4

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	93	1897	30	1972	60	1967	72	1921		78	57	67	
Appleton	96	1921	45	1909,1927	60	1967	75	1990		81	61	71	
Green Bay	96	1921	43	1972	59	1967	79	1897		81	60	70	
Manitowoc	95	1931,1999	43	1927	58	1967	73	1955		76	59	68	
Marshfield	96	2012	38	1972	61	1967	75	1990		79	58	69	
Merrill	95	1921,1935	33	1972	59	1967	73	1948		80	57	68	
Oshkosh	98	1921	47	1972,2008	60	1967	75	2012		81	61	71	
Rhineland	95	1935	37	1917,1972	57	1967	74	1999		79	54	67	
Stevens Point	97	1935	41	1972	63	1967	78	1990		79	59	69	
Sturgeon Bay	100	1921	39	1927,1972	58	1915	74	1947		77	58	67	
Wausau	96	2012	40	1972	60	1967	78	1999		80	58	69	
Wisc. Rapids	102	2012	40	1924	61	1967	77	1999		82	58	70	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	3.12	1949	0.0							0.49	13.59	0.0	0.0
Appleton	2.21	1994	0.0							0.54	16.48	0.0	0.0
Green Bay	2.52	1994	0.0							0.50	15.50	0.0	0.0
Manitowoc	1.49	1966	0.0							0.46	16.01	0.0	0.0
Marshfield	3.70	1937	0.0							0.51	16.26	0.0	0.0
Merrill	2.10	1949	0.0							0.51	15.79	0.0	0.0
Oshkosh	1.52	1958	0.0							0.50	16.84	0.0	0.0
Rhineland	2.71	1949	0.0							0.60	16.63	0.0	0.0
Stevens Point	2.20	1901	0.0							0.53	17.10	0.0	0.0
Sturgeon Bay	1.10	1908	0.0							0.47	15.93	0.0	0.0
Wausau	2.01	1958	0.0							0.51	16.20	0.0	0.0
Wisc. Rapids	2.60	1937	0.0							0.50	17.01	0.0	0.0

# July 4

# July 5

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	93	1895	36	1972	65	1915	74	1999		78	57	67	
Appleton	100	2012	47	1909	65	1983	75	1986		81	61	71	
Green Bay	99	2012	44	1951,1970,1972	63	1983	75	1986		81	60	70	
Manitowoc	95	1977	43	1927,1967	61	1909,1920	78	1999		76	59	68	
Marshfield	96	1988	41	1967	58	1967	74	1999		79	58	69	
Merrill	96	1921	38	1972,1979	65	1920	75	1999		80	57	68	
Oshkosh	100	2012	42	1942	57	1983	76	1999		81	61	71	
Rhineland	93	1921,1988	37	1967	65	1915,1983	74	1914		79	54	67	
Stevens Point	97	1931	43	1894	66	1967	74	1986,1999		79	59	69	
Sturgeon Bay	99	1921	43	1967	62	1927	77	1999		77	58	68	
Wausau	96	1988,2012	43	1967	61	1920	74	2012		80	58	69	
Wisc. Rapids	101	2012	42	1970	65	1983	74	1986		82	58	70	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.38	1977	0.0							0.61	13.71	0.0	0.0
Appleton	2.16	1993	0.0							0.67	16.61	0.0	0.0
Green Bay	2.48	1993	0.0							0.62	15.62	0.0	0.0
Manitowoc	1.08	1901	0.0							0.57	16.12	0.0	0.0
Marshfield	1.66	1935	0.0							0.64	16.39	0.0	0.0
Merrill	1.70	1911	0.0							0.64	15.92	0.0	0.0
Oshkosh	2.45	1993	0.0							0.63	16.97	0.0	0.0
Rhineland	1.24	2010	0.0							0.75	16.78	0.0	0.0
Stevens Point	1.62	1978	0.0							0.66	17.23	0.0	0.0
Sturgeon Bay	2.87	1912	0.0							0.59	16.05	0.0	0.0
Wausau	1.30	1935	0.0							0.64	16.33	0.0	0.0
Wisc. Rapids	1.07	1912	0.0							0.62	17.13	0.0	0.0

# July 5

# July 6

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	93	1894,1895	41	1983	58	2004	72	1977		78	57	68	
Appleton	100	1988	46	1965,1969	67	1969	75	1988		81	61	71	
Green Bay	98	1988	40	1965	62	1920	74	1977		81	60	70	
Manitowoc	98	1977	37	2001	63	1920	74	1921		76	59	68	
Marshfield	99	1988	41	1983	59	1920	74	1977		79	58	69	
Merrill	95	2012	38	1972	63	1920	73	1977		80	57	69	
Oshkosh	98	1939	44	1967	64	1984	76	2012		81	61	71	
Rhineland	94	1988	37	2001	59	2004	70	1977		79	54	67	
Stevens Point	98	1939	44	1917,1983	60	2004	76	1977		80	60	70	
Sturgeon Bay	99	1921	39	1965	59	1920	74	1921		77	58	68	
Wausau	97	1988	44	1942,1983	60	2004	72	1977		80	58	69	
Wisc. Rapids	100	2012	41	1950	59	2004	72	1977		82	58	70	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	2.01	1934	0.0							0.72	13.82	0.0	0.0
Appleton	1.67	1975	0.0							0.80	16.74	0.0	0.0
Green Bay	1.49	1920	0.0							0.74	15.74	0.0	0.0
Manitowoc	1.50	1920	0.0							0.68	16.23	0.0	0.0
Marshfield	1.70	1994	0.0							0.76	16.51	0.0	0.0
Merrill	1.91	1947	0.0							0.76	16.04	0.0	0.0
Oshkosh	1.89	1934	0.0							0.75	17.09	0.0	0.0
Rhineland	1.74	2014	0.0							0.90	16.93	0.0	0.0
Stevens Point	2.08	1908	0.0							0.78	17.35	0.0	0.0
Sturgeon Bay	3.96	1993	0.0							0.71	16.17	0.0	0.0
Wausau	1.41	1908	0.0							0.76	16.45	0.0	0.0
Wisc. Rapids	1.73	1994	0.0							0.75	17.26	0.0	0.0

# July 6

# July 7

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	100	1936	35	1894	55	2004	69	1928,1937,2010		78	57	68	
Appleton	103	1936	47	1997	61	2004	75	1988		81	61	71	
Green Bay	103	1936	44	1997	62	1915,2004	72	1973		81	60	70	
Manitowoc	101	1936	45	1983	59	1915	76	1988		77	60	68	
Marshfield	100	1936	43	1997	59	2004	69	1928		79	58	69	
Merrill	104	1936	37	1984	59	2004	69	1928,1937,1973		80	57	69	
Oshkosh	104	1936	47	1891,1984	61	2004	78	1903		81	61	71	
Rhineland	98	1936	40	1918	56	2004	72	1988		80	54	67	
Stevens Point	103	1936	41	1894	58	2004	72	1928		80	60	70	
Sturgeon Bay	99	1936,1988	42	1911	58	1915	75	1988		78	58	68	
Wausau	102	1936	43	1997	59	2004	75	1928		80	59	69	
Wisc. Rapids	103	1936	42	1931	60	2004	72	1988		82	59	70	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.45	1922	0.0							0.82	13.92	0.0	0.0
Appleton	2.30	2021	0.0							0.92	16.86	0.0	0.0
Green Bay	1.65	2010	0.0							0.86	15.86	0.0	0.0
Manitowoc	3.00	1879	0.0							0.78	16.33	0.0	0.0
Marshfield	1.55	1954	0.0							0.88	16.63	0.0	0.0
Merrill	3.15	2010	0.0							0.88	16.16	0.0	0.0
Oshkosh	1.83	1977	0.0							0.88	17.22	0.0	0.0
Rhineland	2.80	1929	0.0							1.04	17.07	0.0	0.0
Stevens Point	1.51	2015,2021	0.0							0.91	17.48	0.0	0.0
Sturgeon Bay	0.84	2016	0.0							0.83	16.29	0.0	0.0
Wausau	1.86	1946	0.0							0.88	16.57	0.0	0.0
Wisc. Rapids	1.70	1922	0.0							0.87	17.38	0.0	0.0

# July 7

# July 8

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	100	1936	32	1895	62	1922	76	1928	78	57	68	
Appleton	103	1936	44	1918	61	1997,2004	74	1928,1937,1988	82	61	71	
Green Bay	102	1936	47	1891,1953,1954	61	1997	75	1890	81	60	71	
Manitowoc	103	1936	41	1884	60	1904	76	2007	77	60	68	
Marshfield	98	1936,1988	43	1953	62	1997	71	1973,2002	79	58	69	
Merrill	100	1936	43	1961	58	2004	72	1937	80	57	69	
Oshkosh	103	1936	46	1961	63	1997	75	1988	81	61	71	
Rhineland	101	1936	40	1908,2015	62	1997	71	1936	80	54	67	
Stevens Point	100	1936	45	1901,1908	69	1972,1997,2021	78	1937	80	60	70	
Sturgeon Bay	102	1936	42	1954	61	2021	74	1988	78	58	68	
Wausau	101	1936	44	1900,1908	62	1997	75	1936	80	59	69	
Wisc. Rapids	101	1936	44	1941	61	1997	74	1917	82	59	71	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpr	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.88	1956	0.0						0.92	14.02	0.0	0.0
Appleton	2.35	2013	0.0						1.04	16.98	0.0	0.0
Green Bay	4.12	2000	0.0						0.98	15.98	0.0	0.0
Manitowoc	2.80	2000	0.0						0.88	16.43	0.0	0.0
Marshfield	2.25	1999	0.0						1.00	16.75	0.0	0.0
Merrill	1.28	1951	0.0						0.99	16.27	0.0	0.0
Oshkosh	1.95	1951	0.0						1.00	17.34	0.0	0.0
Rhineland	6.52	2000	0.0						1.18	17.21	0.0	0.0
Stevens Point	1.94	1956	0.0						1.02	17.59	0.0	0.0
Sturgeon Bay	1.33	2013	0.0						0.95	16.41	0.0	0.0
Wausau	1.82	2013	0.0						1.00	16.69	0.0	0.0
Wisc. Rapids	2.01	1951	0.0						1.00	17.51	0.0	0.0

# July 8



# July 9

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	99	1936	36	1895	65	1999,2004	73	1936	78	57	68	
Appleton	101	1936	47	1915	69	1918,1996	82	1912	82	61	71	
Green Bay	100	1936	43	1895,1963	67	1927	74	1936	81	60	71	
Manitowoc	104	1936	42	1891	63	2004	73	1936	77	60	68	
Marshfield	99	1936	44	1963	67	2003	69	2002	80	58	69	
Merrill	102	1936	42	1997	62	1997	74	1948	80	57	69	
Oshkosh	102	1936	44	1963	70	1996	74	1897	81	61	71	
Rhineland	98	1936	42	2014	64	1994	71	1936	80	54	67	
Stevens Point	101	1936	41	1895	60	1997	72	1936	80	60	70	
Sturgeon Bay	103	1936	43	1952,1963	61	1997	75	1936	78	58	68	
Wausau	100	1936	43	1895	66	1994	75	1897,1936	80	59	70	
Wisc. Rapids	101	1948	41	1931	68	2004	71	1974	83	59	71	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpr	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	3.54	1999	0.0						1.03	14.13	0.0	0.0
Appleton	3.70	1925	0.0						1.16	17.10	0.0	0.0
Green Bay	1.63	1922	0.0						1.10	16.10	0.0	0.0
Manitowoc	3.03	1925	0.0						0.99	16.54	0.0	0.0
Marshfield	2.37	2020	0.0						1.12	16.87	0.0	0.0
Merrill	2.00	1959	0.0						1.11	16.39	0.0	0.0
Oshkosh	2.95	1925	0.0						1.12	17.46	0.0	0.0
Rhineland	1.08	1927	0.0						1.31	17.34	0.0	0.0
Stevens Point	2.56	1999	0.0						1.14	17.71	0.0	0.0
Sturgeon Bay	1.67	1949	0.0						1.07	16.53	0.0	0.0
Wausau	2.13	1984	0.0						1.11	16.80	0.0	0.0
Wisc. Rapids	1.85	1925	0.0						1.13	17.64	0.0	0.0

# July 9

# July 10

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	98	1936	38	1968	65	1945	72	1936	78	57	68	
Appleton	101	1936	45	1968	66	2003	74	1976	82	61	71	
Green Bay	100	1936	42	1968	66	1945	77	1936	81	60	71	
Manitowoc	100	1936	41	1890	62	2014	77	1936	77	60	68	
Marshfield	95	1921	43	1913,1953	65	1945,2003	73	1989	80	58	69	
Merrill	98	1921	42	1968,1978,1996	65	1994	73	1936	80	57	69	
Oshkosh	100	1976	43	1968	65	2003	86	1936	82	61	71	
Rhineland	95	1936	39	1968	62	1945	71	1936	80	54	67	
Stevens Point	96	1921,1937	41	1898,1953	65	2003	76	1936	80	60	70	
Sturgeon Bay	100	1936	42	1905,1968	65	1968	75	1936	78	59	68	
Wausau	99	1936	44	1898	66	1945,1975,2003	76	1936	80	59	70	
Wisc. Rapids	99	1936	42	1996	69	1975	74	1976	83	59	71	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.18	1927	0.0						1.12	14.22	0.0	0.0
Appleton	3.90	2020	0.0						1.28	17.22	0.0	0.0
Green Bay	2.14	1984	0.0						1.21	16.21	0.0	0.0
Manitowoc	2.80	1975	0.0						1.09	16.64	0.0	0.0
Marshfield	2.98	1982	0.0						1.24	16.99	0.0	0.0
Merrill	2.51	1909	0.0						1.22	16.50	0.0	0.0
Oshkosh	1.95	1909	0.0						1.25	17.59	0.0	0.0
Rhineland	1.33	1982	0.0						1.44	17.47	0.0	0.0
Stevens Point	1.25	1934	0.0						1.26	17.83	0.0	0.0
Sturgeon Bay	1.63	1954	0.0						1.18	16.64	0.0	0.0
Wausau	2.71	1984	0.0						1.22	16.91	0.0	0.0
Wisc. Rapids	1.83	1966	0.0						1.25	17.76	0.0	0.0

# July 10

# July 11

	Rec	Year(s)	Rec	Year(s)	Low	Year(s)	High	Year(s)	1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	101	1936	41	1945	64	1986	74	1936	78	57	68	
Appleton	100	1921,1936	48	1913	67	1951	76	1936	82	61	72	
Green Bay	99	1921,1936	47	1898,1968	58	1917	75	1936	81	60	71	
Manitowoc	105	1936	44	1898	60	1917	76	1936	77	60	69	
Marshfield	98	1921,1936	42	1945	67	1913,1951	72	1936	80	58	69	
Merrill	106	1936	39	1945	60	1917	71	1908,1936	80	57	69	
Oshkosh	99	1921	46	1945	64	1986	75	1936	82	61	71	
Rhineland	106	1936	41	1945	60	1917	72	1936	80	55	67	
Stevens Point	102	1921	45	1902	67	1975	74	1936	80	60	70	
Sturgeon Bay	100	1936	40	1913	59	1917	72	1936	78	59	68	
Wausau	104	1936	40	1945	59	1917	72	1936	81	59	70	
Wisc. Rapids	101	1921	35	1945	62	1986	71	1980	83	59	71	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.90	1936	0.0						1.22	14.32	0.0	0.0
Appleton	1.23	1956	0.0						1.40	17.34	0.0	0.0
Green Bay	1.88	1966	0.0						1.33	16.33	0.0	0.0
Manitowoc	1.92	1966	0.0						1.19	16.74	0.0	0.0
Marshfield	1.92	1966	0.0						1.36	17.11	0.0	0.0
Merrill	1.48	1984	0.0						1.33	16.61	0.0	0.0
Oshkosh	2.02	1992	0.0						1.37	17.71	0.0	0.0
Rhineland	0.78	1935	0.0						1.57	17.60	0.0	0.0
Stevens Point	3.87	1982	0.0						1.38	17.95	0.0	0.0
Sturgeon Bay	2.70	1982	0.0						1.30	16.76	0.0	0.0
Wausau	2.70	1972	0.0						1.34	17.03	0.0	0.0
Wisc. Rapids	1.03	2008	0.0						1.38	17.89	0.0	0.0

# July 11

# July 12

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	99	1936	40	1976	60	1975	68	1894,1921	78	57	68	
Appleton	105	1936	48	1918,1940,1941,2009	65	1975	74	1921	82	61	72	
Green Bay	102	1936	47	1976	65	1992	74	1921	81	60	71	
Manitowoc	97	1936	48	1975	64	1888	75	1894	77	60	69	
Marshfield	101	1936	42	1917	63	1975	69	1936	80	59	69	
Merrill	107	1936	37	1926	58	1975	70	1916,1948	80	57	69	
Oshkosh	105	1936	44	1975	66	1975	74	1921	82	61	71	
Rhineland	105	1936	42	1918	60	1975	67	1936,1954,1995	80	55	67	
Stevens Point	107	1936	44	1900	68	1986	76	1914	80	60	70	
Sturgeon Bay	102	1936	45	1959	65	1975,1992	69	1921,1936	78	59	68	
Wausau	105	1936	43	1904	59	1975	72	1934	81	59	70	
Wisc. Rapids	106	1936	44	1959,2009	61	1975	73	1932	83	59	71	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.21	1992	0.0						1.33	14.43	0.0	0.0
Appleton	1.94	1913	0.0						1.52	17.46	0.0	0.0
Green Bay	2.05	1950	0.0						1.45	16.45	0.0	0.0
Manitowoc	2.39	1992	0.0						1.30	16.85	0.0	0.0
Marshfield	1.80	1986	0.0						1.48	17.23	0.0	0.0
Merrill	1.34	1945	0.0						1.44	16.72	0.0	0.0
Oshkosh	2.09	1991	0.0						1.49	17.83	0.0	0.0
Rhineland	2.00	1986	0.0						1.70	17.73	0.0	0.0
Stevens Point	1.55	1992	0.0						1.50	18.07	0.0	0.0
Sturgeon Bay	1.15	1952	0.0						1.41	16.87	0.0	0.0
Wausau	2.18	1927	0.0						1.45	17.14	0.0	0.0
Wisc. Rapids	1.78	1992	0.0						1.50	18.01	0.0	0.0

# July 12

# July 13

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	100	1936	38	1975	67	1992	75	1936		78	57	68	
Appleton	107	1936	46	2009	61	1964	77	1943		82	61	72	
Green Bay	104	1936	47	1950,1975	62	1964	77	1936		81	60	71	
Manitowoc	101	1936	47	1926	63	1992	73	1936,1973		77	60	69	
Marshfield	104	1936,1995	42	1975	68	1926,1940,1992	76	1995		80	59	69	
Merrill	110	1936	42	1926,1990	65	1975	74	1936		80	57	69	
Oshkosh	107	1936	45	1926	64	1964	74	1891,1936		82	61	71	
Rhineland	108	1936	31	1930	60	1950	74	1936		80	55	67	
Stevens Point	108	1936	43	1975	66	1992	79	1932		80	60	70	
Sturgeon Bay	105	1936	39	1926	62	1992	72	1921		78	59	69	
Wausau	107	1936	40	1904	63	1950	76	1936		81	59	70	
Wisc. Rapids	107	1936	41	1926	67	1992	78	1995		83	59	71	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	2.74	1928	0.0							1.43	14.53	0.0	0.0
Appleton	2.36	1963	0.0							1.63	17.57	0.0	0.0
Green Bay	1.33	2015	0.0							1.56	16.56	0.0	0.0
Manitowoc	1.92	2018	0.0							1.40	16.95	0.0	0.0
Marshfield	1.37	1965	0.0							1.60	17.35	0.0	0.0
Merrill	1.24	1927,1986	0.0							1.55	16.83	0.0	0.0
Oshkosh	2.16	1963	0.0							1.62	17.96	0.0	0.0
Rhineland	1.51	1929	0.0							1.84	17.87	0.0	0.0
Stevens Point	2.02	2015	0.0							1.61	18.18	0.0	0.0
Sturgeon Bay	1.44	1947	0.0							1.53	16.99	0.0	0.0
Wausau	1.60	1912	0.0							1.57	17.26	0.0	0.0
Wisc. Rapids	2.67	1912	0.0							1.61	18.12	0.0	0.0

# July 13

# July 14

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	97	1901	40	1930	64	2014	74	1936	78	57	68	
Appleton	104	1936	46	1930	61	1994	77	1936,1995	82	61	72	
Green Bay	102	1995	45	1950	62	1994	75	1936	81	60	71	
Manitowoc	101	1995	45	1930	61	1994	81	1995	77	60	69	
Marshfield	104	1936	42	1950	65	1950	77	1995	80	59	69	
Merrill	110	1936	42	1930,1960,1975	65	1975,1993	73	1995	81	57	69	
Oshkosh	105	1936	42	1930	64	1994	76	1936	82	61	71	
Rhineland	102	1936	41	1926,1975	60	1994	71	1908,1995	80	55	67	
Stevens Point	108	1936	44	1930	66	1992,1993	79	1936	80	60	70	
Sturgeon Bay	94	1921,1983	41	1913	65	1967,1992	75	1936,1995	78	59	69	
Wausau	106	1936	41	1903	61	1994	74	1934,1998	81	59	70	
Wisc. Rapids	107	1936	36	1930	62	1994	73	1983	83	59	71	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.10	2010	0.0						1.54	14.64	0.0	0.0
Appleton	4.45	2010	0.0						1.75	17.69	0.0	0.0
Green Bay	2.52	1919	0.0						1.68	16.68	0.0	0.0
Manitowoc	1.60	1893	0.0						1.51	17.06	0.0	0.0
Marshfield	3.20	2010	0.0						1.72	17.47	0.0	0.0
Merrill	1.20	1979	0.0						1.67	16.95	0.0	0.0
Oshkosh	3.55	2010	0.0						1.74	18.08	0.0	0.0
Rhineland	3.18	2020	0.0						1.97	18.00	0.0	0.0
Stevens Point	1.40	1949	0.0						1.73	18.30	0.0	0.0
Sturgeon Bay	3.05	2014	0.0						1.65	17.11	0.0	0.0
Wausau	2.70	2010	0.0						1.69	17.38	0.0	0.0
Wisc. Rapids	2.15	2021	0.0						1.74	18.25	0.0	0.0

# July 14

# July 15

	Rec	Year(s)	Rec	Year(s)	Low	Year(s)	High	Year(s)	1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	98	1901	40	1903	62	1990	79	1931	78	57	68	
Appleton	100	2006	48	1903,2015	66	2014	74	1968,1983	82	62	72	
Green Bay	98	1931,2006	47	1967	66	1896	74	1931,1968	81	60	71	
Manitowoc	99	1995	47	1885,1967	65	1896	72	1983	77	61	69	
Marshfield	101	1936	42	1967	68	2014	78	1936	80	59	69	
Merrill	98	1931,1995,2006	42	1946	61	1994	70	1937	81	57	69	
Oshkosh	100	1931	46	1945	69	2014,2022	75	1995	82	61	72	
Rhineland	100	2006	39	1946	62	2014	68	1969,1999	80	55	67	
Stevens Point	105	1936	41	1908,1989	62	1994	75	1932	80	60	70	
Sturgeon Bay	99	2006	42	1967	61	1994	69	1983	78	59	69	
Wausau	98	2006	46	1945,1946	65	1896	72	1931,1983	81	59	70	
Wisc. Rapids	102	1931	41	1939	63	1981	72	1917	83	59	71	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.91	1961	0.0						1.65	14.75	0.0	0.0
Appleton	2.08	2021	0.0						1.87	17.81	0.0	0.0
Green Bay	1.44	1899	0.0						1.80	16.80	0.0	0.0
Manitowoc	4.91	2021	0.0						1.62	17.17	0.0	0.0
Marshfield	2.20	1915	0.0						1.84	17.59	0.0	0.0
Merrill	2.52	2010	0.0						1.79	17.07	0.0	0.0
Oshkosh	1.15	1988	0.0						1.86	18.20	0.0	0.0
Rhineland	2.87	1951	0.0						2.11	18.14	0.0	0.0
Stevens Point	2.44	2010	0.0						1.86	18.43	0.0	0.0
Sturgeon Bay	3.55	2019	0.0						1.76	17.22	0.0	0.0
Wausau	2.07	1995	0.0						1.81	17.50	0.0	0.0
Wisc. Rapids	0.82	1915	0.0	1983					1.86	18.37	0.0	0.0

# July 15

# July 16

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	95	1901	34	1896	65	1981	76	1931		78	57	68	
Appleton	100	2012	46	1912,2014	71	1911	74	2006,2012		82	62	72	
Green Bay	100	1931	45	1966	66	1911	77	1931		81	60	71	
Manitowoc	98	2012	45	1896	63	1896,1900	76	2006		77	61	69	
Marshfield	96	1988	41	1920	71	1958,2009	71	2006		80	59	69	
Merrill	98	1931	41	1895	66	1981	72	1931,1968		81	57	69	
Oshkosh	102	1931	47	1945	71	1957	75	1931		82	61	72	
Rhineland	97	2006	40	1912,1939,2014	66	2009	74	2006		80	55	67	
Stevens Point	102	1931	40	1896	68	1900	73	1931,2006		80	60	70	
Sturgeon Bay	97	1931,2012	39	1912	64	1956	77	1968		78	59	69	
Wausau	98	1931,2012	42	1896	66	1976	73	1931,2006		81	59	70	
Wisc. Rapids	100	2012	41	1946	69	1957	74	2006		83	59	71	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	2.08	1982	0.0							1.77	14.87	0.0	0.0
Appleton	1.08	1942	0.0							1.99	17.93	0.0	0.0
Green Bay	1.41	1927	0.0							1.92	16.92	0.0	0.0
Manitowoc	2.40	1955	0.0							1.74	17.29	0.0	0.0
Marshfield	1.64	1942	0.0							1.96	17.71	0.0	0.0
Merrill	1.42	1988	0.0							1.90	17.18	0.0	0.0
Oshkosh	1.28	2008	0.0							1.99	18.33	0.0	0.0
Rhineland	1.35	1995	0.0							2.25	18.28	0.0	0.0
Stevens Point	1.02	1900	0.0							1.98	18.55	0.0	0.0
Sturgeon Bay	0.93	1941	0.0							1.88	17.34	0.0	0.0
Wausau	1.35	1999	0.0							1.93	17.62	0.0	0.0
Wisc. Rapids	1.96	1942	0.0							1.99	18.50	0.0	0.0

# July 16



# July 17

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	97	1894	40	1971	64	2009	74	1931,2006	78	57	68	
Appleton	98	1931,2006	49	1924	67	2009	77	1986	82	62	72	
Green Bay	98	1931	45	1896,1958	65	2009	75	2013	81	60	71	
Manitowoc	100	1931	44	1896	65	1918	76	2006	77	61	69	
Marshfield	98	2006	42	1917,1924	62	2009	73	1942	80	59	69	
Merrill	95	1931,1932,2011	40	1911	62	2009	75	2006	81	57	69	
Oshkosh	100	1931	46	1924	65	1939,2009	76	2006,2013	82	61	72	
Rhineland	95	2005	42	1911,2014	62	2009	71	1964	80	55	67	
Stevens Point	101	1931	43	1911,1958	62	2009	76	1931,2006,2012	80	60	70	
Sturgeon Bay	101	1931	42	1911	64	1924	75	1919,2012	78	59	69	
Wausau	96	2006	44	1911	62	2009	73	1986,2013	81	59	70	
Wisc. Rapids	99	2006	41	1958	64	2009	74	1904	83	59	71	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpr	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.85	1927	0.0						1.88	14.98	0.0	0.0
Appleton	1.86	1943	0.0						2.11	18.05	0.0	0.0
Green Bay	1.75	1994	0.0						2.04	17.04	0.0	0.0
Manitowoc	1.93	1931	0.0						1.85	17.40	0.0	0.0
Marshfield	2.85	1991	0.0						2.08	17.83	0.0	0.0
Merrill	1.80	1991	0.0						2.02	17.30	0.0	0.0
Oshkosh	1.05	2019	0.0						2.11	18.45	0.0	0.0
Rhineland	1.78	1927	0.0						2.38	18.41	0.0	0.0
Stevens Point	1.82	1900	0.0						2.10	18.67	0.0	0.0
Sturgeon Bay	1.80	1990	0.0						2.00	17.46	0.0	0.0
Wausau	2.10	1960	0.0						2.05	17.74	0.0	0.0
Wisc. Rapids	1.82	1991	0.0						2.11	18.62	0.0	0.0

# July 17

# July 18

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	96	1894	40	1895,1906	62	2009	75	1930	78	57	68	
Appleton	96	1931	48	2000	60	2000	76	2005	82	62	72	
Green Bay	97	1894	46	1956,2000,2003	58	2000	75	1942	81	60	71	
Manitowoc	98	1942	44	1886	63	1924	81	1942	77	61	69	
Marshfield	94	1986	41	1924	57	2000	74	1942,1986	80	59	69	
Merrill	100	1932	41	1924,1976	66	1984	72	1942	81	57	69	
Oshkosh	95	1930	46	1910	65	2000	77	1942	82	62	72	
Rhineland	94	1986	38	1924	58	2000	73	1942	80	55	67	
Stevens Point	98	1931,1932	43	1910	57	2000	78	1942	80	60	70	
Sturgeon Bay	95	1942	36	1912	63	1920	75	1986	78	59	69	
Wausau	98	1932	45	1900	59	2000	74	2013	81	59	70	
Wisc. Rapids	99	1931	35	1929	64	2009	76	1942	83	59	71	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.22	1928	0.0						1.99	15.09	0.0	0.0
Appleton	2.05	1986	0.0						2.23	18.17	0.0	0.0
Green Bay	1.94	1982	0.0						2.16	17.16	0.0	0.0
Manitowoc	2.98	1952	0.0						1.96	17.51	0.0	0.0
Marshfield	1.27	1978	0.0						2.20	17.95	0.0	0.0
Merrill	1.55	1978	0.0						2.14	17.42	0.0	0.0
Oshkosh	1.85	1996	0.0						2.23	18.57	0.0	0.0
Rhineland	2.02	1978	0.0						2.51	18.54	0.0	0.0
Stevens Point	1.52	1921	0.0						2.22	18.79	0.0	0.0
Sturgeon Bay	2.19	1931	0.0						2.11	17.57	0.0	0.0
Wausau	2.95	1978	0.0						2.17	17.86	0.0	0.0
Wisc. Rapids	2.18	1999	0.0						2.23	18.74	0.0	0.0

# July 18

# July 19

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	96	1894	39	1912	65	1956	70	1934	78	57	67	
Appleton	98	1916	45	1909	63	1956	77	1987,2013	82	62	72	
Green Bay	98	1977	46	1947	62	1956	74	1934,1987	81	60	71	
Manitowoc	98	1977	45	1912	61	1902	78	2013	77	61	69	
Marshfield	96	1964,1977	38	1929	59	1929	71	1940	80	59	69	
Merrill	98	1932	39	1929	60	2000	75	1975	81	57	69	
Oshkosh	98	1916	41	1929	66	1989	76	1977	82	62	72	
Rhineland	96	1932,1977	36	1912,2000	58	1971	72	1977	80	55	67	
Stevens Point	100	1932	42	1910,1929	67	1902,1956	76	2013	80	60	70	
Sturgeon Bay	96	1932	40	1910	60	2000	77	2013	78	59	69	
Wausau	95	1932,1933,1964,1977	41	1929	63	1970	73	1932,1934,1977	81	59	70	
Wisc. Rapids	102	1930	40	1929	66	1956	74	1932	83	59	71	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpr	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.47	1970	0.0						2.11	15.21	0.0	0.0
Appleton	2.20	1956	0.0						2.36	18.30	0.0	0.0
Green Bay	2.25	1956	0.0						2.28	17.28	0.0	0.0
Manitowoc	2.00	1898	0.0						2.08	17.63	0.0	0.0
Marshfield	3.10	2011	0.0						2.32	18.07	0.0	0.0
Merrill	2.53	1986	0.0						2.27	17.55	0.0	0.0
Oshkosh	2.17	1950	0.0						2.35	18.69	0.0	0.0
Rhineland	2.21	2019	0.0						2.65	18.68	0.0	0.0
Stevens Point	2.99	2011	0.0						2.35	18.92	0.0	0.0
Sturgeon Bay	1.75	1996	0.0						2.23	17.69	0.0	0.0
Wausau	1.61	2012	0.0						2.30	17.99	0.0	0.0
Wisc. Rapids	1.49	2019	0.0						2.35	18.86	0.0	0.0

# July 19

# July 20

	Rec	Year(s)	Rec	Year(s)	Low	Year(s)	High	Year(s)	1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	97	1901	39	1966	64	1956	74	1932	78	57	67	
Appleton	98	1940	48	1929,1970	65	1902	77	1977	82	62	72	
Green Bay	99	1901	42	1958	60	1912	76	1977	81	60	71	
Manitowoc	98	1926	47	1929	59	1902,1912	77	1977	77	61	69	
Marshfield	99	1932	41	1966	57	1950	72	1931	80	59	69	
Merrill	100	1932	42	1941,1951	64	1956	76	1932	81	57	69	
Oshkosh	100	1930	44	1966	62	1891	77	1987	82	62	72	
Rhineland	96	1932	40	1913	57	1970	72	1932,1935	80	55	67	
Stevens Point	101	1930,1932	43	1951	66	1902	76	1932,1940	80	60	70	
Sturgeon Bay	95	1926	41	1958	64	1947	78	1977	79	59	69	
Wausau	100	1932	41	1900	63	1956	73	1935	81	59	70	
Wisc. Rapids	96	1926,2011	40	1941	60	1912	72	1977	83	59	71	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.90	1952	0.0						2.23	15.33	0.0	0.0
Appleton	1.59	2010	0.0						2.48	18.42	0.0	0.0
Green Bay	1.43	2019	0.0						2.39	17.39	0.0	0.0
Manitowoc	2.70	2010	0.0						2.19	17.74	0.0	0.0
Marshfield	1.49	1976	0.0						2.45	18.20	0.0	0.0
Merrill	2.13	1976	0.0						2.40	17.68	0.0	0.0
Oshkosh	1.40	1987	0.0						2.47	18.81	0.0	0.0
Rhineland	1.89	1951	0.0						2.79	18.82	0.0	0.0
Stevens Point	1.83	1976	0.0						2.47	19.04	0.0	0.0
Sturgeon Bay	1.84	1956	0.0						2.35	17.81	0.0	0.0
Wausau	1.74	1957	0.0						2.43	18.12	0.0	0.0
Wisc. Rapids	3.00	1976	0.0						2.48	18.99	0.0	0.0

# July 20

# July 21

	Rec	Year(s)	Rec	Year(s)	Low	Year(s)	High	Year(s)	1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	95	2002	35	1894	64	2000	71	1926	78	57	67	
Appleton	98	1930	43	1992	64	1902	79	2011	82	62	72	
Green Bay	96	2002	44	1992	66	1947	72	1940,1972,2002	81	60	71	
Manitowoc	96	2002	46	1891,1913,1992	64	1898	73	1955,1957	77	61	69	
Marshfield	98	1934	41	1913	67	2013	69	2002	80	59	69	
Merrill	96	2002	39	1992	64	1992	72	2011	81	57	69	
Oshkosh	98	2002	45	1913	70	1947	75	2002	82	62	72	
Rhineland	98	1983	39	1992	60	1947	69	1935	80	55	67	
Stevens Point	101	1930	42	1894	68	1992,2013	73	2011	80	60	70	
Sturgeon Bay	94	2011	38	1913	65	1947,1992	74	2011	79	59	69	
Wausau	95	2002	37	1904	65	1927	72	1935,1983	81	59	70	
Wisc. Rapids	101	1934	42	1992	70	1947	73	1917	83	59	71	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.05	1940	0.0						2.35	15.45	0.0	0.0
Appleton	2.65	1953	0.0						2.60	18.54	0.0	0.0
Green Bay	1.26	1963	0.0						2.51	17.51	0.0	0.0
Manitowoc	1.16	1883,1907	0.0						2.30	17.85	0.0	0.0
Marshfield	2.80	1948	0.0						2.57	18.32	0.0	0.0
Merrill	1.81	1988	0.0						2.53	17.81	0.0	0.0
Oshkosh	2.35	1907	0.0						2.59	18.93	0.0	0.0
Rhineland	1.67	2002	0.0						2.92	18.95	0.0	0.0
Stevens Point	2.18	2019	0.0						2.60	19.17	0.0	0.0
Sturgeon Bay	2.08	2019	0.0						2.47	17.93	0.0	0.0
Wausau	1.30	1935	0.0						2.56	18.25	0.0	0.0
Wisc. Rapids	2.50	1933	0.0						2.60	19.11	0.0	0.0

# July 21

# July 22

	Rec	Year(s)	Rec	Year(s)	Low	Year(s)	High	Year(s)	1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	91	1918	38	1985	62	1938	71	1972	78	57	67	
Appleton	94	1916	49	1947	66	1992	77	1972	82	62	72	
Green Bay	94	1918,1972	43	1947	65	1992	74	1972	81	60	71	
Manitowoc	94	1936,1975,2002	48	1947	64	1992	75	1972	77	61	69	
Marshfield	94	1983	40	1947	66	2010	73	1972	80	59	69	
Merrill	98	1934	40	1947,1981	67	1948	69	1991,2002	80	57	69	
Oshkosh	96	1940	45	1947	64	1992	75	1972,2001	82	62	72	
Rhineland	97	1936	40	1947	61	1978,1992	70	1987	80	55	67	
Stevens Point	96	1934,1940	42	1947	67	2010	74	1972	80	60	70	
Sturgeon Bay	94	2002	40	1947	65	1992	73	2001	79	59	69	
Wausau	95	1940	38	1947	60	1978,1992	71	1940	81	59	70	
Wisc. Rapids	96	1955	37	1947	58	1992	79	1918	83	59	71	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.10	1963	0.0						2.46	15.56	0.0	0.0
Appleton	1.75	1978	0.0						2.72	18.66	0.0	0.0
Green Bay	1.07	1961	0.0						2.62	17.62	0.0	0.0
Manitowoc	2.35	1883	0.0						2.42	17.97	0.0	0.0
Marshfield	1.32	1978	0.0						2.69	18.44	0.0	0.0
Merrill	1.43	1963	0.0						2.66	17.94	0.0	0.0
Oshkosh	2.80	1917	0.0						2.71	19.05	0.0	0.0
Rhineland	1.70	1978	0.0						3.05	19.08	0.0	0.0
Stevens Point	1.02	1963	0.0						2.72	19.29	0.0	0.0
Sturgeon Bay	1.93	1961	0.0						2.58	18.04	0.0	0.0
Wausau	1.50	1978	0.0						2.69	18.38	0.0	0.0
Wisc. Rapids	1.25	2010	0.0						2.72	19.23	0.0	0.0

# July 22

# July 23

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	94	1899	40	1946	60	1911	69	1937		78	57	67	
Appleton	100	2012	48	1904,2000	68	1905	76	1937,1987		82	62	72	
Green Bay	96	1940	46	1887,1985,2000	66	1905,1911	73	2012		81	60	71	
Manitowoc	97	2012	50	1981	66	1905	73	2012		77	61	69	
Marshfield	101	1934	44	1953	69	1992	70	1984		80	59	69	
Merrill	94	1940	44	2000	59	1992	69	1960		80	57	69	
Oshkosh	100	2012	49	1904,1957,1985	69	1905	73	1987,2012		81	62	72	
Rhineland	99	1934	40	2000	66	2013	69	1941		80	55	67	
Stevens Point	104	1934	42	1904	63	1992	73	1984		80	60	70	
Sturgeon Bay	92	2012	41	1947	62	1912	71	1965,1987,2012		79	59	69	
Wausau	101	1934	47	1904	69	1992	71	1999		81	59	70	
Wisc. Rapids	102	1934	41	1931	69	1911	74	1910		83	59	71	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	3.70	1912	0.0							2.58	15.68	0.0	0.0
Appleton	1.84	1912	0.0							2.84	18.78	0.0	0.0
Green Bay	4.39	1912	0.0							2.73	17.73	0.0	0.0
Manitowoc	4.52	1912	0.0							2.53	18.08	0.0	0.0
Marshfield	2.93	1917	0.0							2.81	18.56	0.0	0.0
Merrill	5.90	1912	0.0							2.79	18.07	0.0	0.0
Oshkosh	1.95	1912	0.0							2.83	19.17	0.0	0.0
Rhineland	2.41	1914	0.0							3.18	19.21	0.0	0.0
Stevens Point	1.80	1950	0.0							2.84	19.41	0.0	0.0
Sturgeon Bay	1.49	1971	0.0							2.69	18.15	0.0	0.0
Wausau	2.00	1912	0.0							2.81	18.50	0.0	0.0
Wisc. Rapids	3.08	1971	0.0							2.84	19.35	0.0	0.0

# July 23

# July 24

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	94	1941	41	1911	65	1911	73	1934		78	56	67	
Appleton	96	1940	48	1971,2013	69	1911	75	1987		82	62	72	
Green Bay	95	1945	45	1953	60	1911	75	1892,1934		81	60	71	
Manitowoc	97	1934	46	1984	63	2014	76	1934		77	61	69	
Marshfield	98	1934	43	1953	69	1950	71	1934,1999		80	59	69	
Merrill	98	1934	41	1953	66	1915	70	1964		80	57	69	
Oshkosh	98	1945	49	1913	67	1911	76	1934		81	62	72	
Rhineland	95	1934	41	1953,2013	62	1915	73	1934		80	55	67	
Stevens Point	103	1934	45	1904	64	1911	76	1934		80	60	70	
Sturgeon Bay	95	1921	44	1953	60	1920	71	1987		79	59	69	
Wausau	99	1934	44	1911,1992	59	1915	76	1934		80	59	70	
Wisc. Rapids	101	1934	44	1992	59	1911	75	1917		83	59	71	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	2.33	1912	0.0							2.68	15.78	0.0	0.0
Appleton	1.49	1973	0.0							2.96	18.90	0.0	0.0
Green Bay	1.44	1985	0.0							2.84	17.84	0.0	0.0
Manitowoc	1.61	2016	0.0							2.64	18.19	0.0	0.0
Marshfield	1.57	2010	0.0							2.93	18.68	0.0	0.0
Merrill	5.35	1912	0.0							2.91	18.19	0.0	0.0
Oshkosh	3.23	1986	0.0							2.95	19.29	0.0	0.0
Rhineland	1.45	1938	0.0							3.30	19.33	0.0	0.0
Stevens Point	1.62	1949	0.0							2.95	19.52	0.0	0.0
Sturgeon Bay	2.84	2021	0.0							2.80	18.26	0.0	0.0
Wausau	2.50	1912	0.0							2.94	18.63	0.0	0.0
Wisc. Rapids	2.87	1977	0.0							2.96	19.47	0.0	0.0

# July 24



# July 25

	Rec	Year(s)	Rec	Year(s)	Low	Year(s)	High	Year(s)	1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	91	1931	37	1896	65	1962	75	1917	78	56	67	
Appleton	97	1945	41	1915	69	1962	73	1989	82	62	72	
Green Bay	94	1930	45	2004	66	1911,1915,1925	73	1949	81	60	71	
Manitowoc	97	1940	48	1920	66	1911	77	1999	77	61	69	
Marshfield	93	1930,1931	40	1913	70	1915,2014	69	1940	80	59	69	
Merrill	95	1930	42	1915	66	1991	72	1934	80	57	69	
Oshkosh	97	1941,2012	45	1915	70	1911	78	1940	81	62	72	
Rhineland	92	1917,1999	37	1915	65	1937,1991	72	1941	80	55	67	
Stevens Point	99	1934	45	1905,1915	66	1911	74	1934	80	60	70	
Sturgeon Bay	94	1966	45	1920,2004	64	1920	73	2020	79	59	69	
Wausau	94	1931,1941	44	1913	65	1911,1962	74	1941	80	59	70	
Wisc. Rapids	97	1931	43	1991	64	1962	77	1940	82	59	71	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	4.31	1974	0.0						2.80	15.90	0.0	0.0
Appleton	2.70	1986	0.0						3.07	19.01	0.0	0.0
Green Bay	2.50	1974	0.0						2.95	17.95	0.0	0.0
Manitowoc	4.20	2006	0.0						2.77	18.32	0.0	0.0
Marshfield	3.02	1986	0.0						3.05	18.80	0.0	0.0
Merrill	1.45	1979	0.0						3.04	18.32	0.0	0.0
Oshkosh	2.60	2005	0.0						3.07	19.41	0.0	0.0
Rhineland	3.78	1929	0.0						3.43	19.46	0.0	0.0
Stevens Point	3.07	1986	0.0						3.08	19.65	0.0	0.0
Sturgeon Bay	2.23	1964	0.0						2.91	18.37	0.0	0.0
Wausau	3.09	1953	0.0						3.07	18.76	0.0	0.0
Wisc. Rapids	1.74	1935	0.0						3.09	19.60	0.0	0.0

# July 25

# July 26

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	98	1955	42	1962,1991	66	1994	73	1949,1993		78	56	67	
Appleton	99	1955	47	1915	62	1972	74	1941,1955,1989		82	62	72	
Green Bay	98	1955	46	1977	60	1972	74	1931,1941,2020		81	60	71	
Manitowoc	98	1919,1955	47	1900	65	1920	73	1941		77	61	69	
Marshfield	97	1955	44	1962	70	2018	72	1949,2020		80	59	69	
Merrill	98	1955	41	1977	65	1962	71	1931,1949		80	57	69	
Oshkosh	99	1941	47	1915	67	1994	74	2020		81	62	71	
Rhineland	98	1955	42	1991	64	1994	71	1955		80	55	67	
Stevens Point	99	1955	43	1905	69	1962	74	1949		80	60	70	
Sturgeon Bay	97	1941	45	1913,1920	63	1920	72	1989,2020		79	59	69	
Wausau	99	1955	44	1900	60	1972	73	1949		80	59	70	
Wisc. Rapids	102	1955	40	1946	61	1972	77	1917		82	59	71	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpr	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	4.00	2020	0.0							2.91	16.01	0.0	0.0
Appleton	2.01	2018	0.0							3.19	19.13	0.0	0.0
Green Bay	1.44	1897	0.0							3.07	18.07	0.0	0.0
Manitowoc	2.06	2012	0.0							2.89	18.44	0.0	0.0
Marshfield	1.06	1997	0.0							3.18	18.93	0.0	0.0
Merrill	1.47	1919	0.0							3.17	18.45	0.0	0.0
Oshkosh	1.89	1960	0.0							3.19	19.53	0.0	0.0
Rhineland	2.90	1916	0.0							3.55	19.58	0.0	0.0
Stevens Point	1.30	1944	0.0							3.20	19.77	0.0	0.0
Sturgeon Bay	1.45	2006	0.0							3.02	18.48	0.0	0.0
Wausau	2.24	2007	0.0							3.20	18.89	0.0	0.0
Wisc. Rapids	1.90	1932	0.0							3.22	19.73	0.0	0.0

# July 26

# July 27

	Rec	Year(s)	Rec	Year(s)	Low	Year(s)	High	Year(s)	1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	97	1894,1916	40	1906	55	2013	72	1931	78	56	67	
Appleton	100	1916	48	2013	60	2013	74	1941	81	62	72	
Green Bay	98	1916,1931	47	1991	62	2013	76	1941	81	60	71	
Manitowoc	97	1894	47	1937	66	1925	77	1929	77	61	69	
Marshfield	97	1931	43	1981	57	2013	72	1941	80	59	69	
Merrill	100	1931	36	1981	58	2013	72	1931	80	57	69	
Oshkosh	103	1916	45	1937	62	2013	75	1941	81	62	71	
Rhineland	95	1955	41	1981	55	2013	76	1914	80	55	67	
Stevens Point	100	1916	44	1937	59	2013	74	1941	80	60	70	
Sturgeon Bay	97	1931	44	1907	62	2013	71	1921,1941	79	59	69	
Wausau	98	1931	45	1937	61	2013	74	1929	80	59	70	
Wisc. Rapids	98	1916	43	1936	59	2013	74	1919	82	59	71	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpr	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.84	1913	0.0						3.03	16.13	0.0	0.0
Appleton	2.26	1964	0.0						3.31	19.25	0.0	0.0
Green Bay	1.79	1914	0.0						3.18	18.18	0.0	0.0
Manitowoc	1.22	1914	0.0						3.01	18.56	0.0	0.0
Marshfield	1.76	1949	0.0						3.31	19.06	0.0	0.0
Merrill	2.13	1913	0.0						3.30	18.58	0.0	0.0
Oshkosh	3.37	1892	0.0						3.31	19.65	0.0	0.0
Rhineland	1.95	1913	0.0						3.67	19.70	0.0	0.0
Stevens Point	1.50	2007	0.0						3.33	19.90	0.0	0.0
Sturgeon Bay	1.21	1914	0.0						3.13	18.59	0.0	0.0
Wausau	1.39	1983	0.0						3.33	19.02	0.0	0.0
Wisc. Rapids	2.62	1969	0.0						3.35	19.86	0.0	0.0

# July 27

# July 28

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	97	1899	43	1967	61	1991,2013	72	1908		78	56	67	
Appleton	101	1916	50	1991,1994,2013	67	1991,2013	75	1931		81	62	72	
Green Bay	101	1916	50	1952,1967,1989,2005	61	2013	77	1931		81	60	71	
Manitowoc	96	1931	50	1925,1971,1978	62	2013	76	1941		77	61	69	
Marshfield	97	1916,1988	42	1934	64	1971	71	1941		80	59	69	
Merrill	99	1916	40	1978	68	1971,1981	75	1931		80	57	69	
Oshkosh	104	1916	48	1934	66	2013	79	1941		81	62	71	
Rhineland	96	1931	43	1978	59	2013	72	1914,1929		80	55	67	
Stevens Point	100	1916	48	1928,1956,1967,1986	66	2013	73	1931,1941		80	60	70	
Sturgeon Bay	96	1916,1941	45	1925	56	2013	77	1931		79	60	69	
Wausau	96	1916,1931	47	2013	62	1991	74	1941		80	59	70	
Wisc. Rapids	99	1916	45	1928	67	1944	76	1917		82	59	71	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.69	2016	0.0							3.13	16.23	0.0	0.0
Appleton	2.12	1976	0.0							3.43	19.37	0.0	0.0
Green Bay	2.25	2011	0.0							3.29	18.29	0.0	0.0
Manitowoc	2.19	1991	0.0							3.14	18.69	0.0	0.0
Marshfield	2.45	1976	0.0							3.44	19.19	0.0	0.0
Merrill	2.14	2016	0.0							3.43	18.71	0.0	0.0
Oshkosh	3.40	1942	0.0							3.42	19.76	0.0	0.0
Rhineland	1.29	1964	0.0							3.80	19.83	0.0	0.0
Stevens Point	2.45	2011	0.0							3.45	20.02	0.0	0.0
Sturgeon Bay	1.19	1905	0.0							3.24	18.70	0.0	0.0
Wausau	3.36	1953	0.0							3.47	19.16	0.0	0.0
Wisc. Rapids	3.20	2011	0.0							3.48	19.99	0.0	0.0

# July 28

# July 29

	Rec	Year(s)	Rec	Year(s)	Low	Year(s)	High	Year(s)	1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	97	1916	39	1968	61	1989	76	1917	78	56	67	
Appleton	101	1916	41	1914	69	1928,1944	79	1917	81	62	72	
Green Bay	101	1916	44	1952	65	1905	76	1916,1917	81	60	71	
Manitowoc	102	1941	48	1911	67	1925,2013	78	1917	77	61	69	
Marshfield	97	1916,1933	42	1925,1952,1968	64	1971	72	1940	80	59	69	
Merrill	100	1933	40	1952	62	1991	70	1940,1941	80	57	69	
Oshkosh	104	1916	48	1952,1968	70	1905,1991	76	1917	81	62	71	
Rhineland	98	1917	39	1952	62	1918,1996	74	1959	80	54	67	
Stevens Point	100	1916,1917	40	1952	66	1991	76	1917,1941	80	60	70	
Sturgeon Bay	99	1916	43	1934,1952	65	1905,1991	78	1917	78	60	69	
Wausau	97	1916	44	1952	63	1989	75	1941	80	59	70	
Wisc. Rapids	100	1941	38	1952	66	1989	78	1917	82	59	71	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.92	1918	0.0						3.25	16.35	0.0	0.0
Appleton	1.26	1942	0.0						3.55	19.49	0.0	0.0
Green Bay	1.22	1983	0.0						3.40	18.40	0.0	0.0
Manitowoc	1.50	1990	0.0						3.26	18.81	0.0	0.0
Marshfield	1.21	1953	0.0						3.57	19.32	0.0	0.0
Merrill	1.91	2021	0.0						3.56	18.84	0.0	0.0
Oshkosh	1.31	1955	0.0						3.53	19.87	0.0	0.0
Rhineland	1.55	1990	0.0						3.92	19.95	0.0	0.0
Stevens Point	2.19	1970	0.0						3.57	20.14	0.0	0.0
Sturgeon Bay	2.24	1905	0.0						3.36	18.82	0.0	0.0
Wausau	2.10	1924	0.0						3.60	19.29	0.0	0.0
Wisc. Rapids	2.12	1990	0.0						3.61	20.12	0.0	0.0

# July 29

# July 30

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	97	1917	40	1895,1918	62	1989	81	1917	78	56	67	
Appleton	102	1916	45	1918	64	1996	79	1916	81	62	71	
Green Bay	99	1916	45	1978	64	1971	79	1916	81	60	70	
Manitowoc	100	1916	46	1911	65	2014	79	1917	77	61	69	
Marshfield	100	1933	39	1918	62	1971	73	1955	80	58	69	
Merrill	103	1917	38	1978	62	1989	73	1917	80	57	68	
Oshkosh	104	1916	44	1978	65	1996	79	1916	81	62	71	
Rhineland	98	1999	32	1928	59	1996	71	1947	80	54	67	
Stevens Point	102	1933	42	1895	66	1989	76	1933,1947	80	60	70	
Sturgeon Bay	95	1917,1933	44	1965	66	1912,1918	80	1917	78	59	69	
Wausau	99	1933	41	1902	62	1903	73	1916	80	59	69	
Wisc. Rapids	100	1933	42	1936	68	1989	79	1917	82	59	71	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.70	1999	0.0						3.35	16.45	0.0	0.0
Appleton	2.80	1961	0.0						3.66	19.60	0.0	0.0
Green Bay	1.75	2003	0.0						3.51	18.51	0.0	0.0
Manitowoc	2.35	1902	0.0						3.38	18.93	0.0	0.0
Marshfield	1.91	1919	0.0						3.70	19.45	0.0	0.0
Merrill	1.84	1961	0.0						3.69	18.97	0.0	0.0
Oshkosh	1.15	2003	0.0						3.64	19.98	0.0	0.0
Rhineland	1.59	1954	0.0						4.03	20.06	0.0	0.0
Stevens Point	1.30	1970	0.0						3.69	20.26	0.0	0.0
Sturgeon Bay	1.09	1976	0.0						3.46	18.92	0.0	0.0
Wausau	2.20	1919	0.0						3.73	19.42	0.0	0.0
Wisc. Rapids	1.52	1919	0.0						3.74	20.25	0.0	0.0

# July 30

# July 31

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	97	1933	37	1895	63	1924	80	1917	77	56	67	
Appleton	98	1917	41	1903	66	1924	76	1917	81	62	71	
Green Bay	96	1917,1995	45	1971	65	1924	72	1917	81	60	70	
Manitowoc	97	2006	43	1977	61	1924	75	1933	77	61	69	
Marshfield	96	1988	40	1971	66	1926	70	1917	80	58	69	
Merrill	97	1999,2006	41	1952	64	1996	75	1933	80	57	68	
Oshkosh	100	1916	45	1918	68	1912,1996	76	1917	81	62	71	
Rhineland	98	1999	42	1910,1952	64	1996	70	2006	80	54	67	
Stevens Point	99	1917	41	1895,1903	65	1925	74	1917	80	60	70	
Sturgeon Bay	98	2006	37	1918	63	1924	74	1933	78	59	69	
Wausau	98	2006	45	1902,1952,1962	66	1965	71	1913	80	59	69	
Wisc. Rapids	99	2006	37	1924	68	1927	74	1933	82	59	70	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.17	1955	0.0						3.46	16.56	0.0	0.0
Appleton	3.84	2003	0.0						3.78	19.72	0.0	0.0
Green Bay	0.73	1913	0.0						3.62	18.62	0.0	0.0
Manitowoc	1.30	1913	0.0						3.50	19.05	0.0	0.0
Marshfield	1.55	1961	0.0						3.83	19.58	0.0	0.0
Merrill	1.69	1999	0.0						3.82	19.10	0.0	0.0
Oshkosh	1.90	1902	0.0						3.76	20.10	0.0	0.0
Rhineland	2.33	1911	0.0						4.15	20.18	0.0	0.0
Stevens Point	1.62	1961	0.0						3.82	20.39	0.0	0.0
Sturgeon Bay	1.50	1977	0.0						3.57	19.03	0.0	0.0
Wausau	1.99	1955	0.0						3.86	19.55	0.0	0.0
Wisc. Rapids	1.91	2021	0.0						3.88	20.39	0.0	0.0

# July 31