

## JUNE 1

LOCATION	REC	YEAR(S)	REC	YEAR(S)	LOW	YEAR(S)	HIGH	YEAR(S)	NORMAL			
	HIGH		LOW		MAX		MIN		HI	LO	ME	
ANTIGO	99	1934	26	1897	47	1945	73	1934		69	46	58
APPLETON	97	1934	33	1921	45	1945	66	1934,1988		73	53	63
GREEN BAY	101	1934	34	1897	45	1945	69	1919		71	50	60
MANITOWOC	103	1934	36	1889,2003	49	1946	61	1934		67	50	59
MARSHFIELD	100	1934	34	1946,1964,2001	42	1945	70	1934		71	50	60
MERRILL	92	1934	30	2003	47	1945	72	1934		71	47	59
OSHKOSH	102	1934	35	2003	47	1945	74	1934		73	52	62
RHINELANDER	91	1988	27	2003	52	1954	69	1925		70	46	58
STEVENS POINT	104	1934	26	1897	44	1945	74	1930		71	51	61
STURGEON BAY	100	1934	32	1927	43	1945	64	1988		69	48	58
WAUSAU	95	1934	29	1897	44	1945	72	1934		72	49	61
WISCONSIN RAPIDS	98	1934	32	1964	45	1945	70	1934		73	49	61
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.99	1970	0.0						0.12	8.37	0.0	53.0
APPLETON	2.31	1944	0.0						0.13	10.30	0.0	44.2
GREEN BAY	1.74	1945	0.0						0.12	9.77	0.0	51.4
MANITOWOC	3.15	1945	0.0						0.11	11.27	0.0	43.0
MARSHFIELD	2.00	2000	0.0						0.14	10.10	0.0	50.9
MERRILL	1.81	1965	0.0						0.12	9.99	0.0	51.3
OSHKOSH	3.88	1945	0.0						0.13	10.27	0.0	35.8
RHINELANDER	1.50	1945	0.0						0.12	9.80	0.0	67.1
STEVENS POINT	2.09	1945	0.0						0.14	10.65	0.0	44.7
STURGEON BAY	2.05	2000	0.0						0.12	10.85	0.0	50.7
WAUSAU	2.34	2000	0.0						0.13	10.04	0.0	59.6
WISCONSIN RAPIDS	2.42	2000	0.0						0.13	10.52	0.0	47.5

## JUNE 1

**JUNE 2**

	REC		REC		REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	89	1934	30	1986	41	1945	64	1934,2014		69	47	58
APPLETON	93	2020	34	1917	46	1945	69	1923		73	53	63
GREEN BAY	93	2020	33	1956	44	1945	67	1895		71	50	61
MANITOWOC	91	1988	35	1888	45	1945	65	1978		68	51	59
MARSHFIELD	91	1934,2020	34	1928,1956,1986	44	1945	63	1991,2014		71	50	61
MERRILL	94	1934	31	1986	42	1945	69	1934		72	47	60
OSHKOSH	92	1944	34	1956	46	1945	68	1923		73	52	63
RHINELANDER	90	2020	32	1946	43	1945	63	1963		70	46	58
STEVENS POINT	95	1934	34	1956	49	1945	68	1911		72	51	61
STURGEON BAY	90	1944	30	1956	43	1945	59	1918,1919,1948		69	48	59
WAUSAU	92	1934	34	1956	44	1945	65	1933		72	50	61
WISCONSIN RAPIDS	94	2020	29	1929	45	1945	66	2014		74	50	62
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN	SNOW		
									MONTH	YEAR	MONTH	SEASON
ANTIGO	2.50	1903	0.0						0.25	8.50	0.0	53.0
APPLETON	1.10	1917	0.0						0.25	10.42	0.0	44.2
GREEN BAY	1.95	1902	0.0						0.25	9.90	0.0	51.4
MANITOWOC	1.69	2014	0.0						0.22	11.38	0.0	43.0
MARSHFIELD	2.82	1916	0.0						0.29	10.25	0.0	50.9
MERRILL	1.63	1916	0.0						0.24	10.11	0.0	51.3
OSHKOSH	1.40	1917	0.0						0.26	10.40	0.0	35.8
RHINELANDER	1.79	1916	T	1945					0.25	9.93	0.0	67.1
STEVENS POINT	2.20	1916	0.0						0.27	10.78	0.0	44.7
STURGEON BAY	1.40	1916	T	1945					0.23	10.96	0.0	50.7
WAUSAU	1.41	1951	0.0						0.27	10.18	0.0	59.6
WISCONSIN RAPIDS	0.92	1942	0.0						0.26	10.65	0.0	47.5

## JUNE 2


## JUNE 3

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	88	1948	32	1946	47	1990	69	1930		70	47	58	
APPLETON	89	1948,1963	36	1994	53	1969,2002	70	1943		73	54	63	
GREEN BAY	91	1948	38	1945,1956	51	1945	68	1930		72	50	61	
MANITOWOC	90	1940	38	1926	47	1882	66	1948		68	51	60	
MARSHFIELD	90	2011	32	1929	48	1969	70	1943		72	50	61	
MERRILL	98	1934	30	1985	48	1990	69	1911		72	48	60	
OSHKOSH	93	1934	34	1929	52	1892	70	1943		74	53	63	
RHINELANDER	89	1934	32	1928,1945,1946,1982,2013	48	1969	65	1940		71	47	59	
STEVENS POINT	94	1944	34	1901	50	1969	71	1943		72	51	62	
STURGEON BAY	88	1948	35	1977,1994	50	1945	62	1948		70	49	59	
WAUSAU	90	2011	34	1945	50	1897	68	1943		72	50	61	
WISCONSIN RAPIDS	93	1948	33	1926	51	1969	63	1943		74	50	62	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.30	1904	0.0							0.37	8.62	0.0	53.0
APPLETON	2.25	1914	0.0							0.39	10.56	0.0	44.2
GREEN BAY	3.61	1914	0.0							0.37	10.02	0.0	51.4
MANITOWOC	3.63	1873	0.0							0.33	11.49	0.0	43.0
MARSHFIELD	2.20	1914	0.0							0.43	10.39	0.0	50.9
MERRILL	1.04	1925	0.0							0.37	10.24	0.0	51.3
OSHKOSH	1.66	1892	0.0							0.40	10.54	0.0	35.8
RHINELANDER	1.44	2007	T	1945						0.37	10.05	0.0	67.1
STEVENS POINT	2.00	1914	0.0							0.41	10.92	0.0	44.7
STURGEON BAY	2.00	1955	0.0							0.36	11.09	0.0	50.7
WAUSAU	1.18	2002	0.0							0.41	10.32	0.0	59.6

WISCONSIN RAPIDS	1.92	1925		0.0						0.39	10.78	0.0	47.5
------------------	------	------	--	-----	--	--	--	--	--	------	-------	-----	------

**JUNE 3**

--	--	--	--	--	--	--	--	--	--	--	--	--	--

**JUNE 4**

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	88	1934	30	1945	51	1969	65	1923		70	47	59	
APPLETON	91	1934	35	1945	54	1945	67	1934		73	54	64	
GREEN BAY	94	1934	35	1945	51	1945	69	1934,1940		72	51	61	
MANITOWOC	86	1948,2011	31	1891	48	1945	63	1949		68	51	60	
MARSHFIELD	91	1934	29	1945	54	2000	70	1933		72	51	61	
MERRILL	90	1934	28	1945	52	1969	65	1934		72	48	60	
OSHKOSH	94	1934	30	1945	53	1945	68	1923		74	53	64	
RHINELANDER	90	1934	30	1921,1945,1990	48	1917	64	1955		71	47	59	
STEVENS POINT	95	1934	32	1945	51	1969	71	1948		72	52	62	
STURGEON BAY	91	1934	32	1982	50	1945	63	1919		70	49	60	
WAUSAU	92	1934	33	1945	53	1969	66	1899		73	50	62	
WISCONSIN RAPIDS	95	1934	27	1945	55	2000	66	1940		74	50	62	

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	2.48	1914	0.0							0.50	8.75	0.0	53.0
APPLETON	2.12	1911	0.0							0.52	10.69	0.0	44.2
GREEN BAY	1.59	1925	0.0							0.50	10.15	0.0	51.4
MANITOWOC	3.90	1933	0.0							0.45	11.61	0.0	43.0
MARSHFIELD	1.95	1925	0.0							0.59	10.55	0.0	50.9
MERRILL	2.58	1914	0.0							0.49	10.36	0.0	51.3
OSHKOSH	5.04	1905	0.0							0.54	10.68	0.0	35.8
RHINELANDER	1.20	1980	0.0							0.50	10.18	0.0	67.1
STEVENS POINT	2.50	1914	0.0							0.55	11.06	0.0	44.7

STURGEON BAY	1.39	2017	0.0						0.48	11.21	0.0	50.7
WAUSAU	2.64	1914	0.0						0.56	10.47	0.0	59.6
WISCONSIN RAPIDS	3.00	1914	0.0						0.53	10.92	0.0	47.5

## JUNE 4


## JUNE 5

	REC	YEAR(S)	REC	YEAR(S)	LOW	YEAR(S)	HIGH	YEAR(S)	NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME
ANTIGO	88	1934,1988	28	1897	50	1935	66	1968	70	48	59
APPLETON	93	1988	38	1945	54	1921,1935	69	1925,1934	74	54	64
GREEN BAY	93	1934	36	1958	54	1943	72	1925	72	51	62
MANITOWOC	94	1988	34	1891	50	1929	61	1950	69	52	60
MARSHFIELD	90	1934	36	1945,1954,1969	56	2001,2013	75	1933	72	51	62
MERRILL	93	1925	32	1945,1982	53	1935	66	1925	73	48	61
OSHKOSH	94	1934	33	1945	56	1935	68	1934	74	53	64
RHINELANDER	90	1988	28	2001	52	1935,1998,2013	67	1968	71	47	59
STEVENS POINT	95	1934	33	1954	52	1935	68	1925	73	52	62
STURGEON BAY	93	1988	33	1929,1945	53	1910	60	1968	70	49	60
WAUSAU	92	1934	33	1945	52	1935	69	1925	73	51	62
WISCONSIN RAPIDS	94	1934	34	1945	52	1935	70	1925	75	51	63

	REC	YEAR(S)	REC	YEAR(S)	NORMAL							
	PCPN	YEAR(S)	SNOW	YEAR(S)	PCPN				SNOW			
					MONTH	YEAR	MONTH	SEASON				
ANTIGO	1.10	1919	0.0		0.64	8.89	0.0	53.0				
APPLETON	1.77	1980	0.0		0.65	10.82	0.0	44.2				
GREEN BAY	1.51	1980	0.0		0.64	10.29	0.0	51.4				
MANITOWOC	1.07	1980	0.0		0.58	11.74	0.0	43.0				
MARSHFIELD	1.50	1914	0.0		0.74	10.70	0.0	50.9				
MERRILL	1.40	1906,2013	0.0		0.62	10.49	0.0	51.3				
OSHKOSH	1.78	1980	0.0		0.69	10.83	0.0	35.8				

RHINELANDER	1.57	1944	0.0							0.63	10.31	0.0	67.1
STEVENS POINT	2.97	1905	0.0							0.70	11.21	0.0	44.7
STURGEON BAY	0.72	1905	0.0							0.61	11.34	0.0	50.7
WAUSAU	4.46	1980	0.0							0.71	10.62	0.0	59.6
WISCONSIN RAPIDS	1.33	1980	0.0							0.67	11.06	0.0	47.5

**JUNE 5**

--	--	--	--	--	--	--	--	--	--	--	--	--	--

**JUNE 6**

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	90	1896	28	1894	50	1935	65	1925		71	48	59	
APPLETON	93	1988	39	1958,1988	52	2009	67	1925,1984,1988		74	55	64	
GREEN BAY	93	1988	32	1958	52	2009	69	1899		73	51	62	
MANITOWOC	94	1988	38	2018	52	1879	68	1988		69	52	61	
MARSHFIELD	90	1988	37	1958	50	2009	66	1984		72	51	62	
MERRILL	92	1925	34	1985	55	2009	65	1908		73	49	61	
OSHKOSH	93	1952	36	1958	52	2009	68	1963		75	54	64	
RHINELANDER	90	1988	31	2009	53	1953	65	1925,1939		72	48	60	
STEVENS POINT	94	1933	35	1907	50	2009	68	1899		73	52	63	
STURGEON BAY	94	1988	30	1958	52	1905	68	1988		71	50	60	
WAUSAU	91	1950	34	1897	50	1924	68	1925		73	51	62	
WISCONSIN RAPIDS	94	1933	33	1945	53	2009	67	1984		75	51	63	

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	2.32	1980	0.0							0.77	9.02	0.0	53.0
APPLETON	2.44	1905	0.0							0.79	10.96	0.0	44.2
GREEN BAY	1.63	1914	0.0							0.77	10.42	0.0	51.4
MANITOWOC	2.18	1905	0.0							0.70	11.86	0.0	43.0
MARSHFIELD	2.76	1930	0.0							0.90	10.86	0.0	50.9

MERRILL	1.98	1980	0.0						0.76	10.63	0.0	51.3
OSHKOSH	2.85	1905	0.0						0.83	10.97	0.0	35.8
RHINELANDER	2.92	1923	0.0						0.76	10.44	0.0	67.1
STEVENS POINT	1.84	1942	0.0						0.86	11.37	0.0	44.7
STURGEON BAY	1.60	1980	0.0						0.73	11.46	0.0	50.7
WAUSAU	1.80	1905	0.0						0.86	10.77	0.0	59.6
WISCONSIN RAPIDS	1.97	1942	0.0						0.82	11.21	0.0	47.5

**JUNE 6**


**JUNE 7**

	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	91	2011	31	1897	49	2009	65	1925		71	48	60	
APPLETON	96	2011	38	1998	53	1917	73	1933		74	55	65	
GREEN BAY	97	2011	37	1998	54	1909,1913,1917,2009	68	1925		73	52	62	
MANITOWOC	95	1988	34	1888	53	1909	65	1988		70	52	61	
MARSHFIELD	93	1988,2011	34	1953	50	2009	67	2011		73	52	62	
MERRILL	94	2011	32	1924	51	2009	67	1922		73	49	61	
OSHKOSH	96	2011	37	1913	56	2009	73	1902		75	54	65	
RHINELANDER	93	2011	30	1924,1995	52	2009	69	1988		72	48	60	
STEVENS POINT	97	2011	33	1913	51	2009	69	1925		73	53	63	
STURGEON BAY	93	1988	35	1912	53	1909	68	1922		71	50	61	
WAUSAU	94	2011	30	1924	51	2009	68	1925		74	51	62	
WISCONSIN RAPIDS	95	1933	30	1924	52	2009	68	1939		75	51	63	
	REC	YEAR(S)	REC	YEAR(S)						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.49	1940	0.0							0.90	9.15	0.0	53.0
APPLETON	2.20	1916	0.0							0.93	11.10	0.0	44.2
GREEN BAY	1.82	1896	0.0							0.90	10.55	0.0	51.4

MANITOWOC	2.20	1916	0.0						0.82	11.98	0.0	43.0
MARSHFIELD	2.17	1996	0.0						1.06	11.02	0.0	50.9
MERRILL	1.92	1923	0.0						0.89	10.76	0.0	51.3
OSHKOSH	1.99	1916	0.0						0.97	11.11	0.0	35.8
RHINELANDER	2.32	1946	0.0						0.89	10.57	0.0	67.1
STEVENS POINT	1.45	1921	0.0						1.01	11.52	0.0	44.7
STURGEON BAY	1.30	1920	0.0						0.86	11.59	0.0	50.7
WAUSAU	1.84	1984	0.0						1.01	10.92	0.0	59.6
WISCONSIN RAPIDS	2.30	1923	0.0						0.96	11.35	0.0	47.5

**JUNE 7**


**JUNE 8**

	REC		REC		REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	90	2011	30	1913	50	2009	71	2004		71	49	60	
APPLETON	92	2011	34	1913	51	1916	73	1933		75	55	65	
GREEN BAY	93	2011	36	1998	52	1916	73	1914		73	52	63	
MANITOWOC	91	1976	36	1885,1886,1913	47	1916	65	2004		70	53	61	
MARSHFIELD	92	1985	32	1913	54	1916	67	2004		73	52	63	
MERRILL	91	2011,2020	31	1913	53	2009	68	1908		74	49	62	
OSHKOSH	94	1985	32	1913	56	1916	74	1933		76	54	65	
RHINELANDER	92	2011	30	1913	50	2009	68	1968		72	48	60	
STEVENS POINT	95	1933	33	1913	54	2009	72	1933		74	53	63	
STURGEON BAY	90	2011	29	1949	51	2009	63	1976,1999,2008		71	50	61	
WAUSAU	93	2011	33	1913	53	2009	70	2004		74	52	63	
WISCONSIN RAPIDS	94	1920	32	1913	54	1937	68	1950		75	52	64	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.40	1967	0.0							1.04	9.29	0.0	53.0



APPLETON	2.35	2013	0.0							1.07	11.24	0.0	44.2
GREEN BAY	1.73	1993	0.0							1.04	10.69	0.0	51.4
MANITOWOC	1.78	2008	0.0							0.94	12.10	0.0	43.0
MARSHFIELD	1.95	1993	0.0							1.23	11.19	0.0	50.9
MERRILL	1.48	1940	0.0							1.02	10.89	0.0	51.3
OSHKOSH	3.75	2008	0.0							1.11	11.25	0.0	35.8
RHINELANDER	2.75	1971	0.0							1.01	10.69	0.0	67.1
STEVENS POINT	1.86	2003	0.0							1.17	11.68	0.0	44.7
STURGEON BAY	1.70	1993	0.0							0.99	11.72	0.0	50.7
WAUSAU	2.17	1993	0.0							1.16	11.07	0.0	59.6
WISCONSIN RAPIDS	3.50	1993	0.0							1.10	11.49	0.0	47.5

**JUNE 8**


**JUNE 9**

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	92	1911	30	1977	53	1989	65	1914		72	49	60	
APPLETON	95	1911	36	1913	56	1944	72	1914		75	56	65	
GREEN BAY	92	1976,2012	35	1977	50	1889	70	1914		74	52	63	
MANITOWOC	92	1959	36	1901	48	1889	68	1976		70	53	62	
MARSHFIELD	89	1968	33	1913	57	1955	68	1914		73	52	63	
MERRILL	90	2012	29	1977	55	1989	70	1914		74	50	62	
OSHKOSH	95	1911	34	1977	57	1896,1989	73	1902		76	55	65	
RHINELANDER	92	1911	31	1913	53	1989	70	1914		72	49	61	
STEVENS POINT	93	1985	33	1941	58	1955	70	1964		74	53	64	
STURGEON BAY	90	1914	29	1913	57	1905,1924	68	2012		72	51	61	
WAUSAU	93	1911	35	1937	55	1924,1998	70	1914		74	52	63	
WISCONSIN RAPIDS	94	1920	34	1913	56	1924	73	1914		76	52	64	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		



	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.72	2020	0.0						1.30	9.55	0.0	53.0
APPLETON	4.03	1922	0.0						1.35	11.52	0.0	44.2
GREEN BAY	3.70	1922	0.0						1.30	10.95	0.0	51.4
MANITOWOC	3.57	1922	0.0						1.18	12.34	0.0	43.0
MARSHFIELD	2.85	1922	0.0						1.54	11.50	0.0	50.9
MERRILL	2.47	2020	0.0						1.29	11.16	0.0	51.3
OSHKOSH	2.33	1946	0.0						1.41	11.55	0.0	35.8
RHINELANDER	2.06	1931	0.0						1.27	10.95	0.0	67.1
STEVENS POINT	2.43	1922	0.0						1.47	11.98	0.0	44.7
STURGEON BAY	2.11	1974	0.0						1.24	11.97	0.0	50.7
WAUSAU	2.28	1946	0.0						1.46	11.37	0.0	59.6
WISCONSIN RAPIDS	2.54	1946	0.0						1.39	11.78	0.0	47.5

**JUNE 10**


**JUNE 11**

LOCATION	REC		REC		REC		REC		NORMAL			
	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME	
	ANTIGO	93	1894	32	1903	52	1963	68	1973	72	50	61
APPLETON	92	1992	37	1903,1908	53	1903	72	1933	76	57	66	
GREEN BAY	91	1949,1973,2016	36	1903	54	1903,1925	71	2017	74	53	64	
MANITOWOC	92	1973	38	1888,1908	52	1925	68	1973	71	54	62	
MARSHFIELD	91	1976	35	1963	54	1963	67	2005	74	53	64	
MERRILL	91	1949	34	1980	52	1947	68	1973	74	50	62	
OSHKOSH	94	1949	38	1903	53	1903	73	2017	77	55	66	
RHINELANDER	93	1956	33	1910	50	1963	69	1973	73	49	61	
STEVENS POINT	95	1933	31	1903	53	1903	72	1973	75	54	64	
STURGEON BAY	90	1949	31	1908	53	1925	64	1992,1997,2005	72	52	62	
WAUSAU	93	1949	33	1903	51	1925	67	1942	75	53	64	
WISCONSIN RAPIDS	98	1949	36	1936	55	1929	70	2017	76	53	64	

	REC	YEAR(S)	REC	YEAR(S)					NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.46	1929,1990	0.0						1.43	9.68	0.0	53.0
APPLETON	1.61	1922,1986	0.0						1.49	11.66	0.0	44.2
GREEN BAY	2.08	1942	0.0						1.44	11.09	0.0	51.4
MANITOWOC	1.35	1975	0.0						1.31	12.47	0.0	43.0
MARSHFIELD	2.36	1998	0.0						1.70	11.66	0.0	50.9
MERRILL	2.28	1939	0.0						1.42	11.29	0.0	51.3
OSHKOSH	3.20	2004	0.0						1.56	11.70	0.0	35.8
RHINELANDER	3.26	2017	0.0						1.40	11.08	0.0	67.1
STEVENS POINT	3.12	1922	0.0						1.63	12.14	0.0	44.7
STURGEON BAY	1.80	1998	0.0						1.37	12.10	0.0	50.7
WAUSAU	1.72	1967	0.0						1.62	11.53	0.0	59.6
WISCONSIN RAPIDS	2.08	1973	0.0						1.54	11.93	0.0	47.5

**JUNE 11**

--	--	--	--	--	--	--	--	--	--	--	--	--

**JUNE 12**

	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)				
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	93	1894	35	1947,1983	57	1955,2019	65	1949		73	50	61
APPLETON	93	1988,1992	35	1903	54	1947	75	2017		76	57	66
GREEN BAY	92	1892,1971	37	1903	55	1929,1947	72	1892		74	53	64
MANITOWOC	94	1956	35	1903	56	1947	75	1987		71	54	63
MARSHFIELD	93	1976	26	1927	53	1947	66	1915		74	53	64
MERRILL	92	1976	32	1985	53	1947	66	2005		75	51	63
OSHKOSH	93	1949,1971	36	1903	53	1947	70	1902,2005		77	55	66
RHINELANDER	91	1956	31	1927	56	1929,1941	66	1920,1949		73	50	62
STEVENS POINT	93	1949	29	1903	53	1947	69	1920		75	54	65
STURGEON BAY	93	1956	35	1908,1927,1947	53	1947	68	2005		73	52	62

WAUSAU	93	1956	32	1903	51	1955	68	1919		75	53	64	
WISCONSIN RAPIDS	96	1949	36	1947	53	1947	68	1920		77	53	65	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	3.16	1990	0.0							1.56	9.81	0.0	53.0
APPLETON	3.15	1961	0.0							1.63	11.80	0.0	44.2
GREEN BAY	1.58	1944	0.0							1.57	11.22	0.0	51.4
MANITOWOC	1.56	1925	0.0							1.43	12.59	0.0	43.0
MARSHFIELD	2.66	2001	0.0							1.85	11.81	0.0	50.9
MERRILL	3.26	1990	0.0							1.55	11.42	0.0	51.3
OSHKOSH	4.87	2008	0.0							1.70	11.84	0.0	35.8
RHINELANDER	3.87	1990	0.0							1.52	11.20	0.0	67.1
STEVENS POINT	2.47	2001	0.0							1.78	12.29	0.0	44.7
STURGEON BAY	1.77	1990	0.0							1.49	12.22	0.0	50.7
WAUSAU	2.30	1990	0.0							1.77	11.68	0.0	59.6
WISCONSIN RAPIDS	2.56	1925	0.0							1.69	12.08	0.0	47.5

**JUNE 12**


**JUNE 13**

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	93	1894	32	1969	54	1947	66	1956		73	50	62	
APPLETON	97	1988	42	1906,2020	50	1947	69	1988		76	57	67	
GREEN BAY	94	1988	39	1969	52	1947	72	1892		75	54	64	
MANITOWOC	95	1956	41	1906	53	1947	71	1956		72	55	63	
MARSHFIELD	93	1987	34	1969	50	1947	65	1971		75	54	64	
MERRILL	91	1956,1988	30	1941	53	1947	64	1919		75	51	63	
OSHKOSH	93	1976	39	1969,1985	58	1947	74	1892		77	56	67	
RHINELANDER	93	1956	34	1927,2012	56	1989	69	1956		74	50	62	

STEVENS POINT	95	1920	39	1969	53	1947	66	1983,2001		75	55	65	
STURGEON BAY	92	1956,1988	35	1906	51	1947	65	1956		73	52	63	
WAUSAU	94	1956,1987	38	1969	49	1947	68	1983		75	53	64	
WISCONSIN RAPIDS	97	1920	36	1969	50	1947	76	1919		77	53	65	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	2.95	1961	0.0							1.69	9.94	0.0	53.0
APPLETON	1.22	1990	0.0							1.77	11.94	0.0	44.2
GREEN BAY	1.88	1990	0.0							1.70	11.35	0.0	51.4
MANITOWOC	4.27	2008	0.0							1.55	12.71	0.0	43.0
MARSHFIELD	1.77	1922	0.0							2.01	11.97	0.0	50.9
MERRILL	1.25	1961	0.0							1.68	11.55	0.0	51.3
OSHKOSH	1.76	1926	0.0							1.85	11.99	0.0	35.8
RHINELANDER	4.64	1981	0.0							1.65	11.33	0.0	67.1
STEVENS POINT	2.98	2017	0.0							1.94	12.45	0.0	44.7
STURGEON BAY	1.67	1926	0.0							1.62	12.35	0.0	50.7
WAUSAU	4.96	1930	0.0							1.92	11.83	0.0	59.6
WISCONSIN RAPIDS	1.45	1922	0.0							1.85	12.24	0.0	47.5

**JUNE 13**


**JUNE 14**

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	96	1897	33	1903	47	1989	66	1988,2001		73	51	62	
APPLETON	97	1987	40	1958	54	1978	73	1998		77	58	67	
GREEN BAY	97	1987	34	1958	52	1947	71	1981		75	54	64	
MANITOWOC	97	1987	35	1913	53	2014	71	1987		72	55	63	
MARSHFIELD	95	1987	36	1915,1933	52	1947	69	1981		75	54	64	
MERRILL	94	1987	34	1958	49	1947,1989	68	2001		75	51	63	

OSHKOSH	95	1987	39	1915	54	1989	74	1981		78	56	67	
RHINELANDER	93	1987	33	1933	48	1947,1978	70	1956,1967,2001		74	50	62	
STEVENS POINT	95	1897	37	1915	52	1947	72	2001		75	55	65	
STURGEON BAY	96	1987	33	1958	51	1947	69	1919,1987		73	53	63	
WAUSAU	97	1987	38	1933,1942,1958	50	1947,1978	69	1988		76	54	65	
WISCONSIN RAPIDS	97	1987	30	1933	53	1947	71	1988		77	53	65	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	3.80	1930	0.0							1.83	10.08	0.0	53.0
APPLETON	1.78	1941	0.0							1.91	12.08	0.0	44.2
GREEN BAY	1.62	1899	0.0							1.84	11.49	0.0	51.4
MANITOWOC	3.94	1926	0.0							1.67	12.83	0.0	43.0
MARSHFIELD	3.12	1930	0.0							2.17	12.13	0.0	50.9
MERRILL	2.66	1930	0.0							1.82	11.69	0.0	51.3
OSHKOSH	2.33	1926	0.0							2.00	12.14	0.0	35.8
RHINELANDER	2.03	2019	0.0							1.78	11.46	0.0	67.1
STEVENS POINT	1.60	1926	0.0							2.09	12.60	0.0	44.7
STURGEON BAY	1.53	1943	0.0							1.75	12.48	0.0	50.7
WAUSAU	1.60	1982	0.0							2.07	11.98	0.0	59.6
WISCONSIN RAPIDS	2.09	1926	0.0							2.00	12.39	0.0	47.5
<b>JUNE 14</b>													
<b>JUNE 15</b>													
						REC				REC			
	REC		REC			LOW				HIGH		NORMAL	
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)			HI	LO	ME
ANTIGO	95	1897	32	1908	59	1985,2010	72	1994			73	51	62
APPLETON	95	1913	37	1908	58	1989	75	1994			77	58	67
GREEN BAY	93	2012	38	1964	58	1989	75	1994			75	54	65
MANITOWOC	90	1913	40	1969	55	1989	72	1988			72	55	64

MARSHFIELD	91	1994	37	1917,1999	57	1916	73	1994		75	54	65
MERRILL	94	1913	33	1968	54	1978	65	1919,1991		76	52	64
OSHKOSH	92	1913,2012	38	1908	55	1989	72	2007		78	56	67
RHINELANDER	90	1913	31	1908,1927	55	1972	74	1994		74	50	62
STEVENS POINT	96	1987	33	1908	54	1989	69	1976		76	55	66
STURGEON BAY	95	1987	35	1908	56	1908	67	1944		74	53	63
WAUSAU	90	2007	34	1908	58	1974,1975	75	1994		76	54	65
WISCONSIN RAPIDS	92	1913	35	1908	59	1975	75	1994		78	54	66

--	--	--	--	--	--	--	--	--	--	--	--	--

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON

ANTIGO	1.94	2016	0.0							1.96	10.21	0.0	53.0
APPLETON	2.43	2016	0.0							2.05	12.22	0.0	44.2
GREEN BAY	1.44	2018	0.0							1.97	11.62	0.0	51.4
MANITOWOC	4.51	2010	0.0							1.79	12.95	0.0	43.0
MARSHFIELD	1.84	1981	0.0							2.32	12.28	0.0	50.9
MERRILL	1.96	1967	0.0							1.95	11.82	0.0	51.3
OSHKOSH	1.52	1906	0.0							2.15	12.29	0.0	35.8
RHINELANDER	3.00	1997	0.0							1.91	11.59	0.0	67.1
STEVENS POINT	1.54	1967	0.0							2.24	12.75	0.0	44.7
STURGEON BAY	2.20	2017	0.0							1.88	12.61	0.0	50.7
WAUSAU	2.68	2018	0.0							2.22	12.13	0.0	59.6
WISCONSIN RAPIDS	1.41	2013	0.0							2.15	12.54	0.0	47.5

**JUNE 15**

--	--	--	--	--	--	--	--	--	--	--	--	--	--

**JUNE 16**

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	92	1907	34	1947	57	1974,1999	67	1973		74	51	63	
APPLETON	97	1994	37	1914	51	1974	75	1994		77	58	68	





ANTIGO	98	1907	35	1950	55	1974	81	1910		74	52	63
APPLETON	97	1987,1994	41	1950,1997	59	1974	75	1994		77	58	68
GREEN BAY	94	1994	37	1958	57	1974	74	2006		76	55	65
MANITOWOC	92	1910	42	1972	58	1891,2015,2019	71	2006		73	56	64
MARSHFIELD	92	1994	35	1950	57	1974	71	2018		76	55	65
MERRILL	95	1913	36	1950	57	1939	71	1907,1994		76	52	64
OSHKOSH	95	1994	38	1950	59	1974	73	1994,2006,2018		79	57	68
RHINELANDER	95	1910	37	1950	52	1974	69	2006,2018		75	51	63
STEVENS POINT	96	1910	36	1903	58	1974	71	1994,2006		76	56	66
STURGEON BAY	96	1921	36	1908,1972	57	1950,1974	69	1921		74	54	64
WAUSAU	94	1994	38	1903	58	1927,1964,1974	71	1921		76	55	66
WISCONSIN RAPIDS	95	1994	36	1972	61	1939	81	1944		78	54	66


	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON

ANTIGO	1.72	1979	0.0							2.22	10.47	0.0	53.0
APPLETON	2.75	1996	0.0							2.33	12.50	0.0	44.2
GREEN BAY	3.43	1894	0.0							2.23	11.88	0.0	51.4
MANITOWOC	3.50	1996	0.0							2.02	13.18	0.0	43.0
MARSHFIELD	1.96	1924	0.0							2.62	12.58	0.0	50.9
MERRILL	3.68	1979	0.0							2.21	12.08	0.0	51.3
OSHKOSH	3.50	1901	0.0							2.43	12.57	0.0	35.8
RHINELANDER	1.55	1940	0.0							2.16	11.84	0.0	67.1
STEVENS POINT	1.37	1984	0.0							2.54	13.05	0.0	44.7
STURGEON BAY	2.80	1996	0.0							2.12	12.85	0.0	50.7
WAUSAU	3.38	1996	0.0							2.51	12.42	0.0	59.6
WISCONSIN RAPIDS	2.00	1993	0.0							2.44	12.83	0.0	47.5

**JUNE 17**

--	--	--	--	--	--	--	--	--	--	--	--	--	--

**JUNE 18**

					REC		REC						
	REC		REC		LOW		HIGH						NORMAL

LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	90	1910	37	1909	57	1948	72	1910		74	52	63	
APPLETON	101	1994	40	1909	55	1935	74	1987		78	59	68	
GREEN BAY	96	1995	40	1958	55	1948	71	1995		76	55	66	
MANITOWOC	93	1995	40	1909	53	1950	71	2006		73	56	65	
MARSHFIELD	95	1955,1995	42	1920	58	1915	70	1929		76	55	66	
MERRILL	96	1910	37	1909	56	1915	69	1929,2018		76	53	65	
OSHKOSH	98	1905	42	1909	58	1950	73	1921,1994		79	57	68	
RHINELANDER	98	1910,1995	36	1909	53	1948	74	1921		75	51	63	
STEVENS POINT	96	1994	40	1909	62	1950	72	1929		77	56	66	
STURGEON BAY	92	1995	35	1926	51	1950	67	1921		74	54	64	
WAUSAU	95	1933,1995	41	1909	52	1950	71	1995		77	55	66	
WISCONSIN RAPIDS	95	1933	41	1909	54	1935	72	1931		78	55	66	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	2.89	2018	0.0							2.35	10.60	0.0	53.0
APPLETON	2.42	2018	0.0							2.46	12.63	0.0	44.2
GREEN BAY	3.49	1928	0.0							2.35	12.00	0.0	51.4
MANITOWOC	3.18	2018	0.0							2.14	13.30	0.0	43.0
MARSHFIELD	4.25	1940	0.0							2.77	12.73	0.0	50.9
MERRILL	2.44	1986	0.0							2.34	12.21	0.0	51.3
OSHKOSH	2.35	1993	0.0							2.57	12.71	0.0	35.8
RHINELANDER	1.81	1929	0.0							2.29	11.97	0.0	67.1
STEVENS POINT	2.50	2018	0.0							2.68	13.19	0.0	44.7
STURGEON BAY	2.01	1962	0.0							2.24	12.97	0.0	50.7
WAUSAU	1.70	2007	0.0							2.65	12.56	0.0	59.6
WISCONSIN RAPIDS	1.62	1996	0.0							2.59	12.98	0.0	47.5
<b>JUNE 18</b>													
<b>JUNE 19</b>													





**JUNE 21**

LOCATION	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)	NORMAL			
	HIGH		LOW		MAX		MIN		HI	LO	ME	
ANTIGO	90	1911,1988	34	1897,1992	56	1935	81	1910	75	53	64	
APPLETON	101	1988	38	1992	60	1906,1952	71	1983	79	60	69	
GREEN BAY	98	1988	37	1992	61	1952	71	1894	77	56	66	
MANITOWOC	95	1943	38	1992	57	2014	74	1930	74	57	66	
MARSHFIELD	95	1988,1995	34	1992	59	1952	65	1995	77	56	66	
MERRILL	95	1995	31	1992	59	1906	68	1943	77	53	65	
OSHKOSH	98	1988	39	1963,1992	60	1952	72	1988	80	58	69	
RHINELANDER	94	1995	35	1916,1963,1992	58	1935	69	1943	76	52	64	
STEVENS POINT	95	1943	37	1963	60	1902	72	1943	77	57	67	
STURGEON BAY	94	1995	35	1929,1940	57	1914	67	1998	75	55	65	
WAUSAU	96	1995	36	1992	59	1935	68	1943	77	56	67	
WISCONSIN RAPIDS	100	1988	35	1992	58	1940	68	1975	79	55	67	
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	3.42	1927	0.0						2.75	11.00	0.0	53.0
APPLETON	2.35	1985	0.0						2.86	13.03	0.0	44.2
GREEN BAY	1.49	1968	0.0						2.74	12.39	0.0	51.4
MANITOWOC	1.75	1968	0.0						2.48	13.64	0.0	43.0
MARSHFIELD	3.52	2002	0.0						3.22	13.18	0.0	50.9
MERRILL	3.30	1927	0.0						2.73	12.60	0.0	51.3
OSHKOSH	2.50	1890	0.0						2.99	13.13	0.0	35.8
RHINELANDER	3.97	1968	0.0						2.68	12.36	0.0	67.1
STEVENS POINT	3.53	1927	0.0						3.11	13.62	0.0	44.7
STURGEON BAY	1.43	2010	0.0						2.60	13.33	0.0	50.7
WAUSAU	3.00	1991	0.0						3.09	13.00	0.0	59.6
WISCONSIN RAPIDS	2.12	1987	0.0						3.03	13.42	0.0	47.5

**JUNE 21**

**JUNE 22**

	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	95	1911	37	1992	56	1935	80	1910		75	53	64	
APPLETON	99	1911	40	1902	58	1969	74	1911,1983		79	60	69	
GREEN BAY	95	1911	40	1992	55	1969	71	1911		77	56	67	
MANITOWOC	95	1911	38	1885	57	1940	75	1911		74	58	66	
MARSHFIELD	94	1988,1995	40	1917,1959	61	1969	73	1988		77	56	67	
MERRILL	95	1910	37	1992	61	1931	75	1910		77	54	66	
OSHKOSH	97	1911	40	1992	57	1969	74	1988		80	58	69	
RHINELANDER	95	1911	35	1917	56	1940	68	1923		76	52	64	
STEVENS POINT	97	1910	39	1902	56	1906	76	1988		78	57	67	
STURGEON BAY	97	1911	37	1917	58	1940	70	1911		76	55	65	
WAUSAU	95	1911,1995	36	1902	53	1969	70	1923		78	56	67	
WISCONSIN RAPIDS	96	1911	40	1963	56	1969	69	1941		79	56	67	
	REC	YEAR(S)	REC	YEAR(S)						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.31	1961	0.0							2.89	11.14	0.0	53.0
APPLETON	4.09	1990	0.0							3.00	13.17	0.0	44.2
GREEN BAY	4.90	1990	0.0							2.87	12.52	0.0	51.4
MANITOWOC	2.33	2017	0.0							2.60	13.76	0.0	43.0
MARSHFIELD	3.63	1940	0.0							3.36	13.32	0.0	50.9
MERRILL	2.78	2011	0.0							2.86	12.73	0.0	51.3
OSHKOSH	4.65	1940	0.0							3.14	13.28	0.0	35.8
RHINELANDER	0.95	1909	0.0							2.81	12.49	0.0	67.1
STEVENS POINT	4.40	2002	0.0							3.26	13.77	0.0	44.7
STURGEON BAY	2.51	1954	0.0							2.72	13.45	0.0	50.7
WAUSAU	1.06	1969	0.0							3.23	13.14	0.0	59.6
WISCONSIN RAPIDS	2.64	1940	0.0							3.18	13.57	0.0	47.5

## JUNE 22

--	--	--	--	--	--	--	--	--	--	--	--	--

## JUNE 23

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	94	1911	37	1915	52	1992	79	1910		76	53	64
APPLETON	98	1910,1911	37	1918	58	1917	73	1910,1911		79	60	70
GREEN BAY	95	2009	42	1918	54	1917	73	1923		78	56	67
MANITOWOC	96	1911,2005	37	1918	54	1917	69	1983		75	58	66
MARSHFIELD	94	1934	34	1972	58	1969	67	1995,2009		77	56	67
MERRILL	104	1934	35	1918	57	1992	66	1999		78	54	66
OSHKOSH	98	1911	41	1979	59	1917	71	1923		80	58	69
RHINELANDER	95	1911,2009	30	1918	52	1992	67	2002		77	53	65
STEVENS POINT	98	1910	35	1902	54	1969	75	1908		78	58	68
STURGEON BAY	94	1934	32	1918	53	1992	71	1910		76	55	66
WAUSAU	95	1910	34	1902	53	1917	70	1923		78	56	67
WISCONSIN RAPIDS	97	1950	36	1936	56	1928	74	1910		80	56	68

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.51	1969	0.0							3.01	11.26	0.0	53.0
APPLETON	1.55	2020	0.0							3.13	13.30	0.0	44.2
GREEN BAY	1.17	1960	0.0							3.00	12.65	0.0	51.4
MANITOWOC	1.72	2017	0.0							2.72	13.88	0.0	43.0
MARSHFIELD	2.05	1944	0.0							3.50	13.46	0.0	50.9
MERRILL	1.07	1969	0.0							2.99	12.86	0.0	51.3
OSHKOSH	2.88	1908	0.0							3.28	13.42	0.0	35.8
RHINELANDER	1.66	2010	0.0							2.94	12.62	0.0	67.1
STEVENS POINT	1.85	1940	0.0							3.41	13.92	0.0	44.7
STURGEON BAY	1.55	1990	0.0							2.84	13.57	0.0	50.7



WAUSAU	1.33	1946	0.0						3.37	13.28	0.0	59.6
WISCONSIN RAPIDS	1.85	1940	0.0						3.33	13.72	0.0	47.5

**JUNE 23**


**JUNE 24**

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	96	1937	35	1974	56	1992	70	1997,2005		76	54	65
APPLETON	96	1923	40	1906,1917	58	1967	73	2005		79	60	70
GREEN BAY	95	1937	43	1887	56	1928	73	2005		78	57	67
MANITOWOC	94	1930,2005	41	1887	56	1992	69	1945		75	58	67
MARSHFIELD	97	1988	40	1927	62	1969	69	1997,2005		78	57	67
MERRILL	98	1937	37	1985	60	1992	69	1923,2005		78	54	66
OSHKOSH	96	1937	43	1902,1974	60	1967	73	2009		80	58	69
RHINELANDER	95	1937	38	1979	55	1992	70	1997		77	53	65
STEVENS POINT	100	1937	43	1902	60	1969	71	1898		78	58	68
STURGEON BAY	92	2005	40	1927	55	1927	70	1923		76	56	66
WAUSAU	98	1937	41	1902	56	1928,1957,1967	72	1898		78	56	67
WISCONSIN RAPIDS	98	1937	42	1974	56	1967	75	1950		80	56	68

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.84	1919	0.0						3.15	11.40	0.0	53.0
APPLETON	1.72	1998	0.0						3.27	13.44	0.0	44.2
GREEN BAY	1.52	1940	0.0						3.13	12.78	0.0	51.4
MANITOWOC	1.21	1950	0.0						2.83	13.99	0.0	43.0
MARSHFIELD	1.43	1998	0.0						3.64	13.60	0.0	50.9
MERRILL	4.35	1946	0.0						3.12	12.99	0.0	51.3
OSHKOSH	1.27	1993	0.0						3.41	13.55	0.0	35.8
RHINELANDER	3.70	1919	0.0						3.08	12.76	0.0	67.1

STEVENS POINT	3.52	1919	0.0							3.55	14.06	0.0	44.7
STURGEON BAY	1.60	1998	0.0							2.96	13.69	0.0	50.7
WAUSAU	2.37	1940	0.0							3.51	13.42	0.0	59.6
WISCONSIN RAPIDS	3.50	1998	0.0							3.47	13.86	0.0	47.5

**JUNE 24**


**JUNE 25**

	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	96	1901	37	1974	58	1928	79	1937		76	54	65
APPLETON	95	1912	43	1922	63	1982	75	1988		80	61	70
GREEN BAY	92	1963,1966	41	1970	57	1928	72	1943		78	57	67
MANITOWOC	93	1988	41	1979	56	1928	71	1931		75	59	67
MARSHFIELD	95	1988	41	1922	56	1967	70	1931,1943		78	57	67
MERRILL	94	1912	39	1922,1984	64	1942	69	1934		78	54	66
OSHKOSH	93	1923	45	1974	56	1928	74	1931		80	59	70
RHINELANDER	92	1912	34	1915	60	1926	70	1966		77	53	65
STEVENS POINT	96	1937	42	2004	57	1928	78	1988		78	58	68
STURGEON BAY	94	1912	37	1979	59	1915	68	1943,1997		76	56	66
WAUSAU	92	1966	42	2004	58	1968	71	1931,1966		78	57	68
WISCONSIN RAPIDS	95	1931	38	1928	59	1968	73	1937		80	56	68

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.84	2016	0.0							3.28	11.53	0.0	53.0
APPLETON	1.42	1998	0.0							3.40	13.57	0.0	44.2
GREEN BAY	1.74	1934	0.0							3.26	12.91	0.0	51.4
MANITOWOC	1.43	1949	0.0							2.95	14.11	0.0	43.0
MARSHFIELD	2.17	1932	0.0							3.78	13.74	0.0	50.9
MERRILL	0.94	1953	0.0							3.25	13.12	0.0	51.3

OSHKOSH	1.26	1982	0.0							3.54	13.68	0.0	35.8
RHINELANDER	1.67	2016	0.0							3.23	12.91	0.0	67.1
STEVENS POINT	2.19	1998	0.0							3.69	14.20	0.0	44.7
STURGEON BAY	1.80	1998	0.0							3.08	13.81	0.0	50.7
WAUSAU	1.75	1998	0.0							3.65	13.56	0.0	59.6
WISCONSIN RAPIDS	2.77	1932	0.0							3.61	14.00	0.0	47.5

**JUNE 25**


**JUNE 26**

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	98	1901	38	1982	53	1968	72	1910		76	54	65	
APPLETON	96	1943	42	1922	55	1968	74	1985		80	61	70	
GREEN BAY	96	1901	41	1982	56	1968	72	1941		78	57	68	
MANITOWOC	95	1964	42	1982	58	1888,1968	71	1941		75	59	67	
MARSHFIELD	93	1933	38	1922,1928	54	1968	69	1931		78	57	67	
MERRILL	95	1931	36	1982	55	1968	68	1944		78	55	66	
OSHKOSH	98	1931	45	1928	55	1968	72	1983		81	59	70	
RHINELANDER	92	1921	38	1928	52	1968	69	2001		77	53	65	
STEVENS POINT	100	1901	42	1902	59	1968	80	1901		78	58	68	
STURGEON BAY	97	1941	36	1922	57	1968	72	1983		77	56	66	
WAUSAU	95	1901,1933	39	1902	51	1968	71	1983		79	57	68	
WISCONSIN RAPIDS	101	1941	39	1922	52	1968	71	1917		80	56	68	

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.75	1934	0.0							3.42	11.67	0.0	53.0
APPLETON	3.92	1968	0.0							3.53	13.70	0.0	44.2
GREEN BAY	2.47	1969	0.0							3.38	13.03	0.0	51.4
MANITOWOC	2.21	1934	0.0							3.07	14.23	0.0	43.0

MARSHFIELD	2.57	1956	0.0							3.92	13.88	0.0	50.9
MERRILL	1.76	2007	0.0							3.38	13.25	0.0	51.3
OSHKOSH	3.18	1934	0.0							3.67	13.81	0.0	35.8
RHINELANDER	1.63	1931	0.0							3.37	13.05	0.0	67.1
STEVENS POINT	2.88	1956	0.0							3.83	14.34	0.0	44.7
STURGEON BAY	3.20	2016	0.0							3.19	13.92	0.0	50.7
WAUSAU	2.94	1934	0.0							3.79	13.70	0.0	59.6
WISCONSIN RAPIDS	3.72	1934	0.0							3.75	14.14	0.0	47.5

**JUNE 26**


**JUNE 27**

	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	94	1901	38	1992	55	1968	80	1910		76	54	65	
APPLETON	98	1913,1933	42	1905	57	1968	76	1991		80	61	71	
GREEN BAY	98	1933	44	1992	56	1968	75	1991		78	57	68	
MANITOWOC	96	1971	43	1884	59	1888,1925	75	1941		75	59	67	
MARSHFIELD	96	1971,1996	39	1992	64	1925	72	1913,1944		78	57	68	
MERRILL	98	1933	36	1992,2004	58	1968	73	1933		78	55	67	
OSHKOSH	100	1933	42	1922	57	1968	74	1933		81	59	70	
RHINELANDER	95	1931,1933	37	1992	53	1968	75	1991		78	53	65	
STEVENS POINT	101	1933	38	1905	56	1968	75	1917		79	58	69	
STURGEON BAY	95	1933	40	1938	56	1968	72	2007		77	56	67	
WAUSAU	100	1933	39	1902,1992	57	1968	76	1991		79	57	68	
WISCONSIN RAPIDS	100	1933	34	1992	57	1968	75	1944		81	57	69	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	2.15	1943	0.0							3.55	11.80	0.0	53.0
APPLETON	2.57	1998	0.0							3.65	13.82	0.0	44.2

GREEN BAY	1.60	1914	0.0						3.51	13.16	0.0	51.4
MANITOWOC	1.60	1998	0.0						3.18	14.34	0.0	43.0
MARSHFIELD	2.04	1998	0.0						4.06	14.02	0.0	50.9
MERRILL	3.14	1943	0.0						3.50	13.37	0.0	51.3
OSHKOSH	2.17	2010+C1097	0.0						3.80	13.94	0.0	35.8
RHINELANDER	2.09	1947	0.0						3.50	13.18	0.0	67.1
STEVENS POINT	2.50	1969	0.0						3.96	14.47	0.0	44.7
STURGEON BAY	1.44	1969	0.0						3.31	14.04	0.0	50.7
WAUSAU	3.92	1963	0.0						3.92	13.83	0.0	59.6
WISCONSIN RAPIDS	3.05	1985	0.0						3.89	14.28	0.0	47.5

**JUNE 27**


**JUNE 28**

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	95	1913	39	1896	54	2003	81	1910		77	54	66
APPLETON	97	1913,1931	40	1925	62	1928,1968	76	1944		80	61	71
GREEN BAY	98	1931	46	1954,1956	57	1914	75	1931,1991		79	57	68
MANITOWOC	96	1931	43	1885,1898	57	2003	76	1931		76	59	67
MARSHFIELD	93	1913,1931,1933	40	1925	56	2003	72	1931,1991		78	57	68
MERRILL	100	1921	34	1923	55	2003	76	1931		79	55	67
OSHKOSH	99	1931	41	1922	61	1968	75	1931		81	59	70
RHINELANDER	95	1910	40	1911,1919	54	2003	74	1931		78	54	66
STEVENS POINT	100	1931	40	1905	57	2003	76	1931		79	59	69
STURGEON BAY	96	1971	40	1930	55	2003	75	1971		77	57	67
WAUSAU	96	1931	42	1911	55	2003	77	1931		79	57	68
WISCONSIN RAPIDS	101	1931	40	1923	61	1968,2003	73	1991		81	57	69
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON

ANTIGO	2.19	1967	0.0							3.67	11.92	0.0	53.0
APPLETON	1.40	2019	0.0							3.77	13.94	0.0	44.2
GREEN BAY	1.60	1942	0.0							3.63	13.28	0.0	51.4
MANITOWOC	2.20	1960	0.0							3.30	14.46	0.0	43.0
MARSHFIELD	1.72	1977	0.0							4.19	14.15	0.0	50.9
MERRILL	1.49	1980	0.0							3.62	13.49	0.0	51.3
OSHKOSH	1.45	1999	0.0							3.92	14.06	0.0	35.8
RHINELANDER	2.00	1981	0.0							3.64	13.32	0.0	67.1
STEVENS POINT	2.33	1897	0.0							4.11	14.62	0.0	44.7
STURGEON BAY	1.87	1960	0.0							3.42	14.15	0.0	50.7
WAUSAU	1.56	1942	0.0							4.05	13.96	0.0	59.6
WISCONSIN RAPIDS	1.40	1999	0.0							4.03	14.42	0.0	47.5

**JUNE 28**


**JUNE 29**

						REC				REC			
	REC		REC		LOW					HIGH		NORMAL	
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)			HI	LO	ME
ANTIGO	99	1910	37	1895,1899	62	1973	75	1910			77	55	66
APPLETON	99	1910	43	1923,1925	61	1943	78	1931			80	61	71
GREEN BAY	100	1931	43	1988	58	1943	78	1931			79	58	68
MANITOWOC	101	1931	38	1885	62	1885,1992	83	1931			76	60	68
MARSHFIELD	96	1931	37	1925	61	1943	74	1996			78	57	68
MERRILL	100	1910	30	1923	62	1973	73	1931			79	55	67
OSHKOSH	101	1931	37	1922	61	1992	77	1931			81	59	70
RHINELANDER	104	1931	33	1925	57	1943,1973	72	1931			78	54	66
STEVENS POINT	104	1931	40	1902	63	1973	84	1931			79	59	69
STURGEON BAY	97	1931	36	1925	58	1992	70	1961			77	57	67
WAUSAU	100	1931	40	1899	59	1943	75	1931			79	58	68
WISCONSIN RAPIDS	100	1931	36	1925	62	1943	72	1906			81	57	69
	REC		REC								NORMAL		

	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	2.24	1952	0.0						3.79	12.04	0.0	53.0
APPLETON	1.59	1920	0.0						3.89	14.06	0.0	44.2
GREEN BAY	2.21	1897	0.0						3.76	13.41	0.0	51.4
MANITOWOC	2.92	1947	0.0						3.42	14.58	0.0	43.0
MARSHFIELD	1.68	1981	0.0						4.33	14.29	0.0	50.9
MERRILL	1.96	1952	0.0						3.74	13.61	0.0	51.3
OSHKOSH	2.92	1947	0.0						4.05	14.19	0.0	35.8
RHINELANDER	1.14	1961	0.0						3.76	13.44	0.0	67.1
STEVENS POINT	1.87	1920	0.0						4.24	14.75	0.0	44.7
STURGEON BAY	1.48	1997	0.0						3.53	14.26	0.0	50.7
WAUSAU	1.13	1930	0.0						4.18	14.09	0.0	59.6
WISCONSIN RAPIDS	2.39	1920	0.0						4.17	14.56	0.0	47.5

**JUNE 29**


**JUNE 30**

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	97	1910	35	1900	58	1959	76	1921		77	55	66
APPLETON	99	1910	47	1943,1992,1925,2010	59	1959	77	1931		80	62	71
GREEN BAY	100	1910,1931	44	1900,1943	57	1959	78	1931		79	58	68
MANITOWOC	98	1910	40	1885	62	1959	77	1931		76	60	68
MARSHFIELD	95	1931	41	1940,1943	57	1959	75	1953		79	58	68
MERRILL	98	1931	35	1923	61	1959	75	1913		79	55	67
OSHKOSH	101	1931	44	1943	59	1959	77	1931		81	59	70
RHINELANDER	97	1963	40	1925,2010	58	1924,2009	74	1913		78	54	66
STEVENS POINT	104	1931	32	1900	61	2009	76	1931		79	59	69
STURGEON BAY	100	1910,1931	39	1925	62	1938	72	1964		77	57	67
WAUSAU	100	1931	40	1943	54	1959	75	1931,1934		79	58	68
WISCONSIN RAPIDS	99	1910	37	1943	55	1959	72	1913		81	57	69

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.61	1953	0.0						3.90	12.15	0.0	53.0
APPLETON	1.72	1997	0.0						4.01	14.18	0.0	44.2
GREEN BAY	1.21	1918	0.0						3.88	13.53	0.0	51.4
MANITOWOC	2.00	1938	0.0						3.54	14.70	0.0	43.0
MARSHFIELD	1.76	1938	0.0						4.46	14.42	0.0	50.9
MERRILL	2.92	1953	0.0						3.86	13.73	0.0	51.3
OSHKOSH	2.95	1938	0.0						4.17	14.31	0.0	35.8
RHINELANDER	1.00	1983	0.0						3.89	13.57	0.0	67.1
STEVENS POINT	3.81	1938	0.0						4.38	14.89	0.0	44.7
STURGEON BAY	1.10	1918	0.0						3.64	14.37	0.0	50.7
WAUSAU	4.48	1938	0.0						4.31	14.22	0.0	59.6
WISCONSIN RAPIDS	1.90	1938	0.0						4.31	14.70	0.0	47.5

**JUNE 30**