

# March 1

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	54	1898,1992	-23	1962	6	1989	33	1964,2004		30	10	20	
Appleton	60	1992	-21	1962	6	1892	36	2004		34	16	25	
Green Bay	53	1992	-29	1962	1	1962	35	1921,2004		34	18	26	
Manitowoc	56	1992	-18	1962	11	1962	40	1985		33	20	27	
Marshfield	57	1992	-28	1962	2	1962	35	1985		33	15	24	
Merrill	59	2000	-35	1962	-3	1962	34	2000		32	10	21	
Oshkosh	58	1992	-24	1962	5	1962	37	2004		35	18	27	
Rhineland	54	1993	-36	1962	5	2014	34	2004		32	11	21	
Stevens Point	55	1964	-31	1962	2	1962	36	1964		34	14	24	
Sturgeon Bay	49	1964,1992	-22	1962	14	1912	38	1964		32	16	24	
Wausau	54	1992	-33	1962	6	1962	36	2004		33	15	24	
Wisc. Rapids	59	1992	-34	1962	8	1962	37	2004		35	15	25	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.36	1951,1973	6.0	1951						0.03	1.60	0.3	42.0
Appleton	0.72	2017	6.3	2017						0.05	2.54	0.4	38.5
Green Bay	2.40	1888	24.0	1888						0.05	2.64	0.4	43.2
Manitowoc	0.90	1987	5.0	1972						0.05	3.07	0.2	30.2
Marshfield	0.63	1987	6.0	2017						0.04	2.08	0.4	43.5
Merrill	0.75	1908	7.0	1908						0.04	2.29	0.3	41.8
Oshkosh	0.78	1972	5.8	2017						0.05	2.50	0.3	32.3
Rhineland	0.59	1976	7.0	2007						0.04	2.47	0.4	59.5
Stevens Point	0.43	2007	7.5	2007						0.05	2.37	0.3	37.9
Sturgeon Bay	0.64	1972	7.0	1908,2017						0.06	3.11	0.4	45.2
Wausau	0.64	1965	5.4	1972						0.05	2.33	0.4	49.7
Wisc. Rapids	0.61	1972	6.1	1972						0.05	2.46	0.3	38.2

# March 1

# March 2

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	54	1992	-22	1962	3	1989	34	1921,1964		31	10	21	
Appleton	56	1964	-13	1943	8	1950	38	2004		35	17	26	
Green Bay	57	1964	-21	1962	2	1943	35	1923,2004		35	18	26	
Manitowoc	63	1964	-12	1890,1962	6	1925	35	1921		34	20	27	
Marshfield	55	1923	-20	1913	-1	1943	35	2004		33	15	24	
Merrill	55	1923,1992	-34	1962	6	1962	35	2004		33	11	22	
Oshkosh	61	1964	-16	1962	3	1943	42	1964		35	19	27	
Rhineland	56	1993	-23	2009	-1	1943	35	1964		33	11	22	
Stevens Point	56	1992	-20	1913	2	2014	36	2004		34	15	24	
Sturgeon Bay	52	1964	-23	1962	9	1943	35	1921,2004		33	16	25	
Wausau	54	1964	-21	1943	-2	1943	34	2004		33	15	24	
Wisc. Rapids	61	1964	-16	1925	0	1943	34	2004		35	16	25	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.71	1965	4.5	2019						0.06	1.63	0.6	42.3
Appleton	1.10	1991	5.6	2012						0.10	2.59	0.7	38.8
Green Bay	0.78	2008	7.5	2002						0.11	2.70	0.7	43.5
Manitowoc	0.98	1906	8.2	1948						0.10	3.12	0.3	30.3
Marshfield	0.84	1965	7.5	2002						0.08	2.12	0.7	43.8
Merrill	0.91	1965	5.1	2019						0.09	2.34	0.6	42.1
Oshkosh	2.00	1902	8.0	2002						0.10	2.55	0.6	32.6
Rhineland	0.62	1965	5.0	1934,2006						0.08	2.51	0.8	59.9
Stevens Point	1.13	1965	5.0	1972						0.10	2.42	0.6	38.2
Sturgeon Bay	2.17	1906	6.0	2007						0.12	3.17	0.8	45.6
Wausau	1.05	1951	10.3	1951						0.10	2.38	0.7	50.0
Wisc. Rapids	0.70	2012	4.5	1970						0.10	2.51	0.7	38.6

# March 2

# March 3

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	50	1923	-29	2014	8	2002,2019	34	1974		31	11	21	
Appleton	62	1974	-12	2014	3	1943	39	1974		35	17	26	
Green Bay	62	1894	-24	2014	12	1938	35	1973,1974		35	19	27	
Manitowoc	64	1974	-6	1943,2014	12	1888	37	1966		34	21	27	
Marshfield	53	2000	-20	2014	2	2019	33	1974		33	16	25	
Merrill	57	2000	-25	2014	4	2019	34	1974		33	11	22	
Oshkosh	65	1974	-15	2014	12	2002	36	2004		36	19	27	
Rhineland	59	1923	-28	2014	6	1989,2019	33	1983		33	12	22	
Stevens Point	58	1964	-21	2014	11	1996,2003	35	1974		34	15	25	
Sturgeon Bay	58	1974	-13	1943	9	1943,2003	36	1974		33	17	25	
Wausau	52	2000	-22	1943	9	2019	33	1983		34	15	25	
Wisc. Rapids	59	1974	-23	2014	9	2019	33	1983,2004		35	16	26	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.59	1951	10.0	1951						0.10	1.67	0.9	42.6
Appleton	0.76	1979	4.0	1972						0.16	2.65	1.0	39.1
Green Bay	1.25	1989	12.7	1989						0.16	2.75	1.1	43.9
Manitowoc	0.78	1951	5.0	1960						0.15	3.17	0.5	30.5
Marshfield	0.82	1970	8.0	1989						0.12	2.16	1.1	44.2
Merrill	0.70	1970	6.0	1941,1977						0.13	2.38	0.9	42.4
Oshkosh	1.32	1989	10.0	1989						0.15	2.60	0.9	32.9
Rhineland	0.55	1985	7.0	1977						0.13	2.56	1.2	60.3
Stevens Point	0.98	1906	5.0	1989						0.15	2.47	1.0	38.6
Sturgeon Bay	2.09	1906	11.0	1909						0.17	3.22	1.2	46.0
Wausau	0.78	1970	10.6	1989						0.15	2.43	1.1	50.4
Wisc. Rapids	0.83	1951	6.5	1989						0.15	2.56	1.0	38.9

# March 3

# March 4

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	57	2000	-21	2019	2	2019	31	1922,1965,1983,2004		32	11	22	
Appleton	60	2000	-11	2019	7	2019	35	1983		35	18	26	
Green Bay	57	1894,2000	-13	2002	7	1887	45	1894		35	19	27	
Manitowoc	54	2000	-11	2019	6	2019	37	1894,2000		34	21	28	
Marshfield	61	2000	-20	2019	4	2019	33	1983		34	16	25	
Merrill	60	2000	-24	2014	3	2019	34	1983		33	12	23	
Oshkosh	57	1983	-14	2019	7	2019	35	2004		36	19	28	
Rhineland	56	2000	-25	2019	7	2019	32	1949		34	12	23	
Stevens Point	60	2000	-16	2019	7	2019	44	1894		35	16	25	
Sturgeon Bay	57	2000	-11	2019	5	2019	33	1970		33	17	25	
Wausau	61	2000	-17	2019	4	2019	35	1983		34	16	25	
Wisc. Rapids	61	2000	-22	1943	6	2019	34	1983		36	17	26	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.15	1966	7.5	1972						0.13	1.70	1.2	42.9
Appleton	0.98	1989	6.0	1923,1985,1989						0.21	2.70	1.4	39.5
Green Bay	0.70	1976	7.0	1920						0.22	2.81	1.5	44.3
Manitowoc	1.38	1976	6.0	1923						0.20	3.22	0.7	30.7
Marshfield	1.04	1961	9.0	1985						0.17	2.21	1.5	44.6
Merrill	1.00	1966	10.0	1989						0.18	2.43	1.2	42.7
Oshkosh	1.10	1976	6.0	1972,1923						0.20	2.65	1.1	33.1
Rhineland	0.80	1920	5.0	1920,1961						0.17	2.60	1.6	60.7
Stevens Point	1.61	1923	7.0	1924						0.20	2.52	1.3	38.9
Sturgeon Bay	1.46	1979	9.0	1985						0.23	3.28	1.6	46.4
Wausau	1.03	1961	10.0	1985						0.19	2.47	1.4	50.7
Wisc. Rapids	0.74	1924	5.5	1985						0.20	2.61	1.3	39.2

# March 4

# March 5

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	57	2000	-22	1917,2015	9	2015	36	1983	32	12	22	
Appleton	59	2000	-13	1917	15	1917,1936,1943,2014	37	1983	36	18	27	
Green Bay	57	1894,2000	-23	1890	5	1901	46	1894	36	20	28	
Manitowoc	56	1894	-13	1890	8	1901	40	1983	35	21	28	
Marshfield	63	2000	-21	1917	11	2015,2019	39	1927	34	17	26	
Merrill	62	2000	-33	1917	10	2015	38	1983	34	12	23	
Oshkosh	60	2000	-18	1917	3	1901	34	1935,1992,2004,2009	37	20	28	
Rhineland	59	1910,2000	-31	1917	11	2019	39	1983	34	12	23	
Stevens Point	62	2000	-31	1917	15	2002	39	1894,1983	35	16	26	
Sturgeon Bay	58	2000	-17	1917	13	1936	36	1983	34	17	26	
Wausau	61	2000	-24	1917	9	2015	39	1983	35	16	25	
Wisc. Rapids	65	2000	-28	1917	7	1932	40	1983	36	17	27	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.70	1961	6.0	2004					0.16	1.73	1.4	43.1
Appleton	1.35	2022	6.6	1963					0.26	2.75	1.7	39.8
Green Bay	1.79	2022	5.2	1932,1959					0.28	2.87	1.8	44.6
Manitowoc	1.47	2004	19.0	1881					0.25	3.27	0.8	30.8
Marshfield	0.93	2004	6.0	1945					0.21	2.25	1.8	44.9
Merrill	0.70	1961	6.0	1961					0.23	2.48	1.5	43.0
Oshkosh	1.29	2022	6.5	1959					0.25	2.70	1.4	33.4
Rhineland	0.50	2022	6.0	2004					0.22	2.65	2.0	61.1
Stevens Point	0.94	2004	4.0	1914,1920,1945					0.25	2.57	1.6	39.2
Sturgeon Bay	0.90	2004	5.0	1915					0.29	3.34	2.0	46.8
Wausau	0.76	2022	11.1	1959					0.24	2.52	1.8	51.1
Wisc. Rapids	0.95	1959	10.0	1959					0.26	2.67	1.6	39.5

# March 5

# March 6

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	64	2000	-26	2019	10	1920	36	1974,1983,2017		33	12	22	
Appleton	66	2000	-6	2014	12	1996	45	1983		36	18	27	
Green Bay	69	2000	-22	1890	7	1890	42	2017		36	20	28	
Manitowoc	52	1946,2000,2005,2022	-11	1890	14	1932	43	1983		35	21	28	
Marshfield	66	2000	-16	1920	6	1920	42	1983		35	17	26	
Merrill	67	2000	-27	1920	13	1932	39	1983		34	13	23	
Oshkosh	70	2000	-16	1890	12	1920,1996	43	2017		37	20	29	
Rhineland	65	2000	-26	1917	10	1920,1943	42	2017		34	13	24	
Stevens Point	67	2000	-13	1920	8	1920	42	1983		36	17	26	
Sturgeon Bay	65	2000	-15	1920	10	1920	42	1983		34	18	26	
Wausau	65	2000	-17	1920	8	1899	42	1983		35	17	26	
Wisc. Rapids	69	2000	-22	1920	4	1932	45	2017		37	18	27	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	2.13	1959	21.0	1959						0.20	1.77	1.7	43.4
Appleton	1.09	1946	6.0	1959						0.32	2.81	2.0	40.1
Green Bay	0.81	1908	8.0	1900						0.33	2.92	2.2	45.0
Manitowoc	1.90	1959	10.0	1959						0.30	3.32	1.0	31.0
Marshfield	0.95	1961	11.0	1959						0.26	2.30	2.2	45.3
Merrill	0.81	1946	4.0	1916						0.27	2.52	1.8	43.3
Oshkosh	1.01	1946	6.2	1959						0.30	2.75	1.7	33.7
Rhineland	0.62	1961	8.0	1959						0.26	2.69	2.4	61.5
Stevens Point	1.30	1959	13.0	1959						0.30	2.62	1.9	39.5
Sturgeon Bay	1.38	1959	14.0	1959						0.35	3.40	2.3	47.1
Wausau	0.91	1973	11.0	1959						0.30	2.58	2.2	51.5
Wisc. Rapids	0.97	1908	6.0	1995						0.31	2.72	1.9	39.8

# March 6

# March 7

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	72	2000	-23	2008,2019	10	1996	37	2000		33	13	23	
Appleton	76	2000	-6	1913,1932,1996	12	1932	41	2000		37	19	28	
Green Bay	78	2000	-11	1920	9	1932	43	2000		37	20	29	
Manitowoc	76	2000	-9	1920	10	1932	41	1983		35	22	29	
Marshfield	76	2000	-20	1913	5	1932	40	1983		35	18	26	
Merrill	75	2000	-27	1920	8	1932	44	1983		35	13	24	
Oshkosh	78	2000	-13	1920	8	1932	42	2000,2016		38	21	29	
Rhineland	73	1987,2000	-29	1913	5	1943	46	2000		35	13	24	
Stevens Point	78	2000	-21	1913	7	1932	42	1983		36	17	27	
Sturgeon Bay	76	2000	-15	1913	12	1920	42	1983		35	18	26	
Wausau	76	2000	-21	1913	5	1932	47	2000		35	17	26	
Wisc. Rapids	80	2000	-22	1913	9	1932	43	2000		37	18	28	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	2.28	1973	5.0	1924						0.23	1.80	2.0	43.7
Appleton	0.61	1956	6.0	1956						0.37	2.86	2.3	40.4
Green Bay	0.28	1973	2.4	1924						0.39	2.98	2.5	45.3
Manitowoc	0.70	1924	10.0	1924						0.35	3.37	1.2	31.2
Marshfield	1.12	1973	9.0	1956						0.30	2.34	2.6	45.7
Merrill	1.57	1973	7.0	1961						0.32	2.57	2.1	43.6
Oshkosh	0.67	1973	4.5	2022						0.36	2.81	1.9	33.9
Rhineland	1.75	1973	8.0	1950						0.31	2.74	2.8	61.9
Stevens Point	1.94	1973	7.0	1995						0.35	2.67	2.2	39.8
Sturgeon Bay	0.54	1942	4.0	1956,1992						0.41	3.46	2.7	47.5
Wausau	1.22	1917	7.4	1917						0.34	2.62	2.5	51.8
Wisc. Rapids	0.79	1973	4.3	1956						0.36	2.77	2.2	40.1

# March 7

# March 8

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	73	2000	-19	1967,2019	6	1932	38	2016		33	13	23	
Appleton	70	2000	-7	1943	7	1932	48	2000		37	19	28	
Green Bay	74	2000	-9	1960	7	1932	48	2000		37	21	29	
Manitowoc	73	2000	-4	1885,1967,1996	10	1932	47	2000		36	22	29	
Marshfield	69	2000	-15	1967	3	1932	51	2000		36	18	27	
Merrill	72	2000	-19	1913	12	1996	42	2000		35	14	24	
Oshkosh	73	2000	-8	1996	6	1932	50	2016		38	21	29	
Rhineland	73	2000	-27	1943	4	1932	44	2016		35	14	25	
Stevens Point	71	2000	-14	1967	2	1932	49	2000		37	18	27	
Sturgeon Bay	72	2000	-8	1943,1967	10	1932	44	2000		35	19	27	
Wausau	72	2000	-13	1967,2008	6	1932	51	2000		36	17	27	
Wisc. Rapids	74	2000	-21	1943	15	1932	50	2016		38	18	28	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.70	1917	7.0	1917						0.26	1.83	2.2	43.9
Appleton	0.50	1893	6.4	2009						0.42	2.91	2.6	40.7
Green Bay	0.73	2009	6.0	2009						0.45	3.04	2.8	45.6
Manitowoc	1.12	1893	10.8	1877						0.39	3.41	1.3	31.3
Marshfield	1.26	2000	5.0	1946						0.35	2.39	2.9	46.0
Merrill	0.88	2002	7.0	1956						0.37	2.62	2.4	43.9
Oshkosh	0.98	2009	8.0	1946						0.41	2.86	2.2	34.2
Rhineland	0.55	2002	4.0	1917						0.35	2.78	3.1	62.2
Stevens Point	0.55	1950	5.0	1946						0.40	2.72	2.5	40.1
Sturgeon Bay	0.95	1950	4.0	2003						0.46	3.51	3.0	47.8
Wausau	1.33	2002	7.2	1928						0.39	2.67	2.8	52.1
Wisc. Rapids	1.00	2002	4.8	1917						0.41	2.82	2.5	40.4

# March 8



# March 9

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	52	1930,1966	-17	1975	6	2003	38	1898	34	14	24	
Appleton	61	2021	-5	1975	14	1932	48	2016	38	19	29	
Green Bay	59	2021	-6	1975,2003	12	2003	37	2016	37	21	29	
Manitowoc	59	1977	-4	1890	11	2003	44	1879	36	22	29	
Marshfield	62	2021	-10	1975,2003	8	2003	39	2016	36	19	27	
Merrill	60	1977	-15	1948,1975,1984	8	1948	40	2016	36	14	25	
Oshkosh	68	1956	-8	1996	12	2003	43	2016	38	21	30	
Rhineland	57	1977	-18	1995	7	1932,2003	36	1911,2016	36	14	25	
Stevens Point	63	1987	-13	1975	13	1932	40	2016	37	18	27	
Sturgeon Bay	54	1977,2021	-7	1912	10	2003	40	2016	35	19	27	
Wausau	60	2021	-10	1984,2003	6	1933,2003	39	2016	36	18	27	
Wisc. Rapids	68	1987	-20	1943	9	1933	40	2016	38	19	29	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.90	1909	9.0	1909					0.29	1.86	2.5	44.2
Appleton	0.92	1928	7.0	1928					0.48	2.97	2.9	41.0
Green Bay	1.27	1918	13.5	1918					0.50	3.09	3.1	45.9
Manitowoc	1.35	1918	9.0	1918					0.45	3.47	1.4	31.4
Marshfield	1.23	1992	7.0	1992					0.39	2.43	3.2	46.3
Merrill	1.07	2000,2002	5.0	1992					0.41	2.66	2.6	44.1
Oshkosh	0.70	1943	7.0	1943					0.46	2.91	2.4	34.4
Rhineland	0.58	1928	11.5	1992					0.39	2.82	3.5	62.6
Stevens Point	1.30	1992	10.0	1909					0.45	2.77	2.8	40.4
Sturgeon Bay	1.21	1909	12.0	1918					0.52	3.57	3.4	48.2
Wausau	1.08	1992	8.0	1909					0.44	2.72	3.1	52.4
Wisc. Rapids	1.12	1992	9.0	1909					0.47	2.88	2.8	40.7

# March 9

# March 10

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	56	1977	-19	1972	12	1948	40	2021		34	14	24	
Appleton	62	2012	-4	1948,2003	8	1948	39	2016		38	20	29	
Green Bay	62	1894	-12	1972	10	1948	50	2021		38	22	30	
Manitowoc	68	1879	-3	2003	15	1948	43	1879		36	23	30	
Marshfield	63	2012	-13	1948	4	1948	43	2021		37	19	28	
Merrill	59	2012	-26	1948	9	2003	34	1966,2016		36	14	25	
Oshkosh	60	1955,1985,2012,2021	-5	1959	10	1948	49	2021		39	22	30	
Rhineland	61	1935	-22	1972	5	1933	45	2021		36	15	25	
Stevens Point	63	1894,1925,2012	-12	1972	8	1948	40	2021		37	18	28	
Sturgeon Bay	59	2012	-4	1933	17	1934,1948	36	2021		36	19	27	
Wausau	61	2012	-15	1972	3	1948	46	2021		37	18	27	
Wisc. Rapids	65	2012	-13	1972	11	1948	50	2021		39	19	29	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.60	1901	6.0	1992						0.33	1.90	2.8	44.5
Appleton	0.86	1902	6.0	1956						0.53	3.02	3.2	41.3
Green Bay	0.87	1986	5.3	1956						0.56	3.15	3.4	46.2
Manitowoc	1.10	1901	8.0	1909						0.50	3.52	1.6	31.6
Marshfield	0.64	2021	5.0	1956,1993						0.44	2.48	3.6	46.7
Merrill	0.53	1918	6.0	1918						0.46	2.71	2.9	44.4
Oshkosh	0.90	1986	7.0	2023						0.52	2.97	2.6	34.6
Rhineland	1.00	1918	10.0	1918						0.44	2.87	3.9	63.0
Stevens Point	0.72	1924	5.0	1993						0.50	2.82	3.0	40.6
Sturgeon Bay	0.65	1909	7.0	1909						0.58	3.63	3.7	48.5
Wausau	1.09	1973	10.5	1956						0.50	2.78	3.4	52.7
Wisc. Rapids	0.96	1973,2021	8.6	1918						0.52	2.93	3.0	40.9

# March 10

# March 11

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	59	2012	-19	1948	9	1984	36	1977,2010,2012		35	15	25	
Appleton	66	2012	-7	1943,1948	12	1948	42	1902		39	20	29	
Green Bay	63	2012	-12	1948	13	1948	40	1973		38	22	30	
Manitowoc	65	2012	-4	1948	12	1948	42	2012		37	23	30	
Marshfield	65	2012	-21	1948	6	1948	39	1977,2012		37	19	28	
Merrill	62	2012	-11	1943	10	1979	38	2010		37	15	26	
Oshkosh	65	2012	-13	1943	13	1948,1984	43	1902		39	22	31	
Rhineland	59	2012	-34	1948	9	1984	38	2012		37	15	26	
Stevens Point	66	2012	-17	1948	13	1948	45	1902		38	19	28	
Sturgeon Bay	65	2012	-11	1948	12	1948	41	2012		36	20	28	
Wausau	63	2012	-21	1948	10	1984	39	2012		37	18	28	
Wisc. Rapids	67	2012	-19	1948	13	1984	40	2012		39	20	29	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.22	1973	6.0	1956						0.36	1.93	3.0	44.7
Appleton	1.27	1986	6.5	1986						0.59	3.08	3.5	41.6
Green Bay	1.21	1902	5.1	1941						0.62	3.21	3.8	46.6
Manitowoc	1.38	1956	12.0	1956						0.55	3.57	1.7	31.7
Marshfield	1.53	1985	7.0	1956						0.49	2.53	3.9	47.0
Merrill	1.46	1973	8.0	1956						0.51	2.76	3.2	44.7
Oshkosh	2.00	1902	4.5	1956						0.57	3.02	2.9	34.9
Rhineland	1.44	1973	5.3	2013						0.48	2.91	4.2	63.3
Stevens Point	1.17	1973	9.5	1956						0.55	2.87	3.3	40.9
Sturgeon Bay	1.10	1956	9.0	1956						0.64	3.69	4.1	48.9
Wausau	1.31	1985	6.0	1898,1985						0.55	2.83	3.7	53.0
Wisc. Rapids	0.88	1985	8.8	1985						0.58	2.99	3.3	41.2

# March 11

# March 12

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	65	1990	-13	1969	13	2022	41	2012		35	15	25	
Appleton	72	1990	-6	1948	17	1906	45	2012		39	21	30	
Green Bay	70	1990	-7	1948	15	1888,1906,1926	47	2012		39	22	31	
Manitowoc	59	2006	-1	1896,1948	17	1906,2022	41	1977		37	23	30	
Marshfield	68	2016	-12	1948	14	1956	45	2012		38	20	29	
Merrill	68	2016	-13	1906	10	1984	42	1977		37	15	26	
Oshkosh	72	1990	-7	1948	15	1896	48	2012		40	23	31	
Rhineland	68	2016	-12	1948	15	2022	42	2012		37	16	26	
Stevens Point	69	2016	-9	1948	13	1906	44	1977		38	19	29	
Sturgeon Bay	64	2016	-8	1906	15	1906	42	2012		36	20	28	
Wausau	69	2016	-18	1948	13	1956	44	2012		38	19	28	
Wisc. Rapids	70	2016	-14	1943	12	1906	46	2012		40	20	30	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.05	1897	10.5	1897						0.40	1.97	3.2	44.9
Appleton	0.82	1923	9.0	1923						0.65	3.14	3.8	41.9
Green Bay	0.99	1899	8.8	2023						0.68	3.27	4.0	46.8
Manitowoc	1.25	1923	9.5	1923						0.60	3.62	1.8	31.8
Marshfield	0.90	1976	6.0	2001						0.54	2.58	4.2	47.3
Merrill	0.90	1990	4.2	1985						0.56	2.81	3.4	44.9
Oshkosh	0.78	1923	8.0	1923						0.63	3.08	3.1	35.1
Rhineland	0.77	1977	10.5	2023						0.53	2.96	4.5	63.6
Stevens Point	1.34	1923	5.0	1923						0.60	2.92	3.5	41.1
Sturgeon Bay	0.95	2010	4.1	1962						0.69	3.74	4.4	49.2
Wausau	0.80	1976	4.8	2001						0.60	2.88	4.0	53.3
Wisc. Rapids	0.76	1976	5.0	2001						0.64	3.05	3.5	41.4

# March 12

# March 13

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	59	1990,2007	-23	1897	17	2005	40	1946		36	16	26	
Appleton	69	1990	-6	1956	20	1932	46	1990		39	21	30	
Green Bay	70	1995	-5	1956	17	1899,1923	49	1995		39	23	31	
Manitowoc	66	2007	0	1888	18	1888	45	2007		37	24	31	
Marshfield	66	1995,2015	-12	1926	18	1926,1950,1993	46	1995		38	20	29	
Merrill	65	1990	-18	1926	16	1993	42	1995		37	16	27	
Oshkosh	69	1995	-8	1926	18	1993	47	1990		40	23	32	
Rhineland	67	1995	-19	1926	11	1926	47	1995		37	16	27	
Stevens Point	71	1990	-15	1897	18	1897	42	1995		39	20	29	
Sturgeon Bay	59	2012	-9	1926	18	1993	42	2012		37	20	29	
Wausau	65	1995	-17	1897	19	1897,1906,1923,1950,1993	47	1995		38	19	29	
Wisc. Rapids	72	1927	-19	1926	16	1993	47	1995		40	21	30	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.20	1901	12.0	1901						0.44	2.01	3.4	45.1
Appleton	0.80	1928	9.7	1997						0.70	3.19	4.0	42.1
Green Bay	1.02	1990	13.0	1997						0.74	3.33	4.3	47.1
Manitowoc	0.70	1954	5.0	1997						0.65	3.67	1.9	31.9
Marshfield	0.44	2006	12.0	1997						0.59	2.63	4.4	47.5
Merrill	0.59	1947	7.0	1940						0.61	2.86	3.6	45.1
Oshkosh	1.00	1901	9.0	1997						0.69	3.14	3.3	35.3
Rhineland	0.57	1940	8.0	1940						0.57	3.00	4.8	63.9
Stevens Point	1.80	1929	6.5	1901						0.66	2.98	3.8	41.4
Sturgeon Bay	0.74	1982	8.5	1997						0.75	3.80	4.7	49.5
Wausau	0.98	1990	8.1	1997						0.65	2.93	4.2	53.5
Wisc. Rapids	1.03	1990	20.0	1997						0.69	3.10	3.8	41.7

# March 13

# March 14

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	72	2012	-14	1895,2023	12	1906	40	1990		36	16	26	
Appleton	77	2012	-1	1993	19	1916,1993	54	1990		40	21	31	
Green Bay	75	2012	-6	1895	12	1895,1906	52	1990		40	23	31	
Manitowoc	66	1914	-4	1895	13	1895	39	2010,2012		38	24	31	
Marshfield	75	2012	-7	1993	20	1993	48	1990		38	21	30	
Merrill	74	2012	-12	1975	15	1906	41	1973,1995		38	16	27	
Oshkosh	76	2012	-3	1923,1993	19	1993	48	1990		41	23	32	
Rhineland	71	2012	-18	1895,1926	12	1923	42	1990		38	17	27	
Stevens Point	75	2012	-10	1895	16	1895	47	1990		39	20	30	
Sturgeon Bay	65	1995	-3	1923	18	1906,1916	39	2010		37	21	29	
Wausau	75	2012	-8	1993	16	1906	50	1990		38	20	29	
Wisc. Rapids	78	2012	-8	1923	18	1906	51	1990		41	21	31	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.31	1990	8.0	1997						0.48	2.05	3.7	45.4
Appleton	3.12	1913	7.6	1997						0.76	3.25	4.3	42.4
Green Bay	0.82	1971	4.8	1893						0.80	3.39	4.6	47.4
Manitowoc	1.24	1918	8.0	1925						0.70	3.72	2.0	32.0
Marshfield	2.30	1990	2.5	1940						0.64	2.68	4.7	47.8
Merrill	1.05	1990	8.0	1997						0.66	2.91	3.8	45.3
Oshkosh	1.10	1990	4.0	1897						0.74	3.19	3.5	35.5
Rhineland	0.72	1913	6.0	1917						0.62	3.05	5.1	64.2
Stevens Point	1.20	1913,1990	10.0	1997						0.71	3.03	4.0	41.6
Sturgeon Bay	1.30	1990	2.5	1944						0.81	3.86	5.0	49.8
Wausau	1.70	1913	7.1	1928						0.71	2.99	4.5	53.8
Wisc. Rapids	1.05	1918	3.0	1917						0.75	3.16	4.0	41.9

# March 14

# March 15

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	63	2012	-16	1906	5	1900	46	1990		36	17	26	
Appleton	65	2012	-1	1893,1916,1993	13	1916	48	2012		40	22	31	
Green Bay	66	1995	-4	1906	13	1900	41	2012		40	24	32	
Manitowoc	60	1977	1	1893,1916	14	1900	44	1995		38	24	31	
Marshfield	69	2012	-4	1997	22	1949,1997	47	2012		39	21	30	
Merrill	67	2012	-20	1906	13	1906	50	1990		38	17	28	
Oshkosh	66	2012	-3	1906	12	1900	46	2012		41	24	33	
Rhineland	65	2012	-15	1956	16	1997	42	2016		38	17	28	
Stevens Point	69	1995	-9	1956	17	1900,1906	51	1990		40	21	30	
Sturgeon Bay	65	1995	-6	1916	18	1906,1977	44	1990		38	21	29	
Wausau	68	2012	-11	1906,1956	14	1997	44	2012		39	20	29	
Wisc. Rapids	73	2012	-12	1956	14	1939	44	2012		41	21	31	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.65	1995	4.0	1959,2022						0.51	2.08	3.9	45.6
Appleton	0.65	1989	6.0	1923,1959						0.82	3.31	4.5	42.6
Green Bay	0.73	1943	5.5	1936						0.86	3.45	4.8	47.6
Manitowoc	1.95	1959	10.0	1959						0.75	3.77	2.1	32.1
Marshfield	1.41	2016	4.0	1939,1959						0.69	2.73	5.0	48.1
Merrill	0.94	1955	4.0	1939						0.72	2.97	4.0	45.5
Oshkosh	1.10	1971	6.0	1959						0.80	3.25	3.7	35.7
Rhineland	1.80	1939	15.0	1939						0.67	3.10	5.3	64.4
Stevens Point	1.03	1943	6.0	1959						0.76	3.08	4.2	41.8
Sturgeon Bay	1.72	1959	12.0	1959						0.87	3.92	5.2	50.0
Wausau	1.38	2016	6.0	1959						0.76	3.04	4.7	54.0
Wisc. Rapids	1.75	2016	5.2	1983						0.81	3.22	4.2	42.1

# March 15

# March 16

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	67	1927	-23	1997	4	1900	41	1927		37	17	27	
Appleton	73	2012	-7	1997	18	1916	41	2012		41	22	31	
Green Bay	70	1927,2012	-12	1997	5	1900	46	1927		40	24	32	
Manitowoc	70	1930	-6	1885	7	1900	41	1919		38	25	32	
Marshfield	75	2012	-14	1997	9	1939	41	1927		39	22	31	
Merrill	71	2012	-15	1997	16	1939,1997	38	1946		39	17	28	
Oshkosh	76	2012	-5	1900	9	1900	45	1927		42	24	33	
Rhineland	70	2012	-18	1997	12	1939	41	2003		39	17	28	
Stevens Point	73	2012	-12	1897	2	1900	44	1927		40	21	31	
Sturgeon Bay	65	1930	-2	1997	18	1939	38	1919		38	21	30	
Wausau	72	2012	-14	1897	7	1900	43	1927		39	20	30	
Wisc. Rapids	77	2012	-16	1997	10	1941	39	2003,2015		42	22	32	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	2.05	2016	3.6	1896						0.55	2.12	4.1	45.8
Appleton	1.25	2016	3.5	1960						0.88	3.37	4.7	42.8
Green Bay	0.69	1982	1.8	1917						0.92	3.51	5.1	47.9
Manitowoc	0.93	1919	2.5	2013						0.80	3.82	2.2	32.2
Marshfield	0.95	1942	4.3	1974						0.74	2.78	5.3	48.4
Merrill	2.18	2016	2.2	2013						0.77	3.02	4.3	45.8
Oshkosh	0.88	1919,1982	2.4	2013						0.86	3.31	3.8	35.8
Rhineland	2.06	2016	5.0	1923						0.71	3.14	5.6	64.7
Stevens Point	2.59	2016	4.0	1917						0.82	3.14	4.4	42.0
Sturgeon Bay	0.77	2016	3.0	1972						0.93	3.98	5.5	50.3
Wausau	1.29	2016	5.0	1917						0.82	3.10	5.0	54.3
Wisc. Rapids	1.60	2016	5.1	1917						0.87	3.28	4.4	42.3

# March 16



# March 17

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	73	2012	-13	1900	6	1941	46	2012		37	17	27	
Appleton	80	2012	-7	1941	9	1941	55	2012		41	23	32	
Green Bay	78	2012	-6	1941	8	1941	54	2012		41	24	33	
Manitowoc	71	2009	-11	1885	13	1939	40	1927,1930,1945		39	25	32	
Marshfield	80	2012	-16	1941	1	1941	53	2012		40	22	31	
Merrill	79	2012	-13	1906	13	1939	54	2012		39	18	28	
Oshkosh	80	2012	-8	1941	5	1941	58	2012		42	25	33	
Rhineland	77	2012	-21	1916	4	1941	57	2012		39	18	28	
Stevens Point	79	2012	-12	1941	12	1902	45	1945		40	21	31	
Sturgeon Bay	65	2009	-11	1916	10	1941	46	2002		38	22	30	
Wausau	78	2012	-11	1941	8	1941	55	2012		40	21	30	
Wisc. Rapids	81	2012	-12	1941	13	1939	59	2012		42	22	32	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.69	1963	3.0	2014						0.59	2.16	4.3	46.0
Appleton	0.78	1965	7.3	1965						0.93	3.42	4.9	43.0
Green Bay	0.64	1894	7.1	1965						0.98	3.57	5.3	48.1
Manitowoc	1.40	1894	7.0	1989						0.85	3.87	2.3	32.3
Marshfield	0.55	1942	9.0	1989						0.79	2.83	5.5	48.6
Merrill	0.66	1930	6.5	1917						0.83	3.08	4.5	46.0
Oshkosh	0.61	1934	6.0	1989						0.92	3.37	4.0	36.0
Rhineland	0.65	1942	5.0	1917						0.76	3.19	5.8	64.9
Stevens Point	0.49	1963	4.0	1989						0.87	3.19	4.6	42.2
Sturgeon Bay	1.54	1934	4.1	1965						0.99	4.04	5.8	50.6
Wausau	0.55	1966	9.9	1989						0.88	3.16	5.2	54.5
Wisc. Rapids	0.70	1965	7.0	1965						0.93	3.34	4.6	42.5

# March 17

# March 18

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	75	2012	-12	1967	12	1989	48	2012		38	18	28	
Appleton	79	2012	-3	1941	7	1941	51	2012		42	23	32	
Green Bay	79	2012	-3	1967	15	1939	55	2012		41	25	33	
Manitowoc	68	2009	-3	1885	15	1939	43	2010,2012		39	25	32	
Marshfield	79	2012	-12	1941	17	1939	53	2012		40	23	31	
Merrill	79	2012	-16	1939	7	1923	55	2012		40	18	29	
Oshkosh	80	2012	-5	1959	17	1939	54	2012		42	25	34	
Rhineland	78	2012	-28	1939	9	1939	57	2012		39	18	29	
Stevens Point	79	2012	-7	1941,1967	15	1989	57	2012		41	22	31	
Sturgeon Bay	67	2012	-7	1939	19	1943	44	2012		39	22	30	
Wausau	78	2012	-8	1939,1993	14	1923	54	2012		40	21	31	
Wisc. Rapids	81	2012	-12	1941	23	1941	54	2012		42	23	33	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.50	1903	8.0	1937						0.64	2.21	4.5	46.2
Appleton	1.05	1903	5.0	1923						1.00	3.49	5.1	43.2
Green Bay	1.11	1986	4.8	2013						1.04	3.63	5.5	48.3
Manitowoc	0.63	1998	6.0	1923						0.90	3.92	2.3	32.3
Marshfield	1.20	1986	5.0	1965						0.85	2.89	5.8	48.9
Merrill	0.84	1966	5.5	1965						0.89	3.14	4.7	46.2
Oshkosh	0.96	1986	6.0	1923						0.99	3.44	4.1	36.1
Rhineland	0.73	1966	7.0	1951,1998						0.82	3.25	6.1	65.2
Stevens Point	0.85	1966	4.0	1965,1977						0.93	3.25	4.8	42.4
Sturgeon Bay	0.65	1986	4.2	1965						1.05	4.10	6.0	50.8
Wausau	1.42	1986	8.5	1998						0.94	3.22	5.4	54.7
Wisc. Rapids	1.65	1986	8.0	2005						1.00	3.41	4.8	42.7

# March 18

# March 19

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	76	2012	-12	1923,1989	10	1923	54	2012		38	18	28	
Appleton	76	2012	-7	1923	18	1944,1965	55	2012		42	23	33	
Green Bay	77	2012	-5	1923,1989	11	1923	55	2012		42	25	33	
Manitowoc	72	1921	-6	1885	10	1923	43	2012		40	26	33	
Marshfield	75	1921	-16	1923	10	1923	56	2012		41	23	32	
Merrill	77	2012	-17	1923	14	1923	56	2012		40	18	29	
Oshkosh	78	1910	-10	1923	12	1923	56	2012		43	26	34	
Rhineland	78	2012	-24	1944	12	1923	57	2012		40	19	29	
Stevens Point	77	1921	-14	1923	12	1923	56	2012		41	22	32	
Sturgeon Bay	70	1921	-12	1923	10	1923	45	2012		39	22	31	
Wausau	76	2012	-12	1944	11	1923	55	2012		41	22	31	
Wisc. Rapids	76	1921	-9	1941	15	1923	58	2012		43	23	33	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.60	1948	8.0	1943						0.68	2.25	4.7	46.4
Appleton	1.09	1920	9.0	1920						1.06	3.55	5.3	43.4
Green Bay	1.87	1903	7.3	1933						1.11	3.70	5.7	48.5
Manitowoc	1.23	1897	8.0	1920						0.96	3.98	2.4	32.4
Marshfield	0.78	2005	12.0	2005						0.91	2.95	6.0	49.1
Merrill	1.08	1986	6.5	1943						0.95	3.20	4.9	46.4
Oshkosh	1.70	1903	6.0	1920						1.05	3.50	4.3	36.3
Rhineland	0.83	1943	10.0	1943						0.87	3.30	6.3	65.4
Stevens Point	1.32	1922	10.0	1933						0.99	3.31	5.0	42.6
Sturgeon Bay	1.21	1907	6.5	1983						1.11	4.16	6.2	51.0
Wausau	1.75	1921	7.4	1943						1.00	3.28	5.7	55.0
Wisc. Rapids	0.65	1920	3.1	1963						1.06	3.47	5.0	42.9

# March 19

# March 20

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	78	2012	-18	1965	15	1965	54	2012		39	19	29	
Appleton	81	2012	-2	1965	16	1951	59	2012		42	24	33	
Green Bay	80	2012	-4	1965	16	1899	57	2012		42	26	34	
Manitowoc	77	1921	-11	1885	11	1885	43	2012		40	26	33	
Marshfield	75	2012	-11	1965	11	1951	57	2012		41	23	32	
Merrill	77	2012	-16	1965	17	2013	56	2012		40	19	30	
Oshkosh	81	2012	-4	1965	17	1899	55	1921,2012		43	26	35	
Rhineland	76	2012	-20	1965	12	1951	51	2012		40	19	30	
Stevens Point	79	2012	-13	1965	13	1951	59	2012		42	23	32	
Sturgeon Bay	68	2012	-4	1965	19	1965	48	2012		39	23	31	
Wausau	78	2012	-8	1965	11	1951	57	2012		41	22	32	
Wisc. Rapids	81	2012	-12	1965	15	1951	57	2012		43	23	33	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.80	1922	8.0	1922						0.73	2.30	4.9	46.6
Appleton	0.80	1995	4.0	1943						1.12	3.61	5.5	43.6
Green Bay	1.09	1995	5.4	1933						1.17	3.76	6.0	48.8
Manitowoc	0.84	2020	4.0	1970						1.02	4.04	2.5	32.5
Marshfield	0.80	1969	6.2	1970						0.97	3.01	6.3	49.4
Merrill	1.31	1969	5.0	1970						1.01	3.26	5.1	46.6
Oshkosh	1.25	1901	7.0	1992						1.11	3.56	4.4	36.4
Rhineland	1.87	1921	2.0	1923,1967,1970						0.93	3.36	6.6	65.7
Stevens Point	0.77	1921	5.0	1893						1.05	3.37	5.2	42.8
Sturgeon Bay	1.31	1921	4.5	1970						1.17	4.22	6.5	51.3
Wausau	0.85	1942	5.0	1970						1.07	3.35	5.9	55.2
Wisc. Rapids	1.59	1922	5.6	1967						1.13	3.54	5.2	43.1

# March 20

# March 21

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	73	2012	-10	1965	14	2002	54	2012	39	19	29	
Appleton	83	2012	0	1965	15	1965	59	2012	43	24	33	
Green Bay	82	2012	1	1965	14	1965	55	2012	43	26	34	
Manitowoc	68	1911	-8	1885	14	1965	46	2012	40	26	33	
Marshfield	74	2012	-12	1965	10	1965	59	2012	42	24	33	
Merrill	75	2012	-9	1965	16	1965	52	2012	41	19	30	
Oshkosh	82	2012	0	1965	17	1965	57	2012	44	26	35	
Rhineland	74	2012	-12	1989	14	1965	50	2012	41	20	30	
Stevens Point	78	2012	-9	1965	16	1951	59	2012	42	23	33	
Sturgeon Bay	75	2012	-2	1965	16	1965	47	2012	40	23	31	
Wausau	76	2012	-8	1965	11	1965	60	2012	42	23	32	
Wisc. Rapids	80	2012	-10	1965	14	1965	60	2012	44	24	34	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.64	1953	5.0	1955					0.77	2.34	5.0	46.7
Appleton	0.72	1904	7.0	1933					1.19	3.68	5.7	43.8
Green Bay	0.92	1975	5.4	1913					1.24	3.83	6.2	49.0
Manitowoc	0.88	1913	8.0	1913					1.08	4.10	2.6	32.6
Marshfield	0.81	1972	8.5	1992					1.04	3.08	6.6	49.7
Merrill	0.68	1972	8.0	1955					1.08	3.33	5.3	46.8
Oshkosh	0.60	1913	6.0	1913					1.18	3.63	4.5	36.5
Rhineland	0.48	1991	6.0	1955					0.99	3.42	6.9	66.0
Stevens Point	0.48	1933,2011	6.0	1933					1.11	3.43	5.4	43.0
Sturgeon Bay	0.61	1913	6.0	1933					1.23	4.28	6.7	51.5
Wausau	0.72	1953	3.7	1955					1.13	3.41	6.1	55.4
Wisc. Rapids	0.80	1916	10.0	1992					1.19	3.60	5.4	43.3

# March 21

# March 22

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	66	1938,2012	-11	1906	10	1906	52	2012	40	20	30	
Appleton	71	2012	-2	1906,1989	21	1906	58	2012	43	24	34	
Green Bay	69	1938	-4	1989	11	1888	49	2021	43	26	35	
Manitowoc	67	1938	-5	1888	10	1888	46	2012	41	27	34	
Marshfield	72	2012	-4	1940,1989	15	1940	56	2012	42	24	33	
Merrill	73	1911	-12	1943	9	1906	54	2012	41	20	31	
Oshkosh	73	2012	-3	1906	18	1906	53	2012	44	27	35	
Rhineland	71	1910	-14	1989	12	1940	53	2012	41	20	31	
Stevens Point	72	1938,2012	-6	1906	16	1906	58	2012	43	23	33	
Sturgeon Bay	66	1907	-5	1906	16	1906	49	2012	40	23	32	
Wausau	71	1938,2012	-10	1943	16	1906	56	2012	42	23	33	
Wisc. Rapids	74	1928,2012	-8	1989	15	1906	56	2012	44	24	34	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.79	1949	7.0	2011					0.82	2.39	5.2	46.9
Appleton	1.43	1955	9.0	1955					1.25	3.74	5.9	44.0
Green Bay	1.33	2011	7.8	2011					1.30	3.89	6.4	49.2
Manitowoc	1.40	1952	7.5	1955					1.14	4.16	2.6	32.6
Marshfield	1.08	2011	4.3	2011					1.10	3.14	6.8	49.9
Merrill	0.57	1949	6.5	1955					1.14	3.39	5.5	47.0
Oshkosh	1.35	2011	9.0	1955					1.25	3.70	4.6	36.6
Rhineland	0.66	1972	5.0	1955					1.04	3.47	7.2	66.3
Stevens Point	0.60	1916	6.0	1916					1.18	3.50	5.5	43.1
Sturgeon Bay	0.90	2011	9.0	2011					1.30	4.35	6.9	51.7
Wausau	0.89	2011	6.3	1955					1.20	3.48	6.3	55.6
Wisc. Rapids	1.78	2011	4.0	1952,2011					1.26	3.67	5.6	43.5

# March 22

# March 23

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	69	1910	-8	1906	15	1940	50	2012		40	20	30	
Appleton	67	1910	0	1906	17	1974	50	2012		44	25	34	
Green Bay	65	1910,1939,2000	-3	1888	15	1888,1906	47	2012		43	27	35	
Manitowoc	68	1939	-5	1888	18	1888,1906	46	2012		41	27	34	
Marshfield	71	1928	-8	1974	9	1940	54	2012		43	25	34	
Merrill	81	1910	-15	1906	17	1906	54	2012		42	20	31	
Oshkosh	70	1939	-1	1906	20	1899	50	2012		45	27	36	
Rhineland	70	1910	-10	1965,1974	19	1990,2014	51	2012		42	20	31	
Stevens Point	77	1910	-12	1906	16	1940	53	2012		43	24	33	
Sturgeon Bay	64	1939	-12	1906	16	1940	46	2012		41	24	32	
Wausau	73	1910	-8	1906	10	1974	53	2012		43	23	33	
Wisc. Rapids	79	1910	-6	1906	11	1940	54	2012		45	25	35	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.99	1979	8.2	1952						0.87	2.44	5.4	47.1
Appleton	1.62	2022	6.0	1951,1980						1.32	3.81	6.0	44.1
Green Bay	1.08	2022	10.0	2011						1.37	3.96	6.6	49.4
Manitowoc	1.46	2022	7.0	1930						1.19	4.21	2.7	32.7
Marshfield	1.40	1979,2022	7.0	2016						1.16	3.20	7.1	50.2
Merrill	1.11	2022	8.0	2011						1.20	3.45	5.7	47.2
Oshkosh	1.10	1913,1966	7.1	1930						1.32	3.77	4.7	36.7
Rhineland	1.27	1979	11.0	2011						1.11	3.54	7.5	66.6
Stevens Point	1.25	1979	12.0	1930						1.24	3.56	5.7	43.3
Sturgeon Bay	1.45	2022	5.5	2011						1.36	4.41	7.1	51.9
Wausau	1.64	1979	7.0	2016						1.26	3.54	6.6	55.9
Wisc. Rapids	1.49	1979	5.0	1966						1.33	3.74	5.8	43.7

# March 23

# March 24

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	67	1910	-13	1974	10	1974	53	1910		40	21	31	
Appleton	74	1910	-5	1974	16	1974	48	1910,2012		44	25	35	
Green Bay	72	1910	-4	1888,1974	13	1974	55	1910		44	27	35	
Manitowoc	73	1910	-2	1888,1974	14	1974	46	1939		41	27	34	
Marshfield	71	1939	-12	1974	13	1974	52	2012		43	25	34	
Merrill	85	1910	-14	1974	11	1974	53	1910,2012		42	21	31	
Oshkosh	75	1939	-6	1974,1979	14	1974	51	1910		45	28	36	
Rhineland	69	1945	-19	1965	10	1974	47	2012		42	21	31	
Stevens Point	75	1939	-11	1899	12	1974	51	2012		44	24	34	
Sturgeon Bay	71	1910	-6	1974	15	1974	40	1910		41	24	33	
Wausau	75	1910	-10	1974	10	1974	54	1910		43	24	33	
Wisc. Rapids	76	1939	-10	1974	15	1974	53	1910,2012		45	25	35	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.06	1979	10.0	2016						0.91	2.48	5.6	47.3
Appleton	1.27	1904	5.8	2016						1.39	3.88	6.2	44.3
Green Bay	0.80	2009	6.0	2016						1.43	4.02	6.8	49.6
Manitowoc	1.26	1913	8.0	1937						1.25	4.27	2.8	32.8
Marshfield	0.87	1931	5.0	1979						1.22	3.26	7.3	50.4
Merrill	1.02	1979	11.0	2016						1.27	3.52	5.9	47.4
Oshkosh	1.97	2009	6.5	1979						1.38	3.83	4.8	36.8
Rhineland	0.82	1988	2.9	2016						1.17	3.60	7.8	66.9
Stevens Point	1.20	1913	5.5	2016						1.30	3.62	5.9	43.5
Sturgeon Bay	1.01	1975	6.0	2016						1.42	4.47	7.3	52.1
Wausau	1.12	2009	4.8	1996						1.32	3.60	6.8	56.1
Wisc. Rapids	0.90	1947	3.5	1951						1.40	3.81	5.9	43.8

# March 24



# March 25

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	68	1921	-8	1971,2011	17	1937	49	1945		41	21	31	
Appleton	75	2007	1	1960	19	2001	50	1945		45	26	35	
Green Bay	73	2007	0	1960	16	1923	50	1945		44	27	36	
Manitowoc	70	1939	2	1974	20	1894	52	1939		42	28	35	
Marshfield	77	2007	-3	1940	17	2014	53	1945		44	25	35	
Merrill	70	1910	-9	1971	17	1979	52	1945		43	21	32	
Oshkosh	77	2007	2	1960	20	1955,2001	49	2007		46	28	37	
Rhineland	65	1945,2007	-15	1974	11	1974	50	1945,2007		42	21	32	
Stevens Point	75	1939	-7	1952	19	1955	45	1920		44	25	34	
Sturgeon Bay	63	1910	2	1960	20	1923	44	2000		41	24	33	
Wausau	74	2007	-4	1971	15	1955	53	1945		44	24	34	
Wisc. Rapids	78	2007	-3	1952	13	1940	55	1945		46	25	36	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.81	2009	3.0	1923,1996,2015						0.96	2.53	5.7	47.4
Appleton	1.63	2009	11.8	2023						1.45	3.94	6.3	44.4
Green Bay	1.49	1920	10.0	2023						1.50	4.09	6.9	49.7
Manitowoc	2.00	1920	4.0	1974						1.31	4.33	2.8	32.8
Marshfield	0.92	1996	5.0	1927						1.28	3.32	7.5	50.6
Merrill	0.72	1921,2007	3.4	1923						1.33	3.58	6.1	47.6
Oshkosh	1.20	1920	12.0	2023						1.45	3.90	4.9	36.9
Rhineland	0.87	1996	8.5	1996						1.23	3.66	8.1	67.2
Stevens Point	0.90	1916	6.5	1975						1.36	3.68	6.0	43.6
Sturgeon Bay	1.23	1920	4.5	1979						1.48	4.53	7.5	52.3
Wausau	0.70	1899	7.0	1899						1.39	3.67	7.0	56.3
Wisc. Rapids	1.09	1963	4.0	1964						1.46	3.87	6.1	44.0

# March 25

# March 26

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	73	2007	-9	1965	16	2001	50	1945		41	22	31	
Appleton	81	2007	-2	1996	15	1996	58	2007		45	26	35	
Green Bay	78	2007	0	1923	15	1996	55	2007		45	28	36	
Manitowoc	79	2007	2	1923,1996	19	1996	52	2007		42	28	35	
Marshfield	79	2007	-9	1996	18	1996	51	2007		44	26	35	
Merrill	80	1910	-11	1923	17	1996	59	1945		43	21	32	
Oshkosh	80	2007	0	1923,1996	14	1996	61	2007		46	28	37	
Rhineland	73	2007	-16	1965	14	1923,1996	48	1945		43	21	32	
Stevens Point	76	2007	-9	1899	17	2001	53	2007		44	25	35	
Sturgeon Bay	76	2007	-15	1923	16	1996	55	2007		42	25	33	
Wausau	77	2007	-9	1899,1996	12	1996	52	1945		44	25	34	
Wisc. Rapids	82	2007	-6	1923	12	1996	53	2007		46	26	36	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.10	1920	5.0	1927						1.01	2.58	5.9	47.6
Appleton	1.22	1950	4.0	1930						1.52	4.01	6.5	44.6
Green Bay	1.31	1906	8.2	1888						1.57	4.16	7.1	49.9
Manitowoc	0.99	1928	13.0	1930						1.38	4.40	2.9	32.9
Marshfield	0.92	1948	3.5	1964,1974						1.34	3.38	7.7	50.8
Merrill	1.16	1906	4.2	1927						1.39	3.64	6.3	47.8
Oshkosh	1.40	1906	5.5	1964						1.52	3.97	5.0	37.0
Rhineland	0.85	1936	8.0	1936						1.30	3.73	8.4	67.5
Stevens Point	2.10	1906	7.0	1927						1.43	3.75	6.2	43.8
Sturgeon Bay	1.64	1906	9.0	1964						1.55	4.60	7.7	52.5
Wausau	0.87	1950	5.1	1926						1.45	3.73	7.2	56.5
Wisc. Rapids	1.50	1906	2.0	1900,1974						1.53	3.94	6.2	44.1

# March 26

# March 27

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	75	1910	-7	1996	10	1996	46	1945,1977		42	22	32	
Appleton	77	1910	3	1996	25	1928,1940	52	1998		45	26	36	
Green Bay	77	1910	-7	1964	21	1887	59	1998		45	28	37	
Manitowoc	77	2007	4	1964	25	1904	46	2007		42	28	35	
Marshfield	73	2012	-2	1965	24	1926,1965	50	1977,1998		45	26	35	
Merrill	86	1910	-9	1996	11	1996	46	1945,1977		44	22	33	
Oshkosh	78	1910	0	1996	26	1904	54	1998		46	29	38	
Rhineland	77	1910	-16	1996	21	1926,2022	46	1977		43	22	33	
Stevens Point	80	1910	-7	1996	13	1996	53	1998		45	25	35	
Sturgeon Bay	72	1946	2	1965	24	1975	43	1946,2007		42	25	34	
Wausau	72	1910,1946	-5	1964	23	1965	57	1998		45	25	35	
Wisc. Rapids	77	1910	-3	1965	23	1926	59	1998		47	26	36	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.10	1921	3.0	1942						1.06	2.63	6.0	47.7
Appleton	0.79	1977	3.5	1940,1944						1.60	4.09	6.6	44.7
Green Bay	0.80	1977	6.0	1942						1.64	4.23	7.3	50.1
Manitowoc	1.20	1976	4.8	1887						1.44	4.46	2.9	32.9
Marshfield	1.01	2003	6.0	1995						1.41	3.45	7.9	51.0
Merrill	1.10	1976	4.0	1965						1.46	3.71	6.4	47.9
Oshkosh	0.68	2014	5.0	1995						1.60	4.05	5.1	37.1
Rhineland	0.75	1921	4.2	2014						1.37	3.80	8.6	67.7
Stevens Point	0.87	1950,1961	6.0	1944						1.50	3.82	6.3	43.9
Sturgeon Bay	0.85	1949	6.0	2014						1.61	4.66	7.9	52.7
Wausau	1.14	1961	5.6	1975						1.52	3.80	7.4	56.7
Wisc. Rapids	1.27	1961	10.0	1995						1.61	4.02	6.4	44.3

# March 27

# March 28

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	76	1946	-7	1923	12	1973	47	1945		42	23	32	
Appleton	75	1986	-2	1923	23	1923	47	1905,1945		46	27	36	
Green Bay	74	1905,1910,1946	-2	1923	14	1923	48	1910		46	29	37	
Manitowoc	74	1986	-1	1923	16	1923	49	1946		43	28	36	
Marshfield	76	1986	-8	1923	21	1923	46	1977,1998		45	27	36	
Merrill	78	1910	-9	1955	19	1923	48	1998		44	22	33	
Oshkosh	79	1946	-2	1923	20	1923	55	1989		47	29	38	
Rhineland	74	1910,1946	-9	1923	12	1923	44	1945		44	22	33	
Stevens Point	81	1946	-5	1923	18	1923	53	1905		45	26	35	
Sturgeon Bay	76	1946	-5	1923,1996	15	1923	49	1910		43	26	34	
Wausau	75	1946,1986	-4	1923	12	1923	47	1977		45	25	35	
Wisc. Rapids	81	1946	-5	1923	20	1923	52	1905		47	27	37	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.74	1961	4.0	1956						1.11	2.68	6.2	47.9
Appleton	0.90	1931	8.0	1931						1.67	4.16	6.8	44.9
Green Bay	1.14	1931	11.5	1931						1.71	4.30	7.5	50.3
Manitowoc	2.43	1931	9.0	1931						1.51	4.53	3.0	33.0
Marshfield	0.78	1956	4.0	1931						1.48	3.52	8.1	51.2
Merrill	1.03	2003	3.8	1956						1.53	3.78	6.6	48.1
Oshkosh	0.90	1908,1931	9.0	1931						1.67	4.12	5.2	37.2
Rhineland	0.64	2020	2.0	1965						1.45	3.88	9.0	68.1
Stevens Point	1.20	1920,1931	12.0	1931						1.57	3.89	6.5	44.1
Sturgeon Bay	0.66	1938,1977	10.0	1931						1.68	4.73	8.0	52.8
Wausau	0.98	1920	7.5	1931						1.60	3.88	7.6	56.9
Wisc. Rapids	0.74	1974	7.3	1977						1.68	4.09	6.5	44.4

# March 28

# March 29

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	78	1910	-3	1969	23	1899,1969	48	1910	43	23	33	
Appleton	80	1910	8	1969	21	1969	48	1981	46	27	37	
Green Bay	82	1910	1	1887	21	1969	56	1910	46	29	37	
Manitowoc	77	1986	0	1887	21	1969	47	1946	43	29	36	
Marshfield	80	1986	-3	1969	23	1964	47	1981	46	27	36	
Merrill	79	1910	-4	1969	21	1969	42	1977,1981	45	23	34	
Oshkosh	83	1910	2	1899	24	1969	54	1910	47	29	38	
Rhineland	79	1910	-8	1923	14	1923	48	1910	44	23	33	
Stevens Point	82	1910	1	1964,1969	25	1934,1954	54	1910	46	26	36	
Sturgeon Bay	68	1986	4	1923	22	1915	45	1981	43	26	34	
Wausau	80	1910	-1	1964,1969	17	1969	50	1910	46	26	36	
Wisc. Rapids	82	1910	-2	1964	19	1969	50	1910	48	27	37	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.21	1938	5.0	1944					1.16	2.73	6.4	48.1
Appleton	0.95	1972	9.0	1972					1.75	4.24	6.9	45.0
Green Bay	0.87	1924	9.8	1924					1.79	4.38	7.7	50.5
Manitowoc	1.27	1924	6.0	1924,1972					1.59	4.61	3.1	33.1
Marshfield	0.88	1938	8.0	1924					1.56	3.60	8.4	51.5
Merrill	1.63	1920	4.0	1972					1.60	3.85	6.8	48.3
Oshkosh	2.26	1987	10.0	1972					1.75	4.20	5.2	37.2
Rhineland	1.03	1938	6.0	1944					1.53	3.96	9.3	68.4
Stevens Point	1.16	1951	8.0	1934					1.64	3.96	6.6	44.2
Sturgeon Bay	1.43	1914	9.0	1924					1.75	4.80	8.2	53.0
Wausau	1.12	1951	13.0	1924					1.67	3.95	7.8	57.1
Wisc. Rapids	1.37	1951	8.0	1972					1.77	4.18	6.6	44.5

# March 29

# March 30

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	74	1910	-6	1965	18	1969	54	1910	43	23	33	
Appleton	73	1910	6	1969	21	1969	55	1910	47	27	37	
Green Bay	73	1910,1967	3	1923	21	1923,1969	50	1943	46	29	38	
Manitowoc	75	1943	5	1969	20	1969	46	1945,1986	44	29	36	
Marshfield	76	1986	-6	1969	18	1969	46	1998	46	27	37	
Merrill	77	1986	-3	1969	17	1923	46	1910,2005	45	23	34	
Oshkosh	79	1910	2	1969	21	1969	55	1910	48	30	39	
Rhineland	77	1910	-7	1965	22	1924,1969	56	1910	45	23	34	
Stevens Point	81	1986	-10	1899	17	1969	48	1910	46	26	36	
Sturgeon Bay	70	1963	5	1923	22	1969	45	1998	43	26	35	
Wausau	80	1910	-2	1899,1969	15	1969	57	1910	46	26	36	
Wisc. Rapids	79	1967	-2	1963	18	1969	47	1986	48	27	38	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.72	1934	6.0	1934					1.22	2.79	6.6	48.3
Appleton	0.61	2022	3.3	1934					1.83	4.32	7.1	45.2
Green Bay	1.22	1998	7.2	1934					1.88	4.47	7.9	50.7
Manitowoc	1.25	1979	10.0	1934					1.67	4.69	3.1	33.1
Marshfield	1.13	1976	4.5	1934					1.63	3.67	8.6	51.7
Merrill	0.93	1976	7.8	1924					1.68	3.93	7.0	48.5
Oshkosh	2.48	1998	6.0	1934					1.83	4.28	5.3	37.3
Rhineland	0.84	1938	6.0	1924,1934					1.61	4.04	9.7	68.8
Stevens Point	0.81	1933,1976	3.0	1972					1.72	4.04	6.7	44.3
Sturgeon Bay	1.60	1998	2.5	1934,1972					1.82	4.87	8.4	53.2
Wausau	0.65	2013	8.0	1934					1.75	4.03	8.1	57.4
Wisc. Rapids	1.00	1982	2.6	1977					1.85	4.26	6.8	44.7

# March 30

# March 31

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	77	1986	-8	1923	18	1923	44	1967		44	24	34	
Appleton	75	1986	2	1923	20	1923	46	1986,1999		47	28	37	
Green Bay	77	1986	0	1923	19	1923	51	1999		47	30	38	
Manitowoc	70	1918	2	1923	19	1923	44	1943		44	29	37	
Marshfield	80	1986	-5	1923	21	1969	45	2010		46	28	37	
Merrill	78	1986	-15	1923	23	1969	45	1967		45	23	34	
Oshkosh	79	1986	3	1923	22	1923	51	2007		48	30	39	
Rhineland	75	1986	-17	1923	13	1923	47	1967,2010		45	23	34	
Stevens Point	78	1967	-4	1923	21	1923	49	1967		47	27	37	
Sturgeon Bay	65	1918,1943,1968	-11	1923	14	1923	43	1967,2010		44	27	35	
Wausau	79	1986	-7	1923	19	1923	50	1999		47	27	37	
Wisc. Rapids	80	1986	-1	1969	22	1923	55	1943		49	28	38	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.82	2023	5.0	1985						1.27	2.84	6.8	48.5
Appleton	1.85	1998	7.0	1949						1.92	4.41	7.2	45.3
Green Bay	1.61	1949	10.1	1949						1.96	4.55	8.1	50.9
Manitowoc	2.95	1998	9.0	1929						1.75	4.77	3.2	33.2
Marshfield	1.31	2023	9.0	1985						1.71	3.75	8.8	51.9
Merrill	0.72	2013	6.2	2018						1.75	4.00	7.2	48.7
Oshkosh	0.88	2007	7.0	1929						1.92	4.37	5.4	37.4
Rhineland	1.31	2023	8.8	2018						1.69	4.12	10.1	69.2
Stevens Point	1.19	2016	8.0	1949						1.80	4.12	6.9	44.5
Sturgeon Bay	1.98	2008	4.0	1926						1.90	4.95	8.6	53.4
Wausau	0.94	2008	8.9	1985						1.83	4.11	8.3	57.6
Wisc. Rapids	1.37	1949	14.0	1949						1.94	4.35	6.9	44.8

# March 31