

**MAY 1**

	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)	NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME	
ANTIGO	87	1952	17	1903	30	1909	60	1894	60	37	48	
APPLETON	88	1992	27	1909,1978	35	1909	62	1942	62	42	52	
GREEN BAY	90	1952	25	1978	35	1909	60	2018	61	39	50	
MANITOWOC	88	1952	24	1888,1890	38	1909	58	1957	57	41	49	
MARSHFIELD	88	1992	24	1978	40	1940	57	1930	62	40	51	
MERRILL	90	1952	21	1978	33	1909	58	1930	62	36	49	
OSHKOSH	91	1952	22	1978	36	1909	61	1899	62	41	52	
RHINELANDER	86	1952	21	1909	29	1909	59	1913	61	36	48	
STEVENS POINT	90	1952	22	1907	35	1909	58	1901	62	40	51	
STURGEON BAY	85	1952	21	1907	35	1909	55	1957	58	38	48	
WAUSAU	89	1952	22	1903	35	1909	58	1934,2001,2018	62	39	51	
WISCONSIN RAPIDS	89	1952	28	1945	32	1909	59	2018	64	39	52	
	REC	YEAR(S)	REC	YEAR(S)					NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.88	1936	3.0	1909					0.10	5.14	0.0	52.6
APPLETON	1.32	1973	4.0	1911					0.09	7.06	0.0	43.9
GREEN BAY	1.19	1973	2.0	1911					0.08	6.80	0.0	51.2
MANITOWOC	1.20	1919	1.0	1909					0.10	8.19	0.0	43.0
MARSHFIELD	1.42	1973	3.0	1935					0.10	6.39	0.0	50.7
MERRILL	2.17	1973	4.0	1909					0.10	6.54	0.0	51.2
OSHKOSH	1.03	1973	1.0	1935					0.09	7.01	T	35.8
RHINELANDER	1.03	1933	1.5	1909					0.10	6.29	0.1	66.8
STEVENS POINT	1.19	1997	2.0	1911					0.11	6.84	T	44.7
STURGEON BAY	1.76	1997	9.0	1911					0.09	7.68	T	50.7
WAUSAU	1.27	1973	0.8	1908					0.10	6.53	0.0	59.4
WISCONSIN RAPIDS	1.44	1929	0.0						0.11	6.90	0.0	47.5

**MAY 1**

**MAY 2**

	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)	NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME	
ANTIGO	92	1959	19	1911	33	1940	58	1901	60	37	49	
APPLETON	89	1959	23	1911	41	1909	60	2001	63	43	53	
GREEN BAY	91	1959	22	1911	38	1940	60	1913,2001	61	39	50	
MANITOWOC	84	1992	26	1885,1911	37	1940	57	1992	57	41	49	
MARSHFIELD	92	1959	26	1916,1924,1990	36	2005	58	1951	63	40	52	
MERRILL	94	1959	20	1911	36	1940,2013	58	1934	62	37	49	
OSHKOSH	90	1959	23	1964	35	1940	60	1901,2001	63	41	52	
RHINELANDER	90	1959	18	1911	34	1940,2011,2013	62	1959	61	36	49	
STEVENS POINT	88	1959	14	1911	37	1940	58	1901	62	40	51	
STURGEON BAY	81	1951	21	1909	40	1909	52	2018	59	38	49	
WAUSAU	91	1959	21	1911	36	1940	59	1955	63	40	51	
WISCONSIN RAPIDS	93	1959	21	1911	36	1940	60	1951	64	39	52	
	REC	YEAR(S)	REC	YEAR(S)					NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	2.02	1908	2.0	1935,1940					0.20	5.24	0.1	52.7
APPLETON	1.10	1964	2.0	1940					0.18	7.15	0.0	43.9
GREEN BAY	1.03	1979	3.5	1940					0.17	6.89	0.0	51.2
MANITOWOC	1.85	1933	4.0	1940					0.19	8.28	0.0	43.0
MARSHFIELD	1.55	1979	1.0	2005					0.21	6.50	0.1	50.8
MERRILL	1.17	1973	2.0	1940					0.21	6.65	0.0	51.2
OSHKOSH	1.01	2018	4.5	1940					0.19	7.11	T	35.8
RHINELANDER	1.55	1973	0.5	1966					0.21	6.40	0.1	66.8
STEVENS POINT	1.40	1954	4.5	1940					0.22	6.95	T	44.7
STURGEON BAY	1.74	2008	4.0	1940					0.19	7.78	T	50.7
WAUSAU	1.38	1954	5.5	1935					0.21	6.64	0.0	59.4
WISCONSIN RAPIDS	1.42	2012	T	1908,1976					0.22	7.01	0.0	47.5

## MAY 2

--	--	--	--	--	--	--	--	--	--	--	--	--

## MAY 3

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	87	1955	18	1909	37	1954	61	1955		60	37	49	
APPLETON	86	1949,1955	27	1967	40	1929	61	1955,1959		63	43	53	
GREEN BAY	86	1949	27	1967,2004	39	1935,1954	64	1913		62	40	51	
MANITOWOC	85	1928	27	1986	42	1883,1907	56	1955		57	41	49	
MARSHFIELD	86	1918,1955	21	1967	37	1954	60	1928,1938,1959		63	41	52	
MERRILL	86	1949	19	2004	38	1954	60	1955		63	37	50	
OSHKOSH	87	1949	25	2004	40	1954	65	1959		63	42	53	
RHINELANDER	90	1959	19	1909,1926,2004	32	1954	64	1955		62	36	49	
STEVENS POINT	91	1959	19	2004	37	1954,2005	64	1928		63	41	52	
STURGEON BAY	82	1928,1955,1980	22	1911	38	1935	54	2001		59	39	49	
WAUSAU	87	1955	21	1909,2011	35	1954	62	1959		63	40	52	
WISCONSIN RAPIDS	91	1949	23	2004	35	1954	63	1959		65	40	52	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.03	2015	1.0	1973						0.31	5.35	0.1	52.7
APPLETON	1.19	2012	0.5	1907						0.28	7.25	0.1	44.0
GREEN BAY	1.25	2012	T	1907,1926,1954,1973,1976						0.25	6.97	0.0	51.2
MANITOWOC	1.88	2012	0.3	1926						0.29	8.38	0.0	43.0
MARSHFIELD	1.00	1981	T	1954						0.32	6.61	0.1	50.8
MERRILL	1.24	1954	T	1973,1976						0.32	6.76	0.0	51.2
OSHKOSH	3.07	2012	T	1926,1929						0.29	7.21	T	35.8
RHINELANDER	1.03	1942	0.2	1954,2011,2013						0.32	6.51	0.1	66.8
STEVENS POINT	2.23	1938	T	1925,1954,1973						0.34	7.07	T	44.7
STURGEON BAY	1.15	1938	T	1973,1976						0.29	7.88	T	50.7
WAUSAU	1.64	1981	0.4	1954						0.32	6.75	0.1	59.5

WISCONSIN RAPIDS	1.16	1955	T	1973,1976					0.34	7.13	0.0	47.5
------------------	------	------	---	-----------	--	--	--	--	------	------	-----	------

**MAY 3**

--	--	--	--	--	--	--	--	--	--	--	--	--

**MAY 4**

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	87	1949	17	1909	34	1954	60	1934		61	38	49
APPLETON	88	1952	23	1905	41	1954	64	1949		63	43	53
GREEN BAY	89	1952	27	1907,1954,1966	40	1954	62	1949		62	40	51
MANITOWOC	90	1952	27	1891,1907	39	1926	60	1955		58	42	50
MARSHFIELD	86	1980	24	1967	38	1954	60	1949		63	41	52
MERRILL	87	1952	21	1976	38	1954	65	1922		63	37	50
OSHKOSH	89	1952	25	1907	41	1954	61	1949		63	42	53
RHINELANDER	89	1959	21	1909	32	1954	60	2000		62	37	49
STEVENS POINT	90	1952	18	1907	38	1954	64	1949		63	41	52
STURGEON BAY	82	1934,1980,2000	20	1907	37	1954	57	1955		60	39	49
WAUSAU	90	1952	20	1907	36	1954	62	1934		63	40	52
WISCONSIN RAPIDS	92	1949	23	1909,2011	39	1954	64	1949		65	40	53

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON	
ANTIGO	1.22	1938	1.0	1954					0.41	5.45	0.1	52.7	
APPLETON	1.33	2018	T	1929,1954					0.38	7.35	0.1	44.0	
GREEN BAY	1.17	1913	0.2	1954					0.34	7.06	0.0	51.2	
MANITOWOC	1.53	2018	0.0						0.39	8.48	0.0	43.0	
MARSHFIELD	1.97	1928	T	1954					0.43	6.72	0.1	50.8	
MERRILL	1.12	1928	0.2	1954					0.42	6.86	0.0	51.2	
OSHKOSH	1.20	2018	1.0	1946					0.39	7.31	T	35.8	
RHINELANDER	1.21	1912	0.2	1954					0.42	6.61	0.1	66.8	
STEVENS POINT	1.50	1913	0.3	1954					0.46	7.19	T	44.7	

STURGEON BAY	2.09	1959	T	1926						0.38	7.97	T	50.7
WAUSAU	1.23	1938	0.4	1954						0.42	6.85	0.1	59.5
WISCONSIN RAPIDS	0.88	1913	0.0							0.45	7.24	0.0	47.5

**MAY 4**


**MAY 5**

	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	87	1949	23	1954	37	1954	63	1949		61	38	50
APPLETON	90	1949	26	1992	41	1954	66	1949		64	44	54
GREEN BAY	90	1949	26	1891,1967	40	1890,1954,1979	70	1949		63	40	51
MANITOWOC	85	1952	23	1891	39	1954	60	2000		58	42	50
MARSHFIELD	85	1949,1980	25	1968	42	1954	68	1982		64	41	52
MERRILL	90	1934	18	1907	38	1989	61	1949		63	38	51
OSHKOSH	91	1949	26	1968	42	1954	69	1949		64	43	53
RHINELANDER	88	1918	21	1954	34	1954	61	1962		62	37	50
STEVENS POINT	91	1949	19	1900	41	1954	66	1949		63	41	52
STURGEON BAY	89	1930	24	1910	37	1954	60	1980		60	39	50
WAUSAU	86	1949	26	1900,1967	38	1954	64	1949		64	41	52
WISCONSIN RAPIDS	93	1949	21	1967	41	1954	69	1949		65	41	53

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.97	2003	T	1979						0.51	5.55	0.2	52.8
APPLETON	1.31	1913	T	1954						0.47	7.44	0.1	44.0
GREEN BAY	1.15	1974	2.5	1890						0.42	7.14	0.1	51.3
MANITOWOC	0.94	2003	0.0							0.49	8.58	0.0	43.0
MARSHFIELD	1.15	1964	T	1954						0.54	6.83	0.1	50.8
MERRILL	1.37	1999	T	1996						0.53	6.97	0.0	51.2
OSHKOSH	1.30	1913	T	1907,1944,1954						0.48	7.40	T	35.8

RHINELANDER	1.03	1982	5.0	1979					0.53	6.72	0.1	66.8
STEVENS POINT	0.91	1959	T	1925					0.57	7.30	T	44.7
STURGEON BAY	1.15	1913	1.0	1979					0.47	8.06	T	50.7
WAUSAU	1.55	1960	1.3	1996					0.52	6.95	0.1	59.5
WISCONSIN RAPIDS	1.60	1982	T	1989					0.57	7.36	0.0	47.5

**MAY 5**

--	--	--	--	--	--	--	--	--	--	--	--	--

**MAY 6**

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	86	1934	20	1970	37	1954	62	1930		61	38	50
APPLETON	91	1934	25	1989	38	1989	63	2000		64	44	54
GREEN BAY	92	1934	24	1970	36	1989	63	1930,1964		63	41	52
MANITOWOC	93	1934	25	1890	38	1989	55	2000		58	42	50
MARSHFIELD	93	1934	22	1989	36	1989	60	1964		64	42	53
MERRILL	88	2016	15	1950	34	1989	67	1941		64	38	51
OSHKOSH	93	1934	27	1954,1989	35	1989	64	1964		64	43	54
RHINELANDER	93	1930,1934	22	1983	35	1954	60	1964,2000		63	37	50
STEVENS POINT	93	1934	24	1989	37	1989	65	1964		64	42	53
STURGEON BAY	89	1934	25	1968,1970	39	1989	55	1959		60	40	50
WAUSAU	89	2016	23	1989	35	1989	64	2000		64	41	53
WISCONSIN RAPIDS	94	1934	22	1989	35	1989	64	1964		66	41	53

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	2.66	1936	3.5	1979						0.60	5.64	0.2	52.8
APPLETON	1.98	1960	0.5	1954						0.56	7.53	0.1	44.0
GREEN BAY	2.04	1960	0.8	1954						0.50	7.22	0.1	51.3
MANITOWOC	2.18	1919	T	1906,1925						0.58	8.67	0.0	43.0
MARSHFIELD	2.12	1932	T	1942,1954						0.64	6.93	0.2	50.9

MERRILL	2.45	1936	T	1906					0.63	7.07	0.1	51.3
OSHKOSH	1.56	1960	T	1906,1954					0.57	7.49	T	35.8
RHINELANDER	1.54	1999	T	1960					0.63	6.82	0.1	66.8
STEVENS POINT	1.95	1960	0.3	1954					0.68	7.41	T	44.7
STURGEON BAY	1.96	1930	T	1940,1974,1976,1989					0.57	8.16	T	50.7
WAUSAU	2.92	1936	T	1989					0.63	7.06	0.1	59.5
WISCONSIN RAPIDS	2.56	1932	T	1989					0.68	7.47	0.0	47.5

**MAY 6**


**MAY 7**

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	84	1926	20	1954,1989	36	1960	65	1936		62	39	50	
APPLETON	84	1965,2000	28	1954,1989	38	1960	66	2000		65	44	54	
GREEN BAY	87	1896	27	1954,1974	37	1960	66	1936		63	41	52	
MANITOWOC	85	1934	26	1890	40	1885	56	1936		59	42	51	
MARSHFIELD	89	1934	22	1989	38	1960	64	1936		64	42	53	
MERRILL	86	1926	22	1958	43	1947	63	2000		64	38	51	
OSHKOSH	86	1896	25	1948	40	1960	65	1936		64	43	54	
RHINELANDER	87	1926	24	1974	33	1960	64	1936,2000		63	38	50	
STEVENS POINT	90	1896	25	1954	42	1906	68	1939		64	42	53	
STURGEON BAY	82	1936	25	1925,1974	38	1960	57	2000		61	40	50	
WAUSAU	89	1896	25	1954	34	1960	66	1936		64	41	53	
WISCONSIN RAPIDS	88	1965	23	1925	38	1960	65	2000		66	41	54	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.85	1960	3.0	2010						0.70	5.74	0.2	52.8
APPLETON	1.15	1942,1973	0.5	2010						0.66	7.63	0.1	44.0
GREEN BAY	0.84	2010	0.7	2010						0.58	7.30	0.1	51.3

MANITOWOC	0.92	1904	0.0						0.67	8.76	0.0	43.0
MARSHFIELD	1.73	1960	2.0	1960					0.75	7.04	0.2	50.9
MERRILL	0.77	1960	3.5	1960					0.73	7.17	0.1	51.3
OSHKOSH	0.92	1904	T	1906,2010					0.66	7.58	T	35.8
RHINELANDER	1.36	1999	7.0	1960					0.73	6.92	0.1	66.8
STEVENS POINT	1.43	1960	2.0	1923					0.79	7.52	T	44.7
STURGEON BAY	1.10	2010	5.5	1954					0.66	8.25	T	50.7
WAUSAU	0.95	2001	2.5	1960					0.73	7.16	0.1	59.5
WISCONSIN RAPIDS	1.21	1919	2.0	1960					0.79	7.58	0.0	47.5

**MAY 7**


**MAY 8**

	REC		REC		REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	93	1895	23	1948	37	2020	63	1936		62	39	51
APPLETON	84	1936	23	1906	41	1933	63	2000		65	45	55
GREEN BAY	88	1896	25	1950,1966	40	1907	64	1896,1936		64	41	52
MANITOWOC	84	1936	21	1967	42	1907,2020	58	1936		59	43	51
MARSHFIELD	86	1934	25	1948	36	1954	64	2000		65	42	53
MERRILL	90	1934	22	1976	40	1960,2020	62	2000		64	39	52
OSHKOSH	86	1896	25	1947	43	1960	66	2000		65	44	54
RHINELANDER	87	1926	22	1929,2017	34	1923	61	1957		63	38	51
STEVENS POINT	89	1896	21	1954	38	1960	66	1963		64	42	53
STURGEON BAY	83	1936,2000	20	1925	38	1960	55	1936		61	40	51
WAUSAU	89	1896	25	1947,1948	39	1924,1954	65	1896		65	42	53
WISCONSIN RAPIDS	86	1928	23	1947	38	1933	60	1936		66	42	54
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.20	1904	5.0	1923					0.80	5.84	0.2	52.8

APPLETON	1.24	2004	1.0	1960					0.75	7.72	0.1	44.0
GREEN BAY	1.74	1904	2.0	1960					0.67	7.39	0.1	51.3
MANITOWOC	2.50	1924	1.5	1923					0.77	8.86	0.0	43.0
MARSHFIELD	1.87	1964	3.0	1960					0.85	7.14	0.2	50.9
MERRILL	1.24	1995	1.2	1923					0.84	7.28	0.1	51.3
OSHKOSH	2.10	1900	T	1906,2010					0.76	7.68	T	35.8
RHINELANDER	0.80	1961	3.0	1960					0.83	7.02	0.2	66.9
STEVENS POINT	1.22	2004	T	1924,1933,1945,1962,2010					0.90	7.63	T	44.7
STURGEON BAY	1.07	1924	4.0	1907					0.75	8.34	T	50.7
WAUSAU	1.37	1904	1.5	1906					0.83	7.26	0.1	59.5
WISCONSIN RAPIDS	1.68	2004	2.0	1906					0.90	7.69	0.0	47.5

**MAY 8**


**MAY 9**

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	88	1934	20	1966	37	1924	57	1936,2007		62	39	51
APPLETON	91	1934	23	1966	42	1960	59	1936		65	45	55
GREEN BAY	92	1934	21	1966	42	1955,1960	65	1896		64	42	53
MANITOWOC	92	1934	28	1885,1947,2020	41	1966	59	1993		60	43	51
MARSHFIELD	91	1934	19	1966	39	1960	61	1936		65	43	54
MERRILL	88	1936	20	1923	39	1960	57	2007		65	39	52
OSHKOSH	96	1934	20	1966	42	1960	66	1936		65	44	54
RHINELANDER	95	1934	20	1947,1966	36	1960	63	1993		63	38	51
STEVENS POINT	90	1936	21	1966	40	1924	63	1993		65	43	54
STURGEON BAY	83	2000	25	1947	39	1960	51	1936		61	40	51
WAUSAU	91	1895	20	1947	39	1960	68	1895		65	42	54
WISCONSIN RAPIDS	94	1934	18	1947	39	1960	64	1993		67	42	54
	REC		REC							NORMAL		
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW	

										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.42	1990	2.0	1923						0.90	5.94	0.2	52.8
APPLETON	1.30	1927	2.8	1902						0.85	7.82	0.2	44.1
GREEN BAY	1.60	1918	0.6	1960						0.75	7.47	0.1	51.3
MANITOWOC	1.64	1927	1.0	1960						0.86	8.95	0.0	43.0
MARSHFIELD	1.44	1927	2.0	1960						0.95	7.24	0.2	50.9
MERRILL	1.61	1990	T	1960						0.94	7.38	0.1	51.3
OSHKOSH	1.15	1990	1.0	1923,1960						0.85	7.77	T	35.8
RHINELANDER	1.39	1918	1.0	1960						0.94	7.13	0.2	66.9
STEVENS POINT	1.84	1927	1.5	1960						1.01	7.74	T	44.7
STURGEON BAY	1.38	1965	T	1933,1948,1966						0.85	8.44	T	50.7
WAUSAU	1.76	1990	2.2	1960						0.93	7.36	0.1	59.5
WISCONSIN RAPIDS	1.46	1990	T	1966						1.02	7.81	0.0	47.5

**MAY 9**


**MAY 10**

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	86	1934	19	1966	37	2020	63	1922		63	40	51
APPLETON	87	1922,1987	26	1966	42	1960,2020	62	1985		66	45	55
GREEN BAY	86	1896	24	1966	39	1902	66	1896		64	42	53
MANITOWOC	88	1896	23	1966	40	1960	66	1896		60	43	52
MARSHFIELD	86	1934	21	1966	42	2020	60	1993		65	43	54
MERRILL	87	1922	21	1966	40	2020	59	1922		65	40	52
OSHKOSH	88	1922	25	1966	41	1902	66	1896		65	44	55
RHINELANDER	91	1930	20	1966	37	2020	60	1953		64	39	51
STEVENS POINT	90	1936	24	1966	41	1960	65	1922		65	43	54
STURGEON BAY	82	1987	21	1966	40	1960	55	1936		62	41	51
WAUSAU	87	1934	24	1966	40	2020	71	1896		65	42	54
WISCONSIN RAPIDS	89	1922	22	1966	44	2020	62	1993		67	42	55

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.48	1895	3.0	1990					1.00	6.04	0.3	52.9
APPLETON	1.38	1905	5.3	1990					0.94	7.91	0.2	44.1
GREEN BAY	1.03	1895	4.3	1990					0.83	7.55	0.1	51.3
MANITOWOC	2.32	1963	0.3	1907					0.95	9.04	0.0	43.0
MARSHFIELD	1.55	1963	T	1990,2020					1.06	7.35	0.2	50.9
MERRILL	1.18	1963	T	1961					1.05	7.49	0.1	51.3
OSHKOSH	1.44	2003	2.0	1902					0.95	7.87	T	35.8
RHINELANDER	1.23	1963	1.5	1961					1.05	7.24	0.2	66.9
STEVENS POINT	1.57	1963	5.0	1902					1.12	7.85	T	44.7
STURGEON BAY	1.54	1918	1.5	1990					0.94	8.53	T	50.7
WAUSAU	1.13	1905	1.1	1990					1.04	7.47	0.1	59.5
WISCONSIN RAPIDS	2.13	1918	0.0						1.13	7.92	0.0	47.5

**MAY 10**


**MAY 11**

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	84	1922	18	1907	45	1952,2005	63	1922		63	40	51
APPLETON	88	1922	26	1907	41	1966	64	1985		66	46	56
GREEN BAY	88	1922	28	1907	41	1966	65	1922		65	42	53
MANITOWOC	82	1956	25	1885	40	1966	55	2007		60	44	52
MARSHFIELD	85	1991	24	1925	45	1952,1965,2018	62	1922		65	43	54
MERRILL	86	1922	19	1907	40	2006	62	1922		65	40	53
OSHKOSH	87	1907,1922	25	1907	42	1966	64	1896		66	45	55
RHINELANDER	89	1922	23	1963	40	1914	68	1922		64	39	51
STEVENS POINT	88	1922	20	1907	42	2010	62	1982		65	43	54
STURGEON BAY	81	1922,1982	23	1907	42	1966,1967	59	1991		62	41	52
WAUSAU	85	1896,1922	22	1907	39	1966	62	1922		66	43	54
WISCONSIN RAPIDS	90	1922	22	1907	42	1966	61	1922		67	43	55

	REC	YEAR(S)	REC	YEAR(S)						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.99	1967	2.0	1990						1.10	6.14	0.3	52.9
APPLETON	2.09	2006	T	1963,1966						1.04	8.01	0.2	44.1
GREEN BAY	1.38	2006	T	1949,1971,2018,2020						0.92	7.64	0.1	51.3
MANITOWOC	1.80	2006	T	1915						1.05	9.14	0.0	43.0
MARSHFIELD	1.22	1942	1.5	1966						1.17	7.46	0.2	50.9
MERRILL	1.12	1920	T	1966						1.15	7.59	0.1	51.3
OSHKOSH	1.70	1942,2006	0.0							1.04	7.96	T	35.8
RHINELANDER	1.62	2003	T	2006,2013						1.15	7.34	0.2	66.9
STEVENS POINT	1.25	1920	T	1966						1.24	7.97	T	44.7
STURGEON BAY	1.47	2006	T	1914,1934,1967						1.04	8.63	T	50.7
WAUSAU	1.23	2003	0.3	2006						1.14	7.57	0.2	59.6
WISCONSIN RAPIDS	1.51	1920	T	1966						1.25	8.04	0.0	47.5

**MAY 11**

--	--	--	--	--	--	--	--	--	--	--	--	--	--

**MAY 12**

	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)				
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	85	1907	21	1895	37	1997	64	1936		63	40	52
APPLETON	91	1991	26	2020	44	2002,2006	64	1991		66	46	56
GREEN BAY	87	1991	25	2020	44	2002	60	1991		65	43	54
MANITOWOC	91	1879	28	1967	43	2002,2006	61	1991		61	44	52
MARSHFIELD	86	1991	26	1967	40	2005	59	1992		66	43	55
MERRILL	85	1991	24	1976,2020	40	1997	62	1992		66	40	53
OSHKOSH	86	1991	27	1967,2020	44	2006	65	1922		66	45	55
RHINELANDER	90	1977	21	2020	40	1997	59	1956		64	39	52
STEVENS POINT	89	1900	22	2005	44	2005	61	1922		66	44	55
STURGEON BAY	84	1977	24	1934	42	2002	56	1993		62	41	52

WAUSAU	85	1896,1900	28	1946,1967	43	1997	59	1906		66	43	54
WISCONSIN RAPIDS	87	1977	25	1923	42	2005	63	1906		68	43	55
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN	SNOW		
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.82	2006	2.0	1946					1.21	6.25	0.3	52.9
APPLETON	2.30	2014	T	2005					1.14	8.11	0.2	44.1
GREEN BAY	1.05	2014	T	1946,2005					1.00	7.72	0.1	51.3
MANITOWOC	2.20	1978	0.0						1.14	9.23	0.0	43.0
MARSHFIELD	1.29	1970	2.5	1946					1.28	7.57	0.2	50.9
MERRILL	1.11	2014	0.5	1946					1.26	7.70	0.1	51.3
OSHKOSH	1.56	1978	0.0						1.14	8.06	T	35.8
RHINELANDER	2.26	2011	1.0	2006					1.26	7.45	0.2	66.9
STEVENS POINT	1.30	1937	0.2	1946					1.36	8.09	T	44.7
STURGEON BAY	1.34	1942	T	1946,1971					1.14	8.73	T	50.7
WAUSAU	1.05	1970	3.5	1946					1.25	7.68	0.2	59.6
WISCONSIN RAPIDS	1.24	1970	0.0						1.36	8.15	0.0	47.5

**MAY 12**


**MAY 13**

					REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	85	1907	23	1953	40	1895	59	1991,2005		64	40	52
APPLETON	87	1991	25	1996	45	1974	66	1991		67	46	56
GREEN BAY	88	1977,1991	29	2020	42	1888	62	1900,1991		65	43	54
MANITOWOC	89	1977	30	1888,1910	42	1888	61	1977		61	44	53
MARSHFIELD	90	1961	22	1953	48	1974,2000	62	1991		66	44	55
MERRILL	85	1977,1991	20	1923	47	2005	59	1991		66	41	53
OSHKOSH	89	1977	30	1910	47	1974	65	1991		66	45	56
RHINELANDER	89	1977	19	2013	44	1978	59	1961		65	40	52

STEVENS POINT	89	1900	25	1910	48	1974	62	1900		66	44	55	
STURGEON BAY	89	1977	23	1923	45	1997	58	1977,1991		63	42	52	
WAUSAU	88	1900	26	1943,1953	44	1966,1974	64	1900		66	43	55	
WISCONSIN RAPIDS	90	1932	25	1923,2013	42	1974	60	1907		68	43	56	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.11	1962	0.7	1905						1.32	6.36	0.3	52.9
APPLETON	1.68	1978	T	1934,2005						1.23	8.20	0.2	44.1
GREEN BAY	1.38	1978	1.0	1895						1.09	7.81	0.1	51.3
MANITOWOC	2.40	1978	0.0							1.23	9.32	0.0	43.0
MARSHFIELD	1.29	1963	0.0							1.38	7.67	0.2	50.9
MERRILL	1.08	1906	T	1912,1918,1966,2006						1.37	7.81	0.1	51.3
OSHKOSH	2.70	1978	0.0							1.23	8.15	T	35.8
RHINELANDER	1.27	1962	T	1937						1.37	7.56	0.3	67.0
STEVENS POINT	1.59	1896	T	1966						1.47	8.20	T	44.7
STURGEON BAY	1.79	1906	0.0							1.23	8.82	T	50.7
WAUSAU	1.50	1896	T	1912,1918,1966						1.35	7.78	0.2	59.6
WISCONSIN RAPIDS	1.00	1933	0.0							1.47	8.26	0.0	47.5

### MAY 13


### MAY 14

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	85	1932,1991,2007	23	1895	39	2016	59	1962		64	41	52	
APPLETON	89	1991	30	1910	45	2016	62	1962,1982		67	47	57	
GREEN BAY	89	1991	29	1895	44	1904	66	1900		66	43	54	
MANITOWOC	87	1977	29	1910	45	1888	60	1991		61	44	53	
MARSHFIELD	89	1991	27	1925	43	2016	64	1962		66	44	55	
MERRILL	88	1991,2007	25	1937	41	2016	56	2007		66	41	54	

OSHKOSH	87	1932,1991,2007	29	1925	44	2016	66	1962		67	46	56	
RHINELANDER	88	1932	22	1920	38	2016	61	1962		65	40	52	
STEVENS POINT	92	1932	29	1910	41	2016	67	1962		66	44	55	
STURGEON BAY	87	1977,1991	23	1910	45	1908	56	1951		63	42	52	
WAUSAU	88	1932	27	1937	40	1921	64	1900		67	44	55	
WISCONSIN RAPIDS	92	1977	25	1943	43	2016	65	1962		68	44	56	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.38	1956	0.5	1907						1.43	6.47	0.3	52.9
APPLETON	2.20	1916	T	1904						1.34	8.31	0.2	44.1
GREEN BAY	2.17	1957	T	2005,2016						1.18	7.90	0.1	51.3
MANITOWOC	1.76	1957	0.0							1.33	9.42	0.0	43.0
MARSHFIELD	1.10	1916	T	2016						1.50	7.79	0.2	50.9
MERRILL	1.47	1968	0.0							1.48	7.92	0.1	51.3
OSHKOSH	1.80	1916	T	1907,1966						1.33	8.25	T	35.8
RHINELANDER	0.83	1968	T	2016						1.49	7.68	0.3	67.0
STEVENS POINT	1.71	1896	T	2016						1.59	8.32	T	44.7
STURGEON BAY	1.38	1995	T	1997						1.33	8.92	T	50.7
WAUSAU	1.51	1968	T	1921,2016						1.46	7.89	0.2	59.6
WISCONSIN RAPIDS	1.37	1968	T	2016						1.59	8.38	0.0	47.5
<b>MAY 14</b>													
<b>MAY 15</b>													
						REC		REC					
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	84	1932	27	1959,2016	40	1921	62	1932		64	41	53	
APPLETON	89	1991	29	2016	45	1942	65	1998		67	47	57	
GREEN BAY	87	1991	29	1929	42	1942	65	1962		66	44	55	
MANITOWOC	87	1932	26	1888	43	1888	60	1958		61	45	53	

MARSHFIELD	86	1991	26	1973,1983	47	1942	60	1962		66	44	55
MERRILL	88	1991	26	1920,1983	44	1907	61	1962		67	41	54
OSHKOSH	87	1991	28	1921	46	1942	65	1932		67	46	56
RHINELANDER	84	1931,1962,1968	24	1921	41	1940	63	1962		65	40	53
STEVENS POINT	91	1934	25	1907	47	1990	63	1965		66	45	56
STURGEON BAY	85	1932	25	1914	41	1942	56	1932,1991		63	42	53
WAUSAU	87	2001	28	1904	47	1921,1942	62	1962,1998		67	44	55
WISCONSIN RAPIDS	88	2001	26	2016	45	1940	63	1998		68	44	56

--	--	--	--	--	--	--	--	--	--	--	--	--

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON

ANTIGO	1.14	1911	T	1909,1966						1.53	6.57	0.3	52.9
APPLETON	1.17	1909	0.0							1.44	8.41	0.2	44.1
GREEN BAY	1.50	1894	T	1997						1.26	7.98	0.2	51.4
MANITOWOC	1.53	1916	0.0							1.42	9.51	0.0	43.0
MARSHFIELD	2.38	1941	T	1921						1.61	7.90	0.2	50.9
MERRILL	1.18	1998	T	1929						1.59	8.03	0.1	51.3
OSHKOSH	1.15	1909	0.0							1.43	8.35	T	35.8
RHINELANDER	1.96	1911	T	1940						1.60	7.79	0.3	67.0
STEVENS POINT	1.75	1909	T	1921						1.71	8.44	T	44.7
STURGEON BAY	1.43	1909	T	1921						1.43	9.02	T	50.7
WAUSAU	1.84	1965	0.3	1929						1.57	8.00	0.2	59.6
WISCONSIN RAPIDS	1.67	1909	0.0							1.70	8.49	0.0	47.5

**MAY 15**

--	--	--	--	--	--	--	--	--	--	--	--	--	--

**MAY 16**

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	86	1962	24	1895	42	1940	63	1962		65	41	53	
APPLETON	86	1962,1977	26	1997	47	1915,1940	66	1991,1998		68	47	57	



ANTIGO	88	1906	25	1925	43	1916	62	1936		65	42	53
APPLETON	89	1987	30	1915,1925,2002	45	1957	63	1906,1977		68	48	58
GREEN BAY	88	1972	29	1891	44	1957	67	1906		66	44	55
MANITOWOC	86	1906	25	1891	44	1997	58	1962		62	45	54
MARSHFIELD	86	1947,1987	24	1925	45	1957	62	2015		67	45	56
MERRILL	87	1962	23	1925	46	1916	62	1918		67	42	55
OSHKOSH	87	1906	29	1915	47	1916	67	1962		68	47	57
RHINELANDER	88	1911,1972	23	1918	46	1915,1916	64	1962		66	41	53
STEVENS POINT	90	1901	27	1925	50	1920	64	1911		67	45	56
STURGEON BAY	86	1911	30	1983	45	2002	57	1998		64	43	53
WAUSAU	87	1911,1987	28	1925	45	1916,1957	68	1901		67	45	56
WISCONSIN RAPIDS	90	1934	26	1925	45	1957	67	1911		69	45	57


	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON

ANTIGO	1.20	2017	T	1917						1.75	6.79	0.3	52.9
APPLETON	1.80	2020	0.8	1915						1.63	8.60	0.2	44.1
GREEN BAY	1.46	2020	T	1915,1961						1.45	8.17	0.2	51.4
MANITOWOC	1.91	2020	T	1915						1.62	9.71	0.0	43.0
MARSHFIELD	2.03	2017	0.0							1.85	8.14	0.2	50.9
MERRILL	1.54	2017	0.0							1.82	8.26	0.1	51.3
OSHKOSH	2.88	2020	1.2	1907						1.63	8.55	T	35.8
RHINELANDER	2.18	2017	T	1916						1.84	8.03	0.3	67.0
STEVENS POINT	1.64	1992	0.0							1.96	8.69	T	44.7
STURGEON BAY	1.54	1928	0.0							1.63	9.22	T	50.7
WAUSAU	1.25	1898	0.0							1.80	8.23	0.2	59.6
WISCONSIN RAPIDS	1.20	2000	0.0							1.93	8.72	0.0	47.5

<b>MAY 17</b>												
---------------	--	--	--	--	--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--	--	--	--	--	--

<b>MAY 18</b>												
---------------	--	--	--	--	--	--	--	--	--	--	--	--

					REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME

ANTIGO	88	1972	26	2002	46	2019	64	1911		65	42	54
APPLETON	88	1996,1998	29	2002	45	1969	67	1962		68	48	58
GREEN BAY	88	1972,1996	30	2002	44	1888,1969	65	1949,1962,1998		67	45	56
MANITOWOC	86	1996	30	1981,2002	43	1969	62	1958		62	46	54
MARSHFIELD	87	1977,1998	27	1981	49	1961,2019	65	1996		67	45	56
MERRILL	92	1934	24	1925	45	1961	70	1911		67	42	55
OSHKOSH	87	1911,1998	29	1915	46	1969	69	1962		68	47	57
RHINELANDER	87	1911	21	1918	43	1916	60	1998		66	41	54
STEVENS POINT	90	1906	22	2002	49	1991	65	1962		67	46	56
STURGEON BAY	86	1996	30	1915,1939	42	1969	59	1977		64	43	54
WAUSAU	89	1972,1998	30	1915,2002	48	2019	66	1998		68	45	56
WISCONSIN RAPIDS	91	1977	26	1929	47	1991	68	1911		69	45	57

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.50	2017	0.0							1.86	6.90	0.3	52.9
APPLETON	1.02	1971	0.1	1915						1.74	8.71	0.3	44.2
GREEN BAY	1.64	1918	T	1894,1915,1993						1.54	8.26	0.2	51.4
MANITOWOC	1.70	2000	0.0							1.72	9.81	0.0	43.0
MARSHFIELD	1.48	2000	0.0							1.97	8.26	0.2	50.9
MERRILL	1.31	1938	T	2015						1.93	8.37	0.1	51.3
OSHKOSH	1.09	1918	0.0							1.73	8.65	T	35.8
RHINELANDER	1.78	1918	T	2015						1.96	8.15	0.3	67.0
STEVENS POINT	1.56	2017	0.0							2.08	8.81	T	44.7
STURGEON BAY	3.05	2020	0.0							1.74	9.33	T	50.7
WAUSAU	1.70	1938	0.0							1.91	8.34	0.2	59.6
WISCONSIN RAPIDS	1.30	1971	0.0							2.05	8.84	0.0	47.5

**MAY 18**

--	--	--	--	--	--	--	--	--	--	--	--	--

**MAY 19**

					REC		REC					
--	--	--	--	--	-----	--	-----	--	--	--	--	--

	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME	
ANTIGO	87	1972	26	1929	43	2019	61	1903	65	42	54	
APPLETON	87	1998,2012	30	1915	47	2019	72	1911	69	48	58	
GREEN BAY	89	2012	31	2002	46	1912	65	1962	67	45	56	
MANITOWOC	89	1978	30	2002	45	2002	64	1998	63	46	54	
MARSHFIELD	93	1934	25	1929	47	2019	63	1996	67	46	56	
MERRILL	98	1911	23	1929	45	2019	63	1908	68	43	55	
OSHKOSH	93	1934	27	1929	49	1990	69	1911	68	47	58	
RHINELANDER	88	1972	25	1915,1929	45	2002	62	1977	66	42	54	
STEVENS POINT	89	1934	27	2008	50	1907	68	1908	68	46	57	
STURGEON BAY	85	1972	28	2002	47	1915	63	1978	65	43	54	
WAUSAU	88	2012	27	1947	44	2019	67	1911	68	45	57	
WISCONSIN RAPIDS	95	1934	27	1929	44	2019	66	1962	70	45	57	
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.58	1979	0.0						1.97	7.01	0.4	53.0
APPLETON	1.60	1918	T	1924					1.84	8.81	0.3	44.2
GREEN BAY	1.98	1918	T	1924					1.64	8.36	0.2	51.4
MANITOWOC	2.32	1918	T	1924					1.82	9.91	0.0	43.0
MARSHFIELD	1.71	2014	0.0						2.09	8.38	0.2	50.9
MERRILL	1.44	2019	T	1907					2.05	8.49	0.1	51.3
OSHKOSH	1.45	1968	0.0						1.84	8.76	T	35.8
RHINELANDER	1.39	1940	0.0						2.08	8.27	0.3	67.0
STEVENS POINT	1.55	1979	0.0						2.21	8.94	T	44.7
STURGEON BAY	2.00	1918	0.0						1.84	9.43	T	50.7
WAUSAU	1.68	1940	T	1955,2015					2.03	8.46	0.2	59.6
WISCONSIN RAPIDS	1.28	1940	0.0						2.18	8.97	0.0	47.5
<b>MAY 19</b>												
<b>MAY 20</b>												



**MAY 21**

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	88	1975	25	1907	46	1917	65	1921		66	43	54	
APPLETON	89	1992	31	1907,2002	46	1917	65	1975		69	49	59	
GREEN BAY	88	1970	30	2002	44	1967	66	1921		68	46	57	
MANITOWOC	87	1970	28	1883	40	1883	61	1941		64	47	55	
MARSHFIELD	88	1994	30	2002	48	1931	65	1970		68	46	57	
MERRILL	89	1970	27	1907,2002	46	1917	62	1921		68	43	56	
OSHKOSH	89	1921,1970	32	1907	45	1892	66	1975		69	48	59	
RHINELANDER	88	1922,1930	24	2002	46	1931	68	1930		67	42	54	
STEVENS POINT	90	1925	27	1907	49	1931	66	1970		68	47	57	
STURGEON BAY	88	1921	25	1907	48	1907,1917	61	1921		65	44	55	
WAUSAU	88	1972	30	1907	43	1917	68	1901		69	46	57	
WISCONSIN RAPIDS	90	1972	30	1997	48	1931	64	1970		70	46	58	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.38	1945	T	1931						2.18	7.22	0.4	53.0
APPLETON	1.26	1914	T	1963						2.06	9.03	0.3	44.2
GREEN BAY	2.45	1914	0.0							1.84	8.56	0.2	51.4
MANITOWOC	1.01	1913	0.0							2.04	10.13	0.0	43.0
MARSHFIELD	2.21	1945	0.0							2.34	8.63	0.2	50.9
MERRILL	1.16	1915	T	1917,1931						2.28	8.72	0.1	51.3
OSHKOSH	2.09	1912	T	1924						2.06	8.98	T	35.8
RHINELANDER	1.73	1945	0.0							2.31	8.50	0.3	67.0
STEVENS POINT	2.51	1945	0.0							2.47	9.20	T	44.7
STURGEON BAY	0.82	1913	T	1967						2.06	9.65	T	50.7
WAUSAU	1.60	1970	0.1	1917						2.27	8.70	0.2	59.6
WISCONSIN RAPIDS	1.32	1915	T	1963						2.42	9.21	0.0	47.5

**MAY 21**

**MAY 22**

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	88	1975	26	1967	46	1931	68	1930		66	43	55	
APPLETON	90	1994	32	2003	43	1917	68	1964		69	49	59	
GREEN BAY	91	1921	29	1967	44	1917	68	1921		68	46	57	
MANITOWOC	91	1921	30	1967	42	1917	68	1921		64	47	55	
MARSHFIELD	90	1925	26	1967	47	1963	65	1991		68	47	57	
MERRILL	90	1925	26	1967	47	1987	67	1921		69	44	56	
OSHKOSH	91	1921	29	1967	45	1917	68	1921		69	48	59	
RHINELANDER	90	1975	26	2006	46	1931	65	1964		67	42	55	
STEVENS POINT	91	1921	29	1967	50	1931	69	1927		68	47	58	
STURGEON BAY	89	1921	27	1967	41	1917	68	1921		66	44	55	
WAUSAU	88	1925	30	1963,1967	47	1931	66	1991		69	46	57	
WISCONSIN RAPIDS	92	1925	23	1931	49	1963	69	1921		70	46	58	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	2.93	1945	0.0							2.29	7.33	0.4	53.0
APPLETON	1.85	1970	T	1963						2.17	9.14	0.3	44.2
GREEN BAY	1.54	1970	0.0							1.94	8.66	0.2	51.4
MANITOWOC	1.68	1982	T	1917						2.15	10.24	0.0	43.0
MARSHFIELD	2.23	1970	T	1963						2.47	8.76	0.2	50.9
MERRILL	2.43	1970	0.0							2.39	8.83	0.1	51.3
OSHKOSH	1.51	2013	T	1963						2.17	9.09	T	35.8
RHINELANDER	2.16	1912	0.0							2.43	8.62	0.3	67.0
STEVENS POINT	2.50	1970	0.0							2.60	9.33	T	44.7
STURGEON BAY	2.20	1970	T	1917						2.16	9.75	T	50.7
WAUSAU	2.71	1945	0.0							2.38	8.81	0.2	59.6
WISCONSIN RAPIDS	1.92	1970	T	1963						2.53	9.32	0.0	47.5

**MAY 22**


**MAY 23**

	REC		REC		REC		REC						
	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	88	1975	28	1917	49	2004	63	1964		67	43	55	
APPLETON	88	2010	29	1917	49	1917	68	1991		70	50	60	
GREEN BAY	88	2010	29	1958,1963	50	1917,1925	65	1991,2007		68	46	57	
MANITOWOC	87	1936	30	1963	49	1917	63	1964		64	47	56	
MARSHFIELD	87	1925,1975	27	1931	50	2004	65	1991		68	47	58	
MERRILL	89	1921	25	1931	49	2004	65	1991		69	44	56	
OSHKOSH	90	1925	31	1931	51	1987	67	1964,1991		70	49	59	
RHINELANDER	88	1921,1964	25	1931	47	2004	66	1964		67	43	55	
STEVENS POINT	90	1925	25	1905	50	2004	67	1991		69	47	58	
STURGEON BAY	85	1921,1963,1977	26	1963	42	1967	63	1921		66	45	55	
WAUSAU	88	1975	28	1931,1963	50	1897,1917	67	1991		69	46	58	
WISCONSIN RAPIDS	90	1921,2010	27	1963	53	1987,2001	65	1991,2010		71	47	59	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.97	1903	0.0							2.38	7.42	0.4	53.0
APPLETON	1.19	1927	0.0							2.28	9.25	0.3	44.2
GREEN BAY	1.60	2004	0.0							2.04	8.76	0.2	51.4
MANITOWOC	1.10	2004	0.0							2.25	10.34	0.0	43.0
MARSHFIELD	2.17	2007	0.0							2.59	8.88	0.2	50.9
MERRILL	1.54	2004	T	1925						2.50	8.94	0.1	51.3
OSHKOSH	1.53	2004	T	1907						2.28	9.20	T	35.8
RHINELANDER	1.26	2004	0.0							2.54	8.73	0.3	67.0
STEVENS POINT	1.32	2004	0.0							2.72	9.45	T	44.7
STURGEON BAY	1.55	2004	0.0							2.26	9.85	T	50.7
WAUSAU	1.62	1936	0.0							2.49	8.92	0.2	59.6

WISCONSIN RAPIDS	1.17	1955	0.0							2.65	9.44	0.0	47.5
------------------	------	------	-----	--	--	--	--	--	--	------	------	-----	------

**MAY 23**

--	--	--	--	--	--	--	--	--	--	--	--	--	--

**MAY 24**

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	91	2010	29	1917	43	1924	70	2010		67	44	55	
APPLETON	92	2010	33	1925	49	1992	68	2010		70	50	60	
GREEN BAY	90	2010	33	1992	48	1925,1992	68	2010		69	47	58	
MANITOWOC	82	1902	34	1925	44	1925	60	1936		65	48	56	
MARSHFIELD	90	2010	27	1917	52	1924	69	1991		69	47	58	
MERRILL	91	1928	30	1956	48	1925	67	1991		69	44	57	
OSHKOSH	92	1950,2010	33	1935	48	1992	69	2010		70	49	60	
RHINELANDER	90	2010	27	2013	49	1925	69	2010		68	43	55	
STEVENS POINT	90	1928,2010	32	1924	51	1925	70	2010		69	48	58	
STURGEON BAY	84	1991	31	1934	50	1924,1925	60	1977,2010		66	45	56	
WAUSAU	92	2010	32	1948,1992	46	1924	71	2010		69	47	58	
WISCONSIN RAPIDS	93	2010	29	1930	49	1925	70	2010		71	47	59	

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.40	1904	T	1924						2.48	7.52	0.4	53.0
APPLETON	1.52	2015	T	1924						2.39	9.36	0.3	44.2
GREEN BAY	2.05	1989	0.0							2.14	8.86	0.2	51.4
MANITOWOC	1.90	1918	T	1924						2.36	10.45	0.0	43.0
MARSHFIELD	1.59	1971	0.0							2.72	9.01	0.2	50.9
MERRILL	1.65	1971	0.0							2.61	9.05	0.1	51.3
OSHKOSH	2.00	1902	0.0							2.39	9.31	T	35.8
RHINELANDER	1.79	2006	0.0							2.66	8.85	0.4	67.1
STEVENS POINT	1.16	1933	T	1924,1925						2.85	9.58	T	44.7

STURGEON BAY	1.71	1966	0.0						2.36	9.95	T	50.7
WAUSAU	1.68	1952	T	1924					2.61	9.04	0.2	59.6
WISCONSIN RAPIDS	2.37	1989	0.0						2.76	9.55	0.0	47.5

**MAY 24**


**MAY 25**

	REC	YEAR(S)	REC	YEAR(S)	LOW	YEAR(S)	HIGH	YEAR(S)	NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME
ANTIGO	87	1911	27	1897	44	1924	67	2010	67	44	56
APPLETON	91	1911	33	1988,1992	45	2002	68	2010	70	50	60
GREEN BAY	89	2018	32	1988	44	2002	66	2018	69	47	58
MANITOWOC	86	1911	32	1897	45	2002	60	1933	65	48	56
MARSHFIELD	88	1977	25	1988	50	1925	65	2010	69	48	58
MERRILL	90	1911	28	1979	50	2002	63	1908	69	45	57
OSHKOSH	90	1911	29	1925	51	1992,2002	68	1899	70	49	60
RHINELANDER	89	1911	25	1913	43	1971	63	2010,2018	68	43	56
STEVENS POINT	88	1977	31	1925	50	2002	70	2010	69	48	59
STURGEON BAY	90	2018	27	1934	43	2002	59	1991	67	45	56
WAUSAU	88	1972	30	1897,1913	49	1925	67	2010	70	47	58
WISCONSIN RAPIDS	89	1977	30	1934	51	1943	68	2010	71	47	59

	REC	YEAR(S)	REC	YEAR(S)	NORMAL							
	PCPN	YEAR(S)	SNOW	YEAR(S)	PCPN				SNOW			
					MONTH	YEAR	MONTH	SEASON				
ANTIGO	1.67	2008	0.5	1906	2.58	7.62	0.4	53.0				
APPLETON	2.29	1989	0.0		2.49	9.46	0.3	44.2				
GREEN BAY	1.54	1957	0.0		2.25	8.97	0.2	51.4				
MANITOWOC	2.08	1989	T	1925	2.46	10.55	0.0	43.0				
MARSHFIELD	3.05	1973	0.0		2.85	9.14	0.2	50.9				
MERRILL	1.23	1939	0.0		2.72	9.16	0.1	51.3				
OSHKOSH	1.07	2011	0.0		2.50	9.42	T	35.8				

RHINELANDER	1.42	1971	T	1961						2.77	8.96	0.4	67.1
STEVENS POINT	3.59	1989	0.0							2.97	9.70	T	44.7
STURGEON BAY	1.62	1989	0.0							2.47	10.06	T	50.7
WAUSAU	1.92	1939	T	1925						2.73	9.16	0.2	59.6
WISCONSIN RAPIDS	1.79	1957	0.0							2.88	9.67	0.0	47.5

**MAY 25**

--	--	--	--	--	--	--	--	--	--	--	--	--	--

**MAY 26**

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	89	1911	29	1983	45	1907	63	1911		67	44	56	
APPLETON	91	2018	33	1961	50	1907	65	1944,2018		71	51	61	
GREEN BAY	92	2018	31	1969	48	1907,1930	66	1944		69	47	58	
MANITOWOC	89	1941	29	1891	49	1930	59	1896		65	48	57	
MARSHFIELD	91	2018	27	1925	52	1940	63	1978,2010,2014,2020		69	48	59	
MERRILL	92	1914,2018	27	1930	45	1907	66	1911		70	45	57	
OSHKOSH	90	1914,2018	30	1961	50	1907	67	1978		71	50	60	
RHINELANDER	94	2018	27	1925	47	1970	63	1944		68	44	56	
STEVENS POINT	94	1914	31	1925	46	1907	66	1978		70	48	59	
STURGEON BAY	89	1914	30	1949	48	1907	59	1991		67	46	56	
WAUSAU	91	1967,2018	30	1905	45	1907	64	1978,2014		70	47	59	
WISCONSIN RAPIDS	94	2018	27	1949	47	1907	65	1978		72	48	60	

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.80	1894	T	1906						2.68	7.72	0.4	53.0
APPLETON	1.26	1932	0.0							2.61	9.58	0.3	44.2
GREEN BAY	0.86	2009	T	1907						2.36	9.08	0.2	51.4
MANITOWOC	0.95	1889	T	1907						2.56	10.65	0.0	43.0
MARSHFIELD	1.96	1991	0.0							2.98	9.27	0.2	50.9

MERRILL	1.79	2015	T	1907						2.84	9.28	0.1	51.3
OSHKOSH	1.62	1926	0.0							2.62	9.54	T	35.8
RHINELANDER	1.90	1991	0.0							2.88	9.07	0.4	67.1
STEVENS POINT	1.95	1926	0.0							3.10	9.83	T	44.7
STURGEON BAY	1.64	1985	T	1961						2.58	10.17	T	50.7
WAUSAU	1.84	2015	T	1906						2.84	9.27	0.2	59.6
WISCONSIN RAPIDS	1.78	1965	T	1907,1961						2.99	9.78	0.0	47.5

**MAY 26**


**MAY 27**

	REC	YEAR(S)	REC	YEAR(S)	LOW	YEAR(S)	HIGH	YEAR(S)		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	90	2018	27	1895	46	1930	67	1911		68	45	56	
APPLETON	95	2018	30	1915,1994	47	1906	69	1911		71	51	61	
GREEN BAY	97	2018	31	1961	48	1906	71	1911		69	48	59	
MANITOWOC	84	1988,2018	31	1961	43	1906	62	2010		66	49	57	
MARSHFIELD	93	2018	31	1971	50	1954	64	2014,2020		69	48	59	
MERRILL	94	2018	28	1971	51	2009	67	2020		70	45	58	
OSHKOSH	94	2018	31	1907	47	1906	68	1978,2020		71	50	61	
RHINELANDER	93	2018	26	2011	48	1932	65	1911,2020		68	44	56	
STEVENS POINT	92	1911,2018	28	2011	42	1906	67	2020		70	49	59	
STURGEON BAY	85	2018	30	1910	47	1906	63	1920		67	46	57	
WAUSAU	93	2018	32	1895,1902,1906	43	1906	68	1911		70	48	59	
WISCONSIN RAPIDS	98	2018	30	1992	46	1970	66	1941		72	48	60	
	REC	YEAR(S)	REC	YEAR(S)						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	2.40	1898	T	1947						2.78	7.82	0.4	53.0
APPLETON	1.75	1973	0.0							2.72	9.69	0.3	44.2
GREEN BAY	2.22	1973	T	1906,1907						2.47	9.19	0.2	51.4

MANITOWOC	1.98	1896	0.0							2.66	10.75	0.0	43.0
MARSHFIELD	1.92	1969	0.0							3.11	9.40	0.2	50.9
MERRILL	2.08	1941	0.0							2.95	9.39	0.1	51.3
OSHKOSH	1.35	1909	T	1932						2.73	9.65	T	35.8
RHINELANDER	1.48	2006	T	1947						3.00	9.19	0.4	67.1
STEVENS POINT	4.16	1969	3.5	1947						3.23	9.96	T	44.7
STURGEON BAY	1.20	2009	T	1907						2.69	10.28	T	50.7
WAUSAU	2.08	1969	0.0							2.97	9.40	0.2	59.6
WISCONSIN RAPIDS	2.26	1969	0.0							3.11	9.90	0.0	47.5

**MAY 27**


**MAY 28**

	REC		REC		REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	87	1919,2006	28	1894,1906, 2011	46	1947	65	1969		68	45	56	
APPLETON	91	1988,2018	23	1906	43	1947	68	2018,2020		71	51	61	
GREEN BAY	89	1991,2018	31	1889,1949	44	1947	68	2012		70	48	59	
MANITOWOC	91	1969	31	1889	46	1947	62	1911		66	49	57	
MARSHFIELD	91	2018	31	1965	43	1947	65	2006,2018		70	49	59	
MERRILL	92	1919	30	1906	44	1947	66	2020		70	46	58	
OSHKOSH	92	2018	32	1947	48	1947	69	1944		71	51	61	
RHINELANDER	91	1919	27	1917	44	1965	67	1969		69	45	57	
STEVENS POINT	92	2018	30	2008	42	1947	67	2018		70	49	60	
STURGEON BAY	91	1944	30	1930,1949	44	1947	67	1944		68	47	57	
WAUSAU	93	2018	32	1932,1947,1949	45	1965	68	1929		71	48	59	
WISCONSIN RAPIDS	96	2018	31	1949,2008	44	1947	66	1929		72	48	60	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.07	1973	2.0	1947						2.88	7.92	0.4	53.0

APPLETON	1.98	2020	3.5	1947					2.84	9.81	0.3	44.2
GREEN BAY	2.94	2020	3.0	1947					2.58	9.30	0.2	51.4
MANITOWOC	2.42	1973	0.0						2.77	10.86	0.0	43.0
MARSHFIELD	2.19	1988	2.0	1947					3.25	9.54	0.2	50.9
MERRILL	1.32	2019	1.0	1947					3.06	9.50	0.1	51.3
OSHKOSH	1.82	1896	2.0	1947					2.85	9.77	T	35.8
RHINELANDER	0.91	1955	T	1965					3.11	9.30	0.4	67.1
STEVENS POINT	2.56	2020	0.0						3.37	10.10	T	44.7
STURGEON BAY	3.85	1973	4.5	1947					2.80	10.39	T	50.7
WAUSAU	2.00	1941	1.0	1947					3.09	9.52	0.2	59.6
WISCONSIN RAPIDS	2.19	2020	T	1965					3.23	10.02	0.0	47.5

**MAY 28**


**MAY 29**

					REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	95	1895	29	1965	45	1983	69	1929		68	45	57
APPLETON	92	2018	31	1906	49	1947	68	2006		72	52	62
GREEN BAY	91	1895	32	1965	49	1947	68	1895		70	48	59
MANITOWOC	87	1998,2006	32	1884,1965	48	1927	64	1998		66	49	58
MARSHFIELD	90	2018	28	1965	47	1947	68	2018		70	49	59
MERRILL	92	1934,2006	29	1965	45	1947	67	2006		71	46	58
OSHKOSH	91	1991,2006	31	1947	48	1927	69	1991		72	51	61
RHINELANDER	92	1919	30	1965	45	1947,1983	69	2006		69	45	57
STEVENS POINT	91	1934	31	1947	48	1947	71	1929		71	49	60
STURGEON BAY	91	1944	31	1947	45	1947	66	1969		68	47	57
WAUSAU	93	1895	31	1947,1965	46	1947,1983	71	1895		71	48	60
WISCONSIN RAPIDS	93	2018	26	1965	55	1918	69	2006,2018		72	49	60
	REC		REC							NORMAL		
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW	



	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.40	1895	T	1897					3.10	8.14	0.4	53.0
APPLETON	1.33	1942	0.0						3.08	10.05	0.3	44.2
GREEN BAY	2.21	1943	0.0						2.81	9.53	0.2	51.4
MANITOWOC	1.96	1989	0.0						2.97	11.06	0.0	43.0
MARSHFIELD	2.35	1989	0.0						3.53	9.82	0.2	50.9
MERRILL	1.99	1942	0.0						3.31	9.75	0.1	51.3
OSHKOSH	1.47	1975	0.0						3.09	10.01	T	35.8
RHINELANDER	1.08	1952	t	1953					3.36	9.55	0.4	67.1
STEVENS POINT	2.20	1989	0.0						3.64	10.37	T	44.7
STURGEON BAY	1.86	1942	0.0						3.03	10.62	T	50.7
WAUSAU	2.91	1942	T	1897,1989					3.35	9.78	0.2	59.6
WISCONSIN RAPIDS	1.70	1942	0.0						3.48	10.27	0.0	47.5

**MAY 30**


**MAY 31**

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	100	1934	29	1897	51	1897	66	1895,1925		69	46	57
APPLETON	94	1988	36	2009	46	1946	69	2007		72	53	62
GREEN BAY	99	1934	34	1897	45	1889	69	1895		71	49	60
MANITOWOC	91	1925	32	1889	48	1889	66	1919		67	50	58
MARSHFIELD	105	1934	35	1966,1972	58	1945	65	1937		71	50	60
MERRILL	104	1934	30	1972	53	1993	78	1934		71	47	59
OSHKOSH	104	1934	31	1889	46	1889	70	1899		73	52	62
RHINELANDER	99	1934	29	2009	52	1993	64	1939		70	46	58
STEVENS POINT	104	1934	33	1897	54	1897	68	1918		71	50	61
STURGEON BAY	91	1925	33	1916	50	1910	67	1939		69	48	58
WAUSAU	104	1934	31	1897,1903	44	18987	68	1895,1925		71	49	60
WISCONSIN RAPIDS	105	1934	32	1966	58	1908	69	1937		73	49	61

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	2.09	2018	T	1897					3.21	8.25	0.4	53.0
APPLETON	2.96	1954	0.0						3.20	10.17	0.3	44.2
GREEN BAY	2.14	1954	0.0						2.93	9.65	0.2	51.4
MANITOWOC	1.35	1954	0.0						3.07	11.16	0.0	43.0
MARSHFIELD	1.60	1942	0.0						3.67	9.96	0.2	50.9
MERRILL	1.40	1943	0.0						3.43	9.87	0.1	51.3
OSHKOSH	1.81	2004	0.0						3.22	10.14	T	35.8
RHINELANDER	3.26	1958	T	1946					3.49	9.68	0.4	67.1
STEVENS POINT	2.04	1954	0.0						3.78	10.51	T	44.7
STURGEON BAY	1.63	2006	0.0						3.14	10.73	T	50.7
WAUSAU	1.55	1998	0.0						3.48	9.91	0.2	59.6
WISCONSIN RAPIDS	1.47	1954	0.0						3.60	10.39	0.0	47.5
<b>MAY 31</b>												