

May 1

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	87	1952	17	1903	30	1909	60	1894		58	37	48	
Appleton	88	1992	27	1909,1978	35	1909	62	1942		61	40	51	
Green Bay	90	1952	25	1978	35	1909	60	2018		61	40	51	
Manitowoc	88	1952	24	1888,1890	38	1909	58	1957		56	39	48	
Marshfield	88	1992	24	1978	40	1940	57	1930		61	39	50	
Merrill	90	1952	21	1978	33	1909	58	1930		61	36	48	
Oshkosh	91	1952	22	1978	36	1909	61	1899		62	41	51	
Rhineland	86	1952	21	1909	29	1909	59	1913		60	35	47	
Stevens Point	90	1952	22	1907	35	1909	58	1901		61	39	50	
Sturgeon Bay	85	1952	21	1907	35	1909	55	1957		57	37	47	
Wausau	89	1952	22	1903	35	1909	58	1934,2001,2018		61	39	50	
Wisc. Rapids	89	1952	28	1945	32	1909	59	2018		63	39	51	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpr	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.88	1936	3.0	1909						0.09	5.44	0.0	53.5
Appleton	1.38	1997	4.0	1911						0.11	7.76	0.0	49.3
Green Bay	1.19	1973	2.0	1911						0.10	7.65	0.0	55.6
Manitowoc	1.20	1919	1.0	1909						0.11	8.17	0.0	34.6
Marshfield	1.42	1973	3.0	1935						0.11	6.94	0.0	57.0
Merrill	2.17	1973	4.0	1909						0.11	7.04	0.0	54.2
Oshkosh	1.03	1973	1.0	1935						0.12	7.70	0.0	39.2
Rhineland	1.03	1933	1.5	1909						0.11	7.27	0.1	81.2
Stevens Point	1.19	1997	2.0	1911						0.12	7.61	0.0	48.7
Sturgeon Bay	1.76	1997	9.0	1911						0.10	8.12	0.0	57.4
Wausau	1.27	1973	0.8	1908						0.11	7.34	0.0	64.1
Wisc. Rapids	1.44	1929	0.0							0.12	7.85	0.0	47.8

May 1

May 2

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	92	1959	19	1911	33	1940	58	1901,1955	59	38	48	
Appleton	89	1959	23	1911	39	1935	60	2001	62	41	51	
Green Bay	91	1959	22	1911	38	1940	60	1913,2001	62	41	51	
Manitowoc	84	1992	26	1885,1911	37	1940	57	1992	57	40	48	
Marshfield	92	1959	26	1916,1924,1990	36	2005	58	1951	62	40	51	
Merrill	94	1959	20	1911	36	1940,2013	58	1934	61	37	49	
Oshkosh	90	1959	23	1964	35	1940	60	1901,2001	62	41	52	
Rhineland	90	1959	18	1911	34	1940,2011,2013	62	1959	61	35	48	
Stevens Point	88	1959	14	1911	37	1940	58	1901,1959,1992	61	39	50	
Sturgeon Bay	81	1951	21	1909	40	1909,1936	52	2018	57	38	47	
Wausau	91	1959	21	1911	36	1940	59	1955	62	39	50	
Wisc. Rapids	93	1959	21	1911	36	1940	60	1951	63	39	51	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.02	1908	2.0	1935,1940					0.19	5.54	0.0	53.5
Appleton	1.10	1964	2.0	1940					0.22	7.87	0.0	49.3
Green Bay	1.03	1979	3.5	1940					0.20	7.75	0.0	55.6
Manitowoc	1.85	1933	4.0	1940					0.22	8.28	0.0	34.6
Marshfield	1.55	1979	1.0	2005					0.23	7.06	0.0	57.0
Merrill	1.17	1973	2.0	1940					0.21	7.14	0.0	54.2
Oshkosh	1.01	2018	4.5	1940					0.24	7.82	0.0	39.2
Rhineland	1.55	1973	0.5	1966					0.21	7.37	0.1	81.2
Stevens Point	1.40	1954	4.5	1940					0.24	7.73	0.0	48.7
Sturgeon Bay	1.74	2008	4.0	1940					0.20	8.22	0.0	57.4
Wausau	1.38	1954	5.5	1935					0.22	7.45	0.0	64.1
Wisc. Rapids	1.42	2012	T	1908,1976					0.25	7.98	0.0	47.8

May 2

May 3

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	87	1955	18	1909	36	2005	61	1955		59	38	49	
Appleton	86	1949,1955	27	1967	42	1940	61	1955,1959		62	41	52	
Green Bay	86	1949	27	1967,2004	39	1935,1954	64	1913		62	41	52	
Manitowoc	85	1928	27	1986	42	1883,1907,1935,1954	56	1955		57	40	48	
Marshfield	86	1918,1955	21	1967	37	1954	60	1928,1938,1959		62	40	51	
Merrill	86	1949,1955,1959	21	2004	37	2005	60	1955		61	37	49	
Oshkosh	87	1949	25	2004	40	1954	65	1959		62	42	52	
Rhineland	90	1959	19	1909,1926,2004	32	1954	64	1955		61	36	48	
Stevens Point	91	1959	20	2005	37	1954,2005	64	1928,1959		62	40	51	
Sturgeon Bay	82	1928,1955,1980	22	1911	38	1935	54	2001		57	38	48	
Wausau	87	1955	21	1909	35	1954	62	1959		62	40	51	
Wisc. Rapids	91	1949	23	2004	35	1954	63	1959		64	39	51	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.03	2015	1.0	1973						0.28	5.63	0.0	53.5
Appleton	1.19	2012	0.5	1907						0.33	7.98	0.0	49.3
Green Bay	1.25	2012	T	1907,1926,1954,1973,1976						0.30	7.85	0.0	55.6
Manitowoc	1.88	2012	0.3	1926						0.34	8.40	0.0	34.6
Marshfield	1.00	1981	T	1954						0.34	7.17	0.0	57.0
Merrill	1.24	1954	T	1973,1976,2002						0.32	7.25	0.0	54.2
Oshkosh	3.07	2012	T	1926,1929						0.36	7.94	0.0	39.2
Rhineland	0.97	1954,1938,1981	0.2	1954,2011,2013						0.31	7.47	0.2	81.3
Stevens Point	2.23	1938	T	1925,1954,1973						0.36	7.85	0.0	48.7
Sturgeon Bay	1.15	1938	T	1973,1976						0.31	8.33	0.0	57.4
Wausau	1.64	1981	0.4	1954						0.33	7.56	0.1	64.2
Wisc. Rapids	1.16	1955	T	1973,1976						0.38	8.11	0.0	47.8

May 3

May 4

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	87	1949,1952	17	1909	34	1954	60	1934		60	38	49	
Appleton	88	1952	26	1907,2011	40	1929	64	1949		63	42	52	
Green Bay	89	1952	27	1907,1954,1966,2013	40	1954	62	1949		62	41	52	
Manitowoc	90	1952	27	1891,1907,2003	39	1926	60	1955		57	40	49	
Marshfield	86	1980	24	1967	38	1954	60	1949		63	40	51	
Merrill	87	1952	21	1976	38	1954	60	1934		62	38	50	
Oshkosh	89	1952	25	1907	41	1954	61	1949		63	42	52	
Rhinelander	89	1959	21	1909	32	1954	59	1934		62	36	49	
Stevens Point	90	1952	18	1907	38	1954	64	1949		62	40	51	
Sturgeon Bay	82	1934,1980	20	1907	37	1954	57	1955		58	38	48	
Wausau	90	1952	20	1907	36	1954	62	1934		63	40	51	
Wisc. Rapids	92	1949	23	1909,2011	39	1954	64	1949		64	40	52	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.22	1938	1.0	1954						0.38	5.73	0.0	53.5
Appleton	1.33	2018	T	1929,1954						0.44	8.09	0.1	49.4
Green Bay	1.17	1913	0.2	1954						0.40	7.95	0.0	55.6
Manitowoc	1.53	2018	T	1954,1967						0.46	8.52	0.0	34.6
Marshfield	1.97	1928	T	1954						0.46	7.29	0.0	57.0
Merrill	1.12	1928	0.2	1954						0.43	7.36	0.0	54.2
Oshkosh	1.20	2018	1.0	1946						0.48	8.06	0.0	39.2
Rhinelander	1.21	1912	T	1967						0.43	7.59	0.2	81.3
Stevens Point	1.50	1913	0.3	1954						0.49	7.98	0.0	48.7
Sturgeon Bay	2.09	1959	T	1926						0.41	8.43	0.0	57.4
Wausau	1.23	1938	0.4	1954						0.44	7.67	0.1	64.2
Wisc. Rapids	0.88	1913	0.0							0.50	8.23	0.0	47.8

May 4

May 5

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	87	1949	22	1911	37	1954	63	1949	60	39	49	
Appleton	90	1949	28	1989	41	1954	66	1949	63	42	53	
Green Bay	90	1949	26	1891,1967	40	1890,1954,1979	70	1949	63	42	52	
Manitowoc	85	1952,1980	23	1891	39	1954	58	1941	58	41	49	
Marshfield	85	1949,1980	25	1968	42	1954	68	1982	63	41	52	
Merrill	90	1934	18	1907	39	1954	61	1949	62	38	50	
Oshkosh	91	1949	26	1968	42	1954	69	1949	63	43	53	
Rhinelander	88	1918	21	1954	34	1929,1954	61	1962	62	36	49	
Stevens Point	91	1949	19	1900	41	1954	66	1949	62	41	52	
Sturgeon Bay	89	1930	24	1910	37	1954	60	1980	58	39	49	
Wausau	86	1949	26	1900,1967	38	1954	64	1949	63	40	52	
Wisc. Rapids	93	1949	21	1967	41	1954	69	1949	64	40	52	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.78	1964	T	1925,1954,1979					0.47	5.82	0.1	53.6
Appleton	1.31	1913	T	1954					0.55	8.20	0.1	49.4
Green Bay	1.15	1974	2.5	1890					0.49	8.04	0.0	55.6
Manitowoc	0.94	2003	T	1954					0.57	8.63	0.0	34.6
Marshfield	1.15	1964	T	1954					0.57	7.40	0.1	57.1
Merrill	0.83	1964	0.0						0.53	7.46	0.0	54.2
Oshkosh	1.30	1913	T	1907,1944,1954					0.60	8.18	0.0	39.2
Rhinelander	1.03	1982	5.0	1979					0.54	7.70	0.3	81.4
Stevens Point	0.91	1959	T	1925,1944					0.60	8.09	0.0	48.7
Sturgeon Bay	1.15	1913	1.0	1979					0.51	8.53	0.0	57.4
Wausau	1.55	1960	1.3	1996					0.54	7.77	0.1	64.2
Wisc. Rapids	1.60	1982	T	1989					0.63	8.36	0.0	47.8

May 5

May 6

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	87	1896	20	1970	37	1954	70	1896	60	39	50	
Appleton	87	2016	25	1989	36	1989	63	2000	63	42	53	
Green Bay	92	1934	24	1970	36	1989	63	1930,1964	63	42	53	
Manitowoc	93	1934	25	1890	38	1989	55	2000	58	41	50	
Marshfield	93	1934	22	1989	36	1989	60	1964	63	41	52	
Merrill	88	2016	15	1950	37	1939	67	1941	63	38	51	
Oshkosh	93	1934	27	1954,1989	35	1989	64	1964	64	43	53	
Rhineland	93	1934	22	1983	35	1954	60	1964,2000	63	37	50	
Stevens Point	93	1934	24	1989	37	1989	65	1964	63	41	52	
Sturgeon Bay	89	1934	25	1968,1970	39	1989	55	1959	59	39	49	
Wausau	89	2016	23	1989	35	1989	64	2000	63	41	52	
Wisc. Rapids	94	1934	22	1989	35	1989	64	1964	65	41	53	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpr	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.66	1936	3.5	1979					0.56	5.91	0.1	53.6
Appleton	1.98	1960	0.5	1954					0.65	8.30	0.1	49.4
Green Bay	2.04	1960	0.8	1954					0.59	8.14	0.0	55.6
Manitowoc	2.18	1919	T	1906,1925					0.68	8.74	0.0	34.6
Marshfield	2.12	1932	T	1942,1954					0.68	7.51	0.1	57.1
Merrill	2.45	1936	T	1906,1996					0.64	7.57	0.1	54.3
Oshkosh	1.56	1960	T	1906,1954					0.71	8.29	0.0	39.2
Rhineland	1.54	1999	T	1938,1960					0.65	7.81	0.3	81.4
Stevens Point	1.95	1960	0.3	1954					0.72	8.21	0.0	48.7
Sturgeon Bay	1.96	1930	T	1940,1974,1976,1989					0.61	8.63	0.0	57.4
Wausau	2.92	1936	T	1954,1960,1989					0.65	7.88	0.1	64.2
Wisc. Rapids	2.56	1932	T	1989					0.75	8.48	0.0	47.8

May 6

May 7

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	90	1896	20	1954,1989	32	1989	65	1936	61	39	50	
Appleton	91	1934	28	1954,1989	38	1960	65	2000	64	43	53	
Green Bay	87	1896	27	1954,1974	37	1960	66	1936	64	43	53	
Manitowoc	85	1934	26	1890	40	1885	56	1936,2000	58	41	50	
Marshfield	89	1934	22	1989	38	1960	64	1936	64	41	53	
Merrill	86	1926	22	1958,1989	34	1989	63	2000	63	39	51	
Oshkosh	86	1896	25	1948	40	1960	65	1936	64	43	54	
Rhineland	93	1930	23	2021	33	1960	64	1936	63	37	50	
Stevens Point	90	1896	25	1954	42	1906	68	1939	63	42	52	
Sturgeon Bay	82	1936	25	1925,1974	38	1960	57	2000	59	39	49	
Wausau	89	1896	25	1954	34	1960	66	1936	64	41	53	
Wisc. Rapids	88	1965	23	1925	38	1960	65	2000	65	41	53	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.96	1999	3.0	2010					0.66	6.01	0.1	53.6
Appleton	1.15	1942,1973	0.5	2010					0.76	8.41	0.1	49.4
Green Bay	0.84	2010	0.7	2010					0.69	8.24	0.0	55.6
Manitowoc	0.92	1904	T	1954,1962,1976,1980					0.79	8.85	0.0	34.6
Marshfield	1.73	1960	2.0	1960					0.79	7.62	0.1	57.1
Merrill	1.80	1999	3.5	1960					0.74	7.67	0.1	54.3
Oshkosh	0.92	1904	T	1906,2010					0.83	8.41	0.0	39.2
Rhineland	1.36	1999	7.0	1960					0.76	7.92	0.3	81.4
Stevens Point	1.43	1960	2.0	1923					0.83	8.32	0.0	48.7
Sturgeon Bay	1.03	1960	5.5	1954					0.71	8.73	0.0	57.4
Wausau	0.95	2001	2.5	1960					0.75	7.98	0.1	64.2
Wisc. Rapids	1.21	1919	2.0	1960					0.87	8.60	0.0	47.8

May 7

May 8

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	88	1896	23	1948	37	2020	64	1896	61	40	51	
Appleton	83	1936	23	1906	43	1960	61	1964,2000	64	43	54	
Green Bay	88	1896	25	1950,1966	40	1907	64	1896,1936	64	43	54	
Manitowoc	84	1936	21	1967	42	1907,1960,2020	58	1936,2000	59	42	50	
Marshfield	86	1934	25	1948	36	1954	64	2000	64	42	53	
Merrill	90	1934	22	1976	40	1960,2020	62	2000	64	39	51	
Oshkosh	86	1896	25	1947	43	1960	66	2000	64	44	54	
Rhineland	87	1926	22	1929,2017,2021	35	1960	61	1957	63	38	51	
Stevens Point	89	1896	21	1954	38	1960	66	1963	64	42	53	
Sturgeon Bay	83	1936	20	1925	38	1960	55	1936,2015	59	40	50	
Wausau	89	1896	25	1947,1948	39	1924,1954	65	1896	64	42	53	
Wisc. Rapids	86	1928	23	1947	38	1933	60	1936	66	41	54	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.20	1904	5.0	1923					0.75	6.10	0.1	53.6
Appleton	1.24	2004	1.0	1960					0.87	8.52	0.1	49.4
Green Bay	1.74	1904	2.0	1960					0.78	8.33	0.0	55.6
Manitowoc	2.50	1924	1.5	1923					0.90	8.96	0.0	34.6
Marshfield	1.87	1964	3.0	1960					0.91	7.74	0.1	57.1
Merrill	0.92	1961	2.0	2010					0.85	7.78	0.1	54.3
Oshkosh	2.10	1900	T	1906,2010					0.94	8.52	0.0	39.2
Rhineland	0.80	1961	5.0	1923					0.87	8.03	0.3	81.4
Stevens Point	1.22	2004	T	1924,1933,1945,1962,2010					0.95	8.44	0.0	48.7
Sturgeon Bay	1.10	2010	4.0	1907					0.80	8.82	0.0	57.4
Wausau	1.37	1904	1.5	1906					0.86	8.09	0.1	64.2
Wisc. Rapids	1.68	2004	2.0	1906					1.00	8.73	0.0	47.8

May 8

May 9

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	93	1895	20	1966	38	1960	61	1896	62	40	51	
Appleton	87	1993	23	1966	41	1933	61	1987	65	44	54	
Green Bay	92	1934	21	1966	42	1955,1960	65	1896	65	43	54	
Manitowoc	92	1934	28	1885,1947,1966'2020	41	1966	59	1993	59	42	51	
Marshfield	91	1934	19	1966	39	1960	61	1936	65	42	54	
Merrill	88	1936	20	1923,2020	39	1960	57	2007	64	40	52	
Oshkosh	96	1934	20	1966	42	1960	66	1936	65	44	54	
Rhineland	95	1934	20	1947,1966	34	1923	63	1993	64	38	51	
Stevens Point	94	1895	21	1966	40	1924	63	1993	64	42	53	
Sturgeon Bay	83	2000	25	1947	39	1960	51	1936,1953	60	40	50	
Wausau	91	1895	20	1947	39	1960	68	1895	65	42	53	
Wisc. Rapids	94	1934	18	1947	39	1960	64	1993	66	42	54	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.20	2019	2.0	1923					0.85	6.20	0.1	53.6
Appleton	1.30	1927	2.8	1902					0.98	8.63	0.1	49.4
Green Bay	1.60	1918	0.6	1960					0.88	8.43	0.0	55.6
Manitowoc	1.64	1927	1.0	1960					1.01	9.07	0.0	34.6
Marshfield	1.44	1927	2.0	1960					1.02	7.85	0.1	57.1
Merrill	1.42	2019	T	1933,1960					0.96	7.89	0.1	54.3
Oshkosh	1.15	1990	1.0	1923,1960					1.06	8.64	0.0	39.2
Rhineland	1.39	1918	1.0	1923,1960					0.98	8.14	0.4	81.5
Stevens Point	1.84	1927	1.5	1960					1.07	8.56	0.0	48.7
Sturgeon Bay	1.38	1965	T	1933,1948,1966					0.90	8.92	0.0	57.4
Wausau	1.76	1990	2.2	1960					0.97	8.20	0.1	64.2
Wisc. Rapids	1.46	1990	T	1966					1.13	8.86	0.0	47.8

May 9

May 10

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	86	1934	19	1966	37	2020	63	1922	62	41	51	
Appleton	91	1934	26	1966	42	1960,2020	64	1985	65	44	55	
Green Bay	86	1896,2022	24	1966	39	1902	66	1896	65	44	54	
Manitowoc	88	1896	23	1966	40	1960	66	1896	59	42	51	
Marshfield	86	1934	21	1966	42	2020	61	2022	65	43	54	
Merrill	87	1922	21	1966	40	2020	59	1922,1930	64	40	52	
Oshkosh	88	1922	25	1966	41	1902	66	1896	65	45	55	
Rhineland	85	1930	20	1966	37	2020	60	1953,2022	64	38	51	
Stevens Point	90	1936	20	2008	41	1960	65	1922,1936	64	43	54	
Sturgeon Bay	82	1987	21	1966	40	1960,1990	55	1936	60	40	50	
Wausau	87	1934	24	1966	40	2020	71	1896	65	42	54	
Wisc. Rapids	89	1922	22	1966	44	2020	62	1993	66	42	54	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpr	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.48	1895	3.0	1990					0.94	6.29	0.1	53.6
Appleton	1.38	1905	5.3	1990					1.09	8.74	0.1	49.4
Green Bay	1.03	1895	4.3	1990					0.98	8.53	0.0	55.6
Manitowoc	2.32	1963	0.3	1907					1.12	9.18	0.0	34.6
Marshfield	1.55	1963	T	1990,2020					1.14	7.97	0.1	57.1
Merrill	1.61	1990	T	1961					1.06	7.99	0.1	54.3
Oshkosh	1.44	2003	2.0	1902					1.18	8.76	0.0	39.2
Rhineland	1.23	1963	1.5	1961					1.09	8.25	0.4	81.5
Stevens Point	2.10	1911	5.0	1902					1.19	8.68	0.0	48.7
Sturgeon Bay	1.54	1918	1.5	1990					1.00	9.02	0.0	57.4
Wausau	1.13	1905	1.1	1990					1.08	8.31	0.2	64.3
Wisc. Rapids	2.13	1918	0.0						1.26	8.99	0.0	47.8

May 10

May 11

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	85	1896	18	1907	41	1990	63	1922		62	41	52	
Appleton	88	1922	26	1907	41	1966	63	1985,2022		65	45	55	
Green Bay	88	1922	28	1907	41	1966	65	1922		65	44	55	
Manitowoc	82	1956,1987	25	1885	40	1966	55	2007		60	43	51	
Marshfield	85	1991	24	1925	45	1952,1965,2018	63	2022		65	43	54	
Merrill	86	1922	19	1907	40	2006	62	1922		65	41	53	
Oshkosh	87	1907,1922	25	1907	42	1966	64	1896		66	45	55	
Rhineland	91	1930	23	1963,2021	40	1914	68	1922		65	39	52	
Stevens Point	88	1922	20	1907	42	2010	65	2022		65	43	54	
Sturgeon Bay	81	1922,1982	23	1907	42	1966,1967	59	1991		61	41	51	
Wausau	85	1896,1922	22	1907	39	1966	66	2022		66	43	54	
Wisc. Rapids	90	1922	22	1907	42	1966	66	2022		67	43	55	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.11	1962	2.0	1990						1.04	6.39	0.1	53.6
Appleton	2.09	2006	T	1963,1966						1.20	8.85	0.1	49.4
Green Bay	1.38	2006	T	1949,1971,2018,2020						1.08	8.63	0.0	55.6
Manitowoc	1.80	2006	0.0							1.23	9.29	0.0	34.6
Marshfield	1.22	1942	1.5	1966						1.25	8.08	0.1	57.1
Merrill	1.12	1920	T	1961,1966						1.18	8.11	0.1	54.3
Oshkosh	1.70	1942,2006	0.0							1.30	8.88	0.0	39.2
Rhineland	1.08	2003	T	1967,1969,2013						1.20	8.36	0.4	81.5
Stevens Point	1.25	1920	T	1966						1.31	8.80	0.0	48.7
Sturgeon Bay	1.40	1967	T	1914,1934,1967						1.10	9.12	0.0	57.4
Wausau	1.23	2003	0.3	2006						1.19	8.42	0.2	64.3
Wisc. Rapids	1.51	1920	T	1966						1.38	9.11	0.0	47.8

May 11

May 12

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	88	1894	21	1895	38	2006	64	1936	63	41	52	
Appleton	91	1991,2022	26	2020	44	2002,2006	64	1991	66	45	55	
Green Bay	94	2022	25	2020	44	2002	62	2022	66	45	55	
Manitowoc	91	1879	28	1967	44	2006	61	1991	60	43	52	
Marshfield	94	2022	26	1967	40	2005	64	2022	66	43	55	
Merrill	94	2022	24	1976,2020	48	1946	62	1992	65	41	53	
Oshkosh	92	2022	27	1967,2020	44	2006	65	1922	66	45	56	
Rhinelander	91	2022	21	2020	40	1997	62	2022	65	39	52	
Stevens Point	93	2022	22	2005	44	2005	65	2022	65	44	54	
Sturgeon Bay	84	1977	24	1934	44	2006	56	1993,2022	61	41	51	
Wausau	93	2022	28	1946,1967	43	1997	65	2022	66	43	55	
Wisc. Rapids	95	2022	25	1923	42	2005	65	2022	67	43	55	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.76	2022	2.0	1946					1.14	6.49	0.1	53.6
Appleton	2.30	2014	T	2018					1.31	8.96	0.1	49.4
Green Bay	1.05	2014	T	1946,2005					1.17	8.72	0.0	55.6
Manitowoc	2.20	1978	0.0						1.33	9.39	0.0	34.6
Marshfield	1.29	1970	2.5	1946					1.38	8.21	0.1	57.1
Merrill	1.11	2014	0.5	1946					1.29	8.22	0.1	54.3
Oshkosh	1.56	1978	0.0						1.42	9.00	0.0	39.2
Rhinelander	2.26	2011	0.5	1946					1.31	8.47	0.4	81.5
Stevens Point	1.30	1937	0.2	1946					1.43	8.92	0.0	48.7
Sturgeon Bay	1.47	2006	T	1946,1971					1.20	9.22	0.0	57.4
Wausau	1.05	1970	2.0	1895,1946					1.30	8.53	0.2	64.3
Wisc. Rapids	1.24	1970	0.0						1.51	9.24	0.0	47.8

May 12

May 13

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	87	2022	23	1953	37	1997	60	2022		63	42	52	
Appleton	91	2022	25	1996	45	1974	66	1991		66	45	56	
Green Bay	92	2022	29	2020	42	1888	65	2022		66	45	56	
Manitowoc	89	1977	30	1888,1910,1996	42	1888,1895	61	1977		61	43	52	
Marshfield	91	2022	22	1953	48	1974,2000	62	1991		66	44	55	
Merrill	91	2022	20	1923	43	2006	65	2022		66	41	54	
Oshkosh	92	2022	30	1910	47	1974	65	1991		66	46	56	
Rhineland	89	1977	19	2013	42	1974	63	2022		66	40	53	
Stevens Point	90	2022	25	1910	48	1974	68	2022		66	44	55	
Sturgeon Bay	89	1977	23	1923	44	1997	58	1977,1991		61	41	51	
Wausau	92	2022	26	1895,1943,1953	44	1895,1966,1974	67	2022		66	44	55	
Wisc. Rapids	93	2022	25	1923,2013	42	1974	64	2022		68	43	56	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.11	1962	0.7	1905						1.25	6.60	0.1	53.6
Appleton	1.68	1978	T	2005						1.41	9.06	0.1	49.4
Green Bay	1.38	1978	1.0	1895						1.27	8.82	0.0	55.6
Manitowoc	2.40	1978	0.0							1.44	9.50	0.0	34.6
Marshfield	1.29	1963	0.0							1.50	8.33	0.1	57.1
Merrill	1.08	1906	T	1912,1918,1966,2000						1.40	8.33	0.1	54.3
Oshkosh	2.70	1978	0.0							1.54	9.12	0.0	39.2
Rhineland	1.27	1962	T	1937						1.43	8.59	0.4	81.5
Stevens Point	1.59	1896	T	1966						1.56	9.05	0.0	48.7
Sturgeon Bay	1.79	1906	0.0							1.31	9.33	0.0	57.4
Wausau	1.50	1896	T	1912,1966						1.42	8.65	0.2	64.3
Wisc. Rapids	1.00	1933	0.0							1.64	9.37	0.0	47.8

May 13

May 14

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	85	1932	23	1895	39	2016	59	1962		63	42	53	
Appleton	89	1991	30	1910	45	2016	62	1962,1982		67	46	56	
Green Bay	89	1991	29	1895	44	1904	66	1900		67	45	56	
Manitowoc	87	1977,1991	29	1910	44	1895	60	1991		61	44	52	
Marshfield	89	1991	27	1925	43	2016	64	1962		67	44	55	
Merrill	87	1932	25	1937	41	2016	56	2022		66	42	54	
Oshkosh	87	1932,1991,2007	29	1925	44	2016	66	1962		67	46	56	
Rhineland	87	1991,2007	22	1920	38	2016	61	1962		66	40	53	
Stevens Point	92	1932	24	1895	41	2016	67	1962		66	45	55	
Sturgeon Bay	87	1977,1991	23	1910	45	1908,1997	56	1951		62	42	52	
Wausau	88	1932	27	1937	40	1921	64	1900		67	44	55	
Wisc. Rapids	92	1977	25	1943	43	2016	65	1962		68	44	56	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.38	1956	0.5	1907						1.35	6.70	0.1	53.6
Appleton	2.20	1916	T	1904						1.53	9.18	0.1	49.4
Green Bay	2.17	1957	T	2005,2016						1.38	8.93	0.0	55.6
Manitowoc	1.76	1957	0.0							1.55	9.61	0.0	34.6
Marshfield	1.10	1916	T	2016						1.63	8.46	0.1	57.1
Merrill	1.47	1968	T	1945						1.52	8.45	0.1	54.3
Oshkosh	1.80	1916	T	1907,1966						1.66	9.24	0.0	39.2
Rhineland	0.83	1968	T	1942,2016						1.55	8.71	0.4	81.5
Stevens Point	1.71	1896	T	2016						1.69	9.18	0.0	48.7
Sturgeon Bay	1.38	1995	0.0							1.41	9.43	0.0	57.4
Wausau	1.51	1968	T	1921,2016						1.54	8.77	0.2	64.3
Wisc. Rapids	1.37	1968	T	2016						1.78	9.51	0.0	47.8

May 14

May 15

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	85	1991,2007	27	1959,1973,2016	40	1921	62	1932,1962	64	42	53	
Appleton	88	1962	29	2016	47	1945,1997	65	1998	67	46	57	
Green Bay	87	1991	29	1929	42	1942	65	1962	67	46	56	
Manitowoc	87	1932	26	1888	43	1888	60	1958	61	44	53	
Marshfield	86	1991	26	1973,1983	47	1942	60	1962	67	45	56	
Merrill	88	1991,2007	26	1920,1983	44	1907,1997	61	1962	66	42	54	
Oshkosh	87	1991	28	1921	46	1942	65	1932	67	47	57	
Rhineland	88	1932	23	2000	40	1921	63	1962	66	40	53	
Stevens Point	92	1932	25	1907	47	1997	63	1965	66	45	56	
Sturgeon Bay	85	1932	25	1914	44	1912,1921	56	1932,1991,2012	62	42	52	
Wausau	87	2001	28	1904	47	1921,1942	62	1962,1998	67	44	56	
Wisc. Rapids	88	2001	26	2016	45	1940	63	1998	68	44	56	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.20	1894	T	1909,1966					1.46	6.81	0.1	53.6
Appleton	1.17	1909	0.1	1915					1.65	9.30	0.1	49.4
Green Bay	1.50	1894	T	1997					1.48	9.03	0.0	55.6
Manitowoc	1.53	1916	0.0						1.66	9.72	0.0	34.6
Marshfield	2.38	1941	T	1921					1.77	8.60	0.1	57.1
Merrill	1.16	1957	0.0						1.64	8.57	0.1	54.3
Oshkosh	1.15	1909	0.0						1.79	9.37	0.0	39.2
Rhineland	1.96	1911	T	1940					1.67	8.83	0.4	81.5
Stevens Point	1.75	1909	1.0	1895					1.82	9.31	0.0	48.7
Sturgeon Bay	1.43	1909	T	1921,1997					1.52	9.54	0.0	57.4
Wausau	1.84	1965	0.3	1929					1.66	8.89	0.2	64.3
Wisc. Rapids	1.67	1909	0.0						1.91	9.64	0.0	47.8

May 15

May 16

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	86	1962	24	1895	42	1940	63	1962	64	43	53	
Appleton	86	1962,1977	26	1997	45	1942	66	1991	67	47	57	
Green Bay	87	1977	28	1929,1956	46	1899	65	1962	67	46	57	
Manitowoc	83	1877	25	1888	46	1957	62	1998	62	44	53	
Marshfield	85	1936	25	1956	43	1940	60	1951,1991	67	45	56	
Merrill	92	1911	24	1957	42	1940	61	1962	67	43	55	
Oshkosh	89	1977	28	1957	46	1940	68	1903	68	47	57	
Rhineland	88	1936	24	2014	40	1940	67	1962	67	41	54	
Stevens Point	87	1932,1936	27	1921	49	2014	63	1962	67	45	56	
Sturgeon Bay	86	1962	28	1950	46	1940	55	1998	63	43	53	
Wausau	86	1936	28	1921,1929	44	1915,1940	65	1962	67	45	56	
Wisc. Rapids	90	1977	25	1930	45	1930	64	1962	69	45	57	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.37	1976	0.5	1983					1.57	6.92	0.1	53.6
Appleton	1.29	1925	0.0						1.76	9.41	0.1	49.4
Green Bay	0.85	1992	0.1	1929					1.59	9.14	0.0	55.6
Manitowoc	1.69	2017	0.0						1.77	9.83	0.0	34.6
Marshfield	3.96	1968	0.0						1.90	8.73	0.1	57.1
Merrill	2.00	1976	T	1929					1.76	8.69	0.1	54.3
Oshkosh	1.09	1999	0.0						1.92	9.50	0.0	39.2
Rhineland	1.86	1951	0.5	1997					1.79	8.95	0.4	81.5
Stevens Point	1.76	1986	0.0						1.96	9.45	0.0	48.7
Sturgeon Bay	1.53	1976	0.0						1.62	9.64	0.0	57.4
Wausau	3.05	1992	T	1940,1956,1983					1.79	9.02	0.2	64.3
Wisc. Rapids	1.50	1992	0.0						2.04	9.77	0.0	47.8

May 16

May 17

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	88	1906	25	1925	43	1916	62	1936,1962	65	43	54	
Appleton	87	1911,1977	30	1915,1925,2002	45	1957	63	1906,1977	68	47	57	
Green Bay	88	1972	29	1891	44	1957	67	1906	68	46	57	
Manitowoc	86	1911	25	1891	44	1997	58	1962	62	45	53	
Marshfield	86	1947,1987	24	1925	45	1957	62	2015	68	45	57	
Merrill	87	1962	23	1925	46	1916	62	1918	67	43	55	
Oshkosh	87	1906	29	1915	47	1916	67	1962	68	47	58	
Rhineland	88	1911	25	1925,1930	46	1915,1916,1932,1973	64	1962	67	41	54	
Stevens Point	90	1901,1926	25	2002	50	1920	64	1911	67	46	56	
Sturgeon Bay	86	1911	30	1983	46	1957	57	1998	63	43	53	
Wausau	87	1911,1987	28	1925	45	1916,1957	68	1901	68	45	56	
Wisc. Rapids	90	1934	26	1925	45	1957	67	1911	69	45	57	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.02	1992	T	1905					1.69	7.04	0.1	53.6
Appleton	1.80	2020	0.8	1915					1.88	9.53	0.1	49.4
Green Bay	1.46	2020	T	1915,1961					1.70	9.25	0.0	55.6
Manitowoc	1.91	2020	T	1915					1.88	9.94	0.0	34.6
Marshfield	2.03	2017	0.0						2.04	8.87	0.1	57.1
Merrill	1.54	2017	T	1956					1.88	8.81	0.1	54.3
Oshkosh	2.88	2020	1.2	1907					2.04	9.62	0.0	39.2
Rhineland	2.18	2017	T	1916					1.91	9.07	0.5	81.6
Stevens Point	1.64	1992	0.0						2.09	9.58	0.0	48.7
Sturgeon Bay	1.54	1928	0.0						1.73	9.75	0.0	57.4
Wausau	1.25	1898	0.0						1.91	9.14	0.2	64.3
Wisc. Rapids	1.20	2000	0.0						2.18	9.91	0.0	47.8

May 17

May 18

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	88	1972	26	2002	46	2019	64	1911,1962	65	43	54	
Appleton	87	1911,1962	29	2002	45	1969	67	1962	68	47	58	
Green Bay	88	1972,1996	30	2002	44	1888,1969	65	1949,1962,1998	68	47	57	
Manitowoc	86	1996	30	1981,2002	43	1969	62	1958,1962	62	45	54	
Marshfield	87	1977,1998	27	1981	49	1961,2019	65	1996	68	46	57	
Merrill	92	1934	24	1925	45	1961	70	1911	68	44	56	
Oshkosh	87	1911,1998	29	1915	46	1969	69	1962	68	48	58	
Rhineland	88	1972	26	1915,1929,2002	43	1916	60	1998	67	42	55	
Stevens Point	90	1906	22	2002	49	1991,2019	65	1962	67	46	57	
Sturgeon Bay	84	1998	30	1915,1939	42	1969	59	1977	63	43	53	
Wausau	89	1972,1998	30	1915,2002	48	2019	66	1998	68	46	57	
Wisc. Rapids	91	1977	26	1929	47	1991	68	1911	69	46	57	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpr	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.50	2017	0.0						1.80	7.15	0.1	53.6
Appleton	1.02	1971	0.1	1915					2.00	9.65	0.1	49.4
Green Bay	1.64	1918	T	1894,1915,1993					1.81	9.36	0.0	55.6
Manitowoc	1.70	2000	2.0	1894					2.00	10.06	0.0	34.6
Marshfield	1.48	2000	0.0						2.17	9.00	0.1	57.1
Merrill	1.31	1938	T	2015					2.00	8.93	0.1	54.3
Oshkosh	1.09	1918	0.0						2.17	9.75	0.0	39.2
Rhineland	1.78	1918	T	2015					2.03	9.19	0.5	81.6
Stevens Point	1.56	2017	T	1894					2.23	9.72	0.0	48.7
Sturgeon Bay	3.05	2020	0.0						1.83	9.85	0.0	57.4
Wausau	1.70	1938	0.0						2.04	9.27	0.2	64.3
Wisc. Rapids	1.30	1971	0.0						2.32	10.05	0.0	47.8

May 18

May 19

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	87	1902,1972,1975	26	1929	43	2019	61	1903,1962,1977	65	44	54	
Appleton	88	1911,1962	30	1915	47	1944,2019	72	1911	69	48	58	
Green Bay	89	2012	31	2002	46	1912	65	1962	68	47	58	
Manitowoc	89	1903,1978,1998	31	2002	45	1895,2002	59	1978	63	45	54	
Marshfield	93	1934	25	1929	47	2019	63	1996	68	46	57	
Merrill	98	1911	23	1929	45	2019	63	1908	68	44	56	
Oshkosh	93	1934	27	1929	49	1990	69	1911	69	48	58	
Rhineland	86	1911,1972,2012	25	1915,1929	45	2002,2019	62	1977	68	42	55	
Stevens Point	89	1934	27	2008	47	2019	67	1962	68	47	57	
Sturgeon Bay	86	1996	28	2002	47	1915	63	1978	64	44	54	
Wausau	88	2012	27	1947	44	2019	67	1911	68	46	57	
Wisc. Rapids	95	1934	27	1929	44	2019	66	1962	70	46	58	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.58	1979	0.0						1.91	7.26	0.1	53.6
Appleton	1.60	1918	T	1924					2.12	9.77	0.1	49.4
Green Bay	1.98	1918	T	1924					1.92	9.47	0.0	55.6
Manitowoc	2.32	1918	T	1924					2.11	10.17	0.0	34.6
Marshfield	1.71	2014	0.0						2.31	9.14	0.1	57.1
Merrill	1.44	2019	T	1907,2015					2.13	9.06	0.1	54.3
Oshkosh	1.45	1968	0.0						2.29	9.87	0.0	39.2
Rhineland	1.41	2019	0.0						2.15	9.31	0.5	81.6
Stevens Point	1.55	1979	T	1924					2.36	9.85	0.0	48.7
Sturgeon Bay	2.00	1918	0.0						1.94	9.96	0.0	57.4
Wausau	1.68	1940	T	2015					2.17	9.40	0.2	64.3
Wisc. Rapids	1.28	1940	0.0						2.45	10.18	0.0	47.8

May 19

May 20

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	88	1975	24	1895,2002	45	1990	62	2021		66	44	55	
Appleton	88	2012	30	2000,2002	48	1915	65	1977		69	48	59	
Green Bay	90	1948,1972,2012	30	2002	47	1913,1915	65	2021		69	48	58	
Manitowoc	90	1972	29	1895	45	2002	60	1996,1998		63	46	54	
Marshfield	90	1934	28	2002	47	1913	64	2021		69	47	58	
Merrill	91	1934	26	2002	43	1915	67	1934		68	44	56	
Oshkosh	93	1934	30	1954	48	1912	65	1975		69	49	59	
Rhineland	89	1994	22	2002	46	1927	64	2021		68	42	55	
Stevens Point	91	1934	25	1907,2008	47	1990	63	1934,2012		68	47	58	
Sturgeon Bay	89	1972,1998	26	2002	45	1913	60	1996		64	44	54	
Wausau	87	1934,1975	29	1907,2002	43	1915	67	2021		69	46	58	
Wisc. Rapids	95	1934	26	1954	49	1931	67	2021		70	46	58	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.30	1923	0.0							2.03	7.38	0.1	53.6
Appleton	1.45	1959	0.0							2.24	9.89	0.1	49.4
Green Bay	1.02	1913	T	2007						2.03	9.58	0.0	55.6
Manitowoc	1.99	1959	0.0							2.23	10.29	0.0	34.6
Marshfield	1.07	1913	0.0							2.46	9.29	0.1	57.1
Merrill	1.72	1951	0.0							2.26	9.19	0.1	54.3
Oshkosh	2.88	1959	0.0							2.42	10.00	0.0	39.2
Rhineland	0.82	1977	0.0							2.28	9.44	0.5	81.6
Stevens Point	1.60	1915	T	1895						2.50	9.99	0.0	48.7
Sturgeon Bay	1.25	1996	T	1926						2.06	10.08	0.0	57.4
Wausau	0.98	1911	0.0							2.30	9.53	0.2	64.3
Wisc. Rapids	2.01	1912	0.0							2.59	10.32	0.0	47.8

May 20

May 21

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	88	1975	25	1907	46	1917	65	1921,1934	66	44	55	
Appleton	89	1992	31	1907,2002	46	1917	66	2021	69	48	59	
Green Bay	88	1970	30	2002	44	1967	68	2021	69	48	59	
Manitowoc	89	1998	28	1883	40	1883	61	1941	63	46	55	
Marshfield	88	1994	30	2002	48	1931	65	1970	69	47	58	
Merrill	89	1970	27	1907	46	1917	65	2021	69	45	57	
Oshkosh	89	1921,1970	32	1907	45	1892	66	1975	69	49	59	
Rhineland	87	1921,1975	24	2002	46	1931	65	1921	69	43	56	
Stevens Point	90	1925	27	1907,2008	49	1931	66	1970	69	47	58	
Sturgeon Bay	88	1921	25	1907	48	1907,1917,1967	61	1921	64	44	54	
Wausau	88	1972	30	1907	43	1917	68	2021	69	47	58	
Wisc. Rapids	90	1972	30	1997	48	1931	66	2021	70	47	59	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.38	1945	T	1931					2.14	7.49	0.1	53.6
Appleton	1.26	1914	0.0						2.36	10.01	0.1	49.4
Green Bay	2.45	1914	0.0						2.14	9.69	0.0	55.6
Manitowoc	1.01	1913	0.0						2.34	10.40	0.0	34.6
Marshfield	2.21	1945	0.0						2.60	9.43	0.1	57.1
Merrill	1.16	1915	T	1917					2.39	9.32	0.1	54.3
Oshkosh	2.09	1912	T	1924					2.55	10.13	0.0	39.2
Rhineland	1.73	1945	T	1967					2.41	9.57	0.5	81.6
Stevens Point	2.51	1945	0.0						2.64	10.13	0.0	48.7
Sturgeon Bay	0.82	1913	T	1967					2.17	10.19	0.0	57.4
Wausau	1.60	1970	0.1	1917					2.43	9.66	0.2	64.3
Wisc. Rapids	1.32	1915	T	1963					2.72	10.45	0.0	47.8

May 21

May 22

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	88	1975	26	1967	46	1931	68	1930	66	45	55	
Appleton	89	1956,1964	32	2003	43	1917	68	1964	70	49	59	
Green Bay	91	1921	29	1967	44	1917	68	1921	70	48	59	
Manitowoc	91	1921	21	2003	42	1917	68	1921	64	46	55	
Marshfield	90	1925	26	1967	47	1963	65	1991	69	47	58	
Merrill	90	1925	26	1967	48	1931	67	1921	69	45	57	
Oshkosh	91	1921	29	1967	45	1917	68	1921	70	49	60	
Rhineland	89	1964	26	2006	46	1931	70	1930	69	43	56	
Stevens Point	91	1921	29	1967	50	1931	69	1927,1930	69	48	58	
Sturgeon Bay	89	1921	27	1967	41	1917	68	1921	65	45	55	
Wausau	88	1925	30	1963,1967	47	1931	68	2021	69	47	58	
Wisc. Rapids	92	1925	23	1931	49	1963	69	1921	71	47	59	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.93	1945	0.0						2.25	7.60	0.1	53.6
Appleton	1.85	1970	T	1963					2.49	10.14	0.1	49.4
Green Bay	1.54	1970	0.0						2.26	9.81	0.0	55.6
Manitowoc	1.68	1982	T	1917					2.46	10.52	0.0	34.6
Marshfield	2.23	1970	T	1963					2.75	9.58	0.1	57.1
Merrill	2.43	1970	T	1917,1931					2.51	9.44	0.1	54.3
Oshkosh	1.51	2013	T	1963					2.68	10.26	0.0	39.2
Rhineland	2.16	1912	0.0						2.55	9.71	0.5	81.6
Stevens Point	2.50	1970	0.0						2.78	10.27	0.0	48.7
Sturgeon Bay	2.20	1970	0.0						2.28	10.30	0.0	57.4
Wausau	2.28	1914	0.0						2.56	9.79	0.2	64.3
Wisc. Rapids	1.92	1970	T	1963					2.86	10.59	0.0	47.8

May 22

May 23

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	88	1975	28	1917	49	2004	63	1964,1975	67	45	56	
Appleton	88	2010	29	1917	49	1917	68	1991	70	49	60	
Green Bay	88	2010	29	1958,1963	50	1917,1925	65	1991,2007	70	49	59	
Manitowoc	87	1936	30	1963	49	1917,1967	63	1964	64	47	55	
Marshfield	87	1925,1975	27	1931	50	2004	65	1991	70	48	59	
Merrill	89	1921	25	1931,1967	47	1987	65	1991	69	46	58	
Oshkosh	90	1925	31	1931	51	1987	67	1964,1991	70	50	60	
Rhineland	90	1975	25	1931	46	1931	66	1964	69	43	56	
Stevens Point	90	1925,1975	27	1963	50	2004	67	1991	69	48	59	
Sturgeon Bay	85	1921,1964,1977	26	1963	42	1967	63	1921	65	45	55	
Wausau	88	1975	28	1931,1963	50	1897,1917	67	1991	70	47	59	
Wisc. Rapids	90	1921,2010	27	1963	53	1987,2001	65	1991,2010	71	48	59	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.97	1903	0.0						2.36	7.71	0.1	53.6
Appleton	1.19	1927	0.0						2.61	10.26	0.1	49.4
Green Bay	1.60	2004	0.0						2.37	9.92	0.0	55.6
Manitowoc	1.10	2004	0.0						2.57	10.63	0.0	34.6
Marshfield	2.17	2007	0.0						2.89	9.72	0.1	57.1
Merrill	1.32	1946	0.0						2.64	9.57	0.1	54.3
Oshkosh	1.53	2004	T	1907					2.82	10.40	0.0	39.2
Rhineland	1.26	2004	0.0						2.67	9.83	0.5	81.6
Stevens Point	1.25	1991	0.0						2.91	10.40	0.0	48.7
Sturgeon Bay	1.50	1912	T	1917					2.39	10.41	0.0	57.4
Wausau	1.62	1936	0.0						2.69	9.92	0.2	64.3
Wisc. Rapids	1.17	1955	0.0						2.99	10.72	0.0	47.8

May 23

May 24

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	91	2010	28	1907	43	1924	70	2010	67	45	56	
Appleton	92	2010	33	2013	49	1992	68	2010	70	50	60	
Green Bay	90	2010	33	1992	48	1925,1992	68	2010	70	49	60	
Manitowoc	82	1902,1977,1991	34	1925	44	1925	60	1936	64	47	56	
Marshfield	90	2010	27	1917	52	1924	69	2010	70	48	59	
Merrill	92	2010	30	1956	48	1925	68	2010	70	46	58	
Oshkosh	92	1950,2010	33	1935	48	1992	69	2010	71	50	60	
Rhinelanders	90	2010	27	2013	48	1925	69	2010	70	44	57	
Stevens Point	90	1928,1950,2010	32	1924,1925,1956	51	1925	70	2010	70	49	59	
Sturgeon Bay	84	1991	31	1934,1956	47	1992,2004	60	1977	65	45	55	
Wausau	92	2010	32	1948,1992	46	1924	71	2010	70	48	59	
Wisc. Rapids	93	2010	29	1930	49	1925	70	2010	72	48	60	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.40	1904	T	1924					2.47	7.82	0.1	53.6
Appleton	1.52	2015	T	1924					2.74	10.39	0.1	49.4
Green Bay	2.05	1989	0.0						2.48	10.03	0.0	55.6
Manitowoc	1.90	1918	T	1924					2.68	10.74	0.0	34.6
Marshfield	1.59	1971	0.0						3.04	9.87	0.1	57.1
Merrill	1.65	1971	0.0						2.77	9.70	0.1	54.3
Oshkosh	2.00	1902	0.0						2.95	10.53	0.0	39.2
Rhinelanders	1.79	2006	0.0						2.80	9.96	0.5	81.6
Stevens Point	1.32	2004	T	1924,1925					3.05	10.54	0.0	48.7
Sturgeon Bay	1.71	1966	0.0						2.50	10.52	0.0	57.4
Wausau	1.68	1952	T	1924					2.82	10.05	0.2	64.3
Wisc. Rapids	2.37	1989	0.0						3.12	10.85	0.0	47.8

May 24

May 25

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	87	1911,1977	27	1897	44	1924	67	2010	67	46	56	
Appleton	91	1911	30	1901	45	2002	73	2010	71	50	60	
Green Bay	89	2018	32	1988	44	2002	66	2018	71	50	60	
Manitowoc	86	1911,1914	32	1897	46	2002	60	1933	65	47	56	
Marshfield	88	1977	25	1988	50	1925	65	2010	70	49	59	
Merrill	90	1911	28	1979	52	1993,2022	69	2010	70	46	58	
Oshkosh	90	1911	29	1925	51	1992,2002	68	1899	71	51	61	
Rhineland	89	1911	25	1913	49	1925,2002	63	2010,2018	70	44	57	
Stevens Point	88	1977	31	1925	50	2002	70	2010	70	49	59	
Sturgeon Bay	90	2018	27	1934	48	1913	59	1991	66	46	56	
Wausau	88	1972	30	1897,1913	49	1925	67	2010	70	48	59	
Wisc. Rapids	89	1977	30	1934	51	1943	68	2010	72	48	60	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.65	1939	0.0						2.58	7.93	0.1	53.6
Appleton	2.29	1989	0.0						2.86	10.51	0.1	49.4
Green Bay	1.54	1957	0.0						2.60	10.15	0.0	55.6
Manitowoc	2.08	1989	T	1925					2.79	10.85	0.0	34.6
Marshfield	3.05	1973	0.0						3.18	10.01	0.1	57.1
Merrill	1.23	1939	0.0						2.90	9.83	0.1	54.3
Oshkosh	1.53	2022	0.0						3.08	10.66	0.0	39.2
Rhineland	1.42	1971	T	1961					2.93	10.09	0.5	81.6
Stevens Point	3.59	1989	0.0						3.19	10.68	0.0	48.7
Sturgeon Bay	1.62	1989	0.0						2.62	10.64	0.0	57.4
Wausau	1.92	1939	T	1925					2.95	10.18	0.2	64.3
Wisc. Rapids	2.35	2021	0.0						3.26	10.99	0.0	47.8

May 25

May 26

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	89	1911	29	1983	45	1907	63	1911,1944	68	46	57	
Appleton	91	2018	33	1961	50	1907	65	1944,1978,2010,2018	71	50	61	
Green Bay	92	2018	31	1969	48	1907,1930	66	1944	71	50	60	
Manitowoc	89	1941	29	1891	49	1930	59	1896,1914,1936	65	48	56	
Marshfield	91	2018	27	1925	52	1940	63	1978,2010,2014,2020	70	49	60	
Merrill	92	1914,2018	27	1930	45	1907	66	1911	70	47	59	
Oshkosh	90	1914,2018	30	1961	50	1907	67	1978	71	51	61	
Rhineland	94	2018	27	1925	43	1971	63	1944	70	44	57	
Stevens Point	94	1914	30	1905,1925	46	1907	66	1978	70	49	60	
Sturgeon Bay	89	1914	30	1949	48	1907	60	2021	66	46	56	
Wausau	91	1967,2018	30	1905	45	1907	64	1978,2014	71	48	60	
Wisc. Rapids	94	2018	27	1949	47	1907	65	1978	72	49	60	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.80	1894	T	1906					2.69	8.04	0.1	53.6
Appleton	1.42	2022	0.0						2.98	10.63	0.1	49.4
Green Bay	0.86	2009	T	1907					2.72	10.27	0.0	55.6
Manitowoc	0.95	1889	T	1907					2.90	10.96	0.0	34.6
Marshfield	1.96	1991	0.0						3.33	10.16	0.1	57.1
Merrill	1.32	1978	T	1907					3.03	9.96	0.1	54.3
Oshkosh	1.62	1926	0.0						3.21	10.79	0.0	39.2
Rhineland	1.90	1991	0.0						3.07	10.23	0.5	81.6
Stevens Point	1.95	1926	0.0						3.33	10.82	0.0	48.7
Sturgeon Bay	1.64	1985	T	1961					2.73	10.75	0.0	57.4
Wausau	1.84	2015	T	1906,1907					3.09	10.32	0.2	64.3
Wisc. Rapids	1.78	1965	T	1907,1961					3.39	11.12	0.0	47.8

May 26

May 27

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		1991-2020 Normals			
										High	Low	Mean	
Antigo	90	2018	27	1895	43	2021	67	1911		68	46	57	
Appleton	95	2018	30	1915,1994	46	2021	69	1911		71	51	61	
Green Bay	97	2018	31	1961	48	1906,2021	71	1911		71	50	61	
Manitowoc	84	1988,2018	31	1961	43	1906	62	2006,2010		65	48	57	
Marshfield	93	2018	31	1971	48	2021	64	2014,2020		71	49	60	
Merrill	94	2018	28	1971	45	2021	67	2020		71	47	59	
Oshkosh	94	2018	31	1907	47	1906	68	1978,2020		72	51	61	
Rhineland	93	2018	26	2011	44	2021	65	1911,2020		70	45	58	
Stevens Point	92	1911,1914,2018	30	1895	42	1906	67	2020		71	50	60	
Sturgeon Bay	85	2018	30	1910	47	1906	63	1920		66	46	56	
Wausau	93	2018	32	1895,1902,1906	43	1906	68	1911		71	49	60	
Wisc. Rapids	98	2018	30	1992	46	1970	66	1941		72	49	61	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	2.40	1898	T	1947						2.81	8.16	0.1	53.6
Appleton	1.75	1973	0.0							3.11	10.76	0.1	49.4
Green Bay	2.22	1973	T	1906,1907						2.84	10.39	0.0	55.6
Manitowoc	1.98	1896	0.0							3.00	11.06	0.0	34.6
Marshfield	1.92	1969	0.0							3.49	10.32	0.1	57.1
Merrill	2.08	1941	0.0							3.16	10.09	0.1	54.3
Oshkosh	1.35	1909	T	1932						3.35	10.93	0.0	39.2
Rhineland	1.48	2006	T	1947						3.21	10.37	0.5	81.6
Stevens Point	4.16	1969	3.5	1947						3.47	10.96	0.0	48.7
Sturgeon Bay	1.25	2009	T	1907						2.85	10.87	0.0	57.4
Wausau	2.08	1969	T	1947						3.22	10.45	0.2	64.3
Wisc. Rapids	2.26	1969	0.0							3.53	11.26	0.0	47.8

May 27

May 28

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	87	1919,1978,2006	28	1894,1906, 2011	46	1947,1965	65	1969	68	47	57	
Appleton	91	2018	23	1906	43	1947	68	2018,2020	72	51	61	
Green Bay	89	1991,2018	31	1889,1949	44	1947	68	2012	71	51	61	
Manitowoc	91	1969	31	1889	46	1947	62	1911	66	48	57	
Marshfield	91	2018	31	1965	43	1947	65	2006,2018	71	50	60	
Merrill	92	1919	30	1906,1932	44	1947	66	2020	71	48	59	
Oshkosh	92	2018	32	1947	48	1947	69	1944	72	52	62	
Rhineland	90	1919,1969,2018	27	1917,2021	44	1965	67	1969	71	45	58	
Stevens Point	92	2018	31	1906	42	1947	67	2018	71	50	60	
Sturgeon Bay	91	1944	30	1930,1949	44	1947	62	1922	67	47	57	
Wausau	93	2018	32	1932,1947,1949	45	1965	68	1929	71	49	60	
Wisc. Rapids	96	2018	31	1949,2008	44	1947	66	1929	73	49	61	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.07	1973	2.0	1947					2.92	8.27	0.1	53.6
Appleton	1.98	2020	3.5	1947					3.24	10.89	0.1	49.4
Green Bay	2.94	2020	3.0	1947					2.97	10.52	0.0	55.6
Manitowoc	2.42	1973	0.0						3.11	11.17	0.0	34.6
Marshfield	2.19	1988	2.0	1947					3.64	10.47	0.1	57.1
Merrill	1.51	2009	1.0	1947					3.29	10.22	0.1	54.3
Oshkosh	1.82	1896	2.0	1947					3.49	11.07	0.0	39.2
Rhineland	0.91	1955	T	1965					3.36	10.52	0.5	81.6
Stevens Point	2.56	2020	0.0						3.62	11.11	0.0	48.7
Sturgeon Bay	3.85	1973	4.5	1947					2.96	10.98	0.0	57.4
Wausau	2.00	1941	T	1947,1965					3.36	10.59	0.2	64.3
Wisc. Rapids	2.19	2020	T	1965					3.67	11.40	0.0	47.8

May 28

May 29

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	95	1895	29	1965,1966	46	1947	69	1929	69	47	58	
Appleton	92	2018	31	1906	49	1947	67	1987,1988	72	51	62	
Green Bay	91	1895	32	1965	49	1947	68	1895	72	51	61	
Manitowoc	87	2006	32	1884,1965	48	1927	64	1998	66	49	57	
Marshfield	90	2018	28	1965	47	1947	68	2018	71	50	61	
Merrill	92	1934,2006	29	1965	45	1947	67	2006	71	48	60	
Oshkosh	91	1991,2006	31	1947	48	1927	69	1991	72	52	62	
Rhineland	91	1919	26	2021	45	1947	69	2006	71	45	58	
Stevens Point	95	1895	31	1947,1965	48	1947	71	1929	71	50	61	
Sturgeon Bay	91	1944	31	1947	45	1947	66	1969	67	47	57	
Wausau	93	1895	31	1947,1965	46	1947,1983	71	1895	72	50	61	
Wisc. Rapids	93	2018	26	1965	55	1918	69	2006,2018	73	50	61	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.08	1943	T	1965					3.04	8.39	0.1	53.6
Appleton	1.59	1913	0.0						3.37	11.02	0.1	49.4
Green Bay	2.60	1942	T	1947					3.09	10.64	0.0	55.6
Manitowoc	1.41	1905	0.0						3.22	11.28	0.0	34.6
Marshfield	2.00	1913	T	1947					3.80	10.63	0.1	57.1
Merrill	1.71	1943	0.0						3.43	10.36	0.1	54.3
Oshkosh	2.80	1989	0.0						3.63	11.21	0.0	39.2
Rhineland	1.45	1942	T	1947					3.50	10.66	0.5	81.6
Stevens Point	2.50	1913	0.0						3.77	11.26	0.0	48.7
Sturgeon Bay	1.37	2020	0.0						3.08	11.10	0.0	57.4
Wausau	2.43	1942	1.0	1947					3.50	10.73	0.2	64.3
Wisc. Rapids	3.12	1989	0.0						3.81	11.54	0.0	47.8

May 29

May 30

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	89	2006	29	1966	45	1983	69	1938	69	47	58	
Appleton	91	1988	35	1915,1990,2021	51	1993	70	2006	72	52	62	
Green Bay	92	1939	33	1894	48	1897	69	1895	72	51	62	
Manitowoc	92	1939	32	1889	50	1889,1894	65	1986	66	49	58	
Marshfield	89	1934,1986	32	1915,1930	51	1983	66	2006,2022	72	50	61	
Merrill	96	1934	30	1930	46	1983	68	2006	72	48	60	
Oshkosh	92	1944	32	1889	51	1983	69	2006	73	53	63	
Rhineland	92	1919	29	1915	47	1993	71	1929	71	46	59	
Stevens Point	94	1939	32	1894	55	1910,1997	67	1895,1899,2018	71	51	61	
Sturgeon Bay	88	1939,1986,1988	31	1973	47	1910	64	1986,1987	68	47	57	
Wausau	94	1939	33	1897,1930	44	1897	70	2022	72	50	61	
Wisc. Rapids	93	1919	30	1947	51	1983	70	2006,2022	73	50	62	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpr	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.40	1895	T	1897					3.16	8.51	0.1	53.6
Appleton	1.33	1942	0.0						3.50	11.15	0.1	49.4
Green Bay	2.21	1943	0.0						3.22	10.77	0.0	55.6
Manitowoc	1.96	1989	0.0						3.33	11.39	0.0	34.6
Marshfield	2.35	1989	0.0						3.97	10.80	0.1	57.1
Merrill	1.99	1942	0.0						3.58	10.51	0.1	54.3
Oshkosh	1.47	1975	0.0						3.78	11.36	0.0	39.2
Rhineland	1.08	1952	T	1953					3.66	10.82	0.5	81.6
Stevens Point	2.20	1989	0.0						3.92	11.41	0.0	48.7
Sturgeon Bay	1.86	1942	0.0						3.20	11.22	0.0	57.4
Wausau	2.91	1942	T	1897					3.65	10.88	0.2	64.3
Wisc. Rapids	1.70	1942	0.0						3.96	11.69	0.0	47.8

May 30

May 31

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	100	1934	29	1897,1966	49	1983	66	1895,1925,1934,1937	69	48	58	
Appleton	94	1988	36	2009	53	1908	69	2007,2022	73	52	62	
Green Bay	99	1934	34	1897	45	1889	69	1895	72	52	62	
Manitowoc	91	1925	32	1889	48	1889	66	1919	67	49	58	
Marshfield	105	1934	35	1966,1972	58	1945	65	1937	72	51	61	
Merrill	104	1934	30	1972	49	1993	78	1934	72	49	60	
Oshkosh	104	1934	31	1889	46	1889	70	1899	73	53	63	
Rhineland	99	1934	29	2009	52	1993	64	1939	72	46	59	
Stevens Point	104	1934	33	1897	54	1897,1993	69	2022	72	51	61	
Sturgeon Bay	91	1925	33	1916	50	1910,1993	67	1939	68	48	58	
Wausau	104	1934	31	1897,1903	48	1897	68	1895,1925	72	50	61	
Wisc. Rapids	105	1934	32	1966	58	1908	69	1937	74	51	62	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.09	2018	T	1897					3.29	8.64	0.1	53.6
Appleton	2.96	1954	0.0						3.64	11.29	0.1	49.4
Green Bay	2.14	1954	0.0						3.35	10.90	0.0	55.6
Manitowoc	1.35	1954	0.0						3.44	11.50	0.0	34.6
Marshfield	1.60	1942	0.0						4.13	10.96	0.1	57.1
Merrill	1.40	1943	0.0						3.72	10.65	0.1	54.3
Oshkosh	1.81	2004	0.0						3.94	11.52	0.0	39.2
Rhineland	3.26	1958	T	1946					3.81	10.97	0.5	81.6
Stevens Point	2.04	1954	0.0						4.08	11.57	0.0	48.7
Sturgeon Bay	1.63	2006	0.0						3.32	11.34	0.0	57.4
Wausau	1.55	1998	0.0						3.79	11.02	0.2	64.3
Wisc. Rapids	1.47	1954	0.0						4.11	11.84	0.0	47.8

May 31