

November 1

	Rec	Year(s)	Rec	Year(s)	Rec	Year(s)	Rec	Year(s)	1991-2020 Normals				
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean		
Antigo	73	1944	4	1895	26	1899	49	2001		46	30	38	
Appleton	72	1950	16	1951	33	1996	52	1909,2001		50	34	42	
Green Bay	74	1933	16	1951	30	1905	52	1886		50	34	42	
Manitowoc	74	1950	18	1879	32	1879	54	1956		49	36	43	
Marshfield	75	1933,1944	13	1951	31	1954	48	2001		48	31	40	
Merrill	75	1909	14	1905,1951,1976	29	1951,2019	49	1968		47	29	38	
Oshkosh	78	1933	12	1951	34	1911,1996	52	2000		51	35	43	
Rhineland	72	1944	10	1951,1984	29	1951	50	2001		47	28	38	
Stevens Point	78	1904	11	1951	31	1996	51	1909		49	31	40	
Sturgeon Bay	69	2022	4	1930	33	1996	53	1914		49	34	41	
Wausau	75	1933	10	1951	30	1951	53	2001		48	31	39	
Wisc. Rapids	77	1933	9	1930	27	1911	51	2000,2001		50	31	41	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season	
Antigo	1.66	1945	1.5	1926					0.07	26.47	0.1	1.0	
Appleton	2.15	1985	4.0	1954					0.08	29.40	0.0	0.3	
Green Bay	2.23	1985	3.0	1910					0.07	27.95	0.0	0.3	
Manitowoc	1.34	1985	4.0	1926					0.08	27.90	0.0	0.2	
Marshfield	1.89	1945	3.0	1926					0.07	30.60	0.1	0.8	
Merrill	1.79	1941	3.2	1926					0.08	30.25	0.1	1.0	
Oshkosh	1.83	1985	4.6	1926					0.08	29.73	0.0	0.3	
Rhineland	1.40	1945	2.0	1911					0.09	30.98	0.2	2.1	
Stevens Point	2.81	1984	3.0	1926					0.07	30.60	0.0	0.3	
Sturgeon Bay	1.82	1945	4.0	1911					0.08	28.77	0.0	0.2	
Wausau	2.04	1985	4.5	1926					0.07	30.59	0.1	1.0	
Wisc. Rapids	1.71	1985	1.0	1991					0.07	30.83	0.0	0.1	

November 1

November 2

November 2														
	Rec		Rec		Rec		Rec							
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		1991-2020 Normals				
										High	Low	Mean		
Antigo	71	1990	4	1951	18	1991	55	1956		46	30	38		
Appleton	73	1990	10	1951	18	1951	56	1990		50	33	42		
Green Bay	75	2022	9	1951	20	1951	59	1938		50	34	42		
Manitowoc	71	1990,2015	13	1951	31	1951	55	1944		49	36	42		
Marshfield	74	2022	4	1951	19	1951	57	1938		48	31	39		
Merrill	71	1944,2022	4	1951	19	1951	56	1938		47	28	38		
Oshkosh	73	1938	10	1951	22	1951	55	1938		51	34	43		
Rhineland	74	1933	3	1951	14	1951	55	1956		46	28	37		
Stevens Point	74	1933	4	1951	18	1951	57	1938		49	31	40		
Sturgeon Bay	72	1999	14	1951	25	1991	53	2000		48	34	41		
Wausau	73	2022	0	1951	15	1951	57	1938		47	31	39		
Wisc. Rapids	75	1924	1	1951	17	1951	52	1956		49	31	40		
										1991-2020 Normals				
	Max		Max							Precipitation		Snow		
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season	
Antigo	1.32	1985	2.5	1992						0.13	26.53	0.2	1.1	
Appleton	1.72	1992	0.5	1910						0.15	29.47	0.1	0.4	
Green Bay	1.53	1894	0.5	1949						0.14	28.02	0.1	0.4	
Manitowoc	2.10	1992	0.5	1910						0.15	27.97	0.0	0.2	
Marshfield	1.16	1972	1.5	1991						0.14	30.67	0.1	0.8	
Merrill	1.50	1972	1.5	1992						0.15	30.32	0.2	1.1	
Oshkosh	1.20	1944	0.7	1954						0.15	29.80	0.0	0.3	
Rhineland	0.87	1972	0.1	2017						0.17	31.06	0.5	2.4	
Stevens Point	1.22	1971	0.5	1949						0.13	30.66	0.1	0.4	
Sturgeon Bay	1.95	1985	T	1910,1932,1939,1949,1966,1989,1991							0.17	28.86	0.0	0.2
Wausau	1.43	1961	1.4	1919						0.14	30.66	0.2	1.1	
Wisc. Rapids	1.46	1961	0.5	1991						0.13	30.89	0.1	0.2	

November 2

November 3

	Rec	Year(s)	Rec	Year(s)	Low	Year(s)	High	Year(s)	1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	71	1978	3	1951	15	1951	56	1938	45	30	37	
Appleton	71	2008,2022	10	1951	20	1951	56	1938	49	33	41	
Green Bay	72	1938	7	1951	21	1951	58	1938	49	34	42	
Manitowoc	73	1978	12	1951	21	1991	53	1938	48	35	42	
Marshfield	75	2008	2	1951	17	1951	56	1938	47	30	39	
Merrill	70	1909,2015	2	1951	13	1951	57	1938	46	28	37	
Oshkosh	73	1938,2008	8	1951	21	1951,1991	60	1938	50	34	42	
Rhineland	70	1978,2015,2020	1	1951	15	1951	54	1938	46	28	37	
Stevens Point	73	1904,2008	-2	1951	18	1951,1991	56	1938	48	31	39	
Sturgeon Bay	70	1978	10	1951	22	1991	50	1956,1964	48	33	41	
Wausau	72	2008,2015	-1	1951	16	1951	57	1938	47	30	39	
Wisc. Rapids	75	1964	0	1951	18	1951	57	1938	49	31	40	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.07	1977	1.0	1901,1991					0.19	26.59	0.3	1.2
Appleton	1.45	2003	4.0	1951					0.22	29.54	0.1	0.4
Green Bay	1.03	1934	3.4	1951					0.21	28.09	0.1	0.4
Manitowoc	1.54	1970	6.1	1951					0.22	28.04	0.0	0.2
Marshfield	1.09	1977	2.0	1951,1991					0.21	30.74	0.2	0.9
Merrill	1.35	1961	0.7	1919					0.23	30.40	0.3	1.2
Oshkosh	1.40	2003	2.5	1951					0.23	29.88	0.1	0.4
Rhineland	1.37	1972	2.0	1919					0.25	31.14	0.7	2.6
Stevens Point	1.02	1977	1.0	1901,1951					0.20	30.73	0.1	0.4
Sturgeon Bay	1.25	1970	2.0	1910					0.25	28.94	0.1	0.3
Wausau	1.02	1987	1.8	1951					0.20	30.72	0.3	1.2
Wisc. Rapids	1.30	1925	3.0	1989					0.20	30.96	0.1	0.2

November 3

November 4

	Rec	Year(s)	Rec	Year(s)	Low	Year(s)	High	Year(s)	1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	70	2008,2020	6	1951,1991	16	1991	53	1938,1956	45	29	37	
Appleton	75	2008	10	1951	21	1951	56	1938	49	32	41	
Green Bay	74	2008	4	1951	20	1951	54	1938,1956	49	33	41	
Manitowoc	76	2008	11	1879	22	1951	55	2008	48	35	41	
Marshfield	74	2020	2	1951,1991	17	1951	53	2008	47	30	38	
Merrill	72	1978,2020	5	1951	17	1991	53	1956	46	28	37	
Oshkosh	74	2008	10	1951	23	1951	55	1938	50	34	42	
Rhineland	73	2020	1	1951	18	1951	56	2008	45	27	36	
Stevens Point	74	1964	5	1951	19	1951,1991	54	1938,1956	48	30	39	
Sturgeon Bay	66	1914,1964,2015,2022	16	1951,1991	25	1951	52	1956,1987	47	33	40	
Wausau	72	2020	5	1951	17	1951	54	2008	46	30	38	
Wisc. Rapids	73	2008	5	1991	21	1951	56	1938	48	30	39	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpr	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.98	2003	3.0	2017					0.26	26.66	0.4	1.3
Appleton	1.36	1934	1.5	1989					0.30	29.62	0.1	0.4
Green Bay	0.94	1988	2.9	1962					0.29	28.17	0.2	0.5
Manitowoc	1.80	2003	10.0	1896					0.30	28.12	0.0	0.2
Marshfield	0.62	2018	4.0	1959					0.28	30.81	0.3	1.0
Merrill	1.33	1964	4.2	2017					0.30	30.47	0.4	1.3
Oshkosh	1.07	2022	1.2	1962					0.31	29.96	0.1	0.4
Rhineland	0.88	2018	4.3	2017					0.33	31.22	1.0	2.9
Stevens Point	1.29	2003	1.5	1959					0.27	30.80	0.1	0.4
Sturgeon Bay	1.36	1934	7.0	1951					0.34	29.03	0.1	0.3
Wausau	1.32	1925	5.6	1959					0.27	30.79	0.4	1.3
Wisc. Rapids	1.00	2018	T	1951,2017,2018					0.26	31.02	0.1	0.2

November 4

November 5

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	69	1975	1	1951	23	1991	51	1956,2015	44	29	37	
Appleton	71	1924,2020	5	1951	24	1951	54	1956	48	32	40	
Green Bay	71	1924,2020	1	1951	25	1951	56	2015	49	33	41	
Manitowoc	70	1975	8	1951	24	1951	53	1956	48	35	41	
Marshfield	70	2016	-3	1951	23	1951	50	1956,2008	46	30	38	
Merrill	70	1909	2	1951	21	1991	52	2008	45	27	36	
Oshkosh	72	1924	3	1951	27	1951	55	2015	49	33	41	
Rhineland	73	1975	1	1951	23	1991	53	2008	45	27	36	
Stevens Point	73	1978	-3	1951	22	1951	52	1956,2008	47	30	38	
Sturgeon Bay	74	2008	12	1951	28	1951	52	1956	47	33	40	
Wausau	71	1975	2	1951	23	1951	52	1956	46	30	38	
Wisc. Rapids	73	1975	0	1951	26	1967	50	1948	48	30	39	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.96	1948,1988	2.0	1959					0.32	26.72	0.5	1.4
Appleton	1.55	2022	4.0	1959					0.37	29.69	0.2	0.5
Green Bay	1.09	1896	10.5	1896					0.36	28.24	0.2	0.5
Manitowoc	1.35	1883	1.5	1991					0.38	28.20	0.1	0.3
Marshfield	1.02	2022	4.0	1959					0.35	30.88	0.4	1.1
Merrill	0.90	1988	5.0	1959					0.38	30.55	0.5	1.4
Oshkosh	1.20	1898	4.5	1959					0.38	30.03	0.1	0.4
Rhineland	1.34	2022	2.0	1993					0.41	31.30	1.2	3.1
Stevens Point	1.43	1942	1.0	1935,1959,1993					0.34	30.87	0.1	0.4
Sturgeon Bay	1.47	2022	3.0	1991					0.42	29.11	0.1	0.3
Wausau	1.62	1956	4.7	1959					0.34	30.86	0.6	1.5
Wisc. Rapids	1.37	1956	5.0	2006					0.33	31.09	0.2	0.3

November 5

November 6

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	72	2020	0	1951	12	1991	50	2008	44	29	36	
Appleton	72	2020	5	1991	28	1951,1991,1993	54	1975	48	32	40	
Green Bay	72	2020	-5	1951	27	1910	48	1977	48	33	40	
Manitowoc	69	1887	12	1951,1991	29	2019	52	1975	47	34	41	
Marshfield	72	2020	0	1951	25	1959,1967,1991	49	1975	46	29	37	
Merrill	74	1909	-3	1951	24	1991	52	2008	45	27	36	
Oshkosh	73	2020	3	1951	17	1991	52	1975	49	33	41	
Rhineland	73	2020	-9	1951	20	1993	51	1975	44	27	35	
Stevens Point	72	2020	-7	1951	26	1991	53	1975,2008	47	30	38	
Sturgeon Bay	67	1975,2020	6	1951	19	1991	50	1975,2008	47	32	39	
Wausau	70	2020	-3	1951	23	1959,1991	51	1975	45	29	37	
Wisc. Rapids	72	2020	-2	1951	23	1993	52	1975	47	29	38	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.62	1956	3.0	1979					0.38	26.78	0.6	1.5
Appleton	1.18	2013	4.6	1988					0.45	29.77	0.2	0.5
Green Bay	0.60	2013	4.6	1988					0.43	28.31	0.2	0.5
Manitowoc	1.73	2005	4.0	1988					0.45	28.27	0.1	0.3
Marshfield	1.05	1956	2.0	1960					0.42	30.95	0.4	1.1
Merrill	1.70	1956	3.0	1959					0.45	30.62	0.5	1.4
Oshkosh	1.28	2005	4.0	2019					0.46	30.11	0.2	0.5
Rhineland	1.73	1956	5.0	1959					0.49	31.38	1.5	3.4
Stevens Point	1.73	1956	3.0	1959					0.40	30.93	0.2	0.5
Sturgeon Bay	1.35	2005	3.0	1959					0.50	29.19	0.2	0.4
Wausau	0.71	1977	4.0	1896					0.41	30.93	0.7	1.6
Wisc. Rapids	0.97	1977	2.5	2019					0.39	31.15	0.2	0.3

November 6

November 7

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	70	2020	-3	1991	17	1991	51	1975,2020	43	28	36	
Appleton	72	2020	0	1991	21	1991	54	1975	48	31	39	
Green Bay	71	2020	-3	1991	22	1991	55	2020	48	32	40	
Manitowoc	68	2009	4	1991	21	1991	49	1918,1945,1975,1977	47	34	40	
Marshfield	72	2020	-7	1991	20	1991	52	1975	45	29	37	
Merrill	71	2020	-4	1991	15	1991	52	1975	44	27	35	
Oshkosh	72	2020	0	1991	22	1991	55	1975	48	32	40	
Rhineland	71	2020	-4	1991	20	1991	54	2020	44	26	35	
Stevens Point	71	2020	-4	1991	15	1991	53	1975	46	29	38	
Sturgeon Bay	73	2020	11	1991	22	1991	49	1975	46	32	39	
Wausau	71	2020	-1	1991	16	1991	54	1975	45	29	37	
Wisc. Rapids	73	1931	-4	1991	21	1991	51	2020	47	29	38	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.16	1947	4.6	1896					0.45	26.85	0.7	1.6
Appleton	1.19	1946	1.5	1941					0.52	29.84	0.2	0.5
Green Bay	1.26	1943	3.5	1941					0.49	28.37	0.3	0.6
Manitowoc	1.60	1943	3.0	1941					0.52	28.34	0.1	0.3
Marshfield	1.03	1943	4.0	1938					0.49	31.02	0.5	1.2
Merrill	0.79	2000	0.6	2012					0.53	30.70	0.6	1.5
Oshkosh	0.98	1946	7.5	1896					0.53	30.18	0.2	0.5
Rhineland	2.14	1977	4.0	1938					0.56	31.45	1.8	3.7
Stevens Point	1.14	1946	3.0	1894,1896					0.47	31.00	0.2	0.5
Sturgeon Bay	1.44	1943	2.5	2019					0.58	29.27	0.2	0.4
Wausau	1.32	1946	2.0	1895					0.47	30.99	0.8	1.7
Wisc. Rapids	1.15	1945	T	1948					0.46	31.22	0.3	0.4

November 7

November 8

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	68	1999,2020	-3	1991	23	1995	50	1945	42	28	35	
Appleton	71	2020	5	1991	26	2020	51	1977	47	31	39	
Green Bay	75	2020	4	1991	27	1991	51	1977	47	32	39	
Manitowoc	67	2006	8	1991	25	2019	50	1944,1977,2016	46	33	40	
Marshfield	73	1999	-2	1991	26	1991,2019	48	1931,1977	45	28	37	
Merrill	71	1931	-1	1991	19	1991	49	1918	43	26	35	
Oshkosh	74	1999,2020	1	1991	25	2019	51	1977	48	32	40	
Rhineland	69	1999,2020	0	2003	23	1995	53	2020	43	26	34	
Stevens Point	72	2020	1	1991	24	1991	50	1977	46	29	37	
Sturgeon Bay	67	2009	15	1991	27	2019	49	1975,1977	46	32	39	
Wausau	71	1999	2	1991	25	1991,1995,2019	50	1977	44	28	36	
Wisc. Rapids	75	2020	-4	1991	23	1925	50	1977,2020	46	29	38	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.20	1943	3.0	1938,1988					0.51	26.91	0.8	1.7
Appleton	0.96	1937	4.0	1921					0.58	29.90	0.3	0.6
Green Bay	0.85	1937	6.2	1890					0.55	28.43	0.3	0.6
Manitowoc	0.92	1890,1945	3.0	1913					0.58	28.40	0.1	0.3
Marshfield	0.98	1932	3.0	1943					0.55	31.08	0.6	1.3
Merrill	1.36	1943	1.8	1988					0.60	30.77	0.7	1.6
Oshkosh	1.14	1943	3.5	1985					0.60	30.25	0.2	0.5
Rhineland	1.16	1916	3.0	1935,1938					0.63	31.52	2.0	3.9
Stevens Point	1.70	1945	3.5	1921					0.53	31.06	0.2	0.5
Sturgeon Bay	1.16	1937	1.5	1936					0.65	29.34	0.2	0.4
Wausau	1.52	1945	2.0	1957					0.53	31.05	0.9	1.8
Wisc. Rapids	1.00	1932	1.0	1990					0.52	31.28	0.3	0.4

November 8

November 9

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	69	1999	1	1991	24	1979	53	1977		42	27	35	
Appleton	74	2020	12	1995	26	1926	50	2020		47	30	38	
Green Bay	75	2020	13	2003	26	1896	64	2020		47	31	39	
Manitowoc	74	1999	16	1991,1995,2003	30	1957	52	1999		46	33	39	
Marshfield	73	1999	7	1959	24	1933,1979	52	1931		44	28	36	
Merrill	70	1999	2	1991	22	2017	50	1977,2020		43	26	34	
Oshkosh	75	1903,2020	6	1991	27	1957	63	2020		47	32	39	
Rhineland	77	1930	6	1925,1959	23	1973	47	2020		43	25	34	
Stevens Point	73	1999	10	2003,2019	22	1933	55	1977		45	28	37	
Sturgeon Bay	69	1999	17	1995,2003	28	1913	52	1931		45	31	38	
Wausau	73	1999	9	2003,2017	24	1933,1979	52	1999		44	28	36	
Wisc. Rapids	74	1999	7	2003	22	1933	50	1999		46	28	37	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.55	1932	4.5	1894						0.57	26.97	0.9	1.8
Appleton	0.88	1945,1982	4.1	1985						0.65	29.97	0.3	0.6
Green Bay	1.70	2011	7.6	1985						0.62	28.50	0.4	0.7
Manitowoc	1.30	2011	5.0	1926						0.65	28.47	0.1	0.3
Marshfield	1.90	1983	3.0	1985,2011						0.62	31.15	0.7	1.4
Merrill	1.60	2022	5.0	1985						0.67	30.84	0.8	1.7
Oshkosh	1.56	1998	4.0	1985						0.66	30.31	0.2	0.5
Rhineland	1.49	1975	9.0	2011						0.70	31.59	2.3	4.2
Stevens Point	0.93	1932	5.0	1894						0.60	31.13	0.3	0.6
Sturgeon Bay	0.70	1948	3.0	1985						0.72	29.41	0.3	0.5
Wausau	1.64	1975	3.2	2011						0.59	31.11	1.0	1.9
Wisc. Rapids	1.52	1919	5.0	1982						0.58	31.34	0.3	0.4

November 9

November 10

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	65	2022	1	2017	21	1986,2017	47	2022	41	27	34	
Appleton	71	2022	8	2017	26	1926	51	2020	46	30	38	
Green Bay	72	2022	11	2017	23	1926	51	2022	46	31	39	
Manitowoc	72	1999	13	1973,2017	27	1933	55	1992	45	33	39	
Marshfield	67	2022	6	1933,2017	23	1986,2018	46	1999	44	28	36	
Merrill	71	1999	0	2017	22	1986	43	1999,2022	42	25	34	
Oshkosh	72	2022	11	2017	27	1933,2018	52	1999	47	31	39	
Rhineland	73	1930	0	1986,2017	19	1986	41	2016	42	25	34	
Stevens Point	67	2022	7	2017	22	1933	48	2022	44	28	36	
Sturgeon Bay	66	2022	14	2017	28	1913,1933,1957	47	1999,2020	45	31	38	
Wausau	67	2022	5	2017	22	1986,2018	42	1964,2022	43	28	35	
Wisc. Rapids	69	1927	5	1979,2017	24	1926	46	1905	45	28	37	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.46	1919	9.3	1896					0.63	27.03	1.0	1.9
Appleton	1.32	2020	2.1	1985					0.72	30.04	0.3	0.6
Green Bay	1.28	2020	3.5	1896					0.68	28.56	0.4	0.7
Manitowoc	1.37	2020	3.0	2006					0.71	28.53	0.1	0.3
Marshfield	2.45	1919	4.5	2006					0.68	31.21	0.8	1.5
Merrill	1.48	1919	11.7	2006					0.73	30.90	0.9	1.8
Oshkosh	1.56	2020	2.0	2006					0.73	30.38	0.3	0.6
Rhineland	1.39	1919	12.5	2006					0.76	31.65	2.6	4.5
Stevens Point	1.67	1919	8.0	1896					0.66	31.19	0.3	0.6
Sturgeon Bay	1.33	1998	2.0	1985,1991					0.80	29.49	0.3	0.5
Wausau	1.80	1915	10.0	1896					0.66	31.18	1.2	2.1
Wisc. Rapids	1.62	2020	4.0	2006					0.64	31.40	0.4	0.5

November 10

November 11

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	67	1964	-1	1986	22	1986	46	1909		41	27	34	
Appleton	67	1915,,1964	7	1926,1986	21	1986	49	1964		46	30	38	
Green Bay	68	1964	7	1979	22	1986	49	1964		46	31	38	
Manitowoc	70	1964	10	1926,1986	27	1950	53	1882		45	32	39	
Marshfield	68	1964	-1	1986	19	2019	43	1940,1954,1964		43	27	35	
Merrill	65	1923,1930	1	1986,2017	20	1986	44	2010		42	25	33	
Oshkosh	69	1927	8	1926,1986	23	1986,2019	48	1924		46	31	39	
Rhineland	64	1930,1964	-1	1926	17	2019	44	1909		42	25	33	
Stevens Point	66	1964	1	1986	23	1950	47	1967		44	28	36	
Sturgeon Bay	66	1964	11	1926	26	1986	46	1922,1964,2010		44	31	37	
Wausau	68	1964	2	1986	18	1986	54	1909		43	27	35	
Wisc. Rapids	71	1964	-4	1926	21	2019	54	1905		45	27	36	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	2.03	1915	7.0	2014						0.69	27.09	1.1	2.0
Appleton	1.97	1982	3.0	1933						0.79	30.11	0.4	0.7
Green Bay	1.66	1982	2.8	1933						0.75	28.63	0.5	0.8
Manitowoc	1.66	1915	3.0	1933,1995						0.77	28.59	0.1	0.3
Marshfield	0.80	2012	3.5	1933						0.75	31.28	0.9	1.6
Merrill	1.79	1915	6.1	2014						0.80	30.97	1.0	1.9
Oshkosh	0.92	1903	3.0	1933						0.80	30.45	0.3	0.6
Rhineland	1.29	1915	8.3	2014						0.82	31.71	2.9	4.8
Stevens Point	1.05	2012	3.7	1933						0.72	31.25	0.3	0.6
Sturgeon Bay	1.42	1974	3.0	1933						0.87	29.56	0.3	0.5
Wausau	1.25	1902,1940	4.5	2014						0.72	31.24	1.3	2.2
Wisc. Rapids	1.42	1982	1.2	1966						0.70	31.46	0.5	0.6

November 11

November 12

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	61	1930	1	2019	17	1986	45	1964	40	26	33	
Appleton	67	1927	4	1986	17	1940	46	2007	45	29	37	
Green Bay	64	1964	6	1911,1986	17	1940	47	1964	45	30	38	
Manitowoc	67	1930	8	2019	19	2019	49	1964	45	32	38	
Marshfield	61	1930,1987	2	2019	16	2019	42	1944,1964	43	27	35	
Merrill	69	1909	1	1986,2019	17	1986	46	1964	41	25	33	
Oshkosh	65	1930	5	2019	18	2019	48	1964	46	30	38	
Rhineland	66	1930	-6	1986	13	1986	45	1964	41	24	33	
Stevens Point	70	1964	2	1921	19	1920	48	1902	43	27	35	
Sturgeon Bay	64	1930	11	1933,2019	21	1986	49	1964	44	30	37	
Wausau	59	1930	2	1986,2019	16	1986	42	1902,1944,1961	42	27	34	
Wisc. Rapids	62	1930	-1	1921	18	2019	53	1905	44	27	36	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.24	1982	5.0	1948					0.75	27.15	1.2	2.1
Appleton	0.83	1965	4.0	1916					0.86	30.18	0.4	0.7
Green Bay	0.98	1889	9.8	1889					0.81	28.69	0.6	0.9
Manitowoc	1.05	1916	10.5	1916					0.84	28.66	0.1	0.3
Marshfield	1.60	1965	3.7	1916					0.81	31.34	1.0	1.7
Merrill	1.28	1965	1.8	1919					0.87	31.04	1.1	2.0
Oshkosh	1.22	1982	8.0	1916					0.87	30.52	0.4	0.7
Rhineland	1.24	1964	3.0	1914,1919					0.89	31.78	3.2	5.1
Stevens Point	1.98	1945	4.0	1916					0.79	31.32	0.4	0.7
Sturgeon Bay	1.65	1982	4.0	1906,1916					0.94	29.63	0.4	0.6
Wausau	1.12	1965	4.5	1948					0.78	31.30	1.5	2.4
Wisc. Rapids	1.06	1965	3.0	1916					0.76	31.52	0.5	0.6

November 12

November 13

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	64	1999	-5	1986	14	1911,1986	42	1944		40	26	33	
Appleton	67	1999	0	1986	15	1986	44	1944,1951,1994,2005		45	29	37	
Green Bay	68	1999	2	1986	15	1986	47	1944,2011		45	30	37	
Manitowoc	70	1999	3	1986	21	1986,2019	48	1944		44	31	38	
Marshfield	67	1999	-5	1986	17	1986	47	1944		42	26	34	
Merrill	63	1952	-4	1986	14	1986	44	1944		41	24	33	
Oshkosh	68	1952,1999	1	1911,1986	18	1986	48	1944		45	30	38	
Rhineland	64	1999	-3	1911	13	1911,1920	43	1944		40	24	32	
Stevens Point	65	1952	-3	1986	16	1986	43	1994		43	27	35	
Sturgeon Bay	56	1930,2005	5	1911,1986	17	1986	46	2005		43	30	37	
Wausau	67	1999	-3	1986	14	1986	44	1944,1994		42	26	34	
Wisc. Rapids	72	1999	1	1919	14	1940	45	2001		44	27	35	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.20	1909	5.0	1914						0.81	27.21	1.4	2.3
Appleton	0.83	1978	4.0	1959						0.93	30.25	0.5	0.8
Green Bay	0.78	1978	4.2	1916						0.88	28.76	0.6	0.9
Manitowoc	1.36	1912	8.5	1916						0.90	28.72	0.2	0.4
Marshfield	0.71	1951	4.0	1921						0.88	31.41	1.2	1.9
Merrill	1.96	1949	6.5	1914						0.94	31.11	1.3	2.2
Oshkosh	0.86	1978	3.7	1959						0.94	30.59	0.4	0.7
Rhineland	1.41	1909	3.0	1914,2010						0.95	31.84	3.5	5.4
Stevens Point	1.00	1909	8.0	1916						0.85	31.38	0.4	0.7
Sturgeon Bay	1.32	1912	14.0	1916						1.01	29.70	0.4	0.6
Wausau	0.84	2010	3.5	1914						0.84	31.36	1.7	2.6
Wisc. Rapids	1.14	1909	4.6	1916						0.82	31.58	0.6	0.7

November 13

November 14

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	65	1953	-3	1916,1986	16	1986	46	1944,1958		39	25	32	
Appleton	67	1958	4	1916	21	1916	49	1909,1958		44	28	36	
Green Bay	65	1909,1953,1958	3	1916	18	1900	50	1958		44	30	37	
Manitowoc	70	1999	9	1884,1916	21	1900	51	1958		44	31	37	
Marshfield	68	1990	1	1959	18	1916	48	1944		42	26	34	
Merrill	65	1953,1999	-5	1916	16	1986	46	1944		40	24	32	
Oshkosh	67	1953	1	1986	24	1900	53	1958		45	30	37	
Rhineland	63	1953	-3	1916	19	1920	49	2001		40	23	32	
Stevens Point	70	1999	-4	1916	23	1945	49	1944		42	26	34	
Sturgeon Bay	67	1999	9	1986	22	1919,1933	49	1994		43	29	36	
Wausau	64	1953,1990	-2	1916	16	1916	52	1909		41	26	34	
Wisc. Rapids	66	1953	-7	1916	15	1940	50	1944		43	26	35	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.55	1994	3.0	1951						0.86	27.26	1.6	2.5
Appleton	1.60	1956	4.0	1910						1.00	30.32	0.6	0.9
Green Bay	0.95	1956	3.9	2021						0.95	28.83	0.7	1.0
Manitowoc	1.41	1957	3.0	1910						0.97	28.79	0.2	0.4
Marshfield	0.40	2008	3.5	2021						0.94	31.47	1.3	2.0
Merrill	0.83	1909	6.1	1915						1.01	31.18	1.5	2.4
Oshkosh	0.79	1956	2.0	2021						1.01	30.66	0.5	0.8
Rhineland	0.49	1930	3.0	1915						1.01	31.90	3.8	5.7
Stevens Point	0.96	1902	3.7	2021						0.92	31.45	0.5	0.8
Sturgeon Bay	1.09	1957	5.0	1933						1.09	29.78	0.5	0.7
Wausau	0.75	1902	3.4	1915						0.91	31.43	1.9	2.8
Wisc. Rapids	1.55	1927	1.3	1982						0.89	31.65	0.7	0.8

November 14

November 15

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	64	2001	-9	2014	12	1933	50	1930	39	25	32	
Appleton	67	1990	0	1916,1933	21	1916	50	1930	44	28	36	
Green Bay	68	2001	1	1959	13	1933	52	1930	44	29	36	
Manitowoc	68	2001	3	1916	19	1933	47	1928,1930	43	31	37	
Marshfield	67	1953	-2	1933,1940	10	1933	52	1930	41	26	33	
Merrill	66	1953	-7	1916	21	2014	47	1930	40	23	32	
Oshkosh	69	2001	-1	1916	17	1933	48	1964	44	29	37	
Rhineland	67	1939	-5	1911	15	1933	47	1930	39	23	31	
Stevens Point	67	1990	-13	1916	16	1933	52	1930	42	26	34	
Sturgeon Bay	66	1926	4	1933	23	1916	46	1964,2001	43	29	36	
Wausau	66	2001	-3	1916	15	1933	53	1930	41	26	33	
Wisc. Rapids	70	1953	-6	1916	11	1933	54	1930	43	26	34	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.16	1944	7.5	2005					0.92	27.32	1.7	2.6
Appleton	1.54	1927	2.0	1928					1.07	30.39	0.6	0.9
Green Bay	0.84	2005	2.4	1973					1.02	28.90	0.8	1.1
Manitowoc	1.24	1956	1.2	1943					1.04	28.86	0.2	0.4
Marshfield	1.93	1927	3.8	2005					1.01	31.54	1.5	2.2
Merrill	1.21	1960	3.0	1951					1.08	31.25	1.6	2.5
Oshkosh	2.14	1927	1.6	1947					1.08	30.73	0.5	0.8
Rhineland	0.94	1931	2.4	2005					1.08	31.97	4.2	6.1
Stevens Point	1.54	1927	5.0	1947					0.99	31.52	0.5	0.8
Sturgeon Bay	1.50	1927	2.0	1973					1.16	29.85	0.5	0.7
Wausau	1.07	1988	3.5	1956					0.97	31.49	2.2	3.1
Wisc. Rapids	1.23	1988	1.5	1916,2022					0.95	31.71	0.8	0.9

November 15

November 16

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	70	1953	-6	1933	12	1933	48	1942		38	24	31	
Appleton	70	1953	0	1933	12	1933	50	1930		43	27	35	
Green Bay	72	1953	1	1933,1959	21	1933	53	1942		43	29	36	
Manitowoc	68	1953	1	1884	17	1933	47	1930		43	30	37	
Marshfield	69	1953	-9	1933	11	1933	49	1942		41	25	33	
Merrill	70	1953	-8	1911	24	1911	51	1930		39	23	31	
Oshkosh	72	1953	-2	1933	12	1933	50	1942		44	29	36	
Rhineland	62	1953	-9	1932	14	1933	51	1942		39	23	31	
Stevens Point	70	1953	-6	1933	15	1933	53	1930		41	25	33	
Sturgeon Bay	69	1953	6	1933	27	1916,1943,2014	46	1918,1931,1987		42	29	35	
Wausau	68	1953	-3	1933	12	1933	49	1942		40	25	33	
Wisc. Rapids	73	1953	-6	1933	15	1964	53	1934		42	25	34	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.90	1930	5.0	1961						0.98	27.38	1.9	2.8
Appleton	1.20	1948	2.5	1915						1.14	30.46	0.7	1.0
Green Bay	1.57	1948	2.7	1992						1.08	28.96	0.9	1.2
Manitowoc	1.83	1961	2.0	1915						1.10	28.92	0.2	0.4
Marshfield	1.39	1996	6.0	1961						1.08	31.61	1.7	2.4
Merrill	1.52	1996	6.0	1909						1.15	31.32	1.8	2.7
Oshkosh	1.55	1948	0.5	1962						1.15	30.80	0.6	0.9
Rhineland	1.11	1996	6.8	1909						1.14	32.03	4.5	6.4
Stevens Point	1.19	1957	5.0	1909						1.05	31.58	0.5	0.8
Sturgeon Bay	1.18	1961	3.0	1928						1.23	29.92	0.6	0.8
Wausau	0.82	1996	6.0	1909						1.03	31.55	2.4	3.3
Wisc. Rapids	1.00	1961	3.0	1909						1.01	31.77	0.9	1.0

November 16

November 17

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	70	1953	-5	1959	9	1959	47	1934		38	24	31	
Appleton	66	1953	-1	1959	14	1959	54	1931		43	27	35	
Green Bay	67	1931,1953,2016	0	1959	10	1959	50	1958		43	28	36	
Manitowoc	65	1958	1	1959	14	1959	48	1958,1963,2004		42	30	36	
Marshfield	70	1953	-7	1959	8	1959	49	1918		40	25	32	
Merrill	71	1953	-6	1959	10	1959	47	1918		39	23	31	
Oshkosh	69	1953	-1	1959	11	1959	49	1918,1987,2015		43	28	36	
Rhineland	71	1930	-8	1932	8	1959	47	1931		38	22	30	
Stevens Point	69	1953	-3	1959	12	2014	49	1934		41	25	33	
Sturgeon Bay	64	1971	2	1959	20	1989	48	1918		42	28	35	
Wausau	69	1953	-3	1959	9	1959	50	1918		40	25	32	
Wisc. Rapids	69	1939	-5	1933	11	1959	52	1958		42	25	33	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.40	1911	14.0	1911						1.04	27.44	2.1	3.0
Appleton	1.91	1978	6.0	1926						1.21	30.53	0.8	1.1
Green Bay	1.53	1978	3.0	1911						1.15	29.03	1.0	1.3
Manitowoc	1.90	2013	4.0	1924						1.16	28.98	0.2	0.4
Marshfield	1.26	1978	4.0	1924						1.14	31.67	1.8	2.5
Merrill	1.20	1911	12.0	1911						1.22	31.39	2.0	2.9
Oshkosh	1.75	1978	3.0	1911						1.22	30.87	0.6	0.9
Rhineland	0.79	1911	10.5	1911						1.21	32.10	4.9	6.8
Stevens Point	1.78	1906	2.0	1924						1.11	31.64	0.6	0.9
Sturgeon Bay	1.64	1948	4.0	1911						1.30	29.99	0.7	0.9
Wausau	1.52	1958	3.1	1995						1.09	31.61	2.6	3.5
Wisc. Rapids	1.24	1931	4.0	1909,1911						1.07	31.83	1.0	1.1

November 17

November 18

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	66	1953	-1	1961	11	2014	47	1941,1953	37	23	30	
Appleton	64	1953,2016	1	1959	19	1903,2014	49	2015	42	27	34	
Green Bay	68	1953,2016	4	1891	17	1903	57	1941	42	28	35	
Manitowoc	66	1975	3	1891	17	1903	50	2016	42	29	36	
Marshfield	68	1953	1	1929	14	2014	46	1941	40	24	32	
Merrill	67	1953	-1	1909	13	2014	46	2015	38	22	30	
Oshkosh	70	1953	3	1989	17	1903	53	1941	43	28	35	
Rhineland	68	1917	0	1914,1986	10	2014	51	1971	38	22	30	
Stevens Point	69	1953	-2	1989	15	1903,2014	49	1941	40	25	33	
Sturgeon Bay	69	1953	9	1914,1959	22	1989	46	1953	41	28	35	
Wausau	67	1941	5	1909,1986	13	2014	43	1953	39	24	32	
Wisc. Rapids	79	1930	1	1932	15	2014	47	1953	41	25	33	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.27	1958	4.0	1978					1.10	27.50	2.3	3.2
Appleton	1.42	1957	6.0	1926					1.28	30.60	0.8	1.1
Green Bay	1.20	1957	5.3	1926					1.22	29.10	1.1	1.4
Manitowoc	1.25	1986	0.2	1937					1.23	29.05	0.3	0.5
Marshfield	1.56	1958	6.0	1957					1.21	31.74	2.0	2.7
Merrill	1.43	1958	2.7	1995					1.29	31.46	2.2	3.1
Oshkosh	1.25	1892	3.0	1892					1.29	30.94	0.7	1.0
Rhineland	0.73	1991	6.0	1957					1.28	32.17	5.3	7.2
Stevens Point	1.06	1991	4.0	1928,1957					1.18	31.71	0.7	1.0
Sturgeon Bay	0.64	2017	2.0	1927,1995					1.38	30.07	0.8	1.0
Wausau	0.90	1957	5.5	1957					1.15	31.67	2.8	3.7
Wisc. Rapids	1.44	1957	2.0	1911					1.14	31.90	1.2	1.3

November 18

November 19

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	62	1930,1953,1975	-4	1894	16	1894	50	1953		37	23	30	
Appleton	66	1953	4	1986`	22	2022	51	1953		42	26	34	
Green Bay	72	1953	1	1894	14	1894	56	1953		42	28	35	
Manitowoc	65	2003	3	1894	14	1894	51	1953		42	29	35	
Marshfield	66	1930	-4	1914	19	1914,2022	51	1953		39	24	31	
Merrill	67	1930	-1	1932	17	1914	43	1953		38	22	30	
Oshkosh	70	1930	3	1914	21	1903	55	1953		42	28	35	
Rhineland	64	1930	0	1932	17	2014,2022	46	1975		37	21	29	
Stevens Point	65	1941	-2	1914	21	2014,2022	52	1953		40	24	32	
Sturgeon Bay	61	1953	10	1986	24	2022	49	1953		41	28	34	
Wausau	63	1930,1941	0	1914	12	1932	51	1953		39	24	31	
Wisc. Rapids	67	1975	-1	1914	21	1937,2014,2022	52	1953		41	24	32	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.92	1957	6.0	1915,1981						1.16	27.56	2.5	3.4
Appleton	1.01	1948	3.0	1921						1.35	30.67	0.9	1.2
Green Bay	1.27	1948	4.0	1986						1.28	29.16	1.2	1.5
Manitowoc	1.68	1948	2.5	1921						1.29	29.11	0.3	0.5
Marshfield	1.80	1915	5.0	1986						1.27	31.80	2.2	2.9
Merrill	1.12	1974	7.0	1957						1.35	31.52	2.4	3.3
Oshkosh	1.05	1915	6.5	1986						1.36	31.01	0.8	1.1
Rhineland	0.72	1915	10.0	1957						1.35	32.24	5.6	7.5
Stevens Point	0.80	1913	2.0	1921						1.24	31.77	0.7	1.0
Sturgeon Bay	1.00	1915	4.0	1921						1.45	30.14	0.8	1.0
Wausau	0.67	1953	3.4	2000						1.22	31.74	3.1	4.0
Wisc. Rapids	1.03	1913	2.8	1915						1.20	31.96	1.3	1.4

November 19

November 20

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	62	1930	-6	1903	13	2014	48	1953	36	22	29	
Appleton	69	1930	6	1903	20	2014	54	1930	41	26	34	
Green Bay	62	1953,1982,2003	6	1903	19	2014	52	1930	41	27	34	
Manitowoc	59	1936	8	1903	20	2014	52	1953	41	29	35	
Marshfield	65	1975	-6	1921	17	1978	52	1930	39	24	31	
Merrill	66	1909	-9	1921	12	2014	47	1953	37	21	29	
Oshkosh	65	2003	3	1914	20	2014	52	1930	42	27	35	
Rhineland	70	1930	-10	1921	11	2014	40	1931	37	21	29	
Stevens Point	66	1897	-6	1903	15	2014	56	1930	39	24	32	
Sturgeon Bay	57	1999	11	1932	20	1914	49	1953	40	27	34	
Wausau	60	1913,1982,2003	-3	1921	16	1985,2014	46	1930,1931	38	23	31	
Wisc. Rapids	68	1920	-2	2014	11	1929	44	1931	40	24	32	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.72	1992	6.0	1986					1.22	27.62	2.7	3.6
Appleton	1.25	1992	7.8	1986					1.42	30.74	1.0	1.3
Green Bay	1.53	1992	3.6	1986					1.35	29.23	1.3	1.6
Manitowoc	1.30	1931	4.5	1986					1.36	29.18	0.3	0.5
Marshfield	1.52	1992	3.0	2000					1.34	31.87	2.4	3.1
Merrill	0.97	1934	3.7	1986					1.42	31.59	2.6	3.5
Oshkosh	1.25	1992	4.2	1978					1.42	31.07	0.8	1.1
Rhineland	1.28	1992	5.5	1966					1.42	32.31	6.0	7.9
Stevens Point	1.45	1953	5.5	1986					1.31	31.84	0.8	1.1
Sturgeon Bay	1.12	1948	3.5	1986					1.53	30.22	0.9	1.1
Wausau	1.14	1992	3.0	1956					1.28	31.80	3.4	4.3
Wisc. Rapids	1.78	1992	4.0	1956					1.27	32.03	1.4	1.5

November 20

November 21

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	59	1982	-11	2014	15	1985	44	1934		36	22	29	
Appleton	66	1913	3	2014	13	1964	49	1934		41	25	33	
Green Bay	66	1913	3	2014	18	1964	52	1913		41	27	34	
Manitowoc	68	1913	9	1964	24	1964	47	1963		41	28	34	
Marshfield	67	1990	-5	2014	10	1921	41	1934		38	23	31	
Merrill	64	1990	-9	2014	13	1964	42	1963		37	21	29	
Oshkosh	67	1913	1	2014	17	1964	52	1899		42	27	34	
Rhineland	73	1990	-8	2014	15	1964	42	1913,1990		37	20	28	
Stevens Point	63	1913	-2	2014	18	2000	47	1934		39	23	31	
Sturgeon Bay	66	1913	10	1929,2014	25	1964	44	1934		40	27	34	
Wausau	64	1990	-2	2014	9	1929	43	1934		38	23	30	
Wisc. Rapids	64	1990	-7	2014	15	1964	53	1934		40	23	32	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.40	1906	5.0	1956						1.27	27.67	2.9	3.8
Appleton	1.51	1906	3.0	1970						1.49	30.81	1.1	1.4
Green Bay	1.84	1906	5.0	1945						1.41	29.29	1.5	1.8
Manitowoc	1.70	1906	1.5	1925,1945						1.42	29.24	0.4	0.6
Marshfield	1.45	1920	6.0	1956						1.40	31.93	2.6	3.3
Merrill	1.54	1992	7.0	1906						1.49	31.66	2.8	3.7
Oshkosh	1.38	1934	5.0	1945						1.49	31.14	0.9	1.2
Rhineland	0.85	1934	7.5	1956						1.49	32.38	6.4	8.3
Stevens Point	1.40	1992	5.5	1945						1.37	31.90	0.9	1.2
Sturgeon Bay	1.93	1906	5.0	1921						1.60	30.29	1.1	1.3
Wausau	1.19	1934	10.0	1906						1.34	31.86	3.6	4.5
Wisc. Rapids	1.35	1934	3.0	1961						1.33	32.09	1.6	1.7

November 21

November 22

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	61	1990	-4	1929	15	1921,1929	44	1963		35	21	28	
Appleton	61	2012	1	1929	14	1929	41	1966		40	25	33	
Green Bay	61	2012	1	1929	19	1929	42	1966		40	26	33	
Manitowoc	61	1990	3	1929	18	1929	48	1963		40	28	34	
Marshfield	62	2012	-7	1929	14	1921	41	1963		37	23	30	
Merrill	61	2012	-6	1978	19	1921	44	1963		36	21	28	
Oshkosh	61	2012	1	1929	18	1929	45	1963		41	26	34	
Rhineland	60	2012	-8	1929	10	1929	42	1963		36	20	28	
Stevens Point	64	1990	-4	1929	15	1921	46	1963		38	23	31	
Sturgeon Bay	55	1913,2009	5	1929	17	1929	47	1963		40	27	33	
Wausau	62	1913,2012	-2	1929	14	1946	41	1966		37	23	30	
Wisc. Rapids	62	2012	-4	1989	16	1921	42	1966		39	23	31	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.54	1934	6.0	1961						1.33	27.73	3.1	4.0
Appleton	2.15	1934	5.0	1909						1.55	30.87	1.2	1.5
Green Bay	1.03	1963	5.5	1909						1.48	29.36	1.6	1.9
Manitowoc	2.46	1934	9.0	1909						1.49	29.31	0.4	0.6
Marshfield	1.14	1963	4.0	1945						1.46	31.99	2.8	3.5
Merrill	0.90	1963	4.8	1920						1.56	31.73	3.0	3.9
Oshkosh	1.43	1906	2.8	1961						1.55	31.20	1.0	1.3
Rhineland	0.93	1934	4.8	1961						1.56	32.45	6.8	8.7
Stevens Point	1.34	1934	8.0	1906						1.43	31.96	1.0	1.3
Sturgeon Bay	1.98	1934	2.5	1909						1.67	30.36	1.2	1.4
Wausau	1.12	1963	6.5	1947						1.40	31.92	3.9	4.8
Wisc. Rapids	1.15	1963	4.9	1909						1.39	32.15	1.8	1.9

November 22

November 23

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	56	1931	-4	1950,1956	17	1970	45	1908	35	21	28	
Appleton	57	1999	-5	1950	20	1956,1970	47	1908	40	25	32	
Green Bay	65	1931	-6	1950	15	1898	46	1931	40	26	33	
Manitowoc	58	1999	0	1950	15	1898	45	1931	40	27	34	
Marshfield	57	1931	-8	1950	11	1956	46	1966	37	22	30	
Merrill	59	1931	-10	1956	14	2013	46	1966	36	20	28	
Oshkosh	60	1999	-4	1950	10	1898	47	1966	41	26	33	
Rhineland	54	1983,2001,2006	-9	1950	14	2013	47	1908	36	20	28	
Stevens Point	58	1963	-5	1950	12	1898	48	1908	38	23	30	
Sturgeon Bay	55	2009	4	1950	25	1936,1956	45	1966	39	26	33	
Wausau	58	1931	-10	1950	15	1956	46	1908	37	22	29	
Wisc. Rapids	58	1905,2006	-9	1950	16	1941	47	1908	39	23	31	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.02	1963	7.0	1991					1.39	27.79	3.3	4.2
Appleton	1.82	2003	4.0	1977					1.62	30.94	1.4	1.7
Green Bay	1.54	2003	5.1	1978					1.54	29.42	1.8	2.1
Manitowoc	1.95	1882	2.0	1882					1.55	29.37	0.4	0.6
Marshfield	1.48	1983	5.0	1962,1978					1.52	32.05	3.0	3.7
Merrill	0.96	1983	8.5	1991					1.63	31.80	3.3	4.2
Oshkosh	2.01	2003	3.8	1978					1.62	31.27	1.0	1.3
Rhineland	1.42	1999	12.0	1991					1.63	32.52	7.3	9.2
Stevens Point	0.77	1963	4.0	1978					1.49	32.02	1.1	1.4
Sturgeon Bay	1.24	2003	2.0	1962,1996					1.73	30.42	1.3	1.5
Wausau	1.26	1999	11.7	1991					1.46	31.98	4.2	5.1
Wisc. Rapids	1.03	1931	5.0	1991					1.45	32.21	1.9	2.0

November 23

November 24

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	60	1931	-12	1950	10	1950	38	1908,2009		34	20	27	
Appleton	64	2017	-6	1950	6	1950	46	2001		39	24	32	
Green Bay	65	1931	-7	1950	6	1950	49	2001		40	26	33	
Manitowoc	58	1931	-3	1950	8	1950	43	1908		39	27	33	
Marshfield	62	2017	-18	1950	10	1985	42	2009		36	22	29	
Merrill	59	1913	-4	1989,1997	16	1970	42	1908		36	20	28	
Oshkosh	63	1931,2017	-8	1950	10	1950	44	2001		40	25	33	
Rhineland	59	1931	-11	1950	12	1970	45	2001		35	19	27	
Stevens Point	63	2017	-11	1950	10	1950	44	1908		37	22	30	
Sturgeon Bay	56	1931	-6	1950	8	1950	41	2009		39	26	32	
Wausau	60	2017	-10	1950	12	1950	47	2001		36	22	29	
Wisc. Rapids	65	2017	-10	1950	11	1950	48	2001		38	22	30	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.66	1931,1991	5.5	2014						1.44	27.84	3.6	4.5
Appleton	0.63	1908	3.8	2014						1.68	31.00	1.5	1.8
Green Bay	0.64	1887	6.4	1887						1.60	29.48	1.9	2.2
Manitowoc	0.84	2014	3.0	1891,1959						1.61	29.43	0.5	0.7
Marshfield	0.91	1931	9.0	1991						1.58	32.11	3.2	3.9
Merrill	1.24	1999	6.0	1965						1.69	31.86	3.5	4.4
Oshkosh	0.72	2014	6.0	2014						1.68	31.33	1.1	1.4
Rhineland	0.75	2014	5.9	2014						1.69	32.58	7.7	9.6
Stevens Point	0.78	1999	4.8	2014						1.55	32.08	1.2	1.5
Sturgeon Bay	1.01	1908	4.0	1912						1.80	30.49	1.4	1.6
Wausau	0.95	2001	4.8	2014						1.51	32.03	4.5	5.4
Wisc. Rapids	0.68	2001	4.8	2014						1.51	32.27	2.1	2.2

November 24

November 25

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	57	1914	-10	1950	13	2005	43	2001		34	20	27	
Appleton	57	1915	-3	1950	20	1903,1977	43	2009		39	24	31	
Green Bay	59	1908	-7	1950	16	1893	44	1915,2011		39	25	32	
Manitowoc	56	1914,2017	0	1893	19	1893	44	2009		39	27	33	
Marshfield	58	1998	-15	1950	14	1977	43	2001		36	21	29	
Merrill	55	1914	-4	1987,1997	15	1977,1985,2005	46	2001		35	19	27	
Oshkosh	59	1908	-7	1950	19	1903	46	2001		40	25	32	
Rhineland	55	1998	-9	1950	16	1977	42	2011		35	19	27	
Stevens Point	56	2001	-12	1950	17	1903	46	2001		37	22	29	
Sturgeon Bay	54	1984	-2	1929	19	2005	43	1915,2001,2009		38	26	32	
Wausau	56	1914,1998	-15	1950	16	1903	40	2009		36	21	28	
Wisc. Rapids	57	1998	-14	1950	12	1930	44	2011		38	22	30	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.80	1908	8.0	1992						1.49	27.89	3.8	4.7
Appleton	1.03	1952	2.7	1977						1.75	31.07	1.6	1.9
Green Bay	1.13	1896	3.4	1895						1.66	29.54	2.1	2.4
Manitowoc	1.27	1952	7.0	1887						1.67	29.49	0.5	0.7
Marshfield	0.78	2001	3.5	1951,1993						1.64	32.17	3.5	4.2
Merrill	1.05	1908	3.5	2014						1.76	31.93	3.7	4.6
Oshkosh	0.94	1952	4.8	1977						1.74	31.39	1.2	1.5
Rhineland	0.50	1952	3.0	1919,1942						1.75	32.64	8.0	9.9
Stevens Point	0.74	1896	5.0	1965						1.61	32.14	1.3	1.6
Sturgeon Bay	0.46	1952	4.5	2014						1.87	30.56	1.6	1.8
Wausau	0.83	1952	4.0	1897						1.57	32.09	4.8	5.7
Wisc. Rapids	1.22	1906	7.0	1992						1.57	32.33	2.3	2.4

November 25

November 26

	Rec		Rec		Rec		Rec						
	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	54	1960	-10	1977	15	1977	36	2011		33	19	26	
Appleton	60	1990	-3	1977	15	1977	44	2011		38	23	31	
Green Bay	61	1896,1914,1984	-4	1977	12	1977	45	2011		39	25	32	
Manitowoc	61	1914	0	1977	21	1996	44	1896,2011		39	26	32	
Marshfield	60	1914	-11	1977	11	1977	39	1914		36	21	28	
Merrill	61	1914	-9	1977	17	1977	43	1909		35	19	27	
Oshkosh	69	1914	-5	1977	14	1977	46	2011		39	25	32	
Rhineland	61	1914	-7	1977	17	1977	38	1914		34	18	26	
Stevens Point	60	1908	-9	1977	16	1977	39	2011		37	21	29	
Sturgeon Bay	60	1914	8	1932,1977	19	1977	45	1914,2011		38	25	32	
Wausau	59	1914	-8	1977	13	1977	38	1915		35	21	28	
Wisc. Rapids	59	1908	-9	1977	7	1930	39	1914		37	21	29	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.62	1952	7.0	1942						1.54	27.94	4.0	4.9
Appleton	1.17	1906	6.0	1971						1.81	31.13	1.8	2.1
Green Bay	1.03	1971	6.5	1971						1.73	29.61	2.3	2.6
Manitowoc	1.30	1926	3.5	1926						1.73	29.55	0.6	0.8
Marshfield	1.09	1965	6.5	1971						1.70	32.23	3.7	4.4
Merrill	0.97	1906	7.5	1970						1.82	31.99	4.0	4.9
Oshkosh	1.40	1906	5.7	1971						1.80	31.45	1.3	1.6
Rhineland	0.70	1915	6.5	1949						1.81	32.70	8.4	10.3
Stevens Point	1.30	1906	6.0	1942						1.67	32.20	1.4	1.7
Sturgeon Bay	0.99	1965	5.5	1949						1.93	30.62	1.7	1.9
Wausau	1.20	1906	8.2	1971						1.63	32.15	5.1	6.0
Wisc. Rapids	0.80	1965	3.0	1993						1.63	32.39	2.5	2.6

November 26

November 27

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	59	1909	-13	2014	7	1930	40	1909		33	19	26	
Appleton	60	1990	-1	1955	16	1930	45	1909,1984,1990		38	23	30	
Green Bay	63	1990	-3	1955	12	1930	50	1909		38	25	31	
Manitowoc	56	1990	-1	1887	20	1897	43	1990		38	26	32	
Marshfield	65	1998	-5	1996	6	1930	38	1984		35	21	28	
Merrill	61	19090	-7	1977	10	1930	42	1909		34	18	26	
Oshkosh	64	1998	-2	1898	12	1930	46	1909		39	24	32	
Rhineland	62	1998	-11	2014	14	1919	44	1909		34	18	26	
Stevens Point	62	1909	-9	1897	8	1930	47	1909		36	21	28	
Sturgeon Bay	54	1990	6	1930,1982	14	1930	44	1984		38	25	31	
Wausau	62	1998	-10	1897	8	1930	44	1909		35	20	28	
Wisc. Rapids	65	1998	-9	1930	10	1929	35	1990		37	21	29	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.98	1965	6.0	2019						1.59	27.99	4.3	5.2
Appleton	1.50	1910	6.5	1977						1.87	31.19	1.9	2.2
Green Bay	1.51	1910	9.7	1995						1.79	29.67	2.5	2.8
Manitowoc	1.55	1879	8.0	1995						1.79	29.61	0.6	0.8
Marshfield	0.82	1989	5.8	2019						1.76	32.29	4.0	4.7
Merrill	0.94	2019	6.0	2019						1.88	32.05	4.2	5.1
Oshkosh	1.30	1910	6.0	1995						1.86	31.51	1.4	1.7
Rhineland	1.15	2019	11.0	2019						1.86	32.75	8.8	10.7
Stevens Point	0.78	2016	5.0	1945,1995						1.72	32.25	1.5	1.8
Sturgeon Bay	1.44	2019	4.0	1995						2.00	30.69	1.9	2.1
Wausau	1.03	2019	7.0	1977						1.68	32.20	5.5	6.4
Wisc. Rapids	0.91	1934	4.0	1995						1.69	32.45	2.7	2.8

November 27

November 28

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	61	1998	-14	2014	9	1896	34	1909,2006	32	18	25	
Appleton	61	1998	-4	1955,1976	10	1976	39	1913	37	23	30	
Green Bay	58	2006,2017	-12	1887	2	1887	44	2016	38	24	31	
Manitowoc	59	1909	-10	1887	5	1887	42	2017	38	26	32	
Marshfield	62	1998	-12	1976	9	1976	39	2016	35	20	27	
Merrill	68	1909	-15	1976	13	2014	36	2006	34	18	26	
Oshkosh	65	1909	-6	1929	12	1896	42	2006,2016	38	24	31	
Rhineland	56	1909	-14	1976	5	1976	39	2016	33	17	25	
Stevens Point	65	1998	-10	1929	8	1896	39	2005,2006	36	21	28	
Sturgeon Bay	58	1909	0	1955,2014	14	1955	39	1913,2006	37	25	31	
Wausau	60	1909	-8	1976	5	1976	40	2016	34	20	27	
Wisc. Rapids	65	1998	-10	1929	10	1929	40	2016	36	21	28	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpr	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.37	2016	9.0	1918					1.64	28.04	4.5	5.4
Appleton	1.34	2016	5.0	1911					1.94	31.26	2.1	2.4
Green Bay	1.47	2016	5.3	1983					1.85	29.73	2.7	3.0
Manitowoc	1.03	1934	6.0	1911					1.85	29.67	0.7	0.9
Marshfield	0.80	1918,1983	8.0	1918					1.81	32.34	4.3	5.0
Merrill	1.29	2016	5.0	1905,1911					1.94	32.11	4.5	5.4
Oshkosh	2.30	1983	6.0	1911					1.92	31.57	1.5	1.8
Rhineland	0.98	2016	8.0	1934					1.91	32.80	9.1	11.0
Stevens Point	0.82	1994,2016	5.0	1983					1.78	32.31	1.6	1.9
Sturgeon Bay	1.22	1934	3.0	1910,1911,1983					2.06	30.75	2.0	2.2
Wausau	1.10	2016	7.4	1918					1.74	32.26	5.8	6.7
Wisc. Rapids	0.97	2016	1.5	1994					1.75	32.51	2.9	3.0

November 28

November 29

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	54	1998	-13	1995	4	1929	41	1998		32	18	25	
Appleton	57	1998	-7	1929,1976	12	1929,1937	46	1998		37	22	30	
Green Bay	63	1998	-9	1976	6	1929	44	1998		37	24	30	
Manitowoc	57	1941	-7	1976	8	1929	44	1998		37	25	31	
Marshfield	61	1998	-12	1929	2	1929	38	1913		34	20	27	
Merrill	57	1998	-15	1976	5	1976	38	1913		33	18	25	
Oshkosh	64	1998	-8	1976	12	1896	38	1913		38	23	31	
Rhineland	57	1998	-15	1976	10	1958	43	1998		33	17	25	
Stevens Point	61	1998	-10	1897	3	1929	38	1941		35	20	28	
Sturgeon Bay	53	1962,1998	-1	1929,1976	15	1929	46	2006		37	24	31	
Wausau	60	1998	-11	1929,1976	2	1929	45	1998		34	20	27	
Wisc. Rapids	62	1998	-11	1976	11	1958	49	1998		36	20	28	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.89	1991	4.5	1985						1.69	28.09	4.8	5.7
Appleton	1.45	1975	5.0	1988						2.00	31.32	2.2	2.5
Green Bay	1.21	1975	4.6	1988						1.91	29.79	2.9	3.2
Manitowoc	1.11	1919	3.7	1971						1.91	29.73	0.8	1.0
Marshfield	0.80	1919	8.0	1919						1.87	32.40	4.6	5.3
Merrill	0.68	2005	6.5	1919						2.00	32.17	4.7	5.6
Oshkosh	1.23	1919	6.0	1919						1.99	31.64	1.7	2.0
Rhineland	0.99	1991	5.0	1918						1.97	32.86	9.5	11.4
Stevens Point	0.38	1983	3.5	1919						1.84	32.37	1.8	2.1
Sturgeon Bay	1.10	1919	3.5	1971,2014						2.13	30.82	2.2	2.4
Wausau	0.79	1975	4.0	1902						1.79	32.31	6.1	7.0
Wisc. Rapids	1.26	1918	9.1	1918						1.81	32.57	3.2	3.3

November 29

November 30

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		1991-2020 Normals			
										High	Low	Mean	
Antigo	58	1998	-14	1976	5	1896	43	1998		31	17	24	
Appleton	59	1962	-5	1976	6	1929	40	1913,1914		37	22	29	
Green Bay	63	1998	-8	1976	9	1976	44	1914		37	23	30	
Manitowoc	61	1998	-3	1976	9	1896	43	1914		37	25	31	
Marshfield	58	1962	-12	1976	12	1976	52	1998		34	19	27	
Merrill	60	1998	-14	1976	10	1976	48	1998		33	17	25	
Oshkosh	63	1998	-5	1947	9	1896	55	1998		37	23	30	
Rhineland	58	1998	-16	1976	9	1976	35	1914		32	16	24	
Stevens Point	61	1998	-12	1897	9	1896	55	1998		35	20	27	
Sturgeon Bay	57	1962	0	1947	14	1929	48	1998		36	24	30	
Wausau	60	1998	-11	1947,1976	5	1896	36	1913,1998		33	19	26	
Wisc. Rapids	60	1998	-13	1947	3	1930	38	1913		35	20	28	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.75	1975	6.0	1934						1.74	28.14	5.1	6.0
Appleton	0.53	1991	4.5	2008						2.07	31.39	2.4	2.7
Green Bay	0.56	2019	3.0	1940						1.98	29.86	3.1	3.4
Manitowoc	0.99	1934	6.0	1928						1.98	29.80	0.9	1.1
Marshfield	0.57	1991	3.5	1934						1.93	32.46	4.9	5.6
Merrill	1.31	1991	4.0	1919						2.06	32.23	5.0	5.9
Oshkosh	0.59	2019	4.5	1940						2.05	31.70	1.8	2.1
Rhineland	0.75	1987	5.0	1919						2.03	32.92	9.9	11.8
Stevens Point	0.92	1975	3.0	1934,1940,1988						1.90	32.43	1.9	2.2
Sturgeon Bay	0.76	1975	5.0	1910						2.20	30.89	2.4	2.6
Wausau	0.43	2019	3.0	2019						1.85	32.37	6.5	7.4
Wisc. Rapids	0.37	1922	1.3	1985						1.87	32.63	3.4	3.5

November 30