



**NOVEMBER 2**

	REC		REC		REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	69	1933	4	1951	18	1991	55	1956		46	29	38
APPLETON	73	1990	10	1951	18	1951	56	1990		50	34	42
GREEN BAY	72	1990	9	1951	20	1951	59	1938		49	33	41
MANITOWOC	71	1990,2015	13	1951	31	1951	55	1944		49	37	43
MARSHFIELD	72	2000	4	1951	19	1951	57	1938		48	31	40
MERRILL	71	1944	4	1951	19	1951,1991	56	1938		48	29	38
OSHKOSH	73	1938	10	1951	22	1951	55	1938		51	34	42
RHINELANDER	68	1990	3	1951	14	1951	55	1956		46	29	37
STEVENS POINT	74	1933	4	1951	18	1951	57	1938		49	31	40
STURGEON BAY	71	1990	14	1951	25	1991	53	2000		49	34	42
WAUSAU	72	1944	0	1951	15	1951	57	1938		48	31	39
WISCONSIN RAPIDS	75	1924	1	1951	17	1951	52	1956		49	31	40
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.76	1971	1.5	1954					0.15	26.33	0.2	1.4
APPLETON	1.22	1961	0.5	1910					0.15	27.47	0.1	0.2
GREEN BAY	1.53	1894	0.5	1949					0.15	26.03	0.1	0.3
MANITOWOC	2.10	1992	0.5	1910					0.16	27.42	0.1	0.2
MARSHFIELD	1.16	1972	1.5	1991					0.14	29.39	0.1	0.9
MERRILL	1.50	1972	1.0	1972					0.15	28.80	0.1	0.9
OSHKOSH	1.20	1944	0.7	1954					0.17	27.87	0.0	0.1
RHINELANDER	0.87	1972	0.3	1996					0.13	28.25	0.2	1.6
STEVENS POINT	1.22	1971	0.5	1949					0.15	29.24	0.0	0.2
STURGEON BAY	1.95	1985	T	1932,1939,1949,1989					0.18	27.81	0.0	0.1
WAUSAU	1.43	1961	1.4	1919					0.14	29.19	0.2	1.6
WISCONSIN RAPIDS	1.46	1961	0.5	1991					0.14	28.71	0.0	0.1

**NOVEMBER 2**

**NOVEMBER 3**

	REC		REC		REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	71	1978	3	1951	15	1951	56	1938		45	29	37
APPLETON	71	2008	10	1951	20	1951	56	1938		49	34	41
GREEN BAY	72	1938	7	1951	21	1951	58	1938		49	32	40
MANITOWOC	73	1978	12	1951	21	1991	53	1938		48	36	42
MARSHFIELD	75	2008	2	1951	17	1951	56	1938		47	31	39
MERRILL	70	1909,2015	2	1951	13	1951	57	1938		47	28	38
OSHKOSH	73	1938,2008	8	1951	21	1951,1991	60	1938		50	33	42
RHINELANDER	70	1978,2015,2020	1	1951	15	1951	54	1938		45	29	37
STEVENS POINT	73	1904,2008	-2	1951	18	1951	56	1938		48	31	40
STURGEON BAY	70	1978	10	1951	22	1951	50	1956,1964		49	34	41
WAUSAU	72	2008,2015	-1	1951	16	1951	57	1938		47	31	39
WISCONSIN RAPIDS	75	1964	0	1951	18	1951	57	1938		49	30	39
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.07	1977	1.8	1989					0.22	26.40	0.3	1.5
APPLETON	1.45	2003	4.0	1951					0.23	27.55	0.1	0.2
GREEN BAY	1.03	1934	3.4	1951					0.22	26.10	0.1	0.3
MANITOWOC	1.54	1970	6.1	1951					0.24	27.50	0.1	0.2
MARSHFIELD	1.09	1977	2.0	1951,1991					0.21	29.46	0.2	1.0
MERRILL	1.35	1961	3.0	1989					0.23	28.88	0.2	1.0
OSHKOSH	1.40	2003	2.5	1951					0.25	27.95	0.0	0.1
RHINELANDER	1.37	1972	2.0	1919					0.20	28.33	0.3	1.7
STEVENS POINT	1.02	1977	1.0	1901,1951					0.23	29.32	0.0	0.2
STURGEON BAY	1.32	2003	2.0	1910					0.27	27.90	0.1	0.2
WAUSAU	1.02	1987	1.8	1951					0.22	29.27	0.3	1.7
WISCONSIN RAPIDS	1.30	1925	3.0	1989					0.21	28.78	0.1	0.2

**NOVEMBER 3**

## NOVEMBER 4

	REC		REC		REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	70	2008,2020	6	1951,1991	17	1951	53	1938		45	29	37
APPLETON	75	2008	10	1951	21	1951	56	1938		49	33	41
GREEN BAY	74	2008	4	1951	20	1951	54	1938,1956		48	32	40
MANITOWOC	76	2008	11	1879	22	1951	55	2008		48	36	42
MARSHFIELD	74	2020	2	1951,1991	17	1951	53	2008		47	31	39
MERRILL	72	1978,2020	4	2017	20	1951	53	1956		46	28	37
OSHKOSH	74	2008	10	1951	23	1951	55	1938		50	33	41
RHINELANDER	73	2020	1	1951	18	1951	56	2008		45	28	36
STEVENS POINT	74	1964	5	1951	19	1951	54	1938		48	31	39
STURGEON BAY	74	2008	16	1951,1991	25	1951	52	1956,1987		48	33	41
WAUSAU	70	1975,2008	5	1951	17	1951	54	2008		47	30	38
WISCONSIN RAPIDS	73	2008	5	1991	21	1951	56	1938		48	30	39
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.96	1988	2.8	2017					0.29	26.47	0.5	1.7
APPLETON	1.36	1934	1.5	1989					0.30	27.62	0.1	0.2
GREEN BAY	0.94	1988	2.9	1962					0.29	26.17	0.2	0.4
MANITOWOC	1.52	1934	10.0	1896					0.32	27.58	0.1	0.2
MARSHFIELD	0.62	2018	4.0	1959					0.29	29.54	0.3	1.1
MERRILL	1.33	1964	2.5	1993					0.30	28.95	0.3	1.1
OSHKOSH	0.66	1959	1.2	1962					0.33	28.03	0.1	0.2
RHINELANDER	0.88	2018	4.3	2017					0.26	28.39	0.4	1.8
STEVENS POINT	1.29	2003	1.5	1959					0.30	29.39	0.1	0.3
STURGEON BAY	1.36	1934	7.0	1951					0.36	27.99	0.1	0.2
WAUSAU	1.32	1925	5.6	1959					0.29	29.34	0.4	1.8
WISCONSIN RAPIDS	1.00	2018	T	1951,2017,2018					0.28	28.85	0.1	0.2

## NOVEMBER 4

--	--	--	--	--	--	--	--	--	--	--	--	--

## NOVEMBER 5

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	69	1975	1	1951	23	1991	51	1956,2015		44	28	36
APPLETON	71	1924,2020	5	1951	24	1951	54	1956		48	33	41
GREEN BAY	71	1924,2020	1	1951	25	1951	56	2015		48	32	40
MANITOWOC	70	1975	8	1951	24	1951	53	1956		47	36	41
MARSHFIELD	70	2016	-3	1951	23	1951	50	1956,2008		46	30	38
MERRILL	70	1909	2	1951	24	1991	52	2008		46	28	37
OSHKOSH	72	1924	3	1951	27	1951	55	2015		50	33	41
RHINELANDER	73	1975	1	1951	23	1991	53	2008		44	28	36
STEVENS POINT	73	1978	-3	1951	22	1951	52	1956,2008		47	30	39
STURGEON BAY	70	1975	12	1951	28	1951	52	1956		48	33	40
WAUSAU	71	1975	2	1951	23	1951	52	1956		46	30	38
WISCONSIN RAPIDS	73	1975	0	1951	26	1967	50	1948		48	29	38
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.96	1948	2.0	1959					0.36	26.54	0.6	1.8
APPLETON	1.03	2005	4.0	1959					0.38	27.70	0.1	0.2
GREEN BAY	1.09	1896	10.5	1896					0.37	26.25	0.2	0.4
MANITOWOC	1.00	1883	1.5	1991					0.39	27.65	0.2	0.3
MARSHFIELD	1.00	1925,1979	4.0	1959					0.36	29.61	0.3	1.1
MERRILL	0.90	1988	5.0	1959					0.37	29.02	0.3	1.1
OSHKOSH	1.20	1898	4.5	1959					0.41	28.11	0.1	0.2
RHINELANDER	0.78	1948	2.4	1991					0.33	28.46	0.6	2.0
STEVENS POINT	1.43	1942	1.0	1935,1959					0.38	29.47	0.1	0.3
STURGEON BAY	1.35	2005	3.0	1991					0.44	28.07	0.1	0.2
WAUSAU	1.62	1956	4.7	1959					0.36	29.41	0.6	2.0
WISCONSIN RAPIDS	1.37	1956	5.0	2006					0.35	28.92	0.1	0.2

## NOVEMBER 5

## NOVEMBER 6

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	72	2020	0	1951	12	1991	50	2008		44	28	36
APPLETON	72	2020	5	1991	28	1991,1993	54	1975		48	32	40
GREEN BAY	72	2020	-5	1951	27	1910	48	1977		47	31	39
MANITOWOC	69	1887	12	1951	29	2019	52	1975		47	35	41
MARSHFIELD	72	2020	0	1951	25	1959,1967,1991	49	1975		45	30	38
MERRILL	74	1909	-3	1951	15	1991	46	1975		45	27	36
OSHKOSH	73	2020	3	1951	17	1991	52	1975		49	32	41
RHINELANDER	73	2020	-9	1951	20	1993	51	1975		43	27	35
STEVENS POINT	70	1975	-7	1951	26	1991	53	1975,2008		47	30	38
STURGEON BAY	67	1975	6	1951	19	1991	50	1975,2008		47	33	40
WAUSAU	68	2016	-3	1951	23	1959	51	1975		46	30	38
WISCONSIN RAPIDS	70	2016	-2	1951	23	1993	52	1975		47	29	38
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.62	1956	3.0	1979					0.43	26.61	0.7	1.9
APPLETON	1.18	2013	4.6	1988					0.46	27.78	0.2	0.3
GREEN BAY	0.60	2013	4.6	1988					0.44	26.32	0.3	0.5
MANITOWOC	1.73	2005	4.0	1988					0.47	27.73	0.2	0.3
MARSHFIELD	1.05	1956	2.0	1960					0.44	29.69	0.4	1.2
MERRILL	1.70	1956	3.0	1959					0.45	29.10	0.4	1.2
OSHKOSH	1.28	2005	4.0	2019					0.49	28.19	0.1	0.2
RHINELANDER	1.73	1956	5.0	1959					0.39	28.52	0.7	2.1
STEVENS POINT	1.73	1956	3.0	1959					0.45	29.54	0.1	0.3
STURGEON BAY	1.25	1988	3.0	1959					0.53	28.16	0.1	0.2
WAUSAU	0.71	1977	4.0	1896					0.43	29.48	0.7	2.1

WISCONSIN RAPIDS	0.97	1977		2.5	2019					0.42	28.99	0.2	0.3	
<b>NOVEMBER 6</b>														
<b>NOVEMBER 7</b>														
						REC				REC				
	REC		REC			LOW				HIGH		NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)			HI	LO	ME	
ANTIGO	70	2020	-3	1991	17	1991	51	1975,2020			43	27	35	
APPLETON	72	2020	0	1991	21	1991	54	1975			47	32	40	
GREEN BAY	71	2020	-3	1991	22	1991	55	2020			47	31	39	
MANITOWOC	67	1949,2009	4	1991	21	1991	49	1918			46	35	41	
MARSHFIELD	72	2020	-7	1991	20	1991	52	1975			45	29	37	
MERRILL	71	2020	-4	1991	19	1991	52	1975			45	27	36	
OSHKOSH	72	1949,2009,2020	0	1991	22	1991	55	1975			49	32	40	
RHINELANDER	71	2020	-4	1991	20	1991	54	2020			43	27	35	
STEVENS POINT	68	1949	-4	1991	15	1991	53	1975			46	29	38	
STURGEON BAY	67	2009	11	1991	22	1991	49	1975			47	32	40	
WAUSAU	68	1949	-1	1991	16	1991	54	1975			45	29	37	
WISCONSIN RAPIDS	73	1931	-4	1991	21	1991	50	1918			46	29	37	
	REC		REC								NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)							PCPN		SNOW	
											MONTH	YEAR	MONTH	SEASON
ANTIGO	1.16	1947	4.6	1896							0.51	26.69	0.9	2.1
APPLETON	1.19	1946	1.5	1941							0.53	27.85	0.2	0.3
GREEN BAY	1.26	1943	3.5	1941							0.51	26.39	0.3	0.5
MANITOWOC	1.60	1943	3.0	1941,1951							0.54	27.80	0.2	0.3
MARSHFIELD	1.03	1943	4.0	1938							0.52	29.77	0.5	1.3
MERRILL	0.68	1946	1.8	1988							0.53	29.18	0.5	1.3
OSHKOSH	0.98	1946	7.5	1896							0.57	28.27	0.1	0.2
RHINELANDER	2.14	1977	4.0	1938							0.46	28.59	0.8	2.2
STEVENS POINT	1.14	1946	3.0	1896							0.53	29.62	0.1	0.3
STURGEON BAY	1.44	1943	2.5	2019							0.62	28.25	0.2	0.3

WAUSAU	1.32	1946	1.5	1988					0.50	29.55	0.8	2.2
WISCONSIN RAPIDS	1.15	1945	T	1948					0.49	29.06	0.2	0.3

**NOVEMBER 7**


**NOVEMBER 8**

	REC		REC		LOW		HIGH		NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME
ANTIGO	68	1999,2020	-3	1991	23	1995	50	1945	42	27	35
APPLETON	71	2020	5	1991	28	1925,1991,1995,2003	51	1977	47	32	39
GREEN BAY	75	2020	4	1991	27	1991	51	1977	46	30	38
MANITOWOC	67	2006	8	1991	25	2019	50	1944,2016	46	34	40
MARSHFIELD	73	1999	-2	1991	26	1991,2019	48	1931,1977	44	29	37
MERRILL	71	1931	-1	1991	25	1991,2003	49	1918	44	26	35
OSHKOSH	74	1999,2020	1	1991	25	2019	51	1977	48	31	40
RHINELANDER	69	1931,1999,2020	0	2003	23	1973,1995	53	2020	42	27	34
STEVENS POINT	73	1999	1	1991	24	1991	50	1977	46	29	37
STURGEON BAY	69	1999	15	1991	27	2003,2019	49	1975,1977	46	32	39
WAUSAU	71	1999	2	1991	25	1991,2019	50	1977	44	29	37
WISCONSIN RAPIDS	74	1999	-4	1991	23	1925	50	1977	46	28	37

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.20	1943	3.5	1985					0.58	26.76	1.0	2.2
APPLETON	0.96	1937	4.0	1921					0.60	27.92	0.3	0.4
GREEN BAY	0.85	1937	6.2	1890					0.57	26.45	0.4	0.6
MANITOWOC	0.92	1890,1945	3.0	1913					0.61	27.87	0.3	0.4
MARSHFIELD	0.98	1932	3.0	1943					0.59	29.84	0.5	1.3
MERRILL	1.36	1943	5.0	1985					0.60	29.25	0.6	1.4
OSHKOSH	1.14	1943	3.5	1985					0.65	28.35	0.2	0.3
RHINELANDER	1.16	1916	3.0	1935,1938					0.52	28.64	0.9	2.3
STEVENS POINT	1.70	1945	3.5	1921					0.60	29.69	0.1	0.3



STURGEON BAY	1.33	1998	1.5	1936					0.70	28.33	0.2	0.3	
WAUSAU	1.52	1945	2.0	1948,1957					0.57	29.62	0.9	2.3	
WISCONSIN RAPIDS	1.00	1932	1.0	1990					0.56	29.13	0.2	0.3	
<b>NOVEMBER 8</b>													
<b>NOVEMBER 9</b>													
					REC			REC					
	REC		REC		LOW			HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	68	1999	1	1991	21	1986	53	1977		42	26	34	
APPLETON	74	2020	12	1995	26	1926	52	1999		46	31	39	
GREEN BAY	75	2020	13	2003	26	1896	64	2020		46	30	38	
MANITOWOC	74	1999	16	1991,2003	30	1957	52	1999		45	34	40	
MARSHFIELD	73	1999	7	1959	24	1933,1979	52	1931		44	28	36	
MERRILL	71	1999	1	2003	22	1986	50	1977,2020		44	26	35	
OSHKOSH	75	1903,2020	6	1991	27	1957	63	2020		48	31	39	
RHINELANDER	71	1999	6	1925,1959	20	1986	47	2020		42	26	34	
STEVENS POINT	76	1989	7	2003	23	1933	55	1977		45	29	37	
STURGEON BAY	74	1999	17	1995	28	1913	52	1931		46	32	39	
WAUSAU	73	1999	9	2003,2017	24	1933,1979	52	1999		44	28	36	
WISCONSIN RAPIDS	74	1999	7	2003	22	1933	50	1999		45	28	36	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.55	1932	4.5	1894						0.65	26.83	1.1	2.3
APPLETON	0.88	1945,1982	4.1	1985						0.67	27.99	0.3	0.4
GREEN BAY	1.70	2011	7.6	1985						0.65	26.53	0.5	0.7
MANITOWOC	1.30	2011	5.0	1926						0.68	27.94	0.3	0.4
MARSHFIELD	1.90	1983	3.0	1985,2011						0.67	29.92	0.6	1.4
MERRILL	1.17	1932	2.8	2011						0.67	29.32	0.6	1.4
OSHKOSH	1.56	1998	4.0	1985						0.72	28.42	0.2	0.3
RHINELANDER	1.49	1975	2.6	1926						0.58	28.70	1.1	2.5

STEVENS POINT	0.93	1932	3.0	1979					0.67	29.76	0.1	0.3
STURGEON BAY	0.70	1948	3.0	1985					0.78	28.41	0.3	0.4
WAUSAU	1.64	1975	3.2	2011					0.64	29.69	1.1	2.5
WISCONSIN RAPIDS	1.52	1919	5.0	1982					0.63	29.20	0.3	0.4

**NOVEMBER 9**


**NOVEMBER 10**

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	63	1917	1	2017	21	2017	41	1999		41	26	34
APPLETON	66	2016	8	2017	26	1926	45	1935,1962		46	31	38
GREEN BAY	67	2016	11	2017	23	1926	46	1964		45	30	37
MANITOWOC	72	1999	13	1973,2017	27	1933	47	2012		45	34	39
MARSHFIELD	64	1917,2016	6	1933,2017	23	1986,2018	46	1999		43	28	36
MERRILL	70	1909	0	2017	20	1986	43	1999		43	26	34
OSHKOSH	66	1949,2012,2020	11	2017	27	1933,2018	52	1999		47	31	39
RHINELANDER	66	2016	0	1986,2017	19	1986	41	2016		41	26	33
STEVENS POINT	73	1999	7	2017	22	1933	47	1919		45	28	36
STURGEON BAY	64	1931	14	2017	28	1933,1942,1957	47	1999		45	31	38
WAUSAU	62	2016	5	2017	22	1986,2018	42	1964		43	28	36
WISCONSIN RAPIDS	69	1927	5	1979,2017	24	1926	46	1905		45	27	36

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.46	1919	9.3	1896					0.72	26.90	1.3	2.5
APPLETON	1.32	2020	2.1	1985					0.75	28.07	0.4	0.5
GREEN BAY	1.28	2020	3.5	1896					0.72	26.60	0.5	0.7
MANITOWOC	1.37	2020	3.0	2006					0.75	28.01	0.3	0.4
MARSHFIELD	2.45	1919	4.5	2006					0.74	29.99	0.7	1.5
MERRILL	1.48	1919	11.7	2006					0.74	29.39	0.7	1.5
OSHKOSH	1.56	2020	2.0	2006					0.80	28.50	0.2	0.3

RHINELANDER	1.39	1919	12.5	2006					0.65	28.77	1.2	2.6
STEVENS POINT	1.67	1919	8.0	1896					0.75	29.84	0.1	0.3
STURGEON BAY	0.93	1948	2.0	1985,1991					0.86	28.49	0.3	0.4
WAUSAU	1.80	1915	10.0	1896					0.71	29.76	1.2	2.6
WISCONSIN RAPIDS	1.23	1988	4.0	2006					0.70	29.27	0.3	0.4

**NOVEMBER 10**

--	--	--	--	--	--	--	--	--	--	--	--	--

**NOVEMBER 11**

	REC		REC		LOW		HIGH		NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME
ANTIGO	67	1964	-1	1986	17	1986	46	1909	41	26	33
APPLETON	67	1915,1927,1964	7	1926,1986	21	1986	49	1964	45	30	38
GREEN BAY	68	1964	7	1979	22	1986	49	1964	45	29	37
MANITOWOC	70	1964	10	1926	27	1950	48	1909	44	33	39
MARSHFIELD	68	1964	-1	1986	19	2019	43	1940,1954,1964	42	27	35
MERRILL	65	1923	1	1986	17	1986	43	1964	43	25	34
OSHKOSH	69	1927	8	1926,1986	23	1986,2019	48	1924	47	30	38
RHINELANDER	66	1930	-1	1926	17	2019	44	1909	40	25	33
STEVENS POINT	66	1964	1	1986	23	1950	47	1967	44	28	36
STURGEON BAY	66	1964	11	1926	26	1986	46	1922,1964	45	31	38
WAUSAU	68	1964	2	1986	18	1986	54	1909	43	27	35
WISCONSIN RAPIDS	71	1964	-4	1926	21	2019	54	1905	44	27	35

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	2.03	1915	7.0	2014					0.78	26.96	1.5	2.7
APPLETON	1.97	1982	3.0	1933					0.82	28.14	0.4	0.5
GREEN BAY	1.66	1982	2.8	1933					0.79	26.67	0.6	0.8
MANITOWOC	1.66	1915	3.0	1933,1995					0.81	28.07	0.4	0.5
MARSHFIELD	0.80	2012	3.5	1933					0.82	30.07	0.8	1.6
MERRILL	1.79	1915	1.0	1932					0.82	29.47	0.8	1.6

OSHKOSH	0.92	1903	3.0	1933					0.88	28.58	0.3	0.4
RHINELANDER	1.29	1915	8.3	2014					0.71	28.83	1.4	2.8
STEVENS POINT	1.05	2012	3.7	1933					0.82	29.91	0.2	0.4
STURGEON BAY	1.42	1974	3.0	1933					0.94	28.57	0.3	0.4
WAUSAU	1.25	1902	4.5	2014					0.78	29.83	1.4	2.8
WISCONSIN RAPIDS	1.42	1982	1.2	1966					0.77	29.34	0.4	0.5

**NOVEMBER 11**


**NOVEMBER 12**

	REC		REC		REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	61	1930	1	2019	14	1986	45	1964		40	25	33
APPLETON	63	1902,1930	4	1986	17	1940	45	1961,1964		45	30	37
GREEN BAY	64	1964	6	1911,1986	17	1940	47	1964		44	29	36
MANITOWOC	67	1930	8	2019	19	2019	49	1964		44	33	38
MARSHFIELD	61	1930,1987	2	2019	16	2019	42	1944,1964		42	27	34
MERRILL	69	1909	1	1986,2019	14	1986	46	1964		42	25	33
OSHKOSH	65	1930	5	2019	18	2019	48	1964		46	30	38
RHINELANDER	61	1930	-6	1986	13	1920,1986	45	1964		40	25	32
STEVENS POINT	70	1964	2	1921	19	1920	48	1902		44	27	35
STURGEON BAY	64	1930	11	1933,2019	17	1940	49	1964		44	31	38
WAUSAU	59	1930	2	1986,2019	11	1940	42	1902,1944,1961		42	27	35
WISCONSIN RAPIDS	62	1930	-1	1921	18	2019	53	1905		44	26	35

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.24	1982	5.0	1948					0.85	27.03	1.6	2.8
APPLETON	0.83	1965	4.0	1916					0.90	28.22	0.5	0.6
GREEN BAY	0.98	1889	9.8	1889					0.86	26.74	0.7	0.9
MANITOWOC	1.05	1916	10.5	1916					0.88	28.14	0.4	0.5
MARSHFIELD	1.60	1965	3.7	1916					0.90	30.15	0.9	1.7

MERRILL	1.28	1965	1.8	1919						0.89	29.54	0.9	1.7
OSHKOSH	1.22	1982	8.0	1916						0.96	28.66	0.3	0.4
RHINELANDER	1.24	1964	3.0	1914,1919						0.77	28.89	1.5	2.9
STEVENS POINT	1.98	1945	4.0	1916						0.90	29.99	0.2	0.4
STURGEON BAY	1.65	1982	4.0	1906						1.02	28.65	0.4	0.5
WAUSAU	1.12	1965	4.5	1948						0.85	29.90	1.5	2.9
WISCONSIN RAPIDS	1.06	1965	3.0	1916						0.84	29.41	0.4	0.5

**NOVEMBER 12**

--	--	--	--	--	--	--	--	--	--	--	--	--	--

**NOVEMBER 13**

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	64	1999	-5	1986	14	1911	42	1944		40	25	32	
APPLETON	67	1999	0	1986	15	1986	44	1944,1951,1994,2005		44	29	37	
GREEN BAY	68	1999	2	1986	15	1986	47	1944,2011		44	28	36	
MANITOWOC	70	1999	3	1986	21	1986,2019	48	1944		43	32	38	
MARSHFIELD	67	1999	-5	1986	17	1986	47	1944		41	26	34	
MERRILL	65	1999	-4	1986	16	1911,1986	44	1944		41	24	33	
OSHKOSH	68	1952,1999	1	1911,1986	18	1986	48	1944		46	29	37	
RHINELANDER	64	1999	-3	1911	13	1911	43	1944		39	24	32	
STEVENS POINT	65	1952	-3	1986	16	1986	43	1994		43	27	35	
STURGEON BAY	67	1999	5	1911,1986	17	1986	46	2005		44	30	37	
WAUSAU	67	1999	-3	1986	14	1986	44	1944,1994		42	26	34	
WISCONSIN RAPIDS	72	1999	1	1919	14	1940	45	2001		43	26	34	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.20	1909	5.0	1914						0.92	27.10	1.8	3.0
APPLETON	0.83	1978	4.0	1959						0.98	28.30	0.5	0.6
GREEN BAY	0.78	1978	4.2	1916						0.94	26.82	0.8	1.0
MANITOWOC	1.36	1912	8.5	1916						0.96	28.22	0.5	0.6

MARSHFIELD	0.71	1951	4.0	1921					0.98	30.23	1.0	1.8
MERRILL	1.96	1949	6.5	1914					0.97	29.62	1.0	1.8
OSHKOSH	0.86	1978	3.7	1959					1.04	28.74	0.3	0.4
RHINELANDER	1.41	1909	3.0	1914,2010					0.83	28.95	1.7	3.1
STEVENS POINT	1.00	1909	8.0	1916					0.98	30.07	0.2	0.4
STURGEON BAY	1.32	1912	14.0	1916					1.11	28.74	0.4	0.5
WAUSAU	0.84	2010	3.5	1914					0.92	29.97	1.7	3.1
WISCONSIN RAPIDS	1.14	1909	4.6	1916					0.91	29.48	0.5	0.6

**NOVEMBER 13**


**NOVEMBER 14**

					REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	65	1953	-3	1916,1986	20	1919	46	1944		39	24	32
APPLETON	67	1958	4	1916	21	1916	49	1909,1958		44	29	36
GREEN BAY	65	1909,1953,1958	3	1916	18	1900	50	1958		43	28	35
MANITOWOC	70	1999	9	1884,1916	21	1900	51	1958		43	32	37
MARSHFIELD	68	1990	1	1959	18	1916	48	1944		41	26	33
MERRILL	65	1953	-5	1916	16	1986	46	1944		41	24	32
OSHKOSH	67	1953	1	1986	24	1900	53	1958		45	29	37
RHINELANDER	63	1953	-3	1916	15	1916,1933	49	2001		39	24	31
STEVENS POINT	70	1999	-4	1916	23	1945	49	1944		42	26	34
STURGEON BAY	64	1953	9	1986	22	1919,1933	49	1994		44	30	37
WAUSAU	64	1953,1990	-2	1916	16	1916	52	1909		41	26	33
WISCONSIN RAPIDS	66	1953	-7	1916	15	1940	50	1944		42	25	34

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.33	1922	3.0	1951						0.99	27.17	2.0	3.2
APPLETON	1.60	1956	4.0	1910						1.05	28.37	0.6	0.7
GREEN BAY	0.95	1956	1.0	1889,1916						1.01	26.89	0.9	1.1

MANITOWOC	1.41	1957	3.0	1910					1.03	28.29	0.6	0.7
MARSHFIELD	0.26	1983	1.5	1951					1.06	30.31	1.2	2.0
MERRILL	0.83	1909	6.1	1915					1.04	29.69	1.2	2.0
OSHKOSH	0.79	1956	1.0	1921					1.13	28.83	0.4	0.5
RHINELANDER	0.49	1927	3.0	1915					0.89	29.01	1.9	3.3
STEVENS POINT	0.96	1902	3.0	1921					1.05	30.14	0.2	0.4
STURGEON BAY	1.09	1957	5.0	1933					1.20	28.83	0.5	0.6
WAUSAU	0.75	1902	3.4	1915					0.99	30.04	1.9	3.3
WISCONSIN RAPIDS	1.55	1927	1.3	1982					0.98	29.55	0.6	0.7

**NOVEMBER 14**

--	--	--	--	--	--	--	--	--	--	--	--	--

**NOVEMBER 15**

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	64	2001	-9	2014	12	1933	50	1930		38	23	31	
APPLETON	67	1990	0	1916,1933	12	1933	50	1930		43	28	36	
GREEN BAY	68	2001	1	1959	13	1933	52	1930		43	27	35	
MANITOWOC	68	2001	3	1916	19	1933	47	1928		42	31	37	
MARSHFIELD	67	1953	-2	1933,1940	10	1933	52	1930		40	25	33	
MERRILL	66	1953	-7	1916	25	1916	47	1930		40	23	32	
OSHKOSH	69	2001	-1	1916	17	1933	48	1964		45	28	36	
RHINELANDER	67	1939	-5	1911	14	1933	47	1930		38	23	31	
STEVENS POINT	67	1990	-13	1916	16	1933	52	1930		42	26	34	
STURGEON BAY	66	1926	4	1933	14	1933	46	1964,2001		43	29	36	
WAUSAU	66	2001	-3	1916	15	1933	53	1930		40	25	33	
WISCONSIN RAPIDS	70	1953	-6	1916	11	1933	54	1930		42	25	33	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.16	1944	7.5	2005						1.06	27.24	2.3	3.5
APPLETON	1.54	1927	3.3	1947						1.13	28.45	0.7	0.8

GREEN BAY	0.84	2005	2.4	1973					1.09	26.97	1.0	1.2
MANITOWOC	1.24	1956	1.2	1943					1.12	28.38	0.6	0.7
MARSHFIELD	1.93	1927	3.8	2005					1.14	30.39	1.3	2.1
MERRILL	1.52	1996	3.0	1951					1.12	29.77	1.3	2.1
OSHKOSH	2.14	1927	1.6	1947					1.22	28.92	0.4	0.5
RHINELANDER	0.94	1931	2.5	1927					0.95	29.07	2.2	3.6
STEVENS POINT	1.54	1927	5.0	1947					1.13	30.22	0.2	0.4
STURGEON BAY	1.50	1927	2.0	1973,2000					1.29	28.92	0.6	0.7
WAUSAU	1.07	1988	3.5	1956					1.06	30.11	2.2	3.6
WISCONSIN RAPIDS	1.23	1988	1.5	1916					1.05	29.62	0.7	0.8

**NOVEMBER 15**


**NOVEMBER 16**

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	70	1953	-6	1933	12	1933	48	1942		38	23	30	
APPLETON	70	1953	0	1933	26	1927	50	1930		43	28	35	
GREEN BAY	72	1953	1	1933,1959	21	1933	53	1942		42	27	34	
MANITOWOC	68	1953	1	1884	17	1933	47	1930		42	31	37	
MARSHFIELD	69	1953	-9	1933	11	1933	49	1942		39	25	32	
MERRILL	70	1953	-8	1911	19	1989	51	1930		40	23	31	
OSHKOSH	72	1953	-2	1933	12	1933	50	1942		44	28	36	
RHINELANDER	63	1931	-9	1932	21	1932,2014	51	1942		37	23	30	
STEVENS POINT	70	1953	-6	1933	15	1933	53	1930		41	25	33	
STURGEON BAY	69	1953	6	1933	26	1937	46	1918,1931,1987		43	29	36	
WAUSAU	68	1953	-3	1933	12	1933	49	1942		40	25	32	
WISCONSIN RAPIDS	73	1953	-6	1933	15	1964	53	1934		41	24	33	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.90	1930	5.0	1961						1.12	27.30	2.5	3.7



APPLETON	1.20	1948	2.5	1915					1.21	28.53	0.8	0.9
GREEN BAY	1.57	1948	2.7	1992					1.16	27.04	1.1	1.3
MANITOWOC	1.83	1961	2.0	1915					1.19	28.45	0.7	0.8
MARSHFIELD	1.39	1996	6.0	1961					1.22	30.47	1.5	2.3
MERRILL	1.50	1909	6.0	1909					1.19	29.84	1.4	2.2
OSHKOSH	1.55	1948	0.5	1962					1.30	29.00	0.5	0.6
RHINELANDER	1.11	1996	6.8	1909					1.01	29.13	2.4	3.8
STEVENS POINT	1.19	1957	5.0	1909					1.20	30.29	0.3	0.5
STURGEON BAY	1.18	1961	3.0	1928					1.37	29.00	0.6	0.7
WAUSAU	0.82	1996	6.0	1909					1.13	30.18	2.4	3.8
WISCONSIN RAPIDS	1.00	1961	3.0	1909					1.12	29.69	0.8	0.9

**NOVEMBER 16**


**NOVEMBER 17**

	REC		REC		REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	70	1953	-5	1959	9	1959	47	1934		37	22	30
APPLETON	66	1953	-1	1959	14	1959	54	1931		42	27	35
GREEN BAY	67	1931,1953,2016	0	1959	10	1959	50	1958		42	26	34
MANITOWOC	65	1958	1	1959	14	1959	48	1958,2004		41	31	36
MARSHFIELD	70	1953	-7	1959	8	1959	49	1918		39	24	32
MERRILL	71	1953	-6	1959	10	1959	47	1918		39	22	31
OSHKOSH	69	1953	-1	1959	11	1959	49	1918,1987,2015		43	27	35
RHINELANDER	67	1939	-8	1932	8	1959	47	1931		37	22	30
STEVENS POINT	69	1953	-3	1959	12	2014	49	1934		41	25	33
STURGEON BAY	64	1971	2	1959	20	1989	48	1918		42	29	35
WAUSAU	69	1953	-3	1959	9	1959	50	1918		39	24	32
WISCONSIN RAPIDS	69	1939	-5	1933	11	1959	52	1958		41	24	32
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN	SNOW		
									MONTH	YEAR	MONTH	SEASON

ANTIGO	1.40	1911	14.0	1911					1.18	27.36	2.7	3.9
APPLETON	1.91	1978	6.0	1926					1.28	28.60	0.8	0.9
GREEN BAY	1.53	1978	3.0	1911					1.23	27.11	1.3	1.5
MANITOWOC	1.90	2013	4.0	1924					1.27	28.53	0.7	0.8
MARSHFIELD	1.26	1978	4.0	1924					1.29	30.54	1.6	2.4
MERRILL	1.20	1911	12.0	1911					1.26	29.91	1.6	2.4
OSHKOSH	1.75	1978	3.0	1911					1.38	29.08	0.5	0.6
RHINELANDER	0.79	1911	10.5	1911					1.07	29.19	2.6	4.0
STEVENS POINT	1.78	1906	2.0	1924					1.26	30.35	0.3	0.5
STURGEON BAY	1.64	1948	4.0	1911					1.46	29.09	0.7	0.8
WAUSAU	1.52	1958	3.1	1995					1.19	30.24	2.7	4.1
WISCONSIN RAPIDS	1.24	1931	4.0	1909,1911					1.18	29.75	0.8	0.9

**NOVEMBER 17**


**NOVEMBER 18**

					REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	66	1953	-1	1961	11	2014	47	1941		37	22	29
APPLETON	64	1963,2016	1	1959	19	1903,2014	47	2001		42	27	34
GREEN BAY	68	1953,2016	4	1891	17	1903	57	1941		41	26	33
MANITOWOC	66	1975	3	1891	17	1903	50	2016		41	30	36
MARSHFIELD	68	1953	1	1929	14	2014	46	1941		38	24	31
MERRILL	67	1953	-1	1909	20	1989	46	2015		38	22	30
OSHKOSH	70	1953	3	1989	17	1903	53	1941		43	27	35
RHINELANDER	68	1917	0	1914,1986	10	2014	50	1973		36	22	29
STEVENS POINT	69	1953	-2	1989	15	1903,2014	49	1941		40	24	32
STURGEON BAY	69	1953	9	1914,1959	22	1989,2014	46	1953		42	28	35
WAUSAU	66	1953	5	1909,1986	13	2014	47	1941		39	24	31
WISCONSIN RAPIDS	79	1930	1	1932	15	2014	47	1953		40	23	32
	REC		REC							NORMAL		

	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.27	1958	4.0	1978					1.25	27.43	3.0	4.2
APPLETON	1.42	1957	6.0	1926					1.36	28.68	1.0	1.1
GREEN BAY	1.20	1957	5.3	1926					1.30	27.18	1.4	1.6
MANITOWOC	1.25	1986	0.2	1937					1.35	28.61	0.8	0.9
MARSHFIELD	1.56	1958	6.0	1957					1.37	30.62	1.8	2.6
MERRILL	1.43	1958	2.2	1921					1.34	29.99	1.8	2.6
OSHKOSH	1.25	1892	3.0	1892					1.46	29.16	0.6	0.7
RHINELANDER	0.73	1991	6.0	1957					1.13	29.25	2.9	4.3
STEVENS POINT	1.06	1991	4.0	1928,1957					1.33	30.42	0.3	0.5
STURGEON BAY	0.64	2017	2.0	1926,1927					1.54	29.17	0.8	0.9
WAUSAU	0.90	1957	5.5	1957					1.26	30.31	2.9	4.3
WISCONSIN RAPIDS	1.44	1957	2.0	1911					1.25	29.82	1.0	1.0

**NOVEMBER 18**


**NOVEMBER 19**

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	62	1930	-4	1894	16	1894	50	1953		36	21	29
APPLETON	69	1930	4	1986	23	2014	51	1953		41	26	34
GREEN BAY	72	1953	1	1894	14	1894	56	1953		40	26	33
MANITOWOC	64	1913	10	1914,2014	22	1903	51	1953		40	30	35
MARSHFIELD	66	1930	-4	1914	19	1914	51	1953		38	23	31
MERRILL	67	1930	-1	1932	17	1914	43	1953		38	21	30
OSHKOSH	70	1930	3	1914	21	1903	55	1953		42	26	34
RHINELANDER	70	1930	0	1932	17	2014	46	1975		36	21	28
STEVENS POINT	65	1941	-2	1914	21	2014	52	1953		40	24	32
STURGEON BAY	61	1953	10	1986	21	2014	49	1953		41	28	34
WAUSAU	63	1930	0	1914	12	1932	51	1953		38	23	31
WISCONSIN RAPIDS	67	1975	-1	1914	21	1937,2014	52	1953		39	23	31

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.92	1957	6.0	1981,1986						1.31	27.49	3.3	4.5
APPLETON	1.01	1948	3.0	1921						1.43	28.75	1.1	1.2
GREEN BAY	1.27	1948	4.0	1986						1.38	27.26	1.6	1.8
MANITOWOC	1.68	1948	2.5	1921						1.43	28.69	0.9	1.0
MARSHFIELD	1.80	1915	5.0	1986						1.45	30.70	2.0	2.8
MERRILL	1.12	1974	7.0	1957						1.41	30.06	2.0	2.8
OSHKOSH	1.05	1915	6.5	1986						1.54	29.24	0.7	0.8
RHINELANDER	0.72	1915	10.0	1957						1.19	29.31	3.2	4.6
STEVENS POINT	0.80	1913	2.0	1921						1.40	30.49	0.4	0.6
STURGEON BAY	1.00	1915	4.0	1921						1.63	29.26	0.9	1.0
WAUSAU	0.67	1953	3.4	2000						1.33	30.38	3.2	4.6
WISCONSIN RAPIDS	1.03	1913	2.8	1915						1.32	29.89	1.1	1.2

**NOVEMBER 19**


**NOVEMBER 20**

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	62	1930	-6	1903	13	2014	48	1953		36	21	28
APPLETON	64	2003	6	1903	20	2014	54	1930		40	26	33
GREEN BAY	62	1953,1982,2003	6	1903	19	2014	52	1930		40	25	32
MANITOWOC	64	2003	8	1903	20	2014	52	1953		40	29	35
MARSHFIELD	65	1975	-6	1921	17	1978	52	1930		37	23	30
MERRILL	66	1909	-9	1921	15	1985	47	1953		37	21	29
OSHKOSH	65	2003	3	1914	20	2014	52	1930		42	26	34
RHINELANDER	65	1936	-10	1921	11	2014	40	1931		35	21	28
STEVENS POINT	66	1897	-6	1903	15	2014	56	1930		39	23	31
STURGEON BAY	56	1930,1953	11	1932	20	1914,2014	49	1953		41	27	34
WAUSAU	60	1982,2003	-3	1921	16	1985,2014	46	1930,1931		38	23	30

WISCONSIN RAPIDS	68	1920	-2	2014	11	1929	44	1931		39	22	31
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.72	1992	6.0	1915					1.37	27.55	3.6	4.8
APPLETON	1.25	1992	7.8	1986					1.50	28.82	1.2	1.3
GREEN BAY	1.53	1992	3.6	1986					1.44	27.32	1.8	2.0
MANITOWOC	1.30	1931	4.5	1986					1.51	28.77	1.0	1.1
MARSHFIELD	1.52	1992	3.0	2000					1.52	30.77	2.2	3.0
MERRILL	1.54	1992	3.0	1966					1.48	30.13	2.2	3.0
OSHKOSH	1.25	1992	4.2	1978					1.62	29.32	0.8	0.9
RHINELANDER	1.28	1992	5.5	1966					1.25	29.37	3.6	5.0
STEVENS POINT	1.45	1953	5.5	1986					1.47	30.56	0.4	0.6
STURGEON BAY	1.28	1992	3.5	1986					1.71	29.34	1.0	1.1
WAUSAU	1.14	1992	3.0	1944,1956					1.39	30.44	3.5	4.9
WISCONSIN RAPIDS	1.78	1992	4.0	1956					1.39	29.96	1.3	1.4

## NOVEMBER 20


## NOVEMBER 21

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	61	1990	-11	2014	19	1978	44	1934		35	20	28
APPLETON	66	1913	3	2014	13	1964	51	1990		40	25	33
GREEN BAY	66	1913	3	2014	18	1964	52	1913		39	25	32
MANITOWOC	68	1913	9	1964	24	1964	47	1963		39	29	34
MARSHFIELD	67	1990	-5	2014	10	1921	41	1934		36	22	29
MERRILL	64	1990	-1	1978	13	1964	42	1963		37	20	28
OSHKOSH	67	1913	1	2014	17	1964	52	1899		41	25	33
RHINELANDER	63	1990	-8	2014	10	1929	42	1913,1990		35	20	27
STEVENS POINT	63	1913	4	2000	18	2000	47	1934		38	22	30

STURGEON BAY	66	1913	10	1929,2014	23	1932	44	1934		40	27	34	
WAUSAU	64	1990	-2	2014	9	1929	45	1899		37	22	30	
WISCONSIN RAPIDS	64	1990	-7	2014	15	1964	53	1934		38	22	30	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.40	1906	5.0	1956						1.43	27.61	4.0	5.2
APPLETON	1.51	1906	3.0	1970,1985						1.57	28.89	1.3	1.4
GREEN BAY	1.84	1906	5.0	1945						1.52	27.40	1.9	2.1
MANITOWOC	1.70	1906	1.5	1925						1.59	28.85	1.1	1.2
MARSHFIELD	1.45	1920	6.0	1956						1.60	30.85	2.4	3.2
MERRILL	1.30	1906	7.0	1906						1.55	30.20	2.4	3.2
OSHKOSH	1.38	1934	5.0	1945						1.70	29.40	0.9	1.0
RHINELANDER	0.85	1934	7.5	1956						1.31	29.43	3.9	5.3
STEVENS POINT	1.40	1992	5.5	1945						1.54	30.63	0.5	0.7
STURGEON BAY	1.93	1906	5.0	1921						1.79	29.42	1.2	1.3
WAUSAU	1.19	1934	10.0	1906						1.46	30.51	3.9	5.3
WISCONSIN RAPIDS	1.35	1934	3.0	1961						1.45	30.02	1.5	1.6

**NOVEMBER 21**


**NOVEMBER 22**

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	61	1990	-4	1929	15	1921	44	1963		35	20	27	
APPLETON	61	2012	1	1929	21	1921	41	1966		39	25	32	
GREEN BAY	61	2012	1	1929	19	1929	42	1966		39	24	31	
MANITOWOC	61	1990	3	1929	18	1929	48	1963		39	28	34	
MARSHFIELD	62	2012	-7	1929	14	1921	41	1963		36	22	29	
MERRILL	61	2012	-6	1978	19	1921	44	1963		36	20	28	
OSHKOSH	61	2012	1	1929	18	1929	45	1963		41	25	33	

RHINELANDER	60	2012	-8	1929	15	1921	42	1963		34	20	27	
STEVENS POINT	64	1990	-4	1929	15	1921	46	1963		38	22	30	
STURGEON BAY	55	1913	5	1929	17	1929	47	1963		40	26	33	
WAUSAU	62	1913,2012	-2	1929	14	1946	41	1966		36	22	29	
WISCONSIN RAPIDS	62	2012	-4	1989	16	1921	42	1966		38	21	30	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.54	1934	6.0	1961						1.49	27.67	4.3	5.5
APPLETON	2.15	1934	5.0	1909						1.65	28.97	1.5	1.6
GREEN BAY	1.03	1963	5.5	1909						1.59	27.47	2.1	2.3
MANITOWOC	2.46	1934	9.0	1909						1.67	28.93	1.2	1.3
MARSHFIELD	1.14	1963	4.0	1945						1.67	30.92	2.7	3.5
MERRILL	0.96	1983	4.8	1920						1.63	30.28	2.6	3.4
OSHKOSH	1.43	1906	2.8	1961						1.78	29.48	1.0	1.1
RHINELANDER	0.93	1934	4.8	1961						1.37	29.49	4.2	5.6
STEVENS POINT	1.34	1934	8.0	1906						1.61	30.70	0.6	0.8
STURGEON BAY	1.98	1934	2.5	1909						1.87	29.50	1.3	1.4
WAUSAU	1.12	1963	3.9	1985						1.52	30.57	4.2	5.6
WISCONSIN RAPIDS	1.15	1963	4.9	1909						1.52	30.09	1.7	1.8

## NOVEMBER 22


## NOVEMBER 23

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	56	1931	-4	1950	16	1997	45	1908		34	19	26	
APPLETON	63	1931	-5	1950	20	1956,1970	47	1908		39	24	32	
GREEN BAY	65	1931	-6	1950	15	1898	46	1931		38	24	31	
MANITOWOC	58	1999	0	1950	15	1898	45	1931		38	28	33	
MARSHFIELD	57	1931	-8	1950	11	1956	46	1966		35	21	28	

MERRILL	59	1931	-10	1956	14	2013	46	1966		36	19	27	
OSHKOSH	60	1999	-4	1950	10	1898	47	1966		40	24	32	
RHINELANDER	59	1931	-9	1950	12	1970	47	1908		34	19	26	
STEVENS POINT	58	1963	-5	1950	12	1898	48	1908		37	21	29	
STURGEON BAY	54	1998,1999	4	1950	21	2013	45	1966		39	26	33	
WAUSAU	58	1931	-10	1950	15	1956	46	1908		36	21	29	
WISCONSIN RAPIDS	58	1905,2006	-9	1950	16	1941	47	1908		37	21	29	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.02	1963	7.0	1991						1.55	27.73	4.7	5.9
APPLETON	1.82	2003	4.0	1977						1.72	29.04	1.6	1.7
GREEN BAY	1.54	2003	5.1	1978						1.66	27.54	2.3	2.5
MANITOWOC	1.25	1999	1.5	1926,1947						1.75	29.01	1.3	1.4
MARSHFIELD	1.48	1983	5.0	1962,1978						1.74	30.99	2.9	3.7
MERRILL	1.24	1999	8.5	1991						1.70	30.35	2.9	3.7
OSHKOSH	2.01	2003	3.8	1978						1.86	29.56	1.1	1.2
RHINELANDER	1.42	1999	12.0	1991						1.43	29.55	4.5	5.9
STEVENS POINT	0.77	1963	4.0	1978						1.68	30.77	0.6	0.8
STURGEON BAY	1.24	2003	2.0	1962,2005						1.95	29.58	1.4	1.5
WAUSAU	1.26	1999	11.7	1991						1.58	30.63	4.5	5.9
WISCONSIN RAPIDS	1.03	1931	5.0	1991						1.59	30.16	1.9	2.0
<b>NOVEMBER 23</b>													
<b>NOVEMBER 24</b>													
					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	60	1931	-12	1950	10	1950	38	1908,2009		33	18	26	
APPLETON	64	2017	-6	1950	6	1950	46	2001		38	24	31	
GREEN BAY	65	1931	-7	1950	6	1950	49	2001		38	23	30	



MANITOWOC	58	1931	-3	1950	8	1950	43	1908		38	27	33
MARSHFIELD	62	2017	-18	1950	10	1985	42	2009		35	21	28
MERRILL	59	1913	-4	1989	15	1985,2005	42	1908		35	19	27
OSHKOSH	63	1931,2017	-8	1950	10	1950	44	2001		40	24	32
RHINELANDER	56	2017	-11	1950	13	2005	45	2001		33	18	26
STEVENS POINT	63	2017	-11	1950	10	1950	44	1908		37	21	29
STURGEON BAY	56	1931	-6	1950	8	1950	41	2009		39	26	32
WAUSAU	60	2017	-10	1950	12	1950	47	2001		35	21	28
WISCONSIN RAPIDS	65	2017	-10	1950	11	1950	48	2001		37	20	29

--	--	--	--	--	--	--	--	--	--	--	--	--

	REC		REC							NORMAL		
--	-----	--	-----	--	--	--	--	--	--	--------	--	--

	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW	
--	------	---------	------	---------	--	--	--	--	--	------	------	--

										MONTH	YEAR	MONTH	SEASON
--	--	--	--	--	--	--	--	--	--	-------	------	-------	--------

ANTIGO	0.66	1931	5.5	2014						1.61	27.79	5.0	6.2
APPLETON	0.63	1908	4.0	2014						1.79	29.11	1.8	1.9
GREEN BAY	0.64	1887	6.4	1887						1.72	27.60	2.5	2.7
MANITOWOC	0.84	2014	3.0	1959						1.83	29.09	1.4	1.5
MARSHFIELD	0.91	1931	9.0	1991						1.82	31.07	3.1	3.9
MERRILL	0.93	1931	6.0	1965						1.77	30.42	3.1	3.9
OSHKOSH	0.72	2014	6.0	2014						1.93	29.63	1.2	1.3
RHINELANDER	1.01	2001	5.9	2014						1.49	29.61	4.8	6.2
STEVENS POINT	0.78	1999	4.8	2014						1.74	30.83	0.7	0.9
STURGEON BAY	1.01	1908	4.5	2014						2.03	29.66	1.6	1.7
WAUSAU	0.95	2001	4.8	2014						1.65	30.70	4.9	6.3
WISCONSIN RAPIDS	0.68	2001	4.8	2014						1.66	30.23	2.1	2.2

**NOVEMBER 24**

--	--	--	--	--	--	--	--	--	--	--	--	--	--

**NOVEMBER 25**

					REC		REC						
--	--	--	--	--	-----	--	-----	--	--	--	--	--	--

	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	

ANTIGO	57	1914	-10	1950	16	1903	43	2001		33	18	25	
--------	----	------	-----	------	----	------	----	------	--	----	----	----	--

APPLETON	57	1915	-3	1950	20	1903,1977	44	2011		38	23	30	
GREEN BAY	59	1908	-7	1950	16	1893	44	1915,2011		37	23	30	
MANITOWOC	56	1914,2017	2	1950	20	1903	44	2009		37	27	32	
MARSHFIELD	58	1998	-15	1950	14	1977	43	2001		34	20	27	
MERRILL	55	1914,1998	-4	1985	15	1977	46	2001		35	18	26	
OSHKOSH	59	1908	-7	1950	19	1903	46	2001		39	23	31	
RHINELANDER	55	1998	-9	1950	16	1977	42	2011		33	18	25	
STEVENS POINT	56	2001	-12	1950	17	1903	46	2001		36	20	28	
STURGEON BAY	54	1984	-2	1929	20	1916	46	2011		38	25	32	
WAUSAU	56	1914,1998	-15	1950	16	1903	40	2009		35	20	28	
WISCONSIN RAPIDS	57	1998	-14	1950	12	1930	44	2011		36	20	28	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.80	1908	8.0	1992						1.67	27.85	5.4	6.6
APPLETON	1.03	1952	2.7	1977						1.85	29.17	1.9	2.0
GREEN BAY	1.13	1896	3.4	1895						1.79	27.67	2.8	3.0
MANITOWOC	1.27	1952	3.5	1956						1.91	29.17	1.5	1.6
MARSHFIELD	0.78	2001	3.5	1951,1993						1.88	31.13	3.4	4.2
MERRILL	1.05	1908	6.0	1992						1.84	30.49	3.3	4.1
OSHKOSH	0.94	1952	4.8	1977						2.01	29.71	1.3	1.4
RHINELANDER	0.50	1952+A21	3.0	1919,1942						1.55	29.67	5.2	6.6
STEVENS POINT	0.74	1896	5.0	1965						1.81	30.90	0.8	1.0
STURGEON BAY	0.46	1952	3.0	1956,1992,1995						2.11	29.74	1.7	1.8
WAUSAU	0.83	1952	4.0	1897						1.71	30.76	5.2	6.6
WISCONSIN RAPIDS	1.22	1906	7.0	1992						1.72	30.29	2.3	2.4
<b>NOVEMBER 25</b>													
<b>NOVEMBER 26</b>													
					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	

ANTIGO	54	1960	-10	1977	15	1977	36	2011		32	17	25
APPLETON	60	1990	-3	1977	15	1977	43	2011		37	23	30
GREEN BAY	61	1896,1914,1984	-4	1977	12	1977	45	2011		37	22	29
MANITOWOC	61	1914	0	1977	21	1996	44	1896,2011		37	26	32
MARSHFIELD	60	1914	-11	1977	11	1977	39	1914		34	20	27
MERRILL	61	1914	-9	1977	17	1977	43	1909		34	18	26
OSHKOSH	69	1914	-5	1977	14	1977	46	2011		39	23	31
RHINELANDER	61	1914	-7	1977	14	1919	38	1914		32	17	25
STEVENS POINT	60	1908	-9	1977	16	1977	39	2011		36	20	28
STURGEON BAY	60	1914	8	1932,1977	19	1977	45	1914,2011		38	25	31
WAUSAU	59	1914	-8	1977	13	1977	38	1915		34	20	27
WISCONSIN RAPIDS	59	1908	-9	1977	7	1930	39	1914		36	19	27


	REC		REC							NORMAL		
--	-----	--	-----	--	--	--	--	--	--	--------	--	--

	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
--	------	---------	------	---------	--	--	--	--	--	------	--	------	--

										MONTH	YEAR	MONTH	SEASON
--	--	--	--	--	--	--	--	--	--	-------	------	-------	--------

ANTIGO	0.82	2001	7.5	1995						1.72	27.90	5.7	6.9
APPLETON	1.17	1906	6.0	1971						1.92	29.24	2.1	2.2
GREEN BAY	1.03	1971	6.5	1971						1.86	27.74	3.0	3.2
MANITOWOC	1.30	1926	3.5	1926						1.99	29.25	1.7	1.7
MARSHFIELD	1.09	1965	6.5	1971						1.95	31.20	3.6	4.4
MERRILL	0.97	1906	7.5	1970						1.90	30.55	3.6	4.4
OSHKOSH	1.40	1906	5.7	1971						2.08	29.78	1.4	1.5
RHINELANDER	0.70	1915	6.5	1949						1.61	29.73	5.6	7.0
STEVENS POINT	1.30	1906	6.0	1942						1.87	30.96	0.9	1.1
STURGEON BAY	1.29	1906	5.5	1949						2.18	29.81	1.9	2.0
WAUSAU	1.20	1906	8.2	1971						1.77	30.82	5.5	6.9
WISCONSIN RAPIDS	0.80	1965	3.0	1993						1.79	30.36	2.5	2.6

**NOVEMBER 26**


**NOVEMBER 27**

						REC				REC			
--	--	--	--	--	--	-----	--	--	--	-----	--	--	--

	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	61	1998	-13	2014	7	1930	40	1909		32	17	24	
APPLETON	60	1990	-1	1955	12	1930	45	1909,1984,1990		37	22	29	
GREEN BAY	63	1990	-3	1955	12	1930	50	1909		36	22	29	
MANITOWOC	56	1990	-1	1887	20	1897	43	1990		37	26	31	
MARSHFIELD	65	1998	-5	1996	6	1930	38	1984		33	19	26	
MERRILL	62	1998	-7	1977	10	1930	42	1909		33	17	25	
OSHKOSH	64	1998	-2	1898	12	1930	46	1909		38	22	30	
RHINELANDER	62	1998	-11	2014	13	1930	44	1909		32	17	24	
STEVENS POINT	62	1909	-9	1897	8	1930	47	1909		35	19	27	
STURGEON BAY	54	1990	6	1930,1982	14	1930	44	1984		37	24	31	
WAUSAU	62	1998	-10	1897	8	1930	44	1909		34	19	26	
WISCONSIN RAPIDS	65	1998	-9	1930	10	1929	35	1990		35	19	27	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.98	1965	6.0	2019						1.77	27.95	6.1	7.3
APPLETON	1.50	1910	6.6	1995						1.99	29.31	2.3	2.4
GREEN BAY	1.51	1910	9.7	1995						1.93	27.81	3.2	3.4
MANITOWOC	1.55	1879	8.0	1995						2.06	29.32	1.8	1.8
MARSHFIELD	0.82	1989	5.8	2019						2.02	31.27	3.9	4.7
MERRILL	0.94	2019	6.0	2019						1.97	30.62	3.8	4.6
OSHKOSH	1.30	1910	6.0	1995						2.16	29.86	1.6	1.7
RHINELANDER	1.15	2019	11.0	2019						1.67	29.79	6.0	7.4
STEVENS POINT	0.78	2016	5.0	1945,1995						1.94	31.03	1.0	1.2
STURGEON BAY	1.44	2019	3.5	1940						2.26	29.89	2.0	2.1
WAUSAU	1.03	2019	7.0	1977						1.83	30.88	5.9	7.3
WISCONSIN RAPIDS	0.91	1934	4.0	1995						1.85	30.42	2.8	2.9
<b>NOVEMBER 27</b>													
<b>NOVEMBER 28</b>													



## NOVEMBER 29

	REC		REC		REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	54	1998	-13	1995	4	1929	36	1913		31	15	23
APPLETON	57	1998	-7	1929,1976	6	1929	46	1998		36	21	28
GREEN BAY	63	1998	-9	1976	6	1929	44	1998		35	21	28
MANITOWOC	57	1941	-7	1976	8	1929	44	1998		36	25	30
MARSHFIELD	61	1998	-12	1929	2	1929	38	1913		32	18	25
MERRILL	60	1998	-15	1976	5	1976	38	1913		32	16	24
OSHKOSH	64	1998	-8	1976	12	1896	38	1913		37	22	29
RHINELANDER	57	1998	-15	1976	0	1929	43	1998		31	16	23
STEVENS POINT	61	1998	-10	1897	3	1929	38	1941		34	18	26
STURGEON BAY	56	1998	-1	1929,1976	15	1929	40	1987,1998		36	23	30
WAUSAU	60	1998	-11	1929,1976	2	1929	45	1998		33	18	25
WISCONSIN RAPIDS	62	1998	-11	1976	11	1958	49	1998		34	18	26
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	0.89	1991	3.5	1988					1.88	28.06	6.8	8.0
APPLETON	1.45	1975	5.0	1988					2.13	29.45	2.7	2.8
GREEN BAY	1.21	1975	4.6	1988					2.06	27.94	3.7	3.9
MANITOWOC	1.11	1919	3.7	1971					2.22	29.48	2.1	2.1
MARSHFIELD	0.80	1919	8.0	1919					2.15	31.40	4.5	5.3
MERRILL	1.31	1991	6.5	1919					2.10	30.75	4.3	5.1
OSHKOSH	1.23	1919	6.0	1919					2.31	30.01	1.9	2.0
RHINELANDER	0.99	1991	5.0	1918					1.78	29.90	6.8	8.2
STEVENS POINT	0.38	1983	3.5	1919					2.07	31.16	1.2	1.4
STURGEON BAY	1.10	1919	3.5	1971					2.41	30.04	2.4	2.5
WAUSAU	0.79	1975	4.0	1902					1.94	30.99	6.5	7.9
WISCONSIN RAPIDS	1.26	1918	9.1	1918					1.98	30.55	3.3	3.4

## NOVEMBER 29

## NOVEMBER 30

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	58	1998	-14	1976	5	1896	43	1998		30	15	23	
APPLETON	59	1962	-5	1976	13	1976	40	1913,1914		35	21	28	
GREEN BAY	63	1998	-8	1976	9	1976	44	1914		35	20	27	
MANITOWOC	61	1998	-3	1976	9	1896	43	1914		35	24	30	
MARSHFIELD	58	1962	-12	1976	12	1976	52	1998		32	18	25	
MERRILL	55	1962,1998	-14	1976	10	1976	48	1998		32	16	24	
OSHKOSH	64	1998	-5	1947	9	1896	55	1998		37	21	29	
RHINELANDER	58	1998	-16	1976	9	1976	35	1914		30	15	23	
STEVENS POINT	61	1998	-12	1897	9	1896	55	1998		34	18	26	
STURGEON BAY	59	1998	0	1947	14	1929	48	1998		36	23	30	
WAUSAU	60	1998	-11	1947,1976	5	1896	36	1913,1998		32	18	25	
WISCONSIN RAPIDS	60	1998	-13	1947	3	1930	38	1913		34	17	26	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.75	1975	6.0	1934						1.93	28.11	7.2	8.4
APPLETON	0.37	1908	3.5	1925						2.20	29.52	2.9	3.0
GREEN BAY	0.56	2019	3.0	1940						2.13	28.01	4.0	4.2
MANITOWOC	0.99	1934	6.0	1928						2.30	29.56	2.2	2.2
MARSHFIELD	0.57	1991	3.5	1934						2.22	31.47	4.8	5.6
MERRILL	0.38	1919	4.0	1919,1985						2.17	30.82	4.6	5.4
OSHKOSH	0.59	2019	4.5	1940						2.38	30.08	2.1	2.2
RHINELANDER	0.75	1987	5.0	1919						1.84	29.96	7.2	8.6
STEVENS POINT	0.92	1975	3.0	1934,1940,1988						2.13	31.22	1.3	1.5
STURGEON BAY	0.76	1975	5.0	1910						2.49	30.12	2.6	2.7
WAUSAU	0.43	2019	3.0	2019						2.00	31.05	6.9	8.3
WISCONSIN RAPIDS	0.37	1922	1.3	1985						2.04	30.61	3.5	3.6

**NOVEMBER 30**