

OCTOBER 2

	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)	NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME	
ANTIGO	87	1976	21	1975	40	1981	59	1971		60	38	49
APPLETON	83	1922,1971	24	1908	45	1993	62	1983		63	44	54
GREEN BAY	84	1891,1971	26	1952,2003	40	1888	67	1891		63	42	52
MANITOWOC	83	1922	27	1908	42	1974	61	1882,2017		61	47	54
MARSHFIELD	88	1976	20	1974,2003	46	2020	60	1971		62	42	52
MERRILL	88	1976	19	2003	40	1961	60	2007		62	38	50
OSHKOSH	85	1971	25	1974	45	1993	68	1891		64	44	54
RHINELANDER	86	1953	19	2003	41	1974	58	1953,1971		59	38	49
STEVENS POINT	90	1976	21	2003	44	1981	64	1898		63	41	52
STURGEON BAY	85	1922	24	1908	46	1974,1993,2003	59	1950		62	44	53
WAUSAU	84	1953	24	2003	44	1993	63	1983		62	41	51
WISCONSIN RAPIDS	88	1953	19	1936	46	1987	60	1971		64	41	53
	REC	YEAR(S)	REC	YEAR(S)					NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.19	2014	0.0						0.24	23.32	0.0	0.0
APPLETON	2.45	1954	0.0						0.18	24.97	0.0	0.0
GREEN BAY	3.44	1954	T	1944					0.17	23.61	0.0	0.0
MANITOWOC	2.00	2006	0.0						0.18	24.89	0.0	0.0
MARSHFIELD	1.26	1927	0.0						0.21	26.85	0.0	0.0
MERRILL	1.61	2014	0.0						0.23	25.91	0.0	0.0
OSHKOSH	1.25	1995,2006	0.0						0.17	25.42	0.0	0.0
RHINELANDER	1.44	1969	T	1952					0.24	25.32	0.0	0.0
STEVENS POINT	1.55	1900	0.0						0.20	26.72	0.0	0.0
STURGEON BAY	1.13	2009	0.0						0.22	24.80	0.0	0.0
WAUSAU	1.70	2014	T	1999					0.22	26.33	0.0	0.0
WISCONSIN RAPIDS	4.05	1954	0.0						0.19	26.20	0.0	0.0

OCTOBER 2

OCTOBER 3

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	81	2005	24	1945,1996	43	1999	68	2005		60	38	49
APPLETON	86	2005	29	1945	44	1980,1999,2020	67	2005		63	44	53
GREEN BAY	86	2005	22	1952	44	1980	68	2005		62	42	52
MANITOWOC	80	1953	30	1888,1961	47	2020	62	1983,2017		60	46	53
MARSHFIELD	84	1997,2005	21	1987	44	1935	67	2005		62	41	52
MERRILL	83	1997	21	1987	42	1935	68	2005		61	38	50
OSHKOSH	87	2005	25	1945	45	1935,1999	70	2005		64	43	54
RHINELANDER	81	1922	21	1952	43	1980	70	2005		59	38	48
STEVENS POINT	90	1897	19	1952	41	1901	68	2005		62	41	52
STURGEON BAY	85	1953	23	1952	46	1980	63	2005		62	44	53
WAUSAU	83	1997	23	1945	44	1980	68	2005		61	41	51
WISCONSIN RAPIDS	87	1997	21	1987	42	1935	68	2005		63	41	52

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.55	1911	T	1901						0.37	23.45	0.0	0.0
APPLETON	1.55	1911	0.0							0.26	25.05	0.0	0.0
GREEN BAY	1.57	1900	T	1901,1935						0.25	23.69	0.0	0.0
MANITOWOC	3.04	1954	0.0							0.28	24.99	0.0	0.0
MARSHFIELD	1.57	2002	T	1968						0.31	26.95	0.0	0.0
MERRILL	1.60	1911	T	1935,1968						0.35	26.03	0.0	0.0
OSHKOSH	2.23	1954	0.0							0.25	25.50	0.0	0.0
RHINELANDER	1.30	2018	0.7	1951						0.37	25.45	0.0	0.0
STEVENS POINT	3.20	1954	T	1968						0.30	26.82	0.0	0.0
STURGEON BAY	1.86	1954	T	1980,1989						0.33	24.91	0.0	0.0
WAUSAU	4.60	1900	0.0							0.34	26.45	0.0	0.0
WISCONSIN RAPIDS	0.77	1927	T	1968						0.29	26.30	0.0	0.0

OCTOBER 3

OCTOBER 4

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	82	1897	21	1999	41	1935,2014+A513	65	2005		59	38	48	
APPLETON	84	1922	25	1999	44	1980	68	2005		62	44	53	
GREEN BAY	84	1922,1967	25	1989,1999	42	1980	70	2005		62	41	52	
MANITOWOC	85	1922	30	1901	45	1885	61	2005		60	46	53	
MARSHFIELD	84	1922,2005	21	1989	43	1935	67	2005		61	41	51	
MERRILL	89	1905	21	1987	43	1935	69	2005		61	37	49	
OSHKOSH	87	2005	25	1989	46	2014	71	2005		63	43	53	
RHINELANDER	84	1922	22	1929,1980	41	2014	63	2005		59	37	48	
STEVENS POINT	94	1897	24	1901	42	1999	69	2005		62	41	51	
STURGEON BAY	83	1922	28	1999	44	1980	66	2005		61	43	52	
WAUSAU	82	1922	25	1901,1935	42	1935	67	2005		61	40	51	
WISCONSIN RAPIDS	86	2005	21	1945	43	1932	71	2005		63	40	52	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	4.34	2005	0.5	1906						0.49	23.57	0.0	0.0
APPLETON	1.41	1985	T	1917						0.35	25.14	0.0	0.0
GREEN BAY	1.35	1904	T	1911						0.34	23.78	0.0	0.0
MANITOWOC	1.70	2002	0.0							0.37	25.08	0.0	0.0
MARSHFIELD	2.20	1942	T	2014						0.42	27.06	0.0	0.0
MERRILL	1.62	1942	0.0							0.47	26.15	0.0	0.0
OSHKOSH	1.28	2002	0.0							0.34	25.59	0.0	0.0
RHINELANDER	2.24	2005	1.3	1936						0.48	25.56	0.0	0.0
STEVENS POINT	2.09	1904	t	2014						0.40	26.92	0.0	0.0
STURGEON BAY	2.80	2006	T	1935,1980						0.44	25.02	0.0	0.0
WAUSAU	2.03	1942	T	2014						0.45	26.56	0.1	0.1
WISCONSIN RAPIDS	2.12	2002	T	2014						0.39	26.40	0.0	0.0

OCTOBER 4

OCTOBER 5

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	80	1905,2005	19	1952	40	1935	63	1946		59	37	48	
APPLETON	84	1922,1947,2005	27	1952,1993	44	1935,1952	62	1922		62	43	53	
GREEN BAY	86	2007	21	1952	41	1935	60	1900,1937,1955		61	41	51	
MANITOWOC	85	1922	28	1876	46	1889	61	1922		60	46	53	
MARSHFIELD	83	1922	18	1952	39	1952	60	2007		61	41	51	
MERRILL	82	1912	17	1980	39	1952	61	1913		60	37	49	
OSHKOSH	87	1922	25	1980	44	1935	63	1918		63	42	53	
RHINELANDER	83	1922	20	2003	37	1952	59	1922,1969		58	37	48	
STEVENS POINT	84	1922	22	1952	42	1935	59	1937		61	40	51	
STURGEON BAY	85	1922	25	1932	44	1952	60	1922,2016		61	43	52	
WAUSAU	84	1922	24	1952	38	1952	61	1900		60	40	50	
WISCONSIN RAPIDS	85	1922	19	1932	42	1935	62	2007		63	40	51	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.36	1941	T	1929						0.61	23.69	0.0	0.0
APPLETON	1.02	1978	0.0							0.44	25.23	0.0	0.0
GREEN BAY	1.08	1978	T	1935						0.43	23.87	0.0	0.0
MANITOWOC	1.24	1978	T	1935						0.46	25.17	0.0	0.0
MARSHFIELD	1.85	2013	0.0							0.52	27.16	0.0	0.0
MERRILL	1.68	1928	T	1964						0.58	26.26	0.0	0.0
OSHKOSH	1.64	1911	T	1935,1953						0.43	25.68	0.0	0.0
RHINELANDER	1.54	1941	T	1935,1966,2012						0.60	25.68	0.0	0.0
STEVENS POINT	1.40	1913	0.0							0.49	27.01	0.0	0.0
STURGEON BAY	1.16	1998	T	1935						0.55	25.13	0.0	0.0
WAUSAU	1.54	2013	T	1991						0.57	26.68	0.1	0.1
WISCONSIN RAPIDS	1.61	1936	T	1964						0.49	26.50	0.0	0.0

OCTOBER 5

--	--	--	--	--	--	--	--	--	--	--	--	--

OCTOBER 6

					REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	84	1963	20	1935	38	2000	61	2007		58	37	48
APPLETON	89	1963	25	1935	44	2000	68	2007		61	43	52
GREEN BAY	88	1963	23	2001	45	1889,1964	69	2007		61	41	51
MANITOWOC	89	1963	27	1935	44	1889	63	2007		59	45	52
MARSHFIELD	86	1963	18	1935	39	1952	68	2007		61	40	50
MERRILL	89	1963	17	1935	39	2000	64	2007		60	37	48
OSHKOSH	90	1963	21	1935	37	2000	68	2007		63	42	52
RHINELANDER	84	1963	19	2001	38	2000	67	2007		58	37	47
STEVENS POINT	84	1963	22	1935	43	1952	63	1900		61	40	50
STURGEON BAY	86	1963	25	1935	45	2000	58	2007		60	43	52
WAUSAU	87	1963	25	1932	40	1952	67	2007		60	40	50
WISCONSIN RAPIDS	89	1963	15	1935	43	1952	69	2007		62	40	51

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	2.74	1911	0.3	1906					0.73	23.81	0.1	0.1
APPLETON	1.99	1911	T	1952,1964,2000					0.53	25.32	0.0	0.0
GREEN BAY	1.64	1911	T	1964,2000					0.51	23.95	0.0	0.0
MANITOWOC	1.75	1911	0.0						0.55	25.26	0.0	0.0
MARSHFIELD	2.29	1995	T	2012					0.62	27.26	0.0	0.0
MERRILL	3.00	1911	T	1964					0.69	26.37	0.0	0.0
OSHKOSH	0.76	1949	T	1953,1964					0.51	25.76	0.0	0.0
RHINELANDER	2.80	1911	T	1952,2012					0.72	25.80	0.0	0.0
STEVENS POINT	2.30	1995	T	1952,1964					0.58	27.10	0.0	0.0
STURGEON BAY	2.17	1911	T	1935,1964					0.65	25.23	0.0	0.0
WAUSAU	3.05	1911	T	1964,2012					0.68	26.79	0.1	0.1

WISCONSIN RAPIDS	1.80	1911		T	1952					0.58	26.59	0.0	0.0
------------------	------	------	--	---	------	--	--	--	--	------	-------	-----	-----

OCTOBER 6

--	--	--	--	--	--	--	--	--	--	--	--	--	--

OCTOBER 7

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	83	2007	16	1896	39	2000	65	2007		58	37	47	
APPLETON	87	2007	23	2001	44	2000	67	2007		61	42	52	
GREEN BAY	86	2007	21	2001	44	1925,1951	64	2007		61	40	50	
MANITOWOC	87	2007	26	1889	46	1951	64	2007		59	45	52	
MARSHFIELD	84	2007	21	1952	41	1925	67	2007		60	40	50	
MERRILL	84	2007	19	2001	37	1915	68	2007		59	36	48	
OSHKOSH	85	2007	23	2001	44	1896,1987	65	2007		62	42	52	
RHINELANDER	83	1916,2007	19	1953	37	2000	68	2007		57	36	47	
STEVENS POINT	88	1963	17	1952	44	1987	66	2007		60	40	50	
STURGEON BAY	83	2007	28	1918,1952,2001	40	2000	59	2007		60	42	51	
WAUSAU	84	2007	23	1953	37	1915	64	2007		59	39	49	
WISCONSIN RAPIDS	85	2007	19	1935	41	2002	66	2007		62	39	51	

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.42	2017	T	1906,1915,1921						0.85	23.93	0.1	0.1
APPLETON	0.90	1983	T	2000						0.61	25.40	0.0	0.0
GREEN BAY	1.00	1931	T	1915,2000						0.59	24.03	0.0	0.0
MANITOWOC	2.00	1881	0.0							0.63	25.34	0.0	0.0
MARSHFIELD	1.10	1930	T	1915,1921,1925						0.72	27.36	0.0	0.0
MERRILL	1.60	1941	T	1978,2001						0.81	26.49	0.1	0.1
OSHKOSH	0.88	1930	0.0							0.59	25.84	0.0	0.0
RHINELANDER	1.30	2017	2.0	2000						0.83	25.91	0.0	0.0
STEVENS POINT	1.54	2017	T	1915						0.67	27.19	0.0	0.0
STURGEON BAY	1.45	1995	0.0							0.75	25.33	0.0	0.0

WAUSAU	1.73	1984	T	1915,1921,1925,1982					0.79	26.90	0.1	0.1
WISCONSIN RAPIDS	1.43	1984	0.0						0.67	26.68	0.0	0.0

OCTOBER 7

--	--	--	--	--	--	--	--	--	--	--	--	--

OCTOBER 8

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	80	1905	19	1895	35	1895	61	2007		57	36	47
APPLETON	86	2007	27	1987,1989	43	1917	64	1997		61	42	51
GREEN BAY	86	2007	23	1987	40	1895	65	1949		60	40	50
MANITOWOC	85	2007	28	1987	44	2000	67	2007		58	45	51
MARSHFIELD	82	1997	20	1976	38	1915	63	1949		60	40	50
MERRILL	86	1909	19	2001	39	1915	61	1970		59	36	48
OSHKOSH	87	1949	27	1896	42	1915	63	1949		62	41	52
RHINELANDER	82	2010	22	1989	34	1915	64	2011		57	36	47
STEVENS POINT	83	1916	21	1907	42	1915	67	2007		60	39	50
STURGEON BAY	82	2007	25	1989	42	1915	63	2007		60	42	51
WAUSAU	80	1997,2010,2011	26	1907,1951,1987	38	1915	63	1997		59	39	49
WISCONSIN RAPIDS	83	2010	21	1937	38	1932	66	1997		61	39	50

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.29	1967	0.3	1906						0.96	24.04	0.1	0.1
APPLETON	1.42	2018	T	1915,1964						0.69	25.48	0.0	0.0
GREEN BAY	1.42	2018	T	1964						0.67	24.11	0.0	0.0
MANITOWOC	1.52	1962	0.0							0.72	25.43	0.0	0.0
MARSHFIELD	1.76	1928,1967	T	1921						0.81	27.45	0.1	0.1
MERRILL	1.06	2015	T	1915,1921						0.92	26.60	0.1	0.1
OSHKOSH	1.41	1967	0.0							0.67	25.92	0.0	0.0
RHINELANDER	1.56	2007	1.5	1932						0.94	26.02	0.0	0.0
STEVENS POINT	1.53	1901	T	1915,1921,1945						0.76	27.28	0.0	0.0

STURGEON BAY	1.33	1967	T	1912,1937						0.86	25.44	0.0	0.0
WAUSAU	0.86	1959	0.1	1921						0.90	27.01	0.2	0.2
WISCONSIN RAPIDS	1.32	1959	T	1909						0.76	26.77	0.0	0.0

OCTOBER 8

OCTOBER 9

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	79	2011	15	1895	35	1917	58	1914		57	36	46	
APPLETON	80	2018	25	1989	41	1932	62	1973		60	42	51	
GREEN BAY	81	1905	23	1895	40	1925	60	1914		60	40	50	
MANITOWOC	78	2007	28	1989	41	1964	63	1879		58	44	51	
MARSHFIELD	79	2011	19	1915	35	1917	61	1973		59	39	49	
MERRILL	85	1909	21	1989	37	1917	58	1997		59	36	47	
OSHKOSH	81	1905,2003	26	1972	43	1964,1993	66	1997		61	41	51	
RHINELANDER	81	2011	19	1929	34	1964	57	1914,1961		57	36	46	
STEVENS POINT	81	1905	24	1915	40	1925	63	1973		60	39	49	
STURGEON BAY	77	1918	22	1989	41	1925,1932,1964	60	1914,1997		59	42	50	
WAUSAU	79	1905,1981,2011	24	1989	34	1917	62	1973		58	39	49	
WISCONSIN RAPIDS	85	1930	19	1964	40	1959	64	1973		61	39	50	

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.65	1904	T	1917,1927,1937,1945						1.07	24.15	0.1	0.1
APPLETON	0.82	1973	T	1964						0.77	25.56	0.0	0.0
GREEN BAY	1.46	1939	0.1	1925						0.75	24.19	0.0	0.0
MANITOWOC	1.14	1904	T	1925						0.81	25.52	0.0	0.0
MARSHFIELD	1.14	1968	3.5	1917						0.90	27.54	0.1	0.1
MERRILL	1.09	2018	T	1915						1.02	26.70	0.1	0.1
OSHKOSH	0.89	2018	T	1906,1917,1925						0.75	26.00	0.0	0.0
RHINELANDER	1.27	2018	T	1967,2012						1.05	26.13	0.0	0.0

STEVENS POINT	0.98	2001	0.5	1917					0.84	27.36	0.0	0.0
STURGEON BAY	1.31	1959	0.5	1925					0.96	25.54	0.0	0.0
WAUSAU	1.72	2019	3.0	1932					1.01	27.12	0.2	0.2
WISCONSIN RAPIDS	1.60	1914	2.5	1917					0.84	26.85	0.0	0.0

OCTOBER 9

OCTOBER 10

	REC		REC		REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	82	1938	18	1906	36	2009	59	1973		57	36	46
APPLETON	81	1938	23	1906	39	1906	63	1973		60	41	51
GREEN BAY	82	1938	24	1906,1956	37	1906	62	1973		59	39	49
MANITOWOC	79	1938	25	1906	39	1906	60	1879		58	44	51
MARSHFIELD	84	1930	17	1964	38	2009	62	1973		59	39	49
MERRILL	84	1928	17	1964	32	1906	55	1984		58	36	47
OSHKOSH	87	1938	21	1964	39	1906	63	1973		61	41	51
RHINELANDER	81	1928,1938	19	1964	38	2009	61	1973		56	36	46
STEVENS POINT	85	1938	19	1964	38	1906	62	1973		59	39	49
STURGEON BAY	83	1938	28	1906,1956	40	1906	59	1914,1973		59	41	50
WAUSAU	82	1928,1930,1938	19	1964	34	1906	60	1930,1973		58	38	48
WISCONSIN RAPIDS	85	1938	13	1964	35	1906	65	1920		60	38	49

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.15	1949	3.5	1990					1.18	24.26	0.2	0.2
APPLETON	1.12	1904	0.1	1990					0.86	25.65	0.0	0.0
GREEN BAY	1.47	1920	T	1906,1932,1958,1990,2009					0.84	24.28	0.0	0.0
MANITOWOC	1.50	1913	T	1932					0.90	25.61	0.0	0.0
MARSHFIELD	1.24	1920	3.5	1990					0.98	27.62	0.1	0.1
MERRILL	1.14	2018	2.5	1991					1.13	26.81	0.1	0.1
OSHKOSH	1.60	1901	0.2	1932					0.83	26.08	0.0	0.0

RHINELANDER	0.90	2018	0.1	2009					1.16	26.24	0.0	0.0
STEVENS POINT	1.39	2018	2.0	1932					0.93	27.45	0.0	0.0
STURGEON BAY	1.15	1920,1941	T	1906,1958,2009					1.07	25.65	0.0	0.0
WAUSAU	0.98	1990	9.8	1990					1.11	27.22	0.2	0.2
WISCONSIN RAPIDS	0.78	1990	3.0	1990					0.92	26.93	0.0	0.0

OCTOBER 10

--	--	--	--	--	--	--	--	--	--	--	--	--

OCTOBER 11

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	80	1928	12	1906	37	1990	63	1928		56	35	46
APPLETON	82	1928	19	1906	41	1967	63	1973		59	41	50
GREEN BAY	82	1928	21	1906,1987	41	1967	65	1928		59	39	49
MANITOWOC	83	1928	21	1906	42	1906	61	1973		57	44	50
MARSHFIELD	82	1928,1930	18	1987	41	1917,1967	62	1928		59	39	49
MERRILL	84	1928	14	1906	39	1917	60	1938		58	35	46
OSHKOSH	85	1928	19	1906	41	1906	64	1928		60	40	50
RHINELANDER	81	1910,1930	20	1919,1932,2009	37	1977	59	1938		56	35	46
STEVENS POINT	85	1938	14	1906	35	1906	65	1928		59	38	48
STURGEON BAY	82	1928	23	1906	44	1967	61	1973		58	41	50
WAUSAU	81	1928	16	1906	38	1906,1959,1977	66	1928		58	38	48
WISCONSIN RAPIDS	81	1930,2015	17	1987	38	1906	68	1928		60	38	49

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.83	1986	T	1909,1917,1935,2006					1.29	24.37	0.2	0.2
APPLETON	1.01	1983	T	1959,2006,2012					0.94	25.73	0.0	0.0
GREEN BAY	1.12	1901	T	1905,1959,2006,2019					0.91	24.35	0.0	0.0
MANITOWOC	1.37	1898	0.0						0.99	25.70	0.0	0.0
MARSHFIELD	1.42	1983	4.9	1917					1.07	27.71	0.1	0.1
MERRILL	2.47	1986	T	1935,2009					1.24	26.92	0.1	0.1

OSHKOSH	1.60	1901	0.2	1932					0.90	26.15	0.0	0.0
RHINELANDER	1.88	1986	1.5	1909					1.27	26.35	0.0	0.0
STEVENS POINT	1.43	1901	T	1917,1959					1.01	27.53	0.0	0.0
STURGEON BAY	0.53	1973	T	1945,1967					1.17	25.75	0.0	0.0
WAUSAU	1.83	1983	1.0	1917					1.21	27.32	0.3	0.3
WISCONSIN RAPIDS	1.30	1983	T	1959,2018					1.01	27.02	0.0	0.0

OCTOBER 11

OCTOBER 12

					REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	79	1918	17	2012	30	1909	57	1938		56	35	45
APPLETON	81	1918,2008	23	2012	36	1936,2006	62	1997		59	41	50
GREEN BAY	82	1918,2008	24	1936,1988	33	1909	62	1930		58	39	48
MANITOWOC	82	1918	26	1936	36	2006	60	2015		57	43	50
MARSHFIELD	82	1918,1995, 2012	21	2006	33	2009	56	1930		58	38	48
MERRILL	82	1930,1995	17	1987	31	1909	62	1928		57	35	46
OSHKOSH	84	1918,1930	25	1909,1987	37	2006	60	1930		60	40	50
RHINELANDER	81	1995	16	2012	30	2006	60	1997		55	35	45
STEVENS POINT	81	1928	23	2006	32	1909	60	1928		58	38	48
STURGEON BAY	85	1995	24	1932	36	1936	62	1973		58	41	49
WAUSAU	82	1995	22	2006	32	2006	59	1930		57	38	48
WISCONSIN RAPIDS	84	1920	21	2012	35	2006	60	1938		60	38	49

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.53	1997	0.6	2006						1.39	24.47	0.2	0.2
APPLETON	1.31	1902	2.8	1909						1.02	25.81	0.0	0.0
GREEN BAY	1.38	1886	2.3	1909						0.99	24.43	0.0	0.0
MANITOWOC	1.20	1890	2.5	1909						1.07	25.78	0.0	0.0
MARSHFIELD	1.05	1986	2.1	2009						1.16	27.80	0.2	0.2

MERRILL	1.84	1997	3.0	2009					1.34	27.02	0.2	0.2
OSHKOSH	1.10	1983	T	1936,2019					0.98	26.23	0.0	0.0
RHINELANDER	1.53	1912	3.0	1909					1.38	26.46	0.0	0.0
STEVENS POINT	1.67	1983	2.0	1909					1.09	27.61	0.0	0.0
STURGEON BAY	1.09	1912	4.0	1909					1.27	25.85	0.0	0.0
WAUSAU	1.40	1898	3.0	1909					1.31	27.42	0.3	0.3
WISCONSIN RAPIDS	0.92	1984	1.0	1959					1.09	27.10	0.0	0.0

OCTOBER 12

OCTOBER 13

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	81	1956	20	1988	32	1909	57	2008		55	35	45
APPLETON	82	1975	21	1988,1993	40	1909	61	1920,1995		58	41	49
GREEN BAY	82	1975	22	1988	39	1909	63	1920		58	39	48
MANITOWOC	85	1975	25	1988	40	1909	60	2008		56	43	50
MARSHFIELD	81	1975	15	1917	37	1936	65	1920		58	38	48
MERRILL	82	1956	19	1988	36	1909	56	1997		57	35	46
OSHKOSH	85	1975	22	1937	40	1909	62	1920		59	40	50
RHINELANDER	81	1956	19	1993	31	1909	56	2000		55	35	45
STEVENS POINT	83	1956	20	1917	36	1979	58	1943		58	38	48
STURGEON BAY	82	1995	23	1988,1993	36	1909	58	1997,2008		57	40	49
WAUSAU	82	1975	23	1917,1946,1988,1993	34	1909	62	1899		57	38	47
WISCONSIN RAPIDS	86	1975	17	1937	40	1917,2006	65	1920		59	37	48

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.25	1969	0.1	2006						1.50	24.58	0.3	0.3
APPLETON	1.52	2012	T	2006,2019						1.10	25.89	0.0	0.0
GREEN BAY	1.31	1898	2.5	1936						1.07	24.51	0.0	0.0
MANITOWOC	1.69	1902	T	1937,1939						1.16	25.87	0.0	0.0

MARSHFIELD	1.59	1997	2.0	1939					1.24	27.88	0.2	0.2
MERRILL	1.19	1969	0.5	2006					1.43	27.11	0.2	0.2
OSHKOSH	1.98	1890	T	1890,1939					1.06	26.31	0.0	0.0
RHINELANDER	1.50	1997	2.8	2006					1.49	26.57	0.0	0.0
STEVENS POINT	1.94	2012	1.0	1939					1.17	27.69	0.0	0.0
STURGEON BAY	1.33	2012	T	1936,1945,1979,2006,2009					1.37	25.95	0.0	0.0
WAUSAU	1.22	1941	0.2	2006					1.41	27.52	0.4	0.4
WISCONSIN RAPIDS	1.32	2012	T	1986,2019					1.17	27.18	0.0	0.0

OCTOBER 13

OCTOBER 14

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	86	1897	20	1937	38	1909	63	1968		55	35	45	
APPLETON	83	1947	24	1937	41	1986	61	1920		58	40	49	
GREEN BAY	82	1897,1947	22	1979	40	1986	63	1920		57	38	48	
MANITOWOC	80	1975	26	1979	42	1986	58	1960		56	43	49	
MARSHFIELD	83	1947	20	1979	40	1959,1986	61	1968		57	38	47	
MERRILL	82	1975	19	1993	37	2018	60	1968		56	34	45	
OSHKOSH	86	1947	22	1937	41	1909	62	1920		59	39	49	
RHINELANDER	79	1908,1947,1962	21	1937	37	1986	64	1968		55	34	45	
STEVENS POINT	85	1897	22	1907	41	1898,2009	62	1968		57	37	47	
STURGEON BAY	76	1953	24	1993	39	2018	55	1920,1984		57	40	48	
WAUSAU	80	1897,1947	21	1937	40	1898,1909,1959,1980	62	1968		56	37	47	
WISCONSIN RAPIDS	85	1947	21	1937	39	1980	64	1968		59	37	48	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.45	2014	0.0							1.60	24.68	0.3	0.3
APPLETON	2.15	2012	T	1930,1959,1986						1.18	25.97	0.0	0.0
GREEN BAY	2.02	2012	T	1894,1909,1937,1945,1980,1986,2018						1.14	24.58	0.0	0.0

MANITOWOC	1.95	2014	0.0						1.24	25.95	0.0	0.0
MARSHFIELD	1.33	1954	T	1959,1986,1997,2009					1.33	27.97	0.2	0.2
MERRILL	1.43	2014	T	1959,1986,1997					1.53	27.21	0.2	0.2
OSHKOSH	1.91	2012	T	2018					1.14	26.39	0.0	0.0
RHINELANDER	1.85	1954	0.8	2018					1.59	26.67	0.1	0.1
STEVENS POINT	1.43	1941	0.1	2019					1.25	27.77	0.0	0.0
STURGEON BAY	1.63	2014	T	1937,1945,2006					1.47	26.05	0.0	0.0
WAUSAU	1.47	1966	0.5	2018					1.51	27.62	0.4	0.4
WISCONSIN RAPIDS	1.37	2012	0.0						1.25	27.26	0.0	0.0

OCTOBER 14

--	--	--	--	--	--	--	--	--	--	--	--	--

OCTOBER 15

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	83	1947	22	1944	38	1943,2009	63	1968		54	34	44	
APPLETON	85	1947	26	1944,2006	43	1943,1978,2009,2018	63	1962		58	40	49	
GREEN BAY	85	1947	24	2006	41	2018	65	1968		57	38	48	
MANITOWOC	83	1897	27	1969	44	1943	63	1897		56	42	49	
MARSHFIELD	84	1947	21	2006	38	1943	61	1962,1968		57	37	47	
MERRILL	79	1968	20	1944	37	2018	64	1968		56	34	45	
OSHKOSH	89	1947	23	1944	41	2018	64	1962		59	39	49	
RHINELANDER	84	1947	17	2002	38	1943	66	1968		54	34	44	
STEVENS POINT	84	1947	23	1944	38	2009	65	1968		57	37	47	
STURGEON BAY	79	1947	26	1944,1991	41	2018	58	1962		56	40	48	
WAUSAU	82	1947	22	1944,2006	38	2018	66	1968		56	37	46	
WISCONSIN RAPIDS	87	1947	16	1944	36	1943	65	1968		58	37	48	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.47	1966	3.5	1992						1.70	24.78	0.3	0.3
APPLETON	0.71	1957	T	2018						1.26	26.05	0.0	0.0

GREEN BAY	1.68	1989	T	2009					1.22	24.66	0.0	0.0
MANITOWOC	1.02	1881	0.0						1.32	26.03	0.0	0.0
MARSHFIELD	2.09	1966	T	1943,1991,2009					1.41	28.05	0.2	0.2
MERRILL	2.17	1966	1.5	1992					1.63	27.31	0.2	0.2
OSHKOSH	1.08	1989	T	2018					1.21	26.46	0.0	0.0
RHINELANDER	2.03	1966	0.4	2019					1.69	26.77	0.1	0.1
STEVENS POINT	0.86	1920	T	1909,1943,2018					1.33	27.85	0.1	0.1
STURGEON BAY	0.52	2013	T	1970,1989					1.56	26.14	0.0	0.0
WAUSAU	1.15	1966	0.3	1992					1.60	27.71	0.4	0.4
WISCONSIN RAPIDS	1.06	2013	T	2009					1.33	27.34	0.0	0.0

OCTOBER 15

--	--	--	--	--	--	--	--	--	--	--	--	--

OCTOBER 16

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	83	1953	16	1952	36	1992	63	1968		54	34	44	
APPLETON	84	1947	24	1952	38	1952	62	1968		57	40	48	
GREEN BAY	81	1947,1968	22	1952	38	1952	65	1968		57	38	47	
MANITOWOC	82	1938	25	1891	42	1943	56	1957		55	42	49	
MARSHFIELD	84	1953	14	1952	38	1952	63	1968		56	37	47	
MERRILL	83	1953	16	1952	37	1952	65	1968		56	34	45	
OSHKOSH	85	1947	22	1952	39	1952	65	1968		58	39	49	
RHINELANDER	81	1934,1968	15	2002	35	1952	65	1968		54	34	44	
STEVENS POINT	84	1908	17	1952	35	1952	64	1968		57	37	47	
STURGEON BAY	80	1938	23	1937	39	1943	58	1968		56	39	48	
WAUSAU	82	1953	17	1952	32	1952	61	1968		56	37	46	
WISCONSIN RAPIDS	86	1953	20	1952	34	1930	63	1968		58	36	47	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.63	1996	T	1896,1922,1992,2020						1.80	24.88	0.4	0.4

APPLETON	1.16	1989	1.3	1952						1.34	26.13	0.0	0.0
GREEN BAY	1.51	2007	T	1922,1943,1952,1992,2004,2020						1.30	24.74	0.0	0.0
MANITOWOC	1.25	1923	T	1943						1.41	26.12	0.0	0.0
MARSHFIELD	1.37	1928	T	1972,2020						1.49	28.13	0.2	0.2
MERRILL	2.15	1911	0.9	1933						1.73	27.41	0.3	0.3
OSHKOSH	0.86	2007	1.2	1952						1.29	26.54	0.0	0.0
RHINELANDER	1.82	1911	0.6	1969						1.79	26.87	0.2	0.2
STEVENS POINT	1.21	1989	T	1896,1952						1.41	27.93	0.1	0.1
STURGEON BAY	1.91	1989	T	1943,1976						1.66	26.24	0.0	0.0
WAUSAU	1.98	1911	0.2	1992						1.70	27.81	0.5	0.5
WISCONSIN RAPIDS	1.05	1984	1.4	1952						1.41	27.42	0.0	0.0

OCTOBER 16

OCTOBER 17

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	80	1910	16	1952	34	1922	57	1904		54	34	44	
APPLETON	83	1947	23	1952	37	1930	59	1998		57	39	48	
GREEN BAY	83	1947	20	1952	35	1930	63	1908,1998		56	37	47	
MANITOWOC	76	1945	26	1976	39	1880,1976	60	1998		55	42	48	
MARSHFIELD	81	1947	15	1952	35	1930	60	2016		56	37	46	
MERRILL	80	1956	14	1952	35	1948	60	1908		55	33	44	
OSHKOSH	83	1910	18	1952	40	1896	61	1904		58	39	48	
RHINELANDER	81	1910	15	1952	28	1930	60	1908		53	34	44	
STEVENS POINT	83	1910	15	1952	40	1976	61	1968		56	36	46	
STURGEON BAY	78	1947,1956	22	1952	42	1926,1952,1982	57	1998		56	39	47	
WAUSAU	82	1910	17	1948	33	1930	60	1998		55	36	46	
WISCONSIN RAPIDS	85	1947	17	1939	31	1930	61	2016		57	36	47	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON

ANTIGO	0.98	1998	0.98	1998	1.0	2002			1.90	24.98	0.4	0.4
APPLETON	1.54	1981	1.54	1981	T	1922,1926,1952,1989			1.43	26.22	0.0	0.0
GREEN BAY	1.36	1981	1.36	1981	T	1896,1901,1926,1930,1952,1989,1992,2002,2008			1.38	24.82	0.0	0.0
MANITOWOC	1.60	1881	1.00	1879,1881,1923	1.0	1952			1.48	26.19	0.0	0.0
MARSHFIELD	1.00	1981	1.00	1981	0.5	1952,1982			1.57	28.21	0.3	0.3
MERRILL	0.96	1968,1994	0.96	1968,1994	0.4	2020			1.82	27.50	0.3	0.3
OSHKOSH	0.91	1981	0.91	1981	2.5	1896			1.36	26.61	0.0	0.0
RHINELANDER	4.64	2016	1.05	1996	1.3	2020			1.90	26.98	0.2	0.2
STEVENS POINT	0.88	1898	0.88	1898	0.5	1896			1.49	28.01	0.1	0.1
STURGEON BAY	1.23	1987	1.23	1987	T	1922,1926,1930			1.76	26.34	0.0	0.0
WAUSAU	0.98	1996	0.98	1996	1.2	1926			1.79	27.90	0.5	0.5
WISCONSIN RAPIDS	1.14	1994	1.14	1994	T	1948,1989			1.49	27.50	0.0	0.0

OCTOBER 17

OCTOBER 18

	REC		REC		REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	82	1950	8	1896	30	1930	59	1965		53	34	43
APPLETON	80	1910,1950,1953	20	1948	33	1930	60	1994		56	39	48
GREEN BAY	81	1953	18	1948	33	1930	61	1994		56	37	46
MANITOWOC	81	1953	22	1948	35	1930	58	1945		54	41	48
MARSHFIELD	84	1950	14	1948	30	1930	60	1994		55	37	46
MERRILL	82	1924	14	1948	30	1930	58	1965		55	33	44
OSHKOSH	85	1950	18	1948	34	1930	62	1904		57	38	48
RHINELANDER	79	1910	16	1972	28	1930	62	1965		53	33	43
STEVENS POINT	89	1950	19	1948	31	1930	59	1965		56	36	46
STURGEON BAY	80	1950	20	1931	36	1930	57	1965		55	39	47
WAUSAU	83	1950	15	1948	30	1930	62	1908		55	36	45
WISCONSIN RAPIDS	85	1950	10	1948	32	1930	58	1965		57	36	46
	REC		REC							NORMAL		

	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.29	1981	2.0	2002					2.01	25.09	0.4	0.4
APPLETON	2.16	1984	1.0	1976,1991					1.51	26.30	0.0	0.0
GREEN BAY	2.06	1984	0.7	1976					1.46	24.90	0.0	0.0
MANITOWOC	1.12	1921	T	1925,1930					1.56	26.27	0.0	0.0
MARSHFIELD	0.88	1998	2.0	1990					1.66	28.30	0.3	0.3
MERRILL	1.00	1906	2.0	1990					1.92	27.60	0.3	0.3
OSHKOSH	2.36	1984	T	1930					1.44	26.69	0.0	0.0
RHINELANDER	1.40	1917	3.0	2002					2.00	27.08	0.3	0.3
STEVENS POINT	1.56	1906	T	1925,1930					1.58	28.10	0.1	0.1
STURGEON BAY	1.53	1921	T	1916,1930,1972,1989					1.85	26.43	0.0	0.0
WAUSAU	1.25	1906	1.8	1925					1.89	28.00	0.6	0.6
WISCONSIN RAPIDS	0.95	1906	0.4	1976					1.58	27.59	0.0	0.0

OCTOBER 18

OCTOBER 19

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	78	1950	14	1972	30	1930	62	1953		53	33	43
APPLETON	76	1920,1933,1947,1953	15	1992	33	1930	61	1971		56	39	47
GREEN BAY	78	1953	20	1972	32	1930	61	1971		55	37	46
MANITOWOC	78	1884	19	1972	36	1930	62	1953		54	41	48
MARSHFIELD	78	1953,2000	15	1972	30	1930	59	1971		55	36	46
MERRILL	79	1953	12	1972	32	1930	59	1971		54	33	44
OSHKOSH	79	1947	16	1972	33	1930	59	1920		57	38	47
RHINELANDER	78	1953	13	1972	26	1930	56	1971		53	33	43
STEVENS POINT	81	1965	16	1909	31	1930	59	1971		55	36	46
STURGEON BAY	77	1953	23	1930	33	1930	59	1950,1963		55	38	47
WAUSAU	78	1910,1953	16	1972	29	1930	58	1920		54	36	45
WISCONSIN RAPIDS	81	1953	13	1972	35	1930	58	1920		56	35	46

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.00	1937	4.6	1896					2.11	25.19	0.5	0.5
APPLETON	1.39	1984	1.0	1976					1.59	26.38	0.0	0.0
GREEN BAY	1.23	1905	2.2	1896					1.54	24.98	0.0	0.0
MANITOWOC	1.32	1982	0.0						1.64	26.35	0.0	0.0
MARSHFIELD	0.74	1984	1.0	1937					1.74	28.38	0.3	0.3
MERRILL	1.02	1937	1.9	1925					2.01	27.69	0.3	0.3
OSHKOSH	2.40	1937	1.0	1976					1.52	26.77	0.0	0.0
RHINELANDER	1.65	1937	6.0	1925					2.10	27.18	0.4	0.4
STEVENS POINT	1.00	1937	2.5	1896					1.66	28.18	0.1	0.1
STURGEON BAY	2.61	1984	T	1960,1964,1976					1.95	26.53	0.0	0.0
WAUSAU	1.07	1982	4.0	1986					1.98	28.09	0.6	0.6
WISCONSIN RAPIDS	0.64	1971	3.0	1992					1.66	27.67	0.0	0.0

OCTOBER 19

OCTOBER 20

	REC		REC		REC		REC		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME	
ANTIGO	82	1953,2003	9	1896	32	1930	60	1920	52	33	43	
APPLETON	80	1947	20	1952	35	1925,1930	60	1920	55	38	47	
GREEN BAY	81	1953	20	1895	35	1895	62	1920	55	37	46	
MANITOWOC	79	2003	21	1972	38	1930	57	1971	54	41	47	
MARSHFIELD	82	1953	15	1952	32	1930	59	1920	55	36	45	
MERRILL	81	1953	14	1976,1992	32	1913	59	1920	54	33	43	
OSHKOSH	85	1953	15	1952	39	1896	60	1920	57	38	47	
RHINELANDER	83	1947	14	1917	32	1930	59	1920	52	33	43	
STEVENS POINT	83	1953	15	1952	35	1930	62	1920	55	36	45	
STURGEON BAY	80	1920	23	1946	39	1989	58	1920,1971	54	38	46	
WAUSAU	81	1953	17	1952	32	1930	61	1920	54	35	45	

WISCONSIN RAPIDS	85	1947	12	1952	37	1917	60	1920		56	35	46
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.32	1982	4.0	2020					2.21	25.29	0.5	0.5
APPLETON	1.89	1937	2.0	1989					1.67	26.46	0.0	0.0
GREEN BAY	0.89	1965	1.2	1992					1.62	25.06	0.0	0.0
MANITOWOC	1.32	1916	0.5	1917					1.72	26.43	0.0	0.0
MARSHFIELD	2.00	1937	3.0	1992,2020					1.82	28.46	0.3	0.3
MERRILL	1.71	1982	3.5	2002					2.11	27.79	0.4	0.4
OSHKOSH	1.08	1941	T	1917,1925,2018					1.60	26.85	0.0	0.0
RHINELANDER	1.36	1934	6.1	2020					2.19	27.27	0.4	0.4
STEVENS POINT	1.19	1937	1.5	1992					1.75	28.27	0.1	0.1
STURGEON BAY	1.91	1905	0.3	1925					2.05	26.63	0.0	0.0
WAUSAU	1.25	1934	3.0	1905					2.08	28.19	0.7	0.7
WISCONSIN RAPIDS	2.31	1937	2.2	1913					1.75	27.76	0.0	0.0

OCTOBER 20

OCTOBER 21

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	85	1947	10	1896	30	1913	60	1920		52	33	42
APPLETON	82	1953	23	1960	35	1925	60	1920		55	38	47
GREEN BAY	82	1947,1953	15	1895	36	1925	63	1920		55	36	45
MANITOWOC	78	1920	22	1960	38	1916	61	1920		53	41	47
MARSHFIELD	87	1947	15	1960	29	1913	58	1920		54	36	45
MERRILL	81	1914	18	1907,2020	32	2002	61	1920		53	32	43
OSHKOSH	88	1947	23	1923	36	1913	65	1979		56	37	47
RHINELANDER	85	1947	18	1917,1930	26	1913	58	1920		52	33	42
STEVENS POINT	87	1947	16	1907	35	1913	59	1920		54	35	45

STURGEON BAY	79	1920	25	1907,1918,1960	37	1925,1982	62	1920		54	38	46	
WAUSAU	80	1953	18	1960	33	1913	63	1920		53	35	44	
WISCONSIN RAPIDS	91	1947	8	1930	33	1913	60	2017		55	35	45	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.33	1934	3.0	1982						2.30	25.38	0.6	0.6
APPLETON	0.93	1951	1.3	1917						1.75	26.54	0.0	0.0
GREEN BAY	0.84	1951	1.2	2002						1.69	25.13	0.1	0.1
MANITOWOC	1.95	1934	0.0							1.79	26.50	0.0	0.0
MARSHFIELD	1.35	1943	3.5	2002						1.90	28.54	0.4	0.4
MERRILL	1.80	1943	3.5	2002						2.19	27.87	0.4	0.4
OSHKOSH	1.39	1965	1.0	1913						1.68	26.93	0.0	0.0
RHINELANDER	1.22	1943	6.0	2002						2.28	27.36	0.5	0.5
STEVENS POINT	1.76	1943	1.5	2002						1.83	28.35	0.1	0.1
STURGEON BAY	1.25	1995	T	1905,1926,1969,1976,2018						2.14	26.72	0.0	0.0
WAUSAU	1.90	1943	7.8	2002						2.16	28.27	0.7	0.7
WISCONSIN RAPIDS	1.46	2009	4.0	2002						1.83	27.84	0.0	0.0

OCTOBER 21

OCTOBER 22

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	80	1947	5	1896	33	1997,2020	60	1920		51	33	42	
APPLETON	83	1947	21	1997	35	1937	59	1963		55	38	46	
GREEN BAY	82	1947	19	1969	35	1937	61	1920		54	36	45	
MANITOWOC	81	1947	23	1930	37	1997	57	1963		53	40	47	
MARSHFIELD	81	1947	13	1913	34	1937	55	1920,1971		54	35	44	
MERRILL	80	1947	13	1930	33	1913	55	1920		53	32	42	
OSHKOSH	85	1947	20	1925	36	1913	58	1953		56	37	46	

RHINELANDER	78	1947	14	1930	32	1937,2002	61	1947		51	32	42	
STEVENS POINT	82	1947	18	1930	36	1995	59	1971		54	35	45	
STURGEON BAY	80	1947	24	1930,1944	37	1969,1997	57	1971		54	38	46	
WAUSAU	80	1947	16	1913	30	1913	59	1920		53	35	44	
WISCONSIN RAPIDS	86	1947	14	1930	33	1937	66	1920		55	35	45	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.13	1979	1.0	1969						2.39	25.47	0.6	0.6
APPLETON	1.11	1972	0.5	1917						1.83	26.62	0.0	0.0
GREEN BAY	2.72	2020	0.4	2002						1.77	25.21	0.1	0.1
MANITOWOC	1.11	1881	T	1936						1.87	26.58	0.0	0.0
MARSHFIELD	1.73	1951	2.7	1987						1.97	28.61	0.4	0.4
MERRILL	1.56	1979	0.8	1917						2.28	27.96	0.4	0.4
OSHKOSH	3.52	2020	4.0	1929						1.75	27.00	0.0	0.0
RHINELANDER	2.47	1979	4.0	1938						2.37	27.45	0.5	0.5
STEVENS POINT	0.70	1900	2.0	2002						1.91	28.43	0.1	0.1
STURGEON BAY	1.16	1996	T	1937,1942,1969,1987,1999						2.23	26.81	0.0	0.0
WAUSAU	1.05	1979	3.0	1917						2.25	28.36	0.8	0.8
WISCONSIN RAPIDS	1.41	1979	0.5	2002						1.91	27.92	0.0	0.0

OCTOBER 22

OCTOBER 23

					REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	79	1963	11	1969	34	1936	54	1931		51	32	42
APPLETON	81	1963	21	1936,1969	37	1917,1942	61	1920		54	37	46
GREEN BAY	81	1899	16	1969	37	1917,1937,1981	64	1899		54	36	45
MANITOWOC	81	1899	19	1969	39	1884	56	1920		53	40	46
MARSHFIELD	79	1963	13	1969	33	1937	56	1931,1992		53	35	44

MERRILL	77	1963	12	1936	34	1926	55	1920		52	32	42	
OSHKOSH	82	1963	17	1969	39	1937	61	1920		55	37	46	
RHINELANDER	77	1963	11	1936	30	1969,1981	58	1963		51	32	41	
STEVENS POINT	84	1899	15	1969	35	1937	64	1899		54	35	44	
STURGEON BAY	73	1992	18	1936	36	1936	57	1920		53	37	45	
WAUSAU	80	1899	14	1936	31	1913	58	1899		52	34	43	
WISCONSIN RAPIDS	80	1963	12	1936	35	1937	57	1963		55	34	44	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.87	1988	4.0	1988						2.47	25.55	0.6	0.6
APPLETON	2.05	1959	T	1926,1972,1979,1987,2002,2006						1.91	26.70	0.0	0.0
GREEN BAY	1.47	1959	9.9	1887						1.84	25.28	0.1	0.1
MANITOWOC	2.06	2020	T	1942,2006						1.94	26.65	0.0	0.0
MARSHFIELD	1.22	1972	2.0	1917						2.04	28.68	0.4	0.4
MERRILL	1.36	1979	3.4	1979						2.36	28.04	0.5	0.5
OSHKOSH	1.12	1959	1.3	1933						1.83	27.08	0.0	0.0
RHINELANDER	1.09	1996	2.0	1917,1979						2.45	27.53	0.6	0.6
STEVENS POINT	1.05	1972	2.0	1929						1.98	28.50	0.1	0.1
STURGEON BAY	1.46	1959	T	1942,1960,1962,1965						2.32	26.90	0.0	0.0
WAUSAU	0.97	1995	2.0	1979						2.33	28.44	0.8	0.8
WISCONSIN RAPIDS	1.58	1959	0.6	1917						1.98	27.99	0.0	0.0

OCTOBER 23

OCTOBER 24

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	75	1989	13	1896	31	1981	59	1975		50	32	41	
APPLETON	77	1920	20	1917	36	1981	60	1963		54	37	45	
GREEN BAY	76	1889,1963,1973,1989	19	1887,1981	32	1887	65	1899		53	35	44	

MANITOWOC	69	1963	20	1887	34	1887	55	1931,2010		52	40	46
MARSHFIELD	78	1989	12	1917	32	1981	61	2012		53	35	44
MERRILL	78	1963	15	1917	33	1981,2020	57	1931,2012		52	32	42
OSHKOSH	78	1963	19	1981	33	1981	59	1963		55	36	46
RHINELANDER	77	1963	14	1917,2002	30	2020	60	1963		50	32	41
STEVENS POINT	81	1963	18	1917	34	1981	62	1899		53	34	44
STURGEON BAY	73	1963	20	1917	37	1981	56	1963		53	37	45
WAUSAU	76	1989	18	1917,1981	31	1981	59	2012		52	34	43
WISCONSIN RAPIDS	77	1963	13	1981	33	1981	60	2012		54	34	44

	REC		REC							NORMAL		
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW	

										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.31	1934	8.0	1933						2.55	25.63	0.7	0.7
APPLETON	2.85	1967	3.0	1933						1.98	26.77	0.0	0.0
GREEN BAY	1.29	1967	3.5	1933						1.91	25.35	0.1	0.1
MANITOWOC	1.30	1916	0.0							2.02	26.73	0.0	0.0
MARSHFIELD	1.59	1975	2.0	1981						2.11	28.75	0.5	0.5
MERRILL	2.00	1975	0.5	2001						2.44	28.12	0.5	0.5
OSHKOSH	2.29	1967	T	1926,1942						1.91	27.16	0.0	0.0
RHINELANDER	1.25	1991	1.0	1925						2.52	27.60	0.7	0.7
STEVENS POINT	1.74	1959	2.0	1933						2.06	28.58	0.1	0.1
STURGEON BAY	1.35	1933	3.0	1933						2.41	26.99	0.0	0.0
WAUSAU	1.38	1959	4.8	1933						2.41	28.52	0.9	0.9
WISCONSIN RAPIDS	2.48	1959	2.0	1981						2.06	28.07	0.0	0.0

OCTOBER 24

OCTOBER 25

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	76	1989	13	1933	32	1933,1988	53	1971		50	32	41	

APPLETON	78	1989	20	2006	33	1962	56	1971,1989		53	37	45
GREEN BAY	78	1989	8	1887	22	1887	55	2010		53	35	44
MANITOWOC	74	1964	11	1887	37	1926	55	1963		52	39	46
MARSHFIELD	79	1989	16	1933	33	2020	55	2000,2010		52	34	43
MERRILL	78	1989	13	1905	33	1926	55	1963		52	31	41
OSHKOSH	77	1989	19	1933	37	1979	56	2000		54	36	45
RHINELANDER	76	1989	9	1933	32	1957,1988	54	2000		50	32	41
STEVENS POINT	79	1900	16	1933	35	1933	58	1963		53	34	43
STURGEON BAY	73	1964	21	1960	36	1957	55	1963		52	37	44
WAUSAU	78	1900	15	1933	28	1962	56	2000		52	34	43
WISCONSIN RAPIDS	83	1927	18	1917	30	1962	60	2000		54	34	44

	REC		REC							NORMAL		
--	-----	--	-----	--	--	--	--	--	--	--------	--	--

	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
--	------	---------	------	---------	--	--	--	--	--	------	--	------	--

										MONTH	YEAR	MONTH	SEASON
--	--	--	--	--	--	--	--	--	--	-------	------	-------	--------

ANTIGO	1.76	1919	2.5	1981						2.63	25.71	0.7	0.7
APPLETON	1.60	1916	1.1	2020						2.06	26.85	0.0	0.0
GREEN BAY	1.02	1898	3.0	1898						1.99	25.43	0.1	0.1
MANITOWOC	1.60	1991	2.0	1898						2.09	26.80	0.0	0.0
MARSHFIELD	2.24	2012	4.0	1925						2.18	28.82	0.5	0.5
MERRILL	2.54	2012	2.0	1981						2.52	28.20	0.5	0.5
OSHKOSH	1.30	1916	2.0	1898,1925						1.98	27.23	0.0	0.0
RHINELANDER	2.03	2012	3.0	2001						2.60	27.68	0.8	0.8
STEVENS POINT	1.25	1916	6.0	1898						2.13	28.65	0.1	0.1
STURGEON BAY	1.51	1916	1.0	1981						2.50	27.08	0.0	0.0
WAUSAU	2.34	2012	3.0	1905						2.49	28.60	1.0	1.0
WISCONSIN RAPIDS	0.51	2012	2.0	1904						2.13	28.14	0.0	0.0

OCTOBER 25

--	--	--	--	--	--	--	--	--	--	--	--	--	--

OCTOBER 26

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	

ANTIGO	76	1989	14	1962	26	1942	53	2000		49	31	40
APPLETON	76	1989	19	1942	33	1942	58	1971		53	37	45
GREEN BAY	77	1989	10	1887	31	1898	55	2000		52	35	44
MANITOWOC	79	1963	14	1887	35	1898	54	1947		51	39	45
MARSHFIELD	83	1927	12	1962	28	1942	53	1989,2000		52	34	43
MERRILL	76	1989	14	1962	33	1997,2020	55	2000		51	31	41
OSHKOSH	76	1989	20	1962	34	1942	56	1989,2000		54	36	45
RHINELANDER	75	1989	13	2020	28	1942	54	1989		49	31	40
STEVENS POINT	80	1927	15	1962	31	1998	57	1989		52	34	43
STURGEON BAY	72	1963	19	1907	33	1942	59	1963		52	36	44
WAUSAU	76	1927,1989	16	1942	28	1942	60	2000		51	34	42
WISCONSIN RAPIDS	82	1927	10	1962	33	1942	58	2000		53	33	43

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	

										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.80	2004	0.5	1942						2.71	25.79	0.8	0.8
APPLETON	1.38	2016	0.7	1997						2.14	26.93	0.0	0.0
GREEN BAY	0.99	2016	0.2	1898,1925,1997						2.06	25.50	0.1	0.1
MANITOWOC	1.05	2016	2.0	1898						2.17	26.88	0.0	0.0
MARSHFIELD	0.91	2010	1.0	1925						2.26	28.90	0.6	0.6
MERRILL	1.11	2004	0.5	1942						2.60	28.28	0.6	0.6
OSHKOSH	1.44	2016	1.5	1997						2.06	27.31	0.0	0.0
RHINELANDER	1.20	1913	0.5	1917						2.68	27.76	0.9	0.9
STEVENS POINT	2.50	1900	1.2	1904						2.20	28.72	0.1	0.1
STURGEON BAY	1.34	2016	2.0	1914						2.59	27.17	0.0	0.0
WAUSAU	1.57	1941	1.0	1917						2.56	28.67	1.0	1.0
WISCONSIN RAPIDS	1.47	2016	1.0	1959						2.20	28.21	0.1	0.1

OCTOBER 26

OCTOBER 27

					REC		REC						
--	--	--	--	--	-----	--	-----	--	--	--	--	--	--

	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	75	1927	8	1976	32	1895,2020	55	1947		49	31	40	
APPLETON	77	1927	22	1942,1976,2020	33	1933	55	1947,1989		52	36	44	
GREEN BAY	76	1927	17	1976	30	1925	55	1947		52	35	43	
MANITOWOC	76	1927	17	1887,1898	37	1997	55	1947		51	39	45	
MARSHFIELD	80	1927	15	1976	28	1925	53	1947		51	34	42	
MERRILL	79	1927	6	1936	32	1917,2020	53	2000		51	31	41	
OSHKOSH	81	1927	17	1976	33	1925	56	2000		54	36	45	
RHINELANDER	78	1927	9	2020	25	1925	57	1971		49	31	40	
STEVENS POINT	81	1927	14	1898	35	1898	58	1971		52	33	43	
STURGEON BAY	78	1927	21	1936	35	1941	56	1971,2000		51	36	44	
WAUSAU	80	1927	16	1976	28	1925	51	1989		51	33	42	
WISCONSIN RAPIDS	77	1948	11	1911	33	1933	56	1947		53	33	43	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.90	1918	0.3	1925						2.79	25.87	0.9	0.9
APPLETON	1.44	1918	1.0	1925						2.22	27.01	0.1	0.1
GREEN BAY	1.56	1918	0.2	1895,1925,1967						2.14	25.58	0.1	0.1
MANITOWOC	1.85	1918	1.0	1925						2.24	26.95	0.0	0.0
MARSHFIELD	1.29	1970	2.0	1919						2.33	28.97	0.6	0.6
MERRILL	1.08	1941	0.5	1925						2.67	28.35	0.6	0.6
OSHKOSH	1.70	1918	1.3	1925						2.14	27.39	0.0	0.0
RHINELANDER	1.20	1984	2.0	2008						2.75	27.83	1.0	1.0
STEVENS POINT	1.50	1918	T	1919,1925,1959						2.28	28.80	0.1	0.1
STURGEON BAY	1.60	1918	1.0	1925						2.69	27.27	0.1	0.1
WAUSAU	1.98	1900	1.0	1919						2.64	28.75	1.1	1.1
WISCONSIN RAPIDS	1.26	1918	T	1910						2.28	28.29	0.1	0.1
OCTOBER 27													
OCTOBER 28													

OCTOBER 29

	REC		REC		REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	74	1950	8	1895	24	1925	51	1989		48	31	39
APPLETON	78	1937	16	1925	27	1925	56	1946,1989		52	36	44
GREEN BAY	77	1937	15	1925	27	1925	59	1946		51	34	42
MANITOWOC	76	1937	16	1925	28	1925	55	1946		50	38	44
MARSHFIELD	76	1950	11	1925	22	1925	52	1989		50	33	41
MERRILL	75	1937	9	1905	23	1925	53	1989		50	30	40
OSHKOSH	80	1937	13	1925	27	1925	61	1946		53	35	44
RHINELANDER	71	1937	8	1925	20	1925	53	1989		48	30	39
STEVENS POINT	76	1950	9	1905	27	1925	54	1989		51	33	42
STURGEON BAY	72	1937	14	1905	29	1925	54	1946		51	35	43
WAUSAU	79	1901	12	1905	21	1925	53	1989		50	33	41
WISCONSIN RAPIDS	77	1937	10	1905	30	1917	54	1946,2004		51	32	42
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.43	1986	0.5	1917					2.95	26.03	1.0	1.0
APPLETON	1.09	1996	3.1	2019					2.37	27.16	0.1	0.1
GREEN BAY	2.02	1896	3.5	1917					2.29	25.73	0.2	0.2
MANITOWOC	1.32	1961	6.5	1917					2.40	27.11	0.1	0.1
MARSHFIELD	1.78	1955	T	1913,1932,1954,1964,2017,2019					2.47	29.11	0.7	0.7
MERRILL	1.30	1996	4.0	1906					2.82	28.50	0.7	0.7
OSHKOSH	1.61	1896	1.9	2019					2.29	27.54	0.1	0.1
RHINELANDER	1.34	1955	1.5	1933					2.90	27.98	1.2	1.2
STEVENS POINT	2.26	1955	4.0	1917					2.42	28.94	0.2	0.2
STURGEON BAY	1.23	1996	2.0	1917					2.87	27.45	0.1	0.1
WAUSAU	1.36	1961	3.0	1906					2.79	28.90	1.2	1.2
WISCONSIN RAPIDS	2.37	1955	5.0	1917					2.42	28.43	0.1	0.1

OCTOBER 29

OCTOBER 30

	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	78	1950	4	1895	29	1917	51	1956,2004		47	30	39	
APPLETON	74	1950	13	1925	27	1925	61	1946		51	35	43	
GREEN BAY	75	1901	12	1925	28	1917	62	1901		51	34	42	
MANITOWOC	76	1933	14	1925	32	1917	55	1950		50	38	44	
MARSHFIELD	76	1950	1	1925	26	1917	56	1924		50	33	41	
MERRILL	79	1909	4	1925	26	1917	51	1948		49	30	39	
OSHKOSH	77	1933	8	1925,1996	21	1925	59	1901		52	35	43	
RHINELANDER	79	1950	2	1925	26	1917,1923	54	1956		47	30	39	
STEVENS POINT	77	1950	6	1925	29	1917	59	1901		50	32	41	
STURGEON BAY	74	1933	12	1925	31	1917	54	2004		50	35	43	
WAUSAU	78	1950	8	1925	25	1917	57	1901		49	32	41	
WISCONSIN RAPIDS	79	1950	9	1988	29	1917	53	1956		51	32	41	
	REC	YEAR(S)	REC	YEAR(S)						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.22	1989	T	1918						3.02	26.10	1.1	1.1
APPLETON	1.22	1919	0.5	1917						2.45	27.24	0.1	0.1
GREEN BAY	1.23	1919	0.2	2019						2.37	25.81	0.2	0.2
MANITOWOC	1.26	1919	T	1926						2.48	27.19	0.1	0.1
MARSHFIELD	1.90	1919	T	1923,1962,2014,2017,2019						2.54	29.18	0.7	0.7
MERRILL	0.83	1989	0.4	1917						2.90	28.58	0.7	0.7
OSHKOSH	1.22	1989	2.0	1917						2.37	27.62	0.1	0.1
RHINELANDER	0.75	1942	1.0	1932						2.97	28.05	1.3	1.3
STEVENS POINT	1.90	1919	2.5	1906						2.50	29.02	0.2	0.2
STURGEON BAY	0.75	1933	4.0	1917						2.96	27.54	0.1	0.1
WAUSAU	2.00	1935	0.9	1955						2.87	28.98	1.3	1.3
WISCONSIN RAPIDS	1.36	1989	0.5	1955						2.49	28.50	0.1	0.1

OCTOBER 30

OCTOBER 31

	REC		REC		REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	77	1950	10	1906	28	1996	54	1935		47	30	38
APPLETON	74	1950,1956	17	1917	27	1925	56	1935		51	35	43
GREEN BAY	74	1950	18	1917	32	1917	55	1900		50	33	42
MANITOWOC	72	1888	20	1923	32	1996	53	1900,1948		49	37	43
MARSHFIELD	79	1950	13	1923	30	2019	50	1948,1956		49	32	41
MERRILL	76	1909	9	1906	29	2019	51	1956		49	29	39
OSHKOSH	80	1950	13	1925	33	1917,1996	54	1956		52	34	43
RHINELANDER	76	1950	11	1925	28	1917,1996,2019	56	1935		47	30	38
STEVENS POINT	79	1950	10	1906	31	1906	56	1901		50	32	41
STURGEON BAY	72	1950	21	1905	33	1996	51	1974		50	35	42
WAUSAU	78	1950	12	1906	30	1917,1926,2019	53	1956		49	32	40
WISCONSIN RAPIDS	77	1933,1950	14	1906	30	1917	52	1950,1956,1974		50	31	41

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.70	1919	2.3	1895					3.10	26.18	1.2	1.2
APPLETON	1.40	1960	2.7	2019					2.53	27.32	0.1	0.1
GREEN BAY	1.44	1960	1.9	2019					2.44	25.88	0.2	0.2
MANITOWOC	1.54	1941	1.9	2019					2.55	27.26	0.1	0.1
MARSHFIELD	1.52	1960	3.5	1932					2.61	29.25	0.8	0.8
MERRILL	1.34	1960	2.0	1932					2.97	28.65	0.8	0.8
OSHKOSH	1.65	2013	2.6	2019					2.45	27.70	0.1	0.1
RHINELANDER	1.15	1960	2.3	2014					3.04	28.12	1.4	1.4
STEVENS POINT	1.76	1960	1.0	1932					2.57	29.09	0.2	0.2
STURGEON BAY	1.45	1960	3.0	2019					3.05	27.63	0.1	0.1
WAUSAU	1.36	1960	1.7	2014					2.94	29.05	1.4	1.4

WISCONSIN RAPIDS	2.33	1919	T	1918,1951,1966,1970,1996,2014			2.56	28.57	0.1	0.1
------------------	------	------	---	-------------------------------	--	--	------	-------	-----	-----

OCTOBER 31