

# October 1

	Rec		Rec		Rec		Rec						
	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	87	1976	25	1895,1918,1984	41	1974	67	1971		62	41	51	
Appleton	87	2023	29	1908	42	1974	64	1971		65	45	55	
Green Bay	88	2023	27	1974	42	1974	62	1971,2007		65	45	55	
Manitowoc	87	1971	27	1899	44	1974	65	2023		63	47	55	
Marshfield	90	1976	21	1920	44	1974	68	1971		63	43	53	
Merrill	85	2023	24	1918,1920	42	1908	68	1971		63	40	52	
Oshkosh	87	2023	24	1912	45	1974	69	1971		66	46	56	
Rhineland	92	1976	24	1920,2003	41	2003	58	2007		62	39	51	
Stevens Point	84	1922	25	1918	44	1974	69	1971		64	43	54	
Sturgeon Bay	84	1971,2023	27	1918	47	1908	63	1968		63	45	54	
Wausau	91	1976	25	1947	40	1961	63	1971		63	43	53	
Wisc. Rapids	91	1976	25	1947	41	1961	64	1971		65	43	54	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.22	1926	T	1974						0.12	23.48	0.0	0.0
Appleton	1.62	2019	T	1974						0.10	26.58	0.0	0.0
Green Bay	1.31	2019	T	1974,2003						0.10	25.31	0.0	0.0
Manitowoc	1.34	2007	0.0							0.10	25.01	0.0	0.0
Marshfield	1.18	2019	0.0							0.12	27.62	0.0	0.0
Merrill	1.32	1961	T	2003						0.12	27.13	0.0	0.0
Oshkosh	2.76	2019	T	2003						0.10	26.86	0.0	0.0
Rhineland	1.13	1926	T	2003						0.12	27.79	0.0	0.0
Stevens Point	1.09	1901	T	1974						0.11	27.91	0.0	0.0
Sturgeon Bay	1.72	2019	T	1974						0.11	25.56	0.0	0.0
Wausau	1.76	2019	T	1974,1985						0.11	27.56	0.0	0.0
Wisc. Rapids	1.37	1979	0.0							0.11	28.11	0.0	0.0

# October 1

# October 2

	Rec	Year(s)	Rec	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	87	1976	21	1975	40	1981	59	1971		61	41	51	
Appleton	85	2023	24	1908	45	1993	62	1983		65	44	55	
Green Bay	86	2023	26	1952,2003	40	1888	67	1891		65	44	55	
Manitowoc	83	1922	27	1908,1974	42	1974	61	1882,2017		62	47	55	
Marshfield	88	1976	20	1974,2003	46	2020	60	1971		63	42	53	
Merrill	88	1976	21	1975	40	1961	60	2007		63	40	51	
Oshkosh	85	1971,2023	25	1974	45	1993	68	1891		65	45	55	
Rhineland	86	1953	19	2003	42	1945	59	2023		62	39	50	
Stevens Point	90	1976	24	1908,2003	44	1981	64	1898		64	43	53	
Sturgeon Bay	85	1922	24	1908	46	1974	59	1950,2023		62	45	53	
Wausau	84	1953	24	2003	44	1993	63	1983		63	42	52	
Wisc. Rapids	88	1953	19	1936	46	1987	60	1971,2021		65	42	54	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.19	2014	T	1952						0.23	23.59	0.0	0.0
Appleton	2.45	1954	0.0							0.20	26.68	0.0	0.0
Green Bay	3.44	1954	T	1944						0.19	25.40	0.0	0.0
Manitowoc	2.00	2006	0.0							0.20	25.11	0.0	0.0
Marshfield	1.26	1927	0.0							0.24	27.74	0.0	0.0
Merrill	1.61	2014	0.0							0.24	27.25	0.0	0.0
Oshkosh	1.25	1995,2006	0.0							0.21	26.97	0.0	0.0
Rhineland	1.44	1969	T	1952						0.24	27.91	0.0	0.0
Stevens Point	1.55	1900	0.0							0.21	28.01	0.0	0.0
Sturgeon Bay	0.82	1930	0.0							0.23	25.68	0.0	0.0
Wausau	1.70	2014	T	1999						0.23	27.68	0.0	0.0
Wisc. Rapids	4.05	1954	0.0							0.21	28.21	0.0	0.0

# October 2

# October 3

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	84	1897	24	1901,1945,1996	44	1999	61	1971		61	40	50	
Appleton	86	2005	29	1945	44	1980,1999,2020	65	2005		64	44	54	
Green Bay	86	2005,2023	22	1952	44	1980	68	2005		64	44	54	
Manitowoc	80	1953	30	1888,1961,1974	47	2020	62	1983,2017		62	47	54	
Marshfield	84	1997,2005	21	1987	44	1935	67	2005		63	42	52	
Merrill	83	1992	21	1987	42	1935	60	1953		62	39	51	
Oshkosh	87	2005	25	1945	45	1935,1999	70	2005		65	45	55	
Rhineland	82	1922	21	1952	41	1974	70	2005		61	38	50	
Stevens Point	90	1897	19	1952	41	1901	60	1983		63	42	53	
Sturgeon Bay	85	1953	23	1952	46	1980,1993	62	2021		62	44	53	
Wausau	83	1997,2023	23	1945	44	1980	68	2005		62	42	52	
Wisc. Rapids	87	1997	21	1987	42	1935	68	2005		64	42	53	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.55	1911	T	1901						0.35	23.71	0.0	0.0
Appleton	1.55	1911	0.0							0.30	26.78	0.0	0.0
Green Bay	1.57	1900	T	1901,1935						0.29	25.50	0.0	0.0
Manitowoc	3.04	1954	0.0							0.30	25.21	0.0	0.0
Marshfield	1.57	2002	T	1968						0.36	27.86	0.0	0.0
Merrill	1.60	1911	T	1935,1968						0.36	27.37	0.0	0.0
Oshkosh	2.23	1954	0.0							0.31	27.07	0.0	0.0
Rhineland	1.30	2018	T	2014						0.36	28.03	0.0	0.0
Stevens Point	3.20	1954	0.0							0.31	28.11	0.0	0.0
Sturgeon Bay	1.86	1954	T	1980,1989						0.34	25.79	0.0	0.0
Wausau	4.60	1900	0.0							0.34	27.79	0.0	0.0
Wisc. Rapids	0.77	1927	T	1968						0.31	28.31	0.0	0.0

**October 3**

**October 4**

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	82	1897	21	1999	41	1935,1980,2014	68	2005		60	40	50	
Appleton	84	1922	25	1999	44	1980	67	2005		64	44	54	
Green Bay	84	1922,1967	25	1989,1999	42	1980	70	2005		64	43	54	
Manitowoc	85	1922	30	1901,1935,1968,1989	45	1885	66	2023		61	46	54	
Marshfield	84	1922,2005	21	1989	43	1935	67	2005		62	41	52	
Merrill	89	1905	21	1987	43	1935	69	2005		62	39	50	
Oshkosh	87	2005	25	1989	46	2014	71	2005		64	45	54	
Rhineland	81	1922	22	1929,1980	41	2014	63	2005		61	38	49	
Stevens Point	94	1897	24	1901,1989	42	1999	68	2005		63	42	52	
Sturgeon Bay	83	1922	28	1999	44	1980	66	1922,2005		61	44	53	
Wausau	86	1908	25	1901,1935	42	1935	67	2005		62	41	52	
Wisc. Rapids	86	2005	21	1945	43	1932	71	2005		64	42	53	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	4.34	2005	0.0							0.46	23.82	0.0	0.0
Appleton	1.19	2002	0.0							0.40	26.88	0.0	0.0
Green Bay	1.35	1904	T	1911						0.38	25.59	0.0	0.0
Manitowoc	1.70	2002	0.0							0.40	25.31	0.0	0.0
Marshfield	2.20	1942	T	2014						0.48	27.98	0.0	0.0
Merrill	1.62	1942	0.0							0.48	27.49	0.0	0.0
Oshkosh	1.28	2002	0.0							0.41	27.17	0.0	0.0
Rhineland	2.24	2005	T	2018						0.48	28.15	0.0	0.0
Stevens Point	2.09	1904	T	2014						0.41	28.21	0.0	0.0
Sturgeon Bay	2.80	2006	T	1935,1980						0.45	25.90	0.0	0.0
Wausau	1.68	2005	T	2014						0.46	27.91	0.0	0.0
Wisc. Rapids	2.12	2002	T	2014						0.42	28.42	0.0	0.0
<b>October 4</b>													
<b>October 5</b>													
					Rec		Rec						

	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	80	1905,1922,1947,2005	19	1952	40	1935	65	2005		60	39	50	
Appleton	84	1922,1947,2005	27	1952,1993	44	1952	62	1922		63	43	53	
Green Bay	86	2007	21	1952	41	1935	60	1900,1937,1955		63	43	53	
Manitowoc	85	1922	28	1876	46	1889	67	2005		61	46	53	
Marshfield	83	1922	18	1952	39	1952	60	2007		62	41	51	
Merrill	82	1912	17	1980	39	1952	66	2005		61	39	50	
Oshkosh	87	1922	25	1980	44	1935	63	1918		64	44	54	
Rhineland	84	1922	20	2003	37	1952	59	1922,1969		60	38	49	
Stevens Point	84	1922	22	1952	42	1935,1952	69	2005		62	42	52	
Sturgeon Bay	85	1922	25	1932	44	1952	62	2005		61	43	52	
Wausau	84	1922	24	1952	38	1952	61	1900		61	41	51	
Wisc. Rapids	85	1922	19	1932	42	1935	62	2007		63	41	52	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.67	1985	T	1964						0.58	23.94	0.0	0.0
Appleton	1.02	1978	0.0							0.50	26.98	0.0	0.0
Green Bay	1.08	1978	T	1935						0.47	25.68	0.0	0.0
Manitowoc	1.82	2013	T	1935						0.49	25.40	0.0	0.0
Marshfield	1.85	2013	0.0							0.60	28.10	0.0	0.0
Merrill	1.68	1928	T	1964						0.60	27.61	0.0	0.0
Oshkosh	1.64	1911	T	1935,1953						0.51	27.27	0.0	0.0
Rhineland	1.54	1941	T	1935,1966,2012						0.61	28.28	0.1	0.1
Stevens Point	1.40	1913	T	2014						0.51	28.31	0.0	0.0
Sturgeon Bay	1.35	2002	T	1935						0.56	26.01	0.0	0.0
Wausau	1.70	1941	T	1953,1991						0.57	28.02	0.0	0.0
Wisc. Rapids	1.61	1936	T	1964						0.52	28.52	0.0	0.0
<b>October 5</b>													
<b>October 6</b>													
					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			

Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	84	1963	20	1935	38	2000	61	2007		59	39	49	
Appleton	89	1963	25	1935	44	1935,2000	68	2007		63	43	53	
Green Bay	88	1963	23	2001	45	1889,1964	69	2007		63	43	53	
Manitowoc	89	1963	27	1935	44	1889	63	2007		60	46	53	
Marshfield	86	1963	18	1935	39	1952	68	2007		61	41	51	
Merrill	89	1963	17	1935	42	1952,1964	64	2007		61	38	49	
Oshkosh	90	1963	21	1935	37	2000	68	2007		63	44	54	
Rhineland	84	1963	19	2001	38	2000	67	2007		60	37	49	
Stevens Point	84	1963	22	1935	43	1952	63	1900,1970		62	41	51	
Sturgeon Bay	86	1963	25	1935	46	1935	58	2007		61	43	52	
Wausau	87	1963	25	1932	40	1952	67	2007		61	41	51	
Wisc. Rapids	89	1963	15	1935	43	1952	69	2007		63	41	52	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	2.74	1911	0.3	1906						0.69	24.05	0.0	0.0
Appleton	1.99	1911	T	1935,1952,1964,2000						0.59	27.07	0.0	0.0
Green Bay	1.64	1911	T	1964,2000						0.56	25.77	0.0	0.0
Manitowoc	1.75	1911	T	1964						0.59	25.50	0.0	0.0
Marshfield	2.29	1995	T	2012						0.71	28.21	0.0	0.0
Merrill	3.00	1911	T	1964,2012						0.71	27.72	0.0	0.0
Oshkosh	0.76	1949	T	1953,1964						0.60	27.36	0.0	0.0
Rhineland	2.80	1911	T	1952,2012						0.72	28.39	0.1	0.1
Stevens Point	2.30	1995	T	1952,1964						0.61	28.41	0.0	0.0
Sturgeon Bay	2.17	1911	T	1935,1964						0.67	26.12	0.0	0.0
Wausau	3.05	1911	T	1952,1964,2001,2012						0.68	28.13	0.0	0.0
Wisc. Rapids	1.80	1911	T	1952						0.62	28.62	0.0	0.0

**October 6**

**October 7**

					Rec		Rec					
	Rec		Rec		Low		High			1991-2020 Normals		
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean



Antigo	80	1905	19	1895	35	1895	67	2007		58	38	48	
Appleton	86	2007	24	1987	43	1917	68	2007		62	42	52	
Green Bay	86	2007	23	1987	40	1895	65	1949		62	42	52	
Manitowoc	85	2007	28	1987	41	1895	67	2007		59	45	52	
Marshfield	82	1997	20	1976	38	1915	63	1949		60	40	50	
Merrill	86	1909	19	2001	39	1915	68	2007		60	37	49	
Oshkosh	87	1949	27	1896	42	1915	63	1949		62	43	53	
Rhineland	82	2010	22	1989	34	1915	64	2011		59	37	48	
Stevens Point	83	1916	21	1907	42	1915,1925	67	2007		61	40	51	
Sturgeon Bay	83	2007	25	1989	40	2000	63	2007		60	42	51	
Wausau	80	1997,2010,2011	25	1896	38	1915	63	1997		60	40	50	
Wisc. Rapids	83	2010	21	1937	38	1932	66	1997		62	40	51	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.29	1967	0.3	1906						0.91	24.27	0.1	0.1
Appleton	1.42	2018	T	1915,1964						0.77	27.25	0.0	0.0
Green Bay	1.42	2018	T	1964						0.73	25.94	0.0	0.0
Manitowoc	1.52	1962	0.0							0.78	25.69	0.0	0.0
Marshfield	1.76	1928,1967	T	1921						0.92	28.42	0.0	0.0
Merrill	1.20	1984	T	1915,1921						0.94	27.95	0.1	0.1
Oshkosh	1.41	1967	0.0							0.78	27.54	0.0	0.0
Rhineland	1.56	2007	T	1915,1921,1945						0.96	28.63	0.1	0.1
Stevens Point	1.53	1901	T	1915,1921,1945						0.80	28.60	0.0	0.0
Sturgeon Bay	1.33	1967	T	1912,1937						0.89	26.34	0.0	0.0
Wausau	0.86	1959	0.1	1921						0.90	28.35	0.1	0.1
Wisc. Rapids	1.32	1959	T	1909						0.81	28.81	0.0	0.0

**October 8**

**October 9**

					Rec		Rec					
	Rec		Rec		Low		High			1991-2020 Normals		
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	79	2011	15	1895	35	1917	58	1914,1973,2021		58	38	48



Appleton	81	2010,2011	25	1989	42	1964,1993	62	1973		61	42	51	
Green Bay	81	1905	23	1895	40	1925	60	1914,2021		61	42	52	
Manitowoc	78	2007	25	1895	41	1964	63	1879		59	45	52	
Marshfield	79	2011	19	1915	35	1917	61	1973		60	40	50	
Merrill	85	1909	21	1989	37	1917	58	1997		59	37	48	
Oshkosh	81	1905,2003	26	1972	43	1964,1993	66	1997		62	43	52	
Rhineland	81	2011	17	1895	34	1964	59	1970		58	36	47	
Stevens Point	81	1905	19	1895	40	1925	63	1973		60	40	50	
Sturgeon Bay	82	2007	22	1989	41	1925,1932,1964	60	1914,1997		59	42	50	
Wausau	79	1905,2011	22	1895	34	1917	62	1973		59	40	49	
Wisc. Rapids	85	1930	19	1964	40	1959	64	1973		61	40	51	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.65	1904	T	1917,1927,1937,1945,1964,1990						1.02	24.38	0.1	0.1
Appleton	0.82	1973	T	1964						0.86	27.34	0.0	0.0
Green Bay	1.46	1939	0.1	1925						0.83	26.04	0.0	0.0
Manitowoc	1.14	1904	T	1925,1964						0.89	25.80	0.0	0.0
Marshfield	1.20	2018	3.5	1917						1.03	28.53	0.1	0.1
Merrill	1.09	2018	T	1906,1915						1.06	28.07	0.1	0.1
Oshkosh	0.89	2018	T	1906,1917,1925						0.88	27.64	0.0	0.0
Rhineland	1.27	2018	1.5	1932						1.07	28.74	0.2	0.2
Stevens Point	1.39	2018	0.5	1917						0.89	28.69	0.0	0.0
Sturgeon Bay	1.31	1959	0.5	1925						1.00	26.45	0.0	0.0
Wausau	1.72	2018	3.0	1932						1.01	28.46	0.1	0.1
Wisc. Rapids	1.60	1914	2.5	1917						0.90	28.90	0.0	0.0

## October 9

## October 10

					Rec		Rec					
	Rec		Rec		Low		High			1991-2020 Normals		
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	82	1938	18	1906	36	2009	59	1973		57	37	47
Appleton	79	1963	23	1906	39	1906	63	1973		61	41	51

Green Bay	82	1938	24	1906,1956	37	1906	63	2021		61	41	51	
Manitowoc	79	1938	25	1906	39	1906	63	2021		59	44	51	
Marshfield	84	1930	17	1964	38	2009	62	1973		59	39	49	
Merrill	84	1928,1930	17	1964	32	1906	56	2021		59	37	48	
Oshkosh	87	1938	21	1964	39	1906	63	1973		61	42	52	
Rhineland	81	1938	19	1964	37	1925	61	1973		58	36	47	
Stevens Point	85	1938	19	1964	38	1906	62	1973		60	40	50	
Sturgeon Bay	83	1938	28	1906,1956	40	1906	59	1914,1973,2021		59	42	50	
Wausau	82	1928,1930,1938	19	1964	34	1906	64	1930,1973,2021		59	39	49	
Wisc. Rapids	85	1938	13	1964	35	1906	65	1920		61	39	50	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.15	1949	3.5	1990						1.13	24.49	0.1	0.1
Appleton	1.12	1904	0.1	1990						0.96	27.44	0.0	0.0
Green Bay	1.47	1920	T	1906,1932,1958,1990,2009						0.92	26.13	0.0	0.0
Manitowoc	1.50	1913	T	1932						0.99	25.90	0.0	0.0
Marshfield	1.24	1920	3.5	1990						1.13	28.63	0.1	0.1
Merrill	1.14	2018	2.5	1990						1.17	28.18	0.1	0.1
Oshkosh	1.60	1901	0.2	1932						0.97	27.73	0.0	0.0
Rhineland	0.90	2018	0.1	2009						1.18	28.85	0.2	0.2
Stevens Point	1.00	1913	2.0	1932						0.98	28.78	0.0	0.0
Sturgeon Bay	1.15	1920	T	1906,2009						1.11	26.56	0.0	0.0
Wausau	1.97	1904	9.8	1990						1.12	28.57	0.1	0.1
Wisc. Rapids	0.78	1990	3.0	1990						0.99	28.99	0.0	0.0

## October 10

## October 11

					Rec		Rec					
	Rec		Rec		Low		High			1991-2020 Normals		
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	80	1928	12	1906	37	1990	63	1928		57	37	47
Appleton	82	1928	19	1906	41	1967	63	1973		60	41	51
Green Bay	82	1928	21	1906,1987	41	1967	65	1928		60	41	51

Manitowoc	83	1928	21	1906	40	1906	62	2021		58	44	51	
Marshfield	82	1928,1930	18	1987	41	1917,1967	62	1928		59	39	49	
Merrill	84	1928	14	1906	37	2009	60	1938		58	36	47	
Oshkosh	85	1928	19	1906	41	1906	64	1928		61	42	51	
Rhineland	81	1910,1928	20	1919,1932,2009	37	1977	59	1938		57	35	46	
Stevens Point	85	1938	14	1906	35	1906	65	1928		59	39	49	
Sturgeon Bay	82	1928	23	1906	43	2009	63	2021		58	41	50	
Wausau	81	1928	16	1906	38	1959,1977	66	1928		58	39	49	
Wisc. Rapids	81	1930,2015	17	1987	38	1906	68	1928		60	39	50	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.83	1986	T	1909,1917,1935,2006						1.24	24.60	0.1	0.1
Appleton	1.01	1983	T	1959,1990,2009,2012						1.06	27.54	0.0	0.0
Green Bay	1.12	1901	T	1905,1959,2006,2019						1.01	26.22	0.0	0.0
Manitowoc	1.23	2019	T	1959						1.09	26.00	0.0	0.0
Marshfield	1.42	1983	4.9	1917						1.24	28.74	0.1	0.1
Merrill	0.68	1990	T	1905,1921,1935,1996,2009						1.28	28.29	0.1	0.1
Oshkosh	1.60	1901	0.2	1932						1.07	27.83	0.0	0.0
Rhineland	1.88	1986	1.5	1909						1.30	28.97	0.2	0.2
Stevens Point	1.43	1901	T	1917,1959						1.08	28.88	0.0	0.0
Sturgeon Bay	0.57	2018	T	1967,2009						1.23	26.68	0.0	0.0
Wausau	1.83	1983	1.0	1917						1.23	28.68	0.1	0.1
Wisc. Rapids	1.30	1983	T	1959,2018						1.09	29.09	0.0	0.0

## October 11

## October 12

					Rec		Rec					
	Rec		Rec		Low		High			1991-2020 Normals		
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	79	1918	17	2012	30	1909	57	1938		56	37	47
Appleton	81	1918,1943,2008	23	2012	36	1936,2006	62	1928,1997		60	41	50
Green Bay	82	1918,2008	24	1936,1988	33	1909	62	1930		60	41	50
Manitowoc	82	1918,1995	26	1936,1967	38	1909	62	2021		58	43	51

Marshfield	82	1918,1995, 2012	21	2006	33	2009	56	1930,2021		58	38	48	
Merrill	82	1930,1956,1995	17	1987	31	1909	62	1928		58	36	47	
Oshkosh	84	1918,1930	25	1909,1987	37	2006	61	2021		60	42	51	
Rhineland	81	1930,1995	16	2012	30	2006	60	1997		57	35	46	
Stevens Point	81	1928	23	2006	32	1909	60	1928,1930		59	39	49	
Sturgeon Bay	85	1995	24	1932	36	1936	62	1973		58	41	49	
Wausau	82	1995	22	2006	32	2006	59	1930,2021		58	38	48	
Wisc. Rapids	84	1920	21	2012	35	2006	60	1938		60	39	49	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.66	1983	0.6	2006						1.34	24.70	0.2	0.2
Appleton	1.31	1902	2.8	1909						1.15	27.63	0.0	0.0
Green Bay	1.38	1886	2.3	1909						1.10	26.31	0.0	0.0
Manitowoc	1.37	1898	2.5	1909						1.19	26.10	0.0	0.0
Marshfield	1.05	1986	2.1	2009						1.34	28.84	0.1	0.1
Merrill	2.47	1986	3.0	2009						1.39	28.40	0.2	0.2
Oshkosh	1.98	1890	T	1936,2019						1.17	27.93	0.0	0.0
Rhineland	1.53	1912	3.0	1909						1.41	29.08	0.3	0.3
Stevens Point	1.67	1983	2.0	1909						1.17	28.97	0.0	0.0
Sturgeon Bay	1.09	1912	4.0	1909						1.33	26.78	0.0	0.0
Wausau	1.40	1898	3.0	1909						1.34	28.79	0.1	0.1
Wisc. Rapids	0.92	1984	1.0	1959						1.18	29.18	0.0	0.0

## October 12

## October 13

					Rec		Rec					
	Rec		Rec		Low		High			1991-2020 Normals		
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	81	1956	20	1907,1988,1993	31	2009	60	1899		56	36	46
Appleton	82	1975	21	1988,1993	38	2018	62	2008		59	40	50
Green Bay	82	1975	22	1988	39	1909	63	1920		59	40	50
Manitowoc	85	1975	25	1988	40	1909	60	2008,2021		57	43	50
Marshfield	81	1975	15	1917	37	1936	65	1920		58	38	48

Merrill	82	1956	19	1988	34	2006	56	1997		57	36	46	
Oshkosh	85	1975	22	1937	40	1909	62	1920		60	41	51	
Rhineland	81	1956	19	1993	31	1909	55	1956,2021		56	35	46	
Stevens Point	83	1956	20	1917	36	1979	58	1943,1960,1975		58	38	48	
Sturgeon Bay	82	1995	23	1988,1993	36	1909	58	1997,2008		57	40	49	
Wausau	82	1975	23	1917,1946,1988,1993	34	1909	56	2000		57	38	48	
Wisc. Rapids	86	1975	17	1937	40	1917,2006	65	1920		59	38	49	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.53	1997	0.1	2006						1.45	24.81	0.2	0.2
Appleton	1.52	2012	T	2006,2009,2019						1.25	27.73	0.0	0.0
Green Bay	1.31	1898	2.5	1936						1.18	26.39	0.0	0.0
Manitowoc	1.69	1902	T	1937,1939						1.29	26.20	0.0	0.0
Marshfield	1.59	1997	2.0	1939						1.45	28.95	0.1	0.1
Merrill	1.84	1997	0.5	2006						1.50	28.51	0.2	0.2
Oshkosh	1.94	1902	T	1939						1.27	28.03	0.0	0.0
Rhineland	1.50	1997	1.8	2006						1.52	29.19	0.3	0.3
Stevens Point	1.58	1898	1.0	1939						1.26	29.06	0.0	0.0
Sturgeon Bay	1.20	1969	T	1936,1945,1979,2006,2009						1.44	26.89	0.0	0.0
Wausau	1.17	2011	0.2	2006						1.44	28.89	0.2	0.2
Wisc. Rapids	1.42	2023	T	1986,2019						1.27	29.27	0.0	0.0

## October 13

## October 14

					Rec		Rec					
	Rec		Rec		Low		High			1991-2020 Normals		
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	86	1897	20	1907,1937	34	2022	63	1968		55	36	46
Appleton	83	1947	24	1937	40	2022	61	1920		59	40	49
Green Bay	82	1897,1947	22	1979	40	1986	63	1920		59	40	50
Manitowoc	80	1975	26	1979	42	1986	61	2021		57	43	50
Marshfield	83	1947	20	1979	36	2022	61	1968		57	38	47
Merrill	82	1975	19	1993	35	2022	60	1968		57	35	46

Oshkosh	86	1947	22	1937	41	1909	62	1920		59	41	50	
Rhineland	79	1908,1947,1962	21	1937	34	2022	64	1968		56	34	45	
Stevens Point	85	1897	21	1894	34	2022	62	1968		58	38	48	
Sturgeon Bay	76	1953	24	1993	39	2018	56	2021		57	40	48	
Wausau	80	1897,1947,1953,1962	21	1937	38	2022	62	1968		57	38	47	
Wisc. Rapids	85	1947	21	1937	37	2022	64	1968		59	38	48	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.45	2014	T	2006,2019						1.56	24.92	0.2	0.2
Appleton	2.15	2012	T	1930,1959,1986						1.34	27.82	0.0	0.0
Green Bay	2.02	2012	T	1894,1909,1937,1945,1980,1986,2018,2022						1.27	26.48	0.0	0.0
Manitowoc	1.95	2014	0.0							1.39	26.30	0.0	0.0
Marshfield	1.33	1954	2.5	2018						1.56	29.06	0.1	0.1
Merrill	1.43	2014	T	1909,1959,1986,1997						1.61	28.62	0.2	0.2
Oshkosh	1.91	2012	T	2018,2022						1.37	28.13	0.0	0.0
Rhineland	1.85	1954	2.0	2022						1.64	29.31	0.3	0.3
Stevens Point	1.94	2012	0.1	2019						1.35	29.15	0.0	0.0
Sturgeon Bay	1.63	2014	T	1937,1945,2006						1.55	27.00	0.0	0.0
Wausau	1.47	1966	0.5	2018						1.55	29.00	0.2	0.2
Wisc. Rapids	1.37	2012	T	2022						1.37	29.37	0.0	0.0

## October 14

## October 15

					Rec		Rec					
	Rec		Rec		Low		High			1991-2020 Normals		
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	83	1947	22	1944	34	2018	63	1968		55	36	45
Appleton	85	1947	26	1944,2006	43	1943,1978,2018	63	1962		58	40	49
Green Bay	85	1947	24	2006	41	2018	65	1968		58	40	49
Manitowoc	83	1897	27	1969	44	1895,1943	63	1897		56	42	49
Marshfield	84	1947	21	2006	38	1943	61	1962,1968		57	37	47
Merrill	79	1968	20	1944	37	2018	64	1968		56	35	45
Oshkosh	89	1947	23	1944	41	2018	64	1962		59	41	50

Rhineland	84	1947	17	2002	38	1943	66	1968		55	34	45	
Stevens Point	84	1947	23	1944,1952	38	2009	65	1968		57	38	48	
Sturgeon Bay	79	1947	26	1944,1991	41	2018	58	1962		56	40	48	
Wausau	82	1947	16	1898	38	2018	66	1968		56	37	47	
Wisc. Rapids	87	1947	16	1944	36	1943	65	1968		58	37	48	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.47	1966	3.5	1992						1.66	25.02	0.2	0.2
Appleton	1.00	2017	T	2018,2022						1.44	27.92	0.0	0.0
Green Bay	1.68	1989	T	2009						1.36	26.57	0.0	0.0
Manitowoc	1.02	1881	0.0							1.49	26.40	0.0	0.0
Marshfield	2.09	1966	T	1943,1991,2009						1.66	29.16	0.2	0.2
Merrill	2.17	1966	1.5	1992						1.72	28.73	0.2	0.2
Oshkosh	1.08	1989	T	2018						1.47	28.23	0.0	0.0
Rhineland	2.03	1966	0.4	2019						1.75	29.42	0.4	0.4
Stevens Point	1.12	2012	T	1909,1943,2018,2022						1.44	29.24	0.1	0.1
Sturgeon Bay	1.37	2012	T	1970						1.66	27.11	0.0	0.0
Wausau	1.15	1966	0.3	1992						1.66	29.11	0.2	0.2
Wisc. Rapids	1.06	2013	T	2009						1.46	29.46	0.0	0.0

## October 15

## October 16

					Rec		Rec					
	Rec		Rec		Low		High			1991-2020 Normals		
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	83	1953	16	1952	37	1943,1952	63	1968		54	35	45
Appleton	84	1947	24	1952,2002	38	1952	62	1968		58	39	49
Green Bay	81	1947,1968	22	1952	38	1952	65	1968		58	40	49
Manitowoc	82	1938	25	1891	42	1943	56	1957,1963		56	42	49
Marshfield	84	1953	14	1952	38	1952	63	1968		56	37	47
Merrill	83	1953	16	1952	37	1952	65	1968		55	34	45
Oshkosh	85	1947	22	1952	39	1952	65	1968		59	40	49
Rhineland	81	1934,1968	15	2002	35	1952	65	1968		55	34	44

Stevens Point	84	1908,1968	17	1952	35	1952	64	1968		57	37	47	
Sturgeon Bay	80	1938	23	1937	39	1943	58	1968		56	39	48	
Wausau	82	1953	17	1952	32	1952	61	1968		56	37	46	
Wisc. Rapids	86	1953	20	1952	34	1930	63	1968		58	37	48	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.63	1996	T	1896,1922,1992,2020,						1.77	25.13	0.3	0.3
Appleton	1.15	1989	1.3	1952						1.53	28.01	0.0	0.0
Green Bay	1.51	2007	T	1922,1943,1952,1992,2004,2020						1.45	26.66	0.0	0.0
Manitowoc	1.60	1881	T	1943,1976						1.59	26.50	0.0	0.0
Marshfield	1.37	1928	T	1972,2020						1.77	29.27	0.2	0.2
Merrill	2.15	1911	0.9	1933						1.83	28.84	0.3	0.3
Oshkosh	0.86	2007	1.2	1952						1.57	28.33	0.0	0.0
Rhineland	1.82	1911	0.1	2022						1.87	29.54	0.4	0.4
Stevens Point	1.21	1989	T	1896,1952						1.53	29.33	0.1	0.1
Sturgeon Bay	1.91	1989	T	1943,1976,2020						1.77	27.22	0.0	0.0
Wausau	1.98	1911	0.2	1992						1.77	29.22	0.2	0.2
Wisc. Rapids	1.05	1984	1.4	1952						1.56	29.56	0.0	0.0

## October 16

## October 17

					Rec		Rec					
	Rec		Rec		Low		High			1991-2020 Normals		
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	80	1910,1947,1956	16	1952	34	1922	57	1904,1923,1968		54	35	44
Appleton	83	1947	23	1952	39	1948	59	1998		57	39	48
Green Bay	83	1947	20	1952	35	1930	63	1908,1998		58	39	48
Manitowoc	76	1945	26	1976	39	1880,1976	60	1998		56	42	49
Marshfield	81	1947	15	1952	35	1930	60	2016		56	37	46
Merrill	80	1956	14	1952	35	1948	60	1908		55	34	45
Oshkosh	83	1910	18	1952	40	1896	61	1904		58	40	49
Rhineland	81	1910	15	1952	34	1948	60	1908		54	33	44
Stevens Point	83	1910	13	1907	37	2022	61	1968		57	37	47



Sturgeon Bay	78	1947,1956	22	1952	41	2004	57	1998		55	39	47	
Wausau	82	1910	17	1948,1952	33	1930	60	1998		55	37	46	
Wisc. Rapids	85	1947	17	1939	31	1930	61	2016		57	37	47	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.13	1984	1.0	2002						1.87	25.23	0.3	0.3
Appleton	1.54	1981	0.1	2022						1.63	28.11	0.0	0.0
Green Bay	1.36	1981	0.1	2022						1.54	26.75	0.1	0.1
Manitowoc	1.00	1879,1881,1923	1.0	1952						1.69	26.60	0.0	0.0
Marshfield	1.00	1981	0.5	1952,1982						1.87	29.37	0.2	0.2
Merrill	1.16	1996	0.4	2020						1.94	28.95	0.3	0.3
Oshkosh	0.91	1981	2.5	1896						1.66	28.42	0.0	0.0
Rhineland	4.64	2016	1.3	2020						1.98	29.65	0.5	0.5
Stevens Point	0.88	1898	0.5	1896						1.63	29.43	0.1	0.1
Sturgeon Bay	1.23	1987	T	1922,1926,1930						1.87	27.32	0.0	0.0
Wausau	0.98	1996	1.2	1926						1.87	29.32	0.2	0.2
Wisc. Rapids	1.14	1994	T	1948,1989,2022						1.65	29.65	0.0	0.0

**October 17**

**October 18**

					Rec		Rec					
	Rec		Rec		Low		High			1991-2020 Normals		
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	82	1950	8	1896	30	1930	59	1965		53	35	44
Appleton	80	1910,1950,1953	20	1948	37	1972,1974	60	1994		57	39	48
Green Bay	81	1953	18	1948	33	1930	61	1994		57	39	48
Manitowoc	81	1953	22	1896,1948	35	1930	58	1945,1953		55	41	48
Marshfield	84	1950	14	1948	30	1930	60	1994		55	36	46
Merrill	82	1924	14	1948	30	1930	58	1965		54	34	44
Oshkosh	85	1950	18	1948	34	1930	62	1904		58	39	49
Rhineland	79	1910	16	1972	28	1930	62	1965		54	33	43
Stevens Point	89	1950	15	1896	31	1930	59	1965,1994		56	37	46
Sturgeon Bay	80	1950	20	1931	36	1930	57	1965		55	39	47

Wausau	83	1950	15	1948	30	1930	62	1908		55	36	46	
Wisc. Rapids	85	1950	10	1948	32	1930	58	1965		57	36	47	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.29	1981	2.0	2002						1.97	25.33	0.3	0.3
Appleton	2.16	1984	1.0	1976						1.72	28.20	0.0	0.0
Green Bay	2.06	1984	0.7	1976						1.63	26.84	0.1	0.1
Manitowoc	1.12	1921	T	1925,1930,1981						1.78	26.69	0.0	0.0
Marshfield	0.88	1998	2.0	1990						1.97	29.47	0.2	0.2
Merrill	1.00	1906	2.0	1990						2.04	29.05	0.3	0.3
Oshkosh	2.36	1984	T	1930						1.75	28.51	0.0	0.0
Rhineland	1.40	1917	0.1	1930						2.08	29.75	0.5	0.5
Stevens Point	1.56	1906	T	1925,1930						1.71	29.51	0.1	0.1
Sturgeon Bay	1.53	1921	T	1916,1930,1972,1989						1.98	27.43	0.0	0.0
Wausau	1.25	1906	1.8	1925						1.98	29.43	0.3	0.3
Wisc. Rapids	0.95	1906	0.4	1976						1.74	29.74	0.0	0.0

**October 18**

**October 19**

					Rec		Rec					
	Rec		Rec		Low		High			1991-2020 Normals		
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	78	1950	14	1972	30	1930	62	1953		53	35	44
Appleton	76	1920,1933,1947,1953	15	1992	33	1930	61	1971		56	38	47
Green Bay	78	1953	20	1972	32	1930	61	1971		57	39	48
Manitowoc	78	1884	19	1972	36	1930	62	1953		55	41	48
Marshfield	78	1953,2000	15	1972	30	1930	59	1971		55	36	45
Merrill	79	1953	12	1972	32	1930	59	1971		54	33	44
Oshkosh	79	1947	16	1972	33	1930	59	1920		57	39	48
Rhineland	78	1953	13	1972	28	1930	56	1971		53	33	43
Stevens Point	81	1965	16	1909,1972,1992	31	1930	59	1971		56	36	46
Sturgeon Bay	77	1953	23	1930	33	1930	59	1950,1963		55	38	46
Wausau	78	1910,1953	16	1972	29	1930	58	1920		54	36	45

Wisc. Rapids	81	1953	13	1972	35	1930	58	1920		56	36	46
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.00	1937	4.6	1896					2.07	25.43	0.3	0.3
Appleton	1.39	1984	1.0	1976,1991					1.81	28.29	0.1	0.1
Green Bay	1.23	1905	2.2	1896					1.72	26.93	0.1	0.1
Manitowoc	1.32	1982	T	1952,1974,1989					1.87	26.78	0.0	0.0
Marshfield	0.74	1984	1.0	1937					2.07	29.57	0.2	0.2
Merrill	1.02	1937	1.9	1925					2.14	29.15	0.3	0.3
Oshkosh	2.40	1937	1.0	1976					1.84	28.60	0.0	0.0
Rhineland	1.65	1937	6.0	1925					2.18	29.85	0.6	0.6
Stevens Point	1.00	1937	2.5	1896					1.80	29.60	0.1	0.1
Sturgeon Bay	2.61	1984	T	1960,1964,1976					2.08	27.53	0.0	0.0
Wausau	1.07	1982	4.0	1896					2.08	29.53	0.3	0.3
Wisc. Rapids	0.64	1971	3.0	1992					1.83	29.83	0.0	0.0

## October 19

## October 20

					Rec		Rec					
	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	82	1953,2003	9	1896	32	1930	60	1920		52	34	43
Appleton	80	1947	20	1952	33	1930	60	1920		56	38	47
Green Bay	81	1953	20	1895	35	1895	62	1920		56	38	47
Manitowoc	78	1947	20	1895	35	1895	57	1971		54	41	47
Marshfield	82	1953	15	1952	32	1930	59	1920		54	35	45
Merrill	81	1953	14	1976,1992	32	1930	59	1920		53	33	43
Oshkosh	85	1953	15	1952	39	1896	60	1920		57	39	48
Rhineland	83	1947	14	1917	26	1930	59	1920		53	32	43
Stevens Point	83	1953	15	1952	35	1930,1960	62	1920		55	36	45
Sturgeon Bay	80	1920	23	1946	39	1989	58	1920,1971		54	38	46
Wausau	81	1953	17	1952	32	1930	61	1920		54	36	45
Wisc. Rapids	85	1947	12	1952	37	1917	60	1920		56	36	46

										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.32	1982	4.0	2020						2.16	25.52	0.4	0.4
Appleton	1.89	1937	2.0	1989						1.90	28.38	0.1	0.1
Green Bay	0.89	1965	1.2	1992						1.80	27.01	0.1	0.1
Manitowoc	1.32	1916	0.5	1917						1.96	26.87	0.0	0.0
Marshfield	2.00	1937	3.0	1992,2020						2.16	29.66	0.3	0.3
Merrill	1.71	1982	1.5	1992						2.24	29.25	0.4	0.4
Oshkosh	1.08	1941	T	1917,1925,2018						1.94	28.70	0.1	0.1
Rhineland	1.36	1934	6.1	2020						2.28	29.95	0.6	0.6
Stevens Point	1.19	1937	1.5	1992						1.89	29.69	0.1	0.1
Sturgeon Bay	1.91	1905	0.3	1925						2.19	27.64	0.0	0.0
Wausau	1.25	1934	3.0	1905						2.17	29.62	0.3	0.3
Wisc. Rapids	2.31	1937	2.2	1913						1.92	29.92	0.0	0.0

## October 20

## October 21

					Rec		Rec					
	Rec		Rec		Low		High			1991-2020 Normals		
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	85	1947	10	1896	30	1913	60	1920		52	34	43
Appleton	82	1953	23	1960	35	1930	60	1920		55	38	47
Green Bay	82	1947,1953	15	1895	36	1925	63	1920		56	38	47
Manitowoc	78	1920	19	1895	38	1916	61	1920		54	40	47
Marshfield	87	1947	15	1960	29	1913	58	1920		54	35	44
Merrill	81	1914,1953	18	1907,2020	33	1913	61	1920		53	33	43
Oshkosh	88	1947	23	1923	36	1913	65	1979		56	38	47
Rhineland	85	1947	12	1895	26	1913	58	1920		52	32	42
Stevens Point	87	1947	16	1895,1907,1960	35	1913	59	1920		55	35	45
Sturgeon Bay	79	1920	25	1907,1918,1960	37	1925,1982	62	1920		54	38	46
Wausau	80	1953	18	1896,1960	34	1925,2002	63	1920		53	35	44
Wisc. Rapids	91	1947	8	1930	33	1913	60	2017		55	35	45

										1991-2020 Normals			
	Max			Max					Precipitation		Snow		
	Pcpn	Year(s)		Snow	Year(s)				Month	Year	Month	Season	
Antigo	1.33	1934		3.0	1982				2.25	25.61	0.4	0.4	
Appleton	0.93	1951		1.3	1917				1.99	28.47	0.1	0.1	
Green Bay	0.84	1951		1.2	2002				1.88	27.09	0.1	0.1	
Manitowoc	1.95	1934		0.0					2.05	26.96	0.0	0.0	
Marshfield	1.35	1943		3.5	2002				2.25	29.75	0.3	0.3	
Merrill	1.80	1943		3.5	2002				2.33	29.34	0.4	0.4	
Oshkosh	1.39	1965		1.0	1913				2.02	28.78	0.1	0.1	
Rhineland	1.22	1943		2.0	1938				2.37	30.04	0.7	0.7	
Stevens Point	1.76	1943		1.5	2002				1.97	29.77	0.1	0.1	
Sturgeon Bay	1.25	1995		T	1905,1926,1969,1976,1992,1995,2018				2.28	27.73	0.0	0.0	
Wausau	1.71	1943		7.8	2002				2.26	29.71	0.4	0.4	
Wisc. Rapids	1.46	2009		4.0	2002				2.00	30.00	0.0	0.0	

## October 21

## October 22

						Rec			Rec						
	Rec			Rec			Low			High			1991-2020 Normals		
Location	High	Year(s)		Low	Year(s)		Max	Year(s)		Min	Year(s)		High	Low	Mean
Antigo	80	1947		5	1896		33	2002,2020		60	1920		51	34	42
Appleton	83	1947		21	1997		37	1997		59	1963		55	37	46
Green Bay	82	1947		19	1969		35	1937		61	1920		55	38	46
Manitowoc	81	1947		23	1930		37	1997		57	1963,1971		53	40	47
Marshfield	81	1947		13	1913		34	1937		55	1920,1971		53	35	44
Merrill	80	1947		13	1930		33	1913,1917,2002		55	1920		52	32	42
Oshkosh	85	1947		20	1925		36	1913		58	1953		56	38	47
Rhineland	78	1947		14	1930		32	1937,2002		61	1947		52	32	42
Stevens Point	82	1947		18	1896,1930		36	1995		59	1971		54	35	45
Sturgeon Bay	80	1947		24	1930,1944		37	1969		58	2017		53	37	45
Wausau	80	1947		16	1896,1913		30	1913		59	1920		53	35	44
Wisc. Rapids	86	1947		14	1930		33	1937		66	1920		55	35	45
													1991-2020 Normals		

	Max		Max						Precipitation	Snow		
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.13	1979	2.0	2002					2.34	25.70	0.4	0.4
Appleton	1.11	1972	0.5	1917					2.08	28.56	0.1	0.1
Green Bay	2.72	2020	0.4	2002					1.97	27.18	0.1	0.1
Manitowoc	1.11	1881	T	1936					2.13	27.04	0.1	0.1
Marshfield	1.73	1951	2.7	1987					2.33	29.83	0.3	0.3
Merrill	1.56	1979	0.8	1917					2.42	29.43	0.4	0.4
Oshkosh	3.52	2020	4.0	1929					2.11	28.87	0.1	0.1
Rhineland	2.47	1979	4.0	1938					2.47	30.14	0.8	0.8
Stevens Point	1.55	2009	2.0	2002					2.05	29.85	0.1	0.1
Sturgeon Bay	1.09	1912	T	1937,1942,1969,1987					2.38	27.83	0.0	0.0
Wausau	1.05	1979	3.0	1917					2.35	29.80	0.4	0.4
Wisc. Rapids	1.41	1979	0.5	2002					2.08	30.08	0.0	0.0

## October 22

## October 23

					Rec		Rec					
	Rec		Rec		Low		High			1991-2020 Normals		
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	79	1963	11	1969	33	1997	60	1901		51	33	42
Appleton	81	1963	21	1936,1969	35	1937	61	1920		54	37	46
Green Bay	81	1899	16	1969	37	1917,1937,1981	64	1899		55	37	46
Manitowoc	81	1899	19	1969	39	1884	56	1920		53	40	46
Marshfield	79	1963	13	1969	33	1937	56	1931,1992		53	34	44
Merrill	77	1963	12	1936,1976	34	1936	55	1920		52	32	42
Oshkosh	82	1963	17	1969	39	1937	61	1920		55	38	46
Rhineland	77	1920,1963	11	1936	30	1969,1981	58	1963		51	31	41
Stevens Point	87	1899	15	1969	35	1937	64	1899		54	35	44
Sturgeon Bay	71	1947	18	1936	36	1936	57	1920		53	37	45
Wausau	80	1899	14	1936	33	1981	58	1899,1931		52	35	43
Wisc. Rapids	80	1963	12	1936	35	1937	57	1963		54	35	45
										1991-2020 Normals		
	Max		Max							Precipitation	Snow	

	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.95	1959	2.5	1979					2.42	25.78	0.5	0.5
Appleton	2.05	1959	T	1929,1962,1972,1979,2002					2.17	28.65	0.1	0.1
Green Bay	1.47	1959	9.9	1887					2.05	27.26	0.1	0.1
Manitowoc	2.06	2020	T	1942,1979,2006					2.22	27.13	0.1	0.1
Marshfield	1.22	1972	2.0	1917					2.41	29.91	0.3	0.3
Merrill	1.36	1979	3.4	2020					2.51	29.52	0.5	0.5
Oshkosh	1.12	1959	1.3	1933					2.20	28.96	0.1	0.1
Rhineland	1.09	1996	2.0	1917,1979					2.55	30.22	0.8	0.8
Stevens Point	1.05	1972,1979	2.0	1929					2.13	29.93	0.1	0.1
Sturgeon Bay	2.41	2020	T	1942,1960,1962,1965					2.48	27.93	0.1	0.1
Wausau	0.97	1995	2.0	1979					2.43	29.88	0.4	0.4
Wisc. Rapids	1.58	1959	0.6	1917					2.16	30.16	0.0	0.0

## October 23

## October 24

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	74	1963	13	1896	31	1981	59	1975		50	33	42	
Appleton	77	1920	20	1917	36	1981	60	1963		54	37	45	
Green Bay	76	1889,1963,1973,1989	19	1887,1981	32	1887	65	1899		54	37	46	
Manitowoc	69	1963,1989	20	1887	34	1887	55	1931,2010,2023		53	39	46	
Marshfield	78	1989	12	1917	32	1981	61	2012		52	34	43	
Merrill	78	1963	15	1917	33	1981,2020	57	1931,1963		51	32	41	
Oshkosh	78	1963	19	1981	33	1981	59	1963,2022		55	37	46	
Rhineland	77	1963	14	1917,2002	30	2020	60	1963		51	31	41	
Stevens Point	81	1963	16	1895	34	1981	62	1899		53	34	44	
Sturgeon Bay	73	1963,1992	20	1917,1981	37	1981	56	1963		52	37	44	
Wausau	76	1989	18	1917,1981	31	1981	59	2012		52	34	43	
Wisc. Rapids	77	1963	13	1981	33	1981	60	2012		54	34	44	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season





Antigo	2.18	2023	2.5	1981						2.58	25.94	0.5	0.5
Appleton	1.60	1916	1.1	2020						2.34	28.82	0.1	0.1
Green Bay	1.02	1898	3.0	1898						2.21	27.42	0.1	0.1
Manitowoc	1.60	1991	2.0	1898						2.40	27.31	0.1	0.1
Marshfield	2.24	2012	4.0	1925						2.57	30.07	0.4	0.4
Merrill	2.54	2012	2.0	1981						2.67	29.68	0.6	0.6
Oshkosh	1.30	1916	2.0	1898,1925						2.38	29.14	0.1	0.1
Rhineland	2.03	2012	1.0	1925,1942						2.72	30.39	1.0	1.0
Stevens Point	2.35	2023	6.0	1898						2.29	30.09	0.1	0.1
Sturgeon Bay	1.70	2023	1.0	1981,2020						2.67	28.12	0.1	0.1
Wausau	2.34	2012	3.0	1905						2.59	30.04	0.5	0.5
Wisc. Rapids	0.51	2012	2.0	1904						2.31	30.31	0.0	0.0

## October 25

## October 26

					Rec			Rec					
	Rec		Rec		Low			High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	76	1989	14	1962	26	1942	53	2000		49	32	41	
Appleton	75	1989	19	1942	38	1911	58	1971		53	36	44	
Green Bay	77	1989	10	1887	31	1898	55	2000		53	36	45	
Manitowoc	79	1963	14	1887	35	1898	54	1947,2023		52	38	45	
Marshfield	83	1927	12	1962	28	1942	53	1989,2000		51	33	42	
Merrill	78	1989	14	1962	33	1997,2020	55	2000,2010		50	31	41	
Oshkosh	76	1989	20	1962	34	1942	56	1989,2000,2023		54	36	45	
Rhineland	75	1989	13	2020	28	1942	54	1989		50	30	40	
Stevens Point	80	1927	15	1962	31	1998	57	1989		52	34	43	
Sturgeon Bay	72	1963	19	1907	33	1942	59	1963		51	36	44	
Wausau	76	1927,1989	16	1942	28	1942	60	2000		51	33	42	
Wisc. Rapids	82	1927	10	1962	33	1942	58	2000		53	33	43	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.25	2010	1.0	2020						2.66	26.02	0.6	0.6

Appleton	1.38	2016	0.5	1914						2.43	28.91	0.2	0.2
Green Bay	0.99	2016	0.2	1898,1925,1997						2.29	27.50	0.2	0.2
Manitowoc	1.05	2016	2.0	1898						2.49	27.40	0.1	0.1
Marshfield	0.91	2010	1.0	1925						2.65	30.15	0.5	0.5
Merrill	0.75	1913	1.0	2020						2.76	29.77	0.6	0.6
Oshkosh	1.44	2016	1.5	1997						2.47	29.23	0.1	0.1
Rhineland	1.20	1913	0.5	1917						2.80	30.47	1.1	1.1
Stevens Point	0.85	2016	2.0	2020						2.36	30.16	0.2	0.2
Sturgeon Bay	1.34	2016	2.0	1914						2.77	28.22	0.1	0.1
Wausau	0.93	2010	1.0	1917						2.68	30.13	0.6	0.6
Wisc. Rapids	1.62	2023	1.0	1959						2.39	30.39	0.0	0.0

## October 26

## October 27

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	78	1927	8	1976	31	1997	55	1947		49	32	40	
Appleton	75	1966	22	1942,1976,2020	33	1942	55	1947,1989		53	35	44	
Green Bay	76	1927	17	1976	30	1925	55	1947		53	36	44	
Manitowoc	76	1927	17	1887,1898	37	1997	55	1947		51	38	45	
Marshfield	80	1927	15	1976	28	1925	53	1947		51	33	42	
Merrill	79	1927	6	1936	32	1917,2020	53	2000		50	31	40	
Oshkosh	81	1927	17	1976	33	1925	56	2000		53	36	45	
Rhineland	73	1955	9	2020	31	2020	57	1971		49	30	40	
Stevens Point	81	1927	14	1898	35	1898,1997	58	1971		52	33	42	
Sturgeon Bay	78	1927	21	1936	35	1941	56	1971,2000		51	36	43	
Wausau	80	1927	16	1976	28	1925	51	1989		50	33	42	
Wisc. Rapids	77	1948	11	1911	33	1933	56	1947		52	33	43	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	0.82	1941	0.3	1925						2.74	26.10	0.6	0.6
Appleton	1.44	1918	1.0	1925						2.51	28.99	0.2	0.2

Green Bay	1.56	1918	0.2	1895,1925,1967						2.37	27.58	0.2	0.2
Manitowoc	1.85	1918	1.0	1925						2.58	27.49	0.1	0.1
Marshfield	1.29	1970	2.0	1919						2.73	30.23	0.5	0.5
Merrill	1.11	2004	0.5	1925						2.84	29.85	0.6	0.6
Oshkosh	1.70	1918	1.3	1925						2.56	29.32	0.2	0.2
Rhineland	1.20	1984	2.0	2008						2.89	30.56	1.2	1.2
Stevens Point	2.50	1900	T	1895,1917,1919,1925,1959						2.44	30.24	0.2	0.2
Sturgeon Bay	1.60	1918	1.0	1925						2.87	28.32	0.1	0.1
Wausau	1.98	1900	1.0	1919						2.76	30.21	0.6	0.6
Wisc. Rapids	1.26	1918	T	1910						2.47	30.47	0.0	0.0

## October 27

## October 28

					Rec		Rec						
	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	75	1927	15	1933	25	1925	51	1974		48	32	40	
Appleton	77	1927	18	1925	33	1917,1933	55	1989		52	35	44	
Green Bay	70	1946	16	1952	29	1925	53	1900		52	36	44	
Manitowoc	72	1927	20	1925	34	1925	58	1983		51	38	44	
Marshfield	72	1948,1966,1986	15	1967,1976	24	1925	52	1974,1989		50	33	41	
Merrill	70	1924,1948	8	1976	28	1925	50	1989		49	30	40	
Oshkosh	73	1945	20	1925	30	1925	53	1989		53	36	44	
Rhineland	78	1927	12	1933	25	1925	49	1989		49	30	39	
Stevens Point	80	1927	17	1907	30	1925	55	1989		51	33	42	
Sturgeon Bay	73	1927	17	1933	31	1925	51	1947,1983		51	35	43	
Wausau	71	1986	18	1952	20	1925	54	1989		50	33	41	
Wisc. Rapids	76	1948	11	1943	33	1917	54	1989		52	33	42	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.07	1970	0.5	1919,1933						2.82	26.18	0.7	0.7
Appleton	1.46	1970	1.0	1917,1925						2.60	29.08	0.2	0.2
Green Bay	1.32	2004	1.2	2019						2.45	27.66	0.2	0.2

Manitowoc	1.68	1874	T	1917,1920,1939						2.67	27.58	0.1	0.1
Marshfield	1.13	2005	1.5	1917,1933						2.81	30.31	0.5	0.5
Merrill	1.15	1970	1.2	1919						2.92	29.93	0.7	0.7
Oshkosh	1.94	1970	1.0	1917						2.64	29.40	0.2	0.2
Rhineland	1.14	1973	2.0	1919,2003						2.97	30.64	1.4	1.4
Stevens Point	0.86	1984	1.0	1917,1933						2.52	30.32	0.2	0.2
Sturgeon Bay	2.21	1973	T	1906,1910,1920,1939,1965,1968,1969						2.97	28.42	0.1	0.1
Wausau	0.87	2015	1.5	1917						2.84	30.29	0.7	0.7
Wisc. Rapids	0.81	1973	1.0	1919						2.55	30.55	0.1	0.1

## October 28

## October 29

	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	74	1950	8	1895	24	1925	51	1989		48	31	40	
Appleton	72	1950	16	1925	27	1925	56	1946,1989		52	35	43	
Green Bay	77	1937	15	1925	27	1925	59	1946		52	35	44	
Manitowoc	76	1937	16	1925	28	1925	55	1946		51	37	44	
Marshfield	76	1950	11	1925	22	1925	52	1989		50	32	41	
Merrill	75	1937	9	1905	23	1925	53	1989		49	30	39	
Oshkosh	80	1937	13	1925	27	1925	61	1946		52	35	44	
Rhineland	71	1937	8	1925	24	1925	53	1989		48	29	39	
Stevens Point	76	1950	9	1905,1952	27	1925	54	1989		51	33	42	
Sturgeon Bay	72	1937	14	1905	29	1925	54	1946		50	35	43	
Wausau	79	1901	12	1905	21	1925	53	1989		49	32	41	
Wisc. Rapids	77	1937	10	1905	30	1917	54	1946,2004		51	32	42	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.50	2004	0.5	1917						2.89	26.25	0.8	0.8
Appleton	1.26	1991	3.1	2019						2.68	29.16	0.2	0.2
Green Bay	2.02	1896	3.5	1917						2.52	27.73	0.2	0.2
Manitowoc	1.32	1961	6.5	1917						2.75	27.66	0.2	0.2

Marshfield	1.78	1955	T	1913,1932,1954,1964,2017,2019						2.88	30.38	0.6	0.6
Merrill	1.30	2004	4.0	1906						3.00	30.01	0.8	0.8
Oshkosh	1.61	1896	1.9	2019						2.73	29.49	0.2	0.2
Rhineland	1.34	1955	1.7	1932						3.06	30.73	1.6	1.6
Stevens Point	2.26	1955	4.0	1917						2.59	30.39	0.2	0.2
Sturgeon Bay	1.33	2004	2.0	1917						3.06	28.51	0.2	0.2
Wausau	1.58	1896	3.0	1906						2.92	30.37	0.8	0.8
Wisc. Rapids	2.37	1955	5.0	1917						2.62	30.62	0.1	0.1

## October 29

## October 30

	Rec		Rec		Low		High			1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	78	1950	4	1895	29	1917	51	1956,1971,2004		47	31	39	
Appleton	78	1937	13	1925	27	1925	61	1946		51	34	43	
Green Bay	75	1901	12	1925	28	1917	62	1901		51	35	43	
Manitowoc	76	1933	14	1925	32	1917,1925	55	1950		50	37	44	
Marshfield	76	1950	1	1925	26	1917	56	1924		49	32	41	
Merrill	79	1909	4	1925	26	1917	52	2004		48	30	39	
Oshkosh	77	1933	8	1925,1996	21	1925	59	1901		52	35	43	
Rhineland	79	1950	2	1925	20	1925	54	1956		48	29	38	
Stevens Point	77	1950	6	1925	29	1917	59	1901		50	32	41	
Sturgeon Bay	74	1933	12	1925	31	1917	54	2004		50	35	42	
Wausau	78	1950	8	1925	25	1917	57	1901		49	32	40	
Wisc. Rapids	79	1950	9	1988	29	1917	53	1956		51	32	41	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.03	1996	T	1918,1955						2.97	26.33	0.8	0.8
Appleton	1.22	1919	0.5	1917						2.76	29.24	0.3	0.3
Green Bay	1.23	1919	0.2	2019						2.60	27.81	0.3	0.3
Manitowoc	1.26	1919	T	1972						2.83	27.74	0.2	0.2
Marshfield	1.90	1919	T	1923,1962,2014,2017,2019						2.96	30.46	0.6	0.6

Merrill	1.30	1996	0.4	1917					3.08	30.09	0.8	0.8
Oshkosh	1.22	1989	2.0	1917					2.81	29.57	0.3	0.3
Rhineland	0.75	1942	1.0	1932					3.14	30.81	1.7	1.7
Stevens Point	1.90	1919	2.5	1906					2.66	30.46	0.3	0.3
Sturgeon Bay	1.23	1996	4.0	1917					3.15	28.60	0.2	0.2
Wausau	2.00	1935	1.5	1895					2.99	30.44	0.8	0.8
Wisc. Rapids	1.36	1989	0.5	1955					2.69	30.69	0.1	0.1

## October 30

## October 31

					Rec		Rec					
	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean
Antigo	77	1950	10	1906	30	1917	54	1935		47	31	39
Appleton	74	1950,1956	17	1917	27	1925	56	1935		51	34	42
Green Bay	74	1950	18	1917	32	1917	55	1900		51	35	43
Manitowoc	72	1888	16	1908	32	1996	53	1900,1948		50	37	43
Marshfield	79	1950	13	1923	30	2019	50	1948,1956		49	31	40
Merrill	76	1909	9	1906	29	2019	51	1956		48	29	38
Oshkosh	80	1950	13	1925	33	1917,1996	54	1956		51	34	43
Rhineland	76	1950	11	1925	26	1923	56	1935		47	29	38
Stevens Point	79	1950	10	1906	31	1906	56	1901		50	32	41
Sturgeon Bay	72	1950	21	1905	34	1917	51	1974		49	34	42
Wausau	78	1950	12	1906	30	1917,1926,2019	53	1956		48	32	40
Wisc. Rapids	77	1933	14	1906	30	1917	52	1950,1956,1974		50	32	41
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.70	1919	2.3	1895					3.04	26.40	0.9	0.9
Appleton	1.40	1960	4.5	2023					2.84	29.32	0.3	0.3
Green Bay	1.44	1960	1.9	2019					2.67	27.88	0.3	0.3
Manitowoc	1.54	1941	1.9	2019					2.91	27.82	0.2	0.2
Marshfield	1.52	1960	3.5	1932					3.03	30.53	0.7	0.7
Merrill	1.34	1960	2.0	1932,2023					3.16	30.17	0.9	0.9

Oshkosh	1.65	2013	2.6	2019					2.89	29.65	0.3	0.3
Rhineland	1.15	1960	2.3	2014,2023					3.22	30.89	1.9	1.9
Stevens Point	1.76	1960	1.4	2023					2.73	30.53	0.3	0.3
Sturgeon Bay	1.45	1960	3.0	2019					3.24	28.69	0.2	0.2
Wausau	1.36	1960	2.6	2023					3.07	30.52	0.9	0.9
Wisc. Rapids	2.33	1919	0.1	2023					2.76	30.76	0.1	0.1

**October 31**