

SEPTEMBER 2

LOCATION	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)	NORMAL			
	HIGH		LOW		MAX		MIN		HI	LO	ME	
ANTIGO	93	1953	30	1896	55	2017	70	1913		73	51	62
APPLETON	101	1913	40	1909,1994	60	1952	74	1953		76	57	67
GREEN BAY	94	1898,1913,1937,1953	38	1976	61	1952	75	1898		75	54	64
MANITOWOC	96	1898	40	1976	61	1924	76	1898		73	58	66
MARSHFIELD	94	1929	35	1916	57	1952	68	2011,2015		74	54	64
MERRILL	95	1913	32	1974	56	1952	71	1913		74	50	62
OSHKOSH	98	1937	40	1909	61	1952	77	1937		77	56	66
RHINELANDER	92	1929	33	1976	55	1952	67	1953,1957		73	50	61
STEVENS POINT	97	1913	33	1909	61	1952	71	1973		75	54	65
STURGEON BAY	93	1937	37	1976	60	1926	69	1921		75	56	65
WAUSAU	95	1953	35	1946	57	1952	71	2011		74	54	64
WISCONSIN RAPIDS	100	1913	36	1974	57	1952	70	1913		76	53	64
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.96	1961	0.0						0.23	19.52	0.0	0.0
APPLETON	1.45	1905	0.0						0.22	21.83	0.0	0.0
GREEN BAY	1.38	1900	0.0						0.21	20.61	0.0	0.0
MANITOWOC	1.46	1960	0.0						0.20	21.84	0.0	0.0
MARSHFIELD	2.55	1964	0.0						0.27	22.97	0.0	0.0
MERRILL	1.88	1937	0.0						0.27	21.91	0.0	0.0
OSHKOSH	1.84	1960	0.0						0.23	22.16	0.0	0.0
RHINELANDER	1.12	1970	0.0						0.26	21.14	0.0	0.0
STEVENS POINT	2.35	1964	0.0						0.25	22.97	0.0	0.0
STURGEON BAY	2.05	2010	0.0						0.21	21.43	0.0	0.0
WAUSAU	3.60	1963	0.0						0.26	22.47	0.0	0.0
WISCONSIN RAPIDS	2.35	1923	0.0						0.23	18.82	0.0	0.0

SEPTEMBER 2

SEPTEMBER 3

	REC		REC		REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	90	1929	29	1974	57	1914,2010	71	1929		72	51	61
APPLETON	94	1913	38	1946	60	1909	75	1937		76	57	66
GREEN BAY	92	1929	36	1946	60	1891,1905	75	1898		75	53	64
MANITOWOC	92	1937	43	1946	58	1883	70	1937		73	58	65
MARSHFIELD	94	1929	30	1946	60	1926,2010	69	1939		73	53	63
MERRILL	94	1929	27	1974	57	1914	70	1937		74	50	62
OSHKOSH	95	1937	35	1946	62	1891	74	1937		77	55	66
RHINELANDER	88	1922,1960,1999	31	1946,1974	58	2010	68	1983		72	49	61
STEVENS POINT	95	1929	32	1908	59	1909,2010,2017	75	1937		74	54	64
STURGEON BAY	95	1929	34	1946	61	1909	72	1922		74	55	65
WAUSAU	95	1929	33	1946	56	1914	71	1929,1937		74	53	64
WISCONSIN RAPIDS	94	1937	27	1946	60	1905	72	1937		75	53	64
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	2.00	1963	0.0						0.35	19.64	0.0	0.0
APPLETON	1.12	2011	0.0						0.33	21.94	0.0	0.0
GREEN BAY	2.99	1964	0.0						0.31	20.71	0.0	0.0
MANITOWOC	1.75	1970	0.0						0.30	21.94	0.0	0.0
MARSHFIELD	1.37	1991	0.0						0.40	23.10	0.0	0.0
MERRILL	1.59	2019	0.0						0.40	22.04	0.0	0.0
OSHKOSH	1.28	1921	0.0						0.34	22.27	0.0	0.0
RHINELANDER	2.63	1934	0.0						0.40	21.28	0.0	0.0
STEVENS POINT	1.90	1973	0.0						0.38	23.10	0.0	0.0
STURGEON BAY	1.21	1913	0.0						0.32	21.54	0.0	0.0
WAUSAU	1.94	2019	0.0						0.39	22.60	0.0	0.0
WISCONSIN RAPIDS	1.15	1958	0.0						0.34	18.93	0.0	0.0

SEPTEMBER 3

SEPTEMBER 4

	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)				
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	89	1925	30	1909	56	1896	68	1929		72	50	61
APPLETON	91	1990	40	1997	59	2008	71	1971		75	56	66
GREEN BAY	90	1925,1990	38	1974	61	2008	69	1895,1941,1971		74	53	64
MANITOWOC	91	1990	41	1885,1891,1896	63	1896,2010	68	1960,2012		72	58	65
MARSHFIELD	92	1925	31	1974	60	1935,2008	68	1971,2018		73	53	63
MERRILL	89	1937,2012	30	1974	56	1905	69	1960		74	50	62
OSHKOSH	95	1925	39	1974	62	2008	70	1971		77	55	66
RHINELANDER	90	1983	33	1974	58	2008	69	1973		72	49	60
STEVENS POINT	95	1925	36	1974	58	2008	70	1929		74	54	64
STURGEON BAY	88	1922	40	1946	59	1934	70	1983		74	55	65
WAUSAU	90	1922	37	1974	59	1905	70	1983		74	53	63
WISCONSIN RAPIDS	99	1922	32	1974	58	2008	69	2018		75	52	64
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.89	2014	0.0						0.46	19.75	0.0	0.0
APPLETON	2.90	2018	0.0						0.43	22.04	0.0	0.0
GREEN BAY	3.30	1889	0.0						0.41	20.81	0.0	0.0
MANITOWOC	1.00	1929	0.0						0.39	22.03	0.0	0.0
MARSHFIELD	2.79	1941	0.0						0.53	23.23	0.0	0.0
MERRILL	1.45	2014	0.0						0.53	22.17	0.0	0.0
OSHKOSH	2.40	1941	0.0						0.45	22.38	0.0	0.0
RHINELANDER	2.81	2018	0.0						0.53	21.41	0.0	0.0
STEVENS POINT	1.55	2014	0.0						0.50	23.22	0.0	0.0
STURGEON BAY	2.40	2014	0.0						0.43	21.65	0.0	0.0
WAUSAU	3.71	1941	0.0						0.52	22.73	0.0	0.0
WISCONSIN RAPIDS	1.97	1934	0.0						0.46	19.05	0.0	0.0

SEPTEMBER 4

--	--	--	--	--	--	--	--	--	--	--	--	--

SEPTEMBER 5

					REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	90	1912	35	1918	56	2017	66	1912		72	50	61
APPLETON	93	1912	41	2010	61	1981,2011	70	1912,2018		75	56	66
GREEN BAY	92	2007	37	1957	60	1981	68	1912		74	53	63
MANITOWOC	89	1900,2007	36	1891	61	1924	70	2007		72	58	65
MARSHFIELD	93	1922	33	1918	61	2017	67	1985		73	53	63
MERRILL	94	1933	31	1974	58	2017	68	1912		73	49	61
OSHKOSH	93	1945	38	1957	61	1988	68	1912,1990		76	55	65
RHINELANDER	92	1912	34	1918,2000	55	2017	66	1912,2007		71	49	60
STEVENS POINT	95	1922	35	1903	55	1896	71	1913		74	53	64
STURGEON BAY	91	2007	40	1984	60	1988	68	2007		74	55	64
WAUSAU	91	1912	35	1903	57	1956	68	1912		73	53	63
WISCONSIN RAPIDS	95	1922	36	1957	59	1956	66	1969		75	52	63

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	2.40	2018	0.0							0.58	19.87	0.0	0.0
APPLETON	2.00	1910	0.0							0.54	22.15	0.0	0.0
GREEN BAY	1.01	1925	0.0							0.51	20.91	0.0	0.0
MANITOWOC	1.38	1910	0.0							0.49	22.13	0.0	0.0
MARSHFIELD	1.32	1925	0.0							0.66	23.36	0.0	0.0
MERRILL	4.64	2018	0.0							0.67	22.31	0.0	0.0
OSHKOSH	1.95	1910	0.0							0.55	22.48	0.0	0.0
RHINELANDER	0.82	1956	0.0							0.66	21.54	0.0	0.0
STEVENS POINT	2.00	1946	0.0							0.63	23.35	0.0	0.0
STURGEON BAY	1.39	1929	0.0							0.54	21.76	0.0	0.0
WAUSAU	2.52	2019	0.0							0.65	22.86	0.0	0.0
WISCONSIN RAPIDS	2.00	1958	0.0							0.57	19.16	0.0	0.0

SEPTEMBER 5

SEPTEMBER 6

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	89	1901,1985	33	1988	52	2006	68	1933		71	49	60
APPLETON	93	1960	40	1924,1988,2011	62	1956,1982	72	1922		75	56	65
GREEN BAY	91	1901,1954	38	1988	58	1965	72	1886		74	52	63
MANITOWOC	90	1933	40	1924	60	1956	72	2007		72	57	64
MARSHFIELD	97	1922	33	1924	55	1965	70	2015		72	52	62
MERRILL	95	1933	32	1924	58	1986	69	1960		73	49	61
OSHKOSH	94	1954	37	1924	58	1965	73	1897		76	54	65
RHINELANDER	90	1913,1919,1933	31	1924,1986	55	1956	72	1912		71	48	60
STEVENS POINT	99	1922	35	1962	59	1949,2017	71	1922		73	53	63
STURGEON BAY	90	1947,1960	38	1924	61	1956	69	2016		73	54	64
WAUSAU	91	1922	34	1988	56	1965	70	2007		73	52	63
WISCONSIN RAPIDS	96	1913	30	1932	56	1965	70	2007		74	52	63
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.59	2015	0.0						0.69	19.98	0.0	0.0
APPLETON	1.00	1990	0.0						0.65	22.26	0.0	0.0
GREEN BAY	2.72	1990	0.0						0.61	21.01	0.0	0.0
MANITOWOC	1.20	1923	0.0						0.59	22.23	0.0	0.0
MARSHFIELD	3.35	2015	0.0						0.79	23.49	0.0	0.0
MERRILL	3.43	2015	0.0						0.80	22.44	0.0	0.0
OSHKOSH	1.44	1899	0.0						0.66	22.59	0.0	0.0
RHINELANDER	2.46	2016	0.0						0.80	21.68	0.0	0.0
STEVENS POINT	2.25	1958	0.0						0.75	23.47	0.0	0.0
STURGEON BAY	1.55	1958	0.0						0.65	21.87	0.0	0.0
WAUSAU	2.76	2015	0.0						0.78	22.99	0.0	0.0

WISCONSIN RAPIDS	2.31	2015	0.0						0.68	19.27	0.0	0.0	
SEPTEMBER 6													
SEPTEMBER 7													
					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	90	1976	29	1986	55	2006	68	1960		71	49	60	
APPLETON	95	1913	37	1986	57	1911	74	1960		74	55	65	
GREEN BAY	93	1959	35	1986	56	1911	71	1886,1945,1959		73	52	63	
MANITOWOC	94	1960	39	1986	55	1924	70	1985		71	57	64	
MARSHFIELD	97	1985	34	1956	57	1924	70	1945		72	52	62	
MERRILL	91	1913	30	1986	57	1917	71	1960		73	49	61	
OSHKOSH	95	1913	38	1986	57	1943	72	1959		76	54	65	
RHINELANDER	95	1976	31	1952	55	1911	72	1960		70	48	59	
STEVENS POINT	99	1922	32	1908	60	1986	70	1913		73	53	63	
STURGEON BAY	93	1913	35	1986	51	1995	68	1959,1960,2015,2016		73	54	64	
WAUSAU	94	1976	37	1932,1951,1986	55	1917,1924	68	1960,1985,2015		73	52	62	
WISCONSIN RAPIDS	97	1931	33	1953	53	1911	70	1959		74	51	63	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.50	1916	0.0							0.81	20.10	0.0	0.0
APPLETON	1.84	1927	0.0							0.75	22.36	0.0	0.0
GREEN BAY	1.43	2007	0.0							0.70	21.10	0.0	0.0
MANITOWOC	1.26	1922	0.0							0.69	22.33	0.0	0.0
MARSHFIELD	1.60	2015	0.0							0.93	23.63	0.0	0.0
MERRILL	1.73	1985	0.0							0.93	22.57	0.0	0.0
OSHKOSH	1.05	1916	0.0							0.77	22.70	0.0	0.0
RHINELANDER	1.93	2001	0.0							0.94	21.82	0.0	0.0
STEVENS POINT	1.91	2015	0.0							0.88	23.60	0.0	0.0
STURGEON BAY	1.09	1938	0.0							0.76	21.98	0.0	0.0

WAUSAU	1.39	2001	0.0						0.91	23.12	0.0	0.0
WISCONSIN RAPIDS	1.91	1938	0.0						0.79	19.38	0.0	0.0

SEPTEMBER 7

SEPTEMBER 8

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	94	1933	32	1979	49	2020	69	2007		70	49	60
APPLETON	94	1933,1959	40	1944,1994,1995	55	2020	72	1959		74	55	64
GREEN BAY	96	1933	37	1956	56	1943	70	1897		73	52	62
MANITOWOC	94	1933	37	1986	53	1883	68	1959		71	57	64
MARSHFIELD	97	1933	35	1944	51	2020	66	1959,1978		72	51	62
MERRILL	97	1933	30	1979	52	2020	68	1933		72	48	60
OSHKOSH	98	1933	37	1944	59	2008,2020	71	1960		75	54	64
RHINELANDER	90	1931	31	1914,1944	50	2020	68	1908		70	48	59
STEVENS POINT	98	1933	35	1951	55	1924	70	1959		73	52	62
STURGEON BAY	93	1931	37	1917,1944	57	1956	72	1919		73	54	63
WAUSAU	96	1931	30	1899	55	1911	70	1959		72	51	62
WISCONSIN RAPIDS	99	1933	32	1944	54	1975	77	1919		74	51	62

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.85	1922	0.0							0.93	20.22	0.0	0.0
APPLETON	1.43	1915	0.0							0.86	22.47	0.0	0.0
GREEN BAY	2.50	2015	0.0							0.80	21.20	0.0	0.0
MANITOWOC	1.14	1941	0.0							0.79	22.43	0.0	0.0
MARSHFIELD	1.79	1938	0.0							1.06	23.76	0.0	0.0
MERRILL	1.20	1938	0.0							1.07	22.71	0.0	0.0
OSHKOSH	1.73	1938	0.0							0.89	22.82	0.0	0.0
RHINELANDER	1.43	1960	0.0							1.07	21.95	0.0	0.0
STEVENS POINT	1.77	1938	0.0							1.01	23.73	0.0	0.0

STURGEON BAY	2.04	1964	0.0							0.87	22.09	0.0	0.0
WAUSAU	2.73	1938	0.0							1.04	23.25	0.0	0.0
WISCONSIN RAPIDS	1.74	1968	0.0							0.91	19.50	0.0	0.0

SEPTEMBER 8

SEPTEMBER 9

	REC		REC		REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	92	1897	33	1914	45	2020	68	1912		70	48	59	
APPLETON	95	1955	36	1914	49	2020	72	1947,1991		74	54	64	
GREEN BAY	95	1931,1955	36	1956	51	2020	73	1897		73	51	62	
MANITOWOC	92	1908	33	1883	54	2020	69	1947		71	56	63	
MARSHFIELD	92	1955	32	1914	47	2020	68	1947,1983,2002		71	51	61	
MERRILL	94	1906	27	1975	47	2020	day. It n	1912		72	48	60	
OSHKOSH	98	1931	38	1924	53	2020	72	1897		75	53	64	
RHINELANDER	91	1912,1931	31	1913,1914	49	2020	76	1912		70	47	58	
STEVENS POINT	97	1931	32	1898	54	1901	70	1983		72	52	62	
STURGEON BAY	96	1931	31	1914	56	1924	68	1947		72	53	63	
WAUSAU	93	1912	33	1917	56	1917	71	1983		72	51	61	
WISCONSIN RAPIDS	99	1931	33	1924	58	1954	72	1983		73	50	62	

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.81	1968	0.0							1.04	20.33	0.0	0.0
APPLETON	1.96	1986	0.0							0.98	22.59	0.0	0.0
GREEN BAY	1.44	1901	0.0							0.90	21.30	0.0	0.0
MANITOWOC	3.00	1885	0.0							0.89	22.53	0.0	0.0
MARSHFIELD	3.62	1938	0.0							1.20	23.90	0.0	0.0
MERRILL	3.40	1938	0.0							1.20	22.84	0.0	0.0
OSHKOSH	1.89	1965	0.0							1.00	22.93	0.0	0.0
RHINELANDER	1.97	1968	0.0							1.21	22.09	0.0	0.0

STEVENS POINT	2.48	1938	0.0						1.15	23.87	0.0	0.0
STURGEON BAY	1.40	1946	0.0						0.97	22.19	0.0	0.0
WAUSAU	1.40	1938	0.0						1.17	23.38	0.0	0.0
WISCONSIN RAPIDS	2.89	1938	0.0						1.03	19.62	0.0	0.0

SEPTEMBER 9

SEPTEMBER 10

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	94	1931	28	1917	54	2007	70	1931		70	48	59
APPLETON	95	1931	31	1917	54	2007	72	1947		73	54	64
GREEN BAY	97	1931	36	1917,1967	53	1940	74	1931		72	51	62
MANITOWOC	97	1931	34	1883	53	1917	72	1947		70	56	63
MARSHFIELD	97	1931	25	1917	54	2007	70	2013		71	51	61
MERRILL	97	1931	28	1917	54	1914	69	1931		71	47	59
OSHKOSH	99	1931	31	1917	56	1940	75	1908		74	53	64
RHINELANDER	98	1908	25	1917	51	1940	68	1912,1931,1961		69	47	58
STEVENS POINT	99	1931	29	1917	52	2007	71	1931		72	51	62
STURGEON BAY	96	1931	33	1935	55	1918,1940	71	1912		72	53	62
WAUSAU	99	1931	29	1917	54	1914,2007	70	1912,1931		71	51	61
WISCONSIN RAPIDS	96	1931	26	1918	57	1914	70	1961		73	50	61

	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	2.20	1938	0.0						1.16	20.45	0.0	0.0
APPLETON	3.07	1986	0.0						1.09	22.70	0.0	0.0
GREEN BAY	2.20	1986	0.0						1.00	21.40	0.0	0.0
MANITOWOC	3.10	1986	0.0						0.99	22.63	0.0	0.0
MARSHFIELD	2.72	1986	0.0						1.33	24.03	0.0	0.0
MERRILL	1.86	2000	0.0						1.34	22.98	0.0	0.0
OSHKOSH	4.58	1986	0.0						1.11	23.04	0.0	0.0

RHINELANDER	2.23	1928	T	2014						1.35	22.23	0.0	0.0
STEVENS POINT	2.15	1928	0.0							1.28	24.00	0.0	0.0
STURGEON BAY	1.40	1986	0.0							1.08	22.30	0.0	0.0
WAUSAU	2.43	1975	0.0							1.30	23.51	0.0	0.0
WISCONSIN RAPIDS	3.08	1938	0.0							1.15	19.74	0.0	0.0

SEPTEMBER 10

--	--	--	--	--	--	--	--	--	--	--	--	--	--

SEPTEMBER 11

	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	95	1895	31	1917	50	2014	69	1908		69	47	58
APPLETON	93	1931	36	1917	51	2014	72	1906		73	53	63
GREEN BAY	95	1895,1931	35	1958,1959	53	2014	74	1895		72	50	61
MANITOWOC	94	1931	33	1969	56	1924,2014	75	1947		70	56	63
MARSHFIELD	93	1931	29	1955	53	2006	67	1974		71	50	60
MERRILL	95	1931	28	1943	52	2014	66	1931		71	47	59
OSHKOSH	98	1931	35	1917	53	2014	77	1931		74	52	63
RHINELANDER	93	1998	28	1943	51	2014	68	2005		69	46	57
STEVENS POINT	99	1931	28	1898	53	2006,2014	69	1931		72	51	61
STURGEON BAY	95	1931	31	1943	55	2014	70	1931		72	53	62
WAUSAU	94	1931	30	1943	53	2006	70	1931		71	50	61
WISCONSIN RAPIDS	93	1908	30	1917	52	2006	70	1906		73	50	61

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	2.02	1975	0.0							1.28	20.57	0.0	0.0
APPLETON	1.43	1986	0.0							1.19	22.80	0.0	0.0
GREEN BAY	1.80	2000	0.0							1.11	21.51	0.0	0.0
MANITOWOC	3.40	1986	0.0							1.09	22.73	0.0	0.0
MARSHFIELD	2.02	1975	0.0							1.46	24.16	0.0	0.0
MERRILL	1.49	1928	0.0							1.47	23.11	0.0	0.0

OSHKOSH	1.86	2000	0.0							1.22	23.15	0.0	0.0
RHINELANDER	1.23	2000	0.0							1.49	22.37	0.0	0.0
STEVENS POINT	2.10	1900	0.0							1.41	24.13	0.0	0.0
STURGEON BAY	2.55	1975	0.0							1.19	22.41	0.0	0.0
WAUSAU	3.42	2000	0.0							1.43	23.64	0.0	0.0
WISCONSIN RAPIDS	3.52	1978	0.0							1.27	19.86	0.0	0.0

SEPTEMBER 11

SEPTEMBER 12

	REC		REC		REC		REC					
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	90	1931	28	1902	47	2014	68	1931		69	47	58
APPLETON	91	1952	35	1902	49	2014	70	1931		73	53	63
GREEN BAY	93	1952	32	1955	50	2014	72	1931		72	50	61
MANITOWOC	87	1978,2005,2011	37	1902	51	2014	67	1931		70	55	62
MARSHFIELD	90	1931	29	1955	49	2014	65	2003		70	50	60
MERRILL	92	1931	29	1955	49	2014	68	1931		71	47	59
OSHKOSH	99	1931	34	1890,1955	48	2014	70	1931		74	52	63
RHINELANDER	90	1931	29	1946,2014	48	2014	68	1931,2005		68	46	57
STEVENS POINT	96	1931	26	1898	47	2014	71	1931		71	50	61
STURGEON BAY	90	1931	34	1943,1955	57	1996	69	2005		71	52	62
WAUSAU	91	1931,1948	32	1904,1964	50	2014	68	1931		71	50	60
WISCONSIN RAPIDS	93	1927	27	1955	48	2014	72	1931		72	49	61

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.34	1951	0.0							1.41	20.70	0.0	0.0
APPLETON	2.06	1939	0.0							1.30	22.91	0.0	0.0
GREEN BAY	1.53	1984	0.0							1.21	21.61	0.0	0.0
MANITOWOC	1.45	2006	0.0							1.19	22.83	0.0	0.0
MARSHFIELD	2.15	1978	0.0							1.60	24.30	0.0	0.0

MERRILL	1.95	1975	0.0						1.61	23.25	0.0	0.0
OSHKOSH	2.00	1939	0.0						1.33	23.26	0.0	0.0
RHINELANDER	2.15	1982	0.0						1.63	22.51	0.0	0.0
STEVENS POINT	2.82	1939	0.0						1.54	24.26	0.0	0.0
STURGEON BAY	1.97	1951	0.0						1.29	22.51	0.0	0.0
WAUSAU	2.00	1939	0.0						1.56	23.77	0.0	0.0
WISCONSIN RAPIDS	1.87	1947	0.0						1.38	19.97	0.0	0.0

SEPTEMBER 12

SEPTEMBER 13

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	88	1939	28	1923	45	1923	68	1931		68	47	57
APPLETON	92	1939	34	1902	51	1902	72	1931		72	53	62
GREEN BAY	92	1939,1952	33	1953	46	1923	70	1931		71	50	60
MANITOWOC	87	1994,2005	35	1886,1923	51	1923	69	1994		69	55	62
MARSHFIELD	93	1927	24	1923	49	1923	65	1994		70	49	60
MERRILL	93	1927	29	1923	53	1978	64	1909,2005		70	46	58
OSHKOSH	94	1952	30	1923	56	1892,1970	70	1931		73	52	62
RHINELANDER	88	1927	29	1995,2014	44	1923	69	1931		68	46	57
STEVENS POINT	94	1939	28	1902	48	1923	66	1909		71	50	60
STURGEON BAY	85	1930,1976	36	1943	53	1923	69	1931		71	52	61
WAUSAU	92	1939	28	1902	44	1923	68	1931		70	49	60
WISCONSIN RAPIDS	94	1939	28	1923	51	1923	67	1994		72	49	60
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	2.72	1993	0.0						1.53	20.82	0.0	0.0
APPLETON	2.13	1954	0.0						1.41	23.02	0.0	0.0
GREEN BAY	1.56	1954	0.0						1.31	21.71	0.0	0.0
MANITOWOC	2.40	1913	0.0						1.29	22.93	0.0	0.0

MARSHFIELD	2.44	2005	0.0						1.74	24.44	0.0	0.0
MERRILL	3.95	1993	0.0						1.75	23.39	0.0	0.0
OSHKOSH	2.19	2003	0.0						1.44	23.37	0.0	0.0
RHINELANDER	3.41	1994	0.0						1.78	22.66	0.0	0.0
STEVENS POINT	1.48	2006	0.0						1.67	24.39	0.0	0.0
STURGEON BAY	1.57	1915	0.0						1.40	22.62	0.0	0.0
WAUSAU	1.71	1993	0.0						1.69	23.90	0.0	0.0
WISCONSIN RAPIDS	2.30	1962	0.0						1.50	20.09	0.0	0.0

SEPTEMBER 13

--	--	--	--	--	--	--	--	--	--	--	--	--

SEPTEMBER 14

					REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	90	1939	24	1899	46	1899	70	1939		68	46	57
APPLETON	95	1939	34	2011	54	2007	70	1939		72	52	62
GREEN BAY	94	1939	34	1923,1963	55	1954,1970,1986,2007	74	1939		71	49	60
MANITOWOC	97	1939	33	1923	54	1923	75	1939		69	54	62
MARSHFIELD	95	1948	23	1923	49	2007	67	1939		69	49	59
MERRILL	91	1927	25	1923	48	2007	69	1939		70	46	58
OSHKOSH	97	1939	28	1923	54	1970	74	1939		73	51	62
RHINELANDER	90	1927,1939	27	1923	46	1970,2007	70	1939		67	45	56
STEVENS POINT	96	1939	26	1923	47	2007	69	1939		70	50	60
STURGEON BAY	93	1939	35	1953	54	1954	68	1952		70	51	61
WAUSAU	94	1939	27	1923	50	1970,2007	72	1939		70	49	59
WISCONSIN RAPIDS	98	1920	23	1923	51	2007	67	1927		71	48	60

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	2.64	1994	0.0							1.66	20.95	0.0	0.0
APPLETON	2.21	1911	0.0							1.52	23.13	0.0	0.0
GREEN BAY	2.48	1992	0.0							1.41	21.81	0.0	0.0

MANITOWOC	6.17	1931	0.0						1.39	23.03	0.0	0.0
MARSHFIELD	2.67	1928	0.0						1.87	24.57	0.0	0.0
MERRILL	2.53	1911	0.0						1.88	23.52	0.0	0.0
OSHKOSH	2.41	1931	0.0						1.55	23.48	0.0	0.0
RHINELANDER	2.19	1941	T	2011					1.92	22.80	0.0	0.0
STEVENS POINT	2.26	1928	0.0						1.80	24.52	0.0	0.0
STURGEON BAY	1.74	1990	0.0						1.51	22.73	0.0	0.0
WAUSAU	2.48	1928	0.0						1.82	24.03	0.0	0.0
WISCONSIN RAPIDS	1.55	1928	0.0						1.61	20.20	0.0	0.0

SEPTEMBER 14

--	--	--	--	--	--	--	--	--	--	--	--	--

SEPTEMBER 15

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	89	1939	27	2007	49	1916	70	1939		67	46	57	
APPLETON	94	1939	30	2007	51	1993	73	1927		71	52	61	
GREEN BAY	94	1939	32	2007	46	1916	74	1939		70	49	60	
MANITOWOC	94	1939	37	2007	52	1993	71	1939		68	54	61	
MARSHFIELD	91	1939	27	2007	48	1916	67	1920,2018		69	49	59	
MERRILL	94	1939	27	2007	46	1916	69	1939		69	45	57	
OSHKOSH	98	1939	32	1964	52	1993	74	1939		72	51	61	
RHINELANDER	90	1939,2018	24	2007	50	1970,1982	71	1939		67	45	56	
STEVENS POINT	96	1939	29	2007	52	1993	71	1939		70	49	60	
STURGEON BAY	94	1939	37	1964,1995	53	1916	71	1927		70	51	61	
WAUSAU	93	1939	30	2007	44	1916	69	1939		69	48	59	
WISCONSIN RAPIDS	95	1939	30	2011	53	1916	72	1939		71	48	60	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	2.57	1895	0.0							1.78	21.07	0.0	0.0
APPLETON	1.81	1931	T	1916						1.62	23.23	0.0	0.0

GREEN BAY	1.40	1936	0.0						1.52	21.92	0.0	0.0
MANITOWOC	1.33	1936	0.0						1.49	23.13	0.0	0.0
MARSHFIELD	2.32	1967	0.0						2.00	24.70	0.0	0.0
MERRILL	3.48	1967	0.0						2.01	23.65	0.0	0.0
OSHKOSH	1.57	1936	0.0						1.66	23.59	0.0	0.0
RHINELANDER	2.28	1967	T	1916					2.06	22.94	0.0	0.0
STEVENS POINT	1.29	1920	0.0						1.93	24.65	0.0	0.0
STURGEON BAY	1.07	1914	0.0						1.62	22.84	0.0	0.0
WAUSAU	2.01	1903	T	1916,1959					1.95	24.16	0.0	0.0
WISCONSIN RAPIDS	1.68	1967	0.0						1.72	20.31	0.0	0.0

SEPTEMBER 15

SEPTEMBER 16

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	90	1948	30	1916,1984,2011	40	1916	64	1907,1994		67	45	56	
APPLETON	91	1948	33	1916	43	1916	68	1907,1939		71	51	61	
GREEN BAY	92	1891	33	1916	43	1916	65	1992,2017		70	48	59	
MANITOWOC	90	1948	32	1916	47	1916	72	1882		68	54	61	
MARSHFIELD	91	1948,1955	29	1916	42	1916	65	2017		69	48	58	
MERRILL	90	1948	30	1974,2011	45	1916	65	1994		69	45	57	
OSHKOSH	93	1948	32	1916	47	1916	69	1994		72	50	61	
RHINELANDER	86	1955	27	2011	37	1916	69	2017		66	44	55	
STEVENS POINT	95	1948	30	1916	50	1916	73	1920		70	49	59	
STURGEON BAY	82	1955	34	1916	46	1916	67	1939,1994		70	51	60	
WAUSAU	92	1939	32	1916	38	1916	67	2017		69	48	58	
WISCONSIN RAPIDS	99	1948	31	1916	44	1916	67	1907		71	48	59	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	2.40	1920	0.0							1.91	21.20	0.0	0.0

APPLETON	1.78	1936	0.0						1.73	23.34	0.0	0.0
GREEN BAY	3.56	1888	0.0						1.62	22.02	0.0	0.0
MANITOWOC	1.53	1897	0.0						1.59	23.23	0.0	0.0
MARSHFIELD	2.05	1997	0.0						2.14	24.84	0.0	0.0
MERRILL	2.09	1997	0.0						2.15	23.79	0.0	0.0
OSHKOSH	1.36	1983	0.0						1.77	23.70	0.0	0.0
RHINELANDER	1.40	1992	0.0						2.21	23.09	0.0	0.0
STEVENS POINT	1.83	1992	T	1916					2.06	24.78	0.0	0.0
STURGEON BAY	2.16	1969	0.0						1.73	22.95	0.0	0.0
WAUSAU	3.03	1997	T	1916					2.08	24.29	0.0	0.0
WISCONSIN RAPIDS	2.88	1992	T	1916					1.84	20.43	0.0	0.0

SEPTEMBER 16

SEPTEMBER 17

	REC		REC		REC		REC						
	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	87	1948	29	1916	49	1916	65	1948		67	45	56	
APPLETON	89	2018	32	1916	51	1929,1973	66	1948		70	51	61	
GREEN BAY	90	1891,1955, 2018	32	1959	48	1973	68	1891,1948		70	48	59	
MANITOWOC	91	1891	34	1889	50	1903	65	1942		67	53	60	
MARSHFIELD	92	1948	26	1916	52	1959	65	1948		68	48	58	
MERRILL	87	1948	28	1959	54	1916	66	1948		68	44	56	
OSHKOSH	91	1891,1955	32	1916	55	1973	68	1891,1942		71	50	61	
RHINELANDER	87	1998,2018	28	1916,1943	44	1916	63	1948		66	44	55	
STEVENS POINT	90	1948	29	1916	49	1901	67	1948		69	48	59	
STURGEON BAY	88	2018	30	1959	55	1916,1982	65	2006,2017		69	50	60	
WAUSAU	87	1948,2018	28	1916,1943	48	1903	66	2015		68	48	58	
WISCONSIN RAPIDS	97	1948	27	1943	49	1903	68	1907		70	47	59	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON

ANTIGO	2.00	1921	0.0						2.04	21.33	0.0	0.0
APPLETON	1.16	1910	0.0						1.83	23.44	0.0	0.0
GREEN BAY	2.81	1914	0.0						1.72	22.12	0.0	0.0
MANITOWOC	1.81	1938	0.0						1.69	23.33	0.0	0.0
MARSHFIELD	2.61	1942	0.0						2.27	24.97	0.0	0.0
MERRILL	1.45	1942	0.0						2.29	23.93	0.0	0.0
OSHKOSH	0.65	1983	0.0						1.88	23.81	0.0	0.0
RHINELANDER	0.88	1955	0.0						2.35	23.23	0.0	0.0
STEVENS POINT	3.30	1942	T	1916					2.19	24.91	0.0	0.0
STURGEON BAY	2.15	1942	0.0						1.84	23.06	0.0	0.0
WAUSAU	1.50	1942	T	1992					2.21	24.42	0.0	0.0
WISCONSIN RAPIDS	1.82	1942	0.0						1.95	20.54	0.0	0.0

SEPTEMBER 17

SEPTEMBER 18

					REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	88	1908	28	1894,1916	48	1918,1991	67	1926		66	44	55
APPLETON	93	1908	33	1929	50	1938	66	1985,1988		70	50	60
GREEN BAY	92	1955	33	1974	50	1886	72	1891		69	48	58
MANITOWOC	90	1908	35	1916	52	1886	65	1948		67	53	60
MARSHFIELD	91	1955	28	1929	50	1938	65	1926		68	47	58
MERRILL	89	1955	27	1916	49	1991	67	1947		68	44	56
OSHKOSH	93	1955	31	2012	50	1938	73	1891		71	49	60
RHINELANDER	87	1908	27	2020	45	1938	65	1955,1963,2007		65	43	54
STEVENS POINT	92	1908	30	1916	55	1901,2012	66	1948		69	48	58
STURGEON BAY	93	1908	32	1916	54	1991	65	1944		69	50	59
WAUSAU	88	1908,1955	28	1916	48	1918	65	1926		68	47	58
WISCONSIN RAPIDS	94	1948	24	1929	48	1938	70	1985		70	47	58
	REC		REC							NORMAL		

	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	3.18	1940	0.0						2.17	21.46	0.0	0.0
APPLETON	1.93	1950	0.0						1.94	23.55	0.0	0.0
GREEN BAY	1.79	1935	0.0						1.83	22.23	0.0	0.0
MANITOWOC	2.30	1978	0.0						1.80	23.44	0.0	0.0
MARSHFIELD	1.77	1972	0.0						2.40	25.10	0.0	0.0
MERRILL	1.98	1942	T	1929					2.42	24.06	0.0	0.0
OSHKOSH	2.86	1950	0.0						1.99	23.92	0.0	0.0
RHINELANDER	2.24	1942	0.0						2.49	23.37	0.0	0.0
STEVENS POINT	1.20	1950	0.0						2.31	25.03	0.0	0.0
STURGEON BAY	1.83	1938	0.0						1.95	23.17	0.0	0.0
WAUSAU	1.60	1942	0.0						2.33	24.54	0.0	0.0
WISCONSIN RAPIDS	1.79	1911	0.0						2.06	20.65	0.0	0.0

SEPTEMBER 18

SEPTEMBER 19

LOCATION	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)		NORMAL		
	HIGH		LOW		MAX		MIN			HI	LO	ME
ANTIGO	85	1908	29	2012	44	1991	64	1985		66	44	55
APPLETON	91	1908	32	1923, 2012	49	1991	69	1985		69	50	60
GREEN BAY	92	1895	28	1956	48	1918	69	1985		69	47	58
MANITOWOC	87	1932	34	1901	49	1991	66	2000,2007		67	52	59
MARSHFIELD	90	1948	27	1929	47	1918	68	1985		67	47	57
MERRILL	88	1908	30	1929	43	1918	63	1944,1988		68	44	56
OSHKOSH	91	1932	30	2012	48	1991	69	1891		71	49	60
RHINELANDER	86	1908,1998	29	2012	41	1918	69	1940		65	43	54
STEVENS POINT	93	1908	31	1902	49	1901	68	1985		68	47	58
STURGEON BAY	86	1930,1932	33	1929,1979	49	1991	68	1955		68	49	59
WAUSAU	86	1908,1940	31	1902	44	1918,1991	71	1985		67	47	57
WISCONSIN RAPIDS	92	1940	26	1956	48	1918	70	1985		69	46	58

	REC	YEAR(S)	REC	YEAR(S)					NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	4.00	1907	0.0						2.30	21.59	0.0	0.0
APPLETON	2.31	1935	0.0						2.05	23.66	0.0	0.0
GREEN BAY	1.00	1971	0.0						1.93	22.33	0.0	0.0
MANITOWOC	2.21	1919	0.0						1.90	23.54	0.0	0.0
MARSHFIELD	2.07	1965	0.0						2.53	25.23	0.0	0.0
MERRILL	3.75	1907	0.0						2.55	24.19	0.0	0.0
OSHKOSH	1.04	1955	0.0						2.10	24.03	0.0	0.0
RHINELANDER	2.09	1983	0.0						2.64	23.52	0.0	0.0
STEVENS POINT	1.55	1960	0.0						2.43	25.15	0.0	0.0
STURGEON BAY	1.50	1935	0.0						2.07	23.29	0.0	0.0
WAUSAU	2.79	1965	T	1956					2.46	24.67	0.0	0.0
WISCONSIN RAPIDS	2.82	1935	0.0						2.18	20.77	0.0	0.0

SEPTEMBER 19

--	--	--	--	--	--	--	--	--	--	--	--	--

SEPTEMBER 20

	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)	REC	YEAR(S)				
	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	87	1908	22	1897	49	1918	68	1895		65	43	54
APPLETON	93	1908	31	1923	52	1927,1983	66	1908		69	49	59
GREEN BAY	92	1895,1908	27	1956	52	1918	75	1895		68	47	58
MANITOWOC	91	1891	34	1891,1896	53	1918	74	1940		66	52	59
MARSHFIELD	86	1931	26	1973	50	1918,1995	61	1940,1947		67	47	57
MERRILL	89	1908	22	1973	50	1918,1995	64	1940		67	43	55
OSHKOSH	92	1908	29	1956	52	1918	71	1891		70	48	59
RHINELANDER	87	1908	28	1956	48	1918	64	1940		64	43	54
STEVENS POINT	93	1908	29	1956	49	1991	69	1940		68	47	57
STURGEON BAY	85	1940	32	1929	52	1927	65	1998		68	49	58
WAUSAU	89	1908	27	1897	49	1918	64	1908		67	46	57

WISCONSIN RAPIDS	92	1908	25	1956	53	1918	66	1931		69	46	57
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.70	1931	0.0						2.43	21.72	0.0	0.0
APPLETON	2.01	1965	T	1913,1927					2.15	23.76	0.0	0.0
GREEN BAY	2.10	1965	0.0						2.04	22.44	0.0	0.0
MANITOWOC	2.31	1878	0.0						2.01	23.65	0.0	0.0
MARSHFIELD	1.24	1944	0.0						2.66	25.36	0.0	0.0
MERRILL	1.74	1964	0.0						2.69	24.33	0.0	0.0
OSHKOSH	2.28	2017	0.0						2.22	24.15	0.0	0.0
RHINELANDER	2.10	1980	0.0						2.78	23.66	0.0	0.0
STEVENS POINT	2.94	1983	0.0						2.56	25.28	0.0	0.0
STURGEON BAY	2.91	1965	0.0						2.18	23.40	0.0	0.0
WAUSAU	1.27	1980	0.0						2.59	24.80	0.0	0.0
WISCONSIN RAPIDS	1.55	1932	0.0						2.29	20.88	0.0	0.0

SEPTEMBER 20

SEPTEMBER 21

					REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	88	1908	26	1896,1999	40	1913	68	1931		65	43	54
APPLETON	90	1908	29	1974	45	1913	69	1931		69	49	59
GREEN BAY	90	1895,1908	28	1974	43	1913	70	1914		68	46	57
MANITOWOC	88	2005	34	1889,1904	46	1913	65	1931		66	51	59
MARSHFIELD	86	1920	30	1999	43	1913	65	1914,1931		67	46	56
MERRILL	90	1908	21	1974	42	1913	67	1931		67	43	55
OSHKOSH	89	1908	32	1915	44	1913	71	1970		70	48	59
RHINELANDER	91	1908	29	1956,1973	39	1913	67	1914		64	42	53
STEVENS POINT	94	1908	31	1913	44	1913	71	1970		67	46	57

STURGEON BAY	83	1908,1970	32	1956	49	1934	63	1931,2017		67	49	58	
WAUSAU	86	1908,1941	30	1904,1956,1974	45	1913	67	1931		67	46	56	
WISCONSIN RAPIDS	95	1920	29	1974	46	1913	68	2019		69	46	57	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	2.70	1970	0.0							2.56	21.85	0.0	0.0
APPLETON	1.35	1973	0.0							2.26	23.87	0.0	0.0
GREEN BAY	1.82	1893	0.0							2.15	22.55	0.0	0.0
MANITOWOC	1.55	1947	0.0							2.12	23.76	0.0	0.0
MARSHFIELD	2.95	1980	0.0							2.79	25.49	0.0	0.0
MERRILL	2.45	1980	0.0							2.83	24.47	0.0	0.0
OSHKOSH	2.24	2016	0.0							2.33	24.26	0.0	0.0
RHINELANDER	2.12	1970	0.5	1913						2.93	23.81	0.0	0.0
STEVENS POINT	1.58	1980	T	1913						2.69	25.41	0.0	0.0
STURGEON BAY	1.47	1924	0.0							2.30	23.52	0.0	0.0
WAUSAU	1.36	1986	0.0							2.73	24.94	0.0	0.0
WISCONSIN RAPIDS	2.09	2016	0.0							2.41	21.00	0.0	0.0

SEPTEMBER 21

--	--	--	--	--	--	--	--	--	--	--	--	--	--

SEPTEMBER 22

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	89	1937	21	1974	46	1974	67	1895		64	42	53	
APPLETON	91	2017	29	1974	46	1913	67	2017		68	48	58	
GREEN BAY	93	1895	27	1974	46	1913	72	1895		67	46	57	
MANITOWOC	87	1936	30	1974	48	1913	65	1931		65	51	58	
MARSHFIELD	93	1937	23	1974	41	1913	67	2017		66	46	56	
MERRILL	94	1937	18	1974	46	1995	65	1941		66	42	54	
OSHKOSH	93	1937	25	1974	45	1913	72	1908		69	48	58	

RHINELANDER	92	1908	27	1974	44	1974	64	2017		64	42	53	
STEVENS POINT	94	1937	26	1974	43	1913	64	2017		67	46	56	
STURGEON BAY	85	1920	34	1974	46	1913	66	1908		67	48	58	
WAUSAU	94	1937	29	1974	41	1913	65	2017		66	45	56	
WISCONSIN RAPIDS	91	2017	23	1974	42	1913	67	1920		68	45	57	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	0.94	1924	0.0							2.69	21.98	0.0	0.0
APPLETON	1.71	1988	0.0							2.37	23.98	0.0	0.0
GREEN BAY	2.04	1959	T	1995						2.25	22.65	0.0	0.0
MANITOWOC	1.65	1973	0.0							2.24	23.88	0.0	0.0
MARSHFIELD	1.31	1986	0.0							2.93	25.63	0.0	0.0
MERRILL	1.23	2016	0.6	1913						2.97	24.61	0.0	0.0
OSHKOSH	1.79	1998	0.0							2.45	24.38	0.0	0.0
RHINELANDER	1.52	1930	0.3	1995						3.07	23.95	0.0	0.0
STEVENS POINT	2.13	1986	0.0							2.82	25.54	0.0	0.0
STURGEON BAY	1.41	1973	0.0							2.42	23.64	0.0	0.0
WAUSAU	0.84	1959	T	1928,1995						2.86	25.07	0.0	0.0
WISCONSIN RAPIDS	1.48	1988	0.0							2.53	21.12	0.0	0.0

SEPTEMBER 22

SEPTEMBER 23

					REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	89	1937	24	1974	48	1989	64	1920		64	42	53
APPLETON	90	2017	26	1995	46	1928	66	1937,2017		68	48	58
GREEN BAY	91	2017	27	1974	45	1928	68	1937		67	45	56
MANITOWOC	87	1891,1936	29	1974	51	1983	65	2017		65	51	58
MARSHFIELD	92	1937	23	1974	48	1928,1974	64	2017		66	45	56

MERRILL	93	1937	26	1995	51	1907,1989,2001	65	2017		66	42	54
OSHKOSH	93	1937	28	1913	50	1928	68	1937		69	47	58
RHINELANDER	91	1908	25	1974	45	1942	68	2017		63	41	52
STEVENS POINT	93	1937	27	1974	48	1974	67	1936		66	45	56
STURGEON BAY	90	2017	30	1974,1995	47	1928	67	2017		66	48	57
WAUSAU	91	1937	25	1974	43	1913	66	1920		66	45	55
WISCONSIN RAPIDS	93	1937	21	1974	49	1928	67	1968		68	45	56

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON
ANTIGO	3.51	2010	0.0							2.83	22.12	0.0	0.0
APPLETON	1.89	2010	0.0							2.48	24.09	0.0	0.0
GREEN BAY	2.52	2010	0.0							2.36	22.76	0.0	0.0
MANITOWOC	2.00	1886	0.0							2.35	23.99	0.0	0.0
MARSHFIELD	2.63	2010	T	1928						3.06	25.76	0.0	0.0
MERRILL	1.30	1985	T	1928,1995						3.10	24.74	0.0	0.0
OSHKOSH	0.95	1936	0.0							2.57	24.50	0.0	0.0
RHINELANDER	2.37	2010	T	1928,1942						3.22	24.10	0.0	0.0
STEVENS POINT	5.13	2010	0.0							2.95	25.67	0.0	0.0
STURGEON BAY	2.10	2006	0.0							2.54	23.76	0.0	0.0
WAUSAU	3.28	2010	T	1928,1942						2.99	25.20	0.0	0.0
WISCONSIN RAPIDS	4.12	2010	0.0							2.65	21.24	0.0	0.0

SEPTEMBER 23

--	--	--	--	--	--	--	--	--	--	--	--	--	--

SEPTEMBER 24

					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	87	1937	23	1976,1989	43	1942	68	1930		63	42	53	
APPLETON	89	2017	27	1903,1989	45	1942	68	1930,2017		67	48	57	
GREEN BAY	92	1891	28	1976,1989	47	1942,1943	70	1930		66	45	56	

MANITOWOC	89	1891	32	1887,1976	48	1942	66	2017		64	50	57
MARSHFIELD	88	2017	24	1976	40	1942	69	1930		65	45	55
MERRILL	88	1935,2017	20	1976	45	1985	63	1920		65	41	53
OSHKOSH	91	1891	30	1950	45	1942	71	1930		68	47	57
RHINELANDER	89	1908	23	2000	40	1928	64	2007		63	41	52
STEVENS POINT	93	1937	26	1950	47	1942	68	1930		66	45	55
STURGEON BAY	82	2017	27	1989	49	1942	65	2017		66	47	57
WAUSAU	88	1937	28	1976,1989	42	1942	65	1930		65	44	55
WISCONSIN RAPIDS	93	1937	23	1976	41	1942	65	1937		67	44	56

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.98	1904	T	1942						2.97	22.26	0.0	0.0
APPLETON	1.69	1910	0.0							2.59	24.20	0.0	0.0
GREEN BAY	1.85	1910	0.0							2.47	22.87	0.0	0.0
MANITOWOC	2.30	1886	0.0							2.46	24.10	0.0	0.0
MARSHFIELD	1.12	1977	T	1942						3.20	25.90	0.0	0.0
MERRILL	0.93	1937	T	1928						3.24	24.88	0.0	0.0
OSHKOSH	1.85	1910	0.0							2.69	24.62	0.0	0.0
RHINELANDER	1.62	1963	T	1942						3.36	24.24	0.0	0.0
STEVENS POINT	1.75	1910	0.0							3.08	25.80	0.0	0.0
STURGEON BAY	1.17	1910	0.0							2.66	23.88	0.0	0.0
WAUSAU	2.31	1984	T	1928,1985						3.13	25.34	0.0	0.0
WISCONSIN RAPIDS	2.46	1924	T	1965						2.77	21.36	0.0	0.0

SEPTEMBER 24

SEPTEMBER 25

					REC		REC					
	REC		REC		LOW		HIGH			NORMAL		
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	85	1908,2017	24	1947,1989	42	1942	68	1935		63	41	52

APPLETON	89	1920	28	1942	45	1942	67	1935,2017		67	47	57	
GREEN BAY	90	2017	30	1942,1947,1966	46	1926,1946	68	1900,1934		66	45	55	
MANITOWOC	85	1935	32	1942	48	1942	65	1935		64	50	57	
MARSHFIELD	88	1920	23	1942	46	1939,1985	65	1934		65	44	55	
MERRILL	87	1920,2017	24	1947	45	1942	63	1908		65	41	53	
OSHKOSH	91	1920	28	1942	50	1926	66	1900		68	46	57	
RHINELANDER	89	1920	24	1947	44	1985	62	1934		62	41	51	
STEVENS POINT	88	1920	26	1947	46	1942	67	1935		66	44	55	
STURGEON BAY	83	1935	26	1947	45	1942	65	2017		66	47	56	
WAUSAU	87	1920	23	1947	42	1942	67	1935		65	44	54	
WISCONSIN RAPIDS	91	1920	18	1947	41	1927	63	1920		67	44	55	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.14	1960	T	1942						3.10	22.39	0.0	0.0
APPLETON	1.13	1972	0.0							2.69	24.30	0.0	0.0
GREEN BAY	1.23	1972	T	1928,1942						2.57	22.97	0.0	0.0
MANITOWOC	2.70	1878	0.0							2.57	24.21	0.0	0.0
MARSHFIELD	1.38	1972	0.0							3.33	26.03	0.0	0.0
MERRILL	1.97	1998	0.0							3.38	25.02	0.0	0.0
OSHKOSH	1.18	1941	T	1942						2.80	24.73	0.0	0.0
RHINELANDER	1.86	1934	T	1927						3.51	24.39	0.0	0.0
STEVENS POINT	1.39	1972	T	1928						3.21	25.93	0.0	0.0
STURGEON BAY	2.52	1972	T	1942						2.78	24.00	0.0	0.0
WAUSAU	2.78	1972	T	1928,1965						3.27	25.48	0.0	0.0
WISCONSIN RAPIDS	2.99	1972	0.5	1965						2.88	21.47	0.0	0.0
SEPTEMBER 25													
SEPTEMBER 26													
					REC		REC						
	REC		REC		LOW		HIGH			NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	

ANTIGO	86	1908	21	1899	40	1912	64	1920		63	41	52
APPLETON	86	1908	31	1918	42	1942	69	1908		66	47	56
GREEN BAY	86	1908,1973	28	1966	43	1942	71	1908		66	44	55
MANITOWOC	84	1998	29	1926	44	1942	67	1908		63	49	56
MARSHFIELD	85	1923	24	1926	42	1927	60	1920		65	44	54
MERRILL	88	1908	24	1941	44	1912	67	1908		64	41	52
OSHKOSH	85	1908	28	1926	42	1927	72	1908		67	46	57
RHINELANDER	84	1920	23	1926	41	1927	66	1908		62	40	51
STEVENS POINT	87	1920	26	1899	40	1942	64	2017		65	44	55
STURGEON BAY	82	1920	27	1926	44	1927,1942	64	1920		65	46	56
WAUSAU	84	1908	26	1899	43	1927	66	1908		64	44	54
WISCONSIN RAPIDS	87	1908	20	1947	42	1942	64	1920		66	44	55

	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN		SNOW	
										MONTH	YEAR	MONTH	SEASON

ANTIGO	1.96	1986	2.0	1942						3.24	22.53	0.0	0.0
APPLETON	1.44	1994	T	1928,1942,1965						2.80	24.41	0.0	0.0
GREEN BAY	1.89	1998	T	1942,1965						2.67	23.07	0.0	0.0
MANITOWOC	2.70	1920	0.0							2.67	24.31	0.0	0.0
MARSHFIELD	1.85	1972	5.0	1942						3.46	26.16	0.0	0.0
MERRILL	2.82	1986	T	1965						3.52	25.16	0.0	0.0
OSHKOSH	1.00	1927	T	1942						2.91	24.84	0.0	0.0
RHINELANDER	2.17	1986	0.5	1942						3.66	24.54	0.0	0.0
STEVENS POINT	1.17	1972	0.5	1942						3.33	26.05	0.0	0.0
STURGEON BAY	1.15	2016	T	1965						2.90	24.12	0.0	0.0
WAUSAU	2.55	1986	0.3	1942						3.40	25.61	0.0	0.0
WISCONSIN RAPIDS	1.91	1959	0.0							3.00	21.59	0.0	0.0

SEPTEMBER 26

--	--	--	--	--	--	--	--	--	--	--	--	--	--

SEPTEMBER 27

						REC				REC			
--	--	--	--	--	--	-----	--	--	--	-----	--	--	--

	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)	HI	LO	ME	
ANTIGO	84	1894	20	1896	40	1942	58	1923,1986	62	40	51	
APPLETON	85	1987	30	1909	43	1942	65	1986	66	46	56	
GREEN BAY	89	1891	29	1991	43	1942	64	1891,1923	65	44	54	
MANITOWOC	84	1987	31	1889,1991	45	1942	62	1998	63	49	56	
MARSHFIELD	84	1987	27	1942,1991	42	1942	58	1986	64	44	54	
MERRILL	83	1923,1987	25	1991	44	1942	62	1924	64	40	52	
OSHKOSH	88	1891	29	1984	45	1942	67	1891	67	45	56	
RHINELANDER	84	1987	26	1926,2012	39	1942	53	1950,1963,1973	61	40	51	
STEVENS POINT	86	1905	27	1909	40	1942	61	1986	65	44	54	
STURGEON BAY	84	1987	28	1991	44	1942	61	1986,1998	65	46	55	
WAUSAU	82	1987	28	1896,1947,1991	39	1942	60	1986	64	43	54	
WISCONSIN RAPIDS	84	1987	24	1928	46	1942	61	1986	66	43	55	
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	2.47	1959	T	1942,1945					3.38	22.67	0.0	0.0
APPLETON	1.12	1971	0.0						2.90	24.51	0.0	0.0
GREEN BAY	1.35	1971	T	1942					2.77	23.17	0.0	0.0
MANITOWOC	1.84	1959	T	1947					2.77	24.41	0.0	0.0
MARSHFIELD	2.50	1959	T	1942					3.59	26.29	0.0	0.0
MERRILL	3.28	1959	T	1945,1953,1964					3.66	25.30	0.0	0.0
OSHKOSH	0.83	1930	0.0						3.02	24.95	0.0	0.0
RHINELANDER	2.98	1908	T	1942					3.80	24.68	0.0	0.0
STEVENS POINT	2.05	1959	0.0						3.45	26.17	0.0	0.0
STURGEON BAY	0.63	1959	0.0						3.02	24.24	0.0	0.0
WAUSAU	2.46	1908	T	1942,1965					3.53	25.74	0.0	0.0
WISCONSIN RAPIDS	1.40	1908	0.0						3.11	21.70	0.0	0.0
SEPTEMBER 27												
SEPTEMBER 28												

SEPTEMBER 29

	REC		REC		REC		REC						
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME	
ANTIGO	85	1897	22	1984	43	2018	54	1902		61	39	50	
APPLETON	84	1953	28	1949	45	2018	66	1904		65	45	55	
GREEN BAY	86	1898	24	1949	43	1899	64	1898,1904		64	43	54	
MANITOWOC	82	1921	30	1899	44	1899	62	1986		62	48	55	
MARSHFIELD	86	1922	20	1967	43	2018	62	1986		63	43	53	
MERRILL	84	1922	21	1949	44	1985,2018	56	1921		63	39	51	
OSHKOSH	88	1953	25	1949	42	1899	65	1904		66	45	55	
RHINELANDER	84	1922	24	1945	42	1916,1930	59	1982		61	39	50	
STEVENS POINT	86	1922	25	1949	43	1899,2018	63	1898		64	43	53	
STURGEON BAY	82	1922	27	1949	44	1967	61	1986		64	45	54	
WAUSAU	85	1898	21	1899	38	1899	62	1904		63	42	53	
WISCONSIN RAPIDS	88	1922	19	1949	46	2018	62	1904		65	42	54	
	REC		REC							NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)						PCPN	SNOW		
										MONTH	YEAR	MONTH	SEASON
ANTIGO	1.46	1985	0.0							3.66	22.95	0.0	0.0
APPLETON	1.04	1981	0.0							3.09	24.70	0.0	0.0
GREEN BAY	0.94	1901	0.0							2.95	23.35	0.0	0.0
MANITOWOC	2.00	1872	0.0							2.97	24.61	0.0	0.0
MARSHFIELD	0.63	1927	0.0							3.83	26.53	0.0	0.0
MERRILL	1.38	1985	T	1908						3.92	25.56	0.0	0.0
OSHKOSH	1.11	1941	0.0							3.22	25.15	0.0	0.0
RHINELANDER	1.36	1985	T	1947						4.07	24.95	0.0	0.0
STEVENS POINT	1.08	1939	0.0							3.69	26.41	0.0	0.0
STURGEON BAY	1.23	2011	0.0							3.25	24.47	0.0	0.0
WAUSAU	2.02	1901	0.0							3.78	25.99	0.0	0.0
WISCONSIN RAPIDS	1.71	1911	0.0							3.33	21.92	0.0	0.0

SEPTEMBER 29

SEPTEMBER 30

	REC		REC		REC		REC					
	REC		REC		LOW		HIGH		NORMAL			
LOCATION	HIGH	YEAR(S)	LOW	YEAR(S)	MAX	YEAR(S)	MIN	YEAR(S)		HI	LO	ME
ANTIGO	87	1897	13	1899	44	1908	60	1922		61	39	50
APPLETON	85	2019	25	1993	48	1974,2018	64	1995		64	45	55
GREEN BAY	87	1897	25	1899	45	1899	63	1995		64	43	53
MANITOWOC	87	1897	26	1899	45	1886,2003	62	1954		62	48	55
MARSHFIELD	82	2019	23	1918	45	1939	62	1943		63	43	53
MERRILL	84	1905	25	1924,1984	46	1974,2003	59	1950,1983		63	39	51
OSHKOSH	86	1971	27	1947	46	1899	61	1950		65	44	55
RHINELANDER	79	1976	21	1918	41	1919	61	1950		60	39	49
STEVENS POINT	84	1922	13	1899	47	1908,2018	59	1950		63	42	53
STURGEON BAY	79	1922	27	1939	48	2003	62	1922		63	45	54
WAUSAU	85	1897	18	1899	45	1899,1974	61	1982,2007		62	42	52
WISCONSIN RAPIDS	85	2019	21	1947	46	1974	61	1950,2007		65	42	53
	REC		REC						NORMAL			
	PCPN	YEAR(S)	SNOW	YEAR(S)					PCPN		SNOW	
									MONTH	YEAR	MONTH	SEASON
ANTIGO	1.17	1925	0.0						3.79	23.08	0.0	0.0
APPLETON	1.61	1961	0.0						3.18	24.79	0.0	0.0
GREEN BAY	1.57	1961	0.0						3.04	23.44	0.0	0.0
MANITOWOC	1.60	1881	0.0						3.07	24.71	0.0	0.0
MARSHFIELD	1.75	1925	0.0						3.94	26.64	0.0	0.0
MERRILL	1.14	1925	0.0						4.04	25.68	0.0	0.0
OSHKOSH	0.60	1911	0.0						3.32	25.25	0.0	0.0
RHINELANDER	2.45	1971	0.5	1985					4.20	25.08	T	T
STEVENS POINT	1.66	1925	0.0						3.80	26.52	0.0	0.0
STURGEON BAY	1.28	1954	0.0						3.36	24.58	0.0	0.0
WAUSAU	2.06	1981	0.0						3.90	26.11	0.0	0.0
WISCONSIN RAPIDS	2.03	1961	0.0						3.44	22.03	0.0	0.0

SEPTEMBER 30