

September 1

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	94	1894	30	1896	57	1951	70	1937,1953	74	53	63	
Appleton	99	1913	36	1909	58	1951	74	1973	77	56	67	
Green Bay	95	1953	38	1888	58	1951	71	1937	76	55	66	
Manitowoc	96	1953	38	1888	61	1951	71	1880,1953	73	58	66	
Marshfield	93	1937	32	1949	57	1951	69	1973	75	54	64	
Merrill	95	1937	31	1909,1974	59	1905,1951	72	1937	75	52	63	
Oshkosh	97	1953	35	1909	59	1951	74	1937	77	56	67	
Rhineland	91	1913	30	1895	59	1944,1984,2000	69	2018	74	49	62	
Stevens Point	97	1913,1937	32	1909	57	1951	71	1937	75	55	65	
Sturgeon Bay	95	1933	35	1909	59	1951	69	1961,2010	74	56	65	
Wausau	95	1953	33	1909	58	1951	70	1937,1953,1973	75	54	64	
Wisc. Rapids	97	1913	32	1992	62	1938	72	1945	77	54	65	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.98	1914	0.0						0.12	20.08	0.0	0.0
Appleton	1.38	1945	0.0						0.12	23.42	0.0	0.0
Green Bay	1.57	1984	0.0						0.12	22.13	0.0	0.0
Manitowoc	2.00	1881	0.0						0.09	22.58	0.0	0.0
Marshfield	2.24	2002	0.0						0.14	23.73	0.0	0.0
Merrill	3.11	1922	0.0						0.13	23.28	0.0	0.0
Oshkosh	1.94	2000	0.0						0.11	23.61	0.0	0.0
Rhineland	2.34	1948	0.0						0.13	23.90	0.0	0.0
Stevens Point	2.37	1989	0.0						0.13	24.31	0.0	0.0
Sturgeon Bay	3.71	1979	0.0						0.11	22.46	0.0	0.0
Wausau	3.05	1914	0.0						0.14	23.76	0.0	0.0
Wisc. Rapids	1.81	1922	0.0						0.13	24.72	0.0	0.0

September 1

September 2

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	93	1953	30	1896	55	2017	70	1913		73	53	63	
Appleton	101	1913	40	1909,1994	60	1952	74	1953		77	56	66	
Green Bay	94	1898,1913,1937,1953	38	1976	61	1952	75	1898		76	55	66	
Manitowoc	96	1898	40	1976	61	1924	76	1898		73	58	65	
Marshfield	94	1929	35	1916	57	1952	68	2011,2015		75	53	64	
Merrill	95	1913	32	1974,1976	56	1952	71	1913		75	51	63	
Oshkosh	98	1937	40	1909	61	1952	77	1937		77	56	66	
Rhineland	90	1937,1953	33	1976	55	1952	67	1953,1957		74	49	62	
Stevens Point	97	1913	33	1909	59	2017	71	1973		75	55	65	
Sturgeon Bay	93	1937	37	1976	60	1926	69	1921		74	55	65	
Wausau	95	1953	33	1895	57	1952	71	2011		75	54	64	
Wisc. Rapids	100	1913	36	1974	57	1952	70	1913		77	54	65	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpr	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.96	1961	0.0							0.23	20.19	0.0	0.0
Appleton	1.45	1905	0.0							0.23	23.53	0.0	0.0
Green Bay	1.38	1900	0.0							0.23	22.24	0.0	0.0
Manitowoc	1.46	1960	0.0							0.17	22.66	0.0	0.0
Marshfield	2.55	1964	0.0							0.27	23.86	0.0	0.0
Merrill	1.88	1937	0.0							0.27	23.42	0.0	0.0
Oshkosh	1.84	1960	0.0							0.23	23.73	0.0	0.0
Rhineland	1.12	1970	0.0							0.27	24.04	0.0	0.0
Stevens Point	2.35	1964	0.0							0.26	24.44	0.0	0.0
Sturgeon Bay	1.93	1905	0.0							0.21	22.56	0.0	0.0
Wausau	3.60	1963	0.0							0.28	23.90	0.0	0.0
Wisc. Rapids	2.35	1923	0.0							0.25	24.84	0.0	0.0

September 2

September 3

September 3													
	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		1991-2020 Normals			
										High	Low	Mean	
Antigo	90	1929	29	1974	57	1914,2010	71	1929		73	52	63	
Appleton	97	1937	38	1946	60	1909	75	1937		76	56	66	
Green Bay	92	1929	36	1946	60	1891,1905	75	1898		76	55	65	
Manitowoc	92	1937	43	1946	58	1883	70	1937,1939		73	57	65	
Marshfield	94	1929	30	1946	60	1926,2010	69	1939		75	53	64	
Merrill	94	1929	27	1974	57	1914	70	1937		74	51	63	
Oshkosh	95	1937	35	1946	62	1891	74	1937		76	56	66	
Rhineland	92	1929	31	1946,1974	58	1974,2010	67	1960,1973		74	49	61	
Stevens Point	95	1929,1937	33	1946	59	1909,2010	75	1937		75	54	64	
Sturgeon Bay	95	1929	34	1946	61	1909,1928	72	1922		74	55	64	
Wausau	95	1929	33	1946	56	1914	71	1929,1937		74	53	64	
Wisc. Rapids	94	1937	27	1946	60	1905	72	1937		76	53	65	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	2.00	1963	0.0							0.35	20.31	0.0	0.0
Appleton	1.12	2011	0.0							0.34	23.64	0.0	0.0
Green Bay	2.99	1964	0.0							0.35	22.36	0.0	0.0
Manitowoc	1.75	1970	0.0							0.25	22.74	0.0	0.0
Marshfield	1.37	1991	0.0							0.41	24.00	0.0	0.0
Merrill	1.59	2019	0.0							0.40	23.55	0.0	0.0
Oshkosh	1.28	1921	0.0							0.33	23.83	0.0	0.0
Rhineland	2.63	1934	0.0							0.40	24.17	0.0	0.0
Stevens Point	1.90	1973	0.0							0.39	24.57	0.0	0.0
Sturgeon Bay	2.05	2010	0.0							0.32	22.67	0.0	0.0
Wausau	1.94	2019	0.0							0.41	24.03	0.0	0.0
Wisc. Rapids	1.15	1958	0.0							0.37	24.96	0.0	0.0

September 3

September 4

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	89	1925,1929	32	1974	56	1896	68	1929,1960	73	52	62	
Appleton	92	1937,1939	40	1997	59	2008	71	1971	76	55	66	
Green Bay	90	1925,1990	38	1974	61	2008	69	1895,1941,1971	76	54	65	
Manitowoc	91	1990	38	1988	63	1896,1918,2010	68	1960,2012	73	57	65	
Marshfield	92	1925	31	1974	60	1935,2008	68	1971,2018	74	53	64	
Merrill	89	1937,2012	30	1974	56	1905	69	1960	74	51	62	
Oshkosh	95	1925	39	1974	62	2008	70	1971,2018	76	55	66	
Rhineland	90	1983	33	1974	58	2008	69	1973	73	49	61	
Stevens Point	95	1925	36	1974	58	2008	70	1929	74	54	64	
Sturgeon Bay	88	1922	40	1946	59	1934	70	1983	73	55	64	
Wausau	90	1922	37	1901,1974	59	1905	70	1983	74	53	64	
Wisc. Rapids	99	1922	32	1974	58	2008	69	2018	76	53	64	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.89	2014	0.0						0.46	20.42	0.0	0.0
Appleton	2.90	2018	0.0						0.45	23.75	0.0	0.0
Green Bay	3.30	1889	0.0						0.45	22.46	0.0	0.0
Manitowoc	1.00	1929	0.0						0.33	22.82	0.0	0.0
Marshfield	2.79	1941	0.0						0.54	24.13	0.0	0.0
Merrill	1.06	2011	0.0						0.53	23.68	0.0	0.0
Oshkosh	2.40	1941	0.0						0.44	23.94	0.0	0.0
Rhineland	2.81	2018	0.0						0.53	24.30	0.0	0.0
Stevens Point	1.05	1912	0.0						0.51	24.69	0.0	0.0
Sturgeon Bay	2.40	2014	0.0						0.42	22.77	0.0	0.0
Wausau	3.40	1941	0.0						0.55	24.17	0.0	0.0
Wisc. Rapids	1.97	1934	0.0						0.49	25.08	0.0	0.0

September 4

September 5

	Rec		Rec		Rec		Rec						
	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	90	1912	35	1918,1962,1976	56	2017	66	1912		72	52	62	
Appleton	93	1912	41	2010	61	1981,2010	70	1912,2018		76	55	65	
Green Bay	92	2007	37	1957	60	1981	68	1912		75	54	65	
Manitowoc	89	1900,2007	36	1891	61	1924	70	2007		72	57	65	
Marshfield	93	1922	33	1918	61	2017	67	1985		74	53	63	
Merrill	94	1933	31	1974	58	2017	68	1912,1969		74	50	62	
Oshkosh	93	1945	38	1957	61	1988	68	1912,1990		76	55	65	
Rhineland	92	1912	34	1918,2000	55	2017	66	1912,2007		73	48	61	
Stevens Point	95	1922,1945	35	1903	55	1896	71	1913		74	54	64	
Sturgeon Bay	88	1922	40	1984	60	1988	68	2007		73	54	64	
Wausau	91	1912	35	1903	57	1956	68	1895,1912		74	53	63	
Wisc. Rapids	95	1922	36	1957	59	1956	66	1969		76	53	64	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	2.40	2018	0.0							0.58	20.54	0.0	0.0
Appleton	2.00	1910	0.0							0.55	23.85	0.0	0.0
Green Bay	1.01	1925	0.0							0.56	22.57	0.0	0.0
Manitowoc	1.38	1910,1985	0.0							0.40	22.89	0.0	0.0
Marshfield	1.32	1925	0.0							0.67	24.26	0.0	0.0
Merrill	4.64	2018	0.0							0.66	23.81	0.0	0.0
Oshkosh	1.95	1910	0.0							0.54	24.04	0.0	0.0
Rhineland	0.88	2018	0.0							0.65	24.42	0.0	0.0
Stevens Point	2.00	1946	0.0							0.64	24.82	0.0	0.0
Sturgeon Bay	1.39	1929	0.0							0.52	22.87	0.0	0.0
Wausau	2.52	2018	0.0							0.68	24.30	0.0	0.0
Wisc. Rapids	2.00	1958	0.0							0.61	25.20	0.0	0.0

September 5

September 6

	Rec	Year(s)	Rec	Year(s)	Low	Year(s)	High	Year(s)	1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	89	1901,1913,1960	33	1988	52	2006	68	1933,1945,1960	72	52	62	
Appleton	93	1960	40	1924,1988,2011	62	1956,1982	72	1922	76	55	65	
Green Bay	91	1901,1954	38	1988	58	1965	72	1886	75	54	64	
Manitowoc	90	1933	40	1924,1984	60	1956	72	2007	72	56	64	
Marshfield	97	1922	33	1924	55	1965	70	2015	74	52	63	
Merrill	95	1933	32	1924	59	1993	69	1960	73	50	62	
Oshkosh	94	1954	37	1924	58	1965	73	1897	75	55	65	
Rhineland	90	1913,1933	31	1924	55	1956	72	1912	73	48	60	
Stevens Point	99	1922	35	1962	59	1949	71	1922	74	53	64	
Sturgeon Bay	91	2007	38	1924,1988	61	1956	69	2016	73	54	63	
Wausau	91	1908,1922	34	1988	56	1965	70	2007	74	52	63	
Wisc. Rapids	96	1913	30	1932	56	1965	70	2007	75	52	64	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpr	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.59	2015	0.0						0.69	20.65	0.0	0.0
Appleton	0.79	1946	0.0						0.66	23.96	0.0	0.0
Green Bay	2.72	1990	0.0						0.67	22.68	0.0	0.0
Manitowoc	1.20	1923	0.0						0.48	22.97	0.0	0.0
Marshfield	3.35	2015	0.0						0.80	24.39	0.0	0.0
Merrill	3.43	2015	0.0						0.79	23.94	0.0	0.0
Oshkosh	1.44	1899	0.0						0.65	24.15	0.0	0.0
Rhineland	3.65	2001	0.0						0.78	24.55	0.0	0.0
Stevens Point	2.25	1958	0.0						0.76	24.94	0.0	0.0
Sturgeon Bay	1.55	1958	0.0						0.62	22.97	0.0	0.0
Wausau	2.76	2015	0.0						0.82	24.44	0.0	0.0
Wisc. Rapids	2.31	2015	0.0						0.73	25.32	0.0	0.0

September 6

September 7

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		1991-2020 Normals			
										High	Low	Mean	
Antigo	90	1976	29	1986	55	2006	69	2007		72	51	62	
Appleton	95	1913	39	1986,2011	57	1911	74	1960		75	54	65	
Green Bay	93	1959	35	1986	56	1911	71	1886,1945,1959		75	53	64	
Manitowoc	94	1960	39	1986	55	1924	70	1985		72	56	64	
Marshfield	97	1985	34	1956	57	1924	70	1945		73	52	63	
Merrill	91	1913	30	1986	56	2010	71	1960,2007		73	50	61	
Oshkosh	95	1913	38	1986	57	1943	72	1959		75	54	65	
Rhineland	95	1976	31	1952	55	1911	72	1960		72	48	60	
Stevens Point	99	1913,1922	32	1908	60	1986	70	1913		73	53	63	
Sturgeon Bay	93	1913	35	1986	56	1917	68	1959,1960,2007,2015,2016		72	54	63	
Wausau	94	1976	37	1932,1951,1956,1986	55	1917,1924	68	1960,1978,1985,2015		73	52	63	
Wisc. Rapids	97	1931	33	1953	53	1911	70	1959		75	52	64	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpr	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.50	1916	0.0							0.80	20.76	0.0	0.0
Appleton	1.84	1927	0.0							0.78	24.08	0.0	0.0
Green Bay	1.43	2007	0.0							0.78	22.79	0.0	0.0
Manitowoc	1.26	1922	0.0							0.55	23.04	0.0	0.0
Marshfield	1.60	2015	0.0							0.93	24.52	0.0	0.0
Merrill	1.74	2001	0.0							0.92	24.07	0.0	0.0
Oshkosh	1.05	1916	0.0							0.77	24.27	0.0	0.0
Rhineland	1.52	1985	0.0							0.92	24.69	0.0	0.0
Stevens Point	3.23	2015	0.0							0.89	25.07	0.0	0.0
Sturgeon Bay	1.09	1938	0.0							0.72	23.07	0.0	0.0
Wausau	1.39	2001	0.0							0.95	24.57	0.0	0.0
Wisc. Rapids	1.91	1938	0.0							0.85	25.44	0.0	0.0

September 7

September 8

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	94	1933,1976	32	1979	49	2020	68	1933,1959		71	51	61	
Appleton	94	1959	40	1944,1995	55	2020	72	1959		75	54	64	
Green Bay	96	1933	37	1956	56	1943	70	1897		75	53	64	
Manitowoc	92	1919	37	1986	53	1883	68	1959		71	56	64	
Marshfield	97	1933	35	1944	51	2020	66	1959,1978		73	52	62	
Merrill	97	1933	30	1979	52	2020	68	1933		73	49	61	
Oshkosh	98	1933	37	1944	59	2008,2020	71	1960		75	54	64	
Rhineland	89	1978	31	1914,1944	50	2020	68	1908		72	47	60	
Stevens Point	98	1933	35	1951	52	2020	70	1959		73	53	63	
Sturgeon Bay	93	1931	37	1917,1944	57	1956	72	1919		72	54	63	
Wausau	96	1931	36	1944	51	2020	70	1959		73	52	62	
Wisc. Rapids	99	1933	32	1944	53	2020	77	1919		75	52	63	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.85	1922	0.0							0.92	20.88	0.0	0.0
Appleton	1.43	1915	0.0							0.89	24.19	0.0	0.0
Green Bay	2.50	2015	0.0							0.89	22.90	0.0	0.0
Manitowoc	1.14	1941	0.0							0.63	23.12	0.0	0.0
Marshfield	1.79	1938	0.0							1.07	24.66	0.0	0.0
Merrill	1.73	1985	0.0							1.05	24.20	0.0	0.0
Oshkosh	1.73	1938	0.0							0.88	24.38	0.0	0.0
Rhineland	1.88	1922	0.0							1.05	24.82	0.0	0.0
Stevens Point	1.77	1938	0.0							1.02	25.20	0.0	0.0
Sturgeon Bay	2.04	1964	0.0							0.82	23.17	0.0	0.0
Wausau	2.73	1938	0.0							1.09	24.71	0.0	0.0
Wisc. Rapids	1.74	1968	0.0							0.97	25.56	0.0	0.0

September 8

September 9

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	92	1897	33	1914,1969	45	2020	68	1912		71	51	61	
Appleton	95	1955	36	1914	49	2020	72	1947,1991		75	53	64	
Green Bay	95	1931,1955	36	1956	51	2020	73	1897		74	53	64	
Manitowoc	92	1908	33	1883	54	2020	69	1947,1991		71	56	63	
Marshfield	92	1955	32	1914	47	2020	68	1947,1983,2002		73	51	62	
Merrill	94	1906,1912	27	1975	47	2020	68	1912		72	49	61	
Oshkosh	98	1931	38	1924	53	2020	72	1897		75	54	64	
Rhineland	91	1912	31	1913,1914	49	2020	76	1912		72	47	59	
Stevens Point	97	1931	32	1898	48	2020	70	1983		73	52	63	
Sturgeon Bay	96	1931	31	1914	56	1924	68	1947,2002		72	53	62	
Wausau	96	1933	33	1917	47	2020	71	1983		73	51	62	
Wisc. Rapids	99	1931	33	1924	49	2020	72	1983		74	51	63	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.81	1968	0.0							1.03	20.99	0.0	0.0
Appleton	1.79	1945	0.0							1.00	24.30	0.0	0.0
Green Bay	1.44	1901	0.0							1.01	23.02	0.0	0.0
Manitowoc	3.00	1885	0.0							0.71	23.20	0.0	0.0
Marshfield	3.62	1938	0.0							1.20	24.79	0.0	0.0
Merrill	3.40	1938	0.0							1.18	24.33	0.0	0.0
Oshkosh	1.89	1965	0.0							1.00	24.50	0.0	0.0
Rhineland	1.97	1968	0.0							1.19	24.96	0.0	0.0
Stevens Point	2.48	1938	0.0							1.15	25.33	0.0	0.0
Sturgeon Bay	1.40	1946	0.0							0.92	23.27	0.0	0.0
Wausau	1.40	1938	0.0							1.22	24.84	0.0	0.0
Wisc. Rapids	2.89	1938	0.0							1.08	25.67	0.0	0.0

September 9

September 10

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	94	1931	28	1917,1918	54	2007	70	1931	71	50	61	
Appleton	95	2002	31	1917	54	2007	72	1947	74	53	64	
Green Bay	97	1931	36	1917,1967	53	1940	74	1931	74	52	63	
Manitowoc	97	1931,1983	34	1883	53	1917	72	1947	71	55	63	
Marshfield	97	1931	25	1917	54	2007	70	2013	72	51	62	
Merrill	97	1931	28	1917,1918	54	1914	69	1931	72	49	60	
Oshkosh	99	1931	31	1917	56	1940	75	1908	74	53	64	
Rhineland	98	1908	25	1917	51	1940	68	1931,1961	71	47	59	
Stevens Point	99	1931	29	1917	52	2007	71	1931	72	52	62	
Sturgeon Bay	96	1931	33	1935	55	1918,1940	71	1912,2002	71	53	62	
Wausau	99	1931	29	1917	54	1914,2007	70	1912,1931	72	51	62	
Wisc. Rapids	96	1931	26	1918	57	1914	70	1961	74	51	63	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpr	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.20	1938	0.0						1.14	21.10	0.0	0.0
Appleton	3.07	1986	0.0						1.12	24.42	0.0	0.0
Green Bay	2.20	1986	0.0						1.12	23.13	0.0	0.0
Manitowoc	3.10	1986	0.0						0.78	23.27	0.0	0.0
Marshfield	2.72	1986	0.0						1.34	24.93	0.0	0.0
Merrill	1.30	1970	0.0						1.31	24.46	0.0	0.0
Oshkosh	4.58	1986	0.0						1.12	24.62	0.0	0.0
Rhineland	2.11	1970	T	2014					1.33	25.10	0.0	0.0
Stevens Point	2.15	1928	0.0						1.27	25.45	0.0	0.0
Sturgeon Bay	1.40	1986	0.0						1.02	23.37	0.0	0.0
Wausau	2.43	1975	0.0						1.35	24.97	0.0	0.0
Wisc. Rapids	3.08	1938	0.0						1.20	25.79	0.0	0.0

September 10

September 11

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	94	1895,1931	31	1917	50	2014	67	1931	70	50	60	
Appleton	95	1931	36	1917	51	2014	72	1906	74	53	63	
Green Bay	95	1895,1931	35	1958,1959	53	2014	74	1895	74	52	63	
Manitowoc	95	1895	33	1969	56	1924,1943,2014	75	1947	71	55	63	
Marshfield	93	1931	29	1955	53	2006	67	1974	72	51	61	
Merrill	95	1931	28	1943	52	2014	66	1931	72	48	60	
Oshkosh	98	1931	35	1917	53	2014	77	1931	74	53	64	
Rhineland	93	1931,1998	31	1917,2014	51	2014	71	1895	71	46	59	
Stevens Point	99	1931	28	1898	53	2006,2014	71	1895	72	52	62	
Sturgeon Bay	95	1931	31	1943	55	2014	70	1931	71	53	62	
Wausau	97	1906	30	1943	53	2006	70	1895,1931	72	50	61	
Wisc. Rapids	93	1908	30	1917	52	2006	70	1906	74	51	62	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.02	1975	0.0						1.26	21.22	0.0	0.0
Appleton	1.77	2000	0.0						1.22	24.52	0.0	0.0
Green Bay	1.80	2000	0.0						1.22	23.23	0.0	0.0
Manitowoc	3.40	1986	0.0						0.85	23.34	0.0	0.0
Marshfield	2.02	1975	0.0						1.47	25.06	0.0	0.0
Merrill	1.86	2000	0.0						1.44	24.59	0.0	0.0
Oshkosh	2.04	2022	0.0						1.22	24.72	0.0	0.0
Rhineland	2.23	1928	0.0						1.47	25.24	0.0	0.0
Stevens Point	2.10	1900	0.0						1.40	25.58	0.0	0.0
Sturgeon Bay	2.55	1975	0.0						1.12	23.47	0.0	0.0
Wausau	3.42	2000	0.0						1.49	25.11	0.0	0.0
Wisc. Rapids	3.52	1978	0.0						1.32	25.91	0.0	0.0

September 11

September 12

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	90	1931,1948	28	1902	47	2014	68	1931		70	49	60	
Appleton	93	1931	35	1902	49	2014	70	1931		74	52	63	
Green Bay	93	1952	32	1955	50	2014	72	1931		73	52	63	
Manitowoc	87	1978,2005,2011	37	1902	51	2014	67	1931		70	55	62	
Marshfield	90	1931	29	1955	49	2014	65	2003		72	50	61	
Merrill	92	1931	29	1955	49	2014	68	1931		71	48	60	
Oshkosh	99	1931	34	1890,1955	48	2014	70	1931		74	53	63	
Rhineland	92	1931	29	1946,2014	48	2014	68	2005		71	46	58	
Stevens Point	96	1931	26	1898	47	2014	71	1931		72	51	61	
Sturgeon Bay	92	1998	34	1943,1955	55	2014	69	2005		71	52	61	
Wausau	91	1931,1948,1952	32	1964	50	2014	68	1931		72	50	61	
Wisc. Rapids	93	1927	27	1955	48	2014	72	1931		73	50	62	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.34	1951	0.0							1.37	21.33	0.0	0.0
Appleton	2.40	2019	0.0							1.33	24.63	0.0	0.0
Green Bay	1.53	1984	0.0							1.33	23.34	0.0	0.0
Manitowoc	1.45	2006	0.0							0.92	23.41	0.0	0.0
Marshfield	2.15	1978	0.0							1.61	25.20	0.0	0.0
Merrill	1.95	1975	0.0							1.57	24.72	0.0	0.0
Oshkosh	2.00	1939	0.0							1.33	24.83	0.0	0.0
Rhineland	2.15	1982	0.0							1.61	25.38	0.0	0.0
Stevens Point	2.82	1939	0.0							1.52	25.70	0.0	0.0
Sturgeon Bay	1.97	1951	0.0							1.22	23.57	0.0	0.0
Wausau	2.00	1939	0.0							1.62	25.24	0.0	0.0
Wisc. Rapids	1.87	1947	0.0							1.44	26.03	0.0	0.0

September 12

September 13

	Rec	Year(s)	Rec	Year(s)	Rec	Year(s)	Rec	Year(s)	1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	88	1939	28	1923	45	1923	68	1931	70	49	59	
Appleton	90	1931,1952	34	1902	51	1902	72	1931	73	52	63	
Green Bay	92	1939,1952	33	1953	46	1923	70	1931	73	51	62	
Manitowoc	87	1994,2005	35	1886,1923	51	1923	69	1994	70	54	62	
Marshfield	93	1927	24	1923	49	1923	65	1994	71	50	61	
Merrill	93	1927	29	1923	53	1978	64	1909,2005	71	47	59	
Oshkosh	94	1952	30	1923	56	1892,1970	70	1931	73	52	63	
Rhineland	90	1931	29	2014	51	1954	69	1931	70	46	58	
Stevens Point	95	1939	28	1902	48	1923	67	1993	71	51	61	
Sturgeon Bay	88	2005	36	1943	53	1923,2014	69	1931	70	52	61	
Wausau	92	1939	28	1902	44	1923	68	1931	71	50	60	
Wisc. Rapids	94	1939	28	1923	51	1923	67	1994	73	50	61	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpr	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.72	1993	0.0						1.49	21.45	0.0	0.0
Appleton	2.13	1954	0.0						1.44	24.74	0.0	0.0
Green Bay	1.56	1954	0.0						1.44	23.45	0.0	0.0
Manitowoc	2.40	1913	0.0						0.99	23.48	0.0	0.0
Marshfield	2.44	2005	0.0						1.75	25.34	0.0	0.0
Merrill	2.03	1962	0.0						1.70	24.85	0.0	0.0
Oshkosh	2.19	2003	0.0						1.43	24.93	0.0	0.0
Rhineland	3.41	1994	0.0						1.74	25.51	0.0	0.0
Stevens Point	1.47	1954	0.0						1.65	25.83	0.0	0.0
Sturgeon Bay	1.57	1915	0.0						1.32	23.67	0.0	0.0
Wausau	1.71	1993	0.0						1.75	25.37	0.0	0.0
Wisc. Rapids	2.30	1962	0.0						1.55	26.14	0.0	0.0

September 13

September 14

September 14													
	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	90	1939	24	1899	46	1899	70	1939		69	49	59	
Appleton	92	1939	37	1989	54	2007	70	1939		73	52	62	
Green Bay	94	1939	34	1923,1963	55	1954,1970,1986,2007	74	1939		73	51	62	
Manitowoc	97	1939	33	1923	54	1923,1970	75	1939		69	54	62	
Marshfield	95	1948	23	1923	49	2007	67	1939		71	49	60	
Merrill	91	1927,1939	25	1923	50	1954	69	1939		71	47	59	
Oshkosh	97	1939	28	1923	54	1970	74	1939		73	52	62	
Rhineland	90	1939	27	1923	44	1923	70	1939		70	45	58	
Stevens Point	96	1939	26	1923	47	2007	69	1939		71	50	61	
Sturgeon Bay	93	1939	35	1953	54	1954	68	1952		70	51	61	
Wausau	94	1939	27	1923	50	1970,2007	72	1939		71	49	60	
Wisc. Rapids	98	1920	23	1923	51	2007	67	1927		73	49	61	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	2.64	1994	0.0							1.60	21.56	0.0	0.0
Appleton	2.21	1911	0.0							1.55	24.85	0.0	0.0
Green Bay	2.48	1992	0.0							1.55	23.56	0.0	0.0
Manitowoc	6.17	1931	0.0							1.07	23.56	0.0	0.0
Marshfield	2.67	1928	0.0							1.88	25.47	0.0	0.0
Merrill	3.95	1993	0.0							1.84	24.99	0.0	0.0
Oshkosh	2.41	1931	0.0							1.54	25.04	0.0	0.0
Rhineland	2.19	1941	T	2011						1.87	25.64	0.0	0.0
Stevens Point	2.26	1928	0.0							1.77	25.95	0.0	0.0
Sturgeon Bay	1.74	1990	0.0							1.42	23.77	0.0	0.0
Wausau	2.48	1928	0.0							1.88	25.50	0.0	0.0
Wisc. Rapids	1.55	1928	0.0							1.67	26.26	0.0	0.0

September 14

September 15

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	87	1939	27	2007	47	2007	70	1939	69	48	59	
Appleton	95	1939	32	2007	51	1993	73	1927	73	51	62	
Green Bay	94	1939	32	2007	46	1916	74	1939	72	51	61	
Manitowoc	94	1939	37	2007	52	1993	71	1939	69	53	61	
Marshfield	91	1939	27	2007	48	1916	67	1920,2018	71	49	60	
Merrill	94	1939	27	2007	46	1916	69	1939	70	47	58	
Oshkosh	98	1939	32	1964	52	1993	74	1939	73	52	62	
Rhineland	90	1927,1939,2018	24	2007	46	1970	71	1939	70	45	57	
Stevens Point	96	1939	29	2007	52	1993	71	1939	71	50	60	
Sturgeon Bay	94	1939	37	1964,1995	53	1916,1986	71	1927	70	51	60	
Wausau	93	1939	30	2007	44	1916	69	1939	70	49	60	
Wisc. Rapids	95	1939	30	2011	53	1916	72	1939	72	49	61	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.57	1895	0.0						1.72	21.68	0.0	0.0
Appleton	1.81	1931	T	1916					1.66	24.96	0.0	0.0
Green Bay	1.40	1936	0.0						1.66	23.67	0.0	0.0
Manitowoc	1.33	1936	0.0						1.14	23.63	0.0	0.0
Marshfield	2.32	1967	0.0						2.01	25.60	0.0	0.0
Merrill	3.48	1967	0.0						1.97	25.12	0.0	0.0
Oshkosh	1.57	1936	0.0						1.64	25.14	0.0	0.0
Rhineland	2.28	1967	T	1916					2.00	25.77	0.0	0.0
Stevens Point	1.26	1967	T	1916					1.90	26.08	0.0	0.0
Sturgeon Bay	1.07	1914	0.0						1.52	23.87	0.0	0.0
Wausau	2.01	1903	T	1959					2.01	25.63	0.0	0.0
Wisc. Rapids	1.68	1967	0.0						1.78	26.37	0.0	0.0

September 15

September 16

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	90	1948	30	1916,1984,2011	40	1916	64	1907,1994	68	48	58	
Appleton	94	1939	33	1916	43	1916	68	1907,1939	72	51	61	
Green Bay	92	1891	33	1916	43	1916	65	1992,2017	72	50	61	
Manitowoc	90	1948	32	1916	47	1916	72	1882	69	53	61	
Marshfield	91	1948,1955	29	1916	42	1916	65	2017	70	49	59	
Merrill	90	1948	27	2007	45	1916	65	1994	70	46	58	
Oshkosh	93	1948	32	1916	47	1916	69	1994	72	51	62	
Rhineland	86	1955	27	2011	37	1916	69	2017	69	45	57	
Stevens Point	95	1948	30	1916	50	1916	73	1920	70	50	60	
Sturgeon Bay	82	1955,1994,2009	34	1916	46	1916	67	1939,1994	69	51	60	
Wausau	92	1939	32	1916	38	1916	67	2017	70	49	59	
Wisc. Rapids	99	1948	31	1916	44	1916	67	1907	72	49	60	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.40	1920	0.0						1.84	21.80	0.0	0.0
Appleton	1.78	1936	0.0						1.76	25.06	0.0	0.0
Green Bay	3.56	1888	0.0						1.77	23.78	0.0	0.0
Manitowoc	1.53	1897	0.0						1.21	23.70	0.0	0.0
Marshfield	2.05	1997	0.0						2.14	25.73	0.0	0.0
Merrill	2.01	2010	0.0						2.10	25.25	0.0	0.0
Oshkosh	1.36	1983	0.0						1.75	25.25	0.0	0.0
Rhineland	1.40	1992	0.0						2.13	25.90	0.0	0.0
Stevens Point	1.83	1992	T	1916					2.02	26.20	0.0	0.0
Sturgeon Bay	2.16	1969	0.0						1.62	23.97	0.0	0.0
Wausau	3.03	1997	T	1916					2.14	25.76	0.0	0.0
Wisc. Rapids	2.88	1992	T	1916					1.89	26.48	0.0	0.0

September 16

September 17

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	87	1948	29	1916,1943	49	1916	65	1948	68	47	58	
Appleton	89	2018	32	1916	51	1973	66	1948,2017	72	50	61	
Green Bay	90	1891,1955,2018	32	1959	48	1973	68	1891,1948	72	50	61	
Manitowoc	91	1891	34	1889	50	1903	65	1942	68	53	61	
Marshfield	92	1948	26	1916	52	1959	65	1948	70	48	59	
Merrill	87	1948	28	1959,1980	54	1916,1990	66	1948	69	46	58	
Oshkosh	91	1891,1955	32	1916	55	1973	68	1891,1942	72	51	61	
Rhineland	87	1998,2018	28	1916,1943	44	1916	66	2015	69	44	57	
Stevens Point	90	1904,1948	29	1916	49	1901	67	1948	70	49	60	
Sturgeon Bay	88	2018	30	1959	55	1916,1982	65	2006,2017	69	50	60	
Wausau	87	1948,2017	28	1943	48	1903	66	2015	70	48	59	
Wisc. Rapids	97	1948	27	1943	49	1903	68	1907	72	48	60	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.15	1997	0.0						1.95	21.91	0.0	0.0
Appleton	1.16	1910	0.0						1.87	25.17	0.0	0.0
Green Bay	2.81	1914	0.0						1.88	23.89	0.0	0.0
Manitowoc	1.81	1938	0.0						1.29	23.78	0.0	0.0
Marshfield	2.61	1942	0.0						2.27	25.86	0.0	0.0
Merrill	2.09	1997	0.0						2.23	25.38	0.0	0.0
Oshkosh	0.65	1983	0.0						1.85	25.35	0.0	0.0
Rhineland	0.88	1955	0.0						2.26	26.03	0.0	0.0
Stevens Point	3.30	1942	0.0						2.14	26.32	0.0	0.0
Sturgeon Bay	2.15	1942	0.0						1.72	24.07	0.0	0.0
Wausau	1.03	1938	T	1992					2.27	25.89	0.0	0.0
Wisc. Rapids	1.82	1942	0.0						2.00	26.59	0.0	0.0

September 17

September 18

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	88	1908	28	1894,1916	48	1918	67	1926	68	47	57	
Appleton	93	1908	33	1929	51	1929	66	1947,1988	71	50	61	
Green Bay	92	1955	33	1974	50	1886	72	1891	71	49	60	
Manitowoc	90	1908	35	1916,1929	52	1886	66	2022	68	52	60	
Marshfield	91	1955	28	1929	50	1938	65	1926	69	48	59	
Merrill	89	1955	27	1916,1929	51	1918	67	1947	69	46	57	
Oshkosh	93	1955	31	2012	50	1938	73	1891	71	51	61	
Rhineland	87	1908	27	2020	45	1938	65	1955,1963,2007	68	44	56	
Stevens Point	94	1939	30	1916,1929	55	1901,2012	66	1948	70	49	59	
Sturgeon Bay	93	1908	32	1916	54	1991	65	1944	68	50	59	
Wausau	88	1908,1955	28	1916	48	1918	65	1926	69	48	58	
Wisc. Rapids	94	1948	24	1929	48	1938	70	1985	71	48	60	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcprn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	3.18	1940	0.0						2.06	22.02	0.0	0.0
Appleton	1.93	1950	0.0						1.97	25.27	0.0	0.0
Green Bay	1.79	1935	0.0						1.99	24.00	0.0	0.0
Manitowoc	2.30	1978	0.0						1.37	23.86	0.0	0.0
Marshfield	1.77	1972	0.0						2.40	25.99	0.0	0.0
Merrill	1.98	1942	T	1929					2.36	25.51	0.0	0.0
Oshkosh	2.86	1950	0.0						1.96	25.46	0.0	0.0
Rhineland	2.24	1942	0.0						2.39	26.16	0.0	0.0
Stevens Point	1.20	1950,1972	0.0						2.26	26.44	0.0	0.0
Sturgeon Bay	1.83	1938	0.0						1.82	24.17	0.0	0.0
Wausau	1.60	1942	0.0						2.40	26.02	0.0	0.0
Wisc. Rapids	1.79	1911	0.0						2.11	26.70	0.0	0.0

September 18

September 19

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	85	1908	29	2012	46	1918	64	1985	67	47	57	
Appleton	91	1908	32	1923,2012	49	1991	70	1985	71	49	60	
Green Bay	92	1895	28	1956	48	1918	69	1985	71	49	60	
Manitowoc	91	1895	34	1901	49	1991	66	2000,2007	68	52	60	
Marshfield	90	1948	27	1929	47	1918	68	1985	69	48	58	
Merrill	88	1908	30	1929,1974	43	1918	64	2007	69	45	57	
Oshkosh	91	1932	30	2012	48	1991	69	1891	71	50	61	
Rhineland	89	1895	29	2012	48	1991	69	1940	68	44	56	
Stevens Point	94	1895	31	1902,1929	49	1901,1991	68	1925,1985	69	48	59	
Sturgeon Bay	86	1930,1932	33	1929,1979	49	1991	68	1955	68	50	59	
Wausau	90	1895	31	1902	44	1918,1991	71	1985	69	47	58	
Wisc. Rapids	92	1940	26	1956	48	1918	70	1985	71	48	59	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	4.00	1907	T	1991					2.17	22.13	0.0	0.0
Appleton	2.31	1935	0.0						2.08	25.38	0.0	0.0
Green Bay	1.00	1971	0.0						2.10	24.11	0.0	0.0
Manitowoc	2.21	1919	0.0						1.45	23.94	0.0	0.0
Marshfield	2.07	1965	0.0						2.53	26.12	0.0	0.0
Merrill	3.75	1907	0.0						2.49	25.64	0.0	0.0
Oshkosh	1.04	1955	0.0						2.07	25.57	0.0	0.0
Rhineland	2.09	1983	0.0						2.52	26.29	0.0	0.0
Stevens Point	1.55	1960	0.0						2.38	26.56	0.0	0.0
Sturgeon Bay	1.50	1935	0.0						1.93	24.28	0.0	0.0
Wausau	2.79	1965	T	1956					2.52	26.14	0.0	0.0
Wisc. Rapids	2.82	1935	0.0						2.22	26.81	0.0	0.0

September 19

September 20

	Rec		Rec		Rec		Rec						
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)		High	Low	Mean	
Antigo	87	1908	22	1897,1973	44	1991	68	1895		67	46	56	
Appleton	93	1908	31	1923	52	1983	69	1985		70	49	60	
Green Bay	92	1895,1908	27	1956	52	1918	75	1895		70	49	59	
Manitowoc	91	1891	34	1891,1896	53	1918,1993	74	1940		67	52	59	
Marshfield	86	1931	26	1973	50	1918,1995	61	1940,1947,2022		69	47	58	
Merrill	89	1908	22	1973	45	1991	64	1940		68	45	56	
Oshkosh	92	1908	29	1956	52	1918	71	1891		71	50	60	
Rhineland	87	1908	28	1956	48	1918	71	1895		67	43	55	
Stevens Point	93	1908	27	1897	49	1991	72	1895		69	48	58	
Sturgeon Bay	85	1940	32	1929,1956	52	1927	65	1998,2002		68	49	58	
Wausau	89	1908	27	1897	49	1918	71	1895		68	47	58	
Wisc. Rapids	92	1908	25	1956	53	1918	66	1931		70	47	59	
										1991-2020 Normals			
	Max		Max							Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)						Month	Year	Month	Season
Antigo	1.70	1931	0.0							2.28	22.24	0.0	0.0
Appleton	2.01	1965	T	1913,1927						2.18	25.48	0.0	0.0
Green Bay	2.10	1965	0.0							2.21	24.22	0.0	0.0
Manitowoc	2.31	1878	0.0							1.54	24.03	0.0	0.0
Marshfield	1.24	1944	0.0							2.66	26.25	0.0	0.0
Merrill	1.95	1983	T	1991						2.61	25.76	0.0	0.0
Oshkosh	2.28	2017	0.0							2.18	25.68	0.0	0.0
Rhineland	2.10	1980	0.0							2.64	26.41	0.0	0.0
Stevens Point	2.94	1983	0.0							2.50	26.68	0.0	0.0
Sturgeon Bay	2.91	1965	0.0							2.03	24.38	0.0	0.0
Wausau	1.27	1980	0.0							2.64	26.26	0.0	0.0
Wisc. Rapids	1.55	1932	0.0							2.34	26.93	0.0	0.0

September 20

September 21

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	88	1908	26	1896,1999	40	1913	68	1931	66	46	56	
Appleton	90	1908	29	1974	45	1913	69	1931	70	49	59	
Green Bay	90	1895,1908	28	1974	43	1913	70	1914	70	48	59	
Manitowoc	88	2005	34	1889,1904	46	1913	65	1931,2022	67	51	59	
Marshfield	86	1920	30	1999	43	1913	65	1914,1931	68	47	57	
Merrill	90	1908	21	1974	42	1913	67	1931	68	44	56	
Oshkosh	89	1908	32	1915	44	1913	71	1970	70	49	60	
Rhineland	91	1908	29	1956, 1973	39	1913	67	1914	67	43	55	
Stevens Point	94	1908	28	1904	44	1913	71	1970	68	47	58	
Sturgeon Bay	83	1908,1970	32	1956	49	1934	63	1931,2017	67	49	58	
Wausau	86	1908	30	1904,1956,1974	45	1913	67	1931	68	47	57	
Wisc. Rapids	95	1920	29	1974	46	1913	68	2019	70	47	58	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.70	1970	0.0						2.39	22.35	0.0	0.0
Appleton	1.35	1973	0.0						2.29	25.59	0.0	0.0
Green Bay	1.82	1893	0.0						2.32	24.33	0.0	0.0
Manitowoc	2.70	1893	0.0						1.63	24.12	0.0	0.0
Marshfield	2.95	1980	0.0						2.79	26.38	0.0	0.0
Merrill	2.45	1980	0.0						2.74	25.89	0.0	0.0
Oshkosh	2.24	2016	0.0						2.29	25.79	0.0	0.0
Rhineland	2.12	1970	0.5	1913					2.76	26.53	0.0	0.0
Stevens Point	1.70	1893	T	1913					2.62	26.80	0.0	0.0
Sturgeon Bay	1.47	1924	0.0						2.14	24.49	0.0	0.0
Wausau	1.36	1986	0.0						2.76	26.38	0.0	0.0
Wisc. Rapids	2.09	2016	0.0						2.45	27.04	0.0	0.0

September 21

September 22

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	89	1937	21	1974	46	1974	65	1895	66	45	56	
Appleton	91	2017	29	1974	46	1913	67	2017	70	48	59	
Green Bay	93	1895	27	1974	46	1913	72	1895	69	48	59	
Manitowoc	87	1936	30	1974	48	1913	65	1931	66	51	59	
Marshfield	93	1937	23	1974	41	1913	67	2017	68	46	57	
Merrill	94	1937	18	1974	47	1913,1995	67	2019	67	44	56	
Oshkosh	93	1937	25	1974	45	1913	72	1908	70	49	59	
Rhineland	92	1908	27	1974	45	1974	64	2017	67	43	55	
Stevens Point	94	1937	26	1974	43	1913	70	1895	68	47	57	
Sturgeon Bay	85	1920	34	1974,1982	46	1913	66	1908	67	48	58	
Wausau	94	1937	29	1974	41	1913	66	1941	67	46	57	
Wisc. Rapids	91	2017	23	1974	42	1913	67	1920	70	46	58	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	0.94	1924	0.0						2.50	22.46	0.0	0.0
Appleton	1.85	2016	0.0						2.39	25.69	0.0	0.0
Green Bay	2.04	1959	T	1995					2.42	24.43	0.0	0.0
Manitowoc	1.65	1973	0.0						1.72	24.21	0.0	0.0
Marshfield	1.31	1986	0.0						2.92	26.51	0.0	0.0
Merrill	1.23	2016	0.6	1913					2.87	26.02	0.0	0.0
Oshkosh	1.79	1998	0.0						2.41	25.91	0.0	0.0
Rhineland	1.42	1924	0.3	1995					2.88	26.65	0.0	0.0
Stevens Point	2.13	1986	0.0						2.73	26.91	0.0	0.0
Sturgeon Bay	1.41	1973	0.0						2.24	24.59	0.0	0.0
Wausau	0.84	1959	T	1995					2.89	26.51	0.0	0.0
Wisc. Rapids	1.48	1988	0.0						2.56	27.15	0.0	0.0

September 22

September 23

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	89	1937	24	1974	49	1983	64	1920,1936,1937	65	45	55	
Appleton	90	1937,2017	26	1995	46	1928	66	1937,2017	69	48	58	
Green Bay	91	2017	27	1974	45	1928	68	1937	69	48	58	
Manitowoc	87	1891,1936	29	1974	51	1983	65	2017	66	51	58	
Marshfield	92	1937	23	1974	48	1928,1974	64	2017	67	46	57	
Merrill	93	1937	26	1995	46	1995	65	2017	67	43	55	
Oshkosh	93	1937	28	1913	50	1928	68	1937	69	49	59	
Rhineland	91	1908	25	1974	44	1974	68	2017	66	42	54	
Stevens Point	93	1937	27	1974	48	1974,1995	67	1936	68	47	57	
Sturgeon Bay	90	2017	30	1974,1995	47	1928	67	2017	66	48	57	
Wausau	91	1937	25	1974	43	1913	66	1920	67	46	56	
Wisc. Rapids	93	1937	21	1974	49	1928	67	1968	69	46	58	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	3.51	2010	0.0						2.61	22.57	0.0	0.0
Appleton	1.40	1970	0.0						2.50	25.80	0.0	0.0
Green Bay	2.52	2010	0.0						2.53	24.54	0.0	0.0
Manitowoc	2.00	1886	0.0						1.81	24.30	0.0	0.0
Marshfield	2.63	2010	T	1928					3.05	26.64	0.0	0.0
Merrill	1.42	2010	T	1928,1995					2.99	26.14	0.0	0.0
Oshkosh	0.95	1936	0.0						2.52	26.02	0.0	0.0
Rhineland	2.37	2010	T	1942					3.01	26.78	0.0	0.0
Stevens Point	3.88	2010	T	1928					2.85	27.03	0.0	0.0
Sturgeon Bay	2.08	2010	0.0						2.36	24.71	0.0	0.0
Wausau	3.28	2010	T	1942					3.01	26.63	0.0	0.0
Wisc. Rapids	4.12	2010	0.0						2.67	27.26	0.0	0.0

September 23

September 24

	Rec	Year(s)	Rec	Year(s)	Low	Year(s)	High	Year(s)	1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	87	1937	23	1976,1989	43	1942	68	1930	65	44	55	
Appleton	89	1937,2017	27	1903,1989	45	1942	68	1930	69	47	58	
Green Bay	92	1891	28	1976,1989	47	1942,1943	70	1930	69	47	58	
Manitowoc	89	1891	32	1887,1976,1989	48	1942	66	2017	66	50	58	
Marshfield	88	2017	24	1976	40	1942	69	1930	67	46	56	
Merrill	88	1935,2017	20	1976	49	1907,1942	63	1920	66	43	55	
Oshkosh	91	1891	30	1950	45	1942	71	1930	69	48	59	
Rhineland	89	1908	23	2000	41	1942	64	2007	66	42	54	
Stevens Point	93	1937	26	1950	47	1942	68	1930	67	46	57	
Sturgeon Bay	82	2017	27	1989	49	1942	65	2017	66	48	57	
Wausau	88	1937	28	1976,1989	42	1942	65	1930	66	45	56	
Wisc. Rapids	93	1937	23	1976	41	1942	65	1937	69	46	57	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.98	1904	T	1942					2.73	22.69	0.0	0.0
Appleton	1.69	1910	0.0						2.60	25.90	0.0	0.0
Green Bay	1.85	1910	0.0						2.63	24.64	0.0	0.0
Manitowoc	2.30	1886	0.0						1.90	24.39	0.0	0.0
Marshfield	1.12	1977	T	1942					3.18	26.77	0.0	0.0
Merrill	2.46	2010	T	1928					3.12	26.27	0.0	0.0
Oshkosh	1.85	1910	0.0						2.63	26.13	0.0	0.0
Rhineland	1.62	1963	T	1928,1942					3.14	26.91	0.0	0.0
Stevens Point	1.75	1910	0.0						2.97	27.15	0.0	0.0
Sturgeon Bay	2.10	2006	0.0						2.47	24.82	0.0	0.0
Wausau	2.31	1984	T	1985					3.13	26.75	0.0	0.0
Wisc. Rapids	2.46	1924	T	1965					2.78	27.37	0.0	0.0

September 24

September 25

	Rec	Year(s)	Rec	Year(s)	Low	Year(s)	High	Year(s)	1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	85	1908,1920,2017	24	1947,1966,1989	42	1942	68	1935	64	44	54	
Appleton	89	1920	28	1942	45	1942	67	1935,2017	68	47	58	
Green Bay	90	2017	30	1942,1947,1966	46	1926,1946	68	1900,1934	68	47	57	
Manitowoc	85	1935	32	1942	48	1942	67	2007	65	50	57	
Marshfield	88	1920	23	1942	46	1939,1985	65	1934	66	45	56	
Merrill	87	1920	24	1947	45	1942,1985	63	1908	66	43	54	
Oshkosh	91	1920	28	1942	50	1926	66	1900	68	48	58	
Rhineland	87	1908	24	1947	40	1928	62	1934	65	41	53	
Stevens Point	88	1920	26	1947	46	1942	67	1935	67	46	56	
Sturgeon Bay	83	1935	26	1947	45	1942	65	2017	65	47	56	
Wausau	87	1920	23	1947	42	1942	67	1935	66	45	56	
Wisc. Rapids	91	1920	18	1947	41	1927	63	1920	68	45	57	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpr	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.14	1960	T	1942					2.84	22.80	0.0	0.0
Appleton	1.13	1972	0.0						2.71	26.01	0.0	0.0
Green Bay	1.23	1972	T	1928,1942					2.73	24.74	0.0	0.0
Manitowoc	2.70	1878	0.0						1.99	24.48	0.0	0.0
Marshfield	1.38	1972	0.0						3.31	26.90	0.0	0.0
Merrill	1.18	1934	0.0						3.25	26.40	0.0	0.0
Oshkosh	1.18	1941	T	1942					2.74	26.24	0.0	0.0
Rhineland	1.86	1934	0.0						3.26	27.03	0.0	0.0
Stevens Point	1.39	1972	T	1928					3.08	27.26	0.0	0.0
Sturgeon Bay	2.52	1972	T	1942					2.58	24.93	0.0	0.0
Wausau	2.78	1972	T	1928,1942,1965					3.26	26.88	0.0	0.0
Wisc. Rapids	2.99	1972	0.5	1965					2.89	27.48	0.0	0.0

September 25

September 26

	Rec	Year(s)	Rec	Year(s)	Low	Year(s)	High	Year(s)	1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	86	1908	21	1899	40	1912	64	1920	64	43	54	
Appleton	86	1908	31	1918,1942	45	1942	69	1908	68	47	57	
Green Bay	86	1908,1973	28	1966	43	1942	71	1908	68	46	57	
Manitowoc	84	1998	29	1926	44	1942	67	1908	65	49	57	
Marshfield	85	1923	24	1926	42	1927	60	1920	66	45	55	
Merrill	88	1908	24	1941	44	1912	67	1908	65	42	54	
Oshkosh	85	1908	28	1926	42	1927	72	1908	68	48	58	
Rhineland	89	1920	23	1926	42	1942	66	1908	65	41	53	
Stevens Point	87	1920	26	1899	40	1942	64	2017	66	45	56	
Sturgeon Bay	82	1920	27	1926	44	1927,1942	64	1920	65	47	56	
Wausau	84	1908	28	1926,1939	43	1927	66	1908	66	45	55	
Wisc. Rapids	87	1908	20	1947	42	1942	64	1920	68	45	56	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.93	1972	2.0	1942					2.95	22.91	0.0	0.0
Appleton	1.11	1930	T	1928,1942,1965					2.81	26.11	0.0	0.0
Green Bay	1.89	1998	T	1942,1965					2.83	24.84	0.0	0.0
Manitowoc	2.70	1920	0.0						2.07	24.56	0.0	0.0
Marshfield	1.85	1972	5.0	1942					3.44	27.03	0.0	0.0
Merrill	2.58	1972	T	1965					3.38	26.53	0.0	0.0
Oshkosh	1.00	1927	T	1942					2.84	26.34	0.0	0.0
Rhineland	2.17	1986	0.5	1942					3.39	27.16	0.0	0.0
Stevens Point	1.17	1972	0.5	1942					3.20	27.38	0.0	0.0
Sturgeon Bay	1.80	1994	T	1965					2.69	25.04	0.0	0.0
Wausau	2.55	1986	2.0	1942					3.38	27.00	0.0	0.0
Wisc. Rapids	1.91	1959	0.0						3.00	27.59	0.0	0.0

September 26

September 27

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	84	1894	20	1896	40	1942	58	1986	63	43	53	
Appleton	84	1987	30	1909	42	1942	65	1986	67	46	57	
Green Bay	89	1891	29	1991	43	1942	64	1891,1923	67	46	57	
Manitowoc	84	1987,1998	31	1889,1991	45	1942	62	1998	64	49	57	
Marshfield	84	1987	27	1942,1991	42	1942	58	1986	65	44	55	
Merrill	83	1923	25	1991	44	1942	62	1924	65	42	53	
Oshkosh	88	1891	29	1984	45	1942	67	18981	68	47	57	
Rhineland	84	1920,1987	26	1926,2012	39	1942	60	1924	64	41	52	
Stevens Point	86	1905	26	1893	40	1942	61	1986	66	45	55	
Sturgeon Bay	84	1987	28	1991	44	1942	61	1986,1998	65	46	56	
Wausau	82	1987	28	1896,1991	39	1942	60	1986	65	44	55	
Wisc. Rapids	84	1987	24	1928	46	1942	61	1986	67	44	56	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.47	1959	T	1942,1945					3.07	23.03	0.0	0.0
Appleton	1.12	1971	0.0						2.90	26.20	0.0	0.0
Green Bay	1.35	1971	T	1942					2.92	24.93	0.0	0.0
Manitowoc	1.84	1959	T	1942					2.16	24.65	0.0	0.0
Marshfield	2.50	1959	T	1942					3.56	27.15	0.0	0.0
Merrill	3.28	1959	0.0						3.51	26.66	0.0	0.0
Oshkosh	0.83	1930	0.0						2.95	26.45	0.0	0.0
Rhineland	2.98	1908	T	1927,1942					3.51	27.28	0.0	0.0
Stevens Point	2.05	1959	0.0						3.31	27.49	0.0	0.0
Sturgeon Bay	1.20	1994	0.0						2.79	25.14	0.0	0.0
Wausau	2.46	1908	T	1942,1965					3.49	27.11	0.0	0.0
Wisc. Rapids	1.40	1908	0.0						3.11	27.70	0.0	0.0

September 27

September 28

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	83	1952	22	1896	46	1942	60	1971	63	42	53	
Appleton	87	1952	27	1942	43	1942	63	1987	67	46	56	
Green Bay	88	1952	27	1976	47	1908,1912	62	1891	67	46	56	
Manitowoc	83	1905	30	1890,1942	47	1912	61	1986	64	49	56	
Marshfield	82	1979	20	1976	48	1942	62	1971	65	44	54	
Merrill	85	1923	23	1942,1976	42	1908	54	1925	65	41	53	
Oshkosh	91	1952	28	1942	47	1899	64	1971	67	47	57	
Rhineland	82	1923	23	2022	41	1930	56	1979,1983	64	40	52	
Stevens Point	87	1904	22	1893	48	2003	61	1971,1987	65	44	55	
Sturgeon Bay	83	1987	28	1976	49	1941,1942	61	1971,2015	64	46	55	
Wausau	83	1952	24	1942	44	1908	65	1904	65	44	54	
Wisc. Rapids	86	1905	21	1942	49	1967	57	1904	67	44	55	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	2.10	1901	T	1945					3.18	23.14	0.0	0.0
Appleton	1.23	1972	0.0						3.00	26.30	0.0	0.0
Green Bay	1.61	1911	T	2006					3.01	25.02	0.0	0.0
Manitowoc	1.04	1911	0.0						2.24	24.73	0.0	0.0
Marshfield	2.32	1972	T	1945					3.68	27.27	0.0	0.0
Merrill	1.22	1947	T	1908,1942,1945					3.63	26.78	0.0	0.0
Oshkosh	1.32	1963	0.0						3.06	26.56	0.0	0.0
Rhineland	1.02	1965	T	1895,1945					3.64	27.41	0.0	0.0
Stevens Point	1.46	1947	T	1945					3.42	27.60	0.0	0.0
Sturgeon Bay	1.12	1908	T	1942					2.90	25.25	0.0	0.0
Wausau	1.15	1972	T	1908,1945					3.61	27.23	0.0	0.0
Wisc. Rapids	1.57	1947	0.0						3.21	27.80	0.0	0.0

September 28

September 29

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	85	1897	22	1899,1984	43	2018	54	1902,1905	63	42	52	
Appleton	84	1953	28	1949	43	1945	66	1904	66	45	56	
Green Bay	86	1898	24	1949	43	1899	64	1898,1904	66	45	56	
Manitowoc	82	1921	30	1899,1961	44	1899	62	1986	63	48	56	
Marshfield	86	1922	20	1967	43	2018	62	1986	64	44	54	
Merrill	84	1922	21	1949	44	2018	56	1921	64	41	53	
Oshkosh	88	1953	25	1949	42	1899	65	1904	67	46	57	
Rhineland	81	1948	24	1945	42	1916	52	1921	63	40	52	
Stevens Point	88	1897	25	1949	43	1899,2018	63	1898	65	44	54	
Sturgeon Bay	82	1922	27	1949	44	1967	61	1986	64	46	55	
Wausau	85	1898	21	1899	38	1899	62	1904	64	43	54	
Wisc. Rapids	88	1922	19	1949	46	2018	62	1904	66	44	55	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.29	1972	0.0						3.29	23.25	0.0	0.0
Appleton	1.04	1981	0.0						3.09	26.39	0.0	0.0
Green Bay	0.94	1901	0.0						3.11	25.12	0.0	0.0
Manitowoc	2.00	1872	0.0						2.33	24.82	0.0	0.0
Marshfield	0.63	1927	0.0						3.79	27.38	0.0	0.0
Merrill	0.71	1919	T	1908					3.75	26.90	0.0	0.0
Oshkosh	1.11	1941	0.0						3.16	26.66	0.0	0.0
Rhineland	1.36	1985	T	1947					3.77	27.54	0.0	0.0
Stevens Point	2.14	1911	0.0						3.52	27.70	0.0	0.0
Sturgeon Bay	1.15	1965	0.0						3.00	25.35	0.0	0.0
Wausau	2.02	1901	0.0						3.72	27.34	0.0	0.0
Wisc. Rapids	1.71	1911	0.0						3.31	27.90	0.0	0.0

September 29

September 30

	Rec		Rec		Low		High		1991-2020 Normals			
Location	High	Year(s)	Low	Year(s)	Max	Year(s)	Min	Year(s)	High	Low	Mean	
Antigo	87	1897	13	1899	44	1908	60	1922	62	42	52	
Appleton	85	2019	25	1993	48	1974,2018	64	1995,2007	66	45	55	
Green Bay	87	1897	25	1899	45	1899	63	1995	66	45	55	
Manitowoc	87	1897	26	1899	45	1886	62	1954	63	48	55	
Marshfield	82	2019	23	1918	45	1939	62	1943	64	43	54	
Merrill	84	1905	25	1924,1972,1984	44	1985	59	1950,1983	64	41	52	
Oshkosh	86	1971	27	1947	46	1899	61	1950	66	46	56	
Rhineland	84	1922	21	1918	42	1908,1930	61	1950	63	39	51	
Stevens Point	87	1897	13	1899	47	1908,2018	59	1950	64	44	54	
Sturgeon Bay	79	1922,1988	27	1939	50	1924,1981	62	1922	63	45	54	
Wausau	85	1897	18	1899	45	1899,1974	61	1982,2007	64	43	53	
Wisc. Rapids	85	2019	21	1947	46	1974	61	1950,2007	66	43	55	
									1991-2020 Normals			
	Max		Max						Precipitation		Snow	
	Pcpn	Year(s)	Snow	Year(s)					Month	Year	Month	Season
Antigo	1.46	1985	0.0						3.40	23.36	0.0	0.0
Appleton	1.61	1961	0.0						3.18	26.48	0.0	0.0
Green Bay	1.57	1961	0.0						3.20	25.21	0.0	0.0
Manitowoc	1.60	1881	0.0						2.42	24.91	0.0	0.0
Marshfield	1.75	1925	0.0						3.91	27.50	0.0	0.0
Merrill	1.38	1985	0.0						3.86	27.01	0.0	0.0
Oshkosh	0.60	1911	0.0						3.26	26.76	0.0	0.0
Rhineland	2.45	1971	T	1908,2003					3.90	27.67	0.0	0.0
Stevens Point	1.66	1925	0.0						3.62	27.80	0.0	0.0
Sturgeon Bay	1.28	1954	0.0						3.10	25.45	0.0	0.0
Wausau	2.06	1981	T	1908					3.83	27.45	0.0	0.0
Wisc. Rapids	2.03	1961	0.0						3.41	28.00	0.0	0.0

September 30