

4TH OF JULY

Location	Records Began	Normal High / Low	Record High Temp / Year(s)	Record Low Temp / Year(s)	Record Low Max Temp / Year(s)	Record High Min Temp / Year(s)
Antigo	1895	77 / 55	93 / 1897	30 / 1972	60 / 1967	72 / 1921
Appleton	1901	81 / 62	95 / 1916	45 / 1909,1927	60 / 1967	75 / 1990
Brillion	1925	80 / 58	93 / 2012	47 / 2008	68 / 2008	76 / 1999
Chilton	1896	81 / 59	95 / 1966	45 / 1963	66 / 1967	75 / 1897
Clintonville	1950	81 / 58	91 / 1989,2012	38 / 1972	63 / 1967	67 / 2003,2012
Green Bay	1886	80 / 58	96 / 1921	43 / 1972	59 / 1967	79 / 1897
Kewaunee	1909	75 / 58	93 / 1990	45 / 1972	59 / 1972	68 / 1955,1975
Manitowoc	1893	77 / 61	95 / 1931,1999	43 / 1927	58 / 1967	73 / 1955
Marinette	1920	79 / 60	95 / 1949,1955	40 / 1972	66 / 1967	71 / 1999,2010
Marshfield	1913	81 / 59	96 / 2012	38 / 1972	61 / 1967	75 / 1990
Merrill	1906	80 / 56	97 / 2012	33 / 1972	59 / 1967	73 / 1948
New London	1896	81 / 58	98 / 1921	42 / 1927	63 / 1967	72 / 1897
Oconto	1893	79 / 57	98 / 1921	37 / 1972	65 / 1967,1979	76 / 1897
Oshkosh	1893	81 / 63	98 / 1921	40 / 1922	60 / 1967	75 / 2012
Rhinelander	1908	78 / 56	95 / 1935	37 / 1917,1972	57 / 1967	74 / 1999
Shawano	1893	81 / 58	94 / 1939,1949	33 / 1972	67 / 1972,1997	73 / 1897,1990
Stevens Point	1894	80 / 60	97 / 1935	41 / 1972	63 / 1967	78 / 1990
Sturgeon Bay	1906	78 / 58	100 / 1921	39 / 1927,1972	58 / 1915	74 / 1947
Two Rivers	1951	74 / 59	95 / 1990	47 / 1972	59 / 1967	67 / 1990
Washington Island	1945	74 / 58	88 / 1955,1999	35 / 1972	62 / 1951	67 / 2012
Waupaca	1896	82 / 58	99 / 1921	43 / 1967	65 / 1908,1967	72 / 1897
Wausau	1895	80 / 58	96 / 2012	40 / 1972	60 / 1967	78 / 1999
Wisconsin Rapids	1904	83 / 60	102 / 2012	40 / 1924	61 / 1967	77 / 1999

Note: If multiple occurrences of a record were tied, only the last two occurrences were used in this table.

4TH OF JULY

Location		Warmest Ave Temp / Year(s)	Coldest Ave Temp / Year(s)	Wettest Inches / Year(s)	Snowiest Inches / Year(s)	Greatest Snow Depth (Inches)
Antigo	1895	82.0 / 1897	49.0 / 1972	3.12 / 1949	0.0	0
Appleton	1901	83.5 / 1990	54.5 / 1967	2.21 / 1994	0.0	0
Brillion	1925	83.5 / 1999	57.5 / 2008	1.79 / 1951	0.0	0
Chilton	1896	82.0 / 1955	57.0 / 1909	1.45 / 1958	0.0	0
Clintonville	1950	79.0 / 2012	53.0 / 1967	1.20 / 1971	0.0	0
Green Bay	1886	85.0 / 1921	54.5 / 1967	2.52 / 1994	0.0	0
Kewaunee	1909	80.0 / 1955	52.0 / 1972	1.51 / 1994	0.0	0
Manitowoc	1893	81.5 / 1955	53.5 / 1967	1.49 / 1966	0.0	0
Marinette	1920	82.5 / 1955	56.0 / 1972	1.50 / 1994	0.0	0
Marshfield	1913	83.5 / 1990	51.0 / 1967	3.70 / 1937	0.0	0
Merrill	1906	82.0 / 1921	50.5 / 1972	2.10 / 1949	0.0	0
New London	1896	84.5 / 1921	54.5 / 1967	3.62 / 1901	0.0	0
Oconto	1893	85.0 / 1921	53.5 / 1972	2.00 / 1912	0.0	0
Oshkosh	1893	85.5 / 1921	53.5 / 1922	2.40 / 1994	0.0	0
Rhineland	1908	82.5 / 1999	50.5 / 1967	2.71 / 1949	0.0	0
Shawano	1893	82.0 / 1939	50.0 / 1972	2.02 / 1900	0.0	0
Stevens Point	1894	85.0 / 1990	53.5 / 1972	2.20 / 1901	0.0	0
Sturgeon Bay	1906	85.0 / 1921	53.0 / 1920	1.10 / 1908	0.0	0
Two Rivers	1951	81.0 / 1990	54.0 / 1967	1.62 / 1994	0.0	0
Washington Island	1945	76.5 / 1999	50.0 / 1972	2.52 / 1951	0.0	0
Waupaca	1896	83.5 / 1921	54.0 / 1967	2.70 / 1901	0.0	0
Wausau	1895	86.5 / 1999	53.5 / 1967	2.01 / 1958	0.0	0
Wisconsin Rapids	1904	85.5 / 1999	53.0 / 1967	2.60 / 1937	0.0	0

Note: If multiple occurrences of a record were tied, only the last two occurrences were used.

4th OF JULY PRECIPITATION FREQUENCIES

Location / Year		PRECIPITATION				
	Record	DRY or Trace	>= 0.01 Inches	>=0.10 Inches	>=0.50 Inches	>=1.00 Inch
Location	Began	Percent	Percent	Percent	Percent	Percent
Antigo	1895	62	38	29	8	1
Appleton	1901	65	35	21	11	4
Brillion	1925	68	32	20	8	3
Chilton	1896	61	39	30	11	6
Clintonville	1950	59	41	29	15	3
Green Bay	1886	64	36	25	10	4
Kewaunee	1909	72	28	26	12	3
Manitowoc	1893	62	38	22	7	2
Marinette	1920	69	31	25	5	2
Marshfield	1913	62	38	25	11	4
Merrill	1906	64	36	27	11	4
New London	1896	61	39	29	10	5
Oconto	1893	65	35	26	10	3
Oshkosh	1893	62	38	25	8	3
Rhineland	1908	65	35	21	11	3
Shawano	1893	62	38	29	9	4
Stevens Point	1894	64	36	29	13	4
Sturgeon Bay	1906	60	40	29	9	2
Two Rivers	1951	68	32	20	11	3
Wash. Island	1945	69	31	21	11	3
Waupaca	1896	67	33	24	11	6
Wausau	1895	66	34	21	7	2
Wisc. Rapids	1904	63	37	25	9	4

Note: Percentages are based on years where the observer reported rainfall.