

Local Climatological Data

Annual Summary With Comparative Data

1979

HOUSTON, TEXAS



Narrative Climatological Summary

Houston, the largest city in Texas, is located in the flat Coastal Plains, about 50 miles from the Gulf of Mexico and about 25 miles from Galveston Bay. The climate is predominantly marine. The terrain includes numerous small streams and bayous which, together with the nearness to Galveston Bay, favor the development of both ground and advective fogs. Prevailing winds are from the southeast and south, except in January, when frequent passages of high pressure areas bring invasions of polar air and prevailing northerly winds.

Temperatures are moderated by the influence of winds from the Gulf, which results in mild winters and, on the whole, relatively cool summer nights. Another effect of the nearness of the Gulf is abundant rainfall, except for rare extended dry periods. Polar air penetrates the area frequently enough to provide stimulating variability in the weather.

The average number of days with minimum temperatures of 32° or lower is only 7 per year at the City Office, about 15 at William P. Hobby Airport located in southeast Houston, and about 23 at Intercontinental Airport located in north Houston. Most freezing temperatures last only a few hours since they are usually accompanied by clear skies. The extreme persistence of freezing temperatures was in January-February 1951, when the temperature remained 32° or below for 123 consecutive hours.

Monthly rainfall is evenly distributed throughout the year. Annual downtown rainfall has varied from 72.86 inches in 1900 to 17.66 in 1917; 72.86 inches was also recorded at William P. Hobby Airport in 1946. About 75 percent of the years have total precipitation between 30 and 60 inches. Monthly precipitation at the city office has ranged from 17.64 inches to only a trace. Since thundershowers are the main source of rainfall, precipitation may vary substantially in different sections of the City on a day-to-day basis.

Records of sky cover for daylight hours indicate about one-fourth of the days per year as clear, with a maximum of clear days in October and November. Cloudy days are relatively frequent from December to May and partly cloudy days are the more frequent for June through September. Sunshine averaged near 60 percent of the possible amount for the year at the Federal Building for 1938-1960, ranging from 46 percent for the winter months to 69 percent for the summer. Data from the airport locations since 1961 indicate slightly higher percentages of sunshine. Snow rarely occurs; however, on February 14-15, 1895, 20.0 inches of unmelted snow was measured, but 24-hour amounts were not reported. In only one winter season, 1972-73, were as many as three measurable snows recorded.

Heavy fog occurs on an average of 16 days a year and light fog occurs about 62 days a year in the City, but the frequency of heavy fog is considerably higher at William P. Hobby Airport and at Intercontinental Airport.

Destructive windstorms are fairly infrequent, but both thundersqualls and tropical storms occasionally pass through the area.

At the city office, the average date of the last temperature 32° or lower in spring is February 5. The average date of the first 32° temperature in fall is December 11. The average period from the last 32° temperature in spring to the first in fall is 309 days. The latest date of 32° temperature in spring is March 27, 1955, and the earliest date in fall is October 25, 1892.

noaa

NATIONAL OCEANIC AND
ATMOSPHERIC ADMINISTRATION

ENVIRONMENTAL DATA AND
INFORMATION SERVICE

NATIONAL CLIMATIC CENTER
ASHEVILLE, N.C.

Meteorological Data For The Current Year

Station: HOUSTON, TEXAS INTERCONTINENTAL AIRPORT Standard time used: CENTRAL Latitude: 29° 58' N Longitude: 95° 21' W Elevation (ground): 96 feet Year: 1979
12960

Month	Temperature °F						Degree days Base 65 °F	Precipitation in inches						Relative humidity, pct.				Wind						Number of days										Average station pressure mb						
	Averages			Extremes				Water equivalent			Snow, ice pellets			Hour		Hour		Hour		Resultant		Fastest mile		Sunrise to sunset			Precipitation		Snow, ice pellets		Thunderstorms		Heavy fog, visibility		Temperature °F		Elev. 108 feet m.s.l.			
	Daily maximum	Daily minimum	Monthly	Highest	Date	Lowest		Date	Heating	Cooling	Total	Greatest in 24 hrs.	Date	Total	Greatest in 24 hrs.	Date	00	06	12	18	Direction	Speed m.p.h.	Average speed m.p.h.	Speed m.p.h.	Direction	Date	Percent of possible sunshine	Average sky cover, tenths, sunrise to sunset	Clear	Partly cloudy	Cloudy	Precipitation .01 inch or more	Snow, ice pellets 1.0 inch or more		Thunderstorms	Heavy fog, visibility 1/2 mile or less		90° and above	32° and below	
JAN	52.9	35.3	44.1	73	19	17	2	646	7	6.30	2.25	5-6	T	T	29	82	84	66	69	02S	3.9	9.8	30	30	20	36	7.8	5	4	22	15	0	4	5	0	0	12	0	1017.3	
FEB	61.4	42.0	51.7	78	28	26	9	376	13	5.23	1.53	23-24	0.0	0.0	88	88	76	74	US	1.7	9.1	25	30	24	28	7.9	3	5	20	10	0	1	7	0	0	5	0	1016.6		
MAR	73.5	50.8	62.4	82	31	35	6	135	62.5	2.88	0.90	21	0.0	0.0	84	88	55	59	13	3.5	10.3	35	10	21	52	6.0	9	7	15	12	0	0	0	0	0	0	0	1013.5		
APR	78.5	58.9	68.7	86	15	40	5	23	142.5	7.79	3.39	17-18	0.0	0.0	82	95	70	68	09	3.5	9.0	23	33	18	39	7.1	8	3	19	9	0	0	0	0	0	0	0	0	1009.5	
MAY	84.3	62.1	73.1	92	31	51	6	2	261	3.78	1.28	3-0	0.0	0.0	89	95	68	64	13	3.5	8.4	37	30	22	59	6.0	10	13	7	8	0	0	0	2	0	0	0	0	1009.8	
JUN	89.9	69.7	79.8	97	30	55	12	0	454	1.88	1.15	1-2	0.0	0.0	93	98	61	63	14	3.7	7.9	20	17	19	67	4.4	13	7	8	0	0	0	16	0	0	0	0	0	1012.5	
JUL	91.3	73.8	82.6	96	16	70	11	0	552	8.10	2.74	25-26	0.0	0.0	94	97	68	76	14	2.8	7.5	30	17	12	54	6.3	5	16	10	16	0	10	1	24	0	0	0	0	1010.5	
AUG	91.5	71.5	81.5	95	6	66	25	0	519	4.57	1.51	21-22	0.0	0.0	96	99	66	73	11	1.9	5.7	24	12	7	63	5.6	3	23	5	14	0	15	1	24	0	0	0	0	1012.2	
SEP	85.9	65.2	75.6	92	6	53	25	0	324	9.83	7.09	19-20	0.0	0.0	94	97	64	74	02	4.3	1.0	29	09	1	65	4.9	14	4	12	8	0	3	1	4	0	0	0	0	1010.2	
OCT	84.8	56.6	70.7	91	21	41	24	27	211	2.80	2.34	30	0.0	0.0	94	95	50	73	16	2.5	7.6	32	14	30	83	3.4	17	13	1	2	0	1	5	6	0	0	0	0	1011.2	
NOV	68.9	42.5	55.7	84	9	25	30	297	26	1.78	1.32	20-21	T	T	87	92	52	74	03	2.3	6.2	21	31	21	69	4.4	14	7	9	5	0	1	1	0	0	0	0	0	1017.3	
DEC	65.7	39.1	52.4	80	22	24	18	389	6	4.03	2.17	12-13	0.0	0.0	90	92	56	75	04	2.0	7.0	26	09	29	55	6.3	10	3	18	7	0	1	2	0	0	0	0	0	0	1018.6
YEAR	77.4	55.6	66.5	97	30	17	2	1895	2577	58.97	7.09	19-20	T	T	90	94	62	70	09	1.9	6.1	37	30	22	56	5.8	111	102	152	111	0	54	28	76	0	27	0	0	1013.3	

Normals, Means, And Extremes

Month	Temperatures °F						Normal Degree days Base 65 °F	Precipitation in inches						Relative humidity pct.				Wind						Mean number of days										Average station pressure mb															
	Normal			Extremes				Water equivalent			Snow, ice pellets			Hour		Hour		Hour		Fastest mile		Sunrise to sunset			Precipitation		Snow, ice pellets		Thunderstorms		Heavy fog, visibility		Temperature °F		Elev. 108 feet m.s.l.														
	Daily maximum	Daily minimum	Monthly	Record highest	Year	Record lowest		Year	Heating	Cooling	Normal	Maximum monthly	Year	Minimum monthly	Year	Maximum in 24 hrs.	Year	Maximum monthly	Year	Maximum in 24 hrs.	Year	00	06	12	18	Mean speed m.p.h.	Prevailing direction	Speed m.p.h.	Direction	Year	Pct. of possible sunshine	Mean sky cover, tenths, sunrise to sunset	Clear			Partly cloudy	Cloudy	Precipitation .01 inch or more	Snow, ice pellets 1.0 inch or more	Thunderstorms	Heavy fog, visibility 1/2 mile or less	90° and above	32° and below						
(a)			10			10					10			10		10			10		10	10	10	10	10	15	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	7					
J	62.6	41.5	52.1	84	1975	17	1979	416	16	3.57	7.68	1974	0.36	1971	2.25	1979	2.0	1973	85	88	66	71	8.4	NNW	32	31	1978	42	7.0	7	6	18	12	*	2	6	0	1	11	0	0	1017.3							
F	66.0	44.6	55.3	84	1977	21	1978	294	22	3.54	5.23	1979	0.38	1976	1.55	1973	2.8	1973	84	88	58	60	8.8	SSE	35	29	1974	53	6.2	8	6	14	7	*	2	4	0	0	0	0	0	0	0	0	1016.3				
M	71.8	49.8	60.8	90	1974	25	1971	189	59	2.68	8.52	1972	1.21	1971	7.47	1972	0.0	0.0	85	89	60	62	9.5	SSE	35	10	1979	48	6.8	7	6	18	10	0	4	4	*	0	0	0	0	0	0	0	0	1011.8			
A	79.4	59.3	69.4	89	1973	31	1973	23	155	3.54	10.92	1976	0.57	1978	8.16	1976	0.0	0.0	90	92	61	64	9.2	SSE	45	14	1978	51	6.7	7	7	16	7	0	4	4	0	0	0	0	0	0	0	0	0	0	1011.8		
H	85.9	65.6	75.8	95	1978	44	1978	0	335	5.10	14.39	1970	0.79	1977	4.69	1970	0.0	0.0	90	94	60	63	8.0	SSE	37	30	1979	59	6.1	7	11	13	8	0	7	2	4	0	0	0	0	0	0	0	0	0	0	1009.4	
J	91.3	70.9	81.1	101	1978	52	1970	0	483	4.52	13.46	1973	0.26	1970	6.61	1973	0.0	0.0	90	93	59	62	7.4	SSE	45	30	1973	66	5.4	10	11	9	7	0	7	1	19	0	0	0	0	0	0	0	0	0	0	1011.3	
J	93.8	72.8	83.3	102	1978	62	1972	0	567	4.12	8.10	1979	1.42	1971	3.99	1973	0.0	0.0	89	94	59	65	6.6	S	46	10	1969	66	6.0	6	15	10	11	0	12	*	24	0	0	0	0	0	0	0	0	1012.3			
A	94.3	72.4	83.4	101	1969	62	1970	0	570	4.35	6.95	1971	1.59	1976	3.21	1974	0.0	0.0	92	95	61	68	5.5	SSE	32	18	1973	63	5.8	6	16	9	11	0	13	1	24	0	0	0	0	0	0	0	0	0	1012.3		
S	90.1	68.2	79.2	97	1971	48	1975	0	426	4.65	11.35	1976	0.80	1975	7.98	1976	0.0	0.0	92	95	65	73	6.7	SSE	35	10	1973	59	6.0	7	11	12	10	0	8	2	11	0	0	0	0	0	0	0	0	0	1011.1		
O	83.5	58.3	70.9	93	1975	33	1976	24	207	4.05	9.31	1973	0.05	1978	4.06	1970	0.0	0.0	92	93	57	73	6.5	ESE	35	32	1973	64	4.9	12	9	10	7	0	3	4	2	0	0	0	0	0	0	0	0	0	0	1014.5	
N	73.0	49.1	61.1	89	1978	19	1976	155	38	4.03	7.90	1974	1.54	1970	3.55	1974	T	1979	88	91	60	75	7.7	SSE	37	33	1972	55	5.5	10	8	12	8	0	3	4	0	0	0	0	0	0	0	0	0	0	0	1015.6	
D	65.8	43.4	54.6	83	1978	20	1978	333	11	4.04	7.33	1971	0.64	1973	3.43	1971	0.0	0.0	86	89	62	73	7.7	SSE	35	31	1973	61	6.5	8	6	17	9	0	2	6	0	0	0	0	0	0	0	0	0	0	0	0	1016.2
YR	79.8	58.0	68.9	102	JUL 1978	17	JAN 1979	1434	2889	48.19	14.39	MAY 1970	0.05	OCT 1978	8.16	APR 1976	2.8	FEB 1973	89	92	60	67	7.7	SSE	46	10	JUL 1969	57	6.1	95	112	158	107	*	64	37	87	1	27	0	0	0	0	0	1013.3				

Means and extremes above are from existing and comparable exposures. Annual extremes have been exceeded at other sites in the locality as follows: Highest temperature 108 in August 1909; lowest temperature 5 in January 1940 and earlier; maximum monthly precipitation 22.31 in October 1949; minimum monthly precipitation Trace in October 1952 and May 1937; maximum precipitation in 24 hours 15.65 in August 1945; maximum monthly snowfall 4.4 in February 1960; maximum snowfall in 24 hours 4.4 in February 1960; fastest mile of wind 84 from NW in March 1926.

- (a) Length of record, years, through the current year unless otherwise noted, based on January data.
 - (b) 70° and above at Alaskan stations.
 - * Less than one half.
 - T Trace.
- NORMALS** - Based on record for the 1941-1970 period.
DATE OF AN EXTREME - The most

Average Temperature

Year	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec	Annual
1940	42.1	52.9	61.4	66.3	72.8	78.6	81.7	81.8	76.0	70.0	60.6	57.4	66.8
1941	56.1	52.4	56.7	69.0	74.9	80.8	83.3	83.4	79.7	75.2	58.4	56.1	68.8
1942	50.1	53.0	59.6	67.1	74.9	81.2	81.4	82.4	76.2	71.2	63.5	55.8	68.0
1943	52.4	58.3	58.6	70.2	77.0	81.6	83.0	83.6	76.0	68.6	57.8	53.2	68.4
1944	52.3	61.4	61.7	69.5	73.3	82.0	84.4	83.8	79.4	69.9	61.8	52.2	69.3
1945	52.4	58.6	67.8	68.8	73.1	80.9	83.0	83.0	79.9	69.5	65.5	51.4	69.4
1946	51.6	56.4	64.0	70.6	75.4	79.2	82.2	82.8	78.4	72.1	62.2	57.8	69.4
1947	52.2	48.8	56.0	69.4	75.4	81.6	82.5	82.6	80.0	75.0	59.0	55.0	68.1
1948	46.2	54.8	61.7	71.4	75.7	82.4	84.3	84.5	77.3	69.6	60.5	59.0	69.0
1949	52.5	59.0	62.5	66.1	75.0	82.6	83.2	82.0	80.0	71.9	62.8	58.2	69.9
1950	63.1	61.3	60.5	67.0	78.0	80.3	82.3	82.4	79.3	73.0	60.7	55.1	70.2
1951	53.8	55.2	62.9	67.0	75.0	82.1	84.3	85.8	79.6	72.4	58.2	58.1	69.5
1952	62.0	58.8	60.1	64.9	73.0	81.3	82.7	84.6	78.5	65.9	59.0	53.7	68.7
1953	56.6	55.8	58.5	68.7	76.7	83.9	84.1	82.1	79.4	71.5	60.0	51.4	69.9
1954	56.4	60.6	60.9	71.5	72.4	81.3	84.8	84.5	81.4	73.0	60.0	57.4	70.3
1955	54.1	56.1	64.7	71.2	77.0	79.4	83.1	82.8	80.3	70.7	61.5	56.2	69.8
1956	54.3	59.2	62.6	67.7	77.3	80.8	84.3	83.8	80.2	73.3	59.9	59.0	70.2
1957	57.9	62.9	61.2	68.6	76.5	80.5	85.4	83.8	76.9	67.9	61.3	57.3	70.0
1958	50.3	49.9	57.8	69.2	77.2	83.4	84.8	84.2	79.7	69.6	62.5	52.6	68.4
1959	50.3	56.3	60.3	66.7	76.9	82.3	82.3	82.3	80.1	72.2	55.8	55.0	68.4
1960	51.8	49.7	57.4	69.8	73.9	82.4	84.7	82.4	79.5	73.5	64.3	52.8	68.5
1961	49.5	57.9	66.8	68.0	77.0	80.4	82.6	82.2	79.7	70.5	59.8	56.3	69.2
1962	49.3	63.9	58.9	68.1	75.7	79.8	84.1	85.9	81.3	74.6	60.1	54.8	69.7
1963	48.3	52.6	64.9	74.5	77.5	82.0	84.3	84.3	80.4	75.0	64.1	47.1	69.6
1964	51.6	49.4	60.4	70.2	75.8	80.4	83.7	84.4	79.3	67.8	65.0	55.9	68.6
1965	56.0	55.1	58.7	73.5	77.1	83.0	85.1	83.5	81.2	69.4	69.1	58.9	70.9
1966	48.4	52.8	61.5	70.6	75.9	80.0	84.3	82.4	79.6	69.7	64.7	54.2	68.7
1967	54.9	54.5	67.6	75.7	75.9	82.6	82.1	81.1	77.6	70.5	64.1	55.4	70.2
1968	52.7	50.4	59.0	71.1	76.3	80.5	82.5	84.0	78.6	73.5	59.7	55.7	68.7
1969	56.7	56.9	56.1	70.3	75.4	80.0	84.4	83.2	78.2	71.0	58.5	55.2	68.8
1970	46.7	53.9	56.9	69.3	72.1	78.4	81.4	83.1	78.9	66.7	56.9	60.5	67.1
1971	56.7	55.7	59.4	66.6	74.1	80.3	83.9	80.4	78.3	72.0	60.0	59.9	68.9
1972	56.5	55.2	64.3	71.2	75.7	80.8	80.3	80.3	79.6	69.8	54.7	52.0	68.2
1973	47.4	51.8	63.7	69.6	72.8	79.2	83.0	79.5	78.1	71.8	67.3	53.5	67.7
1974	55.0	50.2	66.8	67.2	76.9	79.9	82.8	81.6	74.6	70.6	60.2	54.6	68.9
1975	56.9	55.4	61.1	68.3	75.9	80.0	81.5	81.1	74.9	69.5	59.7	52.7	68.1
1976	50.6	60.1	62.2	67.7	70.5	78.4	80.5	81.4	76.2	60.6	51.8	49.2	65.8
1977	42.7	53.8	60.9	66.9	74.5	81.0	82.4	83.1	80.0	69.2	61.8	53.7	67.5
1978	40.8	45.1	57.3	67.6	76.0	80.4	83.7	83.1	79.3	68.9	64.7	52.9	66.7
1979	44.1	51.7	68.7	68.7	73.1	79.8	82.6	81.5	75.6	70.7	55.7	52.4	66.5
RECORD MEAN	49.7	53.8	61.5	67.8	73.9	79.8	82.4	81.7	77.6	69.2	59.2	54.2	67.6
MAX	59.9	65.8	72.7	78.3	84.4	90.2	93.1	92.1	87.4	81.3	71.1	65.9	78.5
MIN	39.5	41.8	50.2	57.3	63.4	69.4	71.7	71.2	67.7	57.0	47.3	42.5	56.6

Heating Degree Days

HOUSTON, TX

Season	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	June	Total
1959-60	0	0	0	7	309	306	416	441	260	8	1	0	1748
1960-61	0	0	0	17	104	390	473	227	56	61	0	0	1328
1961-62	0	0	0	16	184	287	480	99	209	32	0	0	1307
1962-63	0	0	0	8	157	313	515	351	88	7	0	0	1439
1963-64	0	0	0	0	108	551	413	446	158	19	0	0	1695
1964-65	0	0	0	31	114	315	300	284	250	0	0	0	1294
1965-66	0	0	2	20	23	212	516	334	144	12	0	0	1263
1966-67	0	0	0	27	99	359	382	298	68	0	0	0	1193
1967-68	0	0	3	18	99	312	390	415	229	17	0	0	1483
1968-69	0	0	0	5	199	297	284	234	281	1	0	2	1303
1969-70	0	0	0	29	238	304	579	309	252	51	12	0	1774
1970-71	0	0	0	0	72	274	209	298	273	219	72	3	1420
1971-72	0	0	2	6	195	194	335	295	85	17	0	0	1109
1972-73	0	0	2	50	320	410	540	379	75	117	5	0	1898
1973-74	0	0	0	8	74	364	330	273	95	60	0	0	1204
1974-75	0	0	0	15	196	336	290	270	179	48	0	0	1334
1975-76	0	0	0	26	217	399	441	178	155	26	7	0	1449
1976-77	0	0	0	173	398	484	687	312	166	25	0	0	2245
1977-78	0	0	0	34	150	365	752	553	250	33	17	0	2154
1978-79	0	0	0	22	111	393	646	376	135	23	2	0	1708
1979-80	0	0	0	27	297	389							

Cooling Degree Days

Year	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec	Total
1969	35	13	11	167	328	456	608	569	402	222	48	9	2868
1970	18	3	7	188	238	409	513	567	423	131	38	76	2611
1971	48	18	55	126	292	466	594	485	409	229	52	44	2818
1972	58	20	71	208	275	483	482	447	206	17	12	2756	
1973	1	4	41	111	253	434	564	458	401	225	151	12	2655
1974	24	33	158	132	374	454	558	519	295	196	60	18	2821
1975	47	8	61	155	342	455	514	503	303	174	68	24	2656
1976	5	43	75	110	182	408	490	520	341	42	9	0	2225
1977	0	5	44	91	302	487	547	565	456	173	58	23	2751
1978	10	5	19	120	369	471	584	568	437	150	108	25	2866
1979	7	13	62	142	261	454	552	519	324	211	26	6	2577

Precipitation

Year	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec	Annual
1940	0.92	2.25	1.89	1.12	1.20	5.80	3.11	0.76	3.67	4.20	9.53	4.58	39.03
1941	1.97	2.57	6.45	6.56	4.51	9.25	5.70	3.24	11.17	11.48	2.41	2.35	67.66
1942	1.21	2.41	2.03	4.94	1.77	3.31	12.38	5.56	2.72	1.57	3.99	3.72	45.69
1943	3.69	3.31	3.98	2.76	3.91	2.43	9.19	1.92	3.39	9.31	12.19	4.79	92.30
1944	10.51	2.15	6.64	1.14	12.44	2.17	0.24	2.61	9.15	0.65	3.71	6.38	57.79
1945	1.97	2.58	2.18	4.33	7.35	5.69	2.29	18.51	3.44	4.44	0.51	7.15	60.44
1946	6.56	2.62	2.48	3.87	9.60	9.77	5.35	4.32	8.84	2.01	14.36	2.88	72.86
1947	4.39	1.09	2.79	2.02	8.58	1.74	2.17	8.86	1.29	1.14	4.58	3.82	43.20
1948	4.44	4.11	1.94	2.19	5.35	3.59	2.74	2.80	2.74	0.92	7.23	1.37	39.42
1949	4.76	5.26	4.43	6.17	1.18	2.55	9.39	3.87	1.31	22.31	9.80	71.19	98.00
1950	4.62	5.00	1.22	4.96	2.49	7.10	3.29	0.72	1.50	0.69	1.37	3.12	33.88
1951	5.37	1.42	4.84	1.28	3.32	3.32	1.06	2.01	5.40	1.18	1.55	2.53	33.28
1952	0.86	7.12	2.16	6.12	3.51	3.74	4.33	1.09	2.62	1	6.58	5.53	43.66
1953	1.57	3.40	0.07	1.27	7.86	3.49	2.06	8.38	0.14	2.62	5.27	7.24	43.37
1954	1.65	0.09	0.89	2.81	2.70	1.24	4.86	3.89	0.49	6.98	1.74	1.42	28.76
1955	5.57	6.03	0.93	3.51	3.54	1.56	2.01	10.10	5.34	0.63	1.06	1.60	41.88
1956	3.96	2.42	0.78	1.84	3.32	4.07	0.38	0.38	1.88	2.66	1.52	5.11	28.32
1957	0.91	2.46	11.42	8.07	1.87	3.96	0.84	3.23	8.29	11.53	6.70	1.83	61.11
1958	4.69	3.59											

STATION LOCATION

HOUSTON, TEXAS

Location	Occupied from	Occupied to	Airline distance and direction from previous location	Latitude North	Longitude West	Elevation above										* Type M = AMOS T = AUTOB	Remarks	
						Sea level	Ground											Hygrothermometer
							Ground at temperature site	Wind instruments	Extreme thermometers	Psychrometer	Sunshine Switch	Tipping bucket rain gage	Weighting rain gage	8" rain gage	Automatic Observing Equipment *			
<u>Cotton Station</u>	7/14/81	9/15/09															Location of cotton station not available.	
<u>CITY</u>																		
4th Floor, Stewart Bldg. Preston & Fannin Sts.	9/16/09	12/13/09		29° 46'	95° 22'	51	122	111	111		104			104				
8th Floor, Stewart Bldg. Preston & Fannin Sts.	12/14/09	2/28/26		29° 46'	95° 22'	51	122	111	111		104			104				
19th Floor, Shell Bldg. Texas & Fannin Sts.	3/01/26	12/22/32	1/8 mi. SW	29° 46'	95° 22'	52	314	293	293		287			287				
22nd Floor, Shell Bldg. Texas & Fannin Sts.	12/23/32	6/21/35		29° 46'	95° 22'	52	314	293	293		287			287				
14th Floor, Shell Bldg. Texas & Fannin Sts.	6/22/35	8/25/38		29° 46'	95° 22'	52	314	293	293		287			287				
10th Floor, Federal Building Franklin & Fannin Sts.	8/26/38	Present	1/4 mi. NE	29° 46'	95° 22'	41	190	162	158		160			159			Temperature and precipitation data telemetered to airport office 3/31/61 to 6/14/67. Summary published through August 1967.	
<u>COOPERATIVE</u>																		
Harrisburg, Texas	11/01/23	2/29/32		29° 42'	95° 17'	38			4					4			Suburb of the City of Houston.	
<u>AIRPORT</u>																		
Houston Municipal AP	7/16/30	8/01/40		29° 39'	95° 17'	50	37	30	30					25				
Houston International Airport	8/01/40	7/29/60	1000 ft. S	29° 39'	95° 17'	50	87	28	28					21			Known as Houston Municipal Airport until 4/15/55.	
Houston International Airport †William P. Hobby Airport effective 9/1/67.	7/29/60	5/31/69		29° 39'	95° 17'	50	20	23	23		a23			22	4		Moved from third to ground floor of same building and hygrothermometer installed 1500 feet E of thermometer site. a - Added 9/1/68.	
Trailer, NW corner of Houston Intercontinental Airport	6/01/69	8/15/72	23 mi. NNW	29° 59'	95° 22'	96	20	5	5		c4			3	b4		b - Commissioned 11/14/69. c - Commissioned 1/1/70.	
Qualitron Building Intercontinental Airport 17795 J. F. Kennedy Blvd.	8/15/72	Present	1.6 mi. SE	29° 58'	95° 21'	96	d20	NA	NA	46	e45	45	45	d4	NA		d - Same site as prior to 8/15/72. e - Added 10/15/74.	

Subscription Price: \$3.30 per year for monthly data and annual summary. Foreign mailing \$1.95 extra. Single copy: 25 cents for monthly and 30 cents for annual issue. There is a minimum charge of \$3.00 for each order of shelf-stocked issues of publications. Make checks payable to Department of Commerce, NOAA. Send payments, orders, and inquiries to Publications, National Climatic Center, Federal Building, Asheville, N. C. 28801.

I certify that this is an official publication of the National Oceanic and Atmospheric Administration, and is compiled from records on file at the National Climatic Center, Asheville, North Carolina 28801.

David B. Mitchell
Director, National Climatic Center

USCOMM-NOAA-ASHEVILLE - 1575

U.S. DEPARTMENT OF COMMERCE
NATIONAL CLIMATIC CENTER
FEDERAL BUILDING
ASHEVILLE, N.C. 28801

AN EQUAL OPPORTUNITY EMPLOYER

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF COMMERCE

210



FIRST CLASS