

### Local Climatological Data Hourly Observations December 1983

Current Location: Elev: 330 ft. Lat: 31.0500° N Lon: 93.1833° W

Generated on 01/10/2024

Station: FORT POLK ARMY AIR FIELD, LA US WBAN:03931 (ICAO:N/A)

| Date | Time (LST) | Station Type | Sky Conditions | Visi-<br>bility | Weather Type (see documentation)<br><br>AU   AW   MW | Dry Bulb Temp |     | Wet Bulb Temp |     | Dew Point Temp |      | Rel Hum % | Wind Speed (MPH) | Wind Dir (Deg) | Wind Gusts (MPH) | Station Press (inHg) | Press Tend | Net 3-Hr Change (inHg) | Sea Level Press (inHg) | Report Type | Precip Total (in) | Alti-<br>meter Setting (inHg) |
|------|------------|--------------|----------------|-----------------|--|---------------|-----|---------------|-----|----------------|------|-----------|------------------|----------------|------------------|----------------------|------------|------------------------|------------------------|-------------|-------------------|-------------------------------|
|      |            |              |                |                 |  | (F)           | (C) | (F)           | (C) | (F)            | (C)  |           |                  |                |                  |                      |            |                        |                        |             |                   |                               |
| 1    | 2          | 3            | 4              | 5               | 6  | 7             | 8   | 9             | 10  | 11             | 12   | 13        | 14               | 15             | 16               | 17                   | 18         | 19                     | 20                     | 21          | 22                | 23                            |
| 28   | 0100       | 4            |                | 2.98            | FG   | 45            | 7.2 |               |     | 41             | 5.0  | 86        | 1                | 320            |                  |                      |            |                        | 29.72                  | SAO         |                   | 29.72                         |
| 28   | 0200       | 4            |                | 0.99            | FG   | 45            | 7.2 |               |     | 41             | 5.0  | 86        | 2                | 310            |                  |                      |            |                        | 29.73                  | SAO         |                   | 29.73                         |
| 28   | 0300       | 4            |                | 2.98            | FG   | 46            | 7.8 |               |     | 42             | 5.6  | 86        | 0                | 000            |                  |                      | 3          | -0.01                  | 29.74                  | SAO         |                   | 29.74                         |
| 28   | 0400       | 4            |                | 2.98            | FG   | 47            | 8.3 |               |     | 43             | 6.1  | 86        | 3                | 340            |                  |                      |            |                        | 29.79                  | SAO         |                   | 29.79                         |
| 28   | 0500       | 4            |                | 0.75            | FG   | 46            | 7.8 |               |     | 42             | 5.6  | 86        | 0                | 000            |                  |                      |            |                        | 29.79                  | SAO         |                   | 29.79                         |
| 28   | 0600       | 4            |                | 0.62            | FG   | 46            | 7.8 |               |     | 42             | 5.6  | 86        | 0                | 000            |                  |                      | 1          | -0.06                  | 29.80                  | SAO         |                   | 29.81                         |
| 28   | 0700       | 4            |                | 1.12            | FG DZ  | 45            | 7.2 |               |     | 41             | 5.0  | 86        | 4                | 010            |                  |                      |            |                        | 29.86                  | SAO         |                   | 29.86                         |
| 28   | 0800       | 4            |                | 1.49            | FG DZ  | 43            | 6.1 |               |     | 39             | 3.9  | 86        | 10               | 010            |                  |                      |            |                        | 29.89                  | SAO         |                   | 29.89                         |
| 28   | 0900       | 4            |                | 1.99            | FG   | 42            | 5.6 |               |     | 37             | 2.8  | 82        | 8                | 010            |                  |                      | 2          | -0.14                  | 29.93                  | SAO         |                   | 29.94                         |
| 28   | 1000       | 4            |                | 6.96            |  | 42            | 5.6 |               |     | 35             | 1.7  | 76        | 11               | 360            |                  |                      |            |                        | 29.96                  | SAO         |                   | 29.96                         |
| 28   | 1100       | 4            |                | 5.97            | HZ FG  | 40            | 4.4 |               |     | 34             | 1.1  | 79        | 14               | 340            |                  |                      |            |                        | 29.98                  | SAO         |                   | 29.99                         |
| 28   | 1200       | 4            |                | 4.97            | HZ FG  | 39            | 3.9 |               |     | 32             | 0.0  | 76        | 9                | 340            |                  |                      | 1          | -0.05                  | 29.98                  | SAO         |                   | 29.99                         |
| 28   | 1300       | 4            |                | 3.98            | HZ FG  | 37            | 2.8 |               |     | 30             | -1.1 | 76        | 9                | 360            |                  |                      |            |                        | 30.00                  | SAO         |                   | 30.00                         |
| 28   | 1400       | 4            |                | 4.97            | HZ FG  | 37            | 2.8 |               |     | 30             | -1.1 | 76        | 9                | 350            |                  |                      |            |                        | 30.01                  | SAO         |                   | 30.02                         |
| 28   | 1500       | 4            |                | 6.96            |  | 37            | 2.8 |               |     | 29             | -1.7 | 73        | 13               | 360            |                  |                      | 2          | -0.04                  | 30.03                  | SAO         |                   | 30.03                         |
| 28   | 1600       | 4            |                | 6.96            |  | 37            | 2.8 |               |     | 29             | -1.7 | 73        | 9                | 360            |                  |                      |            |                        | 30.07                  | SAO         |                   | 30.07                         |
| 28   | 1700       | 4            |                | 6.96            |  | 37            | 2.8 |               |     | 28             | -2.2 | 70        | 11               | 350            |                  |                      |            |                        | 30.11                  | SAO         |                   | 30.11                         |
| 28   | 1800       | 4            |                | 5.97            | HZ   | 36            | 2.2 |               |     | 27             | -2.8 | 70        | 7                | 350            |                  |                      | 2          | -0.12                  | 30.16                  | SAO         |                   | 30.15                         |
| 28   | 1900       | 4            |                | 5.97            | HZ   | 35            | 1.7 |               |     | 25             | -3.9 | 67        | 11               | 360            | 23               |                      |            |                        | 30.19                  | SAO         |                   | 30.19                         |
| 28   | 2000       | 4            |                | 5.97            | HZ   | 34            | 1.1 |               |     | 24             | -4.4 | 68        | 11               | 360            | 16               |                      |            |                        | 30.22                  | SAO         |                   | 30.22                         |
| 28   | 2100       | 4            |                | 6.96            |  | 34            | 1.1 |               |     | 24             | -4.4 | 68        | 11               | 360            | 21               |                      | 1          | -0.07                  | 30.23                  | SAO         |                   | 30.23                         |
| 28   | 2200       | 4            |                | 6.96            |  | 34            | 1.1 |               |     | 22             | -5.6 | 62        | 14               | 010            | 23               |                      |            |                        | 30.26                  | SAO         |                   | 30.25                         |
| 28   | 2300       | 4            |                | 6.96            |  | 33            | 0.6 |               |     | 22             | -5.6 | 64        | 16               | 360            | 21               |                      |            |                        | 30.29                  | SAO         |                   | 30.28                         |

U.S. Department of Commerce  
National Oceanic & Atmospheric Administration  
National Environmental Satellite, Data, and Information Service

**Local Climatological Data**  
**Hourly Remarks**  
**December 1983**  
Generated on 01/10/2024

National Centers for Environmental Information  
151 Patton Avenue  
Asheville, North Carolina 28801

Current Location: Elev: 330 ft. Lat: 31.0500° N Lon: 93.1833° W

Station: **FORT POLK ARMY AIR FIELD, LA US WBAN:03931 (ICAO:N/A)**

| Date | Time (LST) | Remarks                     |
|------|------------|-----------------------------|
| 28   | 0100       | AWY006RCRNR?                |
| 28   | 0200       | AWY009F5 RCRNR?             |
| 28   | 0300       | AWY015305 16// RCRNR?       |
| 28   | 0400       | AWY009F2 RCRNR?             |
| 28   | 0500       | AWY006RCRNR?                |
| 28   | 0600       | AWY021119 16// 20038 RCRNR? |
| 28   | 0700       | AWY009F3 RCRNR?             |
| 28   | 0800       | AWY005WR//?                 |
| 28   | 0900       | AWY009247 16//?             |
| 28   | 1000       | AWY005WR//?                 |
| 28   | 1200       | AWY01111701 16//?           |
| 28   | 1500       | AWY009214 15//?             |
| 28   | 1800       | AWY01124101 15//?           |
| 28   | 1900       | AWY010CIG 12V16?            |
| 28   | 2100       | AWY009125 15//?             |

