

Louisville, Kentucky

Seasonal Average Temperatures, Total Precipitation, and Total Snowfall

YEAR	WINTER (Dec – Feb)			SPRING (Mar – May)			SUMMER (Jun – Aug)			AUTUMN (Sep – Nov)		
	Temp	Precip	Snow	Temp	Precip	Snow	Temp	Precip	Snow	Temp	Precip	Snow
1872					15.18			12.32	0.0		8.89	
1873	32.6	10.93		54.5	12.17		77.7	10.34	0.0	54.7	7.92	
1874	38.7	14.56		54.3	13.78		79.0	9.01	0.0	58.5	8.56	
1875	31.7	9.28		53.6	9.59		75.7	24.44	0.0	55.5	9.11	
1876	43.1	20.22		55.2	11.51		77.4	14.42	0.0	55.1	11.90	
1877	33.4	5.63		54.3	14.22		76.5	12.46	0.0	59.3	9.32	
1878	42.8	9.69		59.8	12.09		77.3	13.63	0.0	58.2	10.74	
1879	32.5	9.93		57.8	11.97		76.8	14.59	0.0	56.1	11.37	
1880	45.3	17.94		59.0	18.55		77.1	9.11	0.0	53.6	12.66	
1881	32.2	10.81		55.9	8.26		79.5	6.11	0.0	63.5	8.93	
1882	44.2	21.98		57.4	15.48		75.1	15.25	0.0	60.3	7.80	
1883	36.9	14.23		55.0	12.44		75.2	7.58	0.0	59.6	14.42	
1884	37.3	16.64		56.3	12.42		75.7	12.34	0.0	62.3	9.76	0
1885	32.6	14.33	6.8	54.2	10.16	2.2	76.0	8.16	0.0	58.2	16.85	0.2
1886	34.9	9.42	15.8	56.6	10.83	4.8	75.6	12.88	0.0	57.8	7.99	3.1
1887	35.7	14.37	5.1	57.6	11.31	12.1	78.4	6.39	0.0	57.1	5.74	0.5
1888	35.2	8.85	7.2	55.5	11.12	2.4	76.6	17.40	0.0	56.3	11.93	0
1889	36.7	6.97	2	56.7	6.86	0	73.6	8.97	0.0	55.9	12.05	0.1
1890	47.6	13.72	0.4	54.7	16.24	3.6	77.3	13.19	0.0	59.0	10.94	0
1891	39.9	12.21	5.5	54.9	10.55	3	75.2	11.50	0.0	58.0	8.57	0.5
1892	38.9	8.72	8.4	54.1	15.17	4.8	76.6	9.66	0.0	57.0	6.16	0.2
1893	32.0	9.22	11.4	55.3	14.26	5.2	77.3	7.76	0.0	58.1	12.32	0
1894	37.9	10.34	12.1	57.5	10.92	0.5	77.9	9.61	0.0	58.6	4.47	0.1
1895	31.8	10.36	37.1	55.8	8.08	0.9	76.8	11.97	0.0	57.6	8.32	0
1896	37.3	9.29	18	59.1	9.43	14	76.8	22.31	0.0	57.6	10.35	0
1897	37.2	9.48	5.4	55.3	15.08	0	76.8	10.06	0.0	62.5	8.44	0
1898	38.7	13.82	6.7	57.5	16.96	3.9	78.4	12.29	0.0	58.9	8.37	1.4
1899	32.3	8.75	23.2	56.9	13.69	1	78.2	8.61	0.0	61.0	5.35	0
1900	35.3	10.91	8.6	55.4	9.37	0.7	78.7	9.38	0.0	62.9	10.70	0.4
1901	35.5	3.89	2.5	54.3	8.53	0.5	79.6	9.83	0.0	57.5	4.44	0
1902	30.9	9.88	8.7	57.4	10.56	5.5	76.1	11.12	0.0	60.9	9.03	0
1903	35.1	14.11	9.2	59.3	10.23	0	75.2	8.28	0.0	57.2	5.14	1.2
1904	31.7	7.55	6.5	54.7	10.93	0.2	75.9	5.52	0.0	58.9	3.17	0
1905	30.3	8.13	14.5	59.1	12.54	0.4	77.0	12.92	0.0	58.1	13.83	0
1906	36.8	9.71	14.2	54.5	11.05	3.2	77.4	9.55	0.0	59.3	12.21	3
1907	38.5	18.38	14.1	54.8	12.78	0.6	75.9	10.52	0.0	57.0	7.55	0
1908	36.7	10.93	5.5	58.7	16.86	2	77.7	9.17	0.0	61.3	2.31	0
1909	40.1	14.74	13	55.3	15.09	0	77.2	11.65	0.0	60.0	7.97	0
1910	32.1	11.68	29.4	58.8	8.69	0	75.2	16.60	0.0	58.6	12.20	0

YEAR	WINTER (Dec – Feb)			SPRING (Mar – May)			SUMMER (Jun – Aug)			AUTUMN (Sep – Nov)		
	Temp	Precip	Snow	Temp	Precip	Snow	Temp	Precip	Snow	Temp	Precip	Snow
1911	37.8	8.76	16.2	57.6	9.73	0.1	78.1	8.84	0.0	58.8	11.34	0
1912	31.9	10.55	17.5	55.9	17.91	6.6	75.3	13.23	0.0	60.0	6.11	0
1913	38.0	14.52	7	56.0	10.88	0	78.9	8.12	0.0	59.6	10.01	0
1914	36.3	8.82	10.8	55.2	5.79	3.7	78.9	11.76	0.0	59.4	4.52	0
1915	34.9	9.97	12.7	54.8	6.95	0	73.3	11.49	0.0	60.8	7.41	0
1916	36.9	19.73	13.5	55.1	10.41	7	76.4	17.19	0.0	58.4	7.31	0
1917	34.3	12.79	31.7	53.6	15.62	10.7	74.6	9.09	0.0	54.9	6.08	0
1918	27.8	7.67	49.2	58.4	8.73	1	76.7	11.51	0.0	56.9	6.00	0
1919	40.4	7.10	1	55.9	13.09	0	78.0	9.45	0.0	61.2	15.01	0
1920	32.3	11.45	3.6	54.2	13.18	0	74.2	8.63	0.0	59.7	6.69	1.5
1921	39.1	6.94	15.9	60.6	14.05	0	79.1	10.20	0.0	60.7	14.49	0
1922	37.9	9.74	1.7	59.1	14.69	0.7	76.4	13.42	0.0	61.2	5.46	0.1
1923	37.3	14.26	1	54.2	13.39	0	76.4	12.62	0.0	58.3	7.69	0
1924	36.7	12.02	3	52.5	9.76	2	75.3	10.17	0.0	58.1	5.93	0.2
1925	37.0	9.22	10	56.9	6.83	0.4	77.6	5.62	0.0	58.0	12.46	3.5
1926	35.3	7.62	12.4	52.0	8.80	1.8	75.9	10.48	0.0	57.5	13.32	1.5
1927	38.0	13.35	10.2	56.7	21.75	3.5	72.3	11.19	0.0	61.9	10.02	0
1928	35.3	7.41	3.3	53.3	12.44	1.6	74.5	12.65	0.0	57.9	8.17	0
1929	33.9	9.24	7.2	58.4	13.77	1	75.0	7.00	0.0	56.3	11.11	2.1
1930	38.6	13.05	9.2	56.7	3.72	0.4	77.6	3.22	0.0	58.4	5.26	1.7
1931	37.9	5.71	3.4	52.8	8.62	2.4	77.7	7.78	0.0	64.1	9.30	0
1932	44.8	13.38	0	53.4	7.94	1.6	77.1	11.68	0.0	56.7	7.97	0
1933	38.9	12.90	7.4	55.8	17.90	0	77.4	6.82	0.0	59.4	7.78	0
1934	36.6	5.14	8.2	55.8	8.29	4.5	79.5	11.28	0.0	60.0	4.73	0
1935	36.8	7.10	4.1	56.3	18.88	1.5	74.2	12.85	0.0	58.7	6.67	0
1936	28.8	5.86	20.8	57.1	8.18	2.9	81.0	4.37	0.0	58.1	10.86	7.6
1937	38.5	23.59	8.4	54.2	8.66	3.8	77.2	9.34	0.0	55.7	7.23	1.2
1938	37.6	8.21	1	59.3	13.43	0	76.5	12.97	0.0	60.2	6.61	1.5
1939	38.9	12.75	8.4	56.6	13.03	0	76.7	15.89	0.0	60.6	3.74	0
1940	31.4	9.23	32.5	53.2	15.05	0	77.2	4.54	0.0	59.3	5.49	0
1941	37.1	5.87	1.3	56.7	5.22	0.1	77.6	11.09	0.0	61.9	8.28	0
1942	36.0	8.57	5.3	57.9	11.64	0	76.8	16.54	0.0	58.9	11.34	0
1943	36.5	7.42	9.3	54.4	17.97	1.7	78.3	6.66	0.0	56.7	3.77	0
1944	38.2	6.22	4.2	57.2	15.53	0.5	78.5	9.98	0.0	58.5	6.89	0
1945	32.4	11.47	12	59.1	18.62	0	74.2	9.99	0.0	58.5	10.85	0.5
1946	34.6	11.03	9	59.1	12.41	0	73.6	12.12	0.0	59.6	7.83	0
1947	36.2	8.65	9.4	52.2	14.50	10.8	75.3	10.00	0.0	59.2	7.90	0
1948	33.6	9.01	22.2	57.9	16.17	0	76.5	7.11	0.0	58.3	11.79	0
1949	41.0	14.21	6.7	56.1	11.86	2.6	77.7	13.03	0.0	57.8	5.80	0
1950	41.7	21.94	1.4	53.9	15.01	0.1	73.6	15.54	0.0	56.8	9.08	4.8
1951	34.2	13.85	18.9	54.3	12.52	10.7	76.4	10.00	0.0	55.4	10.59	0.7
1952	39.4	14.86	7.7	55.6	10.57	0.8	79.6	7.78	0.0	55.8	6.55	2.3
1953	40.1	9.22	8.5	56.6	13.33	3.5	78.3	7.31	0.0	59.1	2.97	0

YEAR	WINTER (Dec – Feb)			SPRING (Mar – May)			SUMMER (Jun – Aug)			AUTUMN (Sep – Nov)		
	Temp	Precip	Snow	Temp	Precip	Snow	Temp	Precip	Snow	Temp	Precip	Snow
1954	39.0	8.45	7.5	55.7	6.16	0	78.8	6.50	0.0	59.9	10.18	0
1955	36.1	12.60	8	59.0	16.13	0	77.0	6.94	0.0	58.3	12.64	0.3
1956	36.3	12.32	11.7	55.3	11.11	1.6	75.3	9.00	0.0	57.1	6.96	1.2
1957	39.5	8.40	3.2	56.7	13.53	0.6	76.0	11.86	0.0	56.7	14.18	0
1958	34.0	9.15	7.1	54.6	11.54	8	75.7	14.34	0.0	59.1	8.49	5.5
1959	34.2	9.46	2.1	58.1	8.23	0	78.8	8.92	0.0	58.7	7.89	0.6
1960	37.2	10.63	11.3	52.3	7.11	22.9	74.0	13.89	0.0	57.7	7.93	0
1961	32.6	9.69	25.3	51.9	21.46	0.6	73.5	10.31	0.0	58.7	7.71	0.9
1962	35.3	14.36	16.6	55.6	7.92	2.6	75.3	8.79	0.0	56.2	9.85	0
1963	28.9	5.03	11.2	57.3	15.47	0.3	73.7	13.64	0.0	59.6	5.98	0
1964	32.0	5.96	29.9	56.8	19.82	0.2	75.9	7.90	0.0	56.8	8.10	0.9
1965	36.1	13.29	15.9	55.7	9.70	4.6	75.0	9.25	0.0	57.8	12.28	0
1966	34.5	11.88	18.4	53.9	14.49	1.7	76.6	8.06	0.0	56.4	7.30	13.2
1967	34.3	7.45	8.7	57.6	13.38	9.3	73.2	16.04	0.0	55.2	7.87	0
1968	33.3	6.44	18.3	55.3	15.33	12.7	76.5	8.45	0.0	58.1	6.95	0.3
1969	35.2	10.58	10.6	54.7	9.53	2.2	75.6	10.67	0.0	56.0	5.85	0.7
1970	31.7	7.96	23	56.3	17.47	10.7	74.9	19.18	0.0	58.9	10.11	0.3
1971	35.2	13.10	15.9	52.7	10.45	5.3	75.1	11.21	0.0	61.2	8.74	5.4
1972	38.4	9.79	5	55.5	17.01	1.2	74.6	7.17	0.0	57.2	13.10	2
1973	38.6	8.85	4.4	56.5	19.07	2.1	77.0	16.49	0.0	61.9	12.20	0
1974	38.7	8.66	6.4	57.4	12.01	2.8	73.2	13.41	0.0	55.0	8.64	1
1975	39.1	12.04	5.5	55.6	20.62	10	77.2	8.95	0.0	58.7	12.45	0.1
1976	38.0	11.87	3.3	57.6	8.72	0.7	74.6	9.99	0.0	52.9	7.81	1.6
1977	29.5	4.43	21.5	61.1	9.46	0.9	77.2	17.00	0.0	59.2	14.54	4.8
1978	27.1	10.98	35.9	54.5	11.85	9.4	77.1	11.94	0.0	59.7	3.46	0
1979	30.9	15.94	19.4	55.8	13.62	0.9	75.1	15.45	0.0	58.1	18.58	0.1
1980	34.1	6.60	14.3	54.1	12.01	3.9	78.6	12.87	0.0	58.5	8.96	0
1981	35.8	4.93	2.8	57.0	10.61	0.1	77.0	10.42	0.0	57.2	7.22	0.1
1982	32.4	8.85	9.2	56.2	11.90	1.7	73.6	11.32	0.0	58.2	10.22	0
1983	39.0	8.26	5.1	53.5	19.84	0.1	78.7	7.80	0.0	59.3	12.63	0
1984	32.9	6.56	12.5	52.7	16.72	1	76.4	12.51	0.0	58.4	11.69	0
1985	34.7	10.14	18.9	59.0	10.05	0	74.7	12.31	0.0	61.4	10.15	0
1986	34.9	5.77	11.5	57.9	8.01	0.1	76.8	11.55	0.0	59.5	10.45	0
1987	36.6	7.92	8.9	58.2	7.01	9.3	77.8	11.55	0.0	58.2	4.16	0
1988	35.3	12.28	8	56.7	9.17	0.5	78.6	8.55	0.0	56.7	8.78	0
1989	37.9	16.15	0.9	55.9	14.82	0	76.1	14.36	0.0	58.2	7.64	1.4
1990	37.6	12.07	9.2	57.0	17.81	4.1	77.0	11.30	0.0	60.8	8.88	0
1991	38.5	15.87	5.9	60.9	11.42	0.2	79.6	7.57	0.0	59.4	6.92	0.5
1992	40.7	8.94	1.1	56.7	12.05	1.6	74.6	14.26	0.0	58.4	9.17	0.9
1993	37.0	9.30	16.9	55.2	11.57	1.1	78.5	14.37	0.0	56.6	11.19	2.4
1994	33.8	9.60	22.8	56.1	11.34	4.7	77.5	5.93	0.0	60.1	8.43	0
1995	38.1	8.44	2.9	57.7	14.29	1.1	79.0	10.30	0.0	56.5	9.14	0.2
1996	33.9	12.44	21.4	53.0	23.89	13.5	74.3	13.29	0.0	55.0	12.77	0

YEAR	WINTER (Dec – Feb)			SPRING (Mar – May)			SUMMER (Jun – Aug)			AUTUMN (Sep – Nov)		
	Temp	Precip	Snow	Temp	Precip	Snow	Temp	Precip	Snow	Temp	Precip	Snow
1997	37.2	12.79	5.4	52.5	26.74	0	73.5	13.97	0.0	56.3	8.02	0.3
1998	39.9	11.58	27.2	56.5	15.77	1.5	75.4	19.52	0.0	60.8	5.44	0
1999	39.3	12.63	9	55.1	11.36	0.4	77.4	9.90	0.0	60.7	4.98	0
2000	38.7	17.77	11	57.7	9.86	0.2	75.0	13.92	0.0	57.3	9.57	0
2001	32.6	9.87	19.1	56.8	10.15	0.2	75.4	8.61	0.0	58.7	14.94	0
2002	39.6	11.16	8.8	55.3	22.07	0.2	77.5	5.06	0.0	57.5	16.41	0.5
2003	31.7	14.47	23.7	56.6	15.97	0	74.1	12.63	0.0	58.3	14.56	1
2004	34.7	10.35	11.4	58.4	20.95	0.1	73.2	15.31	0.0	59.9	17.21	0
2005	37.4	13.33	11.8	53.8	11.97	4.4	77.1	12.16	0.0	59.5	6.56	0
2006	38.2	8.59	5.7	57.8	14.57	0	77.4	15.78	0.0	57.1	17.01	0
2007	37.3	9.67	3.4	60.5	9.91	0	80.0	7.32	0.0	63.7	13.25	T
2008	38.1	15.31	9.3	56.4	20.79	10.6	79.0	7.62	0.0	59.7	5.41	T
2009	35.9	11.01	12.1	58.5	10.38	T	74.9	21.12	0.0	59.1	13.75	0
2010	32.5	7.62	21.3	60.7	13.30	T	82.3	11.66	0.0	62.7	7.12	0.1
2011	34.2	8.83	17.3	59.8	26.95	0.3	80.0	12.95	0.0	59.6	15.74	0
2012	41.5	11.04	3.5	63.9	17.49	3.5	79.7	6.25	0.0	57.6	8.97	0
2013	40.0	14.16	8.1	56.0	12.03	1.7	76.8	12.76	0.0	58.8	16.36	0.5
2014	33.4	11.59	21.3	57.6	13.35	4.2	77.4	11.66	0.0	57.6	8.53	3.7
2015	34.2	6.67	12.0	59.2	21.02	11.9	77.7	18.94	0.0	62.6	12.77	0
2016	41.6	12.40	14.4	60.0	13.24	0.5	80.1	14.61	0.0	64.8	4.58	0
2017	42.9	11.57	2.7	61.2	12.89	T	77.8	10.25	0.0	60.7	12.42	T
2018	38.2	15.03	6.0	58.2	13.43	13.1	79.5	18.74	0.0	59.9	18.46	0.5
2019	40.4	17.50	8.1	59.1	14.97	2.6	79.0	11.81	0.0			