


Tornadic Debris Signatures on 12/1/2018 in the LSX CWA




Lewis Kanofsky
NWS St. Louis, MO




Dual-pol signatures on 12/1/2018




TDS




Inflow



NBF




TBSS



Side lobes

Tornadic Debris Signature (TDS)



KLSX

0106 z

5/31/2013

not to scale

TDS identification

Required

CC reduction*


Appropriate
velocity signature

High enough Z**


* CC \leq 0.70 or 0.80 in some studies

** Z threshold varies by study, typically \geq 20-30 dBZ


Why reflectivity matters



Why reflectivity matters



Why reflectivity matters



TDS identification

Required	Admired (but not required)	May or may not be present
CC reduction*	Spatial and temporal continuity	ZDR near zero***
Appropriate velocity signature		
High enough Z**		

* CC ≤ 0.70 or 0.80 in some studies

** Z threshold varies by study, typically $\geq 20\text{-}30 \text{ dBZ}$

*** ZDR ≤ 0.5 in some studies


CC characteristics

- Inflow
- Non-Uniform Beam Filling (NBF)
- Three-Body Scatter Spike (TBSS)
- Side lobes

TDS vs. inflow

TDS vs. inflow

“Hey, look at that CC!”...




KLSX 2210z

TDS identification


IT'S A TRAP!



Inflow



Inflow





Inflow may contain dusts, insects, leaves, etc.

CC characteristics: TDS vs. inflow


TDS

- Low CC + high Z
- Within the mesocyclone
- Self-contained CC “hole”
- Lowest CC values are contained within the storm




KLSX 2214z

- Low CC + low Z
- Inflow region of the storm
- Messy, ragged, ill-defined
- Lowest CC values extend to the edges of the storm




KLSX 2153z

Inflow examples from 12/1/2018



KLSX 2153z




KLSX 2210z

TDS vs. NBF

NBF

Strong reflectivity gradients within the pulse volume


Line of storms
(top view)



NBF

Strong reflectivity gradients within the pulse volume

Line of storms
(top view)




CC characteristics: TDS vs. NBF

TDS

- Compact
- Vaguely circular
- Moves with the storm
- Same location on different radars


NBF

- Much longer than it is wide
- Down-radial “streaks”
- Appears locked in place
- Inconsistent between radars
(depends on viewing angle)





KLSX 2227z

NBF examples from 12/1/2018



KLSX 2227z




KLSX 2210z

TDS vs. TBSS

TBSS

Thunderstorm

Hail



Radar

TBSS

Thunderstorm

Hail




Radar

TBSS

Thunderstorm

Hail




Radar


TBSS

Thunderstorm

Hail



Radar



TBSS

Thunderstorm

Hail



Radar

This radar echo
is plotted as if it
came from here


CC characteristics: TDS vs. TBSS

TDS


- Low CC + high Z
- Self-contained CC dropout or “hole”
- Lowest CC values are contained within the storm

TBSS

- Low CC downradial of high Z
- Downradial “smear” or “shadow”
- Lowest CC values are outside of the storm




KILX 2216z




TBSS

TBSS examples from 12/1/2018



KILX 2216z



KILX 2226z

TDS vs. side lobe

• TDS = Total Directivity Surface
• Side lobe = Lobe other than the main lobe

• TDS = sum of power in side lobes + power in main lobe

• TDS = $\int_{\text{main lobe}} P(\theta) d\Omega + \int_{\text{side lobes}} P(\theta) d\Omega$

• TDS = $\int_{\text{main lobe}} P(\theta) d\Omega + \sum_{\text{side lobes}} \int_{\text{lobe}} P(\theta) d\Omega$

• TDS = $\int_{\text{main lobe}} P(\theta) d\Omega + \sum_{\text{side lobes}} \int_{\text{lobe}} P(\theta) d\Omega$

• TDS = $\int_{\text{main lobe}} P(\theta) d\Omega + \sum_{\text{side lobes}} \int_{\text{lobe}} P(\theta) d\Omega$

• TDS = $\int_{\text{main lobe}} P(\theta) d\Omega + \sum_{\text{side lobes}} \int_{\text{lobe}} P(\theta) d\Omega$

• TDS = $\int_{\text{main lobe}} P(\theta) d\Omega + \sum_{\text{side lobes}} \int_{\text{lobe}} P(\theta) d\Omega$

• TDS = $\int_{\text{main lobe}} P(\theta) d\Omega + \sum_{\text{side lobes}} \int_{\text{lobe}} P(\theta) d\Omega$

• TDS = $\int_{\text{main lobe}} P(\theta) d\Omega + \sum_{\text{side lobes}} \int_{\text{lobe}} P(\theta) d\Omega$

• TDS = $\int_{\text{main lobe}} P(\theta) d\Omega + \sum_{\text{side lobes}} \int_{\text{lobe}} P(\theta) d\Omega$


• TDS = $\int_{\text{main lobe}} P(\theta) d\Omega + \sum_{\text{side lobes}} \int_{\text{lobe}} P(\theta) d\Omega$

• TDS = $\int_{\text{main lobe}} P(\theta) d\Omega + \sum_{\text{side lobes}} \int_{\text{lobe}} P(\theta) d\Omega$

• TDS = $\int_{\text{main lobe}} P(\theta) d\Omega + \sum_{\text{side lobes}} \int_{\text{lobe}} P(\theta) d\Omega$

TDS vs. side lobe


Thunderstorm
(looking down
from above)



Radar


TDS vs. side lobe

Thunderstorm
(looking down
from above)




TDS vs. side lobe

Thunderstorm
(looking down
from above)



TDS vs. side lobe

Thunderstorm
(looking down
from above)




CC characteristics: TDS vs. side lobe

TDS


- Low CC + high Z
- Self-contained CC dropout or “hole”
- Lowest CC values are contained within the storm

Side lobe



- Low CC brackets high Z
- Cross-radial “smearing” on the storm’s edges
- Lowest CC values are outside of the storm





KILX 2216z



Side lobe examples from 12/1/2018




KILX 2216z



KILX 2226z


Radar data from 12/1/2018

Montgomery County, IL



01 Dec 2018
KLSX

Surveyed tornado paths shown in GR2




KLSX

01 Dec 2018

2208z

KLSX

0.5°




01 Dec 2018

2208z

KLSX

0.5°




01 Dec 2018

2208z

KLSX

0.5°




01 Dec 2018

2210z

KLSX

0.5°




01 Dec 2018

2210z

KLSX

0.5°




01 Dec 2018

2210z

KLSX

0.5°




01 Dec 2018

2211z

KLSX

0.5°




01 Dec 2018

2212z

KLSX

0.5°




01 Dec 2018

2212z

KLSX

0.5°




01 Dec 2018

2212z

KLSX

0.5°




01 Dec 2018

2214z

KLSX

0.5°




01 Dec 2018

2215z

KLSX

0.5°




01 Dec 2018

2216z

KLSX

0.5°




01 Dec 2018

2218z

KLSX

0.5°




01 Dec 2018

2219z

KLSX

0.5°




01 Dec 2018

2219z

KLSX

0.5°




01 Dec 2018

2219z

KLSX

0.5°




01 Dec 2018

2220z

KLSX

0.5°




01 Dec 2018

2221z

KLSX

0.5°




01 Dec 2018

2223z

KLSX

0.5°




01 Dec 2018

2225z

KLSX

0.5°




01 Dec 2018

2226z

KLSX

0.5°




01 Dec 2018

2226z

KLSX

0.5°




01 Dec 2018

2227z

KLSX

0.5°




01 Dec 2018

2228z

KLSX

0.5°




01 Dec 2018

2229z

KLSX

0.5°




01 Dec 2018

2231z

KLSX

0.5°




01 Dec 2018

2232z

KLSX

0.5°




01 Dec 2018

2232z

KLSX

0.5°




01 Dec 2018

2234z

KLSX

0.5°




01 Dec 2018

2235z

KLSX

0.5°




01 Dec 2018

2236z

KLSX

0.5°




01 Dec 2018

2237z

KLSX

0.5°




01 Dec 2018

2239z

KLSX

0.5°




01 Dec 2018

2239z

KLSX

0.5°




01 Dec 2018

2240z

KLSX

0.5°




01 Dec 2018

2241z

KLSX

0.5°




Alternate view from KILX

01 Dec 2018

2207z

KILX

0.5°




01 Dec 2018

2208z

KILX

0.5°




01 Dec 2018

2210z

KILX

0.5°




01 Dec 2018

2212z

KILX

0.5°




01 Dec 2018

2212z

KILX

0.5°




01 Dec 2018

2212z

KILX

0.5°




01 Dec 2018

2212z

KILX

0.5°




01 Dec 2018

2214z

KILX

0.5°




01 Dec 2018

2216z

KILX

0.5°




01 Dec 2018

2216z

KILX

0.5°




01 Dec 2018

2218z

KILX

0.5°




01 Dec 2018

2219z

KILX

0.5°




01 Dec 2018

2219z

KILX

0.5°




01 Dec 2018

2219z

KILX

0.5°




01 Dec 2018

2221z

KILX

0.5°




01 Dec 2018

NBF contamination on the northern storm?

2223z

KILX

0.5°




01 Dec 2018

NBF contamination on the northern storm?

2224z

KILX

0.5°




01 Dec 2018

NBF contamination on the northern storm?

2226z

KILX

0.5°




01 Dec 2018

NBF contamination on the northern storm?

2226z

KILX

0.5°




01 Dec 2018

NBF contamination on the northern storm?

2228z

KILX

0.5°




01 Dec 2018

NBF contamination on the northern storm?

2230z

KILX

0.5°




01 Dec 2018

2232z

KILX

NBF contamination on the northern storm?
 TBSS contamination on the southern storm?

0.5°




01 Dec 2018

2232z

KILX

NBF contamination on the northern storm?
 TBSS contamination on the southern storm?

0.5°




01 Dec 2018

2234z

KILX

TBSS contamination on the southern storm?

0.5°




01 Dec 2018

2236z

KILX

TBSS contamination on the southern storm?

0.5°




01 Dec 2018

2238z

KILX

TBSS contamination on the southern storm?

0.5°




KLSX vertical continuity

01 Dec 2018

2212z


KLSX



01 Dec 2018

2215z


KLSX



01 Dec 2018

2220z


KLSX



01 Dec 2018

2226z


KLSX



01 Dec 2018

2231z


KLSX



01 Dec 2018

2236z


KLSX




01 Dec 2018

2241z

KLSX



Montgomery/Christian county line




KLSX

01 Dec 2018

2248z

KLSX

0.5°




01 Dec 2018

2249z

KLSX

0.5°




01 Dec 2018

2250z

KLSX

0.5°




01 Dec 2018

2250z

KLSX

0.5°




01 Dec 2018

2251z

KLSX

0.5°




Alternate view from KILX

01 Dec 2018

2248z

0.5°

KILX




01 Dec 2018

2250z

KILX

0.5°




01 Dec 2018

2250z

KILX

0.5°




01 Dec 2018

2250z

KILX

0.5°




01 Dec 2018

2252z

KILX

0.5°




01 Dec 2018

2254z

KILX

0.5°




01 Dec 2018

2256z

KILX

0.5°



What to notice about these TDSs

- Appeared suddenly
- Had vertical continuity
- Locations were consistent with storm structure
- TDSs sometimes persisted after the tornado had lifted
- Behaved like a plume
 - Broadened and weakened with time
 - This is common, especially at greater distances from the radar
- Spotted early with SAILS and multiple radars
- Reasonably consistent between multiple radars

What to notice about these radar artifacts

- Inflow
 - Attention-grabbing CC values near the hook
- NBF
 - Radial dependency
 - Inconsistent between radars
- TBSS
 - Radial dependency
 - Inconsistent between radars
- Side lobes
 - Often subtle
 - Weak returns on the edge of the storm

Dual-pol questions?

NWSChat: nws-lewis.kanofsky

Email: Lewis.Kanofsky@noaa.gov