

Top 10 Monthly Extremes - Miami Area (last updated 06/02/2023)

	WARMEST		COLDEST		WETTEST (total)		DRIEST (total)	
	YEAR	VALUE	YEAR	VALUE	YEAR	VALUE	YEAR	VALUE
	January							
1	1937	75.5	1940	59.2	1926	7.93	1902	0
2	1974	74.2	1981	59.7	2016	7.57	1898	0
3	1990	73.5	1977	61.1	1931	7.07	1951	0.04
4	2013	73.2	1958	61.3	1969	6.66	2023	0.05
5	1993	73.2	1985	62.1	1953	6.08	1957	0.08
6	1950	73.1	1901	62.5	2022	5.98	1949	0.11
7	1947	73.1	1956	62.7	1958	5.67	1917	0.11
8	1972	73	1918	62.8	1909	5.45	1984	0.18
9	1925	73	2003	63.2	1983	5.36	1960	0.19
10	1991	72.8	2001	63.2	1900	5.25	2012	0.21
	February							
1	2018	76.3	1958	59.3	1983	8.07	1911	T
2	2023	75.9	1942	61.2	1998	6.62	1909	T
3	1959	74.9	1947	62.4	1966	6.56	1901	T
4	2019	74.9	1940	62.4	1902	5.91	1944	0.01
5	2021	74.5	1968	62.7	2023	5.72	2001	0.05
6	1982	74.3	1912	62.8	1994	5.66	1985	0.06
7	1997	74.3	1978	63.1	1934	5.2	1974	0.1
8	2008	74.3	1941	63.1	1903	4.7	2009	0.12
9	2001	74.2	1902	63.4	2010	4.69	1962	0.13
10	2014	74.2	1943	63.5	1957	4.68	1907	0.16
	March							
1	2003	78.6	1915	63.1	1986	10.57	1902	0
2	2020	77.2	1931	65.2	1919	9.74	1956	0.02
3	2023	76.9	1914	65.4	1937	9.27	1920	0.06
4	2015	76.7	1941	65.7	1949	7.22	2020	0.1
5	2016	76.5	1916	65.9	1984	6.12	1922	0.13
6	1948	76.3	1924	66.7	1931	6.1	2018	0.19
7	1997	76.3	1968	67	1993	5.98	1935	0.22
8	2022	76.2	1940	67.1	1998	5.97	1976	0.23
9	2024	75.8	1947	67.4	1940	5.4	1955	0.23
10	1976	75.7	1983	67.5	1929	5.31	1999	0.25
	April							
1	2020	81.9	1915	69.5	1942	20.4	1981	0.05
2	2015	80.4	1940	69.6	1979	17.29	1971	0.07
3	2011	80.1	1901	70.1	1899	10.75	1896	0.1
4	2023	79.4	1916	70.2	1897	10.55	1967	0.15
5	1970	79	1950	70.4	1960	10.21	2006	0.23
6	1908	79	1987	70.6	1980	10.2	1938	0.23
7	2022	78.6	1931	71.3	1911	10.11	1963	0.33
8	2002	78.4	1942	71.5	2023	9.95	1987	0.38
9	1991	78.3	1986	71.6	1982	9.27	1916	0.39
10	1994	78.2	1913	71.7	2010	8.95	1928	0.42

May								
1	2024	83.7	1940	74.1	2020	18.89	1965	0.44
2	2010	82.4	1928	74.1	1925	18.66	1992	0.55
3	2019	82.2	1941	74.4	1968	18.54	1952	0.68
4	2017	82.2	1921	74.6	1958	18.14	1927	0.68
5	1995	82.1	1901	75.1	2018	16.59	1962	0.92
6	2022	81.6	1937	75.5	1934	16.1	1902	0.94
7	2011	81.5	1944	75.6	1977	15.82	1989	0.99
8	1991	81.5	1917	75.6	1932	15.4	1935	1.06
9	2008	81.4	1945	75.6	2012	14.67	1973	1.08
10	2003	81.4	1925	75.9	1972	13.71	1941	1.12
June								
1	2010	85.5	1966	78.2	1930	25.34	1931	0.07
2	1998	85.3	1938	78.8	1968	22.36	1898	0.7
3	2019	84.8	1913	78.9	1901	21.72	1921	1.14
4	2020	84.4	1919	79	1936	21.41	1945	1.81
5	2011	84.1	1976	79.1	1966	21.37	1952	2.05
6	1987	84.1	1936	79.1	1959	20.56	1944	2.37
7	2004	84	1930	79.1	1995	20.33	1927	2.4
8	2017	83.7	1920	79.1	2014	19.62	1914	2.57
9	1981	83.7	1917	79.1	1942	19.54	1911	2.83
10	2023	83.7	1929	79.3	2005	17.6	1980	3.02
July								
1	2023	86.5	1929	80.1	1941	15.33	1932	0.48
2	2020	85.9	1938	80.5	1926	15.22	1942	1.23
3	2017	85.7	1937	80.5	1939	13.85	1963	1.77
4	2005	85.1	1918	80.5	1947	13.51	1961	1.91
5	2019	85.1	1959	80.6	2002	12.76	1956	2.34
6	1983	85	1923	80.7	2013	12.7	1917	2.48
7	1981	84.9	1922	80.7	2017	12.45	1916	2.49
8	1992	84.9	1919	80.8	10946	11.78	1925	2.56
9	2009	84.9	1916	80.8	1985	11.23	1931	2.63
10	2010	84.9	1972	80.9	1988	10.9	1978	2.69
August								
1	2023	85.7	1920	80	1943	16.88	1938	1.15
2	2017	85.7	1916	80.6	1994	16.64	1915	1.37
3	2022	85.6	1939	80.9	1957	16.58	1918	1.43
4	2009	85.4	1904	81	2012	15.92	1954	1.65
5	1987	85.4	1959	81	2019	15.74	1897	2.2
6	2020	85.3	1922	81.1	1932	15.05	1903	2.35
7	2005	85.2	1921	81.1	1973	14.6	1912	2.93
8	2010	85.1	1906	81.2	1999	13.87	1921	3.14
9	2007	85	1937	81.2	2016	13.77	1944	3.17
10	2014	84.9	1973	81.3	1995	13.13	1934	3.2

September								
1	2019	85.2	1914	78.7	1960	24.4	1912	2.08
2	2017	84.8	1917	79.2	1948	23.02	1906	2.39
3	2023	84.3	1937	79.4	1931	19.7	1951	2.63
4	2022	84.3	1918	79.5	1917	18.55	1925	2.73
5	1989	84	1916	79.6	2001	17.99	1921	2.81
6	1974	84	1940	79.8	1940	17.53	1988	3.09
7	1988	84	1897	79.8	1928	17	2019	3.25
8	2009	83.9	1965	79.9	1937	16.99	1957	3.32
9	2020	83.8	1923	80	1929	16.82	1961	3.4
10	2011	83.8	1927	80	2006	16.73	1978	3.42
October								
1	2019	83.5	1938	74.8	1908	27.86	2002	0.72
2	2009	82.4	1940	75	1924	25.02	1925	1.12
3	2020	82.2	1920	75.2	1991	21.64	1977	1.25
4	2023	82	1929	75.2	1910	21.45	1896	1.25
5	2002	82	1943	75.2	1952	21.08	1988	1.49
6	1995	81.5	1913	75.3	1909	21.08	1962	1.5
7	2007	81.5	1944	75.5	1929	20.18	2010	1.58
8	2018	81.3	1937	75.8	2000	19.65	1981	1.62
9	2021	81.2	1897	75.8	1921	18.2	2006	1.64
10	2017	80.8	1923	75.8	1932	17.43	2018	1.76
November								
1	1986	79.3	1917	67	1925	17.72	1970	0.09
2	2022	78.9	1901	67.4	1992	13.84	1917	0.24
3	2015	78.4	1962	68	1959	13.15	1952	0.25
4	2023	77.8	1923	68.4	1912	10.67	1923	0.27
5	2020	77.5	1910	68.7	2020	9.6	1944	0.3
6	2017	77.3	1949	68.7	2023	9.36	1937	0.33
7	1896	77.3	1944	68.8	1994	8.92	2004	0.34
8	1994	77.2	1950	69	2022	8.49	1956	0.34
9	2013	77.1	1970	69.6	1906	7.56	1898	0.4
10	1988	76.9	1932	69.7	2015	7.55	1928	0.42
December								
1	2015	77.2	2010	61.4	1905	12.08	1906	0
2	2016	76.7	1935	62.1	2015	9.82	1903	T
3	1931	75.4	1910	63.3	1929	9.03	1988	0.12
4	2013	75.1	1963	63.5	1898	7.19	1968	0.13
5	2007	74.9	1917	63.6	2019	6.43	1961	0.13
6	2021	74.5	1962	63.7	1958	6.39	1981	0.14
7	2006	74.4	1944	64.2	1964	6.24	1970	0.17
8	1971	74.1	1954	64.2	2000	6.15	1991	0.18
9	1986	73.5	1930	64.5	1997	5.27	1980	0.2
10	2019	73.5	1989	64.9	1994	4.95	1962	0.2