

NOUS41 KWBC 111435  
PNSWSH

Technical Implementation Notice 14-26  
NOAA National Ocean Service Headquarters Washington DC  
Relayed by National Weather Service Washington DC  
1035 AM EDT Wed Jun 11 2014

To: Subscribers:  
-Family of Services  
-NOAA Weather Wire Service  
-Emergency Managers Weather Information Network  
-NOAAPORT  
Other NWS and NOS partners and NWS and NOS employees

From: Pat Burke  
Acting Chief, Oceanographic Division  
NOS Center for Operational Oceanographic Products  
and Services (CO-OPS)

Subject: Implementation new NOS Oceanographic Forecast Modeling  
System for the Northeast Gulf of Mexico and the  
Northwest Gulf of Mexico, Effective August 12, 2014

Effective August 12, 2014, beginning at 15z Coordinated Universal  
Time (UTC), 10:00 AM EST, the NOS Northeast Gulf of Mexico  
Operational Forecast System (NEGOFS) and Northwest Gulf of Mexico  
Operational Forecast System (NWGOFS) will be implemented on the  
NOAA Weather Climate Operational Supercomputing System (WCOSS)  
operated by NCEP Central Operations (NCO).

NEGOFS and NWGOFS are two nested operational forecast systems of  
the existing operational forecast system for the Gulf of Mexico  
(NGOFS). These systems now will provide users with higher-  
resolution nowcasts (analyses of near present) and forecast  
guidance of the three-dimensional physical conditions of Gulf of  
Mexico northeast and northwest coastal waters, including surface  
water levels and 3-D water currents, water temperature, and  
salinity out to 48 hours.

As its core ocean prediction model, NEGOFS and NWGOFS use the  
Finite Volume Coastal Ocean Model (FVCOM) developed jointly by  
the University of Massachusetts, Dartmouth, and the Woods Hole  
Oceanographic Institution. FVCOM is a prognostic, unstructured-  
grid, finite-volume, free-surface, 3-D primitive equation coastal  
ocean model. FVCOM has a horizontal grid comprised of  
unstructured triangular cells where the irregular bottom is  
presented using generalized terrain-following coordinates.

The NEGOFS grid consists of 68,455 nodes and 130,814 elements and  
includes three PORTS: Gulfport, Pascagoula and Mobile Bay. The  
grid resolution ranges from 45m to 2160m. NEGOFS has resolution  
from 56m to 986m in Gulfport, 45m to 1050m in Pascagoula, and 45m

to 1500m in Mobile Bay. The NWGOFS grid consists of 85,707 nodes and 161,518 elements and includes four PORTS: Matagorda Bay, Galveston Bay, Sabine Neches and Lake Charles. The NWGOFS grid resolution ranges from 60m to 3500m, 70m to 550m in Matagorda Bay, 80m to 530m in Galveston Bay, 60m to 540m in Sabine Neches and 70m to 560m in Lake Charles. The higher resolution within the seven PORTS provides more detailed current features.

NEGOFS and NWGOFS operate within the NOS Coastal Ocean Modeling Framework (COMF) and have four daily nowcast and forecast cycles: 03, 09, 15 and 21 UTC.

For the NEGOFs or NWGOFS nowcast cycle, the meteorological forcing is provided by the nested, high resolution (4 km) NCEP North American Mesoscale (NAM) weather prediction model. River discharge and stage are estimated using near-real-time observations from U.S. Geological Survey river gauges. Oceanographic conditions of water levels, currents, water temperature and salinity on lateral open boundary on the shelf are provided from NGOFs nowcast simulation.

For the NEGOFs or NWGOFS forecast cycle, the meteorological forcing is provided by the nested, high resolution (4 km) NCEP North American Mesoscale (NAM) weather prediction model. River discharge and stage are estimated by persistence of the most recent near-real-time observations from U.S. Geological Survey river gauges. Oceanographic conditions of water levels, currents, water temperature and salinity on lateral open boundary on the shelf are provided from NGOFs forecast simulation.

Gridded and point forecast guidance from NEGOFs or NWGOFS will be available in netCDF files on the NCEP server at Web Operations Centers (WOC)

<ftp://ftp.ncep.noaa.gov>

in the directory

[/pub/data/nccfs/com/nos/prod/negofs.yyyymmdd](ftp://pub/data/nccfs/com/nos/prod/negofs.yyyymmdd)

[/pub/data/nccfs/com/nos/prod/nwgofs.yyyymmdd](ftp://pub/data/nccfs/com/nos/prod/nwgofs.yyyymmdd)

and at CO-OPS THREDDS server

<http://opendap.co-ops.nos.noaa.gov/thredds/catalog.html>

NEGOFS or NWGOFS outputs are displayed on the CO-OPS web page at

<http://tidesandcurrents.noaa.gov>

Additional information about NEGOFs or NWGOFS can be found at

<http://www.tidesandcurrents.noaa.gov/models.html>

NEGOFS or NWGOFS predictions are used by commercial and recreational mariners and fishermen, emergency managers, search and rescue operations, and NWS marine weather forecasters. The development and implementation of NEGOFS and NWGOFS were a joint project of the NOS/Office of Coast Survey (OCS); the NOS/Center for Operational Oceanographic Products and Services (CO-OPS); NWS/NCEP/NCO and the University of Massachusetts, Dartmouth; and the Woods Hole Oceanographic Institution. NEGOFS and NWGOFS are monitored 24x7 by both NCO/NCEP and CO-OPS Continuous Real-Time Monitoring System (CORMS) personnel.

If you have any questions concerning these changes, please contact:

Dr. Aijun Zhang

NOS/CO-OPS

Silver Spring, MD

Email: Aijun.Zhang@noaa.gov

or

Dr. Frank Aikman

Marine Modeling and Analysis Branch

Coast Survey Development Laboratory

NOAA/NOS/Office of Coast Survey

Silver Spring, MD

Email: Frank.Aikman@noaa.gov

For questions regarding the dataflow aspects with respect to the NCEP server at the WOC, please contact:

Rebecca Cosgrove

NCEP/NCO Dataflow Team

College Park, MD

Email: ncep.list.pmb-dataflow@noaa.gov

For questions on how to access NEGOFS or NWGOFS digital products from CO-OPS servers please contact:

NOS/CO-OPS/User Services Team

Silver Spring, MD

Email: tide.prediction@noaa.gov

NWS Technical Implementation Notices are available online at:

<http://www.nws.noaa.gov/om/notif.htm>

\$\$