

VI.3.4B-PRINTRC PROGRAM FCINIT COMMAND PRINTRC

Purpose

Command PRINTRC prints Rating Curve definitions.

Input Data

First record:

PRINTRC

Subcommands:

The following subcommands can be entered in any order.

At least an IDENTIFIER subcommand or an ALLRC subcommand must be specified. An ALLRC subcommand will override an IDENTIFIER subcommand.

The UNITS subcommand is optional. If not specified the units will be those used when the Rating Curve was defined.

The RCFORMAT subcommand allows a choice of print formats.

<u>First Field (abbreviation)</u>	<u>Subsequent Fields (abbreviation)</u>
IDENTIFIER (IDS, ID, I)	Identifiers of Rating Curves to be printed
ALLRC	None - all non-obsolete Rating Curves to be printed
UNITS (U)	Display units - ENGLISH (E) or METRIC (M) - if blank units for display will be those used when Rating Curve was defined
RCFORMAT	Print format - if blank the standard Rating Curve format will be printed (default) - enter 'MARFC' to print the Rating Curve using the format written by the Middle Atlantic RFC (with elevations printed every 0.01 feet)

Last record:

END None

Example

The following input will print Rating Curves definitions in English

units.

```
PRINTRC
  IDENTIFIERS ROSSE BLASE
  UNITS       ENGLISH
  END
```