

COMMON BLOCK SUDBGX

Purpose

Contains debug codes and trace levels.

Listing

```
COMMON /SUDBGX/ IOSDBG, ISTRCE, NSDEBUG, SDEBUG(20), ISALL, ISDEBUG
                ISDBGL, SDBG2(20), ISLTRC(20), ISLDBG(20),
                SDRTN2(20), ISDRTN
```

Description of Variables

<u>Variable Name</u>	<u>Type</u>	<u>Dim.</u>	<u>Word Pos.</u>	<u>Description</u>
IOSDBG	I	1	1	Unit on which debug output is to be printed
ISTRCE	I	1	2	Trace level
NSDEBUG	I	1	3	Number of debug codes specified
SDEBUG	A4	20	4	Array of 4-character debug codes
ISALL	I	1	24	Indicator whether all debug is on 0 = No 1 = Yes
ISDEBUG	I	1	25	Special debug indicator
ISDBGL	I	1	26	Debug level
SDBG2	A8	20	27	Array of 8-character debug codes
ISLTRC	I	20	67	Array of trace level for each debug code
ISLDBG	I	20	87	Array of debug level for each debug code
SDRTN2	A8	20	107	Array of 8-character routine names indicating at which routine debug codes are to be enabled
ISDRTN	I	1	127	Indicator whether routine name is to be checked