

# **Drought Information Statement for Eastern OR & South Central WA**

Valid May 16, 2025

Issued By: NWS Pendleton

Contact Information: pdt.operations@noaa.gov

- This product will be updated if drought conditions change significantly.
- Please see all currently available products at <a href="https://drought.gov/drought-information-statements">https://drought.gov/drought-information-statements</a>.
- Please visit https://www.weather.gov/pdt/DroughtInformationStatement for previous statements
- Please visit <a href="https://www.drought.gov/drought-status-updates/">https://www.drought.gov/drought-status-updates/</a> for regional drought status updates.
- Moderate Drought remain in portions of western Kittitas and Yakima counties with abnormally dry conditions over the lower slopes of the Washington Cascades and the eastern Oregon Mountains
- Much below normal precipitation (< 50%) in nearly all areas during the last 30 days as well as during the last 120 days in all areas except for near to above normal precipitation (100%-200%) in the OR and WA Columbia Basin, the Blue Mountain Foothills, OR Cascades and portions of central OR
- Very little of the winter snowpack remains below 5,000 feet in the mountains and what is left is melting rapidly
- Drought conditions are expected to persist in the central WA Cascades through the end of August while other areas remain drought free






# U.S. Drought Monitor

Link to the latest U.S. Drought Monitor

- Drought intensity and Extent
  - D2 (Severe Drought): None
  - **D1 (Moderate Drought)**: Western Kittitas and northwest Yakima counties.
  - D0: (Abnormally Dry): 0
    - Central Kittitas, west central Yakima, northwest Klickitat and southeast Columbia counties in Washington
    - Union, southeastern Umatilla and Morrow, most of Wallowa, eastern Wheeler, northeast Crook and northern Grant counties in Oregon
  - All other areas are in normal conditions

#### **U.S. Drought Monitor**







Source(s): NDMC, NOAA, USDA; image courtesy of Drought.gov

Data Valid: 05/13/25




### Recent Change in Drought Intensity

Link to the latest 4-week change map for the Pacific Northwest

- One-Week Drought Monitor Class Change
  - <u>Drought Worsened (1 Class</u>
     <u>Degradation)</u>: Union, southeastern

     Umatilla and Morrow, most of
     Wallowa, eastern Wheeler,
     northeast Crook and northern
     Grant counties in Oregon
  - <u>Drought Improved (1 Class</u>
     <u>Improvement)</u>: None
- Four-Week Drought Monitor Class Change
  - <u>Drought Worsened (1 Class</u>
     <u>Degradation)</u>: Union, southeastern

     Umatilla and Morrow, most of
     Wallowa, eastern Wheeler,
     northeast Crook and northern
     Grant counties in Oregon
  - <u>Drought Improved (1 Class Improvement)</u>: Small portions of western Yakima and central Kittitas counties in Washington.






Image Captions:
Right - 4 Week Drought Class Change
Left - 1 Week Drought Class Change
Data Courtesy U.S. Drought Monitor and Drought.gov






### **Precipitation - Last 30 Days**

- Below normal precipitation (50% to 100% of normal) in parts of central Oregon
- Pockets of less than 5% of normal precipitation in eastern Kittitas, central Yakima and south central Klickitat counties
- Much below normal precipitation (5% to 50% of normal) in the rest of the area
- Highest precipitation amounts were 1 to 2 inches over the WA Cascade crest, eastern Wallowa county and a small pocket in the Ochoco Mountains
- Generally less than 1 inch of precipitation in Oregon
- Generally less than 0.5 inch of precipitation in Washington except up to an inch in the eastern Columbia Basin, northern Blue Mountains and Blue Mountain Foothills of WA

Percent of Normal Precipitation (%) 4/16/2025 — 5/15/2025



/16/2025 using provisional data.

/16/2025 using provisional data.

ACIS V

Precipitation (in) 4/16/2025 - 5/15/2025




Image Captions: Right - Precipitation Amount for Pacific NW Left - Percent of Normal Precipitation for Pacific NW Data Courtesy




ACIS V



### Precipitation - 4-month (120-day) Precipitation

- Near to above normal precipitation (100% to 200% of normal) in the OR and WA Columbia Basin, the Blue Mountain Foothills, OR Cascades and portions of central OR over the last 120-days
- Much below normal precipitation (0% to 50% of normal) in the rest of the area over the last 120-days






Image Captions:
Right - Precipitation Amounts for Pacific NW
Left - Percent of Normal Precipitation for Pacific NW
Courtesy of Drought.gov






### Temperature - Last 7 and 30 Days

- Near normal temperatures (1 degree below to 3 degrees above normal) in western portions of Washington and for Oregon in pockets of the Columbia Basin, southern Blue Mountain Foothills, north central Oregon and the John Day Basin for the last 7 days
- Above normal temperatures (3 to 6 degrees) in the eastern portions of Washington most portions of Oregon for the least 7 days
- Well above normal temperatures (6 to 8 degrees) in small pockets of the OR Cascades and eastern OR mountains for the last 7 days
- Mostly above normal temperatures (3 to 6 degrees) for the the last 30 days except slightly above normal (1 to 3 degrees) in much of Yakima county, and portions of the Blue Mountains
- Greatest departures (6 to 8 degrees above normal) over the last 30 days were seen in pockets of the central OR Cascades

#### **30-Day Temperature Anomaly**



#### 7-Day Temperature Anomaly




Image Captions:
Right - Temperature for Pacific NW
Left - Percent of Normal Precipitation for Pacific NW
Courtesy of Drought.gov



## Summary of Impacts

See/submit Condition Monitoring Observer Reports (CMOR) and view the Drought Impacts Reporter

#### **Hydrologic Impacts**

- Most basins have near normal streamflow (26th-75th percentile)
- Much below normal streamflow (below the 10th percentile) for the Upper Yakima basin
- Below normal streamflows (10th-25th percentiles) for the Lower Yakima, Upper Columbia-Priest Rapids, Palouse and Walla Walla basins

#### **Snowpack Impacts**

• Snow telemetry (SNOTEL) monitoring sites show little snow remaining below 5,000 feet in the mountains. Above that level, what snowpack remains is melting rapidly. Aside from continued drought in the central WA Cascade basins, there are no known impacts at this time.

#### **Agricultural Impacts**

There are no known impacts at this time

#### Fire Hazard Impacts

• There are no known impacts at this time

#### **Other Impacts**

- Washington: Washington Drought Declaration issued for Upper Yakima, Lower Yakima and Naches Watersheds
- Oregon: No Drought Declarations are in effect as of this Drought Information Statement

#### Mitigation actions

• Please refer to your municipality and/or water provider for mitigation information





### Hydrologic Conditions and Impacts - Washington


#### **Main Takeaways**

- Much below normal streamflow (below the 10th percentile) for the Upper Yakima basin
- Below normal streamflows (10th-25th percentiles) for the Lower Yakima, Upper Columbia-Priest Rapids, Palouse and Walla Walla basins
- All other basins have normal stream flows (25th-75th percentiles)

#### **Impacts**

No known impacts at this time

Reduced streamflow may be detrimental to aquatic species and recreational activities.



Explanation - Percentile classes								
Low	<10	10-24	25-75	76-90	>90	High	No Data	
	Much below normal	Below normal	Normal	Above normal	Much above normal			

Image Captions:

Right - USGS 7-day average streamflow station map valid May 15, 2025 Left - USGS 7-day average streamflow HUC map valid May 15, 2025 Data Courtesy USGS Water Watch





### Hydrologic Conditions and Impacts - Oregon

**■USGS** 


#### Main Takeaways

- Below normal streamflow (10th-24th percentile) for the Walla Walla basin
- Near normal streamflows (25th-75th percentile) for all other basins except no data for the Powder basin


#### **Impacts**


No known impacts at this time

Reduced streamflow may be detrimental to aquatic species and recreational activities.



Thursday, May 15, 2025





_	
2	USC
	UJU

	Expl	anatior	- Perce	ntile cla	asses		
Low	<10	10-24	25-75	76-90	>90	High	No Data
	Much below normal	Below normal	Normal	Above normal	Much above normal		

Image Captions:

Right - USGS 7-day average streamflow station map valid May 15, 2025 Left - USGS 7-day average streamflow HUC map valid May 15, 2025 Data Courtesy USGS Water Watch





### Water Supply Forecast - April - September 2025

Link to the latest Northwest River Forecast Center Water Supply Forecast.

#### Main Takeaways

- Below normal water supply (60% to 90% of the 1991-2020 normal) is forecast over most of the region for the April-September 2025 period
- Near normal water supply (85% to 110% of the 1991-2020 normal) is forecast across streams and rivers in the Columbia Gorge, the southern Blue Mountains and the John Day Basin for the April-September 2025 period
- Well above normal water supply (155% to 180% of the 1991-2020 normal) is forecast across the Ochoco-John Day Highlands for the April-September 2025 period

#### **Impacts**


No known impacts at this time

Low reservoir levels would be expected to affect agriculture production, fish, and other aguatic species.

Image Caption:

Ensemble Streamflow Prediction Natural Forecast
Data Courtesy NOAA NWS Northwest River Forecast Center
Issued May 16, 2025










### Fire Hazard Impacts - September through December

<u>Link to Wilding Potential Suttooks from the National Interagency Socialization Center, </u>

#### Main Takeaways

- Normal significant wildland fire potential (i.e., very low risk) for all areas through May 2025
- Above normal significant wildland fire potential (i.e., a greater than normal risk) for the WA Cascades and Columbia Basin and near normal significant wildland fire potential (i.e., very low risk) for all other areas in June 2025
- Above normal significant wildland fire potential (i.e., a greater than normal risk) for all areas in July and August 2025
- Significant wildland fires are expected at typical times (e.g., warm season) and intervals during normal significant wildland fire potential conditions







Image Caption: Left - June 2025 Right - July 2025 Data Courtesy National Interagency Coordination Center Issued May 1, 2025



### Seven Day Precipitation Forecast

- A series of weather disturbances through much of the upcoming week, especially this weekend, will lead above normal rain amounts
  - The higher mountains may get up to an inch of rain
  - The lower elevations will generally get up to a tenth to a quarter of an inch
- Temperatures will be near to a few degrees below normal and winds will continue to be breezy to windy most days
- Visit <u>weather.gov/Pendleton</u> for the latest weather forecast






Image Caption:

Weather Prediction Center 7-day precipitation forecast





### 6-10 Day Outlook

Link to the latest Climate Prediction Center 6 to 10 day Temperature Outlook and Precipitation Outlook.

#### Main Takeaways

- Leaning towards
   below normal
   temperatures (33% to
   40%) in the WA
   Cascades with equal
   chances of above,
   below and near normal
   temperatures
   elsewhere
- Leaning towards
   below normal
   precipitation (33% to
   40%) in central OR
   and the eastern OR
   mountains with equal
   chances of above,
   below and near normal
   precipitation
   elsewhere




Image Captions:

Left - Climate Prediction Center 6-10 Day Temperature Outlook.

Right - Climate Prediction Center 6-10 Day Precipitation Outlook.

Valid May 22 - 26, 2025






### 8-14 Day Outlook

Link to the latest Climate Prediction Center 8 to 14 day Temperature Outlook and Precipitation Outlook.

#### **Main Takeaways**

- Equal chances of below, above and near normal temperatures in the western half of the area and a 33% to 40% chance of above normal temperatures in the eastern half of the area
- A 33% to 40% chance of below normal precipitation over the area except for equal chances of below, above and near normal precipitation in southeastern Union and Wallowa counties






Image Captions:

Left - Climate Prediction Center 8-14 Day Temperature Outlook.

Right - Climate Prediction Center 8-14 Day Precipitation Outlook.

Valid May 24 - 30, 2025






### Monthly Climate Outlook

Link to the latest Climate Prediction Center Monthly Outlook.

#### Main Takeaways for June 2025

- A 33% to 40% chance of above normal temperatures area-wide
- A 33% to 40% chance of below normal precipitation in most areas except a 40% to 50% chance of below normal precipitation in eastern Wallowa county and equal chances of below, above or near normal precipitation in the WA Cascades and in the Yakima and Kittitas Valleys



Monthly Temperature Outlook for June 1, 2025-June 30,






Image Captions:

Left - Climate Prediction Center Seasonal Temperature Outlook.

Right - Climate Prediction Center Seasonal Precipitation Outlook.

Updated May 15, 2025






### Seasonal Climate Outlook

Link to the latest Climate Prediction Center Seasonal Outlook.

## Main Takeaways for June-July-August 2025

- A 40% to 60% chance of above normal temperatures area-wide
- A 40% to 50% chance of below normal precipitation area-wide

Seasonal (3-Month) Temperature Outlook for June 1, 2025-August 31, 2025



Seasonal (3-Month) Precipitation Outlook for June 1, 2025-August 31, 2025




Image Captions:

Left - Climate Prediction Center Seasonal Temperature Outlook.
Right - Climate Prediction Center Seasonal Precipitation Outlook.

Valid June-August 2025




The latest drought outlooks can be found on the <a href="CPC">CPC homepage</a>.

#### Main Takeaways

 Drought is expected to persist in the central WA Cascades through August while all other areas will remain drought free

#### **Possible Impacts**

 Reduced streamflows and reservoir levels in the Upper Yakima basins may persist and this could result in possible reduction in agricultural yield, crop loss, and poor pasture conditions where irrigation water is not available. Seasonal (3-Month) Drought Outlook for May 15, 2025-August 31, 2025



1-Month Drought Outlook for May 1, 2025-May 31, 2025




Image Captions:

Right - <u>Climate Prediction Center Monthly Drought Outlook</u> Released May 15, 2025 Left - <u>Climate Prediction Center Seasonal Drought Outlook</u> Released May 15, 2025