

Summary of Daily Normals
1991-2020
Generated on 08/23/2021

December							January							February						
DATE	MAX	MIN	AVG	HDD	CDD	PRCP	DATE	MAX	MIN	AVG	HDD	CDD	PRCP	DATE	MAX	MIN	AVG	HDD	CDD	PRCP
01	50.3	38.2	44.3	20.7	0.0	71.0%	01	48.4	37.8	43.1	21.9	0.0	71.6%	01	50.2	37.7	44.0	21.0	0.0	67.0%
02	50.1	38.1	44.1	20.9	0.0	71.0%	02	48.5	37.9	43.2	21.8	0.0	71.6%	02	50.3	37.7	44.0	21.0	0.0	66.8%
03	49.9	38.0	44.0	21.0	0.0	71.0%	03	48.5	37.9	43.2	21.8	0.0	71.6%	03	50.3	37.6	44.0	21.0	0.0	66.7%
04	49.8	37.9	43.8	21.2	0.0	71.0%	04	48.6	38.0	43.3	21.7	0.0	71.5%	04	50.4	37.6	44.0	21.0	0.0	66.7%
05	49.6	37.9	43.7	21.3	0.0	71.0%	05	48.7	38.0	43.3	21.7	0.0	71.5%	05	50.4	37.5	44.0	21.0	0.0	66.6%
06	49.4	37.8	43.6	21.4	0.0	71.1%	06	48.8	38.1	43.4	21.6	0.0	71.4%	06	50.4	37.5	44.0	21.0	0.0	66.5%
07	49.3	37.7	43.5	21.5	0.0	71.2%	07	48.8	38.1	43.5	21.5	0.0	71.2%	07	50.5	37.4	44.0	21.0	0.0	66.5%
08	49.1	37.6	43.4	21.6	0.0	71.4%	08	48.9	38.1	43.5	21.5	0.0	71.0%	08	50.5	37.4	44.0	21.0	0.0	66.5%
09	49.0	37.6	43.3	21.7	0.0	71.5%	09	49.0	38.2	43.6	21.4	0.0	70.9%	09	50.6	37.4	44.0	21.0	0.0	66.6%
10	48.9	37.5	43.2	21.8	0.0	71.6%	10	49.0	38.2	43.6	21.4	0.0	70.7%	10	50.6	37.3	44.0	21.0	0.0	66.6%
11	48.8	37.5	43.1	21.9	0.0	71.7%	11	49.1	38.2	43.7	21.3	0.0	70.4%	11	50.7	37.3	44.0	21.0	0.0	66.7%
12	48.7	37.5	43.1	21.9	0.0	71.8%	12	49.2	38.2	43.7	21.3	0.0	70.2%	12	50.7	37.3	44.0	21.0	0.0	66.8%
13	48.6	37.4	43.0	22.0	0.0	71.9%	13	49.3	38.3	43.8	21.2	0.0	69.9%	13	50.8	37.2	44.0	21.0	0.0	66.9%
14	48.5	37.4	42.9	22.1	0.0	71.9%	14	49.3	38.3	43.8	21.2	0.0	69.7%	14	50.8	37.2	44.0	21.0	0.0	67.0%
15	48.4	37.4	42.9	22.1	0.0	72.0%	15	49.4	38.3	43.8	21.2	0.0	69.5%	15	50.9	37.2	44.0	21.0	0.0	67.1%
16	48.3	37.4	42.8	22.1	0.0	72.0%	16	49.5	38.3	43.9	21.1	0.0	69.3%	16	50.9	37.2	44.1	20.9	0.0	67.2%
17	48.3	37.4	42.8	22.2	0.0	72.0%	17	49.5	38.3	43.9	21.1	0.0	69.1%	17	51.0	37.2	44.1	20.9	0.0	67.3%
18	48.2	37.4	42.8	22.2	0.0	72.1%	18	49.6	38.3	43.9	21.1	0.0	68.9%	18	51.0	37.2	44.1	20.9	0.0	67.4%
19	48.2	37.4	42.8	22.2	0.0	72.1%	19	49.6	38.3	44.0	21.0	0.0	68.7%	19	51.1	37.2	44.2	20.8	0.0	67.4%
20	48.2	37.4	42.8	22.2	0.0	72.1%	20	49.7	38.2	44.0	21.0	0.0	68.6%	20	51.2	37.3	44.2	20.8	0.0	67.5%
21	48.1	37.4	42.8	22.2	0.0	72.0%	21	49.8	38.2	44.0	21.0	0.0	68.5%	21	51.2	37.3	44.3	20.7	0.0	67.6%
22	48.1	37.4	42.8	22.2	0.0	72.0%	22	49.8	38.2	44.0	21.0	0.0	68.3%	22	51.3	37.3	44.3	20.7	0.0	67.7%
23	48.1	37.4	42.8	22.2	0.0	71.9%	23	49.9	38.2	44.0	21.0	0.0	68.1%	23	51.4	37.4	44.4	20.6	0.0	67.7%
24	48.1	37.5	42.8	22.2	0.0	71.9%	24	49.9	38.1	44.0	21.0	0.0	68.0%	24	51.5	37.4	44.4	20.6	0.0	67.8%
25	48.1	37.5	42.8	22.2	0.0	71.9%	25	50.0	38.1	44.0	21.0	0.0	67.8%	25	51.5	37.5	44.5	20.5	0.0	67.8%
26	48.2	37.5	42.9	22.1	0.0	71.9%	26	50.0	38.0	44.0	21.0	0.0	67.7%	26	51.6	37.5	44.6	20.4	0.0	67.9%
27	48.2	37.6	42.9	22.1	0.0	71.9%	27	50.0	38.0	44.0	21.0	0.0	67.6%	27	51.7	37.6	44.6	20.4	0.0	68.0%
28	48.2	37.6	42.9	22.1	0.0	71.9%	28	50.1	37.9	44.0	21.0	0.0	67.5%	28	51.8	37.7	44.7	20.3	0.0	68.2%
29	48.3	37.7	43.0	22.0	0.0	71.8%	29	50.1	37.9	44.0	21.0	0.0	67.4%							
30	48.3	37.7	43.0	22.0	0.0	71.7%	30	50.2	37.8	44.0	21.0	0.0	67.3%							
31	48.4	37.8	43.1	21.9	0.0	71.7%	31	50.2	37.8	44.0	21.0	0.0	67.1%							
MNTH	48.7	37.6	43.2	677.3	0.0	10.68 b	MNTH	49.4	38.1	43.7	658.8	0.0	10.59 b	MNTH	50.9	37.4	44.2	583.8	0.0	7.18 b
							Winter	49.7	37.7	43.7	1919.9	0.0	28.45 b							
							Annual	58.4	44.5	51.4	4959.9	22.1	70.26 b							

a: Probability of precipitation >= 0.01 inches for 29-day windows centered on each day of the year.
blank: missing or insufficient data.

b: Long-term averages of seasonal or annual precipitation totals in Inches.

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service
Current Location: Elev: 9 ft. Lat: 46.1569° N Lon: -123.8825° W
Station: **ASTORIA RGNL AP, OR US USW00094224**

Summary of Daily Normals
1991-2020
Generated on 08/23/2021

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

March							April							May						
DATE	MAX	MIN	AVG	HDD	CDD	PRCP	DATE	MAX	MIN	AVG	HDD	CDD	PRCP	DATE	MAX	MIN	AVG	HDD	CDD	PRCP
01	51.8	37.7	44.8	20.2	0.0	68.4%	01	54.2	40.2	47.2	17.8	0.0	66.8%	01	58.3	43.5	50.9	14.1	0.0	57.3%
02	51.9	37.8	44.9	20.1	0.0	68.5%	02	54.3	40.3	47.3	17.7	0.0	66.7%	02	58.5	43.7	51.1	13.9	0.0	56.8%
03	52.0	37.9	44.9	20.1	0.0	68.6%	03	54.3	40.3	47.3	17.7	0.0	66.6%	03	58.6	43.9	51.3	13.8	0.0	56.3%
04	52.1	38.0	45.0	20.0	0.0	68.6%	04	54.4	40.4	47.4	17.6	0.0	66.4%	04	58.8	44.1	51.4	13.6	0.0	55.7%
05	52.2	38.0	45.1	19.9	0.0	68.6%	05	54.5	40.5	47.5	17.5	0.0	66.3%	05	59.0	44.3	51.6	13.4	0.0	55.2%
06	52.3	38.1	45.2	19.8	0.0	68.6%	06	54.6	40.5	47.6	17.4	0.0	66.2%	06	59.1	44.5	51.8	13.2	0.0	54.6%
07	52.3	38.2	45.3	19.7	0.0	68.6%	07	54.7	40.6	47.7	17.3	0.0	66.0%	07	59.3	44.7	52.0	13.1	0.0	54.1%
08	52.4	38.3	45.4	19.6	0.0	68.6%	08	54.8	40.7	47.8	17.2	0.0	65.8%	08	59.5	44.9	52.2	12.9	0.1	53.6%
09	52.5	38.4	45.4	19.6	0.0	68.7%	09	54.9	40.8	47.8	17.2	0.0	65.6%	09	59.6	45.1	52.3	12.7	0.1	53.1%
10	52.6	38.5	45.5	19.5	0.0	68.7%	10	55.1	40.8	47.9	17.1	0.0	65.4%	10	59.8	45.2	52.5	12.6	0.1	52.6%
11	52.6	38.6	45.6	19.4	0.0	68.7%	11	55.2	40.9	48.0	17.0	0.0	65.2%	11	59.9	45.4	52.7	12.4	0.1	52.2%
12	52.7	38.7	45.7	19.3	0.0	68.7%	12	55.3	41.0	48.1	16.9	0.0	64.9%	12	60.1	45.6	52.9	12.2	0.1	51.8%
13	52.8	38.8	45.8	19.2	0.0	68.6%	13	55.4	41.1	48.3	16.8	0.0	64.6%	13	60.2	45.8	53.0	12.0	0.1	51.4%
14	52.9	38.9	45.9	19.1	0.0	68.6%	14	55.6	41.2	48.4	16.6	0.0	64.3%	14	60.4	46.0	53.2	11.9	0.1	51.1%
15	53.0	39.0	46.0	19.0	0.0	68.5%	15	55.7	41.3	48.5	16.5	0.0	63.9%	15	60.5	46.2	53.4	11.7	0.1	50.9%
16	53.0	39.0	46.0	19.0	0.0	68.5%	16	55.8	41.4	48.6	16.4	0.0	63.6%	16	60.6	46.4	53.5	11.6	0.1	50.6%
17	53.1	39.1	46.1	18.9	0.0	68.4%	17	56.0	41.5	48.7	16.3	0.0	63.2%	17	60.8	46.6	53.7	11.4	0.1	50.4%
18	53.2	39.2	46.2	18.8	0.0	68.4%	18	56.1	41.6	48.9	16.1	0.0	62.8%	18	60.9	46.8	53.8	11.2	0.1	50.2%
19	53.2	39.3	46.3	18.7	0.0	68.3%	19	56.3	41.7	49.0	16.0	0.0	62.3%	19	61.0	46.9	54.0	11.1	0.1	50.0%
20	53.3	39.4	46.3	18.7	0.0	68.3%	20	56.4	41.8	49.1	15.9	0.0	61.9%	20	61.1	47.1	54.1	11.0	0.1	49.8%
21	53.4	39.5	46.4	18.6	0.0	68.2%	21	56.6	42.0	49.3	15.7	0.0	61.5%	21	61.3	47.3	54.3	10.8	0.1	49.7%
22	53.4	39.5	46.5	18.5	0.0	68.2%	22	56.7	42.1	49.4	15.6	0.0	61.1%	22	61.4	47.4	54.4	10.7	0.1	49.4%
23	53.5	39.6	46.6	18.4	0.0	68.1%	23	56.9	42.2	49.6	15.4	0.0	60.7%	23	61.5	47.6	54.5	10.5	0.1	49.2%
24	53.6	39.7	46.6	18.4	0.0	68.0%	24	57.1	42.4	49.7	15.3	0.0	60.3%	24	61.6	47.8	54.7	10.4	0.0	49.1%
25	53.7	39.8	46.7	18.3	0.0	67.9%	25	57.2	42.5	49.9	15.1	0.0	59.8%	25	61.7	47.9	54.8	10.2	0.0	48.9%
26	53.7	39.8	46.8	18.2	0.0	67.8%	26	57.4	42.7	50.1	15.0	0.0	59.5%	26	61.8	48.1	54.9	10.1	0.0	48.6%
27	53.8	39.9	46.8	18.2	0.0	67.7%	27	57.6	42.9	50.2	14.8	0.0	59.1%	27	61.9	48.2	55.1	10.0	0.0	48.5%
28	53.9	40.0	46.9	18.1	0.0	67.5%	28	57.8	43.0	50.4	14.6	0.0	58.6%	28	62.0	48.4	55.2	9.9	0.0	48.3%
29	53.9	40.0	47.0	18.0	0.0	67.3%	29	57.9	43.2	50.6	14.5	0.0	58.2%	29	62.1	48.5	55.3	9.8	0.1	48.2%
30	54.0	40.1	47.1	17.9	0.0	67.1%	30	58.1	43.4	50.7	14.3	0.0	57.7%	30	62.2	48.6	55.4	9.6	0.1	48.0%
31	54.1	40.2	47.1	17.9	0.0	66.9%								31	62.3	48.8	55.5	9.5	0.1	47.9%
MNTH	53.0	39.0	46.0	589.0	0.0	7.90 b	MNTH	55.9	41.5	48.7	489.2	0.2	5.80 b	MNTH	60.5	46.3	53.4	361.3	1.7	3.40 b
							Spring	56.5	42.3	49.4	1439.5	1.9	17.10 b							
							Annual	58.4	44.5	51.4	4959.9	22.1	70.26 b							

a: Probability of precipitation >= 0.01 inches for 29-day windows centered on each day of the year.
blank: missing or insufficient data.

b: Long-term averages of seasonal or annual precipitation totals in Inches.

Summary of Daily Normals
1991-2020
Generated on 08/23/2021

June							July							August						
DATE	MAX	MIN	AVG	HDD	CDD	PRCP	DATE	MAX	MIN	AVG	HDD	CDD	PRCP	DATE	MAX	MIN	AVG	HDD	CDD	PRCP
01	62.4	48.9	55.6	9.4	0.0	47.8%	01	66.0	52.4	59.2	5.9	0.1	36.0%	01	68.3	54.7	61.5	3.7	0.2	22.9%
02	62.5	49.0	55.8	9.3	0.0	47.6%	02	66.1	52.6	59.3	5.8	0.1	35.3%	02	68.3	54.7	61.5	3.7	0.2	22.9%
03	62.6	49.2	55.9	9.2	0.0	47.5%	03	66.2	52.7	59.5	5.7	0.1	34.6%	03	68.3	54.6	61.5	3.7	0.2	22.9%
04	62.7	49.3	56.0	9.1	0.0	47.5%	04	66.4	52.8	59.6	5.5	0.1	33.9%	04	68.3	54.6	61.5	3.7	0.2	22.9%
05	62.8	49.4	56.1	9.0	0.0	47.4%	05	66.5	52.9	59.7	5.4	0.1	33.2%	05	68.4	54.6	61.5	3.8	0.2	23.0%
06	62.9	49.5	56.2	8.9	0.0	47.3%	06	66.6	53.1	59.8	5.3	0.1	32.5%	06	68.4	54.6	61.5	3.8	0.2	23.1%
07	63.0	49.6	56.3	8.7	0.0	47.2%	07	66.7	53.2	59.9	5.1	0.1	31.9%	07	68.4	54.5	61.5	3.8	0.3	23.1%
08	63.1	49.7	56.4	8.6	0.0	47.0%	08	66.8	53.3	60.1	5.0	0.1	31.2%	08	68.5	54.5	61.5	3.8	0.3	23.2%
09	63.2	49.9	56.5	8.5	0.0	46.9%	09	66.9	53.4	60.2	4.9	0.1	30.6%	09	68.5	54.4	61.5	3.8	0.2	23.3%
10	63.3	50.0	56.6	8.4	0.1	46.7%	10	67.0	53.5	60.3	4.8	0.1	30.1%	10	68.5	54.4	61.4	3.8	0.2	23.3%
11	63.4	50.1	56.7	8.3	0.1	46.4%	11	67.1	53.6	60.4	4.7	0.1	29.5%	11	68.5	54.3	61.4	3.8	0.2	23.4%
12	63.5	50.2	56.9	8.2	0.0	46.1%	12	67.2	53.7	60.5	4.6	0.1	29.0%	12	68.6	54.3	61.4	3.8	0.2	23.6%
13	63.6	50.3	57.0	8.1	0.0	45.7%	13	67.3	53.8	60.6	4.6	0.1	28.6%	13	68.6	54.2	61.4	3.8	0.2	23.8%
14	63.7	50.4	57.1	8.0	0.0	45.3%	14	67.4	53.9	60.7	4.5	0.1	28.1%	14	68.6	54.1	61.4	3.8	0.2	24.0%
15	63.9	50.5	57.2	7.8	0.0	44.9%	15	67.5	54.0	60.8	4.4	0.2	27.7%	15	68.7	54.1	61.4	3.9	0.2	24.2%
16	64.0	50.6	57.3	7.7	0.0	44.4%	16	67.6	54.1	60.8	4.3	0.2	27.3%	16	68.7	54.0	61.4	3.9	0.2	24.4%
17	64.1	50.8	57.4	7.6	0.1	43.9%	17	67.6	54.2	60.9	4.3	0.2	26.9%	17	68.7	53.9	61.3	3.9	0.2	24.6%
18	64.2	50.9	57.6	7.5	0.1	43.4%	18	67.7	54.2	61.0	4.2	0.2	26.5%	18	68.8	53.9	61.3	3.9	0.2	24.9%
19	64.4	51.0	57.7	7.4	0.1	42.9%	19	67.8	54.3	61.0	4.1	0.2	26.1%	19	68.8	53.8	61.3	3.9	0.2	25.2%
20	64.5	51.1	57.8	7.3	0.1	42.4%	20	67.8	54.4	61.1	4.1	0.2	25.8%	20	68.8	53.7	61.3	3.9	0.2	25.5%
21	64.6	51.2	57.9	7.2	0.1	41.8%	21	67.9	54.4	61.2	4.0	0.2	25.4%	21	68.9	53.6	61.3	4.0	0.2	25.9%
22	64.8	51.3	58.1	7.0	0.1	41.3%	22	67.9	54.5	61.2	4.0	0.2	25.1%	22	68.9	53.5	61.2	4.0	0.2	26.3%
23	64.9	51.5	58.2	6.9	0.1	40.7%	23	68.0	54.5	61.3	4.0	0.2	24.8%	23	68.9	53.5	61.2	4.0	0.2	26.7%
24	65.0	51.6	58.3	6.8	0.1	40.2%	24	68.0	54.6	61.3	3.9	0.2	24.5%	24	69.0	53.4	61.2	4.0	0.2	27.1%
25	65.2	51.7	58.4	6.7	0.1	39.6%	25	68.1	54.6	61.3	3.9	0.2	24.2%	25	69.0	53.3	61.1	4.1	0.2	27.5%
26	65.3	51.8	58.6	6.5	0.1	39.0%	26	68.1	54.6	61.4	3.9	0.2	23.9%	26	69.0	53.2	61.1	4.1	0.2	27.9%
27	65.4	51.9	58.7	6.4	0.1	38.5%	27	68.1	54.7	61.4	3.8	0.2	23.6%	27	69.0	53.1	61.1	4.1	0.2	28.2%
28	65.6	52.1	58.8	6.3	0.1	37.9%	28	68.2	54.7	61.4	3.8	0.2	23.4%	28	69.0	53.0	61.0	4.2	0.2	28.6%
29	65.7	52.2	59.0	6.2	0.1	37.2%	29	68.2	54.7	61.4	3.8	0.2	23.2%	29	69.1	52.9	61.0	4.2	0.2	29.0%
30	65.8	52.3	59.1	6.0	0.1	36.6%	30	68.2	54.7	61.5	3.8	0.2	23.1%	30	69.1	52.8	60.9	4.3	0.2	29.4%
							31	68.2	54.7	61.5	3.7	0.2	22.9%	31	69.1	52.7	60.9	4.4	0.2	29.7%
MNTH	64.0	50.6	57.3	233.0	2.0	2.30 b	MNTH	67.4	53.9	60.6	139.7	4.8	0.83 b	MNTH	68.7	53.9	61.3	121.5	6.8	1.12 b
							Summer	66.7	52.8	59.7	494.2	13.6	4.25 b							
							Annual	58.4	44.5	51.4	4959.9	22.1	70.26 b							

a: Probability of precipitation >= 0.01 inches for 29-day windows centered on each day of the year.
blank: missing or insufficient data.

b: Long-term averages of seasonal or annual precipitation totals in Inches.

Summary of Daily Normals
1991-2020
Generated on 08/23/2021

September							October							November						
DATE	MAX	MIN	AVG	HDD	CDD	PRCP	DATE	MAX	MIN	AVG	HDD	CDD	PRCP	DATE	MAX	MIN	AVG	HDD	CDD	PRCP
01	69.0	52.6	60.8	4.4	0.2	29.9%	01	64.7	47.8	56.2	8.9	0.1	42.8%	01	56.8	42.2	49.5	15.5	0.0	62.7%
02	69.0	52.5	60.8	4.5	0.2	30.3%	02	64.4	47.6	56.0	9.1	0.0	43.4%	02	56.6	42.1	49.3	15.7	0.0	63.2%
03	69.0	52.4	60.7	4.6	0.2	30.6%	03	64.1	47.3	55.7	9.3	0.0	44.1%	03	56.4	41.9	49.1	15.9	0.0	63.7%
04	69.0	52.2	60.6	4.6	0.2	30.9%	04	63.9	47.1	55.5	9.5	0.0	44.8%	04	56.1	41.8	49.0	16.0	0.0	64.3%
05	68.9	52.1	60.5	4.7	0.3	31.2%	05	63.6	46.9	55.3	9.8	0.0	45.5%	05	55.9	41.6	48.8	16.2	0.0	64.7%
06	68.9	52.0	60.4	4.8	0.3	31.5%	06	63.3	46.7	55.0	10.0	0.0	46.3%	06	55.7	41.5	48.6	16.4	0.0	65.1%
07	68.8	51.9	60.4	4.9	0.3	31.8%	07	63.0	46.5	54.8	10.2	0.0	47.0%	07	55.5	41.4	48.4	16.6	0.0	65.5%
08	68.8	51.7	60.3	5.0	0.3	32.2%	08	62.8	46.3	54.6	10.5	0.0	47.8%	08	55.3	41.2	48.2	16.8	0.0	65.8%
09	68.7	51.6	60.1	5.1	0.3	32.5%	09	62.5	46.1	54.3	10.7	0.0	48.5%	09	55.0	41.1	48.1	16.9	0.0	66.2%
10	68.6	51.5	60.0	5.2	0.3	32.8%	10	62.2	45.9	54.1	10.9	0.0	49.3%	10	54.8	40.9	47.9	17.1	0.0	66.5%
11	68.5	51.3	59.9	5.3	0.3	33.1%	11	61.9	45.7	53.8	11.2	0.0	50.0%	11	54.6	40.8	47.7	17.3	0.0	66.8%
12	68.4	51.2	59.8	5.5	0.2	33.5%	12	61.7	45.6	53.6	11.4	0.0	50.7%	12	54.4	40.7	47.5	17.5	0.0	67.2%
13	68.3	51.0	59.7	5.6	0.2	33.9%	13	61.4	45.4	53.4	11.6	0.0	51.3%	13	54.2	40.5	47.3	17.7	0.0	67.5%
14	68.2	50.9	59.5	5.7	0.3	34.3%	14	61.1	45.2	53.2	11.9	0.0	51.9%	14	53.9	40.4	47.2	17.8	0.0	67.9%
15	68.0	50.7	59.4	5.9	0.3	34.8%	15	60.9	45.0	52.9	12.1	0.0	52.6%	15	53.7	40.2	47.0	18.0	0.0	68.2%
16	67.9	50.6	59.2	6.0	0.2	35.2%	16	60.6	44.8	52.7	12.3	0.0	53.3%	16	53.5	40.1	46.8	18.2	0.0	68.5%
17	67.7	50.4	59.1	6.2	0.2	35.6%	17	60.4	44.6	52.5	12.5	0.0	53.9%	17	53.3	40.0	46.6	18.4	0.0	68.8%
18	67.6	50.2	58.9	6.3	0.2	36.0%	18	60.1	44.4	52.3	12.7	0.0	54.5%	18	53.0	39.8	46.4	18.6	0.0	69.1%
19	67.4	50.0	58.7	6.5	0.2	36.4%	19	59.8	44.3	52.1	12.9	0.0	55.2%	19	52.8	39.7	46.3	18.7	0.0	69.4%
20	67.2	49.9	58.5	6.7	0.2	36.8%	20	59.6	44.1	51.8	13.2	0.0	55.8%	20	52.6	39.6	46.1	18.9	0.0	69.6%
21	67.0	49.7	58.3	6.8	0.2	37.2%	21	59.3	43.9	51.6	13.4	0.0	56.4%	21	52.4	39.4	45.9	19.1	0.0	69.8%
22	66.8	49.5	58.2	7.0	0.2	37.7%	22	59.1	43.8	51.4	13.6	0.0	57.0%	22	52.1	39.3	45.7	19.3	0.0	70.1%
23	66.6	49.3	58.0	7.2	0.2	38.2%	23	58.9	43.6	51.2	13.8	0.0	57.5%	23	51.9	39.2	45.5	19.5	0.0	70.3%
24	66.4	49.1	57.8	7.4	0.2	38.7%	24	58.6	43.4	51.0	14.0	0.0	58.1%	24	51.7	39.0	45.4	19.6	0.0	70.5%
25	66.1	48.9	57.5	7.6	0.1	39.3%	25	58.4	43.3	50.8	14.2	0.0	58.7%	25	51.5	38.9	45.2	19.8	0.0	70.7%
26	65.9	48.7	57.3	7.8	0.1	39.8%	26	58.2	43.1	50.6	14.4	0.0	59.3%	26	51.3	38.8	45.0	20.0	0.0	70.8%
27	65.7	48.6	57.1	8.0	0.1	40.3%	27	57.9	43.0	50.4	14.6	0.0	59.9%	27	51.1	38.7	44.9	20.1	0.0	70.9%
28	65.4	48.4	56.9	8.2	0.1	40.9%	28	57.7	42.8	50.2	14.8	0.0	60.4%	28	50.9	38.6	44.7	20.3	0.0	70.9%
29	65.2	48.2	56.7	8.4	0.1	41.5%	29	57.5	42.7	50.1	14.9	0.0	61.0%	29	50.7	38.4	44.6	20.4	0.0	71.0%
30	64.9	48.0	56.4	8.6	0.1	42.2%	30	57.2	42.5	49.9	15.1	0.0	61.6%	30	50.5	38.3	44.4	20.6	0.0	71.0%
							31	57.0	42.4	49.7	15.3	0.0	62.1%							
MNTH	67.6	50.5	59.0	184.8	6.2	2.67 b	MNTH	60.7	44.9	52.8	378.5	0.3	6.74 b	MNTH	53.6	40.2	46.9	543.0	0.0	11.05 b
							Autumn	60.6	45.2	52.9	1106.3	6.6	20.46 b							
							Annual	58.4	44.5	51.4	4959.9	22.1	70.26 b							

a: Probability of precipitation >= 0.01 inches for 29-day windows centered on each day of the year.
blank: missing or insufficient data.

b: Long-term averages of seasonal or annual precipitation totals in Inches.