Welcome to the NWS Heat Workshop

November 18, 2020

Introduction to the Public Program

Michelle Hawkins, PhD

Severe, Fire, Public, and Winter Weather Services Branch Chief

Kimberly McMahon

Public Weather Services Program Lead

Danielle Nagele, PhD

Public Weather Services Program Coordinator

Vanessa Pearce

Public Weather Services Program NRAP / WFO Wichita, KS Meteorologist





Service Program Team Members

- AR Lindsay Tardif-Huber
- PR Elizabeth Vickery
- WR Claudia Bell & Andrea Bair
- CR Derek Deroche
- SR Melinda Bailey
- ER John Koch



NCEP/WPC = Greg Carbin, Dave Novak, Alex Lamers, Peter Suprenant, Jessica Doelling

Presenters...

Overview of Current NWS Heat Services:

NWS HQ - Danielle Nagele

NIHHIS Federal Partner Panel:

NIHHIS - Hunter Jones & Juli Trtanj

CDC - Paul Schramm

NIH - Jim Remington

ECCC - Didier Davignon and Melissa MacDonald

OSHA - Michael Hodgson

Heat Case Study Presenters...

SR WFO New Orleans & Shreveport, LA - Danielle Manning & Charlie Woodrum, WCMs

Partner - Mel Gaspard, LA EM & Kenyatta Esters, LA Dept. of Health

WR WFO Phoenix, AZ - Paul Iniguez, SOO Partner - Matthew Roach, AZ Dept. of Health Services

CR WFO Wichita, KS - Chance Hayes, WCM & Vanessa Pearce, Meteorologist Partner - Keri Korthals, Butler County EM

ER WFO Burlington, VT - Scott Whittier, WCM Partner - Jared Ulmer, VT Dept. of Health

Logistics

Moderator, Scribe, & Timekeeper

Rules of Engagement:

- Lines will be muted.
- Use the Question Box in ToGoWebinar to input your questions and comments. The moderator will track and read aloud your questions at the appropriate times.
 - Any questions in the Question Box we do not get to, will be archived to be answered after the workshop.
- If you are having side discussions, you are not listening.

We are recording! Recording and other materials will be shared.





 \approx

THE

 \square

1

NOAA National Weather Service

NOAA



Danielle Nagele Public Weather Services Program Coordinator



















<u>त्रौ</u>

×

明

 \mathbb{A}

12

Outline:

- Overview of NWS
- Current operational heat products and services
- Legacy heat products
- Future heat tools
- Outreach and engagement materials
- Path forward



NOAA National Weather Service



R

ž



Aviation Weather Center Kansas City, MO



Weather Prediction Center College Park, MD



 $\mathbf{\Lambda}$

12

Ocean Prediction Center College Park, MD





Storm Prediction Center National Hurricane Center Norman, OK Miami, FL



National Water Center Tuskaloosa, AL



Environmental Modeling Center College Park, MD



Climate Prediction Center

College Park, MD

Space Weather

Prediction Center

Boulder, CO

NCEP Central Operations College Park, MD (Supercomputers in Reston & Orlando)





 2 Tsunami Warning Centers

 122 Weather Forecast Centers

 13 River Forecast Centers

 21 Center Weather Service Units





NATIONAL WEATHER SERVICE

Building a Weather-Ready Nation // 3



пояя



Department of Commerce // National Oceanic and Atmospheric Administration // 4

Operational Heat Products and Services

ž



Department of Commerce // National Oceanic and Atmospheric Administration // 5



÷ờ

Long-Range and Climate:

Climate Prediction Center (CPC):

- 6-10 & 8-14 day Temperature Outlooks
- Maximum Heat Index Outlooks (April Sept.)
- Week-2 Temperature Outlook
 - O Advanced lead time for high-impact events
 - O Potential Hazards for days 3-14
 - Much above normal temperatures: Temperature may approach/exceed the top 1/8 of historical range
 - O Excessive heat HI may reach heat indices greater than 105F
- Monthly and Seasonal Outlooks
- Probability of Exceedance Maps









औ

 \approx

哭

₽

Short- to- Medium-Range: Weather Forecast Office (WFO) & Weather Prediction Center (WPC)

WFO & WPC expertise and model guidance

Forecasts displayed on National Digital Forecast Database (NDFD) Impact Based Decision Support Services (IDSS) & Watch, Warning, Advisory (WWA)

Forecasters use their skills and expertise to manipulate model guidance to create forecast. Models include:

- Global Forecast System (GFS)
- North American Mesoscale Model (NAM)
- EU Centre for Medium Range Weather Forecasts (ECMWF)

Gridded forecasts of weather elements displayed on NDFD:

 Temperature, heat index, dewpoint, cloud cover, wind speed, etc. Heat WWA products provide information on upcoming or occurring heat events

IDSS - Targeted forecast advice and interpretive services to support core partners



Department of Commerce // National Oceanic and Atmospheric Administration // 7



 \approx

四日

₽

Legacy Heat Products

<u>त्रौ Heat Index</u>

- Issued daily May September
- Deterministic forecast and probability of exceedance of max/mean/min Heat Index

Kalkstein Heat/Health Warning System

- Developed in the 1990s to help public health officials, meteorologists, and others predict, respond, and mitigate the impacts of heat waves
- Combines climatological information with health statistics (ie, CDC mortality data)
- Some NWS WFOs utilize this method; 10-15 WFOs have system at their disposal





NWS Heat Watch, Warning, Advisory (WWA)

Excessive Heat <u>Watch</u>	Conditions favorable for an excessive heat event to meet/exceed local heat warning criteria in the next 24 to 72 hrs
Heat Advisory	Heat Index values forecast to meet/exceed local heat advisory criteria for one to two days. North : HI>100 South : HI >105 Min nighttime lows >/=75
Excessive Heat <u>Warning</u>	Heat Index values forecast to meet or exceed locally defined warning criteria for at least two days. North : HI>105 South : HI >110 Min nighttime lows >/=75



ज़ौ

 \approx

四日

 \square

1

Ä

जौ.

 \approx

HULL I

 $\mathbf{\Lambda}$

12

Future Heat Tools

Wet Bulb Globe Temperature (WBGT) What is it?

- Estimates the effect of temperature, humidity, wind, and solar radiation on the human body
- Effective indicator of heat stress for active populations

What are the benefits?

- Particularly useful for outdoor workers, athletes, people exercising or active outdoors, etc.
- Can help establish guidelines for activity modifications during exercise or outdoor work



	WBGT	HEAT INDEX
Measured in the sun	•	0
Measured in the shade		
Uses temperature	•	•
Uses relative humidity	•	•
Uses wind	٠	•
Uses cloud cover	٠	•
Uses sun angle	•	







Department of Commerce // National Oceanic and Atmospheric Administration // 10

浴

<u>त्रौ</u>

x

四日

Future Heat Tools

HeatRisk

What does it take into account?

- How above normal temps are for a location
- Time of the year
- Duration of unusual heat
- Overnight temps
- Difference between lows and highs

What are the benefits?

- Helps people understand what forecasted heat means to them
- Provides heat risk guidance for decision makers and heat sensitive populations who may need to take action below NWS heat product levels

-	

Prototype in NWS Western Region



Meaning

Level

Category





Outreach & Engagement Materials

Seasonal Safety Campaigns



What Does WEATHER-READY look like?

During HEAT Caregivers and parents setting reminders and always looking before they lock.

Heat Safety Website



Agency collaborations: OSHA messaging in NWS heat products

Take extra precautions if you work or spend time outside. When possible reschedule strenuous activities to early morning or evening. Know the signs and symptoms of heat exhaustion and heat stroke. Wear lightweight and loose fitting clothing when possible. To reduce risk during outdoor work, the Occupational Safety and Health Administration recommends scheduling frequent rest breaks in shaded or air conditioned environments. Anyone overcome by heat should be moved to a cool and shaded location. Heat stroke is an emergency! Call 9 1 1.

Social Media - National and Local



National Weather Service @ @NWS · Sep 7 The heat wave continues for one more day across the Southwest and California today. Well below and even record low temperatures are forecast in the Central U.S. by Wednesday. weather.gov

Graphics





जौ

R

- LAU

₽

Department of Commerce // National Oceanic and Atmospheric Administration // 12



NORA

Tentative Path Forward

<i>ज्य</i> ौँ	November 2020	End of FY21	End of FY22	End of FY23 & beyond
\$}	Hold NWS Workshop Use of NWS heat- 	Completion of NWS National Heat Strategy	Test and refine elements of Heat Strategy	Fully implement Heat Strategy
哭	related tools Partner perspective on heat events, actions, and thresholds 	 Analyze and Incorporate results of Workshop 	Renaming of heat WWA productsContinue to elevate	WBGT operationalPolicy guidance updates as necessary
₽	 Gaps and opportunities in NWS heat products, services, and messaging. 	 Engagement and planning around heat messaging 	HeatRisk and potential for expandingDevelop communications strategy	 Fully updated outreach and education materials
ह ्य ह				





 $\mathbf{\Lambda}$

1

Questions?

Kimberly McMahon

kimberly.mcmahon@noaa.gov Public Program Lead

Danielle Nagele

danielle.nagele@noaa.gov Public Program Coordinator

Vanessa Pearce

vanessa.pearce@noaa.gov Public Program NRAP



NIHHIS Federal Partner Panel

NWS Heat Workshop

NOAA 50YEARS

November 18, 2020

Paul Schramm



Panel Moderator:

Hunter Jones



Jim Remington



Aaron Tustin OSHA® Occupational Safety and Health Administration

Didier Davignon and Melissa MacDonald



Gouvernement du Canada Integrated Climate, Weather, and Health Information for: Heat Health Planning, Preparedness, Response

Juli Trtanj

Arlington

NOAA One Health and Integrated Climate Research Lead

National Integrated Heat Health Information System (NIHHIS)

NOAA Research / Climate Program Office

Hunter Jones

retur

Climate & Health Projects Manager

National Integrated Heat Health Information System (NIHHIS)

NOAA Research / Climate Program Office



nihhis.cpo.noaa.gov



National Integrated Heat Health Information System

- NOAA and CDC launched the National Integrated Heat Health Information System (NIHHIS) in June of 2015 to address heat across timescales
- NIHHIS quickly grew to include representation from several agencies (right) in an interagency working group. The group launched the <u>NIHHIS portal</u> and began harmonizing information and guidance.
- NIHHIS has also launched regional, trans-boundary pilots to understand local decision-making contexts and needs, and to improve the information.

Ongoing activities include:

- <u>Decision calendar</u>' exercises to understand multidisciplinary needs in the Northeast,
- New prototype products combining existing data,
- National projects to improve the utility of information such as <u>Urban Heat Island campaigns</u>.



The National Integrated Heat Health Information System weaves together existing pieces, identifies information needs and helps to develop needed climate services.

NIHHIS will facilitate an integrated approach to providing a suite of decision support services to reduce heat related illness and death



UNDERSTANDING DECISION TIMESCALES







Mapping Decision Needs to Climate and Weather Services

Decision Calendars are **boundary objects** – tools that allow decision makers, climate service providers, researchers, and others to work together to identify and document explicit information and research needs.



Decision-Support Information from Climate, Weather, & Health Domains

Jones, H. M., Mecray, E. L., Birkel, S. D., Conlon, K. C., Kinney, P. L., Silva, V. B. S., ... Rogers, T. M. S. (2019). Understanding Decision Context to Improve Heat Health Information. BAMS, 100(8), ES221–ES225. doi:10.1175/bams-d-19-0042.1





Climate and Health Monitor & Outlook (August 2020 Heat Prediction)

Information about predicted dangerous high heat days, heat waves, and heat exposure to vulnerable population segments, based on the NOAA/CPC climate forecast for the forecast period.



his is an experimental product developed by the USGCRP's Climate Health Monitoring Outlook (CHMO) Team, be

NIHHIS Information Prototypes at Climate and Weather Timescales, with CDC Data



NIHHIS-CAPA Community Science Urban Heat Island Field Campaigns



GHHIN and the Extended Heat Health Community

The Global Heat Health Information Network is a critical source of experiential information and experts that can inform the NWS Heat Strategy and that would benefit from the expertise of NWS as well.

Masterclass: Setting Operational Thresholds for Heat Early Warning Systems

Defining heatwaves and heat alert systems for public health is complex and challenging. Should they be impactbased, and what information is needed to make them so? If this information is unavailable, are climatological approaches alone effective?

This masterclass addresses these questions and provides insight to some of the practical and operational

LEARNING OBJECTIVES

- To understand the reasons for setting an operational threshold
- To understand methods for describing exposure-response relationships and population-based thresholds using epidemiological (e.g. daily mortality) and meteorological data



GHHIN is an independent, voluntary, and member-driven forum of scientists, practitioners, and policy makers focused on improving capacity to protect populations from the avoidable health risks of extreme heat in our changing climate.



GLOBAL HEAT HEALTH INFORMATION NETWORK ghhin.org

NIHHIS Federal Partner Panel

CDC, NIEHS, OSHA, ECCC



- Paul Schramm, MS, MPH Climate Science Team Lead Climate and Health Program Manager, National Center for Environmental Health, Centers for Disease Control and Prevention (CDC)
- Jim Remington, Program Analyst, Worker Education and Training Branch, National Institute of Environmental Health Sciences (NIEHS), National Institutes of Health (NIH)
- Aaron Tustin, Medical Officer, Office of Occupational Medicine and Nursing, Occupational Safety and Health Administration (OSHA)
- Melissa MacDonald, Meteorologist, Environment and Climate Change Canada (ECCC)
- Didier Davignon, National Coordinator, Public Health and Environmental Forecast Products, Environment and Climate Change Canada (ECCC)





NWS Heat Index Temperature (°F)																	
1		80	82	84	86	88	90	92	94	96	98	100	102	104	106	108	110
	40	80	81	83	85	88	91	94	97	101	105	109	114	119	124	130	136
	45	80	82	84	87	89	93	96	100	104	109	114	119	124	130	137	
(%)	50	81	83	85	88	91	95	99	103	108	113	118	124	131	137		
ž	55	81	84	86	89	93	97	101	106	112	117	124	130	137			
idi	60	82	84	88	91	95	100	105	110	116	123	129	137				
Ę	65	82	85	89	93	98	103	108	114	121	128	136					
Ŧ	70	83	86	90	95	100	105	112	119	126	134						
ive	75	84	88	92	97	103	109	116	124	132							
lat	80	84	89	94	100	106	113	121	129								
Re	85	85	90	96	102	110	117	126	135								
222	90	86	91	98	105	113	122	131								ne	RR
	95	86	93	100	108	117	127										- J
	100	87	95	103	112	121	132										
Likelihood of Heat Disorders with Prolonged Exposure or Strenuous Activity																	
Caution Extreme Caution Danger Extreme Danger																	



Figure 4-2. Heat Index of N=327 U.S. Occupational Heat-Related Deaths, 2000-2010 with NOAA Heat Index Categories



Source: Gubernot. 2015. Occupational Heat-related Mortality in the United States, 2000-2010: Epidemiology and Policy Recommendations. (DrPH dissertation)



Cal/OSHA Outdoor Heat Standard

español

Cal/OSHA | Heat Illness Prevention

Heat Illness Prevention



California employers are required to take these four steps to prevent heat illness:

1. Training

Train all employees and supervisors about heat illness prevention.

2. Water

Provide enough fresh water so that each employee can drink at least 1 quart per hour, or four 8 ounce glasses, of water per hour, and *encourage them to do so.*

3. Shade

Provide access to shade and encourage employees to take a cool-down rest in the shade for at least 5 minutes. *They should not wait until they feel sick to cool down.*

4. Planning

Develop and implement written procedures for complying with the Cal/OSHA Heat Illness Prevention Standard. 80° F – threshold for requirement to provide shade

 95° F – threshold for "High-heat procedures" to protect workers



Occupational Safety and Health Administration

Acclimatization Status

<u>72% of deaths</u> occurred in workers with <u>less</u> <u>than seven days</u> on the job.

Days on job	Deaths, %	Non-fatal heat illnesses, %
First day	45%	3%
2 – 7 days	27%	16%
8 – 14 days	5%	3%
More than 14 days	23%	77%



Occupational Safety and Health Administration

Clinical Features of Heat Stroke Cases (n = 27)

Characteristic	Value
Fatal, %	85%
Kidney failure, %	83%
Liver failure, %	60%
Elevated CK, %	50%
Highest recorded CK median (range)	25,530
nighest recorded CK, median (range)	(234 – 55,940)
DIC, %	39%
Seizure, %	19%



Occupational Safety and Health Administration
Study #1: OOMN Enforcement Consultations (n = 25 outdoor HRIs)

- Main Conclusions
 - WBGT limits (NIOSH/ACGIH) had 100% sensitivity for detecting fatal conditions.
 - Fatalities occurred when Heat Index was as low as 86° F (30° C).





Tustin et al., MMWR 2018.

Study #2: Severe Injury Reports (n = 234 outdoor HRIs)

- Main Conclusions
 - WBGT limits (NIOSH/ACGIH) had 92-100% sensitivity.
 - Recommended Heat Index screening threshold: 80° F (27° C).

Validation of WBGT-based OELs





References

- ACGIH. 2017. Heat stress and strain: TLVs.
- Arbury et al. MMWR 2014;63(31):661-665.
- Arbury et al. JOEM 2016;58(4):359-363.
- Gubernot. 2015. Occupational Heat-Related Mortality in the United States, 2000-2010: Epidemiology and Policy Recommendations. [DrPH dissertation]
- Hunter. Diseases of Occupations. 6th Edition.
- Leon and Helwig. J Appl Physiol 2010;109:1980-1988.
- NIOSH. 2016. Criteria for a Recommended Standard: Occupational Exposure to Heat and Hot Environments.
- Tustin et al. MMWR 2018;67(26):733-737.



NIHHIS Federal Partner Panel

CDC, NIEHS, OSHA, ECCC



Panel Questions (2.5 Minutes per agency per question)

- How does your agency use current NWS heat services?
 - Specific to ECCC: How do your partners and clients use ECCC heat services?
- What is your agency's biggest challenge with respect to heat related hazards?
- How do you see collaboration between your agency and NWS going forward?
 - Specific to ECCC: how do you see your collaboration and services changing with your partners/clients in the future?
- How do you envision working with NWS and NIHHIS in the future to address data and product needs?



Heat Warning Modernization



Heat-health analysis by Health Canada

95th Percentile guidance

Criteria Decisions:

- Duration
- Relief from heat overnight
- T_a, best modelled predictor



Why

- Single national climatological based criteria
- Recent heat-related mortality and Public Health interest in communicating heat risk and reducing those risks (HeatAlertResponseSystem)

Engagement

• Partnership with Health Canada and Public Health (Prov/Terr and Municipal)

Results

.

.

- An evidence based heat warnings service
- Coherent communications
- Part of a chain of actions to reduce heat-health risk
- Early Notification system to support partners' needs

Development Considerations

Warning Fatigue

•

- Operationalization balance of forecasting resources with partner demand
 - Communicating the changes to the public and partners
- Developing a National Standard level of service
- Integrating the system into current HARS





ER

Local Heat Event Report Summer 2020 in the Southwest

NWS WFO Phoenix, AZ NWS Partners: AZ Dept. of Health Services

NOAA

NWS Public Program Heat Workshop Wednesday, November 18, 2020

The heat season in the Southwest typically extends from May through September.

This heat season was the hottest on record across the Southwest.









Activities performed by prior to the heat season:

- Arizona Heat Workshop (Early Spring)
- Interaction with EM/Health Partners
 EM Roadshows, Meeting/Workshop Attendance
- Internal Readiness Training
- HeatRisk Development



CROSS-SECTOR MANAGEMENT OF EXTREME HEAT RISKS IN ARIZONA

HAVEN E. GUYER, HANA F. PUTNAM, MATTHEW ROACH, PAUL INIGUEZ, AND DAVID M. HONDULA

Activities performed by prior to the heat season:

Heat Awareness Week
 Late May; Governor's Declaration

WeatherNation

Arizona Heat Awareness Week

This week—May 25 through May 29, 2020—Is Arizona Heat Awareness Week. The Arizona Department of Health Services and the three ... May 27, 2020



AZFamily

Arizona Heat Awareness Week is underway Officials are looking to curb heat-related deaths with the "Arizona Heat Awareness Week" campaign. (Source: 3TV/CBS 5). The National ... May 26, 2020



Arizona Heat Awareness Week

May 25th - May 29th, 2020

[eigado

The National Weather Service, in partnership with local, county, and state officials, has developed this page and a social model campaign as a resource for everyone to learn more about heat prevention, safety and awareness in Arizona.

Lenglish

Arizona Semana de la Conciencia del

Calor

25 de Mayo a 29 de Mayo del 2020

El Servicio Nacional de Meteorologia, en coluboración con funcionarios locales, del condudo y del estado, ha desarroltado esta púgina y una campaña en las redes sociales como un recurso para que todos puedan obtener más información sobre la prevención, seguridad y concerimiento del calor en Arizona.

Challenges:

- 2020 Pre-Season Workshop canceled due to COVID.
- Preparing for extreme heat in a hot climate (on top of COVID impacts).
- Understanding the extremely broad and deep societal impacts of heat.



Website promotion with plethora of information.

Heat in the Southwest

JUMP TO [WATCHES/WARNINGS] [SAFETY] [STATISTICS] [CLIMATOLOGY] [HeatRisk] [HISTORICAL WARNINGS]

Excessive Heat Watches/Warnings

Excessive Heat Watch Prepare. Extreme heat is expected within the next two to seven days. Excessive Heat Warning Act! Extreme heat is occurring or imminent.

Heat is the deadliest weather in Arizona.

During Arizona's hottest months, the National Weather Service issues weather alerts to notify the public when unusually hot weather is expected. These alerts are intended to raise awareness and prevent heat illness and death from occurring and mitigate financial impacts. When the NWS iccurse an alort, it should convolate a signal that on that day



Extreme Weather & Public Health ADHS Home / Public Health Preparedness / Epidemiology & Disease Control / Environmental Health / Extreme Weather / Extreme Weather & Public Health - Heat Safety

Home

Heat Alerts

Heat-Related Illness

Older Adult Toolkit Outdoor Worker Toolkit

School Toolkit

National Weather Service Data, Statistics & News

Heat Safety - Home

The 2020 State Heat Planning Workshop scheduled for April 13, 2020 has been postponed based on the COVID-19 response and public health recommendations. The planning team will keep registered attendees informed on future meeting details as they become available. Please email extremeweather@azdhs.gov regarding any questions about the event.

Stay hydrated and safe in the Arizona heat! Heat is the number one weather-related cause of death in Arizona and across the country. Check out our latest heat illness and death surveillance data.



safe







Arizona is one of the hottest places on earth from May to September, learn tips to stay

Stay informed! Sign up to receive heat alerts via email

The older adult population is more vulnerable to the effects of excessive heat

Resources for outdoor workers & employers to prevent, recognize and treat heat illness.



Info for students, school staff

athletic coaches and parents

regarding heat-related illness

and prevention.







RIZONA

the populations that may be most vulnerable to extreme heat events.

National info about health dangers of heat and what to do in an excessive heat event.

National Weather

Service



Data, Statistics & News



Each year in Arizona, heat related illnesses cause over 250 deaths and nearly 3,008 emergency room visits.





Extreme Heat-Related Maps



During - Progressing Through the Summer



Excessive Heat Watch/Warning Avg Lead Time: 5.3 / 4.0 Days

During - Progressing Through the Summer

Extensive Media/Social Media Engagement

- NWS Phoenix: ~150 Media Interviews
- @NWSPhoenix: 13M Impressions (Heat)



Joshua Tree NPS 🤣 @JoshuaTreeNPS - Aug 15 It's so hot... even the Joshua trees are sweating!

It's so hot... the monzogranite wishes it was back in the Earth's crust!

It's so hot ... a California quail laid an omelet!

Here is a reminder to drink water in this heat wave! What are you doing to beat the heat?



City of Phoenix, AZ ② @CityofPhoenixAZ - Jun 16 #PHX Park Rangers advise against hiking during triple-digit heat.

Remember, "Take a Hike. Do it Right." Drink plenty of water before, during and after. Know these #HikeRight safety guidelines: ow.ly/IEGs50zTZtJ

#PHXsummer #PHXweather #PHXMonsoon #PHXHeat @PhoenixParks







12:04 PM · Jul 31, 2020 · TweetDeck

During - Partner Messaging





Click here to learn more about today's heat risk map.





Ρ

HeatRisk Review



COVID-19 Heat and Combined Safety Messaging

Arizona Department of Health Services

The temperature inside cars in direct sunlight can quickly increase to dangerous levels causing heat stroke. If you encounter a line at a COVID-19 outdoor testing site, continue to use air conditioning when possible and bring extra water during periods of excessive heat to help plan for any unexpected issues. Also, never leave anyone in a parked vehicle, especially small children and older adults. https://1.azdhs.gov/2CrLI88





Arizona Department of Health Services

Thank you to all the healthcare and essential workers assisting in COVID-19 testing efforts across Arizona. With ongoing Heat Warnings throughout the state, it is important for those working outdoors in PPE to stay cool. Take breaks in air conditioning when possible, stay hydrated by drinking 24-32 ounces of water every hour while working outside: https://1.azdhs.gov/3gLEbQw



Distributing Heat Safety Materials to Outdoor & Drive Up COVID-19 Testing Sites





During - Progressing Through the Summer

Heat Preparedness & Resilience Workgroup

- Purpose: Weekly calls to "share heat forecasts and warnings from [NWS] and local efforts with heat preparedness and response among active stakeholder organizations".
- New Activity in 2020. Partnership with ASU, NWS, ADHS, counties, & municipalities.



David M. Hondula @ASUHondula

Incredible coordination happening in AZ for COVID-19+heat! Today is the 2nd weekly call with dozens on the line. Cooling centers, water distribution, messaging, transit, among the key issues.

Thanks @Tempegov @NWSPhoenix @SCNetworkAZ @hue_asu @asuresilience for leadership.

1:51 PM · Apr 23, 2020 · Twitter for Android

During - Progressing Through the Summer

Challenges This Season:

- Persistence of Heat Season Early Onset, Late Demise, Intensity (changing climate...)
- COVID impacts to community actions.
 - Reduced number of designated cooling centers.
 - Reduction in cooling center capacity/hours.
 - Reduction in "soft" cooling centers (businesses with indoor seating areas).
- Variety or Lack of Partner/Community Triggers
 - Ex: Some shelters extend hours based on EH.W.
 - Ex: Disparity of heat plans across school districts.

Phoenix will open convention center for homeless heat relief. Is it enough to save lives?

Jessica Boehm Arizona Republic Published 8:00 a.m. MT May 29, 2020 | Updated 4:31 p.m. MT May 29, 2020

View Comments



As Phoenix prepares for its first excessive heat warning, people experiencing homelessness have limited options for relief because of COVID-19.

Important to understand that heat impacts are **multifaceted** and not all track exclusively with Excessive Heat Warning issuances.

Record number of heat-associated deaths expected this year.



Important to understand that heat impacts are **multifaceted** though some impacts do track with Excessive Heat Warning issuances.

Utility of HeatRisk as a threat indicator worked.



- Expect 2020 to exceed all historical heat-related illness emergency department and inpatient admissions
- Preliminary 2020
 Heat ED visits <u>3,834</u>
 using syndromic
 surveillance through
 9/30/20

Heat-Related Illness Emergency Department & Inpatient Admissions (Hospitalizations) 2015-2019, Arizona Residents and Non-Residents

Heat-Related Illness by Year									
Year	Emergency Department Visit	Inpatient Admission (Hospitalization)							
2015	2423	572							
	Of those, 1472 were heat-caused ⁺ (60.8%)	Of those, 199 were heat-caused [†] (34.8%)							
2016	2915	594							
2016	Of those, 1812 were heat-caused † (62.2%)	<i>Of those, 240 were heat-caused</i> ⁺ (40.4%)							
2017	3053	749							
2017	<i>Of those, 1969 were heat-caused</i> ⁺ (64.5%)	Of those, 283 were heat-caused † (37.8%)							
2019	3013	753							
2018	Of those, 1917 were heat-caused † (63.6%)	Of those, 250 were heat-caused ⁺ (33.2%)							
2010	2944	761							
2019	Of those, 1903 were heat caused † (64.6%)	Of those, 299 were heat-caused † (39.2%)							

'Heat-caused emergency department and inpatient visits (hospitalizations) are visits where the primary diagnosis is listed as exposure to excessive natural heat. Heat related visits are where exposure to excessive natural heat is listed anywhere in the diagnoses and include those that were heat-caused.

- ASU poll & focus groups to get feedback on the weekly heat-health calls. Participants appreciated hearing how other communities were responding to the heat (info sharing).
- Still many groups/organizations not fully engaged (schools, businesses, further away counties, Governor's office, media).
- Desire to hear more from utility companies, about AC repair options, LIHEAP, engage more on policy side.



Off-Season Actions

- Planning virtual postseason partner's workshop (December).
- Greater involvement underway with Maricopa County's ongoing process of updating the Hazard Mitigation Plan.
- ADHS finalizing school heat plan.
- Always working to expand participation for the next season. Will hold preseason workshop (likely virtual).

AZ School Heat Policy Drafting & Threshold Dev.

- Matching school-age children emergency department visits to daily temperature to identify thresholds for highest attributable risk.
- Increased risk was found below heat warning temperatures.



AZ School Heat Policy - Tiered Response

Time to Take Action/Season	Action to Take				
Early on in anticipation of policy implementation	Environmental modification:				
	Plant trees				
Pre-heat season, spring	 Install artificial shading 				
	 Install water fountains and water misters 				
	*Consider checking functionality of the water fountains, misters and				
	artificial shading periodically and do upgrades, maintenance (.e.g.				
	misters cleaned, landscaping), or replacements as needed. These				
	"water wise" environment and do not run the misters when children				
	are not around to avoid wastage of water.				
Lowest positive attributable risk by climate zone	Education of supervisory staff, health professional staff,				
 Basin and Range – 81-85 °F 	parents and students on heat-related illness prevention,				
 Colorado Plateau – 76-80 °F 	recognition, and treatment. Sign up for Heat Alerts or be				
 Transition Zone– 76-80 °F 	aware of how to receive them.				
Pre-heat season, spring					
	Administrative control – Acclimation period, scheduled				
One category below highest positive attributable risk for	rest/hydration, recess before lunch, move activities during				
climate zone	the cooler part of day.				
	Student actions – use of sunscreen, lightweight clothing and				
	frequent hydration.				
	Physical separation – Avoid outdoor play using indoor				
Highest attributable risk for climate zone	cooled space for all physical activity.				

Μ

AZ School Heat Policy - Thresholds by Climate Zone

Climate Zone		Percent of Heat-Attributable Emergency Department Visits by Daily Maximum Temperature Ranges (°F) (8 AM to 8 PM)							
		(76 to 80)	(81 to 85)	(86 to 90)	(91 to 95)	(96 to 100)	(101 to 105)	(106 to 110)	(>=111)
Basin and Range	Pre-heat Season	1%	4%	8%	15%	21%	27%	18%	5%
Transition Zone		11%	16%	29%	26%	9%	1%	0%	0%
Colorado Plateau		21%	30%	19%	5%	0%	0%	0%	0%

AZ School Heat Policy - Heat-Risk By Age Group

Age Group	County		Percent of Heat-Attributable Emergency Department Visits By Daily Maximum Temperature Ranges (°F) (8 AM to 8 PM)							
			(76 to 80)	(81 to 85)	(86 to 90)	(91 to 95)	(96 to 100)	(101 to 105)	(106 to 110)	(>=111)
5-10	Maricopa	Pre-heat Season	0%	4%	10%	16%	23%	29%	14%	3%
	Pima		3%	7%	15%	26%	29%	17%	4%	0%
11-18	Maricopa		0%	2%	5%	11%	19%	30%	24%	8%
	Pima		2%	5%	13%	25%	31%	20%	5%	0%

ADHS Heat Emergency Response Plan



Extreme Heat Incident Annex

Arizona Department of Health Services

Office of Environmental Health; in collaboration with

Bureau of Public Health Emergency Preparedness

Concept of Operations

Response Activation Levels, Thresholds, and Activities

Tier 0: Preparedness & Recovery

- Risk assessment/Situation monitoring
 Community partnership building
- Community engagement to foster public health, medical, and mental/behavioral health networks
- Coordination and promotion of training and guidance for community engagement in preparedness and
- recovery efforts

Tier 1: Heat Advisory, Watch, or Warning Issued

- Information Sharing & Safety Education
- Increase Surveillance Systems (Hospital and community based)
- Coordination with community partners forwell-checks and needs assessments throughout existing networks
- Public meeasging and outreach
- Incident Coordination and Management

Tier 2: Heat Watch, Advisory, or Warning with high ≥108° and low ≥87°

- Identification and assessment of impacted area(s) to include identification of AFN and Vulnerable populations
- Provide messaging to health care providers for discharge considerations.

Tier 3: Three or more consecutive days at Tier 2 criteria (Heat wave criteria)

 Potential for activation (physical or virtual) of the Health Emergency Operations Center; at discretion of the designated offical as depicted by the ADHS All-Hazards Emergency Response Plan.

26

Note: HEOC activation may occur at any time as requested by ADHS Leadership, in accordance to the All-Hazards Emergency Response Plan and HEOC Standard Operating Procedure (SOP). Messaging should follow processes laid out in the Crisis and Emergency Risk Communication (CERC) Plan, in conjunction with the Public Information Officer.

Tier 4: Unplanned major power outage occuring Monsoon Season, posing an impact to public health and/or well-being

- Identification and assessment of impacted area(s) to include identification of AFN and Vulnerable populations
- Essential Elements of Information collection from licensed facilities in impacted and surrounding areas
- Coordination with utility companies for situation awareness, incident coordination, and joint messaging
- Public messaging environmental health and safety, medication safety, respite/refuge locations and resources (may have to explore alternative means for message delivery)

Key Takeaways / Closing Remarks

Include information from both NWS and partners

- This summer was very challenging due to the confluence of persistent record heat and impacts from COVID. Burden is unmatched in the region's modern history.
- Heat-related impacts occur well below Heat Warning thresholds (e.g. school plans).
- Ongoing dialogue with partners helps improve engagement.



ER

Local Heat Event Report Summer 2020 in the Southwest

NWS WFO Phoenix, AZ NWS Partners: AZ Dept. of Health Services

NOAA

NWS Public Program Heat Workshop Wednesday, November 18, 2020

The heat season in the Southwest typically extends from May through September.

This heat season was the hottest on record across the Southwest.






Meteorology Brief - Summer 2020



4

Activities performed by prior to the heat season:

- Arizona Heat Workshop (Early Spring)
- Interaction with EM/Health Partners
 EM Roadshows, Meeting/Workshop Attendance
- Internal Readiness Training
- HeatRisk Development



CROSS-SECTOR MANAGEMENT OF EXTREME HEAT RISKS IN ARIZONA

HAVEN E. GUYER, HANA F. PUTNAM, MATTHEW ROACH, PAUL INIGUEZ, AND DAVID M. HONDULA

Activities performed by prior to the heat season:

Heat Awareness Week
 Late May; Governor's Declaration

WeatherNation

Arizona Heat Awareness Week

This week—May 25 through May 29, 2020—Is Arizona Heat Awareness Week. The Arizona Department of Health Services and the three ... May 27, 2020



AZFamily

Arizona Heat Awareness Week is underway Officials are looking to curb heat-related deaths with the "Arizona Heat Awareness Week" campaign. (Source: 3TV/CBS 5). The National ... May 26, 2020



Arizona Heat Awareness Week

May 25th - May 29th, 2020

[eigado

The National Weather Service, in partnership with local, county, and state officials, has developed this page and a social model campaign as a resource for everyone to learn more about heat prevention, safety and awareness in Arizona.

Lenglish

Arizona Semana de la Conciencia del

Calor

25 de Mayo a 29 de Mayo del 2020

El Servicio Nacional de Meteorologia, en coluboración con funcionarios locales, del condudo y del estado, ha desarroltado esta púgina y una campaña en las redes sociales como un recurso para que todos puedan obtener más información sobre la prevención, seguridad y concerimiento del calor en Arizona.

6

Challenges:

- 2020 Pre-Season Workshop canceled due to COVID.
- Preparing for extreme heat in a hot climate (on top of COVID impacts).
- Understanding the extremely broad and deep societal impacts of heat.



Website promotion with plethora of information.

Heat in the Southwest

JUMP TO [WATCHES/WARNINGS] [SAFETY] [STATISTICS] [CLIMATOLOGY] [HeatRisk] [HISTORICAL WARNINGS]

Excessive Heat Watches/Warnings

Excessive Heat Watch Prepare. Extreme heat is expected within the next two to seven days. Excessive Heat Warning Act! Extreme heat is occurring or imminent.

Heat is the deadliest weather in Arizona.

During Arizona's hottest months, the National Weather Service issues weather alerts to notify the public when unusually hot weather is expected. These alerts are intended to raise awareness and prevent heat illness and death from occurring and mitigate financial impacts. When the NWS iccurse an alort, it should convolate a signal that on that day



Extreme Weather & Public Health ADHS Home / Public Health Preparedness / Epidemiology & Disease Control / Environmental Health / Extreme Weather / Extreme Weather & Public Health - Heat Safety

Home

Heat Alerts

Heat-Related Illness

Older Adult Toolkit Outdoor Worker Toolkit

School Toolkit

National Weather Service Data, Statistics & News

Heat Safety - Home

The 2020 State Heat Planning Workshop scheduled for April 13, 2020 has been postponed based on the COVID-19 response and public health recommendations. The planning team will keep registered attendees informed on future meeting details as they become available. Please email extremeweather@azdhs.gov regarding any questions about the event.

Stay hydrated and safe in the Arizona heat! Heat is the number one weather-related cause of death in Arizona and across the country. Check out our latest heat illness and death surveillance data.



safe







Arizona is one of the hottest places on earth from May to September, learn tips to stay

Stay informed! Sign up to receive heat alerts via email

The older adult population is more vulnerable to the effects of excessive heat

Resources for outdoor workers & employers to prevent, recognize and treat heat illness.



Info for students, school staff

athletic coaches and parents

regarding heat-related illness

and prevention.







RIZONA

the populations that may be most vulnerable to extreme heat events.

National info about health dangers of heat and what to do in an excessive heat event.

National Weather

Service



Data, Statistics & News



Each year in Arizona, heat related illnesses cause over 250 deaths and nearly 3,008 emergency room visits.





Extreme Heat-Related Maps



During - Progressing Through the Summer



Excessive Heat Watch/Warning Avg Lead Time: 5.3 / 4.0 Days

During - Progressing Through the Summer

Extensive Media/Social Media Engagement

- NWS Phoenix: ~150 Media Interviews
- @NWSPhoenix: 13M Impressions (Heat)



Joshua Tree NPS 🤣 @JoshuaTreeNPS - Aug 15 It's so hot... even the Joshua trees are sweating!

It's so hot... the monzogranite wishes it was back in the Earth's crust!

It's so hot ... a California quail laid an omelet!

Here is a reminder to drink water in this heat wave! What are you doing to beat the heat?



City of Phoenix, AZ ② @CityofPhoenixAZ - Jun 16 #PHX Park Rangers advise against hiking during triple-digit heat.

Remember, "Take a Hike. Do it Right." Drink plenty of water before, during and after. Know these #HikeRight safety guidelines: ow.ly/IEGs50zTZtJ

#PHXsummer #PHXweather #PHXMonsoon #PHXHeat @PhoenixParks







12:04 PM · Jul 31, 2020 · TweetDeck

000

During - Partner Messaging





Click here to learn more about today's heat risk map.





Ρ

HeatRisk Review



COVID-19 Heat and Combined Safety Messaging

Arizona Department of Health Services

The temperature inside cars in direct sunlight can quickly increase to dangerous levels causing heat stroke. If you encounter a line at a COVID-19 outdoor testing site, continue to use air conditioning when possible and bring extra water during periods of excessive heat to help plan for any unexpected issues. Also, never leave anyone in a parked vehicle, especially small children and older adults. https://1.azdhs.gov/2CrLI88





Arizona Department of Health Services

Thank you to all the healthcare and essential workers assisting in COVID-19 testing efforts across Arizona. With ongoing Heat Warnings throughout the state, it is important for those working outdoors in PPE to stay cool. Take breaks in air conditioning when possible, stay hydrated by drinking 24-32 ounces of water every hour while working outside: https://1.azdhs.gov/3gLEbQw



Distributing Heat Safety Materials to Outdoor & Drive Up COVID-19 Testing Sites





During - Progressing Through the Summer

Heat Preparedness & Resilience Workgroup

- Purpose: Weekly calls to "share heat forecasts and warnings from [NWS] and local efforts with heat preparedness and response among active stakeholder organizations".
- New Activity in 2020. Partnership with ASU, NWS, ADHS, counties, & municipalities.



David M. Hondula @ASUHondula

Incredible coordination happening in AZ for COVID-19+heat! Today is the 2nd weekly call with dozens on the line. Cooling centers, water distribution, messaging, transit, among the key issues.

Thanks @Tempegov @NWSPhoenix @SCNetworkAZ @hue_asu @asuresilience for leadership.

1:51 PM · Apr 23, 2020 · Twitter for Android

15

During - Progressing Through the Summer

Challenges This Season:

- Persistence of Heat Season Early Onset, Late Demise, Intensity (changing climate...)
- COVID impacts to community actions.
 - Reduced number of designated cooling centers.
 - Reduction in cooling center capacity/hours.
 - Reduction in "soft" cooling centers (businesses with indoor seating areas).
- Variety or Lack of Partner/Community Triggers
 - Ex: Some shelters extend hours based on EH.W.
 - Ex: Disparity of heat plans across school districts.

Phoenix will open convention center for homeless heat relief. Is it enough to save lives?

Jessica Boehm Arizona Republic Published 8:00 a.m. MT May 29, 2020 | Updated 4:31 p.m. MT May 29, 2020

View Comments



As Phoenix prepares for its first excessive heat warning, people experiencing homelessness have limited options for relief because of COVID-19.

Important to understand that heat impacts are **multifaceted** and not all track exclusively with Excessive Heat Warning issuances.

Record number of heat-associated deaths expected this year.



Important to understand that heat impacts are **multifaceted** though some impacts do track with Excessive Heat Warning issuances.

Utility of HeatRisk as a threat indicator worked.



- Expect 2020 to exceed all historical heat-related illness emergency department and inpatient admissions
- Preliminary 2020
 Heat ED visits <u>3,834</u>
 using syndromic
 surveillance through
 9/30/20

Heat-Related Illness Emergency Department & Inpatient Admissions (Hospitalizations) 2015-2019, Arizona Residents and Non-Residents

	Heat-Related Illness	by Year
Year	Emergency Department Visit	Inpatient Admission (Hospitalization)
2015	2423	572
2015	Of those, 1472 were heat-caused ⁺ (60.8%)	Of those, 199 were heat-caused [†] (34.8%)
2016	2915	594
2010	Of those, 1812 were heat-caused † (62.2%)	<i>Of those, 240 were heat-caused</i> ⁺ (40.4%)
2017	3053	749
2017	<i>Of those, 1969 were heat-caused</i> ⁺ (64.5%)	Of those, 283 were heat-caused † (37.8%)
2019	3013	753
2018	Of those, 1917 were heat-caused † (63.6%)	Of those, 250 were heat-caused ⁺ (33.2%)
	2944	761
2019	Of those, 1903 were heat caused † (64.6%)	Of those, 299 were heat-caused † (39.2%)

'Heat-caused emergency department and inpatient visits (hospitalizations) are visits where the primary diagnosis is listed as exposure to excessive natural heat. Heat related visits are where exposure to excessive natural heat is listed anywhere in the diagnoses and include those that were heat-caused.

- ASU poll & focus groups to get feedback on the weekly heat-health calls. Participants appreciated hearing how other communities were responding to the heat (info sharing).
- Still many groups/organizations not fully engaged (schools, businesses, further away counties, Governor's office, media).
- Desire to hear more from utility companies, about AC repair options, LIHEAP, engage more on policy side.



Off-Season Actions

- Planning virtual postseason partner's workshop (December).
- Greater involvement underway with Maricopa County's ongoing process of updating the Hazard Mitigation Plan.
- ADHS finalizing school heat plan.
- Always working to expand participation for the next season. Will hold preseason workshop (likely virtual).

AZ School Heat Policy Drafting & Threshold Dev.

- Matching school-age children emergency department visits to daily temperature to identify thresholds for highest attributable risk.
- Increased risk was found below heat warning temperatures.



22

AZ School Heat Policy - Tiered Response

Time to Take Action/Season	Action to Take
Early on in anticipation of policy implementation	Environmental modification:
	Plant trees
Pre-heat season, spring	 Install artificial shading
	 Install water fountains and water misters
	*Consider checking functionality of the water fountains, misters and
	artificial shading periodically and do upgrades, maintenance (.e.g.
	misters cleaned, landscaping), or replacements as needed. These
	"water wise" environment and do not run the misters when children
	are not around to avoid wastage of water.
Lowest positive attributable risk by climate zone	Education of supervisory staff, health professional staff,
 Basin and Range – 81-85 °F 	parents and students on heat-related illness prevention,
 Colorado Plateau – 76-80 °F 	recognition, and treatment. Sign up for Heat Alerts or be
 Transition Zone– 76-80 °F 	aware of how to receive them.
Pre-heat season, spring	
	Administrative control – Acclimation period, scheduled
One category below highest positive attributable risk for	rest/hydration, recess before lunch, move activities during
climate zone	the cooler part of day.
	Student actions – use of sunscreen, lightweight clothing and
	frequent hydration.
	Physical separation – Avoid outdoor play using indoor
Highest attributable risk for climate zone	cooled space for all physical activity.

Μ

AZ School Heat Policy - Thresholds by Climate Zone

Climate Zone			Percent of Heat-Attributable Emergency Department Visits by Daily Maximum Temperature Ranges (°F) (8 AM to 8 PM)											
		(76 to 80)	(81 to 85)	(86 to 90)	(91 to 95)	(96 to 100)	(101 to 105)	(106 to 110)	(>=111)					
Basin and Range	ason	1%	4%	8%	15%	21%	27%	18%	5%					
Transition Zone	neat Se	11%	16%	29%	26%	9%	1%	0%	0%					
Colorado Plateau	Pre-	21%	30%	19%	5%	0%	0%	0%	0%					

AZ School Heat Policy - Heat-Risk By Age Group

Age Group	County		Percent of Heat-Attributable Emergency Department Visits B Daily Maximum Temperature Ranges (°F) (8 AM to 8 PM)								
			(76 to 80)	(81 to 85)	(86 to 90)	(91 to 95)	(96 to 100)	(101 to 105)	(106 to 110)	(>=111)	
5 10	Maricopa	son	0%	4%	10%	16%	23%	29%	14%	3%	
5-10	Pima	t Sea:	3%	7%	15%	26%	29%	17%	4%	0%	
	Maricopa	e-hea	0%	2%	5%	11%	19%	30%	24%	8%	
11-18	Pima	Pre	2%	5%	13%	25%	31%	20%	5%	0%	

ADHS Heat Emergency Response Plan



Extreme Heat Incident Annex

Arizona Department of Health Services

Office of Environmental Health; in collaboration with

Bureau of Public Health Emergency Preparedness

Concept of Operations

Response Activation Levels, Thresholds, and Activities

Tier 0: Preparedness & Recovery

- Risk assessment/Situation monitoring
 Community partnership building
- Community engagement to foster public health, medical, and mental/behavioral health networks
- Coordination and promotion of training and guidance for community engagement in preparedness and
- recovery efforts

Tier 1: Heat Advisory, Watch, or Warning Issued

- Information Sharing & Safety Education
- Increase Surveillance Systems (Hospital and community based)
- Coordination with community partners forwell-checks and needs assessments throughout existing networks
- Public meeasging and outreach
- Incident Coordination and Management

Tier 2: Heat Watch, Advisory, or Warning with high ≥108° and low ≥87°

- Identification and assessment of impacted area(s) to include identification of AFN and Vulnerable populations
- Provide messaging to health care providers for discharge considerations.

Tier 3: Three or more consecutive days at Tier 2 criteria (Heat wave criteria)

 Potential for activation (physical or virtual) of the Health Emergency Operations Center; at discretion of the designated offical as depicted by the ADHS All-Hazards Emergency Response Plan.

26

Note: HEOC activation may occur at any time as requested by ADHS Leadership, in accordance to the All-Hazards Emergency Response Plan and HEOC Standard Operating Procedure (SOP). Messaging should follow processes laid out in the Crisis and Emergency Risk Communication (CERC) Plan, in conjunction with the Public Information Officer.

Tier 4: Unplanned major power outage occuring Monsoon Season, posing an impact to public health and/or well-being

- Identification and assessment of impacted area(s) to include identification of AFN and Vulnerable populations
- Essential Elements of Information collection from licensed facilities in impacted and surrounding areas
- Coordination with utility companies for situation awareness, incident coordination, and joint messaging
- Public messaging environmental health and safety, medication safety, respite/refuge locations and resources (may have to explore alternative means for message delivery)

Key Takeaways / Closing Remarks

Include information from both NWS and partners

- This summer was very challenging due to the confluence of persistent record heat and impacts from COVID. Burden is unmatched in the region's modern history.
- Heat-related impacts occur well below Heat Warning thresholds (e.g. school plans).
- Ongoing dialogue with partners helps improve engagement.

Local Heat Event Report July 2018 & 2019 at El Dorado Lake, KS

NWS Wichita Butler County Emergency Management



NWS Public Program Heat Workshop Wednesday, November 18, 2020



Event Brief

- Two-day outdoor music festival at the El Dorado State Park, just outside of El Dorado, KS
- Operational periods on the two event days:
 - o 2018: 1200 hrs. to 0300 hrs. x 2 days (Friday and Saturday)
 - o 2019: 1100 hrs. to 0000 hrs. x 2 days (Friday and Saturday)
 - o 2019 added a small Thursday evening concert, but organizers only requested one ambulance on standby
- Total emergency services/incident command staffing:
 - o 160 in 2018
 - o 130 in 2019

Medical Capabilities Brief

- EMS ALS with a physician on site
- Technical rescue/dive team
- Medical first aid tent (climate controlled)
- Mobile medical teams
- 2 dedicated ALS transport units



- Closest hospital is in El Dorado: 4 miles
- Closest Level I Trauma Center in Wichita: ~35 miles

Meteorology Brief -

• 2018

- Temperatures: 80s and low 90s (below or near seasonal normals)
- Varied based on location per field experiment
 - Readings taken over multiple surfaces
 - Heat indices: 88-100
 - Wet Bulb Globe Temperature (WBGT): 82-86
 - Light winds (calm to 7 mph)
- Thunderstorm chances overnight with potential for severe storms







Meteorology Brief -

• 2019

- Temperatures: around seasonal normal (91)
- Heat indices: 85-90
- Wet Bulb Globe Temperature: 78-83
 - Readings taken over same surface
- Breezy in the afternoon (wind speeds around 15 mph with gusts to 25 mph)



Before

- Participation in planning team leading up to event regular meetings conducted between January and July
- Input into the Severe Weather Addendum to the IAP
- Morning briefing packets during the week of the event in both 2018 and 2019 (for pre-planning and protection of on-site personnel performing set-up)
 - Threat matrix overview of forecast for days of event with thresholds highlighted (2019 only)

Forecast Fri Evening – Sat Night

• Thresholds -

- Apparent Temp
 - **90, 95, 100, 105**
- WBGT
 - **80, 85, 88, 90**

	Fri 07/26 6 PM	Fri 07/26 9 PM	Sat 07/27 12 AM	Sat 07/27 3 AM	Sat 07/27 6 AM	Sat 07/27 9 AM	Sat 07/27 12 PM	Sat 07/27 3 PM	Sat 07/27 6 PM	Sat 07/27 9 PM	Sun 07/28 12 AM	Sun 07/28 3 AM
Max	87'F	81'F	71°F	70°F	68°F	79 ° F	87'F	91'F	91'F	85'F	76°F	73°F
Temperature	86°F	77°F	71°F	70°F	67°F	75°F	85'F	90'F	90°F	81°F	75°F	73°F
Heat Index	86°F	81°F	71°F	70°F	68°F	80°F	87°F	91°F	91'F	85°F	76°F	73°F
Wind Speed	13 mph	9 mph	5 mph	5 mph	5 mph	10 mph	12 mph	16 mph	16 mph	10 mph	9 mph	9 mph
Wind Direction	S	S	S	S	S	S	S	S	S	S	S	S
Wind Gust	18 mph	16 mph	14 mph	14 mph	14 mph	19 mph	17 mph	24 mph	24 mph	12 mph	10 mph	10 mph
Chance of Precipitation	3%	3%	3%	0%	0%	0%	0%	0%	0%	0%	2%	2%
Weather	None	None	None	None	None	None	None	None	None	None	None	None

Threat Level	None	Limited	Elevated	Significant	Extreme
Max Temperature	≥80 °F	80 to 84 'F	85 to 94 °F	95 to 99 °F	≤100 °F
Temperature	≤85 °F	85 to 89 'F	90 to 99 °F	100 to 104 °F	≥105 °F
Heat Index	≤85 °F	85 to 89 'F	90 to 99 °F	100 to 104 °F	≥105 °F
Wind Speed	≤25 mph	25 to 29 mph	30 to 34 mph	35 to 39 mph	≥40 mph
Wind Gust	≤35 mph	35 to 44 mph	45 to 57 mph	58 to 73 mph	≥74 mph
Chance of Precipitation	≤15 %	15 to 24 %	25 to 54 %	55 to 74 %	≥75 %
Note: Grey color indicates no thr	esholds assigned				

During: Situational Concerns

- Time of year
- Setting of the event
- Cumulative exposure to elements
- Larger attendance, many staying on site in tents or campers
 - o 8,000 in 2017
 - o 12,000 in 2018
 - o 6,000 in 2019
- Alcohol sales on site with a history of LOTS of consumption
- Apparel of on-duty emergency services personnel
- Emergency services roles and posting locations
- Beach with water recreation during first several hours of the event each day (also coupled with alcohol sales and consumption)

During -

- Continuous NWS onsite support during the event (during the county's operational periods)
- Brought Kestrel device to monitor conditions on site
 - Performed local heat study over various surfaces in 2018
 - Provided Wet Bulb Globe Temperature
- Participation in the daily operational briefing during the event





During: Operational Concerns

- Ensuring sufficient staffing in the medical branch (both onsite treatment and with transport capabilities)
- Ensuring sufficient medical supplies on hand (i.e. IV supplies and fluids for treating heat exposure)
- Informing decisions: treating on site vs transporting to hospitals
- Establishing rest and rehab plans for emergency services personnel o Frequency and length of rest periods
 - o Needed supplies (water, Gatorade, food)

During the event -

- Heat incidents resulted in evolution of services
 - Adjusted thresholds
 - Monitored and relayed WBGT





After

- NWS participation in the After Action Review following the event
- Lessons learned:
 - Adjustments to heat thresholds and parameters added to threat matrix
 - Projecting medical staff and services based on previous years
- Enhanced interest by NWS meteorologists to work with partners to make the event WeatherReady
After Event Debrief...

- 1. Educational opportunity on new tools
- 2. Opportunity to understand impacts and thresholds/trigger points

Key Takeaways / Closing Remarks -

- Involvement of NWS from start of planning process thru After Action Review
- Modify thresholds on the fly as needed
- Microclimates across site can impact support
 - Bring equipment to measure and monitor local conditions
 - Airport is more open in nature than festival site
 - le. winds at the festival were lower based on proximity and features, various surfaces, crowd, etc.
- Educational opportunity for both NWS and partner

ER/NWS Burlington Heat Event Report June 30 – July 5, 2018 Heat Wave

Scott Whittier, WCM - NWS Burlington, VT Jared Ulmer, Climate & Health Program Manager - VT Dept of Health



NWS Public Program Heat Workshop Wednesday, November 18, 2020



Meteorology Brief – June 30 - July 5, 2018 Heatwave

Massive heat ridge builds across much of the eastern CONUS with temperatues in the mid-upper 90s and southwest flow delivering dewpoints into the 60s/70s.

- Normal High: 80° Normal Low: 60°
- Preceding 5-7 days Highs were only in the 60s to lower 70s.
- Burlington's 6-Day Max Temperature ~ 94.8°F
- Burlington's Warmest 6-Day Avg Mean Temperature ~ 83.5°F
- Burlington's Warmest 6-Day Min Temperature ~ 72.2°F
- Burlington's First ever ≥ 80°F low temperature (80° July 2nd)
- First Ever Excessive Heat Warning Issued for CWA
- In VT Directly heat-related health impacts were 4 deaths, >100 emergency department visits, and >140 EMS calls.
- Still researching "attributable" impacts basically, an estimate of excess deaths & emergency department visits that can statistically be attributed to the heat wave.
- Commentary on 2018 Heat Wave <u>Preparing for Hot Weather in a Cold</u> <u>State</u>.





Meteorology Brief – Observed Conditions

MAX Heat Index for Sunday 7/1/18 MAX Heat Index for Monday 7/2/18 Valid: Sunday, July 01, 2018 at 03 PM EDT Valid: Monday, July 02, 2018 at 03 PM EDT 115 115 110 110 100 90 05 80 101 10 75 104 105 lational Weather Service **Actional Weather Service** Follow Us: Follow Us: Burlington, VT Burlington, VT 07/11/2018 12:27 PM EDT weather.gov/Burlington weather.gov/Burlington 07/11/2018 12:40 PM EDT

Sunday, July 1st - High temperatures in the lower to upper 90s with oppressive dew points in the low to mid 70s created heat index values in the 100 to 110° range. **First ever Excessive Heat Warning for VT**

Monday, July 2nd - High temperatures in the upper 80s to mid-90s with significant dew points in the upper 60s to lower 70s created heat index values in the mid-90s to lower 100s.

NWS Burlington Heat Index History



4

Before the event (Months/Years)

 VT Dept of Health and (VDH) and other state health departments/organizations received grant money from the Centers for Disease Control (CDC) beginning in 2012, to study and respond to expected climate change impacts on health.



- VDH's heat & health report (published in 2016) identified the following:
 - From May-September, heat-related health risks were much higher on days when the statewide average temperature reaches 87°F or hotter. On such hot days:
 - heat-related illnesses occurred eight times more frequently
 - there was <u>one additional death each day</u> among individuals aged 65 and older.
 - Vermonters may be particularly sensitive to heat: limited opportunities to acclimate to heat, not used to modifying behaviors because of heat, many buildings not designed to deal with summer heat
 - From 1981-2010 there were 7 days/year when the statewide average reached 87°F or hotter. The Vermont State Climate Office projected 15-20 such hot days/year by mid-century and 20-34 by the end of the century.

Before (Months/Years) - cont'd

- VDH reached out to BTV in the Spring of 2016 and the Northeast Heat Consortium reached out to ER MSD in the Fall of 2016 to review Heat headlines. (Health Departments from ME,NH,RI, Brown Univ).
- **First priority,** while awaiting any criteria changes. NWS Burlington worked very closely with VDH on heat messaging and joint press releases prior/during events and a Heat Safety Awareness Day.
- Second priority NWS Burlington configured their <u>EHWO Excessive Heat</u> Graphic/Legend with close collaboration/input from VDH to alert the more vulnerable at lower thresholds up to 7 days.
- NWS New England Sub-Regional offices (ALY, BOX, BTV, CAR, GYX, OKX) invited the Northeast Heat Consortium to our First Biennial Meeting in the fall of 2016 and worked closely with ER MSD on lowering Heat Advisory thresholds for the 2017 season and re-evaluated for the 2018 season
 - Looked at Climatology (1985-2015) for # Days Heat Index \geq 95°F per year across New England/NY.

NWS Eastern Region Heat Advisory Criteria Progression

Worked with NWS Offices serving New England as well as Northeast Health Departments and NE Heat Consortium between 2016-2018

2016

2017

2018







Heat Index (HI) 100-104 degrees for 2 Consecutive Hours Heat Index (HI) 95-99 degrees for 2 Consecutive Days or 100-104 degrees for 2 Consecutive Hours

Heat Index (HI) 95-104 degrees for 2 Consecutive Hours

Looked at Climatology (1985-2015) for # Days Heat Index ≥ 95°F per year across New England/NY.

NWS Burlington Heat Headline History

Year	Days with Heat Advisories	Days with Excessiv Warnings	ve Heat	Jul
2007-09	0	0		July
2010	3	0		Equiva
2011	1	0		
2012	1	0		
2013	1	0		
2014	0	0		
2015	0	0		
2016	0	0		
2017	0	0		
2018	9 (5)*	1*	Lowering tl	ne criteria
2019	2	0	did not lead into too many headlines, struck a nice balance.	
2020	4	0		

Heat Advisory Criteria before 2018: Heat Index between 100-104°F Heat Advisory Criteria 2018 and beyond: Heat Index 95-104°F Excessive Heat Warning : Heat Index ≥ 105°F July 2018 was the 2nd Warmest on Record and 3rd Warmest Summer of Record July 2020 and Summer of 2020 was the Warmest on Record

Equivalent to Climatology for Philadelphia, PA ~300+ miles SOUTH

Rank	Year	Mean Avg Temperature
1	2020	72.3
2	1949	72.2
3	2018	72.1
4	2005	71.5
5	2016	71.4
-	1995	71.4
7	1901	71.2
8	1899	71.0
9	2012	70.9
-	1999	70.9
-	1895	70.9
12	1900	70.8
13	1955	70.6
14	2019	70.4

Normal Summer = 68.4°F

NWS Burlington EHWO Excessive Heat Product



These thresholds were obtained working closely with VDH based upon a recent Heat-related hospitalization study.

64% of Heatrelated ED Visits occurred with BTV Max HI < 90° F

Tue Wed Thu Fri

Sat

Before (Immediately leading up to THIS event)

Initial messaging leading up to the heat event:

- NWS Burlington issued twice daily Briefing e-mails to ALL core partners, more than 3 days prior to the event due to forecaster confidence, "severity", weekend timing of the heat and potential impacts.
- NWS Burlington collaborated early and often with VDH on upcoming heat wave and messaging including joint press releases, utilized multiple dissemination methods, as well as sharing each other social media posts.
- NWS Burlington interacted with utilities and other agencies, addressing any concerns for unified messaging.

Example of NWS Burlington "Heads-up" Brief



and the first and some first of the sole o







Heat Safety Links

- NWS Heat Safety
 - https://www.weather.gov/safety/heat
- VT Dept. of Health Heat Safety
 - http://healthvermont.gov/climate/heat
- FEMA Extreme Heat

Weather Forecast Office

Burlington, VT

https://www.ready.gov/heat

Centers for Disease Control and Prevention

https://www.cdc.gov/disasters/extremeheat/index.html

Follow us: www.weather.gov/btv



Presentation Created

6/30/2018 5:05 AM

12

Joint Press Release between NWS and VT Department of Health





Communication Office - Department of Health (802) 863-7281

Scott Whittier, WCM - NWS Burlington, VT (802) 658-0150

FOR IMMEDIATE RELEASE: June 28, 2018

🖍 VERMONT

healthvermont.gov

Keep Your Cool as Summer Heats Up "Stay Cool, Find Shade, Don't Over Exert and Drink Plenty of Water"

BURLINGTON, VT – Summer is truly heating up, with high temperatures forecast to be in the 90s for much of Vermont this weekend into early next week. Heat can cause serious illness and can be deadly. Especially since an extended period of hot weather is uncommon in Vermont, taking some basic precautions can help you stay safe and healthy.

During hot weather, it's important to drink more fluids than usual, take extra breaks from strenuous activities, seek shade and cool indoor locations, and check in on loved ones and neighbors.

The Hazards of Excessive Heat

In the northeast, the risk for heat-related illnesses and even death increases as temperatures reach the mid-to-upper 80s and warmer, especially on sunny, humid days. This makes it harder for your body temperature control systems to keep up and your body temperature can get dangerously high.

Muscle cramps, heavy sweating, nausea, headache or light-headedness may all indicate a heat illness. Most heat illnesses can be treated with fluids and by resting in a cooler place. If symptoms persist or get worse, or someone you are with seems confused or loses consciousness, dial 9-1-1 and get immediate medical help. Learn more about symptoms and first aid at www.weather.gov/safety/heat-illness.

Certain individuals are at higher risk. People who work or exercise outdoors, older adults and young children, people who are overweight or have a chronic medical condition, people taking certain medications, and people using drugs or alcohol should take extra precautions.

HERE ARE SOME SAFETY TIPS TO BEST COPE WITH THE DANGERS OF HEAT: Take Action, Be Prepared

- NEVER leave children, people with disabilities, older adults, or pets in parked vehicles. "Look Before You Lock!"
- Wear lightweight, light-colored clothing to reflect heat and sunlight.
- Drink plenty of water, or non-alcoholic and decaffeinated fluids.
- Seek relief in air-conditioned spaces or other cool and shady places.
- Limit outdoor activities during the hottest part of the day.
- Close window shades during the day, keep windows closed when it is hotter outside than inside, and avoid using appliances and lights that generate heat, if possible.
- Check on loved ones and neighbors, especially those living alone and without air conditioning.

Before (Immediately leading up to THIS event)

NWS Products

- Due to the likelihood of a multiple day (unprecedented) event bordering numerous CWA's, BTV led collaboration efforts on best way to handle WWA and it was well received by neighboring WFO's.
 - Merge multiple days (via GFE) and utilize the WHEN (TIMING) bullet for specific timing (Noon to 8 pm) vs. issuing separate headlines for each day. KEEP IT SIMPLE!
 - It limited the confusion of dropping one headline and replacing it with the same for another day.

335 AM EDT Fri Jun 29 2018

...HEAT ADVISORY IN EFFECT FROM NOON SATURDAY TO 10 PM EDT MONDAY...

The National Weather Service in Burlington has issued a Heat Advisory, which is in effect from noon Saturday to 10 PM EDT Monday.

- * LOCATION...The Champlain Valley in Vermont and New York and the Saint Lawrence Valley in northern New York.
- * HEAT INDEX VALUES...Peak heat index values on Saturday will be up to 98 due to temperatures in the low 90s. On Sunday and Monday heat index values will increase to between 101 to 107 with temperatures in the mid 90s.
- * TIMING...Heat index values above 95 are only expected to be met from around noon to 8pm each day from Saturday through Monday.

Before (Immediately leading up to THIS event)

Partner actions/response:

- NWS heads-up briefings anticipating a severe heat event triggered:
 - Initial coordination between NWS, VDH, Vermont Emergency Management (VEM), and VT-211.
 - VDH rapid development of social media templates, translated heat safety info, and partner group alerts, supplementing existing heat safety resources.
 - Initial messaging by VDH, VEM, and news media by TV/radio, social media (#VTHEATSAFETY), email.
 - Followed by much additional messaging by a wide network of partners.



Before continued...

Interactions, messaging, and how operations could have been improved?

- "The detailed heads up briefings, additional email/phone communications were critical in alerting us to the potential severity of the forecast. Due to timing of the event (approaching weekend) "we needed to get our messaging out before the weekend", and your forecasts gave us the info and confidence to move forward even several days ahead of the event. "I can't think of much that could have been improved in terms of communications between NWS & VDH." VDH
- In terms of the heat messaging, we may be able to improve messaging about cumulative impacts for vulnerable populations. Much of the standard messaging emphasizes peak heat and avoiding strenuous activity during the hottest part of the day. But we also need to message that older adults & other vulnerable populations will be greatly affected both because of the length and severity of the heat...for those that can't find relief somewhere cool, the heat stress gets cumulatively worse and can be life-threatening. VDH
- Potential improvement Dedicated Heat page on BTV website, similar to winter and other phenomena.
 Incorporating ambient temperatures, Heat Index (HI) and Wet Bulb Global Temperature (WBGT) similar to RAH. NWS

During

Continued messaging - How did messaging evolve? What actions were taken to keep partners informed?

- Ongoing advisory/warning messages and twice daily briefings contributed to additional partner actions being taken during the event: Gov. Scott issued a press release. VEM & VT-211 compiled and advertised all community cooling center locations. VDH tracked heat-related ED visits and EMS calls each day of the heat wave and reported to VEM & the Governor's office. (VDH)
- NWS Products (Headlines and Potential Improvements)
 - 1 Excessive Heat Warning for 11 zones. 4 Heat Advisories, many for several days in length. ALL 25 zones, including the NY Adirondacks and VT Green Mountains, had some Heat headlines from 29 June 5 July 2018.
 - O The changing severity and coverage of the heat led to expanding/decreasing coverage of Warnings and Advisories "on the fly". Collaboration with neighboring offices was still good, but not as clear as in the beginning stages.
 - Don't get caught in the weeds with specific values. If you witnessed 105 -107° HI on Day 1 and Day 2 was 103 105°, think more impacts rather than criteria...perhaps a cumulative effect.

Recovery



- High temperatures went from mid to upper 90s and Heat Indices ≥ 100°F, returning to seasonable upper 70s and lower 80s for a few days. Overnight lows went from 60s/70s to the upper 40s to near 60.
- Final e-mail announced the above changes as well as when the next ≥ 90°F day may occur. Otherwise, much of the recovery phase support was providing IDSS (via phone) when requested.
 - A Hot Wash did not occur for this event. That's something VEM/VDH should initiate, and NWS would hopefully participate in. We're trying to establish a process for that in our draft Hot Weather Emergency Response Plan. (VDH)

After Event

Feedback? What did each agency learn?

- Positive feedback from VDH, VEM and a request to provide a **For The Record** report to help support their review process.
- VDH and NWS Burlington were very thankful for one another's collaboration efforts set forth just 1-2 years prior to this event. This "**set the plate**" for a smooth and efficient working relationship during this event.
- Yearly meetings and sharing of post event reports can give insight to each others capabilities.
 NWS Burlington is part of VT's Hot Weather Workgroup.
- **"Agreed.** The more we communicate, the better our communications are. I feel like we have a pretty established, comfortable communication channel now when either of us needs to reach out." Continuing to hold annual or event-specific meetings is also really important. VDH



After Event Debrief...

1. How could things have been improved?

- o Avoid meteorology purism and act based more on impacts for cumulative effects. NWS
- More planning, preparedness on the state level for cooling centers and reaching out to and knowing the more vulnerable populations. - VDH

2. What would the partners like to see regarding heat messaging and hazards?

- O Ensure hazard messaging aligns with expected impacts, targeted to the right audience(s).
- VDH has great concern with the potential elimination of Heat Advisories.
- Possibly take into account seasonal acclimation, event length, overnight lows, and other relevant factors. to make sure the advisories happen when truly needed and are directed towards the right audience. - VDH

3. Was there anything particular or unique about this heat event?

 Unprecedented event and during holiday celebrations. Lots of IDSS phone requests from communties hosting holiday celebrations (Festivals, parades, fireworks). - NWS

After Event Debrief...

4. Has COVID-19 impacted partner operations, planning, and decision making?

- VDH and state/local partner capacity is very strained by COVID-19 response. Messaging for any short-lived Heat episodes was very limited, and many preparedness and response activities were compromised. - VDH
- Very little progress was made on ambitious Hot Weather Preparededness workplan with most items have been postponed to 2021 or beyond. – VDH
- Despite 2020 being the Hottest Summer on Record, heat-related ED visits were much lower than 2018:
 - 115 heat-related ED visits in 2020, 104 in 2019, 200 in 2018 for the entire summer period (preliminary syndromic surveillance data).
 - Highest # of daily heat ED visits in 2020 was 7, compared to 29 in 2018.
 - 6-day heat wave in 2020 averaged 3°F cooler and 5% RH less than 6-day heat wave in 2018 (24 heat ED visits during 2020 heat wave; 102 ED visits during 2018 heat wave)
 - COVID likely contributed to some reduced ED visits, as some people continued to avoid non-critical health services during the summer...total ED visits are down about 20% this summer

Key Takeaways / Closing Remarks

VT Department of Health – I think this is another place to emphasize the importance of establishing and maintaining an ongoing relationship b/n NWS, VDH, and other partners. "Your (NWS) openness to using our data and messaging to influence your hazard criteria & communications is not to be taken lightly...and your willingness to collaborate is hugely appreciated!"

We speculate that lack of acclimation was a major factor leading to the severity of 2018 heat wave health impacts. Temps were about 15-20F cooler on average for 2 weeks prior to heat wave. Also there was just a large cumulative impact due to the length of heat wave and warm overnight lows. Six hot days with minimal relief opportunities puts a lot of stress on a body.

NWS Burlington – Working closely with our partners in reviewing NWS criteria had universal benefits (trust, collaboration, mutual respect). Other collaboration efforts that can have great benefits include utilities and transportation to establish criteria for wind, ice and snow loading.

Close collaboration with neighboring offices, perhaps sub-regionally, to help estabish sub-regional criteria.

Thank You

Any questions?

Scott Whittier, WCM - NWS Burlington, VT scott.whittier@noaa.gov

Jared Ulmer, Climate & Health Program Manager - VT Dept of Health Jared.Ulmer@vermont.gov

Case Study Summary

NWS Heat Workshop November 18, 2020

Kim McMahon & Danielle Nagele NWS AFSO Public Weather Services Program

We've heard...

- State Level Case from WFOs Shreveport (SHV) & New Orleans (LIX) and Governor's Office of Homeland Security & EM and Louisiana Dept of Health - Forecasting and messaging heat following a major disaster (heat during a recovery period)
- Local Urban Case from WFO Phoenix (PSR) and Arizona Dept. of Health Services -Forecasting and messaging heat in traditionally hot climate



• State Level Case from WFO Burlington (BTV) and Vermont Dept. of Health -Record breaking heat wave in the Northeast



Common Challenges:

• Messaging Challenges on both ends of the spectrum -

- AZ: Messaging the hazards/dangers of extreme heat in an area that commonly sees hot temperatures
- VT: Cool period leading to unprecedented, extended heat for area unaccustomed to heat
- \circ $\,$ Warning valid and lead time $\,$
 - AZ: Avg 4 day lead time (overlapping heat hazards?)
 - VT: 1 long duration headline with detailed timing in the product.



 Protecting a Range: First Responders and EMs to Local and Visiting Public -

- LA: Utility workers and other relief companies coming from cooler climates to assist with recovery efforts are unaccustomed to heat
- KS: Those working the event wore heavy equipment (e.g. kevlar vests) and dark

Common Successes

• Pre-Season & Pre-Event Awareness

- AZ: Pre-season Heat Awareness Week
- VT: Partnerships built months/years in advance

Messaging to Public:

- AZ: Extensive Social Media presence
- VT: Joint Press Release between NWS and VT Dept of Health
- LA: Adjustments to messaging based on underlying situation (Hurricane recovery)

• Situational Awareness:

- LA: "With thousands of first responders out in the field, heat and weather information was a critical piece in deciding what type of equipment was needed at the different locations"
- KS: Microclimates across the site can impact support



Common Successes

• Communication - NWS involvement start to finish of event:

- KS: Start of planning through After Action Review of large social event
 - Opportunity to learn for both NWS and partner
- AZ: Weekly Heat-Health calls with partners
- LA: Consistent and frequent calls and interactions with partners

• Impact-based thresholds:

- LA: Lowering Heat Advisory criteria temporarily following another event/disaster (e.g. hurricane, wind storm)
- AZ: Aggressive issuance of Heat headlines
- KS: Modify thresholds on the fly as needed
- VT: Situational context adjusting bullets in message

Key Takeaways: Louisiana

- Strengthen interactions with Dept of Health, in particular develop meaningful heat trigger points during recovery efforts
- Increased collaboration with partners around messaging
 - Partners in the public health and response/relief realms could use additional training on NWS products and services
- Following a major disaster, it's necessary to collaborate on post-storm messaging - a heat event right after a disaster has unique challenges and protective actions

What can be done (if anything) from a national perspective to assist during 'compounding disasters' such as heat events following up wind/tropical events?

Key Takeaways: Phoenix, Arizona

- Cascading Hazards:
 - Persistent Heat and impacts from COVID
 - Variety or Lack of Partner/Community Triggers
- Improving NWS-partner relationships through ongoing engagement and dialogue

How do we still find ways conduct pre-season preparedness during ongoing major hazards such as COVID?



Key Takeaways: Wichita, Kansas



Active involvement with partners

- Before, during and after events
- Learn from one another on tools, services, thresholds and impacts
- Be adaptable

Key Takeaways: Burlington, Vermont

- Building relationship between NWS
 WFO and core partners long in advance
 - Familiarization of each agency's roles and products and services
 - Trust, collaboration, mutual respect
- Impact-based services
 - Take into account cumulative effects, event length, etc
- Continuous and regular coordination with partners
 - Messaging input and consistency





Questions? Comments?



 \approx

THE

 \square

1



NOAA National Weather Service Public Weather Services Program Analyze, Forecasts, and Support Office

NWS Heat Workshop Wrap-UpKimberly McMahonNovember 18, 2020

Public Weather Services Program Lead





जौ

NWS Heat Workshop Wrap-Up November 18, 2020

Session

Logistics and Welcome

*>

明

 $\mathbf{\Lambda}$

12

Overview of Current Heat Services

NIHHIS Federal Partner Panel

2020 Heat Event Case Study Presentations

- WFOs Shreveport & New Orleans and LA GOHSEP & LA Dept of Health
- WFO Phoenix and AZ Dept of Health Services
- WFO Wichita and Butler County EM
- WFO Burlington and VT Dept of Health

Case Study Summary




NIHHIS Federal Partner Panel



Centers for Disease Control and Prevention



四

 \mathbb{A}

12

National Institutes of Health

Occupational Safety and Health Administration

Environment and Climate Change Canada









t Gouvernement du Canada



Department of Commerce // National Oceanic and Atmospheric Administration // 3



<u>त्रौँ</u>

x

明

 \mathbb{A}

12

Heat Event Case Studies

Louisiana:

- WFOs Shreveport (SHV) & New Orleans (LIX)
- Governor's Office of Homeland Security & EM
- Louisiana Dept of Health

Arizona:

- WFO Phoenix (PSR)
- Arizona Dept. of Health Services Rural Kansas:
 - WFO Wichita (ICT)
- Butler County EM Vermont:
 - WFO Burlington (BTV)
 - Vermont Dept. of Health





What stood out to you?

Place your comments in the question box.

• Several presenters and speakers have stated...

- Morbidity rates, hospitalizations occur outside of NWS Heat headlines (WWA)
- Impacts start at lower threshold than NWS criteria and tools
- Concerns on warning fatigue.
- AZ Case number of ER visits or hospitalizations align with increased HeatRisk category
 - Are people not taking precautions?



ž

<u>त्रौ</u>

 \approx

明

Federal Partner Panel

• Greater collaboration on messaging/outreach materials

- NWS Heat Safety Page and local WFO pages
- OSHA information
- o cdc.gov/climateandhealth
- Need for user friendly web tools of NWS climatic and past NWS WWA issuance.
 - Gather specific feedback
 - Share NWS and other partner websites that may meet needs (OSHA)



<u>जौ</u>

 \approx

明

 $\mathbf{\Lambda}$



<u>जौ</u>

 \approx

四日

 $\mathbf{\Lambda}$

12

Tentative Path Forward

Iterative Steps:

Gather information Analyze Deve

November 2020	End of FY21	End of FY22	End of FY23 & beyond
 Hold NWS Workshop Consolidate input gathered: WFO use/communication of Heat products and services Lessons Learned, Best Practices, Desired path forward Core Partner understanding and use of NWS Heat products and services Evolving needs and thresholds, fulfilling gaps 	Completion of NWS National Heat Strategy	Test and refine elements of Heat Strategy	Fully implement Heat Strategy



Questions yet to be answered

Focus on messaging/communicating the hazards of heat:

- Work needed to ensure social science incorporation what research questions need to be answered?
- Coordination with health experts
- Coordination with messaging partners such as the media, emergency managers, local health officials, etc.



÷ờs

औ

R

是

 $\mathbf{\Lambda}$

Thank you!

Partners

- Louisiana Governor's Office of Homeland Security Melton Gaspard
- Louisiana Dept of Health Kenyatta Esters
- Arizona Dept of Health Matthew Roach
- Butler County Emergency Management Keri Korthals
- Vermont Dept of Health Jared Ulmer

<u>NWS</u>

Analyze, Forecast, and Support

- Office Leadership:
 - Andy Stern
 - Eli Jacks
 - Michelle Hawkins

NWS Presenters:

- Danielle Nagele
- Danielle Manning
- Charles Woodrum
- Paul Iniguez & Larry Hopper

- Chance Hayes
- Vanessa Pearce
- Scott Whittier



÷ờ́s

औ

 \approx

明

 \square













 $\mathbf{\Lambda}$



Questions?

Kimberly McMahon

kimberly.mcmahon@noaa.gov **Public Program Lead**

Danielle Nagele

danielle.nagele@noaa.gov **Public Program Coordinator**

Vanessa Pearce

vanessa.pearce@noaa.gov Public Program NRAP

Thank you for attending the NWS Heat Workshop!