



# Air Quality Health Index Program Status and Future Directions

Prepared for NOAA Forecaster Focus Group Workshop

# Implementation Status

#### **National**

- AQHI reaches 69% of Canadians (goal is 80% by 2016)
  - AQHI forecasts available in all provinces, all EC forecast offices engaged
- Available in 84 locations
- Focus on the North

#### International

- Hong Kong implementation of AQHI launched December 2013
- Ireland and UK adopt AQHI messaging
- Ongoing dialogue with US EPA and NOAA
- Ongoing engagement with Mexico and US through the CEC







# Pan and Para Pan Am Games A Demonstration Opportunity



Pan Am Games July 10–26. Parapan Am Games August 7–15.





## Pan Am AQHI Service Enhancement



- Addition of 2 AQHI stations (York
   University and Hanlan's Point) ... turn on
   July 2015
- Reporting of AQHI by location (8 locations 6 in Toronto and 2 in Hamilton)
- Enhancement of forecasting ... 18 1 hour increments for locations and community values
- Smog and Air Health Advisory and Special Air Quality Statements available for Pan Am venues ... locations mapped by proximity to Pan Am venues
- AQHI alerts available through EC-Alert Me



# **AQHI by Station and 18 hour Mock-ups**

#### Pan Am and Parapan Am Games

Toronto Island - Hanlan's Point - Air Quality Health Index - Next 18 Hours

This table shows a provincial summary of current Air Quali Issued at: 6:00 AM EDT Wednesday 24 June 2015

15:00

#### Toronto Island - Hanla

#### Location

Hamilton Downtown and Kelly

Hamilton Mountain - \ and E. 18th

Toronto Downtown - E and Wellesley

Toronto East - Kenne Lawrence


Toronto Island - Hanla Point

Toronto North - Yonge Finch

Toronto West - Islingto 401

York University - Keel Campus

2. Forecast issued at: 6:



#### At-Risk Population:

- · Enjoy your usual outdoor act
- · Find out if you are at risk

#### **Forecast Maximums**

Issued at: 6:00 AM EDT Wednesd

Wednesday

Wednesday night

Thursday

#### Date / Time (EDT) Value 25 June 2015 01:00 3 - Low Risk 02:00 3 - Low Risk 03:00 3 - Low Risk 04.002 - Low Risk 05:00 2 - Low Risk 06:00 2 - Low Risk 07:00 2 - Low Risk 08:00 3 - Low Risk 09:00 2 - Low Risk 10:00 2 - Low Risk 11:00 2 - Low Risk 2 - Low Risk 12:00 13:00 2 - Low Risk 14.00 2 - Low Risk

#### Who is at risk?

People with heart and lung conditions are most affected by air pollution.

Ten seconds of idling can use more fuel than turning off the engine and restarting it.

To find out if you are at risk, consult the health guide, your



Canada Canada




2 - Low Risk


Dia you know...?

### **AQHI** Websites during Pan Am (AirHealth.ca)

- Visits almost doubled to the Ontario map pages (The maps provide access to the AQHI values and are the most heavily used part of the site.)
- Most visitors found the website by typing in the URL, or using a bookmark (i.e. "direct traffic"), rather than using a link from another website.
- The increase was likely caused by the Pan Am activities, the launch of AQHI throughout Ontario, and the inclusion of the website in Ontario AQ advisories (three advisories issued during the Games)



#### How they reached Airhealth.ca



# Canadian Air Quality Forecast Systems

- RAQDPS (Regional Air Quality Deterministic Prediction System)
  - GEM-MACH
  - Emissions & boundary conditions
  - Statistical model (UMOS-AQ)
  - Products
  - Regional Deterministic Air Quality Analysis (RDAQA)
- FireWork (RAQDPS with wildfire emissions)
  - Emissions
  - Statistical model (UMOS-AQ)
  - Specialized Products
  - Regional Deterministic Air Quality Analysis connected to FireWork (RDAQA-FW)
- Experimental AQ system versions (ex: GEM-MACH on 2.5km for PanAm games)
- VAQUM (Verification of Air QUality Models) System





# **RAQDPS: Components**


RAQDPS = Regional Air Quality **Deterministic Prediction System** 





# GEM-MACH, Operational Version (v1.5.4)

- GEM-MACH is EC's operational AQ model. Here are some essential characteristics:
  - limited-area (LAM) configuration with co-located grid points with operational met-only GEM, which supplies initial conditions and lateral boundary conditions for GEM-MACH
  - 10-km horizontal grid spacing, 80 vertical levels to 0.1 hPa
  - One-way coupling (meteorology affects chemistry)
  - 2-bin sectional representation of PM size distribution (i.e., 0-2.5 and 2.5-10 μm) with 8 chemical PM components





- Full process representation of oxidant and aerosol chemistry:
  - gas-, aqueous- & heterogeneous chemistry mechanisms
  - aerosol dynamics
  - dry and wet deposition (including in- and below-cloud scavenging)



# Overview of the Canadian AQ Forecast Program – Model Charts

- Maximum ozone near the surface, at 50m and 500m over a 6-hour interval
- PM<sub>2.5</sub>/PM<sub>10</sub> near the surface 6-hour mean
- 4-panel maps (PM<sub>2.5</sub>, PM<sub>10</sub>, O<sub>3</sub> near the surface, O<sub>3</sub> at 500 metres)
- Products are available over:
  - Eastern Canada; Western Canada and North America










### Statistical Model: UMOS-AQ

- Operational Post-processing applied to GEM-MACH raw model output
- Reduces model bias and model error at point locations with AQ monitors through through multi-variate linear regression approach
  - Applied to meteorological variables since 2000
  - Adapted for air quality variables (O<sub>3</sub>, NO<sub>2</sub>, PM<sub>2.5</sub>) in 2010




# **Products: Air Quality Health Index**

### Used for public forecasts:

- Multi-pollutant index
- Triggers warnings

$$AQHI_{2.5} = \frac{10}{10.4} * [100]$$

$$((e^{0.000871*NO_2} - 1) + (e^{0.000537*O_3} - 1) + (e^{0.000487*PM 2.5} - 1))]$$



Different messaging for at-risk population vs. general population




### **Products: Forecaster Tools**

- Air quality forecast is prepared for each AQHI community
- Forecasters examine time series of
  - Recent observations
  - Hourly forecasts for the 3 AQHI pollutants (O<sub>3</sub>, PM<sub>2.5</sub>, NO<sub>2</sub>), with a 3h running average
    - From UMOS-AQ
  - Resulting AQHI
- Additional products are made available to forecasters
  - Internal website with all monitoring sites observations & forecasts
  - Allow investigation of special situations (smoke episode, trans-boundary pollution advection, wildfire smoke dispersion, etc).





### **Products: AQHI Forecaster Resource Site**



Williams Lake


### OA: Objective Analysis for Surface Pollutants

- Operational as of February 2013, called RDAQA
- Blends model forecasts with surface observations from Canadian regional networks and the U.S. EPA's AIRNow observation network
  - Using an optimal interpolation approach
  - Knowledge of the errors of model and observation data is applied to weight each input accordingly
- Products available hourly (2x = early and late analyses):
  - Available for: PIM<sub>2.5</sub>, O<sub>3</sub>, NO<sub>2</sub>, NO, SO<sub>2</sub>, PM<sub>10</sub> and AQHI
  - Analyses are not yet used to initialize GEM-MACH
    - Tests have been made, applying a correlation factor to spread information at the surface into the vertical dimension
    - Results show an improvement in the short-term forecast





#### Example of 4-Panel OA Summary for Wed. July 29, 2015, 08 UTC



# FireWork System



 FireWork has the same configuration as GEM-MACH, the operational AQ model. The only difference is the inclusion of the near-real-time wildfire emissions


#### • FireWork:

- Run twice daily (initiated at 00 UTC and 12 UTC)
- Available at approximately at the same time as the operational model

#### Additional products

- Alternate AQHI based on FireWork
- PM<sub>2.5</sub>/PM<sub>10</sub> maps and animations based on difference fields (FireWork – GEM-MACH) to isolate plumes
- Total column PM<sub>2.5</sub>/PM<sub>10</sub> sums
- Other specialized products available upon request







WildFire Emissions Data

## Why are Wildfire Emissions Important?

Wildfire emissions contribution to average summertime PM<sub>2.5</sub> concentrations Difference: FireWork – GEM-MACH





#### **Edmonton** Example

Bad air quality due to wildfires - August 19th 2010








Observed hourly PM<sub>2 5</sub> up to 250 µg/m<sup>3</sup>

### **Products: FireWork Forecaster Resource Site**





BLVS 13 13 13 13 14 14 14 14 15 15 15 16 16 17 18 19 20 20 28 20 18 BNS 10 10 11 11 11 12 12 13 13 13 13 13 13 13 13 13 12 12 12 11 11 10 CVCL 15 15 14 14 15 17 17 19 18 17 17 17 15 15 15 15

### FireWork forecasts available as WMS/KML layers



#### AQHI FireWork external web page: http://collaboration.cmc.ec.gc.ca/cmc/air/FireWork-GEMMACH






# Summary of FireWork Experience

- Environment Canada developed the capability of including wildfire emissions into air quality forecasts
- FireWork is primarily designed to support meteorologists in issuing AQ forecast and advisories
- EC is willing to share products from FireWork with governmental agencies dealing with wildland fire management
- Based on 2013/2014/2015 FireWork results, we have seen :
  - A significant improvement of PM<sub>2.5</sub> forecasts
  - That FireWork is capable of forecasting long range pollution transport from wildfires











# Fine-Scale AQ Systems: GEM-MACH on 2.5-km Grid for 2015 Toronto PanAm Games


GEM-MACH run at 2.5 km run (June to August 2015) by EC Operations for PanAm games:

HRDPS - used as pilot model for meteorology GEM-MACH10 - used as pilot model for chemistry

#### **Products:**








# VAQUM: Verification for Air QUality Models


- Designed a PostGIS database to store AQ observations and corresponding model outputs
  - Can ingest both real time and QC'ed historical datasets
  - Allows to production of various statistics & categorical scores
  - About 1730 stations (265 CAN, 1465 USA)
  - Collecting data since 2007
- Essential tool to assess the impact of model updates
- Also used to monitor the performance of the operational system



## **VAQUM Products**

Canada

Canada





# Short-term Planned Updates of the Canadian AQ Forecast Program

#### RAQDPS

- 1) Piloting by global model
- 2) 72h forecasts
- 3) New, improved GEM version, with mass conservation of tracers
- 4) Updated emissions inventories for Canada, U.S. and Mexico
- 5) Expansion of AQHI program
- 6) Introduction of AQHI+ values in some provinces

#### FireWork

- a. Same as 1-4 for RAQDPS
- b. Status change from experimental to operational or parallel
- c. Improved plume-rise algorithm applied to wildfire smoke dispersion
- d. Improved wildfire emissions estimates





### **Possible Future Directions**

- Updated or new AQ process representations
- Improved chemical lateral boundary conditions from global **GEM-MACH**
- Chemical data assimilation to initialize GEM-MACH?
- Benefits of higher-resolution deterministic AQ systems?
  - -Tested for 2.5 km for PanAm Games
- Ensemble AQ systems?
- Activating AQ feedbacks to meteorology? (longest term)





## **AQMAS** Team

#### R. Pavlovic<sup>1</sup>, Sophie Cousineau<sup>1</sup>, Michael D. Moran<sup>2</sup> Sylvie Gravel<sup>3</sup>, and Yulia Zaitseva<sup>4</sup>

<sup>1</sup>Air Quality Modeling Applications Section, Environment Canada, Montreal, Quebec, Canada

<sup>2</sup>Air Quality Research Division, Environment Canada, Toronto, Ontario, Canada

<sup>3</sup>Air Quality Research Division, Environment Canada, Montreal, Quebec, Canada

<sup>4</sup>Data Assimilation and Quality Control Section, Environment Canada, Montreal, Quebec, Canada





# Post-Processing (AQHI)

#### **UMOS-AQ**

- Operational Supported (since July 2010)
- Based on linear statistical methods
- Adaptive methods for season and model transitions

#### XM-Tool


- Experimental Products and Infrastructure
- Broad suite of statistical tools and additional predictors
- Alternative statistical methods
- XM\_MLR, RandomForest, and Kalman filter used to support PanAm Games forecasts





## Pan Am ... XM-Tool Demonstration


- Air Quality Health Index Forecasts for AQHI sites and sport venues
- Forecasts for GM2.5 and GM10km
  - Twice daily
- Three new Post processing techniques to supplement UMOS-AQ from GM 10km
  - xm\_MLR;
  - xm\_RF,
  - xm\_KF






# XM-Tool (2015 PanAm Demo)

3-Hour Rolling Mean PM<sub>2.5</sub> Observations and Forecasts





# THANK YOU

Dave Henderson dave.henderson@ec.gc.ca

Sophie Cousineau

Sophie.Cousineau@ec.gc.ca

Andrew Teakles

Andrew.Teakles@ec.gc.ca



