



# NOAA - National Weather Service

Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570


813-645-2323 <http://weather.gov/tampabay>

## April 2018 Climate Summary for West Central and Southwest Florida


Temperatures across West Central and Southwest Florida averaged between about 68° and 77°, or from near average to about 3 degrees above average for April 2018. These temperatures didn't break any records, but did place a few locations in the Top Fifteen Warmest for April.

### APRIL MONTHLY AVERAGE TEMPERATURE (°F):

Location	Apr 2018 Avg Temp	Normal Apr Temp	Dep fm Normal	Records Began	Ranking
Fort Myers - Page Field	76.9	73.8	+3.1	Jan 1902	7th Warmest
Punta Gorda Area	74.8	71.8	+3.0	May 1914	17th Warmest
St Petersburg - Whitted	74.7	72.9	+1.8	Aug 1914	28th Warmest
Tampa Area	74.6	72.0	+2.6	Apr 1890	15th Warmest
Winter Haven Area	74.2	72.2	+2.0	Mar 1941	15th Warmest
Plant City	74.1	70.9	+3.2	Sep 1892	15th Warmest
Lakeland Linder	73.5	71.1	+2.4	Feb 1915	26th Warmest
Myakka River State Park	73.2	71.6	+1.6	Mar 1956	15th Warmest
Venice	73.1	71.1	+2.0	May 1955	20th Warmest
Tarpon Springs	72.6	70.7	+1.9	Jan 1892	30th Warmest
Sarasota-Bradenton Area	72.5	71.1	+1.4	Jan 1911	28th Warmest
Bartow	72.4	72.5	-0.1	Jun 1892	52nd Warmest
Arcadia	72.0	70.3	+1.7	Nov 1899	50th Warmest
St Leo	71.6	71.9	-0.3	Apr 1895	56th Warmest
Archbold Bio Stn	71.3	69.7	+1.6	Jan 1969	21st Warmest
Brooksville Area	69.9	67.7	+2.2	Jan 1892	61st Warmest
Chiefland 5 ESE	69.8	67.3	+2.5	Jul 1956	17th Warmest
Inverness 3 SE	68.4	68.5	-0.1	Jul 1948	48th Warmest



April 2018 Average Temperature




April 2018 Departure from Average


As far as rainfall, April is usually one of the drier months of the year and in a lot of areas south of Interstate 4 this was true, however farther north across the Nature Coast rainfall was well above average.

**APRIL MONTHLY RAINFALL (inches):**

Location	Apr 2018 Rainfall	Normal Apr Rain	Dep fm Normal	Records Began	Ranking
St Leo	6.61	2.62	+3.99	Apr 1895	8th Wettest
Brooksville Area	5.16	2.56	+2.60	Jan 1892	19th Wettest
Inverness 3 SE	5.01	2.29	+2.72	Jul 1948	6th Wettest
Chiefland 5 ESE	4.91	3.13	+1.78	Jul 1956	15th Wettest
Winter Haven Area	4.42	2.48	+1.94	Mar 1941	10th Wettest
Lakeland Linder	3.82	2.67	+1.15	Feb 1915	22nd Wettest
Arcadia	3.50	2.47	+1.03	Nov 1899	25th Wettest
Tarpon Springs	3.46	2.37	+1.09	Jan 1892	31st Wettest
Archbold Bio Stn	3.20	2.25	+0.95	Jan 1969	13th Wettest
Bartow	2.80	2.73	+0.07	Jun 1892	49th Wettest
Sarasota-Bradenton Area	2.52	2.44	+0.08	Jan 1911	39th Wettest
Plant City	2.39	2.69	-0.30	Sep 1892	52nd Wettest
Myakka River State Park	2.38	2.59	-0.21	Sep 1943	27th Wettest
Tampa Area	2.16	2.03	+0.13	Apr 1890	44th Wettest
Venice	1.80	2.48	-0.68	May 1955	29th Wettest
Punta Gorda Area	1.15	2.43	-1.28	May 1914	37th Driest
St Petersburg - Whitted	1.13	2.27	-1.14	Aug 1914	38th Driest
Fort Myers - Page Field	0.98	2.18	-1.20	Jan 1902	44th Driest
Wauchula 2 N	0.46	2.74	-2.28	Jan 1933	13th Driest



**April 2018 Rainfall**



**April 2018 Percent of Normal Rain**

On the following pages are tables of the top ten warmest, coolest, wettest, and driest Aprils at some official NWS locations, which includes the average/total for this April where available, and the 1981-2010 average temperature and rainfall for the month of April.

**CHIEFLAND 5 ESE** (records began in July 1956):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 73.0 in 1991	1 63.4 in 1961	1 14.61 in 1982	1 0.00 in 1967
2 72.5 in 2002	2 64.8 in 2005	2 8.46 in 1997	2 0.30 in 1963
3 72.2 in 1999	3 64.9 in 2004	3 7.39 in 1995	3 0.31 in 1969
4 71.8 in 1970	4 65.0 in 1962	4 7.16 in 1985	4 0.42 in 2016
5 71.3 in 2017	5 65.3 in 1993	5 7.13 in 1991	5 0.79 in 1989
71.3 in 2011	6 65.5 in 2000	6 6.65 in 1957	6 0.80 in 2000
7 71.2 in 1911	7 65.6 in 2007	7 6.48 in 1983	7 0.88 in 2001
71.2 in 1965	8 66.4 in 1966	8 6.22 in 2005	0.88 in 1998
9 70.9 in 1994	9 66.6 in 1984	9 6.20 in 1961	9 0.91 in 1993
10 70.5 in 1979	10 66.9 in 1986	10 6.12 in 1979	0.91 in 1981
...	66.9 in 1983	...	
<b>17 69.8 in 2018</b>		<b>15 4.91 in 2018</b>	
69.8 in 1957			

Normal Temperature for April at CHIF1 = 67.3°  
 Normal Rainfall for April at CHIF1 = 3.13 in.

**INVERNESS 3 SE** (records began in July 1948):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 75.5 in 1954	1 64.8 in 1993	1 7.88 in 1953	1 0.00 in 1967
2 74.9 in 2015	2 66.1 in 2004	2 5.89 in 1991	2 0.06 in 2001
3 74.5 in 1968	3 66.2 in 2000	3 5.76 in 2011	3 0.07 in 1998
4 74.3 in 1967	4 66.3 in 2007	4 5.20 in 1997	4 0.20 in 1978
5 74.1 in 1965	5 66.4 in 1996	5 5.15 in 1959	5 0.26 in 1987
6 74.0 in 1970	6 66.8 in 2003	<b>6 5.01 in 2018</b>	6 0.31 in 1977
7 73.5 in 2002	66.8 in 1992	7 5.00 in 1982	0.31 in 1974
8 73.1 in 1969	8 67.1 in 1998	8 4.89 in 1984	8 0.65 in 1999
73.1 in 1963	9 67.3 in 1988	9 4.62 in 1966	9 0.73 in 1968
10 72.9 in 1991	10 67.4 in 1950	10 4.47 in 1992	10 0.76 in 1981
...	...		
<b>48 68.4 in 2018</b>	<b>17 68.4 in 2018</b>		

Normal Temperature for April at INVF1 = 68.5°  
 Normal Rainfall for April at INVF1 = 2.29 in.

**BUSHNELL 1 E** (records began in July 1948):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 74.7 in 2015	1 65.4 in 1987	1 8.45 in 1983	1 0.00 in 1981
2 73.8 in 1954	2 66.3 in 1950	2 6.60 in 1949	0.00 in 1967
3 73.6 in 1994	3 67.0 in 1961	3 5.84 in 1959	3 0.12 in 1972
4 73.1 in 1999	67.0 in 1952	4 5.61 in 1953	4 0.14 in 1998
5 72.9 in 1970	5 67.4 in 1986	5 5.48 in 1982	5 0.21 in 1970
6 72.5 in 1981	6 67.7 in 1951	6 5.41 in 1991	6 0.25 in 1977
7 72.4 in 1968	7 67.9 in 2009	7 4.88 in 1989	7 0.32 in 1968
8 72.3 in 1965	8 68.0 in 1973	8 4.84 in 1960	8 0.37 in 1978
9 72.2 in 1979	9 68.1 in 1971	9 4.83 in 1951	0.37 in 1974
72.2 in 1964	10 68.2 in 1997	10 4.72 in 1973	10 0.59 in 1990
	68.2 in 1976	<b>11 4.69 in 2018</b>	
	68.2 in 1962		
...			
<b>35 69.1 in 2018</b>	<b>20 69.1 in 2018</b>		

Normal Temperature for April at BSHF1 = 69.2°

Normal Rainfall for April at BSHF1 = 2.34 in.

---

**BROOKSVILLE AREA** (records began in January 1892):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 75.5 in 1947	1 64.3 in 2005	1 14.49 in 1928	1 Trace in 2017
75.5 in 1947	64.3 in 2004	2 8.05 in 1900	Trace in 1967
75.5 in 1945	3 64.8 in 1901	3 7.54 in 1935	3 0.04 in 2001
4 75.2 in 2015	4 65.3 in 2000	4 7.41 in 1949	4 0.05 in 1998
75.2 in 1999	5 66.8 in 2007	5 7.38 in 1991	5 0.10 in 1903
6 74.5 in 1927	6 67.1 in 1950	6 6.92 in 1953	6 0.16 in 1977
7 74.4 in 1994	7 67.3 in 1892	7 6.48 in 1937	7 0.20 in 1981
8 74.0 in 1909	8 67.6 in 1926	8 6.39 in 1918	8 0.21 in 1932
9 73.8 in 1981	9 67.7 in 1952	9 6.33 in 1982	9 0.25 in 2006
10 73.7 in 2002	10 67.9 in 2008	10 6.20 in 1926	10 0.35 in 1911
73.7 in 1964	67.9 in 2003	...	0.35 in 1898
73.7 in 1912	67.9 in 1997	<b>19 5.16 in 2018</b>	
	67.9 in 1993		
...	...		
<b>61 69.9 in 2018</b>	<b>44 69.9 in 2018</b>		
69.9 in 1953	69.9 in 1953		

Normal Temperature for April at BKV = 67.7°

Normal Rainfall for April at BKV = 2.56 in.

**ST. LEO** (records began in April 1895):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 76.8 in 1908	1 66.4 in 1931	1 15.55 in 1953	1 Trace in 1967
2 76.0 in 1954	2 66.7 in 1987	2 11.22 in 1928	2 0.06 in 1981
76.0 in 1947	66.7 in 1928	3 7.41 in 1937	0.06 in 1922
4 75.7 in 1945	4 67.7 in 1950	4 7.02 in 1997	4 0.09 in 2001
5 75.5 in 2015	67.7 in 1915	5 6.86 in 1991	5 0.11 in 1903
6 75.4 in 2002	67.7 in 1901	6 6.75 in 1949	6 0.12 in 1963
7 75.3 in 1994	7 68.0 in 1903	6.75 in 1941	7 0.13 in 2017
8 74.9 in 1991	8 68.4 in 1916	<b>8 6.61 in 2018</b>	8 0.20 in 1911
9 74.6 in 2006	9 68.6 in 1993	9 6.33 in 1895	9 0.21 in 1998
74.6 in 1999	10 68.7 in 1913	10 6.16 in 1931	10 0.23 in 1896
...	...		
<b>56 71.6 in 2018</b>	<b>68 71.6 in 2018</b>		

Normal Temperature for April at STLF1 = 71.9°

Normal Rainfall for April at STLF1 = 2.62 in.

---

**TARPON SPRINGS** (records began in January 1892):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 76.5 in 2015	1 65.7 in 1987	1 7.63 in 1931	1 0.00 in 1967
2 76.4 in 1947	2 67.1 in 1915	2 7.20 in 1942	2 Trace in 1896
3 76.0 in 1991	3 67.2 in 1962	3 6.97 in 1949	3 0.05 in 1922
4 75.3 in 1945	4 67.4 in 1950	4 6.66 in 1928	4 0.07 in 1981
5 75.1 in 1994	67.4 in 1940	6.31 in 1953	0.07 in 1972
6 74.9 in 1948	6 67.5 in 1903	6 6.01 in 1957	6 0.08 in 1923
7 74.8 in 1922	7 67.8 in 1916	7 5.97 in 1933	7 0.16 in 1998
74.8 in 1912	8 67.9 in 1971	8 5.90 in 1959	8 0.18 in 1903
9 74.7 in 2002	67.9 in 1961	9 5.70 in 1941	9 0.20 in 2017
74.7 in 1929	67.9 in 1910	10 5.60 in 1920	10 0.23 in 1910
...	...	...	...
<b>30 72.6 in 2018</b>	<b>94 72.6 in 2018</b>	<b>31 3.46 in 2018</b>	<b>95 3.46 in 2018</b>

Normal Temperature for April at TRPF1 = 70.7°

Normal Rainfall for April at TRPF1 = 2.37 in.

---

**TAMPA AREA** (records began in April 1890):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 78.0 in 2015	1 66.3 in 1987	1 10.71 in 1997	1 Trace in 1981
2 77.1 in 2017	2 66.7 in 1901	2 8.04 in 1920	Trace in 1967
3 76.8 in 1991	3 67.2 in 1993	3 7.23 in 1931	3 0.02 in 2001
4 76.6 in 1947	4 67.7 in 1950	4 6.59 in 1957	4 0.05 in 1969
5 76.4 in 1908	5 68.1 in 1903	5 6.14 in 1933	5 0.16 in 1922
6 76.3 in 2011	6 68.2 in 1899	6 5.75 in 1926	0.16 in 1898
7 76.3 in 2002	7 68.6 in 1983	7 5.48 in 1959	7 0.21 in 1963
8 76.0 in 1945	68.6 in 1961	8 5.38 in 1895	8 0.31 in 1892
9 75.4 in 2013	68.6 in 1915	9 5.19 in 1951	9 0.35 in 1938
10 75.3 in 1994	68.6 in 1891	5.19 in 1941	10 0.37 in 1946
...		...	...
<b>15 74.6 in 2018</b>		<b>44 2.16 in 2018</b>	<b>86 2.16 in 2018</b>
74.6 in 2016			

Normal Temperature for April at TPA = 72.0°

Normal Rainfall for April at TRA = 2.03 in.

---

**ST. PETERSBURG** (records began in August 1914):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 78.6 in 2015	1 68.5 in 1950	1 9.73 in 1997	1 0.00 in 1967
2 77.0 in 2011	2 68.7 in 1987	2 9.09 in 1920	2 Trace in 1981
77.0 in 1945	3 68.9 in 1993	3 8.45 in 1951	3 0.01 in 1974
4 76.9 in 2002	4 69.2 in 1952	4 7.69 in 1933	4 0.04 in 2001
5 76.6 in 1991	5 69.3 in 1983	5 7.39 in 1957	5 0.07 in 1987
6 76.5 in 2013	6 70.1 in 1916	6 7.20 in 2003	6 0.11 in 1998
7 76.1 in 1929	7 70.2 in 1915	7 6.16 in 1960	7 0.24 in 1932
8 76.0 in 1981	8 70.4 in 1951	8 6.09 in 1948	8 0.25 in 1977
76.0 in 1954	9 70.6 in 1931	9 5.81 in 1931	9 0.27 in 2006
76.0 in 1922	10 70.8 in 1996	10 5.46 in 1941	0.27 in 1963
	70.8 in 1961		
...	...	...	...
<b>28 74.7 in 2018</b>	<b>76 74.7 in 2018</b>	<b>66 1.13 in 2018</b>	<b>38 1.13 in 2018</b>
		1.13 in 1986	1.13 in 1986

Normal Temperature for April at SPG = 72.9°

Normal Rainfall for April at SPG = 2.27 in.

---

**PLANT CITY** (Temperature records began in Sep 1892 and Rainfall records began in Jan 1893):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 76.9 in 2015	1 65.0 in 1901	1 7.29 in 1931	1 0.00 in 2001
2 76.1 in 1947	2 65.5 in 1987	2 7.13 in 1957	0.00 in 1981
3 75.9 in 1912	3 65.9 in 1931	3 7.11 in 1933	0.00 in 1967
4 75.8 in 1911	4 67.4 in 1932	4 6.56 in 1928	4 0.16 in 1987
5 75.7 in 1945	5 67.6 in 1983	5 6.53 in 1941	5 0.20 in 1923
6 75.6 in 2011	67.6 in 1902	6 6.40 in 1937	0.20 in 1911
7 75.5 in 1991	7 67.7 in 2005	7 6.36 in 1947	7 0.26 in 1938
8 75.3 in 2017	8 67.9 in 1993	8 6.06 in 1997	8 0.27 in 1963
9 74.8 in 1954	9 68.0 in 1940	9 6.00 in 1951	9 0.31 in 1977
10 74.7 in 1970	10 68.2 in 1925	10 5.78 in 1959	10 0.32 in 1898
...	...	...	...
<b>15 74.1 in 2018</b>		<b>52 2.39 in 2018</b>	<b>69 2.39 in 2018</b>

Normal Temperature for April at PLCF1 = 70.9°  
 Normal Rainfall for April at PLCF1 = 2.69 in.

**LAKELAND AREA** (records began in January 1915):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 77.2 in 2015	1 67.3 in 1950	1 8.48 in 1959	1 0.00 in 1967
2 76.5 in 1991	2 68.3 in 2005	2 8.36 in 1939	2 0.04 in 2001
3 76.3 in 1994	68.3 in 1952	3 8.35 in 1934	3 0.05 in 1963
4 76.2 in 1922	4 68.5 in 1987	4 8.15 in 1951	4 0.09 in 1981
5 76.1 in 2011	5 68.6 in 1961	5 7.71 in 1928	5 0.22 in 1977
6 75.8 in 1947	68.6 in 1951	6 6.84 in 1997	6 0.25 in 1922
7 75.6 in 1945	7 68.7 in 2007	7 6.77 in 1957	7 0.42 in 1972
8 75.4 in 1929	8 68.9 in 1973	8 6.66 in 1920	0.42 in 1969
9 75.2 in 2002	9 69.0 in 1983	9 5.82 in 1926	9 0.43 in 1932
10 75.1 in 2013	10 69.5 in 1931	10 5.60 in 1941	10 0.44 in 1945
75.1 in 1995	69.5 in 1915		
...	...	...	...
<b>26 73.5 in 2018</b>	<b>77 73.5 in 2018</b>	<b>22 3.82 in 2018</b>	<b>83 3.82 in 2018</b>
73.5 in 1967	73.5 in 1967		
73.5 in 1936	73.5 in 1936		

Normal Temperature for April at LLDF1 = 71.1°  
 Normal Rainfall for April at LLDF1 = 2.67 in.

**BARTOW** (records began in June 1892)

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 81.2 in 2015	1 65.9 in 1926	1 9.70 in 1920	1 0.00 in 1967
2 78.7 in 1908	2 66.3 in 1901	2 8.40 in 1951	2 Trace in 2000
3 77.2 in 1945	3 66.9 in 1915	3 6.89 in 1941	Trace in 1907
4 76.1 in 1991	4 67.3 in 1928	4 6.69 in 1934	4 0.04 in 1922
5 76.0 in 1999	5 68.0 in 1913	5 6.43 in 1937	5 0.11 in 1981
76.0 in 1947	6 68.1 in 1987	6 6.14 in 1935	6 0.17 in 1938
75.0 in 1922	7 68.4 in 1950	7 6.12 in 1954	7 0.20 in 1987
8 75.9 in 2014	68.4 in 1931	6.12 in 1895	8 0.21 in 2006
9 75.7 in 1965	9 68.8 in 1952	9 5.94 in 1933	9 0.28 in 2001
10 75.6 in 2002	10 68.9 in 1937	10 5.87 in 1991	10 0.34 in 1919
75.6 in 1954			
...	...	...	...
<b>52 72.4 in 2018</b>	<b>61 72.4 in 2018</b>	<b>49 2.80 in 2018</b>	<b>77 2.80 in 2018</b>
72.4 in 1946	72.4 in 2018		

Normal Temperature for April at BARF1 = 72.5°

Normal Rainfall for April at BARF1 = 2.73 in.

-----

**WINTER HAVEN AREA** (records began in March 1941):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 78.6 in 2015	1 67.0 in 1987	1 7.36 in 1951	1 0.00 in 1981
2 77.8 in 1947	2 68.5 in 1983	2 7.29 in 1941	0.00 in 1967
3 77.5 in 1991	68.5 in 1973	3 6.51 in 2008	3 0.18 in 1963
4 77.1 in 1945	4 69.0 in 1961	4 6.34 in 1957	4 0.28 in 1946
5 76.6 in 2002	5 69.1 in 1971	5 5.55 in 1947	5 0.46 in 1952
6 76.3 in 2011	6 69.7 in 2005	6 5.30 in 1960	6 0.51 in 2017
7 75.8 in 1994	69.7 in 1962	7 5.11 in 1997	7 0.56 in 2001
8 75.7 in 1948	8 69.9 in 1993	8 5.01 in 1959	8 0.61 in 1978
9 75.0 in 2017	9 70.0 in 1951	9 4.96 in 1999	9 0.62 in 1968
75.0 in 1989	10 70.1 in 2004	<b>10 4.42 in 2018</b>	10 0.67 in 1971
...		4.42 in 1991	
<b>15 74.2 in 2018</b>			

Normal Temperature for April at GIF = 72.2°

Normal Rainfall for April at GIF = 2.48 in.

-----



**SARASOTA-BRADENTON AREA** (records began in January 1911):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 75.9 in 2015	1 65.9 in	1 10.23 in 1957	1 0.00 in 1967
75.9 in 1945	2 67.0 in	2 9.82 in 1920	2 Trace in 2017
3 75.1 in 1994	3 67.1 in	3 8.78 in 1997	3 0.01 in 1923
4 75.0 in 2017	4 67.5 in	4 7.22 in 1933	4 0.03 in 1981
5 74.9 in 1947	5 67.8 in	5 7.09 in 1951	5 0.08 in 1963
6 74.6 in 2002	6 68.3 in	6 5.55 in 1930	6 0.10 in 1998
7 74.5 in 1954	68.3 in	7 5.11 in 1953	7 0.10 in 1922
8 74.4 in 2013	8 68.4 in	8 4.87 in 1916	8 0.14 in 2006
9 74.1 in 1965	9 68.5 in	9 4.85 in 1960	0.14 in 2001
10 74.0 in 2016	68.5 in	10 4.57 in 1991	10 0.15 in 1938
...	...	...	...
<b>28 72.5 in 2018</b>	<b>78 72.5 in 2018</b>	<b>39 2.52 in 2018</b>	<b>70 2.52 in 2018</b>

Normal Temperature for April at SRQ = 71.1°  
 Normal Rainfall for April at SRQ = 2.44 in.

**MYAKKA RIVER STATE PARK** (Temperature records began in March 1956  
 and Rainfall records began in Sep 1943):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 77.0 in 2015	1 66.5 in 1987	1 8.93 in 1997	1 0.00 in 2001
2 76.0 in 1999	2 67.8 in 1962	2 7.85 in 1993	2 Trace in 1981
3 75.7 in 1994	3 68.0 in 1961	3 7.10 in 1954	3 0.02 in 1987
4 74.8 in 1982	4 68.3 in 2005	4 7.02 in 1948	4 0.04 in 1946
5 74.7 in 2013	5 68.4 in 1986	5 6.82 in 1957	5 0.10 in 2006
74.7 in 2011	6 68.7 in 1973	6 6.22 in 1951	6 0.12 in 1970
74.7 in 1981	7 69.2 in 2004	7 5.58 in 1995	7 0.15 in 1978
8 74.4 in 2002	8 69.3 in 1971	8 5.17 in 2008	8 0.20 in 1998
74.4 in 1970	9 69.7 in 1983	9 5.05 in 1982	9 0.33 in 1971
10 74.2 in 1979	10 70.0 in 1963	10 5.01 in 1962	10 0.43 in 1950
...	...	...	...
<b>15 73.2 in 2018</b>		<b>27 2.38 in 2018</b>	<b>45 2.38 in 2018</b>
		2.38 in 2016	2.38 in 2016

Normal Temperature for April at MKCF1 = 71.6°  
 Normal Rainfall for April at MKCF1 = 2.59 in.

**VENICE** (records began in May 1955):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 76.9 in 2015	1 65.5 in 1987	1 13.85 in 1957	1 0.00 in 1967
2 76.2 in 2011	2 68.0 in 1986	2 7.86 in 1997	2 0.06 in 1975
3 76.1 in 1994	3 68.5 in 1993	3 6.10 in 1962	3 0.07 in 1987
4 75.9 in 2013	4 68.6 in 2005	4 5.20 in 1993	0.07 in 1978
5 75.5 in 2002	5 68.8 in 1983	5 5.18 in 1984	5 0.09 in 1963
6 74.5 in 2017	68.8 in 1962	6 5.09 in 1991	6 0.15 in 2006
74.5 in 1999	7 69.0 in 1988	7 4.51 in 2013	7 0.16 in 2001
8 74.4 in 2012	8 69.3 in 1984	4.51 in 1982	8 0.17 in 1970
9 74.2 in 2010	9 69.4 in 2007	9 4.12 in 1966	9 0.18 in 1999
10 73.7 in 1995	10 69.6 in 1956	10 4.01 in 2004	10 0.24 in 1972
73.7 in 1965			
...	...	...	...
<b>20 73.1 in 2018</b>	<b>41 73.1 in 2018</b>	<b>29 1.80 in 2018</b>	<b>35 1.80 in 2018</b>

Normal Temperature for April at VNCF1 = 71.1°

Normal Rainfall for April at VNCF1 = 2.48 in.

---

**WAUCHULA 2 N** (records began in January 1933):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 77.2 in 1945	1 65.7 in 1950	1 8.26 in 1951	1 0.00 in 2017
2 76.3 in 1947	2 66.7 in 1993	2 7.75 in 1947	0.00 in 2001
3 75.4 in 2015	66.7 in 1987	3 6.94 in 1962	0.00 in 1978
4 74.8 in 1968	4 66.8 in 2004	4 6.60 in 1995	0.00 in 1967
5 74.7 in 1991	5 67.6 in 1983	5 6.55 in 1953	5 0.03 in 1963
6 74.5 in 1970	6 67.9 in 1952	6 6.44 in 1992	6 0.05 in 1971
7 74.4 in 1975	7 68.1 in 1951	7 6.36 in 1934	7 0.08 in 1981
8 74.2 in 1965	8 68.3 in 2000	8 5.95 in 1997	8 0.13 in 1970
9 74.1 in 1982	9 68.5 in 2007	9 5.44 in 1933	9 0.16 in 1987
74.1 in 1939	68.5 in 1997	10 4.66 in 1980	10 0.22 in 1945
			11 0.23 in 1975
			12 0.28 in 1977
			<b>13 0.46 in 2018</b>

Average Temperature for April 1-27, 2018 = 71.5°

Normal Temperature for April at WAUF1 = 71.7°

Normal Rainfall for April at WAUF1 = 2.74 in.

**ARCADIA** (records began in November 1899):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 78.1 in 1908	1 66.9 in 1987	1 8.34 in 1997	1 0.00 in 1987
2 77.6 in 1912	2 67.0 in 1992	2 8.08 in 1933	0.00 in 1970
3 77.2 in 1945	3 67.2 in 1901	3 8.00 in 1951	0.00 in 1967
4 77.0 in 1947	4 67.4 in 1950	4 5.97 in 1957	4 0.02 in 2001
5 76.4 in 2015	5 67.7 in 2004	5 5.88 in 1954	0.02 in 1903
6 75.6 in 1911	6 67.9 in 1986	6 5.84 in 1920	6 0.06 in 1977
7 75.1 in 1954	7 68.6 in 1931	7 5.64 in 1939	7 0.08 in 1981
8 74.8 in 1991	8 68.7 in 2000	8 5.38 in 1930	8 0.11 in 1978
9 74.7 in 1929	9 69.0 in 1983	9 5.29 in 2015	9 0.13 in 1971
10 74.6 in 2011	69.0 in 1952	10 5.25 in 1963	10 0.14 in 1946
...	...	...	...
<b>50 72.0 in 2018</b>	<b>58 72.0 in 2018</b>	<b>25 3.50 in 2018</b>	<b>86 3.50 in 2018</b>

Normal Temperature for April at ARCF1 = 70.3°  
Normal Rainfall for April at ARCF1 = 2.47 in.

---

**ARCHBOLD BIO STN** (records began in January 1969):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 76.6 in 2015	1 63.0 in 1987	1 5.90 in 1972	1 0.03 in 2006
2 74.8 in 1991	2 66.4 in 1986	2 5.65 in 2015	2 0.08 in 1971
3 74.4 in 2011	3 66.7 in 2004	3 5.47 in 1997	3 0.16 in 1981
4 74.1 in 1994	4 66.9 in 1993	4 5.37 in 2013	4 0.19 in 1970
5 73.7 in 1982	5 67.4 in 2005	5 4.91 in 1992	5 0.21 in 1986
6 73.5 in 1975	67.4 in 1983	6 4.90 in 1973	6 0.42 in 2016
7 73.4 in 2013	7 67.7 in 2000	7 4.15 in 1982	7 0.43 in 1978
8 73.1 in 2017	8 68.6 in 1971	8 4.10 in 2004	8 0.52 in 1987
9 73.0 in 2002	9 68.7 in 1992	9 3.90 in 1980	9 0.59 in 2009
73.0 in 1981	10 68.8 in 2007	10 3.48 in 1999	10 0.69 in 1977
	68.8 in 1984	11 3.47 in 1985	
...	...	12 3.27 in 1995	
<b>21 71.3 in 2018</b>	<b>30 71.3 in 2018</b>	<b>13 3.20 in 2018</b>	

Normal Temperature for April at ACHF1 = 69.7°  
Normal Rainfall for April at ACHF1 = 2.25 in.

---

**PUNTA GORDA AREA** (records began in June 1914):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 78.7 in 1945	1 67.9 in 1987	1 8.70 in 1920	1 0.00 in 1981
2 78.2 in 1947	2 68.7 in 1915	2 7.93 in 1957	0.00 in 1963
3 76.9 in 1944	3 69.1 in 2004	3 7.08 in 1931	0.00 in 1946
4 76.6 in 2015	69.1 in 1916	4 5.80 in 1994	4 Trace in 1975
76.6 in 1994	5 69.2 in 2005	5 5.52 in 1941	Trace in 1967
6 76.1 in 1954	6 69.7 in 1971	6 5.36 in 1947	6 0.03 in 1922
7 76.0 in 1991	7 70.0 in 1993	7 5.20 in 1933	7 0.05 in 2006
76.0 in 1946	70.0 in 1986	8 5.15 in 1997	8 0.09 in 1970
9 75.9 in 1948	9 70.1 in 2000	9 5.08 in 1965	9 0.10 in 2001
10 75.8 in 2013	10 70.2 in 1950	5.08 in 1948	10 0.11 in 1987
...		...	...
<b>17 74.8 in 2018</b>		<b>64 1.15 in 2018</b>	<b>37 1.15 in 2018</b>

Normal Temperature for April at PGD = 71.8°  
Normal Rainfall for April at PGD = 2.43 in.

-----  
**FORT MYERS AREA** (records began in January 1902):

Warmest Aprils	Coollest Aprils	Wettest Aprils	Driest Aprils
1 78.8 in 2015	1 68.5 in 1950	1 8.42 in 1939	1 Trace in 1970
2 77.7 in 2011	2 68.8 in 1987	2 7.66 in 1941	Trace in 1967
77.7 in 1991	3 69.3 in 1915	3 6.06 in 1933	Trace in 1903
77.7 in 1947	4 69.6 in 1903	4 5.89 in 1930	4 0.01 in 2006
5 77.4 in 1994	5 70.1 in 1983	5 5.68 in 1994	0.01 in 1946
6 77.3 in 1908	70.1 in 1910	6 5.61 in 1916	6 0.02 in 1922
<b>7 76.9 in 2018</b>	7 70.2 in 1952	7 5.50 in 1949	7 0.08 in 1981
76.9 in 2013	8 70.4 in 1971	8 5.34 in 1995	8 0.08 in 1950
76.9 in 2002	9 70.6 in 1931	9 5.01 in 1991	9 0.11 in 1974
76.9 in 1945	10 70.8 in 2005	10 5.00 in 1997	10 0.14 in 1987
	70.8 in 1993	...	...
	70.8 in 1961	<b>74 0.98 in 2018</b>	<b>44 0.98 in 2018</b>
	70.8 in 1907		
	70.8 in 1902		

Normal Temperature for April at FMY = 73.8°  
Normal Rainfall for April at FMY = 2.18 in.

-----  
For more Climate information visit our web site at the following link:  
<https://www.weather.gov/tampabay> and then go to the Climate and Past  
Weather drop down menu above the graphical forecast images.